

Note: For a complete listing of parts, refer to the Renewal Parts Publication Number referenced below.

Table 33-122. For Catalog Numbers AN16, AN30, AN40, AN56, AN70, AN80, AN800, CN15, CN35 ② and CN55 Contactors and Starters

Description	NEMA Size 00-0	Price U.S. \$	NEMA Size 00		Price U.S. \$	NEMA Size 0		Price U.S. \$
	Series A1		Series B1	Series C1		Series B1	Series C1	
	Part No.		Part No.	Part No.		Part No.		
Renewal Parts Publication Number	None		None	None		None	None	

Contact Kits

2-Pole	①	—	①	①	—	①	①	—
3-Pole	①	—	①	①	—	①	①	—
4-Pole	①	—	①	①	—	①	①	—
5-Pole	①	—	①	①	—	①	①	—

Magnet Coils

Coil Suffix

120V 60 Hz or 110V 50 Hz..	A	9-2650-1	86.00	9-2875-1	9-2875-1	86.00	9-2876-1	9-2876-1	86.00
240V 60 Hz or 220V 50 Hz..	B	9-2650-2	86.00	9-2875-2	9-2875-2	86.00	9-2876-2	9-2876-2	86.00
480V 60 Hz or 440V 50 Hz..	C	9-2650-3	86.00	9-2875-3	9-2875-3	86.00	9-2876-3	9-2876-3	86.00
600V 60 Hz or 550V 50 Hz..	D	—	—	9-2875-4	9-2875-4	86.00	9-2876-4	9-2876-4	86.00
208V 60 Hz	E	9-2650-5	86.00	9-2875-5	9-2875-5	86.00	9-2826-5	9-2876-5	86.00
277V 60 Hz	H	9-2650-13	86.00	9-2875-12	9-2875-12	86.00	9-2826-12	9-2876-12	86.00
208/240V 60Hz	J	—	—	9-2875-37	9-2875-37	86.00	9-2826-17	9-2876-17	86.00
240V 50Hz.	K	—	—	9-2875-11	9-2875-11	86.00	9-2826-11	9-2876-11	86.00
380 – 415V 50 Hz	L	9-2650-6	86.00	9-2875-6	9-2875-6	86.00	9-2826-6	9-2876-6	86.00
380V 50 Hz	L	—	—	—	—	—	—	—	—
415V 50 Hz	M	—	—	—	—	—	—	—	—
550V 50 Hz	N	—	—	—	—	—	—	—	—
24V 60 Hz – 24V 50 Hz....	T	—	—	9-2875-36	9-2875-36	86.00	9-2876-36	9-2876-36	86.00
24V 60 Hz	U	9-2650-7	86.00	—	—	—	—	—	—
24V 50 Hz	U	9-2650-14	86.00	9-2875-36	9-2875-36	86.00	9-2876-36	9-2876-36	86.00
32V 50 Hz	V	—	—	9-2875-16	9-2875-16	86.00	9-2876-16	9-2876-16	86.00
48V 60 Hz	W	—	—	9-2875-8	9-2875-8	86.00	9-2876-8	9-2876-8	86.00
48V 50 Hz	Y	—	—	9-2875-9	9-2875-9	86.00	9-2876-9	9-2876-9	86.00

Magnet Frame Armature

Lower Magnet Frame	①	—	①	①	—	①	①	—
Upper Magnet Frame	①	—	①	①	—	①	①	—

Description	NEMA Size 1		Price U.S. \$	NEMA Size 2		Price U.S. \$	NEMA Size 3	
	Series A1	Series B1		Series A1	Series B1		Part No.	Price U.S. \$
	Part No.	Part No.		Part No.	Part No.		Part No.	Price U.S. \$
Renewal Parts Publication Number	20861	22177		20861	22177		20426	

Contact Kits

2-Pole	6-65	6-65	82.00	6-65-7	6-65-7	157.00	6-43-5	254.00
3-Pole	6-65-2	6-65-2	131.00	6-65-8	6-65-8	233.00	6-43-6	380.00
4-Pole	6-65-9	6-65-9	173.00	6-65-15	6-65-15	308.00	—	—
5-Pole	6-65-10	6-65-10	213.00	6-65-16	6-65-16	390.00	—	—

Magnet Coils

Coil Suffix

120V 60 Hz or 110V 50 Hz..	A	9-2703-1	9-2703-1	102.00	9-2703-1	9-2703-1	102.00	9-2756-1	165.00
240V 60 Hz or 220V 50 Hz..	B	9-2703-2	9-2703-2	102.00	9-2703-2	9-2703-2	102.00	9-2756-2	165.00
480V 60 Hz or 440V 50 Hz..	C	9-2703-3	9-2703-3	102.00	9-2703-3	9-2703-3	102.00	9-2756-3	165.00
600V 60 Hz or 550V 50 Hz..	D	9-2703-4	9-2703-4	102.00	9-2703-4	9-2703-4	102.00	9-2756-4	165.00
208V 60 Hz	E	9-2703-9	9-2703-9	102.00	9-2703-9	9-2703-9	102.00	9-2756-5	165.00
277V 60 Hz	H	9-2703-7	9-2703-7	102.00	9-2703-7	9-2703-7	102.00	9-2756-9	165.00
208/240V 60Hz	J	—	—	—	—	—	—	—	—
240V 50Hz.	K	9-2703-14	9-2703-14	102.00	9-2703-14	9-2703-14	102.00	9-2756-13	165.00
380 – 415V 50 Hz	L	9-2703-8	9-2703-8	102.00	9-2703-8	9-2703-8	102.00	—	—
380V 50 Hz	L	—	—	—	—	—	—	9-2756-12	165.00
415V 50 Hz	M	—	—	—	—	—	—	9-2756-8	165.00
550V 50 Hz	N	—	—	—	—	—	—	9-2756-14	*
24V 60 Hz – 24V 50 Hz....	T	—	—	—	—	—	—	—	—
24V 60 Hz	T	9-2703-6	9-2703-6	102.00	9-2703-6	9-2703-6	102.00	9-2756-6	165.00
24V 50 Hz	U	9-2703-12	9-2703-12	102.00	9-2703-12	9-2703-12	102.00	9-2756-11	165.00
32V 50 Hz	V	9-2703-10	9-2703-10	102.00	9-2703-10	9-2703-10	102.00	9-2756-10	165.00
48V 60 Hz	W	9-2703-11	9-2703-11	102.00	9-2703-11	9-2703-11	102.00	9-2756-15	165.00
48V 50 Hz	Y	9-2703-13	9-2703-13	102.00	9-2703-13	9-2703-13	102.00	9-2756-7	*

Magnet Frame Armature

Lower Magnet Frame	17-18200	17-18200	23.50	17-18200	17-18200	23.50	17-8955-2	56.50
Upper Magnet Frame	48-1936	48-1936	21.80	48-1936	48-1936	21.80	48-1902	23.20

① Replace with complete contactor.

② CN35A = Size 00, CN35B and CN35D = Size 0, CN35G = Size 2, CN35K = Size 3, CN35N = Size 4, and CN35S = Size 5.

*Please contact your local Eaton sales office.

Discount Symbol 1CD1C

Note: For a complete listing of parts, refer to the Renewal Parts Publication Number referenced below.

Table 33-122. For Catalog Numbers AN16, AN30, AN40, AN56, AN70, AN80, AN800, CN15, CN35 ① and CN55 Contactors and Starters (Continued)

Description	NEMA Size 4			NEMA Size 5			NEMA Size 6			
	Series A1	Series B1	Price U.S. \$	Series A1	Series B1	Price U.S. \$	Contactor & Starter Series A1, Starter Series B1	Price U.S. \$	Contactor & Starter Series B1, Starter Series C1	Price U.S. \$
	Part No.	Part No.		Part No.	Part No.		Part No.		Part No.	
Renewal Parts Publication Number	20428	20428		20429	20429		20146		23349	

Contact Kits

2-Pole 3-Pole	6-44 6-44-2	6-26 6-26-2	585. 885.	6-45 6-45-2	6-45 6-45-2	975. 1,445.	6-601-2 6-601	2,660. 3,990.	— 6-648	— 3,990.
------------------	----------------	----------------	--------------	----------------	----------------	----------------	------------------	------------------	------------	-------------

Magnet Coils

Coil Suffix

120V 60 Hz or 110V 50 Hz.....	A	9-1891-1	9-1891-1	177.	9-1891-1	9-1891-1	177.	9-2698	1,175.	9-3006	825.
240V 60 Hz or 220V 50 Hz.....	B	9-1891-2	9-1891-2	177.	9-1891-2	9-1891-2	177.	9-2698-2	1,175.	9-3006-2	825.
480V 60 Hz or 440V 50 Hz.....	C	9-1891-3	9-1891-3	177.	9-1891-3	9-1891-3	177.	9-2698-3	1,175.	9-3006-3	825.
600V 60 Hz or 550V 50 Hz.....	D	9-1891-4	9-1891-4	177.	9-1891-4	9-1891-4	177.	9-2698-4	1,175.	9-3006-4	825.
208V 60 Hz.....	E	9-1891-13	9-1891-13	177.	9-1891-13	9-1891-13	177.	9-2698-5	1,175.	—	—
277V 60 Hz.....	H	9-1891-26	9-1891-26	177.	9-1891-26	9-1891-26	177.	—	—	—	—
208/240V 60Hz.....	J	—	—	—	—	—	—	—	—	—	—
240V 50Hz.....	K	9-1891-20	9-1891-20	177.	9-1891-20	9-1891-20	177.	—	—	—	—
380 - 415V 50 Hz.....	L	—	—	—	—	—	—	9-2698-6	1,175.	9-3006-7	825.
380V 50 Hz.....	L	9-1891-14	9-1891-14	177.	9-1891-14	9-1891-14	177.	—	—	—	—
415V 50 Hz.....	M	9-1891-21	9-1891-21	177.	9-1891-21	9-1891-21	177.	—	—	—	—
550V 50 Hz.....	N	9-1891-8	9-1891-8	177.	9-1891-8	9-1891-8	177.	—	—	—	—
24V 60 Hz - 24V 50 Hz.....	T	—	—	—	—	—	—	—	—	9-3006-8	825.
24V 60 Hz.....	T	9-1891-15	9-1891-15	177.	9-1891-15	9-1891-15	177.	—	—	—	—
24V 50 Hz.....	U	9-1891-16	9-1891-16	177.	9-1891-16	9-1891-16	177.	—	—	—	—
48V 60 Hz.....	W	—	—	—	—	—	—	9-2698-8	*	9-3006-9	*
48V 50 Hz.....	Y	9-1891-18	9-1891-18	168.	9-1891-18	9-1891-18	168.	—	—	—	—

Overload Relays

For replacement on existing starters 3-Pole — Ambient Compensated Bimetallic	10-6530-4	10-6530-4	309.	C306DN3B	C306DN3B	90.	C306DN3B	90.	C306DN3B	90.
--	-----------	-----------	------	----------	----------	-----	----------	-----	----------	-----

Current Transformer

	—	—	—	42-3564	42-3564	575.	42-3598	417.	42-3598	417.
--	---	---	---	---------	---------	------	---------	------	---------	------

Magnet Frame Armature

Lower Magnet Frame	48-1030-2	48-1030-2	118.	48-1030-2	48-1030-2	118.	—	—	—	—
Upper Magnet Frame	48-1029-4	48-1029-4	100.	48-1029-4	48-1029-4	100.	—	—	—	—

Feeder Group Renewal ③

Volts	Hertz	NEMA Size 4			NEMA Size 5			NEMA Size 6			
		Series A1	Series B1	Price U.S. \$	Series A1	Series B1	Price U.S. \$	Contactor & Starter Series A1, Starter Series B1	Price U.S. \$	Contactor & Starter Series B1, Starter Series C1	Price U.S. \$
110 - 120	50/60	—	—	—	—	—	—	9-2705	1,095.	9-3007	1,025.
220 - 240	50/60	—	—	—	—	—	—	9-2705-2	1,095.	9-3007-2	1,025.
440 - 480	50/60	—	—	—	—	—	—	9-2705-3	1,095.	9-3007-3	1,025.
550 - 600	50/60	—	—	—	—	—	—	9-2705-4	1,095.	9-3007-4	1,025.
208	50/60	—	—	—	—	—	—	9-2705-5	*	9-3007-5	1,025.
380 - 415	50/60	—	—	—	—	—	—	9-2705-6	*	9-3007-6	1,025.
48 - 52	50/60	—	—	—	—	—	—	9-2705-8	*	9-3007-8	1,025.

① CN35A = Size 00, CN35B and CN35D = Size 0, CN35G = Size 2, CN35K = Size 3, CN35N = Size 4, and CN35S = Size 5.

② Consult factory.

③ Voltage ratings of the main coils must match those of the feeder group for proper operation of the starter/contactator.

*Please contact your local Eaton sales office.

Note: For a complete listing of parts, refer to the Renewal Parts Publication Number referenced below.

Table 33-122. For Catalog Numbers AN16, AN30, AN40, AN56, AN70, AN80, AN800, CN15, CN35 ① and CN55 Contactors and Starters (Continued)

Description	NEMA Size 7		Price U.S. \$	NEMA Size 8		Price U.S. \$	
	Series A1	Series B1		Series A1	Series B1		
	Part No.	Part No.		Part No.	Part No.		
Renewal Parts Publication Number	20848	20848		20849	20849		
Contact Kits							
2-Pole	—	—	—	—	—	—	
3-Pole	6-613	6-613	5,410.	6-571	6-571	6,570.	
Magnet Coils							
	Coil Suffix						
120V 60 Hz or 110V 50 Hz	A	9-2698	9-2698	1,175.	9-2654	9-2654	1,935.
240V 60 Hz or 220V 50 Hz	B	9-2698-2	9-2698-2	1,175.	9-2654-2	9-2654-2	1,935.
480V 60 Hz or 440V 50 Hz	C	9-2698-3	9-2698-3	1,175.	9-2654-3	9-2654-3	1,935.
600V 60 Hz or 550V 50 Hz	D	9-2698-4	9-2698-4	1,175.	9-2654-4	9-2654-4	1,935.
208V 60 Hz	E	9-2698-5	9-2698-5	1,175.	9-2654-6	9-2654-6	*
277V 60 Hz	H	—	—	—	—	—	—
208/240V 60Hz	J	—	—	—	—	—	—
240V 50Hz	K	—	—	—	—	—	—
380 – 415V 50 Hz	L	—	—	—	—	—	—
380V 50 Hz	L	9-2698-6	9-2698-6	1,175.	9-2654-5	9-2654-5	*
415V 50 Hz	M	—	—	—	—	—	—
550V 50 Hz	N	—	—	—	—	—	—
24V 60 Hz – 24V 50 Hz	T	—	—	—	—	—	—
24V 60 Hz	T	—	—	—	—	—	—
24V 50 Hz	U	—	—	—	—	—	—
32V 50 Hz	V	—	—	—	—	—	—
48V 60 Hz	W	—	—	—	—	—	—
48V 50 Hz	Y	—	—	—	—	—	—
Overload Relays							
For replacement on existing starters							
3-Pole — Ambient Compensated Bimetallic	C306DN3B	C306DN3B	90.	C306DN3B	C306DN3B	90.	
Current Transformer							
	42-3598-2	42-3598-2	*	42-3598-3	42-3598-3	*	
Magnet Frame Armature ②							
Lower Magnet Frame	—	—	—	—	—	—	
Upper Magnet Frame	—	—	—	—	—	—	
Feeder Group Renewal ③							
Volts	Hertz	NEMA Size 7			NEMA Size 8		
		Series A1	Series B1	Price U.S. \$	Series A1	Series B1	Price U.S. \$
110 – 120	50/60	9-2705	9-2705	1,095.	—	—	—
220 – 240	50/60	9-2705-2	9-2705-2	1,095.	—	—	—
440 – 480	50/60	9-2705-3	9-2705-3	1,095.	—	—	—
550 – 600	50/60	9-2705-4	9-2705-4	1,095.	—	—	—
208	50/60	9-2705-5	9-2705-5	*	—	—	—
380 – 415	50/60	9-2705-6	9-2705-6	*	—	—	—
48 – 52	50/60	9-2705-8	9-2705-8	*	—	—	—
120	50/60	—	—	—	9-2664	9-2664	*
240	50/60	—	—	—	9-2664-2	9-2664-2	*
480	50/60	—	—	—	9-2664-3	9-2664-3	*
600	50/60	—	—	—	9-2664-4	9-2664-4	*
380	50/60	—	—	—	9-2664-5	9-2664-5	*
208	50/60	—	—	—	9-2664-6	9-2664-6	*
415	50/60	—	—	—	9-2664-7	9-2664-7	*
110	50/60	—	—	—	9-2664-8	9-2664-8	*
220	50/60	—	—	—	9-2664-9	9-2664-9	*
550	50/60	—	—	—	9-2664-10	9-2664-10	*
440	50/60	—	—	—	9-2664-11	9-2664-11	*

① CN35A = Size 00, CN35B and CN35D = Size 0, CN35G = Size 2, CN35K = Size 3, CN35N = Size 4, and CN35S = Size 5.

② Consult factory.

③ Voltage ratings of the main coils must match those of the feeder group for proper operation of the starter/contactors.

*Please contact your local Eaton sales office.