


3M Industrial Market Center

No matter
what you build,
we can help you
ride the wave.

A full-page background image of a man surfing a large, curling blue wave. The man is shirtless, wearing dark shorts, and is crouched on a white surfboard, looking directly at the camera with a focused expression. The water is a vibrant blue with white foam from the wave's curl.

We've got the go-to products to help you shoot the curl.

**You have a job to do.
You want the best products
to help you do it right.**

**Whether you're looking
for reliable day-to-day
industrial supplies or
that one special tool to
make things go easier,
the standout products in
this catalog can help keep
you riding the pipeline.**

Contents

2

Abrasives

- 2 Right Angle Power Tool Solutions
- 7 Random Orbital Sanding Solutions
- 12 Abrasive Belt Systems
- 14 Roloc™ Systems
- 16 Wheel Systems
- 17 Hand Sanding Products

18

Adhesives

- 18 Adhesive Sealants
- 18 Anaerobic Adhesives
- 19 Concrete Repair Adhesives
- 19 Contact Adhesives
- 20 Hot Melt Systems
- 20 Cleaners & Lubricants
- 21 Plastic, Rubber & Gasket Adhesives
- 22 Spray Adhesives
- 25 Structural Adhesives

27

Environmental Safety Products

- 27 Chemical Sorbents
- 29 Maintenance Sorbents
- 31 Petroleum Sorbents

34

Facility Maintenance

- 34 Cleaning Chemicals
- 36 Floor Care Products
- 38 Sponges & Pads
- 40 3M™ Easy Clean System
- 41 Surface Protection

42

Filtration Products

- 42 Commercial & Residential
Water Filtration
- 44 Foodservice Filtration

45

Fire Protection

46

Matting & Treads

- 46 Matting
- 49 Treads

50

Paint Finishing

- 50 Buffing Accessories & Buffing Pads
- 53 Compounds & Polishes
- 55 Fillers & Glazes

56

Personal Protective Equipment

- 56 Disposable Respirators
- 57 Reusable Respirators
- 59 Eye Protection
- 60 Head & Face Protection
- 61 Hearing Protection
- 63 Welding Safety Solutions

64

Spray Equipment for Coatings

- 64 Booth Protection
- 65 3M™ PPS™ Paint Preparation System
- 69 Spray Guns & Accessories

70

Tapes

- 70 Fasteners
- 72 Duct Tapes
- 74 Masking Products
- 77 Packaging Products
- 89 Specialty Tapes

108

Transportation Maintenance

- 108 Cleaners

Right Angle Power Tool Solutions

Grinders



3M™ Grinder 28824

T-27, 4-½" Grinder with guard to be used with 4-½" Cubitron™ II Bonded, Coated, and Surface Conditioning Products. Removable side handle furnished with tool.

UPC	ID	MOQ	Max RPM	Size	Case Qty/Units
00-051141-28824-6	28824	1	12,000	4-½" ⅝-11 EXT	1

Sanders



3M™ Sander 28825

Sander to be used with 4-½" and 5" Cubitron™ II Coated and Surface Conditioning Products with MOS Ratings of 12,000 RPM or greater. Removable side handle furnished with tool.

UPC	ID	MOQ	Max RPM	Size	Case Qty/Units
00-051141-28825-3	28825	1	12,000	4-½" ⅝-11 EXT	1

Cut-Off Wheel Tools



3M™ Cut-Off Wheel Tool 28826

Whether cutting tube, pipe, rebar, or sheets, 3M™ Cut-Off Wheel Tools can deliver fast, smooth performance. These 1.5 HP tools, combined with Cubitron™ II Cut-Off Wheels have the power you need to cut through carbon steel, stainless steel and other materials.

UPC	ID	MOQ	Max RPM	Size	Case Qty/Units
00-051141-28826-0	28826	1	12,000	4-½" x 5"	1

Depressed Center Grinding Wheels



3M™ Cubitron™ II Depressed Center Grinding Wheel T27

3M™ Cubitron™ II Grinding Wheel is constructed of 3M precision-shaped ceramic grain to bring you an exceptionally fast-cutting and long-lasting rigid bonded wheel for heavy weld removal and other heavy-duty grinding applications. Our grinding wheel works well on almost all materials and is specially formulated for use on stainless steel and mild steel.

UPC	ID	MOQ	Max RPM	Size	Case Qty/Units
00-051115-66598-1	66598	10	15,300	4" x .25" x ⅝"	20
00-051115-66597-4	66597	10	15,300	4" x .25" x ⅝"	20
00-051115-66587-5	66587	10	13,300	4-½" x .25" x ⅞"	20
00-051115-66588-2	66588	10	12,250	5" x .25" x ⅞"	20
00-051115-66589-9	66589	10	10,200	6" x .25" x ⅞"	20
00-051115-66590-5	66590	10	8,500	7" x .25" x ⅞"	20
00-051115-66591-2	66591	10	6,650	9" x .25" x ⅞"	20
Quick Change					
00-051115-66596-7	66596	10	13,300	4-½" x .25" x ⅝-11	20
00-051115-66592-9	66592	10	12,250	5" x .25" x ⅝-11	20
00-051115-66593-6	66593	10	10,200	6" x .25" x ⅝-11	20
00-051115-66594-3	66594	10	8,500	7" x .25" x ⅝-11	20
00-051115-66595-0	66595	10	6,650	9" x .25" x ⅝-11	20

Right Angle Power Tool Solutions

Cut-Off Wheels



3M™ Cubitron™ II Cut and Grind Wheel T27

This premium performance Cut & Grind wheel contains 3M precision shaped grain for fast cut and long life. These versatile wheels can be used as both a depressed center grinding wheel and as a cut-off wheel. Ideal for cutting, grinding and back gouging applications. Specially formulated to be used on stainless and mild steel.

UPC	ID	MOQ	Max RPM	Size	Case Qty/Units
04-046719-82276-8	82276	10	15,300	4" x 1/8" x 3/8"	20
04-046719-82277-5	82277	10	15,300	4" x 1/8" x 5/8"	20
04-046719-82279-9	82279	10	12,250	4-1/2" x 1/8" x 7/8"	20
04-046719-82278-2	82278	10	13,300	5" x 1/8" x 7/8"	20
00-051141-28758-4	28758	10	10,200	6" x 1/8" x 7/8"	20
00-051141-28760-7	28760	10	8,500	7" x 1/8" x 7/8"	20
00-051141-28761-4	28761	10	6,650	9" x 1/8" x 7/8"	20



3M™ Cubitron™ II Cut-Off Wheel T27

3M™ Cubitron™ II Cut-Off Wheel features 3M precision shaped ceramic grain to bring you an exceptionally fast-cutting and long-lasting wheel for use on all types of ferrous metals, stainless steel, mild steel, and cast iron.

UPC	ID	MOQ	Max RPM	Size	Case Qty/Units
00-051115-66529-5	66529	25	15,300	4" x .045" x 5/8"	50
00-051125-86946-1	86946	25	13,300	4-1/2" x .040" x 7/8"	50
00-051115-66531-8	66531	25	13,300	4-1/2" x .045" x 7/8"	50
00-051115-66535-6	66535	25	13,300	4-1/2" x .125" x 7/8"	50
00-051125-86945-4	86945	25	12,250	5" x .040" x 7/8"	50
00-051115-66537-0	66537	25	12,250	5" x .045" x 7/8"	50
00-051115-66539-4	66539	25	12,250	5" x .09" x 7/8"	50
00-051115-66541-7	66541	25	10,200	6" x .045" x 7/8"	50
00-051115-66543-1	66543	25	8,500	7" x .09" x 7/8"	50

Quick Change

00-051115-66530-1	66530	25	13,300	4-1/2" x .045" x 5/8"-11	50
00-051115-66532-5	66532	25	13,300	4-1/2" x .09" x 5/8"-11	50
00-051115-66534-9	66534	25	13,300	4-1/2" x .125" x 5/8"-11	50
00-051115-66540-0	66540	25	10,200	6" x .045" x 5/8"-11	50
00-051115-66542-4	66542	25	8,500	7" x .09" x 5/8"-11	50



3M™ Cubitron™ II Cut-Off Wheel T1

3M™ Cubitron™ II Cut-Off Wheel features 3M precision shaped ceramic grain to bring you an exceptionally fast-cutting and long-lasting wheel for use on all types of ferrous metals, stainless steel, mild steel, and cast iron.

UPC	ID	MOQ	Max RPM	Size	Case Qty/Units
00-051115-66513-4	66513	25	25,465	3" x .035" x 1/4"	50
00-051115-66514-1	66514	25	25,465	3" x .035" x 3/8"	50
00-051115-66516-5	66516	25	25,465	3" x .06" x 3/8"	50
00-051115-66518-9	66518	25	19,100	4" x .035" x 3/8"	50
00-051115-66520-2	66520	25	19,100	4" x .06" x 3/8"	50
00-051115-66521-9	66521	25	15,300	4" x .09" x 5/8"	50
00-051115-66522-6	66522	25	15,300	4" x .045" x 5/8"	50
00-051115-66524-0	66524	25	19,100	4" x .125" x 3/8"	50
00-051125-86929-4	86929	25	13,300	4-1/2" x .040" x 7/8"	50
00-051115-66525-7	66525	25	13,300	4-1/2" x .045" x 7/8"	50
00-051125-86930-0	86930	50	12,250	5" x .040" x 7/8"	50
00-051115-66526-4	66526	25	12,250	5" x .045" x 7/8"	50
00-051115-66527-1	66527	25	10,200	6" x .045" x 7/8"	50
00-051115-66528-8	66528	25	8,500	7" x .045" x 7/8"	50

Right Angle Power Tool Solutions

Fibre Discs



3M™ Cubitron™ II Fibre Disc 982C

3M™ Cubitron™ II Fibre Disc 982C offers optimum performance and productivity on carbon steel with our exceptionally high-performing 3M precision shaped grain combined with a stiff fiber backing. Engineered to cut faster, cooler, and with less grinding pressure than conventional fibre discs.

UPC	ID	MOQ	Max RPM	Grade	Size	Case Qty/Units
00-051141-27400-3	27400	25	13,300	36+	4-½" x ⅞"	100
00-051141-27631-1	27631	25	13,300	60+	4-½" x ⅞"	100
00-051141-27635-9	27635	25	13,300	80+	4-½" x ⅞"	100
00-051141-27425-6	27425	25	13,300	36+	4-½" x TN*	100
00-051141-27642-7	27642	25	13,300	80+	4-½" x TN*	100
00-051141-27401-0	27401	25	12,000	36+	5" x ⅞"	100
00-051141-27632-8	27632	25	12,000	60+	5" x ⅞"	100
00-051141-27636-6	27636	25	12,000	80+	5" x ⅞"	100
00-051141-27406-5	27406	25	12,000	36+	5" x GL*	100
00-051141-27404-1	27404	25	12,000	36+	5" x TN*	100
00-051141-27640-3	27640	25	12,000	60+	5" x TN*	100
00-051141-27643-4	27643	25	12,000	80+	5" x TN*	100
00-051141-27402-7	27402	25	8,600	36+	7" x ⅞"	100
00-051141-27633-5	27633	25	8,600	60+	7" x ⅞"	100
00-051141-27637-3	27637	25	8,600	80+	7" x ⅞"	100
00-051141-27407-2	27407	25	3,600	36+	7" x GL*	100
00-051141-27405-8	27405	25	8,600	36+	7" x TN*	100
00-051141-27641-0	27641	25	8,600	60+	7" x TN*	100
00-051141-27644-1	27644	25	8,600	80+	7" x TN*	100
00-051141-27403-4	27403	25	6,600	36+	9-½" x ⅞"	100

*Quick Change Attachments. Other sizes available upon request.



3M™ Cubitron™ II Fibre Disc 987C

3M™ Cubitron™ II Fibre Disc 987C offers fast, cool cutting with less grinding pressure than conventional fibre discs. Built with our exceptionally high-performing ceramic 3M precision shaped grain combined with stiff fiber backing. Designed for use on stainless steel, carbon steel, superalloys, and high nickel alloys.

UPC	ID	MOQ	Max RPM	Grade	Size	Case Qty/Units
00-051141-27447-8	27447	25	13,300	36+	4-½" x ⅞"	100
00-051141-27653-3	27653	25	13,300	60+	4-½" x ⅞"	100
00-051141-27657-1	27657	25	13,300	80+	4-½" x ⅞"	100
00-051141-27469-0	27469	100	13,300	36+	4-½" x TN*	100
00-051141-27664-9	27664	25	13,300	80+	4-½" x TN*	100
00-051141-27448-5	27448	25	12,000	36+	5" x ⅞"	100
00-051141-27654-0	27654	25	12,000	60+	5" x ⅞"	100
00-051141-27658-8	27658	25	12,000	80+	5" x ⅞"	100
00-051141-27467-6	27467	100	12,000	36+	5" x TN*	100
00-051141-27662-5	27662	25	12,000	60+	5" x TN*	100
00-051141-27449-2	27449	25	8,600	36+	7" x ⅞"	100
00-051141-27655-7	27655	25	8,600	60+	7" x ⅞"	100
00-051141-27659-5	27659	25	8,600	80+	7" x ⅞"	100
00-051141-27663-2	27663	25	8,600	60+	7" x TN*	100
00-051141-27468-3	27468	100	8,600	36+	7" x TN*	100

*Quick Change Attachments. Other sizes available upon request.

Right Angle Power Tool Solutions

Flap Discs



3M™ Cubitron™ II Flap Disc 967A

3M™ Cubitron™ II Flap Disc 967A is ideal for low to medium-high pressure applications on flat surfaces, curves, contours and edgework, especially in paint prep and stainless steel fabrication where final finish and gouge resistance are important.

UPC	ID	MOQ	Max RPM	Grade	Size	Case Qty/Units
Type 27						
00-051141-55602-4	55602	10	13,300	40+	4-½" x ⅝"-11"	10
00-051141-55603-1	55603	10	13,300	60+	4-½" x ⅝"-11"	10
00-051141-55604-8	55604	10	13,300	80+	4-½" x ⅝"-11"	10
00-051141-55632-1	55632	10	13,300	40+	4-½" x ⅝"-11" GIANT	10
00-051141-55633-8	55633	10	13,300	60+	4-½" x ⅝"-11" GIANT	10
00-051141-55634-5	55634	10	13,300	80+	4-½" x ⅝"-11" GIANT	10
00-051141-55605-5	55605	10	13,300	40+	4-½" x ⅞"	10
00-051141-55606-2	55606	10	13,300	60+	4-½" x ⅞"	10
00-051141-55607-9	55607	10	13,300	80+	4-½" x ⅞"	10
00-051141-55635-2	55635	10	13,300	40+	4-½" x ⅞" GIANT	10
00-051141-55636-9	55636	10	13,300	60+	4-½" x ⅞" GIANT	10
00-051141-55637-6	55637	10	13,300	80+	4-½" x ⅞" GIANT	10
00-051125-86715-3	86715	10	12,000	40+	5" x ⅞"	10
00-051141-55608-6	55608	5	8,600	40+	7" x ⅝"-11"	5
00-051141-55609-3	55609	5	8,600	60+	7" x ⅝"-11"	5
00-051141-55610-9	55610	5	8,600	80+	7" x ⅝"-11"	5
00-051141-55611-6	55611	5	8,600	40+	7" x ⅞"	5
00-051141-55612-3	55612	5	8,600	60+	7" x ⅞"	5
00-051141-55613-0	55613	5	8,600	80+	7" x ⅞"	5
Type 29						
00-051141-55614-7	55614	10	15,000	40+	4" x ⅜"-24"	10
00-051141-55617-8	55617	10	15,000	40+	4" x ⅝"	10
00-051141-55618-5	55618	10	15,000	60+	4" x ⅝"	10
00-051141-55620-8	55620	10	13,300	40+	4-½" x ⅝"-11"	10
00-051141-55621-5	55621	10	13,300	60+	4-½" x ⅝"-11"	10
00-051141-55622-2	55622	10	13,300	80+	4-½" x ⅝"-11"	10
00-051141-55644-4	55644	10	13,300	40+	4-½" x ⅝"-11" GIANT	10
00-051141-55645-1	55645	10	13,300	60+	4-½" x ⅝"-11" GIANT	10
00-051141-55646-8	55646	10	13,300	80+	4-½" x ⅝"-11" GIANT	10
00-051141-55623-9	55623	10	13,300	40+	4-½" x ⅞"	10
00-051141-55624-6	55624	10	13,300	60+	4-½" x ⅞"	10
00-051141-55625-3	55625	10	13,300	80+	4-½" x ⅞"	10
00-051141-55647-5	55647	10	13,300	40+	4-½" x ⅞" GIANT	10
00-051141-55648-2	55648	10	13,300	60+	4-½" x ⅞" GIANT	10
00-051125-86716-0	86716	10	12,000	40+	5" x ⅞"	10
00-051141-55626-0	55626	5	8,600	40+	7" x ⅝"-11"	5
00-051141-55627-7	55627	5	8,600	60+	7" x ⅝"-11"	5
00-051141-55628-4	55628	5	8,600	80+	7" x ⅝"-11"	5
00-051141-55629-1	55629	5	8,600	40+	7" x ⅞"	5
00-051141-55630-7	55630	5	8,600	60+	7" x ⅞"	5
00-051141-55631-4	55631	5	8,600	80+	7" x ⅞"	5

Right Angle Power Tool Solutions

Surface Conditioning Discs



Scotch-Brite™ Surface Conditioning Disc

Scotch-Brite™ Surface Conditioning Disc comes in a wide variety of grades and sizes and is ideal for cleaning, blending, light deburring, and finishing. Durable, non-woven fiber construction conforms well on irregular or contoured surfaces without undercutting or damaging the base material.

UPC	MOQ	Max RPM	Grade	Color	Size	Case Qty/Units
00-048011-14101-5	50	13,000	ACRS	Brown	4-½" x NH	50
00-048011-14100-8	50	13,000	AMED	Maroon	4-½" x NH	50
00-048011-14099-5	50	13,000	AVFN	Blue	4-½" x NH	50
00-048011-00750-2	50	10,000	ACRS	Brown	5" x NH	50
00-048011-00643-7	50	10,000	AMED	Maroon	5" x NH	50
00-048011-04303-6	50	10,000	AVFN	Blue	5" x NH	50
00-048011-00751-9	25	6,000	ACRS	Brown	7" x NH	25
00-048011-00645-1	25	6,000	AMED	Maroon	7" x NH	25
00-048011-04305-0	25	6,000	AVFN	Blue	7" x NH	25



Scotch-Brite™ AL Surface Conditioning Disc

Scotch-Brite™ AL Surface Conditioning Discs come in a wide variety of grades and sizes and are an ideal first step for cleaning, blending, deburring, and finishing. Durable, non-woven fiber construction conforms well on irregular or contoured surfaces without undercutting or damaging the base material.

UPC	ID	MOQ	Max RPM	Grade	Color	Size	Case Qty/Units
00-051141-54208-9	54208	25	10,000	AVFN	Blue	4" x NH	100
00-051141-54203-4	54203	25	10,000	AMED	Maroon	4" x NH	100
00-051141-54209-6	54209	25	10,000	ACRS	Brown	4" x NH	100
00-051141-54217-1	54217	50	9,600	AVFN	Blue	4-½" x NH	50
00-051141-54218-8	54218	50	9,600	AMED	Maroon	4-½" x NH	50
00-051141-54219-5	54219	50	9,600	ACRS	Brown	4-½" x NH	50
00-051141-54213-3	54213	50	8,500	AVFN	Blue	5" x NH	50
00-051141-54215-7	54215	50	8,500	AMED	Maroon	5" x NH	50
00-051141-54212-6	54212	50	8,500	ACRS	Brown	5" x NH	50
00-051141-54214-0	54214	25	6,000	AVFN	Blue	7" x NH	25
00-051141-54211-9	54211	25	6,000	AMED	Maroon	7" x NH	25
00-051141-54204-1	54204	25	6,000	ACRS	Brown	7" x NH	25



Scotch-Brite™ Light Grinding and Blending Disc TN Quick Change

A durable disc constructed with 3M aluminum oxide blend abrasive grain, for an aggressive cut, long life and consistent finish. Resistant to edge wear. Ideal for light grinding applications to produce a burr-free and paintable finish.

UPC	ID	MOQ	Max RPM	Color	Size	Case Qty/Units
00-048011-60348-3	60348	50	13,300	Maroon	4-½" x NH	50
00-048011-60349-0	60349	50	13,300	Blue	4-½" x NH	50
00-048011-60350-6	60350	50	12,000	Maroon	5" x NH	50
00-048011-60351-3	60351	50	12,000	Blue	5" x NH	50
00-048011-60352-0	60352	25	8,600	Maroon	7" x NH	25
00-048011-60353-7	60353	25	8,600	Blue	7" x NH	25



Right Angle Power Tool & Random Orbital Sanding Solutions

Surface Conditioning Discs



Scotch-Brite™ Light Grinding and Blending Discs

A durable disc constructed with 3M aluminum oxide blend abrasive grain, for an aggressive cut, long life and consistent finish. Resistant to edge wear. Ideal for light grinding applications to produce a burr-free and paintable finish.

UPC	ID	MOQ	Max RPM	Color	Size	Case Qty/Units
00-048011-60332-2	60332	50	10,000	Maroon	4-½" x ⅞"	50
00-048011-60335-3	60335	50	10,000	Maroon	4-½" x NH	50
00-048011-60363-6	60363	50	10,000	Blue	4-½" x NH	50
00-048011-60336-0	60336	50	10,000	Maroon	5" x ⅞"	50
00-048011-60341-4	60341	50	10,000	Blue	5" x ⅞"	50
00-048011-60342-1	60342	50	10,000	Maroon	5" x NH	50
00-048011-60343-8	60343	50	10,000	Blue	5" x NH	50
00-048011-60347-6	60347	25	6,000	Maroon	7" x ⅞"	25
00-048011-60344-5	60344	25	6,000	Blue	7" x ⅞"	25
00-048011-60345-2	60345	25	6,000	Maroon	7" x NH	25
00-048011-60346-9	60346	25	6,000	Blue	7" x NH	25



Scotch-Brite™ Clean and Strip XT Disc TN Quick Change

Durable, rigid and long lasting, this aggressive, open-web disc is ideal for cleaning welds, removing rust and paint. The TN quick-change system simplifies attachment to and removal from the tool.

UPC	MOQ	Max RPM	Grade	Size	Case Qty/Units
00-048011-33194-2	10	13,300	SXCS	4-½" x ⅝"-11	10
00-048011-33196-6	5	8,600	SXCS	7" x NH	5

Deburring Discs



Scotch-Brite™ Deburr and Finish PRO Unitized Disc

High performance and durability for deburring and finishing applications. A layered, durable unitized disc construction. Durable 6 density with Precision Shaped Ceramic Grain. Smaller inside diameter for more usable disc material.

UPC	ID	MOQ	Max RPM	Grade	Size	Case Qty/Units
00-076308-77122-5	77122	5	12,100	6C MED+	4 ½" x ⅞"	5

Random Orbital Sanders



3M™ Non-Vacuum Random Orbital Sanders

Experience comfort and power with these precision-balanced, smooth-running pneumatic tools that are designed to last. Use with a wide selection of 3M abrasives and accessories to meet all your sanding needs. 3M™ Stikit™ Disc Pad included.

UPC	MOQ	Max RPM	Orbit	Size	Case Qty/Units
Elite Series					
00-051141-28498-9	Case	12,000	⅜"	5"	1
00-051141-28497-2	Case	12,000	⅜"	5"	1
00-051141-28495-8	Case	12,000	⅜"	5"	1
00-051141-28583-2	Case	12,000	⅜"	5"	1

Random Orbital Sanding Solutions

Random Orbital Sanders



3M™ Self-Generated Vacuum Random Orbital Sanders

Take dust-management to the next level with this powerful self-generated vacuum tool, featuring 3M-patented Clean Sanding system with improved, HEPA-rated filter bag.

UPC	MOQ	Max RPM	Orbit	Size	Case Qty/Units
Elite Series					
00-051141-28515-3	Case	12,000	3/32"	5"	1
00-051141-28514-6	Case	12,000	3/16"	5"	1
00-051141-28512-2	Case	12,000	5/16"	5"	1
00-051141-28563-4	Case	12,000	3/8"	5"	1

Sanding Discs



3M™ Cubitron™ II Paper Discs 732U

This 3M precision shaped abrasive grain disc is a ceramic aluminum oxide grain disc roll constructed on a C-weight paper backing. Features an anti-load coating.

UPC	MOQ	Grade	Size	Case Qty/Units
Hookit™ Paper Disc 732U				
00-051125-86843-3	250	120+	5" x NH	250
00-051125-86842-6	250	80+	5" x NH	250
Hookit™ Clean Sanding Paper Disc 732U				
00-051125-86851-8	250	120+	5" x NH	250
00-051125-86850-1	250	80+	5" x NH	250
Stikit™ Paper Disc 732U				
00-051125-86827-3	250	120+	5" x NH	250
00-051125-86826-6	250	80+	5" x NH	250
Stikit™ Paper Disc Roll 732U				
00-051125-86835-8	4 RI (400)	120+	5" x NH	4 RI (400)
00-051125-86834-1	4 RI (400)	80+	5" x NH	4 RI (400)



3M™ Cubitron™ II Film Discs 775L

This 3M precision shaped abrasive grain disc is an aluminum oxide open coat disc constructed on a film backing. Primary markets: metalworking, woodworking.

UPC	MOQ	Grade	Size	Case Qty/Units
Hookit™ Film Disc 775L				
00-051125-86819-8	250	120+	5" x NH	250
00-051125-86818-1	250	80+	5" x NH	250
Hookit™ Clean Sanding Film Disc 775L				
00-051125-86823-5	250	120+	5" x NH	250
00-051125-86822-8	250	80+	5" x NH	250
Stikit™ Film Disc 775L				
00-051125-86803-7	250	120+	5" x NH	250
00-051125-86802-0	250	80+	5" x NH	250
Stikit™ Film Disc Roll 775L				
00-051125-86811-2	4 RI (500)	120+	5" x NH	4 RI (500)
00-051125-86810-5	4 RI (400)	80+	5" x NH	4 RI (400)

Random Orbital Sanding Solutions

Sanding Discs



3M™ Hookit™ Film Disc 375L

3M™ Hookit™ Film Disc 375L delivers outstanding tear resistance, flexibility, and a consistent, uniform finish on a variety of substrates. Premium aluminum oxide abrasive grain offers a fast cut-rate and extended product life for greater productivity.


UPC	MOQ	Grade	Size	Case Qty/Units
00-051141-55675-8	50	60	5" x NH	250
00-051141-55677-2	50	P100	5" x NH	250
00-051141-55678-9	50	P120	5" x NH	250
00-051141-55679-6	50	P150	5" x NH	250
00-051141-55680-2	50	P180	5" x NH	250
00-051141-55681-9	50	P220	5" x NH	250
00-051141-55661-1	50	P240	5" x NH	250
00-051141-55705-2	50	P280	5" x NH	250
00-051141-55663-5	50	P320	5" x NH	250
00-051141-55665-9	50	P400	5" x NH	250
00-051141-55676-5	50	P80	5" x NH	250



3M™ Stikit™ Film Disc w/Tab 375L

We make 3M™ Stikit™ Film Disc 375L to deliver outstanding tear resistance, flexibility, and a consistent, uniform finish on a variety of substrates. Premium aluminum oxide abrasive grain gives you a fast cut-rate and extended product life for greater productivity.

UPC	MOQ	Grade	Size	Case Qty/Units
00-051141-55689-5	50	60	5" x NH	250
00-051141-55691-8	50	P100	5" x NH	250
00-051141-55692-5	50	P120	5" x NH	250
00-051141-55693-2	50	P150	5" x NH	250
00-051141-55694-9	50	P180	5" x NH	250
00-051141-55695-6	50	P220	5" x NH	250
00-051141-55656-7	50	P240	5" x NH	250
00-051141-55715-1	50	P280	5" x NH	250
00-051141-55658-1	50	P320	5" x NH	250
00-051141-55659-8	50	P400	5" x NH	250
00-051141-55690-1	50	P80	5" x NH	250



3M™ Stikit™ Film Disc Roll 375L

A 3M™ premium aluminum oxide, load-resistant, Stikit™ abrasive product constructed on a durable film backing.

UPC	MOQ	Grade	Size	Case Qty/Units
00-051115-66794-7	1 RI (100)	P100	5" x NH	4 RI (400)
00-051115-66795-4	1 RI (100)	P120	5" x NH	4 RI (400)
00-051115-66796-1	1 RI (100)	P150	5" x NH	4 RI (400)
00-051115-66797-8	1 RI (100)	P180	5" x NH	4 RI (400)
00-051115-66798-5	1 RI (100)	P220	5" x NH	4 RI (400)
00-051115-66799-2	1 RI (100)	P240	5" x NH	4 RI (400)
00-051115-66800-5	1 RI (100)	P280	5" x NH	4 RI (400)
00-051115-66801-2	1 RI (100)	P320	5" x NH	4 RI (400)
00-051115-66802-9	1 RI (100)	P400	5" x NH	4 RI (400)
00-051115-66793-0	1 RI (100)	P80	5" x NH	4 RI (400)

Random Orbital Sanding Solutions

Hookit™ Discs



3M™ Purple Finishing Film Hookit™ Disc

High performance abrasive disc with Hookit™ attachment. Removing dust nibs and texture matching orange peel.

UPC	MOQ	Description	Grade	Size	Case Qty/Units
00-051131-30668-4	1 Box	50 Discs per box	P1200	6"	4 Boxes per case
00-051131-30667-7	1 Box	50 Discs per box	P1500	6"	4 Boxes per case



3M™ Purple Finishing Film Hookit™ Disc Dust-Free

High performance dust-free abrasive disc with Hookit™ attachment. Removing dust nibs and texture matching orange peel.

UPC	MOQ	Description	Grade	Size	Case Qty/Units
00-051131-30768-1	1 Box	50 Discs per box	P1200	6"	4 Boxes per case
00-051131-30767-4	1 Box	50 Discs per box	P1500	6"	4 Boxes per case



3M™ Trizact™ Hookit™ Foam Discs 443SA

High performance abrasive disc with Hookit™ attachment. P3000 for refining P1200-P1500 grade sand scratches during paint finishing process. 5000 grit for refining P3000 grade sand scratches.

UPC	MOQ	Description	Grade	Size	Case Qty/Units
00-051131-02085-6	1 Box	15 Discs per box	P3000	6"	4 Boxes per case
00-051131-30662-2	1 Box	15 Discs per box	P5000	6"	4 Boxes per case



3M™ Hookit™ Finishing Film Disc

Levels orange peel, dust nibs or paint runs in all types of automotive paints. Appropriate for light sanding on refinish lacquer.

UPC	MOQ	Description	Grade	Size	Case Qty/Units
00-051131-00968-4	1 Box	100 Discs per box	P1200	6"	4 Boxes per case
00-051131-00907-3	1 Box	50 Discs per box	P1500	3"	4 Boxes per case
00-051131-00951-6	1 Box	100 Discs per box	P1500	5"	4 Boxes per case
00-051131-00950-9	1 Box	100 Discs per box	P1500	6"	4 Boxes per case




3M™ Hookit™ Finishing Film Disc D/F

Performance dust-free abrasive disc with Hookit™ attachment. Seven holes for dust-free sanding. Use to level orange peel, dust nibs, and paint runs in all types of automotive paints.

UPC	MOQ	Description	Grade	Size	Case Qty/Units
00-051131-01069-7	1 Box	100 Discs per box	P1000	6"	4 Boxes per case
00-051131-01068-0	1 Box	100 Discs per box	P1200	6"	4 Boxes per case
00-051131-01050-5	1 Box	100 Discs per box	P1500	6"	4 Boxes per case

Random Orbital Sanding Solutions


Back-Up Pads



3M™ Hookit™ Clean Sanding Low Profile Disc Pads

For use with Hookit™ Clean Sanding discs or Hookit™ D/F discs. Use with random orbital sanders with 5/16"-24 internal threads. Made with Red Foam. New one piece threaded shank for low vibration and improved balance.

UPC	ID	MOQ	Max RPM	Thread Size	Size	Case Qty/Units
00-051141-20353-9	20353	1	12,000	5/16"-24 EXT	5" x 3/4"	10/Case



3M™ Hookit™ Clean Sanding Low Profile Finishing Disc Pads

For use with Hookit™ Clean Sanding discs or Hookit™ D/F discs. Use with random orbital sanders with 5/16"-24 internal threads. Made with Beige Foam. New one piece threaded shank for low vibration and improved balance.

UPC	ID	MOQ	Max RPM	Thread Size	Size	Case Qty/Units
00-051141-20290-7	20290	10	12,000	5/16"-24 EXT	5" x 1 1/4"	10/Case



3M™ Hookit™ Disc Pads

For use with Hookit™ discs. Made with Yellow Foam for durability. Fits random orbital sanders with 5/16"-24 internal thread. New one piece threaded shank for low vibration and improved balance.

UPC	ID	MOQ	Max RPM	Thread Size	Size	Case Qty/Units
00-051131-05775-3	05775	1	12,000	5/16"-24 EXT	5" x 3/4"	10/Case



3M™ Hookit™ Low Profile Disc Pad

For use with Hookit™ discs. Made with firm density Red Foam. New one piece threaded shank for low vibration and improved balance.


UPC	ID	MOQ	Max RPM	Thread Size	Size	Case Qty/Units
00-051141-20352-2	20352	1	12,000	5/16"-24 EXT	5" x 3/4"	10/Case



3M™ Stikit™ Disc Pads

For use with Stikit™ discs. Made with medium density Yellow Foam. New one piece threaded shank for low vibration and improved balance.


UPC	ID	MOQ	Max RPM	Thread Size	Size	Case Qty/Units
00-051144-05575-3	05575	1	12,000	5/16"-24 EXT	5" x 3/4"	10/Case



3M™ Stikit™ Low Profile Disc Pads

3M™ Stikit™ Low Profile Disc Pads provide secure attachment for a 3M™ Stikit™ Disc (sold separately) on a random orbital sander or other rotary tool. This lightweight, shock-resistant backup pad is constructed of firm density foam for sanding flat surfaces, and has a tapered edge for applications where some flexibility is needed.

UPC	ID	MOQ	Max RPM	Thread Size	Size	Case Qty/Units
00-051141-20351-5	20351	1	12,000	5/16"-24 EXT	5" x 3/4"	10/Case



3M™ Stikit™ Low Profile Finishing Disc Pads

3M™ Stikit™ Low Profile Finishing Disc Pad holds our 3M™ Stikit™ Disc on a random orbital sander (discs sold separately). We recommend it for finishing applications on flat or contoured surfaces. Use with one of our 3M™ Stikit™ Discs that is grade 220 or finer.

UPC	ID	MOQ	Max RPM	Thread Size	Size	Case Qty/Units
00-051131-05545-2	05545	1	12,000	5/16"-24 EXT	5" x 1 1/4"	10/Case

Abrasive Belt Systems

Sanders



3M™ File Belt Sander

Our 3M™ File Belt Sander is ideally suited for a variety of metalworking applications. Grind and blend and finish hard-to-reach areas with power and efficiency.

UPC	ID	MOQ	Max RPM	Motor HP	Belt Speed SFPM	Case Qty/Units
00-051141-28366-1	28366	1	22,000	0.6	4,990	1

Sander Accessories



3M™ File Belt Sander Attachment Arms

3M™ File Belt Sander can be optimized by adding attachment arms, extensions, and tool kits.

UPC	ID	MOQ	Description	Case Qty/Units
00-051141-28368-5	28368	1	Standard Style	1
00-051141-28369-2	28369	1	Thin Style	1
00-051141-28370-8	28370	1	Corners Style	1
00-051141-28374-6	28374	1	Curved Arm	1
00-051141-28375-3	28375	1	Vessel Arm	1
00-051141-28376-0	28376	1	Extension	1

Belts



3M™ Cubitron™ II Belt 947A

Contains precision shaped abrasive grain coated on a X-weight, poly-cotton backing. Resin bonded for heat resistance. Recommended to be used dry.

UPC	ID	MOQ	Grade	Size	Case Qty/Units
00-051125-86773-3	86773	50	40+	½" x 18"	200
00-051125-86774-0	86774	50	40+	½" x 24"	200
00-051125-94703-9	94703	50	60+	½" x 18"	200
00-051125-94706-0	94706	50	60+	½" x 24"	200
00-051125-94704-6	94704	50	80+	½" x 18"	200
00-051125-94707-7	94707	50	80+	½" x 24"	200
00-051125-94705-3	94705	50	120+	½" x 18"	200
00-051125-94708-4	94708	50	120+	½" x 24"	200



3M™ Cubitron™ II Cloth Belt 984F

3M™ Cubitron™ II Cloth Belt 984F offers revolutionary performance with 3M Precision Shaped Grain on a YF-weight polyester cloth backing. This high-performing belt contains a grinding aid, making it ideal for medium to high pressure applications on stainless steel and other exotic alloys, along with carbon steel, cobalt chrome, and nickel alloys.

UPC	ID	MOQ	Grade	Size	Case Qty/Units
00-051141-27511-6	27511	50	36+	½" x 18"	200
00-051141-27512-3	27512	50	36+	½" x 24"	200
00-076308-64301-0	64301	50	50+	½" x 18"	200
00-076308-64302-7	64302	50	50+	½" x 24"	200
00-051141-55041-1	55041	50	60+	½" x 18"	200
00-051141-55032-9	55032	50	60+	¼" x 24"	200
00-051141-55048-0	55048	50	80+	½" x 18"	200
00-051141-55054-1	55054	50	80+	½" x 24"	200
00-076308-64309-6	64309	50	120+	½" x 18"	200
00-076308-64310-2	64310	50	120+	½" x 24"	200

Abrasive Belt Systems

Belts



Scotch-Brite™ Durable Flex Belt

Scotch-Brite™ Durable Flex Belt is engineered to perform tough detail work such as deburring, blending, and finishing, on a variety of metals. The reinforced, low-stretch backing and superior edge durability aid in supplying an aggressive cutting ability.

UPC	ID	MOQ	Grade	Max RPM	Color	Size	Case Qty/Units
00-048011-64458-5	64458	20	AMED	6500	Maroon	½" x 18"	20
00-048011-64459-2	64459	20	AMED	6500	Maroon	½" x 24"	20
00-048011-64467-7	64467	20	AFIN	6500	Green	½" x 18"	20
00-048011-64468-4	64468	20	AFIN	6500	Green	½" x 24"	20
00-048011-64475-2	64475	20	ACRS	6500	Brown	½" x 18"	20
00-048011-64476-9	64476	20	ACRS	6500	Brown	½" x 24"	20



Sanders



3M™ Disc Sanders

3M™ Disc Sanders are packed with ergonomic comfort features and ideal for small-scale grinding and deburring applications as well as paint prep and weld burn clean-up.

UPC	ID	MOQ	Max RPM	Size	Case Qty/Units
00-051141-28328-9	28328	1	12,000	2"	1
00-051141-28341-8	28341	1	20,000	2"	1
00-051141-28329-6	28329	1	12,000	2"	1
00-051141-20231-0	20231	1	20,000	2"	1

Surface Conditioning Discs



Scotch-Brite™ Roloc™ AL Surface Conditioning Disc TR

Scotch-Brite™ Roloc™ AL Load Resistant Surface Conditioning Disc combines our durable, non-woven disc with the efficiency of the 3M™ Roloc™ quick-change attachment system for an effective disc that cleans, finishes, blends, and deburrs. Our non-woven fiber construction conforms well to help preserve irregular or contoured soft metal surfaces and the Roloc™ attachment supports disc for optimal cutting.

UPC	ID	MOQ	Grade	Max RPM	Color	Size	Case Qty/Units
00-051141-54135-8	54135	200	AVFN	25,000	Blue	2" x NH	200
00-051141-54136-5	54136	200	AMED	25,000	Maroon	2" x NH	200
00-051141-54137-2	54137	200	ACRS	25,000	Brown	2" x NH	200
00-051141-54138-9	54138	100	AVFN	18,000	Blue	3" x NH	100
00-051141-54139-6	54139	100	AMED	18,000	Maroon	3" x NH	100
00-051141-54140-2	54140	100	ACRS	18,000	Brown	3" x NH	100



Scotch-Brite™ Roloc™ AL Surface Conditioning Disc TSM

Scotch-Brite™ Roloc™ AL Load Resistant Surface Conditioning Disc combines our durable, non-woven disc with the efficiency of the 3M™ Roloc™ quick-change attachment system for an effective disc that cleans, finishes, blends, and deburrs. Our non-woven fiber construction conforms well to help preserve irregular or contoured soft metal surfaces and the Roloc™ attachment supports disc for optimal cutting.

UPC	ID	MOQ	Grade	Max RPM	Color	Size	Case Qty/Units
00-051141-54146-4	54146	200	AVFN	25,000	Blue	2" x NH	200
00-051141-54142-6	54142	200	AMED	25,000	Maroon	2" x NH	200
00-051141-54143-3	54143	200	ACRS	25,000	Brown	2" x NH	200
00-051141-54150-1	54150	100	AVFN	18,000	Blue	3" x NH	100
00-051141-54144-0	54144	100	AMED	18,000	Maroon	3" x NH	100
00-051141-54145-7	54145	100	ACRS	18,000	Brown	3" x NH	100

Durable Edge Discs



3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A TR

3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A offers a superior solution for tackling low to medium pressure grinding applications when a smaller-sized disc is needed. Excels in aluminum, titanium, stainless steel, carbon steel, mild steel, and most alloy applications. Contains precision shaped abrasive grain coated on X-weight, poly-cotton backing.

UPC	ID	MOQ	Grade	Max RPM	Size	Case Qty/Units
00-051141-54240-9	54240	200	40+	25,000	2" DIA	200
00-051141-54241-6	54241	200	40+	20,000	3" DIA	200
00-051141-54248-5	54248	200	60+	25,000	2" DIA	200
00-051141-54249-2	54249	200	60+	20,000	3" DIA	200
00-051141-54256-0	54256	200	80+	25,000	2" DIA	200
00-051141-54257-7	54257	200	80+	20,000	3" DIA	200
00-051141-54264-5	54264	200	120+	25,000	2" DIA	200
00-051141-54265-2	54265	200	120+	20,000	3" DIA	200



3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A TSM

3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A offers a superior solution for tackling low to medium pressure grinding applications when a smaller-sized disc is needed. Excels in aluminum, titanium, stainless steel, carbon steel, mild steel, and most alloy applications. Contains precision shaped abrasive grain coated on X-weight, poly-cotton backing.

UPC	ID	MOQ	Grade	Max RPM	Size	Case Qty/Units
00-051141-54252-2	54252	200	60+	25,000	2" DIA	200
00-051141-54253-9	54253	200	60+	20,000	3" DIA	200
00-051141-54260-7	54260	200	80+	25,000	2" DIA	200
00-051141-54261-4	54261	200	80+	20,000	3" DIA	200
00-051141-54268-3	54268	200	120+	25,000	2" DIA	200
00-051141-54269-0	54269	200	120+	20,000	3" DIA	200



Wheel Systems

Grinders



3M™ Die Grinder

3M™ Die Grinders are straight-shaft tools ideal for heavyweight applications such as stock removal and weld leveling, and are designed for continuous use with features that enhance operator comfort and control. The precision-balanced steel motor reduces vibration and weight, while 3M™ Gripping Material on the body reduces vibration and enables a firm grip.

UPC	ID	MOQ	Max RPM	Motor HP	Collect Size	Case Qty/Units
00-051141-28627-3	28627	1	18,000	0.3	¼"+	1
00-051141-28628-0	28628	1	18,000	0.3	¼"+	1
00-051141-28629-7	28629	1	25,000	0.3	¼"+	1
00-051141-28630-3	28630	1	25,000	0.3	¼"+	1
00-051141-28332-6	28332	1	4,000	0.5	¼"	1
00-051141-28330-2	28330	1	18,000	0.5	¼"	1
00-051141-28331-9	28331	1	18,000	0.5	¼"	1

*Includes ½" collet insert

Deburring Wheels



Scotch-Brite™ EXL PRO Deburring Wheel

This long lasting, smooth running wheel provides a faster cut—with less pressure—without sacrificing the finish. Typically used for removing metal burrs left by fabrication activities, radiusing sharp edges, cleaning, and light blending.

UPC	ID	MOQ	Max RPM	Grade	Size	Case Qty/Units
00-051125-94917-0	94917	3	6,000	10S FIN	6" x 1" x 1"	3
00-051125-94905-7	94905	3	6,000	9S FIN	6" x 1" x 1"	3
00-051125-94926-2	94926	4	6,000	10S FIN	6" x ½" x 1"	4
00-051125-94904-0	94904	4	6,000	9S FIN	6" x ½" x 1"	4
00-051125-94918-7	94918	3	4,500	10S FIN	8" x 1" x 3"	3
00-051125-94908-8	94908	3	4,500	9S FIN	8" x 1" x 3"	3
00-051125-94927-9	94927	4	4,500	10S FIN	8" x ½" x 3"	4
00-051125-94907-1	94907	4	4,500	9S FIN	8" x ½" x 3"	4



Scotch-Brite™ Deburr and Finish PRO Unitized Wheel

Features 3M precision shaped grain technology for higher cutting and durability performance in deburring and blending applications. These hard working, high performance wheels quickly blast through dirt, corrosion, and other contaminants without changing the workpiece geometry. Ideal for pipe thread deburring.

UPC	ID	MOQ	Max RPM	Grade	Size	Case Qty/Units
00-048011-65017-3	65017	50	35,100	6C MED+	1" x 1" x ¾"	50
00-048011-65004-3	65004	40	18,100	6C MED+	3" x ¼" x ¼"	40
00-048011-65007-4	65007	20	15,100*	6C MED+	3" x ½" x ¼"	20
00-048011-65075-3	65075	2	7,500	6C MED+	6" x 1" x 1"	2
00-048011-65076-0	65076	8	7,500	6C MED+	6" x ½" x 1"	8

*18,100 with 3M Mandrel 28838

Hand Sanding Products

Hand Pads



Scotch-Brite™ Hand Pads 7447/7448 PRO

High performance pads take less time to prep surfaces and last longer. New precision fibre coating technology helps provide consistent, uniform scratch throughout life of the pad. New, long lasting pad made with durable non-woven nylon web is flexible enough to get into hard-to-sand places. Specially coated to minimize loading. Ideal for everyday uses like prepping surfaces for paint and primer, general scuffing, cleaning and hand blending. Center perforated for convenience.

UPC	ID	MOQ	Grade	Size	Case Qty/Units
00-048011-64926-9	7447 PRO	Case	A VFN	6" x 9"	60 (3 Boxes of 20)
00-048011-64935-1	7448 PRO	Case	S ULF	6" x 9"	60 (3 Boxes of 20)

Hookit™ Sheets



3M™ Flexible Abrasive Hookit™ Sheet

These pads are designed for hand sanding applications. The product combines excellent cut and finish performance with high flexibility, conformability and a soft feel. This product is excellent for sanding panel edges, and parts that involve many hard-to-reach areas.

UPC	MOQ	Grade	Description	Size	Case Qty/Units
00-051131-34337-5	1 Box	P400	25 Sheets per box	5.5" x 6.8"	5 Boxes per case
00-051131-34339-9	1 Box	P600	25 Sheets per box	5.5" x 6.8"	5 Boxes per case
00-051131-34340-5	1 Box	P800	25 Sheets per box	5.5" x 6.8"	5 Boxes per case
00-051131-34341-2	1 Box	P1000	25 Sheets per box	5.5" x 6.8"	5 Boxes per case
00-051131-34342-9	1 Box	P1200	25 Sheets per box	5.5" x 6.8"	5 Boxes per case
00-051131-34343-6	1 Box	P1500	25 Sheets per box	5.5" x 6.8"	5 Boxes per case



3M™ Flexible Abrasive Hookit™ Hand Sheet Trial Pack

Trial Pack contains one sheet of each grade.

UPC	MOQ	Grade	Description	Size	Case Qty/Units
00-051131-34347-4	Case	Various	1 Pack	5.5" x 6.8"	10 Packs per case



3M™ Flexible Abrasive Hookit™ Foam Pad

Hookit™ rectangular foam hand sanding pad for use with our 3M™ Flexible Abrasive Hookit™ Hand Sheets for sanding primer, blending and paint finishing.

UPC	MOQ	Description	Case Qty/Units
00-051131-34349-8	Case	1 Per bag	10 Bags per case



3M™ Flexible Abrasive Hookit™ Interface Foam Pad

Contains one 3M™ Hookit™ rectangular interface foam pad, hook in one side, loop in the other. Used with 3M™ Orbital Sander, PN 20331 and the 3M™ Flexible Abrasive Hookit™ Hand Sheets for sanding primer, blending and paint finishing.

UPC	MOQ	Description	Case Qty/Units
00-051131-34350-4	Case	1 Per bag	10 Bags per case

Adhesive Sealants & Anaerobic Adhesives

Adhesive Sealants



3M™ Marine Adhesive Sealant Fast Cure 4000 UV

Resistant to weathering, saltwater, and stresses caused by joint movement. Seals between mechanically fastened joints on wood, fiberglass, metal and most plastics above and below the waterline. Applications include sealing deck to hull joints, thru-hull fittings, window and door frames, deck hardware, navigation lights, hatches and porthole frames. It is also paintable.

UPC	Color	Size	Packaging
00-051135-05280-8	White	3 oz. Tube	6/Case
00-051135-05503-8	Black	10 oz. Cartridge	12/Case
00-051135-06580-8	White	½ gal. Cartridge	12/Case
00-051135-06586-0	White	400 mL Sausage Pack	12/Case
00-051135-05502-1	Black	600 mL Sausage Pack	12/Case
00-051135-05508-3	White	600 mL Sausage Pack	12/Case
00-051111-91660-5	Black	5 gal. Pail	1/Case

Anaerobic Adhesives



3M™ Scotch-Weld™ Threadlockers

3M™ Scotch-Weld™ Threadlocker hardens and seals threaded assemblies to dampen vibration and prevent loosening or leakage of secured fasteners.

UPC	ID	Color	Size	Packaging
00-051115-25138-2	TL42	Blue	10 mL	10/Case
00-048011-62606-2	TL43	Blue	50 mL	10/Case
00-048011-62610-9	TL62	Red	50 mL	10/Case



Concrete Repair Adhesives & Contact Adhesives

Concrete Repair Adhesives



3M™ Scotch-Weld™ Concrete Repair

3M™ Scotch-Weld™ Concrete Repair is used as a horizontal grade repair material and adhesive for numerous substrates such as concrete, ceramic, wood, metal. Our adhesive is self leveling and a fast curing formula with a one minute work life and cures completely in one hour to keep projects and work schedules on track.

UPC	Description	Color	Size	Packaging
00-021200-96596-8	Caulk Tube	Gray	8.4 fl. oz.	6/Case
00-021200-56602-8	2-Component Cartridge	Gray	50 mL	12/Case

Contact Adhesives



3M™ Fast Tack Water Based Adhesive 1000NF

Bonds many porous substrates to porous or nonporous substrates with minimal dry time. Adheres to many types of flexible polyurethane foam, latex foam, fabric, polyester fiberfill, wood, plywood, particleboard, and many plastic and metal surfaces. Holds seams and curves while still wet and builds foam-tearing strength when fully dry.

UPC	Color	Size	Packaging
00-051115-64581-5	Neutral	1 gal. Can	4/Case
00-051115-64675-1	Neutral	5 gal. Box	1/Case
00-051115-64674-4	Neutral	5 gal. Pail	1/Case
00-051115-64679-9	Purple	1 gal. Can	4/Case
00-051115-64681-2	Purple	5 gal. Box	1/Case
00-051115-64680-5	Purple	5 gal. Pail	1/Case



3M™ Fastbond™ Contact Adhesive 30NF

High immediate bond strength and long bonding range. Non-flammable in the wet state, post-formable and heat-resistant. Bonds most foamed plastics, plastic laminate, wood, plywood, wood veneer, and canvas—to themselves and to each other.

UPC	Color	Size	Packaging
00-021200-21185-0	Green	1 qt.	12/Case
00-021200-21186-7	Green	1 gal.	4/Case
00-021200-21187-4	Green	5 gal. Pail	1/Case
00-021200-21180-5	Neutral	1 qt.	12/Case
00-021200-21181-2	Neutral	1 gal.	4/Case
00-021200-21182-9	Neutral	5 gal. Pail	1/Case



3M™ Neoprene High Performance Contact Adhesive 13

A high performance contact adhesive that provides a long bonding range and excellent initial strength. Can be used to bond most rubber, cloth, metal, wood, foamed glass, paper honeycomb, decorative plastic laminates and many other substrates. Meets requirements of MMM-A-121. NOT FOR SALE IN CALIFORNIA.

UPC	Size	Packaging
00-021200-64963-9	5 gal. Pail (with spout)	1/Case

Hot Melt Systems & Cleaners & Lubricants

Hot Melt Systems



3M™ Hot Melt Applicator LT Quadrack

We designed the 3M™ Hot Melt Applicator LT as a lightweight, industrial grade applicator that dispenses liquefied adhesive to meet your needs whenever two surfaces require a strong, clean bond. Our low temperature, lightweight applicator uses electric heat to melt and thumb pressure to drive the low-melt adhesive smoothly and evenly to keep various production processes moving.

UPC	Description	Packaging
00-021200-89447-3	Low Temperature	1/Case



3M™ Hot Melt Applicator TC with Quadrack Converter and Palm Trigger

The 3M™ Hot Melt Applicator TC with Quadrack Converter and Palm Trigger delivers up to 3.5 pounds of adhesive per hour. Not to be used with low temperature adhesives, 385° F (196° C). 5/8" x 2" cartridge size.

UPC	Description	Packaging
00-021200-89445-9	High Temperature	1/Case



3M™ Hot Melt Adhesive 3762

3M™ Hot Melt Adhesive 3762 is a low melt, 100% solids thermoplastic adhesive with excellent "hot tack". Designed for packaging applications, bonds to corrugated and display materials. Made from components listed as indirect food additives under FDA regulation for adhesives.

UPC	Description	Color	Size	Packaging
00-021200-49125-2	3726 LM Q	Light Amber	5/8" x 8"	11 lb./Case
00-021200-65261-5	3726 Q	Tan	5/8" x 8"	11 lb./Case



3M™ Hot Melt Adhesive 3792

We developed 3M™ Hot Melt Adhesive 3792 as a clear, hot melt adhesive with hot melt and low melt versions that effectively bond heat sensitive materials such as wood and coated paper to furniture, upholstery and other lightweight materials.

UPC	Description	Color	Size	Packaging
00-021200-82454-8	3792 LM Q	Clear	5/8" x 8"	11 lb./Case
00-021200-65263-9	3792 Q	Clear	5/8" x 8"	11 lb./Case

Cleaners & Lubricants



3M™ Adhesive Remover – Low VOC <20%

3M™ Adhesive Remover – Low VOC <20% is a liquid cleaner, degreaser with less than 20% VOCs. A petroleum-based solvent that can be used to dissolve and remove dirt, grease, tar, and many non-curing type adhesives. It can also be used to degrease substrates for adhesive bonding in place of many chlorinated or petroleum-based solvents.

UPC	Color	Net Wt.	Case Qty/Units
00-051111-97974-7	Clear	18.7 oz.	12/Case



3M™ Silicone Spray – Low VOC 60%

Lubricates machinery, moving parts, eliminates squeaks caused by friction, prevents sticking, freezing and protects against rust. Helps prevent build-up of glues, wax, inks and paints. Packaged in an aerosol can for an easy to use, maintenance-free delivery system.

UPC	Color	Net Wt.	Case Qty/Units
00-051111-07732-0	Clear	13.4 oz.	12/Case

Plastic, Rubber & Gasket Adhesives



3M™ Nitrile High Performance Plastic Adhesive 1099

A light tan, fast drying adhesive with good resistance to plasticizer migration. Bonds have high strength; resist weathering, water, oil and fuel. Excellent for bonding most vinyl extrusions and sheeting.

UPC	Size	Packaging
00-021200-19808-3	5 oz. Tube	36/Case



3M™ Scotch-Weld™ Plastic & Rubber Instant Adhesive PR100

A low viscosity instant adhesive that is formulated to give exceptional performance on difficult to bond substrates, such as plastics, rubbers, EPDM and nylon.

UPC	Color	Size	Packaging
00-051115-25214-3	Clear	1 fl. oz.	10/Case
00-051115-25213-6	Clear	1 lb.	1/Case
00-051115-25939-5	Clear	1 lb.	25/Case
00-051111-07176-2	Clear	2 kg	4/Case



3M™ Industrial Adhesive 4799

A brushable, heat-resistant adhesive that develops strength rapidly and provides good creep resistance and low soak-in on porous surfaces. Bonds to rubber (including EPDM) and many materials such as canvas and linoleum to metal, wood and concrete.

UPC	Size	Packaging
00-021200-21354-0	5 oz. Tube	36/Case



3M™ Nitrile High Performance Rubber And Gasket Adhesive 847

A premium quality, reddish brown, multi-purpose adhesive. Develops strong flexible bonds very rapidly to a wide variety of substrates, including many plastics and rubbers, gasketing materials and leather. Has exceptional resistance to most fuels and oil.

UPC	Size	Packaging
00-021200-19718-5	5 oz. Tube	36/Case



Spray Adhesives



3M™ Heavy Duty 20 Spray Adhesive Clear

3M™ Heavy Duty 20 Spray Adhesive is a high strength, fast grabbing, industrial grade, lace spray aerosol adhesive. Forms powerful, permanent bonds in woodworking and other applications. Bonds laminates, metals, plastics, rubber and more.

UPC	Color	Net Wt.	Case Qty/Units
00-051111-07861-7	Clear	13.8 oz.	12/Case



3M™ Foam & Fabric 24 Spray Adhesive Orange

3M™ Foam & Fabric 24 Spray Adhesive is a fast-tack industrial grade spray adhesive. Bonds foam to metal, fabric, wood and many other substrates. Great for furniture, upholstery, marine, automotive, seat and chair manufacturing, acoustics and bedding.

UPC	Color	Net Wt.	Case Qty/Units
00-051111-07862-4	Orange	13.8 oz	12/Case



3M™ Multi-Purpose 27 Spray Adhesive Clear

3M™ Multi-Purpose 27 Spray Adhesive bonds paper, cardboard, fabrics, soft foams, plastic films, fiberglass insulation and other lightweight materials. Simply spray the adhesive on one or both surfaces, wait 15 seconds to 10 minutes, and press surfaces together to form a tight bond. Our self-contained, highly portable dispenser provides a mist spray pattern to help ensure better coverage.

UPC	Color	Net Wt.	Case Qty/Units
00-051111-07832-7	Clear	13.05 oz.	12/Case



3M™ Foam Fast 74 Spray Adhesive

An extremely fast tacking industrial grade spray adhesive for immediate foam tearing strength. Used for bonding flexible urethane or latex foam together and to other materials such as wood, metal and plastics. Also available in an Inverted Aerosol can. *NOT FOR SALE IN CALIFORNIA.

UPC	Color	Size	Packaging
00-021200-50045-9	Clear	16.9 oz.	12/Case
00-021200-82242-1	Orange	16.9 oz.	12/Case
00-021200-96316-2*	Orange	17.25 oz.	12/Case



3M™ Foam Fast 74 Spray Adhesive – Low VOC <25%

An extremely fast tacking industrial grade spray adhesive for immediate foam tearing strength. Used for bonding flexible urethane or latex foam together and to other materials such as wood, metal and plastics. Meets CARB/OTC VOC Requirements; Helps contribute to LEED® credits.

UPC	Color	Net Wt.	Packaging
00-051111-97967-9	Clear	19 oz.	12/Case
00-051111-97958-7	Orange	19 oz.	12/Case



3M™ Super 77™ Multi-Purpose Spray Adhesive

High tack, high coverage and fast drying for permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt and cloth to painted or unpainted metals, wood and hardboard. Bonds quickly in 15 seconds. Consult local air quality rules before use. Also available in bulk 5 and 55 gallon drums. *NOT FOR SALE IN CALIFORNIA.

UPC	Description	Size	Packaging
00-021200-96315-5*	Classic	16.5 oz.	12/Case
00-021200-21210-9	Multi-purpose	16.75 oz.	12/Case
00-021200-43793-9*	Bulk	5 gal. – Bulk	1/Case



3M™ Super 77™ Multi-Purpose Spray Adhesive – Low VOC <25%

High tack, high coverage and fast drying for permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt and cloth to painted or unpainted metals, wood and hardboard. Bonds quickly in 15 seconds. Low soak-in, long open time. Meets CARB/OTC VOC Requirements; Helps contribute to LEED® credits.

UPC	Net Wt.	Packaging
00-051111-97956-3	18 oz.	12/Case



3M™ Polystyrene Insulation 78 Spray Adhesive

3M™ Polystyrene Insulation 78 Spray Adhesive is a high strength, high temperature-resistant, industrial grade spray adhesive. Bonds polystyrene with no surface degradation.

UPC	Color	Size	Packaging
00-021200-41593-7	Clear	17.9 oz.	12/Case



3M™ Hi-Strength 90 Spray Adhesive

High strength, fast tacking adhesive. Bonds to concrete, wood, MDF, laminates, polypropylene or polyethylene. Excellent moisture resistance. Also available in an Inverted Aerosol can and 5 and 55 gallon bulk options. *NOT FOR SALE IN CALIFORNIA.

UPC	Color	Size	Packaging
00-021200-30023-3	Clear	17.6 oz.	12/Case
00-021200-43797-7*	Clear	5 gal. Pail	1/Case



3M™ Hi-Strength 90 Spray Adhesive – Low VOC <25%

High strength, fast tacking adhesive. Bonds to concrete, wood, MDF, laminates, polypropylene or polyethylene. Excellent moisture resistance. Meets CARB/OTC VOC Requirements; Helps contribute to LEED® credits.

UPC	Net Wt.	Packaging
00-051111-97957-0	19 oz.	12/Case



3M™ Hi-Strength 94 ET Spray Adhesive – Low VOC <20%

High performance, industrial grade spray adhesive with a unique low telegraphing pebble spray pattern. Bonds many laminates, woods, and particle board. Meets CARB/OTC VOC Requirements; Helps contribute to LEED® credits.

UPC	Color	Net Wt.	Packaging
00-051111-97977-8	Clear	19.8 oz.	12/Case
00-051111-97978-5	Red	19.8 oz.	12/Case



3M™ Foam Fast 74 Cylinder Spray Adhesive

An extremely fast tacking industrial grade spray adhesive for immediate foam tearing strength. Used for bonding flexible urethane or latex foam together and to other materials such as wood, metal and plastics. This adhesive is not recommended for bonding vinyl plastics. **NOT FOR CONSUMER/RETAIL SALE OR USE. NOT FOR SALE IN CALIFORNIA.**

UPC	Color	Size	Net Wt.	Packaging
00-021200-49919-7	Clear	Large Cylinder	28.8 lbs.	1/Case
00-021200-49158-0	Orange	Large Cylinder	28.8 lbs.	1/Case

Spray Adhesives



3M™ Non-Flammable Foam Fast 74 NF Cylinder Spray Adhesive

Non-flammable, extremely fast tacking, industrial grade spray adhesive for bonding foam and fabric. Packaged in pre-pressurized canister for an easy-to-use, maintenance-free delivery system. *NOT FOR CONSUMER/RETAIL SALE OR USE.*

UPC	Color	Size	Net Wt.	Packaging
00-021200-97160-0	Clear	Large Cylinder	37 lbs.	1/Case



3M™ Hi-Strength 90 Cylinder Spray Adhesive

High strength, fast tacking adhesive. Bonds to concrete, wood, MDF, laminates, polypropylene or polyethylene. Excellent moisture resistance. Packaged in a pre-pressurized canister for an easy-to-use, maintenance-free delivery system. *NOT FOR CONSUMER OR RETAIL SALE OR USE. NOT FOR SALE IN CALIFORNIA.*

UPC	Size	Net Wt.	Packaging
00-021200-41554-8	Large Cylinder	28.8 lbs.	1/Case



3M™ Hi-Strength Postforming 94 CA Cylinder Spray Adhesive

A low VOC, high performance, postformable grade spray adhesive. Bonds to a variety of demanding substrates like decorative laminate, metal, and some rubbers. This adhesive is SCAQMD Rule 1168 and helps contribute to LEED® credits. Packaged in a pre-pressurized canister for an easy-to-use, maintenance-free delivery system.

UPC	Size	Net Wt.	Packaging
00-048011-61703-9	Large Cylinder	26.2 lbs.	1/Case



3M™ HoldFast 70 Cylinder Spray Adhesive

Extremely versatile, fast tacking industrial grade spray adhesive with a unique wide-web spray pattern. Creates quick permanent bonds on many substrates, including polystyrene, drainboard, FRP pales, insulation, foams and fabrics. Bonds polystyrene without degrading surface. Packaged in pre-pressurized canister for an easy to use, maintenance-free delivery system. *NOT FOR SALE IN CALIFORNIA.*

UPC	Size	Net Wt.	Packaging
00-048011-61690-2	Large Cylinder	27.3 lbs.	1/Case

Structural Adhesives



3M™ Scotch-Weld™ Epoxy Adhesive DP100 Plus Duo-Pak

A rigid, two-part epoxy adhesive that allows for easy dispensing. It has a 1:1 mix ratio and 4 minute work life. 3M™ Scotch-Weld™ EPX™ Applicator and mix nozzles are required for dispensing (not included). Bonds to a variety of materials such as metals, ceramics, wood and many plastics.

UPC	Color	Size	Packaging
00-021200-87266-2	Clear	200 mL	12/Case



3M™ Scotch-Weld™ Epoxy Adhesive DP125 Duo-Pak

Fast setting, very flexible, two-part epoxy adhesive. 1:1 mix ratio, 25 minute work life and handling strength in approximately 2.5 hours. 3M™ Scotch-Weld™ EPX™ Applicator and mix nozzles are required for dispensing (not included). Bonds to a variety of materials such as metals, glass, ceramics, wood and many plastics.

UPC	Color	Size	Packaging
00-021200-87215-0	Gray	50 mL	12/Case
00-021200-87844-2	Gray	200 mL	12/Case
00-021200-87845-9	Gray	400 mL	6/Case
00-021200-87211-2	Translucent	50 mL	12/Case
00-021200-87842-8	Translucent	200 mL	12/Case
00-021200-87843-5	Translucent	400 mL	6/Case



3M™ Scotch-Weld™ Epoxy Adhesive DP190 Duo-Pak

Bonds to a variety of materials such as metals, ceramics, wood and many plastics. 3M™ Scotch-Weld™ EPX™ Applicator and mix nozzles are required for dispensing (not included).

UPC	Color	Size	Packaging
00-021200-22647-2	Gray	50 mL	12/Case
00-021200-87840-4	Gray	200 mL	12/Case
00-021200-87841-1	Gray	400 mL	6/Case
00-021200-87219-8	Translucent	50 mL	12/Case
00-021200-87838-1	Translucent	200 mL	12/Case
00-021200-87839-8	Translucent	400 mL	6/Case



3M™ Scotch-Weld™ Epoxy Adhesive DP420 Duo-Pak

Toughened, two-part epoxy adhesive. 2:1 mix ratio, 20 minute work life and handling strength in approximately 2 hours. 3M™ Scotch-Weld™ EPX™ Plus II applicator and mix nozzles are required for dispensing (not included). Exhibits good shear and peel strengths along with good impact and durability. It bonds extremely well to many surfaces, such as metals, ceramics, wood and some plastics.

UPC	Color	Size	Packaging
00-021200-41528-9	Black	37 mL	12/Case
00-021200-41530-2	Black	200 mL	12/Case
00-021200-41529-6	Black	400 mL	6/Case
00-021200-82236-0	Off-white	37 mL	12/Case
00-021200-87832-9	Off-white	200 mL	12/Case
00-021200-87833-6	Off-white	400 mL	6/Case

Structural Adhesives



3M™ Scotch-Weld™ Epoxy Adhesive DP460 Duo-Pak

Toughened, two-part epoxy adhesive. 2:1 mix ratio, 60 minute work life and handling strength in approximately 4 hours. 3M™ Scotch-Weld™ EPX™ Plus II applicator and mix nozzles are required for dispensing (not included). Also available in a non-sag version for vertical applications.

UPC	Color	Size	Packaging
00-021200-82225-4	Off-white	37 mL	12/Case
00-021200-87830-5	Off-white	200 mL	12/Case
00-021200-87831-2	Off-white	400 mL	6/Case
00-021200-43670-3	Off-white	37 mL	12/Case
00-021200-43671-0	Off-white	200 mL	12/Case
00-021200-43672-7	Off-white	400 mL	6/Case



3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP8805NS

Non-sag, toughened, two-part acrylic adhesive. 10:1 mix ratio, 5 minute work life and handling strength in 7 minutes. Features lower odor than most acrylic adhesives. These toughened products offer excellent shear, peel, and impact performance. They provide improved adhesion to many plastics, metals including those with slightly oily surfaces. These products feature an exceptionally fast rate of strength build up providing structural strength in minutes. 3M™ Scotch-Weld™ EPX™ Applicator, mix nozzles and plunger are required (not included).

UPC	Color	Size	Packaging
00-051115-68958-1	Green	45 mL	12/Case
00-051115-68959-8	Green	490 mL	6/Case



3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP8810NS

Green, non-sag, toughened, two-part acrylic adhesive. 10:1 mix ratio, 10 minute work life and handling strength in approximately 18 minutes. Features lower odor than most acrylic adhesives. These toughened products offer excellent shear, peel, and impact performance. They provide improved adhesion to many plastics, metals including those with slightly oily surfaces. These products feature an exceptionally fast rate of strength build up providing structural strength in minutes. 3M™ Scotch-Weld™ EPX™ Applicator, mix nozzles and plunger are required (not included).

UPC	Color	Size	Packaging
00-051115-68960-4	Green	45 mL	12/Case
00-051115-68962-8	Green	490 mL	6/Case



3M™ Scotch-Weld™ Super Fast Instant Adhesive SF100

Low viscosity, very fast curing instant adhesive. Designed to give exceptional performance on difficult to bond plastics and rubbers, acidic and/or contaminated surfaces such as: woods, leathers, cardboard and oily surfaces. Can be used in high speed production applications.

UPC	Color	Size	Packaging
00-048011-62630-7	Clear	3 g	100/Case
00-048011-62631-4	Clear	20 g	10/Case
00-048011-62629-1	Clear	1lb.	1/Case



3M™ Scotch-Weld™ Surface Insensitive Instant Adhesive SI100

Low viscosity instant adhesive for medium gap filling. Bonds to rough, porous, contaminated and acidic substrates including wood, cardboard, veneer, fabric, cork and leather.

UPC	Color	Size	Packaging
00-051115-25290-7	Clear	3 g	100/Case
00-051115-25267-9	Clear	1lb.	1/Case
00-051115-25268-6	Clear	1 fl. oz.	10/Case

Chemical Sorbents



3M™ Chemical Sorbent Rolls, High Capacity

Chemical sorbent roll can be easily cut to cover small areas or fit tight corners. Rolls of sorbent material are used for large spill management or in areas where spills may occur. May be used to cover bench tops in prep for a spill or as a work surface.

UPC	ID	Description	Color	Size	Packaging
00-051138-29097-9	C-RL15150DD	Sorbs approx. 31 gal./Roll	Yellow	15.25" x 150'	1/Case
00-051138-29098-6	C-RL38150DD	Sorbs approx. 76 gal./Roll	Yellow	38" x 150'	1/Case



3M™ Chemical Sorbent Roll Medium Weight MCC

This medium capacity chemical sorbent roll features a light weight design and scrim on two sides to increase strength and help reduce linting. Rolls are easily cut to fit any size area. Use in areas where large spills may occur, or to cover work areas.

UPC	ID	Description	Size	Packaging
50-051125-85865-1	MCC-R15	Sorbs approx. 19 gal./Case	15" x 150'	1/Case
50-051125-85868-2	MCC-R25	Sorbs approx. 30 gal./Case	25" x 150'	1/Case



3M™ Chemical Sorbent Pad, High Capacity

Designed with quick and easy response in mind. Packaged in convenient dispenser boxes, for storage in confined spaces or mounting on a wall near where spills may occur.

UPC	ID	Description	Color	Size	Packaging
50-051138-29096-7	C-PD914DD	Sorbs approx. 23.5 gal./Case	Yellow	9.25" x 14.5"	25 Pad/Box, 6 Box/Case
50-051138-17593-6	P-110	Sorbs approx. 17 gal./Case	Yellow	11" x 13"	50 Pad/Box, 4 Box/Case



3M™ Chemical Sorbent Pad Medium Capacity MCC

This medium capacity chemical sorbent pad features a light weight design with scrim on two sides to increase strength and reduce linting.

UPC	ID	Description	Size	Packaging
50-051125-85862-0	MCC-P1715	Sorbs approx. 18 gal./Case	17" x 15"	100 Pads/Case




3M™ Chemical Sorbent Folded C-FL550DD, High Capacity

Chemical folded sorbents are one of the most versatile environmental safety products available. Chemical sorbent applications range from maintenance to spill response. Perforations can customize the length. Sorbent can be used in pillow, pad, roll or boom configurations.

UPC	ID	Description	Size	Packaging
50-051138-46496-2	C-FL550DD	Sorbs approx. 10.5 gal./Box	5" x 50"	3/Case


Chemical Sorbents



3M™ Chemical Sorbent Mini-Boom

Chemical sorbent mini-booms are typically used to encircle hazardous liquid spills and to contain leaks. A 3" diameter scrim on the outside of the boom identifies the application.

UPC	ID	Description	Size	Packaging
50-051138-17596-7	P-200	Sorbs approx. 12 gal./Case	3" x 4'	12/Case
50-051138-21343-0	P-208	Sorbs approx. 12 gal./Case	3" x 8'	6/Case
50-051138-21344-7	P-212	Sorbs approx. 12 gal./Case	3" x 12'	4/Case



3M™ Chemical Sorbent Pillow P-300

Pillows are designed with a scrim that encases particulate sorbent material. Pillows are used in areas where more capacity is desired than can easily be achieved using a sorbent pad.

UPC	ID	Description	Size	Packaging
50-051138-17597-4	P-300	Sorbs approx. 8 gal./Case	7" x 15"	16/Case



3M™ Chemical Sorbent Folded Spill Kit C-SKFL31

This spill kit combines the best of both worlds—packed in a 20 gallon drum, two rolls chemical sorbent-folded (which can be used as boom, pillows or a roll), 30 high-capacity chemical sorbent pads and three disposal bags and ties. This unique combination allows you to easily select the product to fit the response.

UPC	ID	Description	Color	Packaging
00-051138-46287-1	C-SKFL31	Sorbs approx. 31 gal.	Yellow	1/Case



3M™ Chemical Sorbent Folded Spill Kit C-SKFL5

This spill kit can be used for containing and sorbing most hazardous chemical spills of up to five gallons. It is conformable, making it an excellent solution for storage where space is limited. Compact for easy storage, and ideal for rapid response.

UPC	ID	Description	Size	Packaging
50-051131-07175-4	C-SKFL5	Sorbs approx. 5 gal./Roll	1 chemroll, 5" x 26"	3/Case



3M™ Chemical Sorbent Spill Response Pack SRP-CHEM

This spill response pack will sorb most hazardous liquids. The pack is encased in a box which can be used as a warning sign and includes both three mini-booms and ten pads and a containment bag.

UPC	ID	Description	Packaging
50-051138-28910-7	SRP-CHEM	Sorbs approx. 4 gal./Pack	3/Case

Maintenance Sorbents



3M™ Maintenance Sorbent Rug, High Capacity

This maintenance sorbent rug is designed for use in industrial maintenance applications. It is designed to sorb liquids while enduring the punishment of being tread upon. Sorbent rugs are both durable and versatile. The M-RGC36100E coating acts as a fluid barrier, protecting the surface below the rug.

UPC	ID	Description	Color	Size	Packaging
00-051138-29002-3	M-RG36300E	Rug	Gray	36" x 300'	1/Case
00-051138-29003-0	M-RGC36100E	Rug with coating	Gray	36" x 100'	1/Case



3M™ Maintenance Sorbent Roll M-RL38150DD, High Capacity

This maintenance sorbent pad has a scrim on one side to increase the strength and help eliminate linting. Available in convenient widths of 15" and 38", perfect for lining drawers, covering workbenches, or masking larger areas from mist and overspray.


UPC	ID	Description	Color	Size	Packaging
50-051131-07167-9	M-RL38150DD	Sorbs approx. 76 gal./Case	White	38" x 150'	1/Case
50-051131-07166-2	M-RL15150DD	Sorbs approx. 31 gal./Case	Gray	15.5" x 150'	1/Case



3M™ Maintenance Sorbent Roll Medium Weight MCM

This medium capacity maintenance sorbent roll features a light weight design and scrim on two sides to increase strength and help reduce linting. Rolls are easily cut to fit any size area. Use in areas where large spills may occur, or to cover work areas.

UPC	ID	Description	Size	Packaging
50-051125-85867-5	MCM-R15	Sorbs approx. 19 gal./Case	15" x 150'	1/Case
50-051125-85870-5	MCM-R25	Sorbs approx. 30 gal./Case	25" x 150'	1/Case



3M™ Maintenance Sorbent Pad M-PD1520DD & M-PD720GG, High Capacity

This high capacity sorbent has a scrim on one side to increase strength and help eliminate linting. This conveniently sized pad allows the user to quickly spread sorbent on and in the path of a spill.

UPC	ID	Description	Size	Packaging
50-051131-07164-8	M-PD1520DD	Sorbs approx. 37.5 gal./Case	15.5" x 20.5"	100/Case
50-051131-07165-5	M-PD720GG	Sorbs approx. 31.5 gal./Case	7.5" x 20.5"	100/Case

Maintenance Sorbents



3M™ Maintenance Sorbent Pad Medium Weight MCM

This medium capacity maintenance sorbent pad features a light weight design with scrim on two sides to increase strength and reduce linting.


UPC	ID	Description	Size	Packaging
50-051125-85863-7	MCM-P1715	Sorbs approx. 18 gal./Case	17" x 15"	100 Pads/ Case



3M™ Maintenance Sorbent Folded M-FL550DD, High Capacity

This high capacity maintenance sorbent has a scrim on one side to increase strength and help eliminate linting. Dispenses from a carrying/dispenser box in the form of a continuous roll, perforated every 16" so you can select the length required. Utilizing 3M's folded sorbent technology, it can be used as a pillow, pad, roll or boom.


UPC	ID	Description	Size	Packaging
50-051131-07172-3	M-FL550DD	Sorbs approx. 31.5 gal./Case	5" x 50'	3/Case



3M™ Maintenance Sorbent Mini-Boom

Maintenance sorbent mini-booms can be placed around the base of equipment to help contain fluids that may leak or spill, preventing spread to adjacent work areas, one gallon capacity per 4' Mini-Boom.


UPC	ID	Description	Size	Packaging
50-051138-21526-7	M-MB304	Sorbs approx. 1 gal./Boom	3" x 4'	12/Case
50-051138-21527-4	M-MB308	Sorbs approx. 2 gal./Boom	3" x 8'	6/Case
50-051138-21528-1	M-MB312	Sorbs approx. 3 gal./Boom	3" x 12'	4/Case



3M™ Maintenance Sorbent Pillow M-PL715

Maintenance sorbent pillows are designed with a scrim that encases particulate sorbent material. Used in areas where greater capacity than a sorbent pad is desired. Small and lightweight, pillows are tear-resistant.

UPC	ID	Description	Size	Packaging
50-051138-21531-1	M-PL715	Sorbs approx. 8 gal./Roll	7" x 15"	16/Case



3M™ Maintenance Sorbent Drum Cover M-DC22DD, High Capacity

This maintenance sorbent drum cover has a scrim on one side to increase strength and help eliminate linting. Has cut-outs for dispensing bungs and a skirt which fits neatly around the base of the drum to catch any drips.

UPC	ID	Description	Size	Packaging
50-051131-07169-3	M-DC22DD	Sorbs approx. 19 gal./Case	22" Cover	25/Case

Petroleum Sorbents



3M™ Petroleum Sorbent Roll

Designed to cover large surfaces, can be cut and easily placed in tight areas. Ideal for cleaning small spills and wiping down contaminated areas. Petroleum sorbent rolls can be cut to cover small areas or laid directly upon open waters, shorelines, or discharge streams. In addition, they can be placed on docks, in boats, and under leaking machines.

UPC	ID	Description	Size	Packaging
00-021200-16047-9	T-100	Sorbs approx. 84 gal./Case	38" x 144'	1/Case
00-051138-21648-1	T-190	Sorbs approx. 42 gal./Case	19" x 144'	1/Case



3M™ Petroleum Sorbent Roll HP-100, High Capacity

Designed to cover large surfaces, can be easily placed in tight areas. Ideal for cleaning-up small spills and wiping down contaminated areas. They can be cut to the desired length and are one of the most economical ways to purchase sorbent. High capacity petroleum sorbents have a scrim on one side to increase strength and help eliminate linting. Rolls of sorbent material are used to cover and sorb large spills or in areas where spills may occur.

UPC	ID	Description	Size	Packaging
00-051138-28990-4	HP-100	Sorbs approx. 73 gal./Case	38" x 144'	1/Case



3M™ Petroleum Sorbent Static Resistant Roll HP-500, High Capacity

Specially treated to resist static charge build-up and can be used effectively and efficiently when conditions are likely to produce static arcing, such as when relative humidity is low (below 20%) or when temperatures fall below freezing. 3M™ Static Resistant Petroleum sorbents are specifically designed to be used for the safe cleanup of highly flammable petroleum-based liquids. Sorbs hydrocarbon-based liquids (oleophilic) and repels aqueous-based liquids (hydrophobic).

UPC	ID	Description	Size	Packaging
00-051138-29067-2	HP-500	Sorbs approx. 73 gal./Case	38" x 144'	1/Case



3M™ Petroleum Sorbent Roll Medium Weight MCP

This medium capacity petroleum sorbent roll features a light weight design and scrim on two sides to increase strength and help reduce linting. Rolls are easily cut to fit any size area. Use in areas where large spills may occur, or to cover work areas.

UPC	ID	Description	Size	Packaging
50-051125-85866-8	MCP-R15	Sorbs approx. 19 gal./Case	15" x 150'	1/Case
50-051125-85869-9	MCP-R25	Sorbs approx. 30 gal./Case	25" x 150'	1/Case



3M™ Petroleum Sorbent Pad

This highly sorbent petroleum pad features a low-profile design, for easy placement in tight areas. Conveniently sized pads allow the user to quickly spread sorbent over and in the path of a spill.

UPC	ID	Description	Size	Packaging
00-021200-16049-3	T-151	Sorbs approx. 43.5 gal./Case	17" x 19"	200/Case
00-021200-16050-9	T-156	Sorbs approx. 40.5 gal./Case	17" x 19"	100/Case
00-021200-16051-6	T-157	Sorbs approx. 81 gal./Case	34" x 38"	50/Case



3M™ Petroleum Sorbent Pads, High Capacity

High capacity petroleum sorbent pads have a scrim on one side to increase strength and help eliminate linting. Conveniently sized pads allow the user to quickly spread sorbent over and in the path of a spill.

UPC	ID	Description	Size	Packaging
50-051138-28991-6	HP-156	Sorbs approx. 37.5 gal./Case	17" x 19"	100/Case
00-051138-29116-7	HP-157	Sorbs approx. 75 gal./Case	34" x 38"	50/Case
50-051138-28992-3	HP-255	Sorbs approx. 33 gal./Case	17" x 19"	50/Case

Petroleum Sorbents



3M™ Petroleum Sorbent Static Resistant Pad HP-557, High Capacity

3M™ Static Resistant Petroleum sorbents are specifically designed to be used for the safe cleanup of highly flammable petroleum-based liquids. Sorbs hydrocarbon-based liquids (oleophilic) and repels aqueous-based liquids (hydrophobic).

UPC	ID	Description	Size	Packaging
00-051138-29069-6	HP-557	Sorbs approx. 75 gal./Case	34" x 38"	50/Case



3M™ Petroleum Sorbent Pad Medium Weight MCP

This medium capacity petroleum sorbent pad features a light weight design with scrim on two sides to increase strength and reduce linting.

UPC	ID	Description	Size	Packaging
50-051125-85864-4	MCP-P1715	Sorbs approx. 18 gal./Case	17" x 15"	100 Pads/Case



3M™ Petroleum Sorbent Folded P-FL550DD

Four folded petroleum sorbents in one. It can be used as a boom, pillow, pad, or roll, which means fewer products need to be stocked to meet your sorbent needs. Perforations every 16" allow you to select the length desired. Each perforated sheet unfolds to approximately 18" by 16".


UPC	ID	Description	Size	Packaging
50-051131-07173-0	P-FL550DD	Sorbs approx. 31.5 gal./Case	5" x 50'	3 Boxes/Case



3M™ Petroleum Sorbent Mini-Boom

Petroleum sorbent mini-booms are a selective sorbent which will sorb hydrocarbon-based liquids (oleophilic), repel aqueous-based liquids (hydrophobic). Mini-booms are typically used because of their tube-like shape to encircle spills and contain leaks.

UPC	ID	Description	Size	Packaging
50-051138-21354-6	T-4	Sorbs approx. 12 gal./Case	3" x 4'	12/Case
50-051138-21355-3	T-8	Sorbs approx. 12 gal./Case	3" x 8'	6/Case
50-051138-21356-0	T-12	Sorbs approx. 12 gal./Case	3" x 12'	4/Case



3M™ Petroleum Sorbent Mini-Pillow T-30

Petroleum sorbent pillows are designed with a scrim that encases particulate sorbent material. Pillows are used in areas where more capacity is desired than can easily be achieved using a sorbent pad.

UPC	ID	Description	Size	Packaging
50-051138-21545-8	T-30	Sorbs approx. 8 gal./Case	7" x 15"	16 Pillows/Case



3M™ Petroleum Sorbent Pillow T-240

Open mesh bags of particulate sorbent are excellent for handling large quantities of light oil in confined spaces such as sumps, catch basins, bilges or settlement ponds. Designed for long-term use, they are UV resistant and will not deteriorate or sink.

UPC	ID	Description	Size	Packaging
00-021200-16053-0	T-240	Sorbs approx. 35 gal./Case	5" x 14" x 25"	10 Pillows/Case

Petroleum Sorbents



3M™ Marine Oil and Fuel Absorbent Bilge Pillow

Hold up to two liters of oil. Just toss the pillow in the bilge, and it soaks up oil and fuel, but repels water. The bilge water can then be pumped overboard legally.

UPC	ID	Description	Size	Packaging
50-051138-29026-4	29026	Sorbs approx. 8 gal./Case	7" x 15"	16/Case



3M™ Petroleum Sorbent Boom T-270

This petroleum sorbent boom is an 8" by 10' scrim encased tube of particulate sorbent material secured by a UV resistant netting. Built-in attachment clips are provided at each end of the boom allowing the booms to be linked together, overlapping and preventing seepage between segments.

UPC	ID	Description	Size	Packaging
00-021200-16054-7	T-270	Sorbs approx. 80 gal./Case	8" x 10'	4/Case



3M™ Petroleum Sorbent Drum Cover P-DC22DD, High Capacity

This petroleum sorbent drum cover is designed for a 55 gallon drum to catch drips and spills that occur during dispensing of all types of hydrocarbon materials used in daily operations. Will sorb hydrocarbon-based liquids, repel aqueous-based liquids.

UPC	ID	Description	Size	Packaging
50-051138-29234-3	P-DC22DD	Sorbs approx. 19 gal./Case	22" Cover	25/Case



3M™ Petroleum Sorbent Spill Kit P-SKFL31

This petroleum sorbent spill kit is packed in an element-resistant 20 gallon drum and contains a petroleum folded sorbent (which can be used as booms, pillows or rolls) and high capacity pads. Contains 2 rolls of folded sorbent (each 5" x 50"), 30 pads (each 17" x 19"), 3 temporary disposal bags and ties that allow you to easily select the product to fit the response. This petroleum sorbent spill kit combines the best of both worlds—petroleum folded sorbent (which can be used as booms, pillows or rolls) and high capacity pads. This unique combination allows you to easily select the product to fit the response.

UPC	ID	Description	Packaging
00-051138-46286-4	P-SKFL31	Sorbs approx. 31 gal./Case	1/Case



3M™ Petroleum Sorbent Spill Kit P-SKFL5

This petroleum sorbent spill kit can be used for containing and sorbing petroleum-based liquids of up to five gallons. It is conformable, making it an excellent solution for storage where space is limited. Compact for easy storage, ideal for rapid response.

UPC	ID	Description	Packaging
50-051138-46289-0	P-SKFL5	Sorbs up to 5 gal./Roll	3/Case



3M™ Petroleum Spill Response Pack SRP-PETRO

This petroleum sorbent spill response pack is designed to sorb and contain small petroleum spills and leaks fast. The 3M™ Petroleum Sorbent Spill Response Pack SRP-Petro will sorb hydrocarbon-based liquids and repel aqueous-based liquids. Kit contains three mini-booms and five pads.

UPC	ID	Description	Packaging
50-051138-28950-3	SRP-PETRO	Sorbs up to 4 gal./Pack	3/Case

Cleaning Chemicals

Carpet Care



Scotchgard™ Spot Remover and Upholstery Cleaner

Designed to clean carpets and upholstery. Releases both oil- and water-based soils from carpet and upholstery. Aerosol foam is sprayed directly on spot with minimum of overspray. Requires no rinsing. Wipe or blot area with a clean, absorbent cloth.

UPC	Size	Packaging
50-048011-14003-7	17 oz.	12/Case



3M™ Gum Remover Ready-to-Use

Removes gum from carpet, walk-off mats, fabric and other surfaces. Also removes adhesives and wax.

UPC	Size	Packaging
50-048011-34854-9	8 oz.	6/Case

Cleaners & Degreasers



3M™ Neutral Cleaner Concentrate

No-rinse, low-foaming formula won't harm washable hard floors or leave soapy residue that can dull or soften floor finish. Use with mop or automatic scrubber. Fresh scent. Dilution rate: 1:391.

UPC	Description	Size	Packaging
50-048011-59865-4	Makes 980 gallons	2.5 gal.	2/Case



3M™ Peroxide Cleaner Concentrate

An all purpose, light duty, peroxide cleaner concentrate. A versatile, daily use cleaner effective against stains and soils. This low odor product leaves no messy residue behind. Uses effervescent action to clean carpet and nonporous surfaces such as floors, walls, tables, chairs, countertops, bathroom fixtures, sinks, bed frames, doors, shelves, tile and grout, and more.

UPC	Description	Size	Packaging
50-048011-59979-8	Makes 101 gallons	1 gal.	4/Case



3M™ Heavy Duty Degreaser Concentrate

Powerful degreaser developed for extremely tough jobs. Ideal for cleaning machinery, engines, factory floors, tools, trucks and metal parts. Quickly penetrates grease, oil and a variety of soils.

UPC	Size	Packaging
50-048011-34782-5	1 gal.	4/Case

Disinfectants



3M™ TB Quat Disinfectant Ready-to-Use Cleaner

Rinse-free, EPA-registered disinfectant formula disinfects and cleans hard, nonporous surfaces. Effective against TB, HBV, HIV-1, MRSA, VRE and other pathogens. Complies with OSHA's Bloodborne Pathogen Standard for disinfecting surfaces soiled with blood or other potentially infectious body fluids. Pleasant lemon fragrance; extended 1-year shelf life.

UPC	Size	Packaging
50-048011-29612-3	Quart	12/Case



3M™ HB Quat Disinfectant Cleaner Concentrate

Rinse-free, EPA-registered disinfectant for disinfecting and cleaning noncritical items. For use in hospitals. Kills hepatitis B virus (HBV), HIV, MRSA, VRE, herpes simplex I and II and other pathogens.

UPC	Size	Packaging
50-048011-23556-6	Gallon	4/Case

Cleaning Chemicals

General & Specialty Cleaners



3M™ Sharpshooter™ Extra Strength No-Rinse Mark Remover

No-rinse formula cleaner for quick, easy removal of soil and grease. This powerful cleaner penetrates and loosens buildup quickly. Convenient and effective.

UPC	Size	Packaging
50-048011-16861-1	1 qt.	12/Case
50-048011-13702-0	5 gal.	1/Case



3M™ Stainless Steel Cleaner and Polish

Ideal for stainless steel, chrome, laminated plastics and aluminum surfaces. With a high-gloss formula, it wipes clean with no streaks or buildup, resists fingerprints and masks surface blemishes. Pleasant lime fragrance.

UPC	Description	Size	Packaging
50-048011-14002-0	Aerosol	21 oz.	12/Case



3M™ Stainless Steel Cleaner and Protector

3M™ Stainless Steel Cleaner and Protector with Scotchgard™ Protection leaves an invisible layer of protection on stainless steel surfaces making them easier to clean after routine use. It allows for quick-drying streak-free spot cleaning which helps reduce labor and product consumption.

UPC	Description	Size	Packaging
50-051125-85901-6	Flip top cap	32 oz.	6/Case



3M™ TroubleShooter™ Liquid Finish Remover

Sprayable foam formula removes soil and finish buildup. Use on baseboards, floor edges, corners, stairways and ceramic tile. Ready-to-use quarts.

UPC	Description	Size	Packaging
50-048011-29524-9	Flip top cap	1 qt.	6/Case



3M™ TroubleShooter™ Baseboard Stripper

Non-ammoniated formula strips floors and baseboards without lengthy downtime. No rinsing or neutralizing needed.

UPC	Description	Size	Packaging
00-048011-14001-8	Aerosol	21 oz.	12/Case

Glass Cleaners



3M™ Glass Cleaner and Protector, Ready-To-Use

3M™ Glass Cleaner and Protector with Scotchgard™ Protection leaves an invisible layer of Scotchgard™ protection on glass for easier cleaning after routine use. It reduces fogging on windows and mirrors with repeated use. Leaves an attractive shine. Cleans (but may not protect) other surfaces.

UPC	Description	Size	Packaging
50-051125-85788-3	Each w/ Trigger Sprayer	1 qt.	12/Case
50-048011-59982-8	Includes 2 Trigger Sprayers	1 qt.	12/Case

Floor Care Products

3M™ Doodleduster



3M™ Doodleduster Holder

Rugged yet lightweight holder for 3M™ Doodleduster Cloth. Flexible swivel and low profile for easy maneuverability. Convenient clips for quick cloth attachment and removal.

UPC	Description	Size	Packaging
50-048011-19150-3	Small	25" x 3.9" x 3"	1/Case



3M™ Doodleduster Cloth White

Untreated, microfiber disposable cloth leaves surface residue-free. Ideal for dusting floors before and after burnishing or prior to recoating.

UPC	Description	Color	Size	Packaging
50-048011-19152-7	250 Sheets per roll	White	7" x 13.8" x 287.5'	1/Case

Floor Sweepers



3M™ Floor Sweeper

Super-efficient dual eight-bladed rotoblades easily pick up both large and small debris. Works on virtually any floor surface. Lightweight and compact.

UPC	ID	Description	Color	Size	Packaging
50-048011-15402-7	4500	Small	Red	10" x 8.5" x 3"	1/Case
50-048011-15498-0	6000	Large	Red	12.5" x 12" x 4"	1/Case

Floor Pads



3M™ Doodlebug™ Pad Holder with Pads 6472 – Kit

Orange plastic holder with special grippers that hold 4.625" x 10" 3M™ Doodlebug™ Cleaning Pads (sold separately). Holder swivels in all directions. The threaded socket attaches to any standard threaded U.S. broom handle.

UPC	Description	Color	Size	Packaging
50-048011-08542-0	2 Pads included	Orange	3.75" x 9"	4 Kits/Case



3M™ Doodlebug™ Pad Holder 6472

Durable swivel lets holder twist and turn to reach hard-to-get-at places. Orange plastic holder features special grippers that hold pads firmly in place and provide for easy attachment and changing of pads.

UPC	Color	Size	Packaging
50-048011-20511-8	Orange	3.75" x 9"	10/Case



3M™ Doodlebug™ Handblock Pad Holder with Pads 6473 – Kit

Convenient built-in handle puts cleaning versatility in the palm of your hand. Unique hook and loop bottom holds 3M™ Doodlebug™ pads, sponges and brushes without the use of adhesives or fasteners. Each kit includes one PN 8440 and one PN 8541 pad.

UPC	Size	Packaging
50-048011-08548-2	4" x 9"	4/Case



3M™ Doodlebug™ White Cleansing Pad 8440

For cleaning delicate surfaces. Fits 3M™ Doodlebug™ Handblock Pad Holder PN 6473 or 3M™ Doodlebug™ Pad Holder PN 6472.

UPC	Description	Color	Size	Packaging
50-048011-08003-6	5 Pads per box	White	4.6" x 10"	4 Boxes/Case

Floor Care Products

Floor Pads



3M™ Doodlebug™ Brown Scrub 'n Strip Pad 8541

Designed for tough jobs like removing finish and wax buildup from baseboards and floor edges. A great way to strip stairs. Fits 3M™ Doodlebug™ Pad Holder PN 6472 or 3M™ Doodlebug™ Handblock Pad Holder PN 6473.

UPC	Description	Color	Size	Packaging
50-048011-08004-3	5 Pads per box	Brown	4.625" x 10"	4 Boxes/Case



3M™ Doodlebug™ Blue Pad 8242

For medium-duty cleaning and scrubbing. Fits Pad Holder PN 6472 or PN 6473.

UPC	Description	Color	Size	Packaging
50-048011-08005-0	5 Pads per box	Blue	4.6" x 10"	4 Boxes/Case



3M™ Doodlebug™ Hi Pro Pad 8550

For extra heavy-duty cleaning and scrubbing. Fits Pad Holder PN 6472 or PN 6473.


UPC	Description	Color	Size	Packaging
50-048011-05241-5	10 Pads per box	Black	4.6" x 10"	4 Boxes/Case



3M™ Doodlebug™ General Purpose Brush 4020

Nonabrasive, long-lasting polypropylene bristles effectively clean surfaces such as tile and grout in bathroom, shower and kitchen areas, concrete, brick and raised circular pattern rubber floors. Fits Pad Holder PN 6472 or PN 6473.

UPC	Size	Packaging
50-048011-14020-4	3.75" x 9.25"	8/Case



Scotch-Brite™ Doodlebug™ Easy Erasing Pad 4610

Ideal for removing stains, marks, ink and more. Just use water; no chemicals or sprays needed. Fits Pad Holder PN 6473 or PN 6472.

UPC	Description	Size	Packaging
50-048011-59154-9	5 Pads per box	10" x 4.625"	4 Boxes/Case




Sponges & Pads



Scotch-Brite™ Easy Erasing Pad

Soft, flexible pad cleans many surfaces and is safe for indirect food contact areas. Innovative white polymeric foam erases hard-to-clean stains, marks and scuffs. Unique blue urethane layer provides durability and keeps hands away from messes. Easy-to-use! Simply wet pad and squeeze out excess water. Use white side of pad to erase marks. Use blue side to wipe away residue.

UPC	ID	Description	Size	Packaging
50-048011-55658-6	4004CC	4 Pads per bag	2.8" x 4.5" x 1.2"	3 Bags/Case



Scotch-Brite™ Light Duty Cleansing Pad 98

Soft, non-woven fibers and mild abrasive gently, but thoroughly, clean most surfaces. Typical applications: stainless steel, chrome, copper, porcelain and ceramic.


UPC	Description	Color	Size	Packaging
50-048011-07445-5	20 Pads per box	White	6" x 9"	3 Boxes/Case



Scotch-Brite™ General Purpose Scouring Pad 96

Use for everyday cleaning of most cooking utensils and equipment. Scours 2 to 3 times faster and lasts 2 to 3 times longer than comparable pads. Non-rusting and resilient, this synthetic pad is an ideal replacement for steel wool or stainless steel scrubbers.

UPC	Description	Color	Size	Packaging
50-048011-08293-1	20 Pads per box	Green	6" x 9"	3 Boxes/Case



Scotch-Brite™ General Purpose Scouring Pad 105

Use for everyday cleaning of most cooking utensils and equipment. Scours 2 to 3 times faster and lasts 2 to 3 times longer than comparable pads. Non-rusting and resilient, this synthetic pad is an ideal replacement for steel wool or stainless steel scrubbers.

UPC	Color	Size	Packaging
50-048011-05542-3	Green	4.5" x 6"	40/Case



Scotch-Brite™ Heavy Duty Scouring Pad 86

Open construction pad with tough fibers and abrasives make fast work of heavy duty cleaning jobs. Use in the kitchen to replace scrapers, steel wool and metal sponges. Typical applications include heavily baked-on food and food processing equipment.

UPC	Description	Color	Size	Packaging
50-048011-05509-6	12 Pads per box	Green	6" x 9"	3 Boxes/Case



Scotch-Brite™ Power Pad 2000

Scours up to four times faster than conventional commercial scouring products. Up to eight times less abrasive than other medium/heavy-duty commercial scouring products to reduce scratching. Unique bow-tie shape.

UPC	Color	Size	Packaging
50-048011-23162-9	Dark Blue	5.5" x 3.9"	20/Case



Scotch-Brite™ Purple Scour Pad 2020

Cleans your dirtiest pots and pans twice as fast as conventional heavy-duty scouring—with less scratching. Food debris rinses out of the pad easily. Unique web construction stands up to your toughest jobs. Scratches less than other heavy duty pads.

UPC	Color	Size	Packaging
50-048011-59033-7	Purple	2.8" x 4.5"	24/Case

Sponges & Pads



Scotch-Brite™ Light Duty Scrub Sponge 63

Light duty cleaning pad/sponge won't scratch or mar most surfaces. Typical applications: stainless steel, glass, ceramic, fine china, porcelain, countertops and non-stick surfaces.

UPC	Color	Size	Packaging
50-048011-08251-1	Yellow/ White	6.1" x 3.6" x 0.7"	20/Case



Scotch-Brite™ Medium Duty Scrub Sponge 74

Dual-action cleaning tool. On one side, it's a No. 96 scouring pad for scrubbing and cleaning. On the other side, the cellulose sponge quickly wipes up spills and messes and can carry cleaning solutions to the work surface.

UPC	Color	Size	Packaging
50-048011-20688-7	Yellow/ Green	6.1" x 3.6" x 0.7"	20/Case



Scotch-Brite™ Power Sponge 3000

Two cleaning tools in one – a Scotch-Brite™ Power Pad combined with a sponge. Up to eight times less abrasive than other medium duty/heavy duty commercial scouring products to reduce scratching. Features 3M's unique anti-microbial technology integrated into every fiber. Sponge resists growth of odor-causing bacteria through hundreds of uses.

UPC	Color	Size	Packaging
50-048011-23163-6	Purple/ Green	2.8" x 4.5" x 0.6"	20/Case



Scotch-Brite™ Sponge A21

Cellulose sponge stays fresh longer. Resists odors, staining and crumbling. Features 3M's unique anti-microbial technology integrated into every fiber. Sponge resists the growth of odor causing bacteria through hundreds of uses.

UPC	Description	Color	Size	Packaging
50-021200-57196-6	2 Pads per pack	Pink	6" x 3.6" x 0.9"	24 Packs/ Case



3M™ Easy Clean System



3M™ Easy Trap Flip Holder

Holder works with standard threaded U.S. broom handle. Easy to flip holder clamps onto the 3M™ Easy Trap Duster and allows the customer to easily use both sides of the cloth without bending over. The “A” shape allows the user to plow large debris without it tumbling over the holder.

UPC	Size	Packaging
50-048011-59247-8	23"	6/Case



3M™ Easy Trap Duster

For dust, dirt and sand removal.

UPC	Description	Size	Packaging
00-048011-55655-0	500 Sheets per box	5" x 6" x 125'	2 Rolls/Case
00-048011-55654-3	250 Sheets per box	8" x 6" x 125'	1 Roll/Case



3M™ Easy Scrub Express Flat Mop Tool

Flat mop tool used for fast, efficient and lightweight cleaning. For use with 18" flat mops.

UPC	Description	Size	Packaging
00-048011-59051-6	Adjustable 38"– 59"	16"	1/Case

3M™ Easy Scrub Flat Mop Tool with Pad Holder

Flat mop tool used for fast, efficient and lightweight cleaning. Apply solution to the floor with easy-to-use dispense button. For use with 18" flat mops.

UPC	Size	Packaging
00-048011-55593-5	16"	1/Case



3M™ Easy Scrub Flat Mop

Microfiber flat mops for 3M™ Easy Scrub Flat Mop System. Dual fiber construction with scrubbing stripes. Laundering: chlorine bleach safe.

UPC	Description	Color	Size	Packaging
50-048011-59250-8	10 Pads per bag	White	18"	1 Bag/Case
00-048011-55594-2	10 Pads per bag	White	18"	10 Bags/Case



3M™ Easy Scrub Plus Flat Mop

3M™ Easy Scrub Plus Flat Mop for applying floor cleaner to ceramic tile, quarry tile or raised rubber flooring.

UPC	Description	Size	Packaging
50-048011-59017-7	10 Pads per bag	18"	4 Bags/Case



3M™ Easy Scrub Express Bottles

Squeezable bottle holds 11.5 oz. of solution.

UPC	Description	Size	Packaging
50-048011-59056-6	12 Empty bottles per bag	11.5 oz	6 Bags/Case




3M™ Easy Scrub Express Caddy

6 caddies per case, each labeled and in bag. Caddy holds 12 Easy Scrub Express Bottles.

UPC	Packaging
50-048011-59054-2	6/Case

Surface Protection



Scotchgard™ Surface Protection Film 2200

Scotchgard™ Surface Protection Film is designed to protect stone and vinyl flooring, bathroom surfaces and walls from the everyday challenges they are subjected to. It can be applied to waxed vinyl, sealed concrete, marble, ceramic tile, terrazzo and more. NSF certified as high-traction.

UPC	Color	Size	Packaging
50-051125-85897-2	Clear	1' x 1'	10/Case
50-051125-85896-5	Clear	2' x 2'	10/Case
50-051125-85895-8	Clear	4' x 4'	10/Case



Commercial & Residential Water Filtration

In-Line Systems



3M™ Aqua-Pure™ In-Line Water Filtration System, Model AP717

The 3M™ Aqua-Pure™ AP717 in-line filter helps reduce sediment, rust, chlorine taste and odor and scale from your drinking water and ice cubes. They can be used in refrigerators, ice makers, drinking fountains, coffee machines, and drink dispensers.

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-051128-88994-7	AP717	0.5 gpm	1,500 gal.	12/Case

Under Sink Systems



3M™ Aqua-Pure™ Under Sink Water Filtration System, Model 3MFF100

The 3M™ Aqua-Pure™ 3MFF100 Full Flow Drinking Water System helps reduce chlorine taste and odor, particulate, lead, cysts, Benzene, Toxaphene, and p-Dichlorobenzene providing filtered water for drinking, cooking, making beverages, and washing food. Connects directly to a primary or existing faucet.

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-016145-23311-1	3MFF100	2.5 gpm	6,000 gal.	6/Case



3M™ Aqua-Pure™ Under Sink Water Filtration System, Model AP200

The 3M™ Aqua-Pure™ AP200 Under Sink Drinking Water Filtration System helps reduce sediment and chlorine taste and odor, providing filtered water for drinking, cooking, making beverages, and washing food. Connects directly to a primary or existing faucet.

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-016145-00200-7	AP200	1.75 gpm	2,000 gal.	4/Case



3M™ Aqua-Pure™ Under Sink Water Filtration System, Model AP Easy Complete

The 3M™ Aqua-Pure™ AP Easy Complete Under Sink Drinking Water Filtration System helps reduce chlorine taste and odor, particulate, parasitic protozoan cysts, mercury, turbidity, asbestos and select VOCs (Lindane, Atrazine, Benzene, Carbofuran, P-dichlorobenzene and Toxaphene). Connects directly to a dedicated or designer faucet (faucet included).

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-051128-88915-2	AP Easy Complete	0.75 gpm	750 gal.	6/Case



3M™ Under Sink Reverse Osmosis Drinking Water Filtration System, Model 3MRO501

The 3M™ Pro Reverse Osmosis Drinking Water Filtration System helps provide cleaner, better tasting water through reverse osmosis filtration. Reduces: sediment, chlorine taste and odor, cysts, arsenic, barium, cadmium, chromium (Hex), chromium (Tri), copper, fluoride, lead, radium, selenium, select volatile organic compounds (VOCs), nitrates/nitrites, turbidity and total dissolved solids (TDS).

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-054007-98088-9	3MRO501	0.6 gpm	36.78 gal./Day	1/Case

Commercial & Residential Water Filtration

Whole House Systems



3M™ Aqua-Pure™ Whole House Water Filtration System, Model AP904

The 3M™ Aqua-Pure™ AP904 Whole House Filtration System helps reduce sediment, rust, scale, precipitated iron/minerals from water using appliances and plumbing fixtures throughout the home or light commercial/industrial applications. These cartridges require no wrench for cartridge change-out and are virtually spill-free.

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-016145-26699-7	AP904	20 gpm	100,000 gal.	1/Case

3M™ Aqua-Pure™ Whole House Replacement Water Filter, Model AP810

The 3M™ Aqua-Pure™ AP810 Whole House Replacement Water Filter for large diameter housings. Reduces sediment and rust down to 5 micron.

UPC	ID	Flow Rate (gal./min.)	Dimensions	Case Qty/Units
00-016145-15876-6	AP810	20 gpm	4.5" x 9.57"	4/Case

3M™ Aqua-Pure™ Whole House Replacement Water Filter, Model AP811

The 3M™ Aqua-Pure™ AP811 Whole House Replacement Water Filter for large diameter housings. Reduces sediment and rust down to 25 micron.

UPC	ID	Flow Rate (gal./min.)	Dimensions	Case Qty/Units
00-016145-16510-8	AP811	20 gpm	9-3/4" x 4-5/8"	4/Case

3M™ Aqua-Pure™ Whole House Replacement Water Filter, Model AP110

The 3M™ Aqua-Pure™ Whole House Replacement Water Filter for standard diameter housings. Reduces sediment and rust down to 5 micron.

UPC	ID	Flow Rate (gal./min.)	Dimensions	Case Qty/Units
00-016145-15734-9	AP110	8 gpm	9-3/4" x 2-1/2"	2 Per pack, 5 Packs per Case

3M™ Aqua-Pure™ Whole House Replacement Water Filter, Model APS117

The 3M™ Aqua-Pure™ APS117 Whole House Replacement Water Filter for standard diameter housings. Reduces sediment, rust, chlorine taste and odor, and scale down to 5 micron.

UPC	ID	Flow Rate (gal./min.)	Dimensions	Case Qty/Units
00-051128-89055-4	APS117	3 gpm	9-3/4" x 2-1/2"	24/Case

Foodservice Filtration

Ice & Cold Beverage Applications



3M™ Water Filtration Products Filtration System, Model ICE120-S

The 3M™ Water Filtration Products ICE120-S, High Flow Series single cartridge water filtration system helps provide consistent "Recipe Quality Water" for commercial ice machines by reducing the effects of sediment, chlorine taste and odor, and scale.

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-016145-80118-1	ICE120-S	1.5 gpm	9,000 gal.	6/Case



3M™ Water Filtration Products, High Flow Series Filter System, Model BEV130

The 3M™ Water Filtration Products BEV130 water filtration system is ideal for cold beverages and Iced Tea applications. Improve the taste, consistency and appearance of cold beverages and help protect against harmful bacteria, cysts and unwanted taste/odors and chlorine corrosion of metallic components of food service appliances.

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-016145-80100-6	BEV130	1.67 gpm	14,000 gal.	4/Case

Hot Beverage Applications



3M™ Water Filtration Products Filtration System, Model BREW120-MS

3M™ Water Filtration Products, High Flow Series BREW120-MS single cartridge water filtration system helps provide high quality water for the perfect cup of coffee or tea by reducing the effects of sediment and chlorine taste and odor, and scale.

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-016145-80116-7	BREW120-MS	1.5 gpm	9,000 gal.	6/Case



3M™ Water Filtration Products System, Model ESP124-T

3M™ Water Filtration Products ESP124-T single cartridge water filtration system helps provide consistent high quality water for espresso and espresso based drinks. Reduces hard water scale, chlorine taste and odor. Extend equipment life and reduce service downtime with hard water scale reduction.

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-016145-80184-6	ESP124-T	0.5 gpm	122 gal. @ 9.0 gpg hardness	4/Case

Competitive Systems Applications



3M™ Water Filtration Products, Replacement Filter Cartridge, Model CFS9112-S

The 3M™ Water Filtration Products CFS9112-S water filter replacement cartridge is an economical way to provide the benefits of 3M Water Filtration Products in select competitive systems while reducing overall equipment service expenses. The replacement cartridge is specifically designed to fit in Everpure® competitive systems, and does not require activation for functionality, allowing an operator to change the cartridge in seconds.

UPC	ID	Flow Rate (gal./min.)	Filter Capacity	Case Qty/Units
00-016145-07461-5	CFS9112-S	1.5 gpm	10,000 gal.	12/Case



3M™ Fire Barrier Sealant CP 25WB+

High-performance, latex-based intumescent firestop sealant. When properly installed, this product provides up to 4-hour fire ratings per ASTM E 814 (UL 1479). Firestops items penetrating through fire-rated construction assemblies.

UPC	Description	Color	Size	Packaging
00-051115-11638-4	Cartridge	Red-Brown	10.1 oz.	12/Case



3M™ Fire Barrier Sealant IC 15WB+

General-purpose firestop sealant. Product provides up to 3-hour fire ratings in tested and listed systems. CPVC compatible.

UPC	Description	Color	Size	Packaging
00-051115-16557-3	Cartridge	Yellow	10.1 oz.	12/Case



3M™ Fire Barrier Packing Material PM4

An easy-to-dispense, non-asbestos, inorganic material designed to be used as an alternative packing material to mineral wool, fiberglass and backer rod in through-penetration firestop systems. With excellent strength and flexibility characteristics it is an ideal through-penetration packing material.

UPC	Description	Color	Size	Packaging
00-051115-18764-3		White	4" x 20.5'	5/Case



3M™ Fire Barrier Moldable Putty Sticks and Pads

A one-part, ready-to-use, re-enterable, intumescent putty that can be easily formed to firestop through penetrations and blank openings in fire-rated assemblies. Used to help prevent the spread of fire, smoke and toxic fumes for up to four hours.

UPC	Description	Size	Packaging
00-051115-16526-9	Sticks	1.5" x 11.5"	10/Case
00-051115-16561-0	Tube/Sticks	1.45" x 6"	12/Case
00-051115-16510-8	Pads	9.5" x 9.5"	20/Case



3M™ Fire Barrier Ultra Plastic Pipe Device

A plastic pipe firestop system. A one-piece metal collar assembly encasing heat expanding 3M™ Fire Barrier Wrap Strip Ultra GS material, used for new and retrofit installations. Achieves up to 3-hour fire protection in tested and listed systems.

UPC	Size	Packaging
00-051115-08379-2	2"	10/Case
00-051115-08380-8	3"	10/Case
00-051115-08381-5	4"	10/Case

Matting



3M™ Clean-Walk Mat 5830

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back. Contains antimicrobial properties that help inhibit fungal growth in the mat.

UPC	Description	Color	Size	Packaging
00-021200-55730-9	30 Sheets per mat	White	18" x 36"	4 Mats per case
00-021200-55728-6	30 Sheets per mat	White	25" x 45"	4 Mats per case



3M™ Clean-Walk Framed Mat 5840

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back. Contains antimicrobial properties that help inhibit fungal growth in the mat.


UPC	Description	Color	Size	Packaging
00-021200-55724-8	60 Sheets per mat	White/Black	31-½" x 25-½"	1 Mat per case
00-021200-55723-1	60 Sheets per mat	White/White	31-½" x 25-½"	1 Mat per case



3M™ Clean-Walk Replacement Pad 5842

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back. Fits Clean-Walk Framed Mat PN 5840. Contains antimicrobial properties that help inhibit fungal growth in the mat.


UPC	Description	Color	Size	Packaging
00-021200-55722-4	60 Sheets per pad	White	30" x 24"	2 Pads per case



3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050

Resilient vinyl loop construction traps, holds and hides dirt and sand, so the surface stays neat and clean. Foam backing reduces creeping and provides added foot comfort. NFSI certified as high-traction.

UPC	Color	Size	Packaging
50-048011-17780-4	Black	3' x 5'	1/Case
50-048011-17790-3	Black	4' x 6'	1/Case
00-048011-26246-8	Black	3' x 20'	1/Case
50-048011-26445-0	Gray	3' x 5'	1/Case
50-048011-26452-8	Gray	4' x 6'	1/Case
00-048011-26239-0	Gray	3' x 20'	1/Case
00-048011-26276-5	Gray	4' x 20'	1/Case
50-048011-26448-1	Brown	3' x 5'	1/Case
50-048011-26455-9	Brown	4' x 6'	1/Case
00-048011-26268-0	Brown	4' x 20'	1/Case



3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250

Entrance vinyl scraper matting designed for medium traffic applications. The vinyl Z-web construction allows dirt and moisture to flow through becoming trapped at the backing. NFSI certified as high-traction.


UPC	Color	Size	Packaging
50-048011-20223-0	Brown	3' x 5'	1/Case
50-048011-20226-1	Brown	4' x 6'	1/Case
50-048011-20234-6	Gray	3' x 5'	1/Case
50-048011-20237-7	Gray	4' x 6'	1/Case



3M™ Nomad™ Heavy Traffic Unbacked Scraper Matting 8100

Entrance coiled vinyl scraper matting designed for heavy-traffic applications. The construction allows dirt and moisture to flow through the matting so it is not retracted into the building. Grease- and oil-resistant. NFSI certified as high-traction.


UPC	Color	Size	Packaging
00-048011-29466-7	Black	3' x 5'	1/Case
00-048011-29468-1	Black	4' x 6'	1/Case
50-048011-26506-8	Brown	3' x 5'	1/Case
50-048011-26518-1	Brown	4' x 6'	1/Case
50-048011-26503-7	Gray	3' x 5'	1/Case
00-048011-26291-8	Gray	3' x 20'	1/Case
50-048011-26515-0	Gray	4' x 6'	1/Case
00-048011-34635-9	Gray	4' x 20'	1/Case



3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150

Entrance coiled vinyl scraper matting designed for heavy-traffic applications. The solid vinyl backing retains dirt and moisture. Grease- and oil-resistant. NFSI certified as high-traction.

UPC	Color	Size	Packaging
00-048011-29473-5	Black	3' x 5'	1/Case
00-048011-29470-4	Black	4' x 6'	1/Case
50-048011-26467-2	Brown	3' x 5'	1/Case
50-048011-26480-1	Brown	4' x 6'	1/Case
50-048011-26464-1	Gray	3' x 5'	1/Case
00-048011-34562-8	Gray	3' x 20'	1/Case
50-048011-26477-1	Gray	4' x 6'	1/Case
00-048011-34557-4	Gray	4' x 20'	1/Case



3M™ Nomad™ Extreme Traffic Z-Web Scraper Matting 9100

Entrance vinyl scraper matting designed for heavy-traffic recessed well applications. The vinyl Z construction allows dirt and moisture to fall through, becoming trapped in the well. NFSI certified as high-traction.

UPC	Color	Size	Packaging
50-048011-16106-3	Black	3' x 5'	1/Case
50-048011-15389-1	Black	3' x 20'	1/Case
50-048011-20243-8	Brown	3' x 5'	1/Case
50-048011-20245-2	Brown	3' x 20'	1/Case
50-048011-20240-7	Gray	3' x 5'	1/Case
50-048011-09563-4	Gray	2' x 20'	1/Case
50-048011-20242-1	Gray	3' x 20'	1/Case


Matting



3M™ Safety-Walk™ Cushion Matting 3270 & 3270E

Spring-coiled vinyl foam compresses uniformly and continually, providing greater comfort and less fatigue. Available in 3 ft. and 4 ft. widths by 2 ft. to 30 ft. lengths in 1 ft. increments. NFSI certified as high-traction.

UPC	ID	Description	Color	Size	Packaging
00-048011-34821-6	3270	Without edging	Black	3' x 10'	1/Case
00-048011-34823-0	3270	Without edging	Black	3' x 20'	1/Case
00-048011-34826-1	3270E	With black edging	Black	3' x 5'	1/Case
00-048011-34828-5	3270E	With black edging	Black	3' x 10'	1/Case
00-048011-34830-8	3270E	With black edging	Black	3' x 20'	1/Case
00-048011-34827-8	3270E	With black edging	Black	4' x 6'	1/Case
00-048011-34829-2	3270E	With black edging	Black	4' x 10'	1/Case



3M™ Safety-Walk™ Cushion Matting 5100

Rigid vinyl Z-web construction provides firm support and allows cart traffic for a multifunctional work area. Designed for light industrial and light-medium commercial applications. Available in 3 ft. widths by 2 ft. to 30 ft. lengths in 1 ft. increments. NFSI certified as high-traction.


UPC	Color	Size	Packaging
50-048011-20229-2	Black	3' x 5'	1/Case
50-048011-20231-5	Black	3' x 10'	1/Case
50-048011-20233-9	Black	3' x 20'	1/Case



3M™ Safety-Walk™ Cushion Matting 5270E

Fatigue-resistant matting designed for heavy industrial applications. Special grease- and oil-resistant coating. Available in 3 and 4 ft. widths by 2 to 30 ft. lengths in 1 ft. increments. Black integral edging. NFSI certified as high-traction.

UPC	Color	Size	Packaging
00-048011-54576-9	Black	3' x 2'	1/Case
00-048011-54577-6	Black	3' x 5'	1/Case
00-048011-54578-3	Black	3' x 10'	1/Case
00-048011-54579-0	Black	3' x 20'	1/Case
00-048011-55946-9	Black	4' x 6'	1/Case
00-048011-55921-6	Black	4' x 20'	1/Case



3M™ Safety-Walk™ Wet Area Matting 1500

Coiled web open construction is perfect for pools, locker rooms and other wet areas with medium traffic. NFSI certified as high-traction.

UPC	Color	Size	Packaging
50-048011-17636-4	Blue	3' x 20'	1/Case
50-048011-17635-7	Green	3' x 20'	1/Case



3M™ Safety-Walk™ Wet Area Matting 3200

Z-web construction makes this a great choice for heavily trafficked pools, locker rooms and other wet areas. NFSI certified as high-traction.

UPC	Color	Size	Packaging
50-048011-16107-0	Blue	3' x 10'	1/Case
50-048011-13722-8	Blue	3' x 20'	1/Case
50-048011-16108-7	Tan	3' x 10'	1/Case
50-048011-13723-5	Tan	3' x 20'	1/Case



3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes and Treads 600 Series

This mineral-coated, slip-resistant material features a highly durable surface. Low-profile design helps reduce trip hazards. NFSI certified as high-traction.

UPC	ID	Color	Size	Packaging
50-048011-19217-3	610	Black	¾" x 24"	50 Treads/Case
50-048011-19220-3	610	Black	1" x 60'	4 Rolls/Case
50-048011-19221-0	610	Black	2" x 60'	2 Rolls/Case
50-048011-19223-4	610	Black	4" x 60'	1 Roll/Case
50-048011-19218-0	610	Black	6" x 24"	50 Treads/Case
50-048011-19224-1	610	Black	6" x 60'	1 Roll/Case
50-048011-26422-1	630	Safety Yellow	1" x 60'	1 Roll/Case
50-048011-26421-4	630	Safety Yellow	2" x 60'	2 Rolls/Case
50-048011-26420-7	630	Safety Yellow	4" x 60'	1 Roll/Case



3M™ Safety-Walk™ Slip-Resistant Conformable Tapes and Treads 500 Series

Ideal for use on diamond grade safety plates, steps and other irregular surfaces. Mineral coated, slip-resistant material with aluminum foil backing. Conforms to irregular surfaces and around edges. NFSI certified as high-traction.

UPC	ID	Color	Size	Packaging
50-048011-19280-7	510	Black	2" x 60'	2 Rolls/Case
50-048011-19281-4	510	Black	4" x 60'	1 Roll/Case
50-048011-19279-1	510	Black	6" x 24"	50 Treads/Case
50-048011-19282-1	510	Black	6" x 60'	1 Roll/Case
50-048011-19288-3	530	Safety Yellow	2" x 60'	2 Rolls/Case
50-048011-19289-0	530	Safety Yellow	4" x 60'	1 Roll/Case



3M™ Safety-Walk™ Slip-Resistant Medium Resilient Tapes and Treads 300 Series

Features a resilient, non-mineral, slip-resistant material. Soft surface is suitable for bare feet. For locker rooms and recreational/athletic equipment, boats and docks, interior stairwells, entryways and lobbies. NFSI certified as high-traction.

UPC	ID	Color	Size	Packaging
50-048011-19293-7	310	Black	1" x 60'	4 Rolls/Case
50-048011-19294-4	310	Black	2" x 60'	2 Rolls/Case
50-048011-19296-8	310	Black	4" x 60'	1 Roll/Case
50-048011-19292-0	310	Black	6" x 24"	50 Treads/Case
50-048011-19297-5	310	Black	6" x 60'	1 Roll/Case

Buffing Accessories & Buffing Pads

Buffing Accessories



3M™ Quick Connect Adaptor 05752

Polisher adaptor used to quickly connect and disconnect double sided buffing pads. Use with 3M™ Perfect-It™ brand compounding and polishing pads. Centers pads for more effective use. Makes it easy to change between compound and polishing pads.

UPC	Size	Case Qty/Units
00-051131-05752-4	5/8" Thread	10/Case



3M™ Conditioning Brush

Designed to remove residue from foam and wool buffing pads.

UPC	Color	Case Qty/Units
00-051131-05761-6	Red	10/Case

Buffing Pads



3M™ Perfect-It™ Foam Compounding Pad

High performance foam compounding pad. Refines P1200 or finer sand scratches. For use with 3M™ Compounds. The Perfect-It brand means this is 3M's highest performing foam compounding pad.

UPC	Descr.	Color	Use With	Size	Case Qty/Units
00-051131-33284-3	Double sided	White	3M™ Quick Connect Adaptor 05752	6"	6/Case
00-051131-05706-7	Double sided	White	3M™ Quick Connect Adaptor 05752	9"	6/Case
00-051131-05737-1	Single sided	White	3M™ Hookit™ backup pads (PN 05717 or PN 05718)	9"	6/Case



3M™ Perfect-It™ Wool Compounding Pad

High performance, 100% wool compounding pad. Refines P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds. The Perfect-It brand means this is 3M's highest performing wool compounding pad.

UPC	Descr.	Color	Use With	Size	Case Qty/Units
00-051131-33287-4	Double sided	White	3M™ Quick Connect Adaptor 05752	6"	6/Case
00-051131-05753-1	Double sided	White	3M™ Quick Connect Adaptor 05752	9"	6/Case
00-051131-33288-1	Low lint; double sided	White	3M™ Quick Connect Adaptor 05752	6"	6/Case
00-051131-33279-9	Low lint; double sided	White	3M™ Quick Connect Adaptor 05752	9"	6/Case
00-051131-05719-7	Single sided	White	3M™ Hookit™ backup pads (PN 05717 or PN 05718)	9"	6/Case

Buffing Pads



3M™ Perfect-It™ Wool Polishing Pad

High performance yellow blended wool polishing pad. Removes compound swirl marks and fine paint surface defects. For use with 3M™ Machine Polishes. Proven performer. The Perfect-It brand means this is 3M's highest performing wool polishing pad.


UPC	Descr.	Color	Use With	Size	Case Qty/Units
00-051131-33289-8	Double sided	Yellow	3M™ Quick Connect Adaptor 05752	6"	6/Case
00-051131-05754-8	Double sided	Yellow	3M™ Quick Connect Adaptor 05752	9"	6/Case
00-051131-05713-5	Single sided	Yellow	3M™ Hookit™ backup pads (PN 05717 or PN 05718)	9"	6/Case



3M™ Perfect-It™ Foam Polishing Pad

High performance black foam polishing pad. Removes compound swirl marks and fine paint surface defects. For use with 3M™ Machine Polishes. The Perfect-It brand means this is 3M's highest performing foam polishing pad.

UPC	Descr.	Color	Use With	Size	Case Qty/Units
00-051131-33285-0	Double sided	Black	3M™ Quick Connect Adaptor 05752	6"	6/Case
00-051131-05707-4	Double sided	Black	3M™ Quick Connect Adaptor 05752	8"	6/Case
00-051131-05738-8	Single sided	Black	3M™ Hookit™ backup pads (PN 05717 or PN 05718)	8"	6/Case



3M™ Perfect-It™ Ultrafine Foam Polishing Pad

High performance blue foam polishing pad. Eliminates swirl marks on painted surfaces, even on difficult dark colored cars. Use with Perfect-It™ Ultrafine Machine Polish. The Perfect-It brand means this is 3M's highest performing ultrafine foam polishing pad.

UPC	Descr.	Color	Use With	Size	Case Qty/Units
00-051131-33286-7	Double sided	Blue	3M™ Quick Connect Adaptor 05752	6"	6/Case
00-051131-05708-1	Double sided	Blue	3M™ Quick Connect Adaptor 05752	8"	6/Case
00-051131-05733-3	Single sided	Blue	3M™ Hookit™ backup pads (PN 05717 or PN 05718)	8"	6/Case



3M™ Perfect-It™ 1 Foam Finishing Pad

High performance paint finishing pad designed to be used with Perfect-It™ 1 Finishing Material to remove Trizact™ abrasive scratches. The Perfect-It brand means this is 3M's highest performing foam finishing pad.

UPC	Descr.	Color	Use With	Size	Case Qty/Units
00-051131-33292-8	Double sided	Blue	3M™ Quick Connect Adaptor 05752	6"	6/Case
00-051131-33291-1	Double sided	Blue	3M™ Quick Connect Adaptor 05752	8"	6/Case
00-051131-33293-5	Single sided	Blue	3M™ Hookit™ Backup Pad 05717	8"	6/Case




3M™ Compounding Pad

Single sided blended wool compounding pad used to refine P1200 and finer sand scratches and other paint surface defects. For use with 3M™ Compounds and 3M™ Hookit™ backup pads (PN 05717 or PN 05718).

UPC	Color	Size	Case Qty/Units
00-051131-05711-1	White	9"	6/Case


Buffing Pads



3M™ Yellow Foam Compounding Pad

Single sided foam compounding pad used to refine sand scratches. For use with 3M™ Compounds and 3M™ Hookit™ backup pads (PN 05717 or PN 05718). Best suited for entry level technicians and consumers.

UPC	Size	Case Qty/Units
00-051131-33274-4	8"	2 Pads Bag/ 6 Bags per case



3M™ Blue Polishing Pad

Single sided foam polishing pad used to refine sand scratches. For use with 3M™ Machine Polishes and 3M™ Hookit™ backup pads (PN 05717 or PN 05718). Best suited for entry level technicians and consumers.

UPC	Size	Case Qty/Units
00-051131-33275-1	8"	2 Pads Bag/ 6 Bags per case



Compounds & Polishes



3M™ Perfect-It™ Rubbing Compound

High performance, fast cutting rubbing compound. Unique formula quickly removes P1200 grade and finer sand scratches and other surface defects. Buffs to high gloss with a minimum of swirl marks. The Perfect-It brand means this is 3M's highest performing rubbing compound.

UPC	Size	Case Qty/Units
00-051131-06085-2	1 qt.	6/Case
00-051131-06086-9	1 gal.	4/Case



3M™ Perfect-It™ EX Rubbing Compound

3M's best rubbing compound when looking for EXtra performance: EXtra Cutting, EXtra Smooth Handling, EXTremely Easy to Use and Clean Up. Unique formula quickly removes P1200 grade and finer sand scratches and other surface defects.

UPC	Size	Case Qty/Units
00-051131-36058-7	8 oz.	12/Case
00-051131-36060-0	1 qt.	6/Case
00-051131-36061-7	1 gal.	4/Case



3M™ Perfect-It™ Machine Polish

3M's best performing machine polish. Quickly and effectively removes compound swirl marks while producing an outstanding high gloss finish. Good handling, easy cleanup.

UPC	Size	Case Qty/Units
00-051131-06064-7	1 qt.	6/Case
00-051131-06065-4	1 gal.	4/Case



3M™ Perfect-It™ Ultrafine Machine Polish

High performance ultrafine machine polish. Unique formula eliminates swirl marks and produces a high gloss finish, even on the most difficult dark colored vehicles. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing ultrafine machine polish.

UPC	Size	Case Qty/Units
00-051131-39062-1	16 oz. Bottle	6/Case
00-051131-06068-5	1 qt.	6/Case
00-051131-06069-2	1 gal.	4/Case



3M™ Perfect-It™ 1 Finishing Material

Fast cutting finishing material designed to remove P3000 and finer scratches. When used with 3M™ Perfect-It™ 1 Foam Finishing Pads this unique formula cuts like a compound but handles and finishes like a polish leaving a high gloss, swirl free finish.

UPC	Size	Case Qty/Units
00-051131-36064-8	1 qt.	6/Case
00-051131-36065-5	1 gal.	4/Case



3M™ Perfect-It™ Rubbing Compound 39060

3M's best performing rubbing compound. Quickly removes P3000 abrasive scratches from headlight lenses. Use with 3M™ Perfect-It™ Foam Buffing Pad, PN 05759. The Perfect-It brand means this is 3M's best performing rubbing compound.

UPC	Size	Case Qty/Units
00-051131-39060-7	16 oz. Bottle	6/Case

Compounds & Polishes



3M™ Perfect-It™ Machine Polish 39061

3M's best performing machine polish. Quickly and effectively removes compound swirl marks while producing an outstanding high gloss finish. Good handling, easy cleanup. Use with 3M™ Perfect-It™ Foam Polishing Pad (PN 05726).

UPC	Size	Case Qty/Units
00-051131-39061-4	16 oz. Bottle	6/Case



3M™ Inspection Spray

Inspection spray is used to inspect surfaces for remaining sand scratches after buffing. The use of Inspection Spray allows sand scratches and other defects to be more readily seen. Inspection Spray will not harm paint and leaves no residue.

UPC	Size	Case Qty/Units
00-051131-06082-1	1 gal.	4/Case



3M™ Perfect-It™ Clean & Shine

Spray detailer that cleans up compound and polish residue. Provides a high gloss shine. Paint shop safe. No silicones. Use with a 3M™ Perfect-It™ Detailing Cloth.

UPC	Size	Case Qty/Units
00-051131-06084-5	16 oz. Bottle	6/Case



Fillers & Glazes

Fillers



3M™ All Purpose Fast Cure Filler

3M™ All Purpose Fast Cure Filler helps increase productivity while ensuring the body repair quality you've come to expect from DMS. By mixing two-component product directly in the nozzle, the applicator quickly and easily delivers filler mixed to the perfect ratio every time. This addition to the DMS family allows you to further maximize productivity, increase profits and reduce waste.

UPC	Size	Case Qty/Units
00-051131-05221-5	276 mL	6/Case



3M™ Platinum™ Plus Body Filler for DMS 05863

3M™ Platinum™ Plus body filler, packaged as a cartridge-based two component body repair material for use in the 3M™ Dynamic Mixing System.

UPC	Size	Case Qty/Units
00-051131-05863-7	276 mL	6/Case



3M™ Reinforced Body Filler for DMS 05877

A two component, resin rich filler formula containing milled fiberglass and packaged in a dual cartridge system. Offers excellent adhesion to steel, galvanized steel, aluminum, E-coat. Sheet molded compound (SMC), fiberglass (FRP), concrete and wood substrates where additional strength and gap spanning capability is needed. To be used with the 3M™ Dynamic Mixing System Applicator.

UPC	Size	Case Qty/Units
00-051131-05877-4	276 mL	6/Case

Glazes



3M™ Dent Finishing Glaze for DMS 05857

A 3M™ DMS cartridge-based, two-component, self-leveling glaze designed for use as a "skin" coat over sheet metal and dent repair compound to fill pinholes, sand scratches, low areas, and other imperfections.

UPC	Size	Case Qty/Units
00-051131-05857-6	276 mL	6/Case

Disposable Respirators



3M™ Particulate Respirator 8210, N95

This classic disposable N95 particulate respirator is designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles.

UPC	Description	Packaging
50-051138-46457-3	20/Inr	160/Case



3M™ Particulate Welding Respirator 8212, N95, with Faceseal

This disposable N95 particulate respirator is designed to help provide respiratory protection for applications such as welding or soldering where metal fumes may be present. Features 3M™ Cool Flow™ Valve, foam faceseal, adjustable head straps.

UPC	Description	Packaging
50-051138-54141-0	10/Inr	80/Case



3M™ Particulate Respirator 8233, N100

This disposable N100 particulate respirator is designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles. Features 3M™ Cool Flow™ Valve, foam faceseal, adjustable straps and individual packaging.

UPC	Packaging
50-051138-54143-4	20/Case



3M™ Particulate Respirator 8271, P95

This disposable P95 particulate respirator features 3M proprietary advanced electrostatically charged microfiber filter media, foam faceseal and 3M™ Cool Flow™ Valve to help provide comfortable worker respiratory protection against certain oil and non-oil based particles.

UPC	Description	Packaging
50-051138-54285-1	10/Inr	80/Case



3M™ Particulate Respirator 8511, N95

This disposable N95 particulate respirator features the proprietary 3M™ Cool Flow™ Valve and helps provide comfortable, reliable worker respiratory protection. It is suited for work settings that involve heat, humidity or long periods of wear.

UPC	Description	Packaging
50-051138-54343-8	10/Inr	80/Case

Reusable Respirators



3M™ Rugged Comfort Half Facepiece Reusable Respirator 6500 Series

The 3M™ Rugged Comfort 6500 Series Half Facepiece Reusable Respirator helps provide respiratory protection in harsh, dirty environments against airborne contaminants when used with approved 3M™ cartridges and filters. Resilient silicone faceseal helps provide comfort, durability, and stability with a soft but firm seal. Proprietary Cool Flow™ valve helps reduce heat and moisture. Exhalation valve cover helps direct exhaled breath and moisture downward to help reduce fogging of eyewear and grinding and welding shields.

UPC	ID	Size	Packaging
50-051131-49487-4	6501	Small	10/Case
50-051131-49489-8	6502	Medium	10/Case
50-051131-49491-1	6503	Large	10/Case
50-051131-49488-1	6501QL	Quick Latch, Small	10/Case
50-051131-49490-4	6502QL	Quick Latch, Medium	10/Case
50-051131-49492-8	6503QL	Quick Latch, Large	10/Case



3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series

Engineered to deliver maximum comfort with a wide field of view. Features a soft, silicone nose cup and a large lens that allows for superior peripheral vision. The only respirator with 3M's unique Scotchgard™ Protector, which helps the lens resist dirt, some paint and stains, and makes it easier to clean. The 3M™ Cool Flow™ Valve helps reduce heat and moisture buildup inside the facepiece.

UPC	ID	Size	Packaging
50-051135-89421-2	FF-402	Medium	4/Case
50-051135-89424-3	FF-403	Large	4/Case



3M™ Particulate Filter 2091, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridge 6000 Series with 3M™ Adapter 502, or 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC	Packaging
50-051131-07000-9	100/Case



3M™ Particulate Filter with Nuisance Level Organic Vapor Relief 2097, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridge 6000 Series with 3M™ Adapter 502, or 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

- 3M recommended for nuisance level organic vapor relief and for ozone protection up to 10X OSHA PEL. Not NIOSH certified for use against ozone.

UPC	Packaging
50-051131-07184-6	100/Case



3M™ Organic Vapor Cartridge 6001

NIOSH approved against certain organic vapors. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC	Packaging
50-051138-21674-5	60/Case

Reusable Respirators



3M™ Organic Vapor/Acid Gas Cartridge 6003

The 3M™ Organic Vapor/Acid Gas Cartridge 6003 helps provide respiratory protection against certain organic vapors or acid gases. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC	Packaging
50-051131-07047-7	60/Case



3M™ Multi Gas/Vapor Cartridge 6006

NIOSH approved against certain organic vapors, acid gases, ammonia, methylamine or formaldehyde. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

- OSHA requires that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.

UPC	Packaging
50-051138-54186-1	60/Case



3M™ Cartridge/Filter Organic Vapor/P100, 60921

NIOSH approved against certain organic vapors and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC	Packaging
50-051138-46465-8	60/Case



3M™ Cartridge/Filter Organic Vapor/Acid Gas/P100, 60923

NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

UPC	Packaging
50-051138-46467-2	60/Case



3M™ Cartridge/Filter Multi Gas/Vapor/P100, 60926

NIOSH approved against certain organic vapors, acid gases and particulates. Use with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders.

- OSHA requires that gas-proof goggles be worn with half facepiece respirators when used against formaldehyde.

UPC	Packaging
50-051138-54187-8	60/Case

Eye Protection



3M™ SecureFit™ Protective Eyewear SF201AF

Stylish, lightweight design weighs less than one ounce. Features proprietary 3M™ Pressure Diffusion Temple Technology that helps diffuse pressure over the ear to enhance frame comfort while not compromising the security of fit across a diverse workforce. Meets ANSI Z87.1-2010 and CSA Z94.3-2007 standards for limited impact.

UPC	ID	Packaging
10-078371-65717-5	SF201AF	20/Case



3M™ SecureFit™ Protective Eyewear SF401AF

Stylish design weighs less than one ounce, has a soft adjustable nosepiece to help reduce slippage, incorporates dual-material on temples to provide cushioned comfort plus enhanced style and features the proprietary 3M™ Pressure Diffusion Temple Technology. Meets ANSI Z87.1-2010 and CSA Z94.3-2007 standards for limited impact.

UPC	ID	Packaging
10-078371-66211-7	SF401AF	20/Case



3M™ Virtua™ CCS Protective Eyewear

Comfortable, lightweight frame features the Cord Control System (CCS) with a removable foam gasket attachment. CCS is designed to keep a corded earplug attached, untangled, and ready for use. Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning. Anti-Fog polycarbonate lens absorbs 99.9 % UV. Meets ANSI Z87.1-2010 and CSA Z94.3-2007 standards for limited impact.

UPC	ID	Packaging
10-078371-11872-0	11872-00000-20	20/Case



Head & Face Protection



3M™ Clear Polycarbonate WP96 Faceshield

Standard size, molded general purpose polycarbonate faceshield offers high impact face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. Requires protective eyewear, sold separately. Meets ANSI Z87.1-2010 and CSA Z94.3-2007 standards for limited impact.

UPC	ID	Packaging
10-078371-82701-1	82701-00000	10/Case



3M™ H8A Headgear/WP96 Faceshield

A combination headgear and faceshield safety system. Includes H8A ratchet headgear and WP96 polycarbonate faceshield. Adjustable ratchet suspension. Molded faceshield provides impact protection. Requires protective eyewear, sold separately. Meets ANSI Z87.1-2010 and CSA Z94.3-2007 standards for limited impact.

UPC	ID	Packaging
10-078371-82783-7	82783-00000	5/Case



3M™ Hard Hat, H-700 Series, 4-Point Ratchet Suspension

Protective hard hat with comfortable 4-point ratchet suspension and standard brow pad. Meets requirements of ANSI/ISEA Z89.1-2009 and Z94.1-05 Type 1, Class C, G and E.

UPC	ID	Color	Packaging
10-078371-64197-6	H-701R	White	20/Case



3M™ Hard Hat, H-700 Series, with UVicator™ Sensor

This award-winning, lightweight hard hat offers extended comfort and protection, and also features a sensor that changes color as the hard hat is exposed to UV light. Meets the requirements of ANSI/ISEA Z89.1-2009 and Z94.1-05 Type 1, Class C, G, and E.

UPC	ID	Color	Packaging
10-078371-65550-8	H-701R-UV	White	20/Case



3M™ Full Brim Hard Hat, H-800 Series

Protective full brim hard hat with comfortable 4-point ratchet suspension and standard brow pad. Meets the requirements of ANSI/ISEA Z89.1-2009 and Z94.1-05 Type 1, Class C, G, and E.

UPC	ID	Color	Packaging
10-078371-65775-5	H-801R	White	20/Case



3M™ Full Brim Hard Hat, H-800 Series, with UVicator™ Sensor

Protective full brim hard hat with comfortable 4-point ratchet suspension and standard brow pad and Uvicator™ Sensor. Meets requirements of ANSI/ISEA Z89.1-2009 and Z94.1-05 Type 1, Class C, G and E.

UPC	ID	Color	Packaging
10-078371-65797-7	H-801R-UV	White	20/Case



3M™ PELTOR™ Clear Polycarbonate Faceshield

Brimless, lightweight clear polycarbonate visor helps provide high impact face protection. Must be used with hard hat. Faceshield snaps into 3M™ PELTOR™ Hard Hat Adapter P3EV/2 or 3M™ PELTOR™ Cap-Mounted Earmuffs. Meets ANSI Z87.1-2010 and CSA Z94.3-2007 standards for limited impact.

UPC	ID	Packaging
10-093045-93620-2	V2C-10P	10/Case


Hearing Protection



3M™ E-A-R™ Classic™ Foam Earplugs

3M™ E-A-R™ Classic™ earplugs set the standard in hearing protection as the world's first foam earplugs. Constructed from slow-recovery foam that is flame-resistant and moisture-resistant. NRR 29 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 200 pair/Box, 10 boxes/Case.

UPC	ID	Description	Packaging
10-080529-10000-6	310-1001	Uncorded, Pillow Pack	2000/Case
10-080529-11001-2	311-1101	Corded, Poly Bag	2000/Case
10-080529-12002-8	312-1201	Uncorded, Poly Bag	2000/Case



3M™ E-A-Rsoft™ Yellow Neon™ Foam Earplugs

3M™ E-A-Rsoft™ Yellow Neon™ earplugs feature soft, slow-recovery foam for excellent noise reduction and comfort. These are easy to roll down and insert, then expand within the ear canal for effective hearing protection. NRR 33 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 200 pair/Box, 10 boxes/Case.

UPC	ID	Description	Packaging
10-080529-12063-9	312-1250	Uncorded, Poly Bag	2000/Case
10-080529-11033-3	311-1250	Corded, Poly Bag	2000/Case



3M™ E-A-Rsoft™ FX™ Earplugs 312-1260

3M™ E-A-Rsoft™ FX™ corded earplugs feature a super-soft, slow-recovery foam to effectively seal the ear canal and provide reliable hearing protection. Bell shape allows easy insertion and removal. NRR 33 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 200 pair/Box, 10 boxes/Case.

UPC	ID	Description	Packaging
10-080529-12085-1	312-1260	Corded, Poly Bag	2000/Case



3M™ E-A-R™ TaperFit™ 2 Earplugs 312-1219

3M™ E-A-R™ TaperFit™ 2 earplugs feature smooth foam that expands in the ear canal to help provide comfortable hearing protection. NRR 32 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 200 pair/Box, 10 boxes/Case.


UPC	ID	Description	Packaging
10-080529-12013-4	312-1219	Uncorded, Poly Bag	2000/Case



3M™ Foam Earplugs

3M™ Foam Earplugs feature hypoallergenic foam and a tapered design to fit comfortably in the ear. Smooth, dirt resistant surface for hygiene. Comfortable for a wide range of ear canal sizes. NRR 29 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System.

UPC	ID	Description	Packaging
50-051138-29008-0	1100	Uncorded, Poly Bag, 200/Inr	1000/Case
50-051138-29009-7	1110	Corded, Poly Bag, 100/Inr	500/Case




3M™ E-A-Rsoft™ Yellow Neon™ Earplugs 311-4106, Metal Detectable

Designed to be detectable in metal-sensing systems, these earplugs feature an implanted stainless steel bead in the plug and metal powder in the cord. NRR 32 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 200 pair/Box, 10 boxes/Case.

UPC	ID	Description	Packaging
10-080529-11042-5	311-4106	Corded, Poly Bag	2000/Case

*The NRR may overestimate the protection provided during typical use. 3M recommends fit testing of hearing protectors. If the NRR is used to estimate typical workplace protection, 3M recommends that the NRR be reduced by 50% or in accordance with applicable regulations.


Hearing Protection



3M™ E-A-R™ UltraFit™ Earplugs 340-4004

Feature a proprietary, premolded, triple-flange designed to fit comfortably. Soft polymer is washable and reusable. NRR 25 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 100 pair/Box, 4 boxes/Case.

UPC	ID	Description	Packaging
10-080529-40003-8	340-4004	Corded, Poly Bag	400/Case



3M™ Tri-Flange™ Earplugs P3000

3M™ Tri-Flange™ corded reusable earplugs features a proven, triple-flange design and pliable, premolded material to provide clean and comfortable hearing protection. Vinyl cord connects earplugs. NRR 26 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 100 pair/Box, 4 boxes/Case.

UPC	ID	Description	Packaging
10-093045-98016-8	P3000	Corded, Poly Bag	400/Case



3M™ Skull Screws™ Earplugs P1301

3M™ E-A-R™ Skull Screws™ push-to-fit corded foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering push-to-fit convenience and noise attenuation with attitude. NRR 32 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 120 pair/Box, 4 boxes/Case.

UPC	ID	Description	Packaging
10-093045-92952-5	P1301	Corded, Poly Bag	480/Case



3M™ Pistonz™ Earplugs P1401

3M™ E-A-R™ Pistonz™ corded, push-to-fit earplugs are stylish hearing protection that feature soft foam tips with a metallic look and a convenient thumb-grip stem. No-roll foam makes fitting easy. NRR 29 dB.* Packaged 100 pair/Box, 4 boxes/Case.

UPC	ID	Description	Packaging
10-093045-93402-4	P1401	Corded, Poly Bag	400/Case



3M™ E-A-R™ Express™ Pod Plugs™ 311-1115 w/Asst Grips

Feature advanced “no-roll”, slow-recovery foam and assorted color grips. Paddle-style grips allow easy fitting and help keep earplug tips clean even when your hands are dirty. NRR 25 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 100 pair/Box, 4 boxes/Case.

UPC	ID	Description	Packaging
10-080529-11011-1	311-1115	Corded, Poly Bag	400/Case



3M™ E-A-R™ Push-Ins™ Earplugs 318-1003

Combines comfort, convenience and protection. Constructed of 3M™ E-A-Rform™ foam, these earplugs feature a no roll-down design and a blue stem for a quick and easy fit. NRR 28 dB.* Test compatible with 3M™ E-A-Rfit™ Dual-Ear Validation System. Packaged 200 pair/Box, 10 boxes/Case.

UPC	ID	Description	Packaging
10-080529-18003-9	318-1003	Corded, Poly Bag	2000/Case



3M™ PELTOR™ Optime™ 105 Over-the-Head Earmuff

3M™ PELTOR™ Optime™ 105 over-the-head earmuffs feature double-shell technology to provide effective hearing protection for noise exposures up to 105dBA. Durable stainless steel headband resists bending and warping. Noise Reduction Rating (NRR) of 30 dB*.

UPC	ID	Packaging
10-093045-08101-8	H10A	10/Case

*The NRR may overestimate the protection provided during typical use. 3M recommends fit testing of hearing protectors. If the NRR is used to estimate typical workplace protection, 3M recommends that the NRR be reduced by 50% or in accordance with applicable regulations.

Welding Safety Solutions



3M™ Speedglas™ Welding Helmets 100 Series

The Speedglas™ 100 Black Helmet with Auto-Darkening Filter 100V is good for Stick, MIG and most TIG welding processes. User selectable dark shades 8 through 12 and viewing area of 6.05 sq.in. It has three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality. It is shade 3 in the light state.

UPC	ID	Packaging
00-051131-37232-0	07-0012-31BL	1/Case



3M™ Speedglas™ Welding Helmets 9100 Series

The Speedglas™ 9100XX with sidewindows, shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile. Viewing area 12.11 sq in.

UPC	ID	Packaging
00-051135-89387-6	06-0100-30SW	1/Case



3M™ Adflo™ Powered Air Purifying Respirator Systems

High Efficiency particulate respiratory protection system for welders. Lightweight, compact design with ergonomic, adjustable head suspension. Flip front welding shield allows for a clear, wide-view protective visor for grinding and setup.

UPC	ID	Packaging
00-051141-56158-5	36-1101-30SW	1/Case



Booth Protection

Surface Protection



3M™ Dirt Trap Clear Film Dispenser

Metal dispenser for application of 3M™ Dirt Trap Clear Film. Designed with high strength magnets that secure dispenser on a vertical metal surface while 3M™ Dirt Trap Clear Film is dispensed and applied. For use with 3M™ Dirt Trap Clear Film.

UPC	Case Qty/Units
00-051131-36863-7	1/Each



3M™ Dirt Trap Material Dispenser

Metal dispenser for application of 3M™ Dirt Trap Material. Designed with high strength magnets that secure dispenser on a vertical metal surface while 3M™ Dirt Trap Material is dispensed and applied. For use with 3M™ Dirt Trap Material.

UPC	Case Qty/Units
00-051131-36862-0	1/Each



3M™ Dirt Trap Material Wall Applicator

Metal dispenser for application of 3M™ Dirt Trap Protection Material 36852.

UPC	Case Qty/Units
00-051131-36866-8	1/Each



3M™ Dirt Trap Material 28" Floor Applicator

Metal dispenser for application of 3M™ Dirt Trap Protection Material 36852.

UPC	Case Qty/Units
00-051131-36865-1	1/Each



3M™ Dirt Trap Material Floor Applicator Dispenser

Applicator/Dispenser used to apply 3M™ Dirt Trap Protection Material to floors. Dispenser designed to hold a maximum width of 56" Dirt Trap Material. Durable metal construction.

UPC	Case Qty/Units
00-051131-36864-4	1/Each

3M™ Dirt Trap Protection Material

White non-woven surface protection material with adhesive backing. Designed to protect surfaces while trapping dust, dirt, and paint overspray.

UPC	ID	Color	Size	Case Qty/Units
00-051131-36849-1	36849	White	4" x 300'	6 Rolls per case
00-051131-36850-7	36850	White	6" x 300'	4 Rolls per case
00-051131-36851-4	36851	White	14" x 300'	1 Roll per case
00-051131-36852-1	36852	White	28" x 300'	1 Roll per case
00-051131-36853-8	36853	White	56" x 300'	1 Roll per case
00-051131-37852-0	37852	Gray	28" x 300'	1 Roll per case
00-051131-37853-7	37853	Gray	56" x 300'	1 Roll per case



3M™ Welding and Spark Deflection Paper

A fire retardant paper used to keep welding spatter and grinding sparks from damaging glass and painted surfaces.

UPC	Size	Case Qty/Units
00-051131-05916-0	24" x 150'	2/Case

3M™ PPS™ Paint Preparation System

PPS™ Starter Kits



3M™ Accuspray™ Spray Gun System with PPS™ 16580

All-in-one spraying solution providing the equivalent of multiple brand new spray guns, for a fraction of the cost. Kit contains 1 each Accuspray™ ONE Spray Gun with color indicator rings, 4 Accuspray™ atomizing heads in sizes 1.4 and 1.8mm, an airflow control valve, 5 each liners and lids (1 each w/125 micron filter, 4 each w/200 micron filter), 1 each standard size 22 oz PPS™ hard cup and retaining ring, 1 mixing/measuring insert, and an instruction manual.

UPC	Case Qty/Units	
00-051131-16580-9	4/Case	



3M™ PPS™ Starter Kit, Standard 16172

Standard size 3M™ PPS™ 6-pack starter kit with 6 disposable lids & liners with 200 micron filters, 1 standard size cup & collar, 1 standard size generic mix ratio insert, and 10 sealing plugs.

UPC	Size	Case Qty/Units
00-051131-16172-6	22 fl. oz. (or 650 mL)	4/Case



3M™ PPS™ Starter Refill Pack, Standard 16173

Standard size 3M™ PPS™ 12-pack refill, 12 disposable lids & liners with 200 micron filters, and 10 sealing plugs.


UPC	Size	Case Qty/Units
00-051131-16173-3	22 fl. oz. (or 650 mL)	4/Case



3M™ PPS™ Starter Kit, Large 16182

Large size 3M™ PPS™ 6-pack starter kit with 6 disposable lids & liners with 200 micron filters, 1 large size cup & collar, 1 large size generic mix ratio insert, and 10 sealing plugs.

UPC	Size	Case Qty/Units
00-051131-16182-5	28 fl. oz. (or 850 mL)	4/Case



3M™ PPS™ Starter Refill Pack, Large 16183

Large size 3M™ PPS™ 12-pack refill, 12 disposable lids & liners with 200 micron filters, and 10 sealing plugs.

UPC	Size	Case Qty/Units
00-051131-16183-2	28 fl. oz. (or 850 mL)	4/Case

3M™ PPS™ Paint Preparation System

PPS™ Accessories



3M™ PPS™ Mini Cup & Collar

Hard cup that supports and holds the PPS mini flexible liner (holds PN 16114 & PN 16314). If filled to the top, this cup will hold 6 fl. oz. Mix ratio inserts sold separately.

UPC	Size	Case Qty/Units
00-051131-16115-3	6 oz.	2 Cups per box/ 4 Boxes per case



3M™ PPS™ Large Cup & Collar

Large hard cup that supports and holds the PPS flexible liners (PN 16024, 16324 and 16325). Mix ratio inserts sold separately.

UPC	Size	Case Qty/Units
00-051131-16023-1	28 oz.	1 Cup per box/ 4 Boxes per case



3M™ PPS™ Type H/O Pressure Cup

This product is intended for use in place of metal cups on most pressure cup guns. Setting up the Type H/O pressure cup vs. standard PPS™ is connecting the pressure hose from the cup port to the pressure port on the spray gun or spray gun regulator. Mix ratio inserts sold separately.

UPC	Description	Size	Case Qty/Units
00-051131-16121-4	Mini 16121	6 oz.	1 Cup per box/ 4 Boxes per case
00-051131-16124-5	Large 16124	28 oz.	1 Cup per box/ 2 Boxes per case



3M™ PPS™ Mix Ratio Inserts

Generic mix ratios printed on film insert to be placed in between PPS Hard cup and PPS Liner prior to mixing. Use with 1:1, 2:1:1, 3:1:1, 4:1:1, 5:1:1, 6:1:1 and 8:1:1* ratios.

UPC	ID	Description	Size	Case Qty/Units
00-051131-16067-5	16067	Micro	3 oz.	10 per pack/ 5 per case
00-051131-16066-8	16066	Mini	6 oz.	10 per pack/ 5 Packs per case
00-051131-16091-0	16091*	Large	28 oz.	10 per pack/ 10 per case

3M™ PPS™ Paint Preparation System

PPS™ Lids & Liners



3M™ PPS™ Kit, Micro 16028

Kit contains 50 lids with 200 micron filters, 50 liners, and 20 sealing plugs. Note: mix ratio insert sold separately. For use with PN 16115 or 16121 (H/O pressure cup).

UPC	Size	Case Qty/Units
00-051131-16028-6	3 oz.	1 Kit per case



3M™ PPS™ Kit, Mini 16114

Kit contains 50 disposable lids with 200 micron filters, 50 disposable liners, and 20 sealing plugs. The 200 micron filters are recommended for traditional solvent-based paint or primer applications. Graduated measurement to 5-½ oz. when used with generic mix ratio film insert (mix ratio inserts sold separately). Max. capacity of 6 fl. oz. For use with PN 16115.

UPC	Size	Case Qty/Units
00-051131-16114-6	6 oz.	1 Kit per case



3M™ PPS™ Kit, Mini 16314

Kit contains 50 lids with 125 micron filters, 50 liners, and 20 sealing plugs. Graduated measurement to 5-½ oz. (with generic mix ratio film insert). Max. capacity of 6 fl. oz. For use with part number 16115. Note: mix ratio film inserts are sold separately.

UPC	Size	Case Qty/Units
00-051131-16314-0	6 oz.	1 Kit per case



3M™ PPS™ Kit, Large 16024

Kit contains 25 disposable lids with 200 micron filters, 25 disposable liners, and 10 sealing plugs. The 200 micron filters are recommended for traditional solvent-based paint or industrial applications. Graduated measurement to 28 oz./840 mL when used with mix ratio film insert (mix ratio film inserts are sold separately). For use with PN 16023 or 16124.

UPC	Size	Case Qty/Units
00-051131-16024-8	28 oz.	1 Kit per case



3M™ PPS™ Kit, Large 16324

Kit contains 25 lids with 125 micron filters, 25 liners, and 10 sealing plugs. Graduated measurement to 28 oz./840 mL (with mix ratio film insert). For use with PN 16023 or 16124 (H/O pressure cup). Generally recommended for water-based coating systems.

UPC	Size	Case Qty/Units
00-051131-16324-9	28 oz.	1 Kit per case



3M™ PPS™ Kit, Large 16325

Kit contains 25 lids with 125 micron filters (full diameter), 25 liners, and 10 sealing plugs. Graduated measurement to 28 oz./840 mL (with mix ratio film insert). Max. capacity of 32 oz./950 mL when filled to within ⅛" of rim. For use with PN 16023 or 16124 (H/O pressure cup). Generally recommended for water-based coating systems.

UPC	Size	Case Qty/Units
00-051131-16325-6	28 oz.	1 Kit per case

3M™ PPS™ Paint Preparation System

PPS™ Lids & Liners



3M™ PPS™ Kit, Micro 16328

Kit contains 50 lids with 125 micron filters, 50 liners, and 20 sealing plugs. Note: mix ratio insert sold separately. For use with PN 16115 or 16121 (H/O pressure cup). Generally recommended for water-based coating systems.

UPC	Case Qty/Units
00-051131-16328-7	1 Kit per case

3M™ PPS™ Liners (Liners ONLY)

UPC	ID	Description	Size	Case Qty/Units
00-051131-16348-5	16348	Mini	6 oz.	100/Box
00-051131-16350-8	16350	Standard	22 oz.	100/Box
00-051131-16351-5	16351	Large	28 oz.	100/Box



Spray Guns & Accessories

Accuspray™ System



3M™ Accuspray™ Spray Gun Model HG14

Accuspray Replaceable Atomizing Head technology for applications that require finer finishes or a 1.4 mm fluid tip. Like all Accuspray System guns, the HG14 kit delivers the equivalent of a brand new spray gun, on demand, for a fraction of the cost. Kit contains one spray gun, three atomizing heads and an airflow control valve. Orange color on handle.

UPC	Size	Case Qty/Units
00-051131-16577-9	1.4 mm	1/Case



3M™ Accuspray™ Spray Gun Model HG18

This revolutionary product utilizes a replaceable atomizing head which provides the equivalent of a brand new spray gun on demand for a fraction of the cost. Kit contains one spray gun, three atomizing heads and an airflow control valve. Silver colored handle.

UPC	Size	Case Qty/Units
00-051131-16570-0	1.8 mm	1/Case



3M™ Accuspray™ Spray Gun Kit HGP

An HVLP gravity pressurized spray gun, to be used with a pressurized H/O cup system to provide superior application of high viscosity coatings. Kit contains one each HGP spray gun and four atomizing heads—two each 1.8 mm nozzles and two each 2.0 mm nozzles.

UPC	Case Qty/Units
00-051131-16587-8	1/Case



3M™ Accuspray™ Atomizing Head

Replaceable atomizing heads for use with any 3M™ Accuspray™ Spray Gun with replaceable atomizing head technology. Refill kits contain four atomizing heads.

UPC	Color	Size	Case Qty/Units
00-051131-16609-7	Red	2.0 mm	4 Heads per kit/ 6 Kits per case
00-051131-16611-0	Clear	1.8 mm	4 Heads per kit/ 6 Kits per case
00-051131-16612-7	Orange	1.4 mm	4 Heads per kit/ 6 Kits per case



3M™ Accuspray™ Atomizing Head Single 16584 & 16585

Replaceable atomizing heads for use with any 3M™ Accuspray™ Replaceable Nozzle Series Spray Gun. The transparent atomizing head offers visual confirmation that the gun is clean. Head can be removed, discarded and replaced for the performance of a brand new spray gun on demand.

UPC	Color	Size	Case Qty/Units
00-051131-16584-7	Orange	1.4 mm	10/Case
00-051131-16585-4	Clear	1.8 mm	10/Case
	Transparent		



3M™ Accuspray™ Fluid Needle 16571

Replaceable fluid needle for 3M™ Accuspray™ Atomizing Head Spray Guns.

UPC	Case Qty/Units
00-051131-16571-7	1/Box



3M™ Dual Lock™ Reclosable Fastener Roll SJ3540

3M™ Dual Lock™ Reclosable Fastener SJ3540 has a rubber-based adhesive on the back of a black, polypropylene reclosable fastener. 250 stems per square inch with a 0.23" engaged thickness. The closure life is 1,000 times. Type 250 stem density polyolefin fastener mates to Types 170, 250 or 400.

UPC	ID	Color	Stem Den. (per sq. in.)	Size	Case Qty/Units
00-021200-65812-9	SJ3540	Black	250	1" x 50 yd., 0.23"	2 Rolls per case bulk



3M™ Dual Lock™ Reclosable Fastener SJ3550, SJ3551, SJ3552

A general purpose acrylic adhesive on the back of a black, polypropylene reclosable fastener. To gain various levels of holding power, fasteners can be mated with different 3M™ Dual Lock™ Reclosable Fastener types. The closure life is 1,000 times.

UPC	ID	Color	Stem Den. (per sq. in.)	Size	Case Qty/Units
00-021200-74379-5	SJ3550	Black	250	1" x 50 yd., 0.22"	2 Rolls per case bulk
00-021200-65817-4	SJ3550	Black	250	2" x 50 yd., 0.22"	1 Roll per case bulk
00-021200-44458-6	SJ3550	Black	250	1" x 50 yd., 0.23"	2 Rolls per case bulk
00-021200-86278-6	SJ3551	Black	400	1" x 50 yd., 0.23"	2 Rolls per case bulk
00-021200-86358-5	SJ3551	Black	400	2" x 50 yd., 0.22"	1 Roll per case bulk
00-021200-86279-3	SJ3552	Black	170	1" x 50 yd., 0.22"	2 Rolls per case bulk
00-021200-86362-2	SJ3552	Black	170	2" x 50 yd., 0.22"	1 Roll per case bulk



3M™ Dual Lock™ Reclosable Fastener SJ3560

3M™ Dual Lock™ Reclosable Fastener SJ3560 has a clear acrylic adhesive on the back of a clear polypropylene reclosable fastener with 250 stems per square inch and 0.23" engaged thickness. The closure life is 1,000 times. Type 250 stem density polyolefin fastener mates to Types 170, 250 or 400.

UPC	ID	Color	Stem Den. (per sq. in.)	Size	Case Qty/Units
00-021200-86281-6	SJ3560	Clear	250	¾" x 50 yd., 0.23"	2 Rolls per case bulk
00-021200-86282-3	SJ3560	Clear	250	1" x 50 yd., 0.23"	2 Rolls per case bulk
00-021200-86283-0	SJ3560	Clear	250	2" x 50 yd., 0.23"	1 Roll per case bulk



3M™ Dual Lock™ Reclosable Fastener SJ4570

3M™ Dual Lock™ Reclosable Fastener SJ4570 is a clear, low profile fastener with mushroom shaped stems backed with a clear, low surface energy acrylic pressure sensitive adhesive. Low profile. 0.098" engaged thickness, self-mating. Closure life 100.

UPC	ID	Color	Descr.	Size	Case Qty/Units
00-021200-44883-6	SJ4570	Clear	Low Profile	1" x 50 yd., 0.105"	2 Rolls per case bulk
00-021200-45075-4	SJ4570	Clear	Low Profile	⅝" x 50 yd., 0.105"	3 Rolls per case bulk



3M™ High Tack Hook and Loop Fastener Tape SJ30

3M™ High Tack Hook and Loop Fastener Tape SJ30 is coated with a rubber adhesive for temperature resistance up to 90° Fahrenheit (32° Celsius) for indoor use. The aggressive adhesive on the back of the fastener bonds well to harder to stick surfaces.

UPC	ID	Color	Type	Size	Case Qty/Units
00-051115-80817-3	SJ30H	Black	Hook	1" x 25 yd.	3 Rolls per case bulk
00-051115-80823-4	SJ30L	Black	Loop	1" x 25 yd.	3 Rolls per case bulk
00-051115-80819-7	SJ30H	Black	Hook	2" x 25 yd.	2 Rolls per case bulk
00-051115-80825-8	SJ30L	Black	Loop	2" x 25 yd.	2 Rolls per case bulk
00-051115-81023-7	SJ30H	White	Hook	1" x 25 yd.	3 Rolls per case bulk
00-051115-80834-0	SJ30L	White	Loop	1" x 25 yd.	3 Rolls per case bulk
00-051115-81025-1	SJ30H	White	Hook	2" x 25 yd.	2 Rolls per case bulk
00-051115-80836-4	SJ30L	White	Loop	2" x 25 yd.	2 Rolls per case bulk



3M™ High Temperature Hook and Loop Fastener Tape SJ60

3M™ High Temperature Hook and Loop Fastener Tape SJ60 is coated with an acrylic adhesive with temperature resistance up to 180° Fahrenheit (82° Celsius), for both indoors and outdoors. The adhesive on the back of the fastener bonds well to paint, bare and painted metal, glass, sealed wood and many plastics.

UPC	ID	Color	Type	Size	Case Qty/Units
00-051115-71752-9	SJ60H	Black	Hook	1" x 25 yd.	3 Rolls per case bulk
00-051115-71758-1	SJ60L	Black	Loop	1" x 25 yd.	3 Rolls per case bulk
00-051115-71754-3	SJ60H	Black	Hook	2" x 25 yd.	2 Rolls per case bulk
00-051115-71760-4	SJ60L	Black	Loop	2" x 25 yd.	2 Rolls per case bulk
00-051115-71775-8	SJ60H	White	Hook	1" x 25 yd.	3 Rolls per case bulk
00-051115-71781-9	SJ60L	White	Loop	1" x 25 yd.	3 Rolls per case bulk
00-051115-71777-2	SJ60H	White	Hook	2" x 25 yd.	2 Rolls per case bulk
00-051115-71783-3	SJ60L	White	Loop	2" x 25 yd.	2 Rolls per case bulk

Duct Tapes



3M™ Cloth Gaffers Tape 6910 Black

Vinyl coated cloth tape with a rubber adhesive for use in the entertainment industry as gaffers tape where light reflection is a concern. 12.0 mil.

UPC	Description	Size	Case Qty/Units
00-051111-91846-3	Bulk	1" x 60 yd.	36 Rolls per case



3M™ Value Duct Tape 1900

Conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for non-critical applications.


UPC	Description	Size	Case Qty/Units
00-051115-23421-7	Individually labeled	1.88" x 50 yd.	24 Rolls per case
00-051111-97841-2	Individually labeled	1.88" x 60 yd.	24 Rolls per case
00-051115-23422-4	Individually labeled	2.83" x 50 yd.	12 Rolls per case



3M™ Multi-Purpose Duct Tape 3900

General purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding.

UPC	Description	Color	Size	Case Qty/Units
00-021200-49833-6	Individually labeled	Black	48 mm x 54.8 m	24 Rolls per case
00-021200-49832-9	Individually labeled	Blue	48 mm x 54.8 m	24 Rolls per case
00-021200-49831-2	Individually labeled	Olive	48 mm x 54.8 m	24 Rolls per case
00-021200-49830-5	Individually labeled	Red	48 mm x 54.8 m	24 Rolls per case
00-051131-06976-3	Individually labeled	Silver	48 mm x 54.8 m	24 Rolls per case
00-021200-49829-9	Individually labeled	White	48 mm x 54.8 m	24 Rolls per case
00-021200-49828-2	Individually labeled	Yellow	48 mm x 54.8 m	24 Rolls per case




3M™ Extra Heavy Duty Duct Tape 6969

Industrial strength duct tape that is abrasion and moisture resistant. The tape consists of polyethylene film over a dense cloth scrim with an aggressive rubber adhesive used for demanding duct tape applications. 10.7 mil.

UPC	Description	Color	Size	Case Qty/Units
00-021200-22773-8	Individually labeled	Black	48 mm x 54.8 m	24 Rolls per case
00-021200-22780-6	Individually labeled	Olive	48 mm x 54.8 m	25 Rolls per case
00-051131-06969-5	Individually labeled	Silver	48 mm x 54.8 m	26 Rolls per case

Duct Tapes



3M™ Performance Plus Duct Tape 8979

Unique tape construction that allows for both permanent and temporary applications indoor and outdoor. It is removable with little or no adhesive residue from most opaque surfaces up to six months after application. The backing is also UV resistant for up to one year of outdoor exposure.

UPC	Description	Color	Size	Case Qty/Units
00-048011-53918-8	Individually labeled	Black	48 mm x 54.8 m	24 Rolls per case
00-051115-25912-8	Bulk	Black	72 mm x 54.8 m	12 Rolls per case
00-048011-53916-4	Individually labeled	Olive	48 mm x 54.8 m	24 Rolls per case
00-048011-53922-5	Bulk	Slate Blue	24 mm x 54.8 m	48 Rolls per case
00-048011-53851-8	Individually labeled	Slate Blue	48 mm x 22.8 m	12 Rolls per case
00-021200-56468-0	Individually labeled	Slate Blue	48 mm x 54.8 m	24 Rolls per case
00-021200-56469-7	Bulk	Slate Blue	72 mm x 54.8 m	12 Rolls per case



3M™ General Use Duct Tape 2929

General use grade, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for temporary repairs, sealing, holding and marking.

UPC	Description	Color	Size	Case Qty/Units
00-051115-24883-2	Individually labeled	Silver	1.88" x 50 yd.	24 Rolls per case



3M™ Heavy Duty Duct Tape 3939

Waterproof polyethylene film over cloth scrim backing, with a rubber adhesive used for demanding duct tape applications. High-tack adhesive for good, quick stick to many surfaces. Offers easy tear and conformability. Good moisture resistance. Good tensile strength. 9.0 mil.

UPC	Description	Color	Size	Case Qty/Units
00-051131-06975-6	Individually labeled	Silver	48 mm x 54.8 m	24 Rolls per case
00-021200-85562-7	Bulk	Silver	72 mm x 54.8 m	12 Rolls per case



Masking Products



3M™ Value Masking Tape 101+

Cost effective masking tape for indoor light-duty applications.

UPC	Description	Color	Size	Case Qty/Units
00-051115-68706-8	Bulk	Tan	12 mm x 55 m	72 Rolls per case
00-051115-68707-5	Bulk	Tan	18 mm x 55 m	48 Rolls per case
00-051115-68708-2	Bulk	Tan	24 mm x 55 m	36 Rolls per case
00-051115-68709-9	Bulk	Tan	36 mm x 55 m	24 Rolls per case
00-051115-68710-5	Bulk	Tan	48 mm x 55 m	24 Rolls per case
00-051115-68711-2	Bulk	Tan	72 mm x 55 m	12 Rolls per case
00-051115-68712-9	Bulk	Tan	96 mm x 55 m	8 Rolls per case



3M™ General Use Masking Tape 201+

General use for light and medium-duty applications. Rubber-based adhesive sticks to a variety of surfaces. Smooth and conformable crepe paper backing is easy to handle, apply and remove in one piece. Temperature use range up to 200°F for 30 minutes.

UPC	Description	Size	Case Qty/Units
00-051115-64738-3	Bulk	12 mm x 55 m	72 Rolls per case
00-051115-64739-0	Bulk	18 mm x 55 m	48 Rolls per case
00-051115-64740-6	Bulk	24 mm x 55 m	36 Rolls per case
00-051115-64741-3	Bulk	36 mm x 55 m	24 Rolls per case
00-051115-64742-0	Bulk	48 mm x 55 m	24 Rolls per case
00-051115-64743-7	Bulk	72 mm x 55 m	12 Rolls per case
00-051115-64744-4	Bulk	96 mm x 55 m	8 Rolls per case
00-051115-64746-8	Individually labeled	24 mm x 55 m	36 Rolls per case
00-051115-64747-5	Individually labeled	36 mm x 55 m	24 Rolls per case
00-051115-64748-2	Individually labeled	48 mm x 55 m	24 Rolls per case



3M™ Performance Yellow Masking Tape 301+

Industrial-strength performance masking tape used for paint masking, bundling, holding and identifying applications. Uses 3M proprietary solvent-free adhesive. Sticks with confidence to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece. Strong yellow crepe paper backing conforms to irregular surfaces, resists bleed through of most industrial paint systems, and improves visibility during the paint masking process. Temperature use range up to 225°F (107°C) for 30 minutes. Good paint lines. Medium-high conformability.

UPC	Description	Color	Size	Case Qty/Units
00-051115-64749-9	Bulk	Yellow	12 mm x 55 m	72 Rolls per case
00-051115-64750-5	Bulk	Yellow	18 mm x 55 m	48 Rolls per case
00-051115-64751-2	Bulk	Yellow	24 mm x 55 m	36 Rolls per case
00-051115-64756-7	Individually labeled	Yellow	24 mm x 55 m	36 Rolls per case
00-051115-64752-9	Bulk	Yellow	36 mm x 55 m	24 Rolls per case
00-051115-64757-4	Individually labeled	Yellow	36 mm x 55 m	24 Rolls per case
00-051115-64753-6	Bulk	Yellow	48 mm x 55 m	24 Rolls per case
00-051115-64758-1	Individually labeled	Yellow	48 mm x 55 m	24 Rolls per case
00-051115-64754-3	Bulk	Yellow	72 mm x 55 m	12 Rolls per case

Masking Products



3M™ High Performance Green Masking Tape 401+

High performance masking tape used for critical paint masking applications. 3M proprietary solvent-free adhesive sticks with confidence to most surfaces including metal, rubber, glass, and plastic, while removing cleanly in one piece. Temperature range up to 250°F (121°C) for 30 minutes.

UPC	Description	Color	Size	Case Qty/Units
00-051115-64759-8	Bulk	Green	12 mm x 55 m	48 Rolls per case
00-051115-64760-4	Bulk	Green	18 mm x 55 m	48 Rolls per case
00-051115-64761-1	Bulk	Green	24 mm x 55 m	24 Rolls per case
00-051115-64767-3	Individually labeled	Green	24 mm x 55 m	24 Rolls per case
00-051115-64762-8	Bulk	Green	36 mm x 55 m	16 Rolls per case
00-051115-64768-0	Individually labeled	Green	36 mm x 55 m	16 Rolls per case
00-051115-64763-5	Bulk	Green	48 mm x 55 m	12 Rolls per case
00-051115-64769-7	Individually labeled	Green	48 mm x 55 m	12 Rolls per case
00-051115-69109-6	Bulk	Green	6 mm x 55 m	96 Rolls per case
00-051115-64764-2	Bulk	Green	72 mm x 55 m	8 Rolls per case



3M™ Specialty High Temperature Masking Tape 501+

Designed for super sharp paint lines and critical paint masking applications. Temperature use range up to 300°F (149°C) for 30 minutes. 3M proprietary high-temperature adhesive quickly sticks with confidence to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece. Extra-strong tan crepe paper backing conforms to irregular surfaces and resists bleed through from most industrial paint systems. Natural rubber adhesive and paper backing is easy to hand tear but is resistant to slivering on removal.

UPC	Description	Color	Size	Case Qty/Units
00-051115-64773-4	Bulk	Tan	18 mm x 55 m	48 Rolls per case
00-051115-64774-1	Bulk	Tan	24 mm x 55 m	36 Rolls per case
00-051115-64775-8	Bulk	Tan	36 mm x 55 m	24 Rolls per case
00-051115-64776-5	Bulk	Tan	48 mm x 55 m	24 Rolls per case
00-051115-64777-2	Bulk	Tan	72 mm x 55 m	12 Rolls per case
00-051115-69105-8	Individually labeled	Tan	24 mm x 55 m	36 Rolls per case
00-051115-69106-5	Individually labeled	Tan	36 mm x 55 m	24 Rolls per case
00-051115-69107-2	Individually labeled	Tan	48 mm x 55 m	24 Rolls per case



3M™ Specialty High Temperature Purple Masking Tape 501+

3M™ High Temperature Masking Tape 501+ is our premium high performance crepe paper masking tape designed to create super-sharp paint lines in most industrial painting situations, including high-temperature bake cycles of up to 300 degrees for 30 minutes, and provide clean, one piece removal.

UPC	Description	Color	Size	Case Qty/Units
00-051115-80906-4	Bulk	Purple	12 mm x 55 m	72 Rolls per case
00-051115-80910-1	Bulk	Purple	18 mm x 55 m	48 Rolls per case
00-051115-80911-8	Bulk	Purple	24 mm x 55 m	36 Rolls per case
00-051115-80912-5	Bulk	Purple	36 mm x 55 m	24 Rolls per case
00-051115-80913-2	Bulk	Purple	48 mm x 55 m	24 Rolls per case
00-051115-80914-9	Bulk	Purple	72 mm x 55 m	12 Rolls per case
00-051115-80915-6	Bulk	Purple	96 mm x 55 m	8 Rolls per case

Masking Products



Scotch® Fine Line Tape 218

A high performance film backed tape with low profile and high adhesion to achieve excellent paint line and for other masking and holding applications. 50 mil.

UPC	Description	Color	Size	Case Qty/Units
00-021200-06306-0	Boxed	Green	1/16" x 60 yd.	12 Rolls per box, 12 Boxes per case
00-021200-06308-4	Boxed	Green	3/32" x 60 yd.	12 Rolls per box, 12 Boxes per case
00-021200-06300-8	Boxed	Green	1/8" x 60 yd.	12 Rolls per box, 12 Boxes per case
00-021200-06307-7	Boxed	Green	3/16" x 60 yd.	12 Rolls per box, 12 Boxes per case
00-021200-06301-5	Boxed	Green	1/4" x 60 yd.	12 Rolls per box, 12 Boxes per case
00-051138-96088-9	Boxed	Green	5/16" x 60 yd.	96 Rolls per case
00-021200-06302-2	Boxed	Green	3/8" x 60 yd.	12 Rolls per box, 8 Boxes per case
00-021200-06303-9	Boxed	Green	1/2" x 60 yd.	12 Rolls per box, 6 Boxes per case
00-021200-06305-3	Boxed	Green	3/4" x 60 yd.	12 Rolls per box, 4 Boxes per case



3M™ Outdoor Masking Poly Tape 5903

Made of heavy duty polyethylene film and synthetic rubber adhesive, it is UV weather-resistant and removes cleanly for up to a month with little or no adhesive residue on most opaque surfaces without deteriorating or fading. 5903 can be used during construction, remodeling and maintenance jobs. It is used for window and door masking, outdoor holding and protecting surfaces including stucco, concrete, brick and a variety of construction surfaces where removability is important.

UPC	Description	Color	Size	Case Qty/Units
00-051115-31842-9	Individually labeled	Red	48 mm x 54.8 m	24 Rolls per case
00-051111-07591-3	Bulk	Red	5" x 60 yd.	8 Rolls per case
00-051115-68901-7	Bulk	Red	50" x 60 yd.	4 Rolls per case



3M™ High Performance Flatback Tape 2519

3M™ High Performance Flatback Tape 2519 is a high performance tape for splicing liner boards, bundling, holding, packaging applications, reinforcing, wrapping and protecting.

UPC	Color	Size	Case Qty/Units
00-051128-99446-7	Tan	48 mm x 55 m	24 Rolls per case bulk
00-051128-99447-4	Tan	72 mm x 55 m	12 Rolls per case bulk
00-051128-99448-1	Tan	96 mm x 55 m	8 Rolls per case bulk

Packaging Products

Box Sealing Tapes



Scotch® Box Sealing Tape 313

These Scotch® Box Sealing Tapes are made with a polypropylene film tape that resists nicks, abrasion, moisture and scuffing. They offer a high edge tear and split resistance and also deliver dependable, quality performance.

UPC	Description	Color	Size	Case Qty/Units
00-021200-42366-6	Bulk	Clear	48 mm x 100 m	36 Rolls per case
00-021200-42370-3	Bulk	Clear	72 mm x 100 m	24 Rolls per case
00-021200-42369-7	Bulk	Clear	72 mm x 50 m	24 Rolls per case



Scotch® Box Sealing Tape 372

These high performance Scotch® Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance, and the very best performance in Scotch® brand packaging tapes. High performance, ideal for shipping heavy packages. Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold. 1.4 mil backing and 2.2 mil total thickness for heavy duty packaging applications. Conformable backing flexes under stress.

UPC	Description	Color	Size	Case Qty/Units
00-021200-73047-4	Bulk	Clear	48 mm x 100 m	36 Rolls per case
00-021200-72344-5	Bulk	Clear	48 mm x 50 m	36 Rolls per case
00-021200-73076-4	Bulk	Clear	72 mm x 100 m	24 Rolls per case
00-021200-72346-9	Bulk	Clear	72 mm x 50 m	24 Rolls per case
00-021200-72335-3	Bulk	Clear	48 mm x 50 m	36 Rolls per case
00-051115-68760-0	Individually labeled	Clear	48 mm x 100 m	36 Rolls per case
00-051115-68757-0	Individually labeled	Clear	48 mm x 50 m	36 Rolls per case
00-051115-68759-4	Individually labeled	Clear	72 mm x 100 m	24 Rolls per case
00-051115-68758-7	Individually labeled	Clear	72 mm x 50 m	24 Rolls per case
00-051115-68761-7	Individually labeled	Tan	48 mm x 50 m	36 Rolls per case



Packaging Products

Box Sealing Tapes



Scotch® Box Sealing Tape 373

These high performance Scotch® Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance, and the very best performance in Scotch® brand packaging tapes. High performance, ideal for shipping heavy packages and double walled boxes. Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold. 1.6 mil backing and 2.5 mil total thickness for heavy duty packaging applications. Conformable backing flexes under stress.

UPC	Description	Color	Size	Case Qty/Units
00-021200-72385-8	Bulk	Blue	48 mm x 50 m	36 Rolls per case
00-021200-72366-7	Bulk	Clear	36 mm x 50 m	48 Rolls per case
00-021200-73079-5	Bulk	Clear	48 mm x 100 m	36 Rolls per case
00-021200-72368-1	Bulk	Clear	48 mm x 50 m	36 Rolls per case
00-021200-73080-1	Bulk	Clear	72 mm x 100 m	6 Rolls per case
00-021200-69605-3	Bulk	Clear	72 mm x 50 m	24 Rolls per case
00-021200-72397-1	Bulk	Green	48 mm x 50 m	36 Rolls per case
00-021200-72381-0	Bulk	Red	48 mm x 50 m	36 Rolls per case
00-021200-73081-8	Bulk	Tan	48 mm x 50 m	36 Rolls per case
00-021200-72359-9	Bulk	Tan	48 mm x 50 m	6 Rolls per inner, 36 Rolls per case
00-021200-73082-5	Bulk	Tan	72 mm x 100 m	24 Rolls per case
00-021200-72361-2	Bulk	Tan	72 mm x 50 m	24 Rolls per case
00-021200-72389-6	Bulk	White	48 mm x 50 m	36 Rolls per case
00-021200-72399-5	Bulk	Yellow	48 mm x 50 m	36 Rolls per case
00-051115-68792-1	Individually labeled	Blue	48 mm x 50 m	36 Rolls per case
00-021200-72366-7	Individually labeled	Clear	36 mm x 50 m	48 Rolls per case
00-051115-68783-9	Individually labeled	Clear	48 mm x 100 m	36 Rolls per case
00-051115-68786-0	Individually labeled	Clear	48 mm x 50 m	36 Rolls per case
00-051115-68785-3	Individually labeled	Clear	72 mm x 100 m	24 Rolls per case
00-051115-68781-5	Individually labeled	Clear	72 mm x 50 m	24 Rolls per case
00-051115-68794-5	Individually labeled	Green	48 mm x 50 m	36 Rolls per case
00-051115-68789-1	Individually labeled	Orange	48 mm x 50 m	36 Rolls per case
00-051115-68790-7	Individually labeled	Red	48 mm x 50 m	36 Rolls per case
00-051115-68788-4	Individually labeled	Tan	48 mm x 100 m	36 Rolls per case
00-051115-68795-2	Individually labeled	Tan	48 mm x 50 m	36 Rolls per case
00-051115-68787-7	Individually labeled	Tan	72 mm x 100 m	24 Rolls per case
00-051115-68780-8	Individually labeled	Tan	72 mm x 50 m	24 Rolls per case
00-051115-68791-4	Individually labeled	White	48 mm x 50 m	36 Rolls per case
00-021200-72390-2	Individually labeled	White	72 mm x 50 m	24 Rolls per case
00-051115-68793-8	Individually labeled	Yellow	48 mm x 50 m	36 Rolls per case



Scotch® Box Sealing Tape 375

These high performance Scotch® Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance, and the very best performance in Scotch® brand packaging tapes. High performance, ideal for shipping heavy packages including overpacked, double- or triple-walled boxes. Sturdy polypropylene backing with synthetic rubber adhesive for lasting hold. 2.0 mil backing and 3.1 mil total thickness. Conformable backing flexes under stress.

UPC	Description	Color	Size	Case Qty/Units
00-021200-72406-0	Bulk	Clear	48 mm x 50 m	36 Rolls per case
00-021200-72407-7	Bulk	Clear	72 mm x 50 m	6 Rolls per inner, 24 Rolls per case
00-021200-72401-5	Bulk	Tan	48 mm x 50 m	6 Rolls per inner, 36 Rolls per case
00-021200-72402-2	Bulk	Tan	72 mm x 50 m	24 Rolls per case
00-051115-68764-8	Individually labeled	Clear	48 mm x 50 m	36 Rolls per case
00-051115-68765-5	Individually labeled	Clear	72 mm x 50 m	24 Rolls per case
00-051115-68762-4	Individually labeled	Tan	48 mm x 50 m	36 Rolls per case
00-051115-68763-1	Individually labeled	Tan	72 mm x 50 m	24 Rolls per case

Packaging Products

Box Sealing Tapes



Scotch® Recycled Corrugate Box Sealing Tape 3071

Scotch® Recycled Corrugate Box Sealing Tape 3071 is a carton sealing tape that bonds instantly with recycled corrugated cartons. The strong conformable backing combined with a high performance adhesive holds the carton closed throughout the supply chain.

UPC	Description	Color	Size	Case Qty/Units
00-051115-64569-3	Bulk	Clear	48 mm x 100 m	36 Rolls per case
00-051115-64571-6	Bulk	Clear	72 mm x 100 m	24 Rolls per case



Scotch® Recycled Corrugate Box Sealing Tape 3072

Scotch® Recycled Corrugate Box Sealing Tape 3072 is a carton sealing tape that bonds instantly with recycled corrugated cartons. The strong conformable backing combined with a high performance adhesive holds the carton closed throughout the supply chain.

UPC	Description	Color	Size	Case Qty/Units
00-051115-64805-2	Bulk	Clear	48 mm x 100 m	36 Rolls per case
00-051115-64807-6	Bulk	Clear	72 mm x 100 m	24 Rolls per case
00-051115-64805-2	Individually labeled	Clear	48 mm x 100 m	36 Rolls per case
00-051115-71195-4	Individually labeled	Clear	72 mm x 100 m	24 Rolls per case



Scotch® Recycled Corrugate Tape 3073

These high performance Scotch® Box Sealing Tapes are made with synthetic rubber adhesive and polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance, and the very best performance in Scotch brand packaging tapes. Great seal on recycled corrugate! Bonds instantly with recycled corrugated cartons. The strong conformable backing combined with a high performance adhesive holds cartons closed throughout the supply chain. High performance, even on hard-to-seal corrugate. Recommended for use on regular slotted containers (RSC) weighing up to 100 lb. 1.6 mil backing and 2.6 mil total thickness for heavy duty packaging applications. Made with 10% bio-based materials.

UPC	Description	Color	Size	Case Qty/Units
00-051111-92900-1	Bulk	Clear	48 mm x 100 m	36 Rolls per case
00-051111-92901-8	Bulk	Clear	72 mm x 100 m	24 Rolls per case
00-051115-68767-9	Individually labeled	Clear	48 mm x 100 m	36 Rolls per case
00-051115-68766-2	Individually labeled	Clear	72 mm x 100 m	24 Rolls per case



Scotch® Box Sealing Tape 351

These high-tack, high performance Scotch® Box Sealing Tapes are made with an abrasion-resistant, polyester backing that resists moisture and scuffing. Offers a high edge tear and split resistance, and 3M's very best performance in packaging tapes. Extra sturdy polyester backing with a high-tack synthetic rubber adhesive, 2.0 mil backing and 3.43 mil total thickness for heavy duty packaging applications. High performance, ideal for shipping heavy packages or for use with hard-to-seal surfaces, high humidity environments and double or triple walled boxes. Meets Federal Spec. PPP-T-60E, Amend. 2 Type III, class 2 (clear), CID A-A-A 1830B (clear), ASTM D5486 Type 1 & 2.

UPC	Description	Size	Case Qty/Units
00-021200-72318-6	Bulk	48 mm x 50 m	6 Rolls per inner box, 36 Rolls per case
00-021200-72319-3	Bulk	72 mm x 50 m	24 Rolls per case bulk
00-051115-68748-8	Individually labeled	48 mm x 50 m	36 Rolls per case
00-051115-68804-1	Individually labeled	72 mm x 50 m	24 Rolls per case

Packaging Products

Box Sealing Tapes



Scotch® Box Sealing Tape 353

These high-tack, high performance Scotch® Box Sealing Tapes are made with an abrasion-resistant, polyester backing that resists moisture and scuffing. Offers a high edge tear and split resistance, and 3M's very best performance in packaging tapes. High performance, ideal for shipping medium to heavy packages. Polyester backing with a high-tack synthetic rubber adhesive for good abrasion and tear resistance. 1.0 mil backing and 1.9 mil total thickness for medium- to heavy duty packaging applications.

UPC	Description	Color	Size	Case Qty/Units
00-021200-72324-7	Bulk	Clear	48 mm x 50 m	36 Rolls per case
00-051115-68750-1	Individually labeled	Clear	48 mm x 50 m	36 Rolls per case
00-021200-72321-6	Individually labeled	Tan	48 mm x 50 m	36 Rolls per case



Scotch® Box Sealing Tape 355

These high-tack, high performance Scotch® Box Sealing Tapes are made with an abrasion-resistant, polyester backing that resists moisture and scuffing. Offers a high edge tear and split resistance, and 3M's very best performance in packaging tapes. Super strong, super tacky tape great for use on hard-to-seal surfaces, high humidity environments and double or triple walled boxes. High performance, abrasion-resistant tape ideal for shipping heavy packages. Extra sturdy polyester backing with a synthetic rubber adhesive. 2.0 mil backing and 3.43 mil total thickness for heavy duty packaging applications.

UPC	Description	Color	Size	Case Qty/Units
00-021200-72330-8	Bulk	Clear	48 mm x 50 m	6 Rolls per inner box, 36 Rolls per case
00-021200-72331-5	Bulk	Clear	72 mm x 50 m	6 Rolls per inner box, 24 Rolls per case
00-051131-06651-9	Bulk	Tan	48 mm x 50 m	36 Rolls per case
00-051115-68752-5	Individually labeled	Clear	36 mm x 50 m	48 Rolls per case
00-051115-68756-3	Individually labeled	Clear	48 mm x 50 m	36 Rolls per case
00-051115-68751-8	Individually labeled	Clear	72 mm x 50 m	24 Rolls per case
00-051115-68755-6	Individually labeled	Tan	48 mm x 50 m	36 Rolls per case
00-051115-68754-9	Individually labeled	Tan	72 mm x 50 m	24 Rolls per case



Scotch® Cold Temperature Box Sealing Tape 3723

Strong hold in refrigerated/cold weather conditions. Resists abrasion, moisture, chemicals and scuffing. Conformable polypropylene backing with a modified synthetic rubber adhesive for sealing double- and triple-walled corrugated boxes. 1.6 mil backing and 3.0 mil total thickness for heavy duty packaging applications. Compliant with ASTM D1974-92 and USDA acceptable.

UPC	Description	Color	Size	Case Qty/Units
00-021200-72412-1	Bulk	Clear	48 mm x 50 m	36 Rolls per case



Scotch® Box Sealing Tape Dispenser H128

Durable, heavy duty metal dispenser provides a quick and easy method of applying H-seal and center-seam closures of RSCs. The H128 dispenser is of lightweight steel construction and adaptable for a variety of on-the-spot applications.

UPC	Size	Case Qty/Units
00-021200-06909-3	2"	6 per case



Scotch® Box Sealing Tape with Dispenser PSD2

Four rolls of Scotch® Box Sealing Tape 375 on built-in plastic dispensers with metal cutting blades. Conveniently and instantly seal boxes with high recycled content. Tensile strength of 35 lb./in. in machine direction; 70 lb./in. cross direction.

UPC	Size	Case Qty/Units
00-051115-71050-6	48 mm x 50 m	24 Rolls per case

Packaging Products

Box Sealing Tapes



Scotch® High Tack Box Sealing Tape 3743

Polypropylene tape with high initial adhesion for applications involving hard-to-stick surfaces such as recycled corrugated or coated polyethylene. Tensile strength of 30 lb./in. in machine direction; 60 lb./in. cross direction.

UPC	Description	Color	Size	Case Qty/Units
00-021200-72421-3	Bulk	Clear	48 mm x 50 m	36 Rolls per case
00-021200-72422-0	Bulk	Clear	72 mm x 50 m	24 Rolls per case



Scotch® Security Tape

When you need to seal and safeguard, our Scotch® Printed Message Box Sealing Tapes close a variety of box and carton materials. Pre-printed with security messages, we designed this tape to help reduce product theft and keep contents secure throughout the shipping process. Polypropylene backing with a synthetic rubber adhesive for secure and durable box closure.

UPC	ID	Description	Color	Size	Case Qty/Units
00-021200-72458-9	3775	"MIXED MERCHANDISE ENCLOSED", Bulk	Red/White	48 mm x 100 m	36 Rolls per case
00-051115-68775-4	3779 IW	"CHECK SEAL BEFORE ACCEPTING", Individually labeled	Clear	48 mm x 100 m	36 Rolls per case
00-051115-68777-8	3779 IW	"CHECK SEAL BEFORE ACCEPTING", Individually labeled	Clear	72 mm x 100 m	24 Rolls per case
00-021200-46447-8	3779	"CHECK SEAL BEFORE ACCEPTING", Bulk	Clear	48 mm x 100 m	36 Rolls per case
00-021200-46449-2	3779	"CHECK SEAL BEFORE ACCEPTING", Bulk	Clear	72 mm x 100 m	24 Rolls per case
00-051115-68772-3	3772 IW	"FRAGILE HANDLE WITH CARE", Individually labeled	White	48 mm x 100 m	36 Rolls per case
00-051115-68774-7	3771 IW	"IF SEAL IS BROKEN CHECK CONTENTS BEFORE ACCEPTING", Individually labeled	White	48 mm x 100 m	36 Rolls per case
00-051115-68770-9	3732 IW	"IF SEAL IS BROKEN CHECK CONTENTS BEFORE ACCEPTING", Individually labeled	Tan	48 mm x 50 m	36 Rolls per case
00-051115-68773-0	3775 IW	"MIXED MERCHANDISE ENCLOSED", Individually labeled	White	48 mm x 100 m	36 Rolls per case

Packaging Products

Box Sealing Tapes



Scotch® Security Tape 3199

Good adhesion to recycled liner paper and fiberboard. Suitable for cold temperature applications with easy handling and smooth dispensing. FDA approved for indirect food contact. Polypropylene backing with an acrylic adhesive.

UPC	Description	Color	Size	Case Qty/Units
00-051115-68811-9	"CHECK SEAL BEFORE ACCEPTING", Individually labeled	Clear	48 mm x 100 m	6 Rolls per pack, 6 Packs per case
00-048011-58528-4	"CHECK SEAL BEFORE ACCEPTING", Bulk	Clear	48 mm x 100 m	36 Rolls per case

Color-Coding Tapes



Scotch® Color Coding Tape 690

Decorative colored film specialty tape with durable backing. Used for various packaging applications such as color coding, bag sealing, combining and attaching. High visibility for sealing, holding and tabbing. Moisture and chemical resistant. UPVC backing with a rubber resin adhesive.

UPC	Description	Color	Size	Case Qty/Units
00-051125-74881-0	Individually labeled	Black	12 mm x 66 m	4 Rolls per pack, 36 Packs per case
00-051125-74882-7	Individually labeled	Blue	12 mm x 66 m	4 Rolls per pack, 36 Packs per case
00-051125-74883-4	Individually labeled	Red	24 mm x 66 m	4 Rolls per pack, 18 Packs per case
00-051125-74884-1	Individually labeled	Red	24 mm x 66 m	4 Rolls per pack, 18 Packs per case
00-051125-74885-8	Individually labeled	Red	48 mm x 66 m	36 Rolls per pack
00-051125-74886-5	Individually labeled	White	12 mm x 66 m	4 Rolls per pack, 36 Packs per case
00-051125-74887-2	Individually labeled	Yellow	12 mm x 66 m	4 Rolls per pack, 36 Packs per case

Filament Tapes



Scotch® Filament Tape 893

Clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive. Provides excellent resistance to nicks and abrasion.

UPC	Description	Size	Case Qty/Units
00-051125-74917-6	Individually labeled	12 mm x 55 m	6 Rolls per pack, 12 Packs per case
00-051125-74918-3	Individually labeled	18 mm x 55 m	4 Rolls per pack, 12 Packs per case
00-051125-74919-0	Individually labeled	24 mm x 55 m	2 Rolls per pack, 18 Packs per case
00-051125-74920-6	Individually labeled	48 mm x 55 m	24 Rolls per case

Scotch® Filament Tape 894

Black polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive, which provides good initial and high shear strength to fiber board surfaces for bundling, strapping and reinforcing applications.

UPC	Description	Size	Case Qty/Units
00-051125-74900-8	Individually labeled	18 mm x 55 m	2 Rolls per pack, 24 Packs per case

Packaging Products

Filament Tapes



Scotch® Filament Tape 897

Clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive. Abrasion and moisture resistant.


UPC	Description	Size	Case Qty/Units
00-051125-74893-3	Individually labeled	18 mm x 55 m	12 Rolls per pack, 4 Packs per case
00-051125-74894-0	Individually labeled	24 mm x 55 m	3 Rolls per pack, 12 Packs per case
00-051125-74895-7	Individually labeled	48 mm x 55 m	2 Rolls per pack, 12 Packs per case



Scotch® Filament Tape 898

Clear polypropylene backing with a synthetic rubber resin adhesive resists abrasions, moisture, scuffing and tearing. Fiberglass reinforced. Ideal for L-clip box closures. High strength bundling and reinforcing, strapping and non-regular slotted container closing.

UPC	Description	Size	Case Qty/Units
00-051125-74913-8	Individually labeled	12 mm x 55 m	2 Rolls per pack, 36 Packs per case
00-051131-06893-3	Boxed	12 mm x 55 m	12 Rolls per box, 6 Boxes per case
00-051125-74914-5	Individually labeled	18 mm x 55 m	2 Rolls per pack, 24 Packs per case
00-051131-06894-0	Boxed	18 mm x 55 m	12 Rolls per box, 4 Boxes per case
00-051125-74915-2	Individually labeled	24 mm x 55 m	36 Rolls per case
00-051131-06898-8	Bulk	24 mm x 55 m	36 Rolls per case
00-051111-91756-5	Bulk	36 mm x 110 m	24 Rolls per case
00-021200-39868-1	Bulk	36 mm x 55 m	24 Rolls per case
00-021200-39871-1	Individually labeled	48 mm x 55 m	12 Rolls per inner, 24 Rolls per case
00-051125-74916-9	Individually labeled	48 mm x 55 m	24 Rolls per case
00-021200-39869-8	Bulk	48 mm x 55 m	24 Rolls per case



3M™ Filament Tape 8934

Clear polypropylene film backing reinforced with glass yarn filaments. Light duty tensile strength, nick resistance, abrasion resistance and good handling for utility bundling, reinforcing, and pallet unitizing applications.

UPC	Description	Color	Size	Case Qty/Units
00-051125-74889-6	Individually labeled	Clear	12 mm x 55 m	18 Rolls per pack, 4 Packs per case
00-051125-74890-2	Individually labeled	Clear	18 mm x 55 m	12 Rolls per pack, 4 Packs per case
00-051125-74891-9	Individually labeled	Clear	24 mm x 55 m	9 Rolls per pack, 4 Packs per case
00-051115-32143-6	Bulk	Clear	48 mm x 100 m	24 Rolls per case
00-051125-74892-6	Individually labeled	Clear	48 mm x 55 m	24 Individually wrapped rolls per case

Packaging Products

Filament Tapes



Scotch® Bi-Directional Filament Tape 8959

Polypropylene backing reinforced in both directions with glass yarn filaments with a synthetic rubber resin adhesive. Provides excellent strength for bundling, strapping and heavy duty box closure.

UPC	Description	Size	Case Qty/Units
00-021200-88226-5	Bulk	19 mm x 50 m	48 Rolls per case
00-021200-88227-2	Bulk	25 mm x 50 m	36 Rolls per case
00-021200-88228-9	Bulk	50 mm x 50 m	18 Rolls per case
00-051125-74901-5	Individually labeled	50 mm x 50 m	18 Rolls per case



3M™ Bi-Directional Filament Tape Sheets 819

Pre-cut and padded tape sheets feature a removable paper tab. High strength filament tape pads are ideal for in-field repair of damaged packages.

UPC	Description	Size	Case Qty/Units
00-021200-72265-3	Bulk	2" x 6"	25 Sheets per pad, 200 Pads per case
00-051125-74909-1	Individually labeled	2" x 6"	25 Sheets per pad, 20 Pads per pack, 5 Packs per case

Light Duty Packaging Tapes



Scotch® Light Duty Packaging Tape 600

A clear UPVC backing with an acrylic adhesive. Non-staining, stable transparent tape under sunlight and UV conditions for use on fabrics and other surfaces.

UPC	Description	Color	Size	Case Qty/Units
00-051115-68745-7	Individually labeled	Clear	1" x 72 yd.	36 Rolls per case
00-051125-74896-4	Individually labeled	Clear	½" x 72 yd.	4 Rolls per pack, 18 Packs per case
00-051125-74898-8	Individually labeled	Clear	1" x 72 yd.	4 Rolls per pack, 9 Packs per case
00-051125-74899-5	Individually labeled	Clear	2" x 72 yd.	4 Rolls per pack, 6 Packs per case
00-051125-74897-1	Individually labeled	Clear	¾" x 72 yd.	4 Rolls per pack, 12 Packs per case



Scotch® Light Duty Packaging Tape 610 Heat Resistant

For holding, combining, attaching, light-duty carton sealing and in-store use. Rubber resin adhesive sticks to many surfaces. Cellophane backing for high temperature resistance up to 300°F; also abrasion resistant. Dispenses easily for convenient use. Ideal for L-clip box closures.

UPC	Description	Color	Size	Case Qty/Units
00-051125-74948-0	Individually labeled	Clear	1" x 72 yd.	36 Rolls per case
00-051125-74949-7	Individually labeled	Clear	½" x 72 yd.	72 Rolls per case
00-051125-74947-3	Individually labeled	Clear	¾" x 72 yd.	48 Rolls per case



Scotch® Light Duty Packaging Tape 720

High-tack sticks easily to rough/treated surfaces. Hand-tearable, fiber-reinforced film backing with a rubber resin adhesive.

UPC	Description	Color	Size	Case Qty/Units
00-051125-74880-3	Individually labeled	Semi-transparent	½" x 72 yd.	2 Rolls per pack, 36 Packs per case

Packaging Products

List Envelopes & Pouch Tapes



3M™ Full Print Packing List Envelope F1

Side load, polyethylene envelope full face, top printed with packing list (red background with black text) with a strong rubber resin adhesive.


UPC	Description	Size	Case Qty/Units
00-051125-74926-8	Individually labeled	4-½" x 5-½"	500 per pack, 2 Packs per case
00-021200-73711-4	Bulk	4-½" x 5-½"	1000 per case
00-021200-73809-8	Boxed	4-½" x 5-½"	100 per box, 10 Boxes per case



3M™ Non-Printed Packing List Envelope NP

Clear polyethylene, non-printed envelope with a strong rubber resin adhesive. Custom printing available on all standard size 3M™ Packing List Envelopes.

UPC	Description	Size	Case Qty/Units
00-021200-73709-1	NP1 Side load	4-½" x 5-½"	1000 per case
00-021200-73778-7	NP2 Side load	4-½" x 6"	1000 per case
00-021200-73708-4	NP3 Top load	7" x 5-½"	1000 per case
00-021200-73706-0	NP4 Side load	5-½" x 10"	1000 per case
00-021200-73779-4	NP5 Side load	7" x 10"	1000 per case
00-021200-73780-0	NP6 Side load	9-½" x 12"	1000 per case
00-021200-37589-7	NP9 Top load	7" x 6"	1000 per case
00-051125-74928-2	NP1 Side load, Individually labeled	4-½" x 5-½"	500 per pack, 2 Packs per case
00-051125-74929-9	NP3 Top load, Individually labeled	7" x 5-½"	250 per pack, 4 Packs per case
00-051125-74930-5	NP4 Side load, Individually labeled	5-½" x 10"	250 per pack, 4 Packs per case
00-051125-74931-2	NP5 Side load, Individually labeled	7" x 10"	250 per pack, 4 Packs per case
00-051125-74927-5	NP6 Side load, Individually labeled	9-½" x 12"	100 per pack, 10 Packs per case



3M™ Non-Printed Zipper Closure Packing List Envelope NPZ-L, NPZ-LX

Side load, clear polyethylene, non-printed zippered envelope with a strong rubber resin adhesive. Custom printing available on all standard size 3M™ Packing List Envelopes.

UPC	Description	Size	Case Qty/Units
00-048011-58044-9	–	8-½" x 11"	500 per case
00-051115-24817-7	–	10" x 12-½"	500 per case
00-051125-74938-1	Individually labeled	10" x 12-½"	50 per pack, 10 Packs per case



3M™ Non-Printed Perforated Packing List Envelope FED1

Top load, clear polyethylene, non-printed envelope with perforated face with easy opening offering a strong rubber resin adhesive.

UPC	Description	Size	Case Qty/Units
00-021200-73777-0	Bulk	6-¾" x 10-¾"	500 per case
00-051125-74925-1	Individually labeled	6-¾" x 10-¾"	100 per pack, 10 Packs per case

Packaging Products

List Envelopes & Pouch Tapes



3M™ Packing List Envelope Top Print

Top printed packing list envelopes offer a variety of choices for document control. Convenient peel-and-stick document protection. Features a polyethylene backing, synthetic rubber adhesive and paper liner.

UPC	Description	Top Print	Size	Case Qty/Units
00-021200-73782-4	PLE-T1 Side load	Packing List/Invoice Enclosed	4-½" x 5-½"	100 per box, 10 Boxes per case
00-048011-53423-7	PLE-T1 Side load	Packing List/Invoice Enclosed	4-½" x 5-½"	1000 per case
00-051125-74924-4	PLE-T1 Side load	Packing List/Invoice Enclosed	4-½" x 5-½"	500 per pack, 2 Packs per case
00-021200-37593-4	PLE-T1 PL	Packing List Enclosed	4-½" x 5-½"	1000 per case
00-021200-37594-1	PLE-T1 INV	Invoice Enclosed	4-½" x 5-½"	1000 per case
00-021200-73784-8	PLE-T2 Side load	Packing List/Invoice Enclosed	4-½" x 6"	1000 per case
00-051125-74932-9	PLE-T3 Top load	Packing List/Invoice Enclosed	7" x 5-½"	250 per pack, 4 Packs per case
00-021200-73712-1	PLE-T3 Top load	Packing List/Invoice Enclosed	7" x 5-½"	1000 per case
00-021200-73785-5	PLE-T4 Side load	Packing List/Invoice Enclosed	5-½" x 10"	1000 per case
00-051125-74933-6	PLE-T4 Side load	Packing List/Invoice Enclosed	5-½" x 10"	250 per pack, 4 Packs per case

Specialty Packaging



3M™ Tape Sheets 3750P

Pre-cut tape sheets in a pad format for convenient and easy repair of damaged packages in industrial and commercial applications. Polypropylene backing with a rubber resin adhesive. Ideal for protecting labels, sealing envelopes, small packages, recouperage repair and other packaging applications. Features a removable paper tab.

UPC	Description	Color	Size	Case Qty/Units
00-051131-06990-9	Pack	Clear	2" x 6"	2 Pads per pack, 20 Packs per case
00-051131-06885-8	Boxed	Clear	2" x 6"	200 per case, boxed
00-051125-74888-9	Individually labeled	Clear	2" x 6"	25 Sheets per pad, 40 Pads per pack, 5 Boxes per case

3M™ Tape Sheets 822

Rubber resin adhesive features a removable paper tab. Ideal for label protection on packages offering excellent adhesion to many surfaces. Pads are convenient and portable, requiring no dispenser for ease of use.

UPC	Description	Color	Size	Case Qty/Units
00-051125-74953-4	Conveniently packaged	Clear	4" x 6"	25 sheets per pad, 20 pads per pack, 5 packs per case



Packaging Products

Tabs, Tags & Carry Handles



3M™ Hang Tab

Clear pads do not obscure packaging graphics. Pre-cut, bendable tab format for convenience and ease of use. Strong polyester backing resists abrasion, tearing and splitting. Aggressive hot melt rubber resin adhesive sticks to a variety of surfaces, including shrink wrapped packages and chipboard header cards.


UPC	ID	Description	Color	Size	Case Qty/Units
00-051125-74952-7	1074	Individually labeled	Clear	1" x 2" (Round Hole)	10 Tabs per pad, 100 Tabs per pack, 5 Packs per case
00-021200-62225-0	1074	Bulk	Clear	1" x 2" (Round Hole)	10 Tabs per pad, 100 Pads per carton, 10 Cartons per case
00-051125-74950-3	1075	Individually labeled	Clear	2" x 2" (Delta Hanger)	10 Tabs per pad, 50 Tabs per pack, 5 Packs per case
00-021200-62013-3	1075	Bulk	Clear	2" x 2" (Delta Hanger)	10 Tabs per pad, 50 Pads per carton, 10 Cartons per case
00-051125-74951-0	1076	Individually labeled	Clear	2" x 2" (Round Hole)	10 Tabs per pad, 50 Pads per pack, 5 Packs per case
00-021200-62014-0	1076	Bulk	Clear	2" x 2" (Round Hole)	10 Tabs per pad, 50 Pads per carton, 10 Cartons per case



3M™ ScotchPad™ Hang Tab 1072

Clear, sturdy tab with pressure-sensitive adhesive backing. Sticks to most product or packaging surfaces so that the item can be displayed. J-hook design for maximum efficiency in retail pegging.

UPC	Color	Size	Case Qty/Units
00-021200-73692-6	Clear	7/8" x 1-3/8"	500 Tabs per carton, 10 Cartons per case



3M™ Marking and Identification Tags 818

Facilitates part identification, marking defects, inventory tracking, routing destinations, sorting, splicing alerts or similar applications. Durable, plastic strip laminated with a non-sticky paper at one end and a synthetic rubber resin adhesive on the other.

UPC	Description	Color	Size	Case Qty/Units
00-021200-22869-8	Bulk	Blue	1" x 4"	25 Tags per pad, 1,000 Pads per case
00-021200-22870-4	Bulk	Red	1" x 4"	25 Tags per pad, 1,000 Pads per case
00-021200-22872-8	Bulk	Yellow	1" x 4"	25 Tags per pad, 1,000 Pads per case



3M™ ScotchPad™ Marking and Identification Tags 818CP

3M™ Marking and Identification Tags 818CP is a durable, plastic strip laminated with a non-sticky custom printed paper at one end and a synthetic rubber resin adhesive on the other end. Tags are pre-cut and padded.

UPC	Color	Size	Case Qty/Units
00-021200-55644-9	Blue	1" x 25"	1 per case

Packaging Products

Tabs, Tags & Carry Handles



3M™ Carry Handles

Turn virtually any bulky, hard-to-carry package or box into an easy-to-carry item. One-handed carrying versus two! These durable plastic strips, with adhesive at each end, adhere to both sides of a box or package, creating a small loop for easy carrying.

UPC	ID	Descr.	Wt. Lifting Cap.	Size	Case Qty/Units
00-051115-71389-7	8310	White	10 lbs.	1" x 17" x 3"	25 Handles per pad, 110 Pads per case
00-051115-80895-1	8310CP	Express Print	10 lbs.	1" x 17" x 3"	25 Handles per pad, 110 Pads per case
00-051115-71432-0	8310CP	1-2 Color	10 lbs.	1" x 17" x 3"	25 Handles per pad, 110 Pads per case
00-051115-71482-5	8310CP	3-4 Color	10 lbs.	1" x 17" x 3"	25 Handles per pad, 110 Pads per case
00-051115-71383-5	8315	White	15 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-80894-4	8315CP	Express Print	15 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-71520-4	8315CP	1-2 Color	15 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-71484-9	8315CP	3-4 Color	15 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-71385-9	8320	White	20 lbs.	1" x 17" x 3"	25 Handles per pad, 110 Pads per case
00-051115-80896-8	8320CP	Express Print	20 lbs.	1" x 17" x 3"	25 Handles per pad, 110 Pads per case
00-051115-71523-5	8320CP	1-2 Color	20 lbs.	1" x 17" x 3"	25 Handles per pad, 110 Pads per case
00-051115-71485-6	8320CP	3-4 Color	20 lbs.	1" x 17" x 3"	25 Handles per pad, 110 Pads per case
00-051115-71386-6	8330	White	30 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-80893-7	8330CP	Express Print	30 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-71525-9	8330CP	1-2 Color	30 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-71486-3	8330CP	3-4 Color	30 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-80907-1	8340CP	Express Print	40 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-71527-3	8340CP	1-2 Color	40 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-71487-0	8340CP	3-4 Color	40 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-80908-8	8350CP	Express Print	50 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-71438-2	8350CP	1-2 Color	50 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case
00-051115-71488-7	8350CP	3-4 Color	50 lbs.	1-3/8" x 23" x 6"	25 Handles per pad, 80 Pads per case

Specialty Tapes

Adhesive Transfer Tapes



3M™ Adhesive Transfer Tape 465

2.0 mil, high-tack acrylic adhesive 400 with 3.5 mil, 60 lb. densified kraft paper liner. Medium temperature and solvent resistance, medium HSE and low LSE. Flexible to -60°F with excellent adhesion to most paper stocks. Designed for use with easy liner release for manual or hand application.

UPC	Description	Color	Size	Case Qty/Units
00-021200-67280-4	Bulk	Clear	⅛" x 60 yd.	288 Rolls per case
00-021200-03333-9	Bulk	Clear	¼" x 60 yd.	144 Rolls per case
00-048011-58292-4	Bulk	Clear	⅜" x 240 yd.	24 Rolls per case
00-021200-03334-6	Bulk	Clear	⅜" x 60 yd.	96 Rolls per case
00-021200-03335-3	Bulk	Clear	½" x 60 yd.	72 Rolls per case
00-048011-58112-5	Bulk	Clear	⅝" x 240 yd.	72 Rolls per case
00-021200-03336-0	Bulk	Clear	¾" x 60 yd.	48 Rolls per case
00-048011-58293-1	Bulk	Clear	¾" x 240 yd.	12 Rolls per case
00-021200-03337-7	Bulk	Clear	1" x 60 yd.	36 Rolls per case
00-048011-58294-8	Bulk	Clear	1" x 240 yd.	9 Rolls per case
00-021200-56484-0	Bulk	Clear	1" x 540 yd.	9 Rolls per case
00-021200-04298-0	Bulk	Clear	1-¼" x 60 yd.	24 Rolls per case
00-021200-03338-4	Bulk	Clear	1-½" x 60 yd.	24 Rolls per case
00-021200-04299-7	Bulk	Clear	2" x 60 yd.	24 Rolls per case
00-021200-04300-0	Bulk	Clear	2-½" x 60 yd.	12 Rolls per case



3M™ Adhesive Transfer Tape 927

Excellent for applications requiring greater initial adhesion. Excellent adhesion to high and low surface energy plastics. Medium temperature resistance up to 250°F short term. Used for general purpose bonding.

UPC	Description	Color	Size	Case Qty/Units
00-021200-39348-8	Bulk	Clear	¼" x 60 yd.	144 Rolls per case
00-021200-05276-7	Bulk	Clear	½" x 60 yd.	72 Rolls per case
00-021200-05277-4	Bulk	Clear	¾" x 60 yd.	48 Rolls per case
00-021200-05278-1	Bulk	Clear	1" x 60 yd.	36 Rolls per case
00-021200-03803-7	Bulk	Clear	2" x 60 yd.	24 Rolls per case



3M™ Adhesive Transfer Tape 9485PC

Excellent high temperature resistance and chemical resistance. High bond strength at elevated temperatures. Use to laminate high performance plastics and difficult substrates, and to splice metal coils.

UPC	Description	Color	Size	Case Qty/Units
00-021200-40784-0	Bulk	Clear	⅜" x 60 yd.	96 Rolls per case
00-021200-63476-5	Bulk	Clear	½" x 60 yd.	72 Rolls per case
00-021200-67233-0	Bulk	Clear	¾" x 60 yd.	48 Rolls per case
00-051115-23594-8	Bulk	Clear	¾" x 180 yd.	12 Rolls per case
00-021200-63477-2	Bulk	Clear	1" x 60 yd.	36 Rolls per case
00-021200-40782-6	Bulk	Clear	1-½" x 60 yd.	24 Rolls per case
00-021200-67413-6	Bulk	Clear	2" x 60 yd.	24 Rolls per case
00-021200-39609-0	Bulk	Clear	3" x 60 yd.	12 Rolls per case

Specialty Tapes

Adhesive Transfer Tapes



3M™ Adhesive Transfer Tape 950

Attaches gaskets and foams, bonds fabric to window blinds and office panels. This tape can be used to attach vinyl or rubber gaskets and seal pipe insulation. Excellent adhesion to most plastics and has a high tack.

UPC	Description	Color	Size	Case Qty/Units
00-021200-39361-7	Bulk	Clear	¼" x 60 yd.	144 Rolls per case
00-021200-11702-2	Bulk	Clear	⅜" x 60 yd.	96 Rolls per case
00-021200-04849-4	Bulk	Clear	½" x 60 yd.	72 Rolls per case
00-021200-04553-0	Bulk	Clear	¾" x 60 yd.	48 Rolls per case
00-021200-04850-0	Bulk	Clear	1" x 60 yd.	36 Rolls per case
00-021200-84225-2	Bulk	Clear	1-½" x 60 yd.	24 Rolls per case
00-021200-04851-7	Bulk	Clear	2" x 60 yd.	24 Rolls per case



3M™ Adhesive Transfer Tape Extended Liner 920XL

Liner extends beyond the width of the adhesive ⅜" for ease of liner starting and removal. Excellent cold temperature performance to minus 60°F with excellent adhesion to most paper stocks. Used for validation labels and parking permits on car windows, paper splicing and general office and commercial joining.

UPC	Description	Color	Size	Case Qty/Units
00-021200-04726-8	Bulk	Clear	½" x 1000 yd.	12 Rolls per case
00-021200-03890-7	Bulk	Clear	¾" x 1000 yd.	9 Rolls per case
00-021200-03887-7	Bulk	Clear	1" x 1000 yd.	9 Rolls per case

ATG Products



Scotch® ATG 700 Adhesive Applicator

Yellow adhesive applicator for use with Scotch® ATG Tape ½" or ¾" wide rolls. Covered gears minimizes applicator jams. Transparent cover shows remaining tape. Holds up to 60 yd. (55m) of Scotch® ATG Tapes.

UPC	Color	Size	Case Qty/Units
00-051131-06505-5	Yellow	½" and ¾" wide ATG tape rolls	6 per case



Scotch® ATG Adhesive Transfer Tape 924

Gives excellent adhesion to most paper stocks. No mess or clean up. Bond lines are thin and adhesive flows into surface irregularities. Seal pockets in folders, bond matte board in picture frames or use it for general purpose bindery attaching. Use with Scotch® ATG Applicators. 2.0 mil.

UPC	Description	Color	Size	Case Qty/Units
00-021200-67220-0	Bulk	Clear	¼" x 36 yd.	12 Rolls per inner, 6 Inners per case
00-021200-38442-4	Bulk	Clear	¼" x 60 yd.	12 Rolls per inner, 6 Inners per case
00-021200-03331-5	Bulk	Clear	½" x 36 yd.	12 Rolls per inner, 6 Inners per case
00-021200-05865-3	Individually Boxed Rolls	Clear	½" x 36 yd.	12 Rolls per inner, 6 Inners per case
00-021200-15680-9	Bulk	Clear	½" x 60 yd.	12 Rolls per inner, 6 Inners per case
00-021200-03332-2	Bulk	Clear	¾" x 36 yd.	12 Rolls per inner, 4 Inners per case
00-021200-05866-0	Individually Boxed Rolls	Clear	¾" x 36 yd.	12 Rolls per inner, 4 Inners per case
00-021200-15681-6	Bulk	Clear	¾" x 60 yd.	12 Rolls per inner, 4 Inners per case
00-021200-04406-9	Bulk	Clear	2" x 36 yd.	24 Rolls per case
00-021200-19260-9	Bulk	Clear	2" x 60 yd.	24 Rolls per case

Specialty Tapes

ATG Products



Scotch® ATG Adhesive Transfer Tape 926

Offers high performance in meeting your needs for bonding fabric or trim to window blinds. Splice aluminum coils, bond foam insulation or mount name plates on award plaques easily and quickly. Excellent temperature and solvent resistance. Use with Scotch® ATG Applicators. 5.0 mil.

UPC	Description	Color	Size	Case Qty/Units
00-021200-67669-7	Bulk	Clear	¼" x 18 yd.	12 Rolls per case
00-021200-30308-1	Bulk	Clear	¼" x 36 yd.	144 Rolls per case
00-021200-63102-3	Bulk	Clear	½" x 18 yd.	12 Rolls per inner, 6 Inners per case
00-021200-62735-4	Bulk	Clear	½" x 36 yd.	12 Rolls per inner, 6 Inners per case
00-021200-63101-6	Bulk	Clear	¾" x 18 yd.	12 Rolls per case
00-021200-62736-1	Bulk	Clear	¾" x 36 yd.	12 Rolls per inner, 4 Inners per case
00-021200-62501-5	Bulk	Clear	2" x 36 yd.	24 Rolls per case



Scotch® ATG Adhesive Transfer Tape 969

High initial adhesion to a variety of surfaces including many plastics. Heavy adhesive coat weight bonds to textured surfaces. Adhesive is reverse wound on 1" cores for use in Scotch® ATG Applicators. 5.0 mil tape.

UPC	Description	Color	Size	Case Qty/Units
00-021200-67667-3	Bulk	Clear	¼" x 18 yd.	12 Rolls per inner, 6 Inners per case
00-021200-87399-7	Bulk	Clear	¼" x 36 yd.	144 Rolls per case
00-021200-31493-3	Boxed	Clear	½" x 18 yd.	12 Rolls per inner, 2 Inners per case
00-021200-15682-3	Bulk	Clear	½" x 36 yd.	12 Rolls per inner, 6 Inners per case
00-021200-05671-0	Bulk	Clear	½" x 18 yd.	12 Rolls per inner, 6 Inners per case
00-021200-05672-7	Bulk	Clear	¾" x 18 yd.	12 Rolls per inner, 4 Inners per case
00-021200-15683-0	Bulk	Clear	¾" x 36 yd.	12 Rolls per inner, 4 Inners per case
00-021200-24254-0	Bulk	Clear	1-½" x 36 yd.	24 Rolls per case
00-021200-19261-6	Bulk	Clear	2" x 36 yd.	24 Rolls per case



Scotch® ATG Adhesive Transfer Tape 976

976 is a 2.0 mm acrylic adhesive transfer tape on a densified kraft paper liner. Adhesives are reverse wound on 1" cores for use in Scotch® ATG Applicators.

UPC	Description	Color	Size	Case Qty/Units
00-021200-67668-0	Bulk	Clear	¼" x 36 yd.	72 Rolls per case
00-021200-46021-0	Bulk	Clear	¼" x 60 yd.	72 Rolls per case
00-021200-13269-8	Bulk	Clear	½" x 36 yd.	12 Rolls per inner, 6 Inners per case
00-021200-15678-6	Bulk	Clear	½" x 60 yd.	12 Rolls per inner, 6 Inners per case
00-021200-13270-4	Bulk	Clear	¾" x 36 yd.	12 Rolls per inner, 4 Inners per case
00-021200-15679-3	Bulk	Clear	¾" x 60 yd.	12 Rolls per inner, 4 Inners per case

Specialty Tapes

ATG Products



Scotch® ATG Repositionable Double Coated Tissue Tape 928

Provides a secure seal that can be readily opened and closed many times. Attach temporary labels or core start/end tab paper. Tape has a differential tack and is repositionable. Use with Scotch® ATG Applicators. 2.0 mil.

UPC	Description	Color	Size	Case Qty/Units
00-021200-84181-1	Bulk	Translucent White	¼" x 18 yd.	12 Rolls per inner, 6 Inners per case
00-021200-31492-6	Boxed	Translucent White	½" x 18 yd.	12 Rolls per inner, 2 Inners per case
00-021200-62775-0	Bulk	Translucent White	½" x 18 yd.	12 Rolls per inner, 6 Inners per case
00-021200-83977-1	Bulk	Translucent White	½" x 36 yd.	12 Rolls per inner, 6 Inners per case
00-021200-62776-7	Bulk	Translucent White	¾" x 18 yd.	12 Rolls per inner, 4 Inners per case
00-021200-83978-8	Bulk	Translucent White	¾" x 36 yd.	12 Rolls per inner, 4 Inners per case


Double Coated Tapes



3M™ Double Coated Paper Tape 401M

3M™ Double Coated Paper Tape 401M is a 9.0 mil double coated paper tape with rubber adhesive 860 on a 3.0 mil green plaid paper liner. Natural rubber double coated tape with heavy paper carrier for increased strength and dimensional stability. Offers good initial adhesion to a variety of surfaces. For indoor and room temperature applications.

UPC	Description	Color	Size	Case Qty/Units
00-051111-91713-8	Bulk	Natural	1-½" x 36 yd.	24 Rolls per case
00-051115-32055-2	Bulk	Natural	1" x 36 yd.	36 Rolls per case
00-051111-91717-6	Bulk	Natural	½" x 36 yd.	72 Rolls per case
00-051115-32056-9	Bulk	Natural	2" x 36 yd.	24 Rolls per case
00-051111-91714-5	Bulk	Natural	3" x 36 yd.	12 Rolls per case
00-051111-91715-2	Bulk	Natural	¾" x 36 yd.	48 Rolls per case



3M™ Double Coated Paper Tape 410M

3M™ Double Coated Paper Tape 410M is a 5.0 mil double coated paper tape with rubber adhesive 850 on a 3.0 mil 54 lb. densified Kraft green plaid paper liner. Rubber double coated tape for core starting, end tabbing of papers, films and foils. Offers good initial adhesion to a variety of surfaces. For indoor and room temperature applications.

UPC	Description	Color	Size	Case Qty/Units
00-051111-07179-3	Bulk	Natural	¾" x 36 yd.	144 Rolls per case
00-051115-31936-5	Bulk	Natural	1" x 10 yd.	36 Rolls per case
00-051115-31650-0	Bulk	Natural	1" x 36 yd.	36 Rolls per case
00-051115-31649-4	Bulk	Natural	1" x 36 yd.	36 Rolls per case
00-051115-31647-0	Bulk	Natural	½" x 36 yd.	72 Rolls per case
00-051111-18804-0	Bulk	Natural	¾" x 36 yd.	144 Rolls per case
00-051115-31651-7	Bulk	Natural	2" x 36 yd.	24 Rolls per case
00-051115-31939-6	Bulk	Natural	2" x 36 yd.	24 Rolls per case
00-051115-31937-2	Bulk	Natural	¾" x 10 yd.	48 Rolls per case
00-051115-31648-7	Bulk	Natural	¾" x 36 yd.	48 Rolls per case
00-051115-31938-9	Bulk	Natural	¾" x 36 yd.	48 Rolls per case

Specialty Tapes

Double Coated Tapes



3M™ Double Coated Tape 415

4.0 mil double coated polyester with acrylic adhesive 400 on a 4.0 mil 60 lb. densified kraft paper liner. Excellent UV resistance. Good adhesion to a wide variety of materials such as HSE high surface energy, LSE low surface energy and metals. Good temperature and humidity resistance. Medium-firm, acrylic, pressure sensitive adhesive that features an excellent balance of good initial adhesion ("quick stick") and good shear holding power. It is ideal for bonding together a wide variety and dissimilar materials such as metals, glass, wood, paints and many plastics.

UPC	Description	Color	Size	Case Qty/Units
00-021200-05051-0	Bulk	Clear	¼" x 36 yd.	144 Rolls per case
00-021200-03764-1	Bulk	Clear	½" x 36 yd.	72 Rolls per case
00-021200-03322-3	Bulk	Clear	¾" x 36 yd.	48 Rolls per case
00-021200-03323-0	Bulk	Clear	1" x 36 yd.	36 Rolls per case
00-021200-40714-7	Bulk	Clear	1" x 108 yd.	9 Rolls per case
00-021200-03324-7	Bulk	Clear	1-½" x 36 yd.	24 Rolls per case
00-021200-04294-2	Bulk	Clear	2" x 36 yd.	24 Rolls per case
00-021200-03910-2	Bulk	Clear	3" x 36 yd.	12 Rolls per case
00-021200-03326-1	Bulk	Clear	4" x 36 yd.	8 Rolls per case



3M™ Double Coated Tape Extended Liner 476XL

3M™ Double Coated Tape Extended Liner 476XL is a synthetic rubber adhesive with polypropylene carrier and 60 lb. densified kraft paper liner. Medium temperature and solvent resistance, high HSE and LSE. 6 mil thick with 3.7 mil liner. Easy liner starting and removal. Bonds well to most substrates including low surface energy (LSE) plastics with excellent UV and a good heat resistance. Use for bonding of decorative trim, bonding to plastics and metal profile extrusions and used as a general purpose double coated tape.


UPC	Description	Color	Size	Case Qty/Units
00-021200-31507-7	Bulk	Translucent	½" x 360 yd.	12 Rolls per case
00-021200-30600-6	Bulk	Translucent	¾" x 540 yd.	8 Rolls per case
00-021200-43490-7	Bulk	Translucent	¾" x 60 yd.	48 Rolls per case
00-021200-30597-9	Bulk	Translucent	1" x 540 yd.	6 Rolls per case
00-021200-30599-3	Bulk	Translucent	1" x 60 yd.	36 Rolls per case
00-021200-24459-9	Bulk	Translucent	1-½" x 540 yd.	4 Rolls per case
00-048011-58378-5	Bulk	Translucent	1-½" x 60 yd.	24 Rolls per case
00-021200-43541-6	Bulk	Translucent	2" x 540 yd.	3 Rolls per case
00-021200-74253-8	Bulk	Translucent	2" x 60 yd.	24 Rolls per case



3M™ Double Coated Tape 9500PC

5.6 mil 350 high performance acrylic adhesive double coat with polyester carrier on a 4.5 mil 61.5 lb. polycoated kraft paper liner.

UPC	Description	Color	Size	Case Qty/Units
00-021200-67796-0	Bulk	Clear	1" x 36 yd.	36 Rolls per case
00-021200-67795-3	Bulk	Clear	½" x 36 yd.	72 Rolls per case
00-021200-67794-6	Bulk	Clear	¾" x 36 yd.	48 Rolls per case



3M™ Double Coated Film Tape 9589

9.0 mil double coated high density polyethylene with rubber adhesive 760 on a 37 mil 62 lb. densified kraft liner.

UPC	Description	Color	Size	Case Qty/Units
00-021200-23203-9	Bulk	White	½" x 36 yd.	72 Rolls per case
00-021200-23204-6	Bulk	White	¾" x 36 yd.	48 Rolls per case
00-021200-23205-3	Bulk	White	1" x 36 yd.	36 Rolls per case
00-021200-23207-7	Bulk	White	2" x 36 yd.	24 Rolls per case

Specialty Tapes

Double Coated Tapes



3M™ Double Coated Tape 444

3.9 mil thick high strength, acrylic, pressure-sensitive adhesive that features very high initial adhesion and good shear holding power to a wide variety of materials including many plastics. It is a general purpose holding and mounting tape with good UV and chemical resistance. Up to 250°F short-term heat resistance.

UPC	Description	Color	Size	Case Qty/Units
00-021200-04841-8	Bulk	Clear	½" x 36 yd.	72 Rolls per case
00-021200-04842-5	Bulk	Clear	2" x 36 yd.	24 Rolls per case
00-021200-04721-3	Bulk	Clear	¾" x 36 yd.	48 Rolls per case
00-021200-04601-8	Bulk	Clear	1" x 36 yd.	36 Rolls per case



3M™ Double Coated Tape 9579

9.0 mil, double coated high density polyethylene with rubber adhesive 760 on a 62 lb. white densified kraft liner.

UPC	Description	Color	Size	Case Qty/Units
00-021200-65873-0	Bulk	White	½" x 36 yd.	72 Rolls per case
00-021200-65872-3	Bulk	White	¾" x 36 yd.	48 Rolls per case
00-021200-65871-6	Bulk	White	1" x 36 yd.	36 Rolls per case
00-021200-65870-9	Bulk	White	1-½" x 36 yd.	24 Rolls per case
00-021200-65869-3	Bulk	White	2" x 36 yd.	24 Rolls per case



3M™ Double Coated Tape 9832

Double Coated Tape 9832 for Woodworking is a high-tack, acrylic-based double sided tape. It produces an extremely thin bond line with immediate handling strength. Great for edgbanding, melamine, veneer, laminate, particle board and many more common woodworking substrates.

UPC	Description	Size	Case Qty/Units
00-051115-31709-5	Bulk	½" x 60 yd.	72 Rolls per case
00-051115-31710-1	Bulk	¾" x 60 yd.	48 Rolls per case
00-021200-74026-8	Bulk	1" x 60 yd.	36 Rolls per case
00-051115-31711-8	Bulk	1-½" x 60 yd.	24 Rolls per case



3M™ Removable Repositionable Double Coated Tape 9425

Double coated tape with permanent high-tack acrylic adhesive 420 on one side and repositionable medium tack acrylic adhesive 1050 on the other side on a 58 lb. polycoated kraft paper liner with a UPVC carrier. Used to close polybags and envelopes. Core starting/end tabbing. Backlit signs. Attach labels, novelties, posters, P.O.P. displays and more.

UPC	Description	Color	Size	Case Qty/Units
00-021200-67709-0	Bulk	Clear	½" x 72 yd.	18 Rolls per case
00-021200-67710-6	Bulk	Clear	¾" x 72 yd.	12 Rolls per case
00-021200-67708-3	Bulk	Clear	1" x 72 yd.	9 Rolls per case
00-021200-46133-0	Bulk	Clear	3" x 72 yd.	3 Rolls per case



3M™ Removable Repositionable Tape 9415PC

These 2.0 mil double coated tapes feature a permanent acrylic adhesive on the face side and a removable repositionable adhesive on the back side of the tape. It is ideal for bonding together a wide variety of similar and dissimilar materials such as metals, glass, wood and papers. Clarity and UV resistance for window label applications. Our removable adhesive holds well to many surfaces and provides clean removal.

UPC	Description	Color	Size	Case Qty/Units
00-021200-14536-0	Bulk	Translucent	½" x 72 yd.	72 Rolls per case
00-021200-14537-7	Bulk	Translucent	¾" x 72 yd.	48 Rolls per case
00-021200-14538-4	Bulk	Translucent	1" x 72 yd.	36 Rolls per case

Specialty Tapes

Double Coated Tapes



3M™ Double Coated Urethane Foam Tape 4026W

3M™ Double Coated Urethane Foam Tape is a thick, double-coated, open cell urethane foam tape.

UPC	Color	Size	Case Qty/Units
00-051128-98844-2	White	½" x 5 yd. x ⅛"	12 Rolls per case
00-051128-98845-9	White	¾" x 5 yd. x .06"	12 Rolls per case

3M™ Double Coated Foam Tape 4496

3M™ Double Coated Polyethylene Foam Tape 4496 is a polyethylene, conformable, double-coated, closed-cell foam tape.

UPC	Color	Size	Case Qty/Units
00-051115-81760-1	Black	½" x 5 yd. x ⅛"	12 Rolls per case
00-051115-81761-8	Black	¾" x 5 yd. x ⅛"	12 Rolls per case

Double Sided Bonding Tapes



3M™ X-Series Double Coated Film Tape XR4115

6.0 mil rubber adhesive double coated polyethylene film tape.

UPC	Description	Size	Case Qty/Units
00-051115-63851-0	Bulk	½" x 60 yd.	72 Rolls per case
00-051115-63852-7	Bulk	1" x 60 yd.	36 Rolls per case
00-051115-63854-1	Bulk	2" x 60 yd.	24 Rolls per case
00-051115-63855-8	Small Pack	2" x 60 yd.	6 Rolls per case

3M™ X-Series Double Coated Film Tape XR4123

9.0 rubber adhesive double coated polyethylene film tape.

UPC	Description	Size	Case Qty/Units
00-051115-63856-5	Bulk	½" x 36 yd.	72 Rolls per case
00-051115-63857-2	Bulk	¾" x 36 yd.	48 Rolls per case
00-051115-63858-9	Bulk	1" x 36 yd.	36 Rolls per case
00-051115-63859-6	Small Pack	1" x 36 yd.	9 Rolls per case
00-051115-63862-6	Bulk	1-½" x 36 yd.	24 Rolls per case
00-051115-63863-3	Bulk	2" x 36 yd.	24 Rolls per case

3M™ X-Series Double Coated Paper Tape XR8115

6.0 mil rubber adhesive double coated paper tape.

UPC	Description	Size	Case Qty/Units
00-051115-63873-2	Bulk	½" x 36 yd.	72 Rolls per case
00-051115-63874-9	Bulk	¾" x 36 yd.	48 Rolls per case
00-051115-63875-6	Bulk	1" x 36 yd.	36 Rolls per case
00-051115-63877-0	Bulk	1-½" x 36 yd.	24 Rolls per case
00-051115-63878-7	Bulk	2" x 36 yd.	24 Rolls per case

3M™ X-Series Double Coated Paper Tape XR8123

9.0 mil rubber adhesive double coated paper tape.

UPC	Description	Size	Case Qty/Units
00-051115-63880-0	Bulk	1" x 36 yd.	36 Rolls per case
00-051115-63947-0	Bulk	2" x 36 yd.	24 Rolls per case

Specialty Tapes

Double Sided Bonding Tapes



3M™ X-Series General Purpose Double Coated Tape XG5110

4.0 mil general purpose acrylic adhesive double coated polypropylene film tape.

UPC	Description	Size	Case Qty/Units
00-051115-63795-7	Bulk	1" x 60 yd.	36 Rolls per case
00-051115-63796-4	Small Pack	1" x 60 yd.	9 Rolls per case
00-051115-63794-0	Bulk	½" x 60 yd.	72 Rolls per case
00-051115-63797-1	Bulk	2" x 60 yd.	24 Rolls per case



3M™ X-Series General Purpose Double Coated Tape XG6110

4.0 mil general purpose acrylic adhesive double coated polyester film tape.

UPC	Description	Size	Case Qty/Units
00-051115-63953-1	Bulk	¼" x 36 yd.	144 Rolls per case
00-051115-63955-5	Small Pack	½" x 36 yd.	18 Rolls per case
00-051115-63954-8	Bulk	½" x 36 yd.	72 Rolls per case
00-051115-63956-2	Bulk	¾" x 36 yd.	48 Rolls per case
00-051115-63957-9	Bulk	1" x 36 yd.	36 Rolls per case
00-051115-63959-3	Bulk	1-½" x 36 yd.	24 Rolls per case
00-051115-63960-9	Bulk	2" x 36 yd.	24 Rolls per case
00-051115-63961-6	Small Pack	2" x 36 yd.	6 Rolls per case
00-051115-63962-3	Bulk	3" x 36 yd.	12 Rolls per case



3M™ X-Series General Purpose Transfer Tape XG2105

2.0 mil general purpose acrylic adhesive transfer tape.

UPC	Description	Size	Case Qty/Units
00-051115-63775-9	Bulk	⅝" x 60 yd.	288 Rolls per case
00-051115-63776-6	Bulk	¾" x 60 yd.	144 Rolls per case
00-051115-63777-3	Bulk	¾" x 60 yd.	96 Rolls per case
00-051115-63778-0	Bulk	½" x 60 yd.	72 Rolls per case
00-051115-63781-0	Bulk	¾" x 60 yd.	48 Rolls per case
00-051115-63782-7	Bulk	1" x 60 yd.	36 Rolls per case
00-051115-63946-3	Small Pack	1-½" x 60 yd.	6 Rolls per case
00-051115-63789-6	Bulk	2" x 60 yd.	24 Rolls per case
00-051115-63792-6	Bulk	3" x 60 yd.	12 Rolls per case



3M™ X-Series Hi-Performance Transfer Tape XP2112

5.0 mil high performance acrylic adhesive transfer tape.

UPC	Description	Size	Case Qty/Units
00-051115-63838-1	Bulk	½" x 60 yd.	72 Rolls per case
00-051115-63839-8	Bulk	1" x 60 yd.	36 Rolls per case
00-051115-63841-1	Bulk	1-½" x 60 yd.	24 Rolls per case
00-051115-63842-8	Bulk	2" x 60 yd.	24 Rolls per case



3M™ X-Series Hi-Performance Double Coated Tape XP6114

5.6 mil high performance double coated polyester film tape.

UPC	Description	Size	Case Qty/Units
00-051115-63846-6	Bulk	½" x 36 yd.	72 Rolls per case
00-051115-63847-3	Bulk	¾" x 36 yd.	48 Rolls per case
00-051115-63849-7	Bulk	1" x 36 yd.	36 Rolls per case

Specialty Tapes

Double Sided Bonding Tapes



3M™ X-Series Hi-Tack Double Coated Tape XT6110

4.0 mil hi-tack acrylic adhesive double coated polyester film tape.

UPC	Description	Size	Case Qty/Units
00-051115-63925-8	Bulk	½" x 36 yd.	72 Rolls per case
00-051115-63927-2	Bulk	¾" x 36 yd.	48 Rolls per case
00-051115-63928-9	Bulk	1" x 36 yd.	36 Rolls per case
00-051115-63930-2	Bulk	1-½" x 36 yd.	24 Rolls per case
00-051115-63931-9	Bulk	2" x 36 yd.	24 Rolls per case

3M™ X-Series Hi-Tack Transfer Tape XT2105

2.0 mil hi-tack acrylic adhesive transfer tape.


UPC	Description	Size	Case Qty/Units
00-051115-63948-7	Bulk	½" x 60 yd.	72 Rolls per case
00-051115-63883-1	Bulk	¾" x 60 yd.	48 Rolls per case
00-051115-63885-5	Bulk	1" x 60 yd.	36 Rolls per case
00-051115-63887-9	Bulk	2" x 60 yd.	24 Rolls per case

3M™ X-Series Hi-Tack Transfer Tape XT2112

5.0 mil hi-tack acrylic adhesive transfer tape.

UPC	Description	Size	Case Qty/Units
00-051115-63889-3	Bulk	¼" x 60 yd.	144 Rolls per case
00-051115-63890-9	Bulk	½" x 60 yd.	72 Rolls per case
00-051115-63893-0	Small Pack	¾" x 60 yd.	12 Rolls per case
00-051115-63892-3	Bulk	¾" x 60 yd.	48 Rolls per case
00-051115-63949-4	Bulk	1" x 60 yd.	36 Rolls per case
00-051115-63951-7	Bulk	2" x 60 yd.	24 Rolls per case

Foil Tapes



3M™ Aluminum Foil Tape 3380

Annealed aluminum foil, acrylic pressure sensitive adhesive and easy-release PE coated kraft liner. 3.3 mil thickness.

UPC	Color	Size	Case Qty/Units
00-051125-65802-7	Silver	1" x 50 yd.	48 Rolls per case
00-051138-96211-1	Silver	2-½" x 60 yd.	48 Rolls per case
00-051138-96258-6	Silver	4" x 60 yd.	15 Rolls per case
00-051111-97419-3	Silver	48 mm x 45 m	24 Rolls per case
00-051111-97421-6	Silver	72 mm x 45 m	24 Rolls per case

3M™ Foil Tape 3340

Aluminum foil backing and a pressure sensitive acrylic adhesive and paper liner. UL181A-P/B-FX Listed for HVAC systems. Resists flame, resists moisture, resists weather, resists UV degradation, chemical-resistant tape, thermally conductive tape for heating and cooling efficiency, heat reflective tape, light reflective tape, conformable tape.

UPC	Color	Size	Case Qty/Units
00-051111-07811-2	Silver	2-½" x 50 yd.	9 Rolls per case
00-051115-64324-8	Silver	72 mm x 45.7 m	16 Rolls per case

Specialty Tapes


Foil Tapes



3M™ Metallized Flexible Duct Tape 3350

Polypropylene tape with cold weather acrylic adhesive. For use with flexible ducts. Resists flame, moisture, UV degradation, chemical attack. UL 181 B-FX Listed. Metallized flexible duct tape. 3.1 mil thickness.

UPC	Description	Color	Size	Case Qty/Units
00-051111-07817-4	Individually labeled	Silver	48 mm x 109.6 m	12 Rolls per case



3M™ Aluminum Foil Tape 3381

Annealed aluminum foil, acrylics pressure sensitive adhesive. The foil also serves as an excellent barrier against moisture, dust, flame and certain chemicals. 2.7 mil thickness.


UPC	Size	Case Qty/Units
00-051111-07812-9	1.88" x 50 yd.	12 Rolls per case



3M™ Aluminum Foil Tape 4380

Annealed aluminum foil tape with acrylic pressure sensitive adhesive for superior temperature, UV and solvent resistance. 3.3 mil thickness.

UPC	Color	Size	Case Qty/Units
00-051111-92862-2	Silver	1" x 55 yd.	36 Rolls per case
00-051125-65866-9	Silver	2" x 200 yd.	6 Rolls per case
00-051111-92863-9	Silver	2" x 55 yd.	24 Rolls per case
00-051125-65864-5	Silver	2" x 60 yd.	24 Rolls per case
00-051138-96212-8	Silver	2-½" x 60 yd.	12 Rolls per case
00-051111-92864-6	Silver	3" x 55 yd.	16 Rolls per case
00-051125-65863-8	Silver	4" x 200 yd.	3 Rolls per case
00-051138-96297-5	Silver	4" x 60 yd.	12 Rolls per case
00-051125-65865-2	Silver	6" x 60 yd.	8 Rolls per case



3M™ FSK Facing Tape 3320

High performance reinforced insulation tape of Foil/Scrim/Kraft. UL Listed and Mold Resistant. FSK has a special acrylic adhesive which excels in very cold and hot temps. Use for a vapor barrier on fibrous duct board for sheet metal ducts. 6.7 mil thickness. UL 723 listed.

UPC	Description	Color	Size	Case Qty/Units
00-051115-31530-5	Individually labeled	Silver	48 mm x 45.7 m	24 Rolls per case
00-051115-31531-2	Individually labeled	Silver	72 mm x 45.7 m	16 Rolls per case
00-051115-31532-9	Individually labeled	Silver	99 mm x 45.7 m	12 Rolls per case



3M™ Roof and Gutter Repair Tape 3382

General purpose aluminum foil tape offering two outer layers of aluminum foil surrounding a polyester film core combined with an acrylic pressure sensitive adhesive with an easy release PE coated kraft liner. Puncture and tear resistant. 4.2 mil.

UPC	Description	Color	Size	Case Qty/Units
00-051111-07818-1	Individually labeled	Silver	1.88" x 10.9 yd.	12 Rolls per case

Specialty Tapes

Foam Tape



3M™ Extreme Sealing Tape 4411G & 4412G

Highly conformable single-side acrylic tape with a high performance ionomer backing. Creates watertight seals over many substrates. Conforms over contours, edges, rivets and screwheads. Paintable with good outdoor durability.

UPC	Thickness	Color	Size	Case Qty/Units
00-051115-63195-5	1.0 mm	Gray	2" x 36 yd.	6 Rolls per case
00-051115-63197-9	2.0 mm	Gray	2" x 18 yd.	6 Rolls per case

3M™ Extreme Single Coated Sealing Tape 4412N

Highly conformable single-side acrylic tape with a high performance ionomer backing. Creates watertight seals over many substrates. Conforms over contours, edges, rivets and screwheads. Paintable with good outdoor durability.

UPC	Thickness	Color	Size	Case Qty/Units
00-051128-98846-6	1.0 mm	Translucent	1-½" x 5 yd.	12 Rolls per case
00-051111-92277-4	2.0 mm	Translucent	1" x 18 yd.	9 Rolls per case
00-051111-92278-1	2.0 mm	Translucent	2" x 18 yd.	6 Rolls per case
00-051111-92279-8	2.0 mm	Translucent	2-½" x 18 yd.	3 Rolls per case
00-051111-92280-4	2.0 mm	Translucent	3" x 18 yd.	3 Rolls per case
00-051111-92281-1	2.0 mm	Translucent	4" x 18 yd.	2 Rolls per case

Glass Cloth Tape




3M™ Glass Cloth Tape 361

6.4 mil (0.16 mm) thick, glass cloth tape with silicone adhesive. Used for many applications requiring high temperature resistance, high adhesion, and a very strong, abrasion-resistant backing for durable masking protection for applications like thermal spray operations. Meets F.A.R. 25.853 specification.

UPC	Description	Color	Size	Case Qty/Units
00-021200-73560-8	Bulk	White	¼" x 60 yd.	144 Rolls per case
00-021200-07116-4	Boxed	White	½" x 60 yd.	18 Rolls per case
00-051138-94651-7	Mini	White	¾" x 60 yd.	12 Rolls per case
00-021200-07117-1	Boxed	White	¾" x 60 yd.	12 Rolls per case
00-021200-23713-3	Individually labeled	White	1" x 60 yd.	9 Rolls per case
00-051138-94652-4	Mini	White	1" x 60 yd.	9 Rolls per case
00-051138-94650-0	Mini	White	2" x 60 yd.	6 Rolls per case
00-021200-04275-1	Bulk	White	2" x 60 yd.	24 Rolls per case

Specialty Tapes

Mounting Tapes



3M™ Extra-thick Multipurpose Indoor Mounting Tape 4008

Immediately bonds to many indoor textured surfaces, fills gaps between surfaces, and permanently mounts dispensers and signs.

UPC	Size	Case Qty/Units
00-051115-25525-0	¾" x 7 yd.	12 Rolls per case



3M™ Double Coated Urethane Foam Tape 4016

Replaces screws and liquid adhesives, immediately bonds to many indoor surfaces, and permanently mounts dispensers and signs. Thick, double-coated open-cell urethane foam tape with a paper liner. ⅛" thick.

UPC	Description	Size	Case Qty/Units
00-021200-06454-8	Bulk	¾" x 36 yd.	12 Rolls per case
00-051115-25524-3	Bulk	¾" x 15 yd.	12 Rolls per case
00-021200-06455-5	Bulk	1" x 36 yd.	9 Rolls per case



3M™ VHB™ Heavy Duty Clear Outdoor/Indoor Mounting Tape 4910

General purpose adhesive bonds to most higher surface energy substrates including metal, glass and high surface energy plastics. 40.0 mil.

UPC	Color	Size	Case Qty/Units
00-051115-25523-6	Clear	¾" x 15 yd.	12 Rolls per case



3M™ VHB™ Heavy Duty Outdoor/Indoor Mounting Tape 5952

A very conformable foam that bonds and seals simultaneously to withstand vibration, impact and weathering. 45.0 mil. Meets F.A.R. 25.853 specification.

UPC	Description	Color	Size	Case Qty/Units
00-021200-74122-7	Small Pack	Black	½" x 36 yd.	4 Rolls per case
00-021200-59967-5	–	Black	½" x 36 yd.	18 Rolls per case
00-051115-25522-9	–	Black	¾" x 15 yd.	12 Rolls per case
00-021200-97056-6	Bulk	Black	¾" x 36 yd.	12 Rolls per case
00-021200-74123-4	Small Pack	Black	¾" x 36 yd.	3 Rolls per case
00-021200-74121-0	Small Pack	Black	1" x 36 yd.	2 Rolls per case
00-021200-56229-7	–	Black	1" x 36 yd.	9 Rolls per case



3M™ VHB™ Heavy Duty Outdoor/Indoor Mounting Tape 5952WF

A very conformable foam that bonds and seals simultaneously to withstand vibration, impact and weathering. 45.0 mil.

UPC	Color	Size	Case Qty/Units
00-051115-63869-5	White	½" x 36 yd.	18 Rolls per case
00-051115-69038-9	White	¾" x 15 yd.	12 Rolls per case
00-051115-63870-1	White	1" x 36 yd.	9 Rolls per case





3M™ VHB™ Tape 4910

General purpose acrylic adhesive, thickness 0.040" (1.0 mm), red PE film liner.

UPC	Color	Size	Case Qty/Units
00-021200-84151-4	Clear	½" x 36 yd.	18 Rolls per case
00-021200-64588-4	Clear	½" x 36 yd.	4 Rolls per case
00-021200-39388-4	Clear	¾" x 36 yd.	36 Rolls per case
00-021200-84152-1	Clear	¾" x 36 yd.	12 Rolls per case
00-021200-64589-1	Clear	¾" x 36 yd.	3 Rolls per case
00-021200-64590-7	Clear	1" x 36 yd.	2 Rolls per case
00-021200-84153-8	Clear	1" x 36 yd.	9 Rolls per case

Specialty Tapes

Mounting Tapes



3M™ VHB™ Tape 5925

Very conformable foam, modified acrylic adhesive, thickness 0.025" (0.64 mm), red PE film liner. UL 746C -File MH17478. 25.0 mil.

UPC	Color	Size	Case Qty/Units
00-021200-56297-6	Black	¼" x 36 yd.	36 Rolls per case
00-021200-56230-3	Black	½" x 72 yd.	18 Rolls per case
00-021200-56228-0	Black	1" x 72 yd.	9 Rolls per case

3M™ VHB™ Tape 5925WF

Very conformable foam, modified acrylic adhesive, thickness 0.025" (0.64 mm), red PE film liner. UL 746C -File MH17478. 25.0 mil.

UPC	Color	Size	Case Qty/Units
00-051115-63866-4	White	1" x 72 yd.	9 Rolls per case

3M™ VHB™ Tape 5962

Very conformable foam, modified acrylic adhesive, 62.0 mil, red PE film liner. UL 746C -File MH17478.

UPC	Color	Size	Case Qty/Units
00-021200-74165-4	Black	1" x 36 yd.	9 Rolls per case

3M™ VHB™ Tape 5962WF


Very conformable foam, modified acrylic adhesive, 62.0 mil thickness, red PE film liner. UL 746C -File MH17478.

UPC	Color	Size	Case Qty/Units
00-051115-63871-8	White	½" x 36 yd.	18 Rolls per case
00-051115-63872-5	White	1" x 36 yd.	9 Rolls per case

3M™ VHB™ Tape RP45

3M™ VHB™ Tape RP45 is a conformable, double-sided, pressure sensitive, closed-cell acrylic foam tape with a paper liner.

UPC	Color	Size	Case Qty/Units
00-051115-81752-6	Gray	½" x 5 yd. x ⅛"	12 Rolls per case
00-051115-81755-7	Gray	¾" x 5 yd. x ⅛"	12 Rolls per case



Specialty Tapes


Polyester Tape



3M™ Polyester Tape 8991

2.4 mil, blue polyester tape with silicone adhesive. Used in a large variety of high temperature masking applications including powder coating and flash breaker/bag sealing applications. Additional applications include splicing, tabbing, or roll closing silicone treated liners or materials. Works well for sharp, clean paint edges.

UPC	Description	Color	Size	Case Qty/Units
00-051115-64728-4	Bulk	Blue	½" x 72 yd.	72 Rolls per case
00-051115-71314-9	Individually labeled	Blue	¾" x 72 yd.	48 Rolls per case
00-051115-64729-1	Bulk	Blue	¾" x 72 yd.	48 Rolls per case
00-051115-64731-4	Bulk	Blue	1-½" x 72 yd.	24 Rolls per case
00-051115-64730-7	Bulk	Blue	1" x 72 yd.	36 Rolls per case
00-051115-71315-6	Individually labeled	Blue	2" x 72 yd.	24 Rolls per case
00-051115-64732-1	Bulk	Blue	2" x 72 yd.	24 Rolls per case
00-051115-64733-8	Bulk	Blue	3" x 72 yd.	12 Rolls per case
00-051115-64734-5	Bulk	Blue	4" x 72 yd.	8 Rolls per case



3M™ Polyester Tape 8992


3.2 mil, green polyester tape with silicone adhesive. Used in a large variety of high temperature (up to 400°F) masking applications including powder coating and flashbreaker/bag sealing applications. Additional applications include splicing, tabbing, or roll closing silicone treated liners or materials. Polyester backing with silicone adhesive provides high tear resistance, good temperature resistance, long-term aging, high strength backing.

UPC	Description	Color	Size	Case Qty/Units
00-051115-64713-0	Bulk	Green	½" x 72 yd.	72 Rolls per case
00-051115-71317-0	Individually labeled	Green	¾" x 72 yd.	48 Rolls per case
00-051115-64714-7	Bulk	Green	¾" x 72 yd.	48 Rolls per case
00-051115-71316-3	Individually labeled	Green	1" x 72 yd.	36 Rolls per case
00-051115-64715-4	Bulk	Green	1" x 72 yd.	36 Rolls per case
00-051115-64717-8	Bulk	Green	1-½" x 72 yd.	24 Rolls per case
00-051115-64721-5	Bulk	Green	2-¼" x 72 yd.	12 Rolls per case
00-051115-64719-2	Bulk	Green	2" x 72 yd.	24 Rolls per case
00-051115-64720-8	Bulk	Green	3" x 72 yd.	12 Rolls per case
00-051115-64722-2	Bulk	Green	4" x 72 yd.	8 Rolls per case



Specialty Tapes

Polyimide Tape




3M™ Polyimide Tape 8997 & 8998

An amber colored polyimide tape with silicone pressure sensitive adhesive. Tape construction is ideal for applications that may require high temperature, chemical, and abrasion resistance with the benefit of transparency. Used for masking parts for powder coat painting.

UPC	ID	Color	Size	Case Qty/Units
00-051128-98855-8	8997	Light Amber	½" x 36 yd., 1 mil	72 Rolls per case
00-051128-98856-5	8997	Light Amber	¾" x 36 yd., 1 mil	48 Rolls per case
00-051128-98857-2	8997	Light Amber	1" x 36 yd., 1 mil	36 Rolls per case
00-051128-98858-9	8997	Light Amber	1-½" x 36 yd., 1 mil	24 Rolls per case
00-051128-98859-6	8997	Light Amber	2" x 36 yd., 1 mil	24 Rolls per case
00-051128-98860-2	8997	Light Amber	3" x 36 yd., 1 mil	12 Rolls per case
00-051128-98861-9	8997	Light Amber	4" x 36 yd., 1 mil	8 Rolls per case
00-051128-98864-0	8998	Dark Amber	½" x 36 yd., 2 mil	72 Rolls per case
00-051128-98865-7	8998	Dark Amber	¾" x 36 yd., 2 mil	48 Rolls per case
00-051128-98866-4	8998	Dark Amber	1" x 36 yd., 2 mil	36 Rolls per case
00-051128-98867-1	8998	Dark Amber	1-½" x 36 yd., 2 mil	24 Rolls per case
00-051128-98868-8	8998	Dark Amber	2" x 36 yd., 2 mil	24 Rolls per case
00-051128-98869-5	8998	Dark Amber	3" x 36 yd., 2 mil	12 Rolls per case
00-051128-98870-1	8998	Dark Amber	4" x 36 yd., 2 mil	8 Rolls per case

PTFE Tapes



3M™ General Purpose PTFE Glass Cloth Tape 5151

5.3 mil (0.13 mm) glass cloth impregnated with PTFE and coated with a silicone adhesive. PTFE combined with glass cloth is resistant to most chemicals, provides a slick surface, high tensile strength, puncture resistance and abrasion resistance with low moisture absorption. Provides long lasting, easy release performance on heat sealing machines and process equipment. Also used to keep production moving smoothly through conveying chutes, troughs and ducts.

UPC	Description	Color	Size	Case Qty/Units
00-021200-45632-9	Bulk	Light Brown	2" x 36 yd.	24 Rolls per case

Specialty Tapes

PTFE Tapes



3M™ PTFE Film Tape 5490 Gray

PTFE extruded film with silicone adhesive, provides an exceptionally slick surface when applied and resists curling during unwind. Heat resistant to 500°F. Chemical-resistant surface for sealing and masking. Reduces friction, anti-stick, easy release, sound management, squeak and rattle prevention, noise reduction, high strength, abrasion resistance.

UPC	Description	Color	Size	Case Qty/Units
00-051138-96263-0	Boxed	Gray	.354" x 36 yd.	36 Rolls per case
00-021200-73535-6	Bulk	Gray	¾" x 36 yd.	12 Rolls per case
00-048011-53926-3	Bulk	Gray	1" x 11 yd.	50 Rolls per case
00-021200-07281-9	Boxed	Gray	1" x 36 yd.	9 Rolls per case
00-021200-07279-6	Boxed	Gray	½" x 36 yd.	18 Rolls per case
00-021200-07284-0	Bulk	Gray	¼" x 36 yd.	36 Rolls per case
00-021200-07282-6	Bulk	Gray	1-½" x 36 yd.	6 Rolls per case
00-021200-39076-0	Bulk	Gray	1-¼" x 36 yd.	6 Rolls per case
00-021200-73588-2	Bulk	Gray	1-¾" x 36 yd.	6 Rolls per case
00-021200-07283-3	Boxed	Gray	2" x 36 yd.	6 Rolls per case
00-051138-95679-0	Boxed	Gray	2" x 72 yd.	7 Rolls per case
00-021200-05876-9	Boxed	Gray	3" x 36 yd.	3 Rolls per case
00-051138-94815-3	Bulk	Gray	3-½" x 72 yd.	3 Rolls per case
00-051138-95680-6	Boxed	Gray	4" x 72 yd.	3 Rolls per case
00-021200-30124-7	Bulk	Gray	5" x 36 yd.	2 Rolls per case

UHMW Tapes



3M™ Squeak Reduction Tape 9324

Black, 6.5 mil (0.17 mm) UHMW polyethylene film with acrylic adhesive. Used in the automotive industry to help control squeaks and rattles due to vibration or wear of metal and plastic materials. Provides excellent abrasion resistance, low coefficient of friction, black colored version of 5430, kraft paper liner for applications requiring die cuts.

UPC	Color	Size	Case Qty/Units
00-021200-38741-8	Black	1-½" x 36 yd.	6 Rolls per case
00-021200-38826-2	Black	1" x 36 yd.	9 Rolls per case
00-021200-30200-8	Black	1" x 108 yd.	18 Rolls per case
00-021200-38868-2	Black	2" x 36 yd.	6 Rolls per case
00-051138-94781-1	Black	3" x 108 yd.	4 Rolls per case
00-051138-94661-6	Black	3" x 36 yd.	4 Rolls per case
00-051115-05734-2	Black	¾" x 36 yd.	12 Rolls per case
00-051115-05950-6	Black	4" x 72 yd.	3 Rolls per case

Specialty Tapes

Vinyl Tapes



3M™ Safety Stripe Tape 5700

We developed our 3M™ Safety Stripe Tape 5700 as an effective means for marking lanes, hazardous areas, protruding equipment, and low hanging objects in factories, warehouses, and hospitals. The vivid white and black color of the diagonal stripes are locked into the vinyl for high visibility, helping to prevent injuries.

UPC	Description	Color	Size	Case Qty/Units
00-021200-04367-3	Bulk	Black/White	2" x 36 yd.	24 Rolls per case
00-051115-68820-1	Individually labeled	Black/White	3" x 36 yd.	12 Rolls per case



3M™ Safety Stripe Tape 5702

3M™ Safety Stripe Tape 5702 is ideal for marking lanes, hazardous areas, protruding equipment and low hanging objects in factories, warehouses and hospitals. We use vivid, high visibility yellow and black diagonal stripes that lock into the vinyl to alert people about hazardous conditions.

UPC	Description	Color	Size	Case Qty/Units
00-021200-42892-0	Bulk	Black/Yellow	1" x 36 yd.	36 Rolls per case
00-051115-68829-4	Individually labeled	Black/Yellow	1" x 36 yd.	36 Rolls per case
00-051115-68827-0	Individually labeled	Black/Yellow	2" x 36 yd.	24 Rolls per case
00-021200-04585-1	Bulk	Black/Yellow	2" x 36 yd.	24 Rolls per case
00-021200-03951-5	Bulk	Black/Yellow	3" x 36 yd.	12 Rolls per case
00-051115-68826-3	Individually labeled	Black/Yellow	3" x 36 yd.	12 Rolls per case



3M™ Vinyl Tape 471

High performance vinyl tape with vivid color. Excellent for lane and safety marking applications. Ideal for color coding, abrasion protection, decoration and splicing applications. 5.2 mil thick vinyl backing with a rubber adhesive. Maintains color even when exposed to heavy abrasion. Conformable, dead stretch properties are ideal for taping, wrapping, or sealing many curved, convex, or irregular surfaces. Clean removal, good solvent resistance.

UPC	Description	Color	Size	Case Qty/Units
00-021200-30761-4	Boxed	Black	⅛" x 36 yd.	144 Rolls per case
00-021200-07196-6	Boxed	Black	¼" x 36 yd.	144 Rolls per case
00-021200-07198-0	Boxed	Black	½" x 36 yd.	72 Rolls per case
00-051115-68834-8	Individually labeled	Black	¾" x 36 yd.	48 Rolls per case
00-021200-03114-4	Bulk	Black	¾" x 36 yd.	48 Rolls per case
00-021200-07197-3	Boxed	Black	⅞" x 36 yd.	12 Rolls per box, 8 Boxes per case
00-051115-68824-9	Individually labeled	Black	2" x 36 yd.	24 Rolls per case
00-051115-68839-3	Individually labeled	Black	4" x 36 yd.	8 Rolls per case
00-021200-03118-2	Bulk	Black	4" x 36 yd.	8 Rolls per case
00-051111-92385-6	Boxed	Blue	⅛" x 36 yd.	144 Rolls per case
00-051115-68845-4	Individually labeled	Blue	¼" x 36 yd.	144 Rolls per case
00-021200-61192-6	Bulk	Blue	¼" x 36 yd.	144 Rolls per case
00-051131-36405-9	Boxed	Blue	¼" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-021200-85611-2	Boxed	Blue	⅝" x 36 yd.	12 Rolls per box, 8 Boxes per case
00-021200-03119-9	Bulk	Blue	½" x 36 yd.	72 Rolls per case
00-051131-36408-0	Boxed	Blue	½" x 36 yd.	12 Rolls per box, 6 Boxes per case

Specialty Tapes

Vinyl Tapes



3M™ Vinyl Tape 471

UPC	Description	Color	Size	Case Qty/Units
00-051131-36409-7	Boxed	Blue	¾" x 36 yd.	12 Rolls per box, 4 Boxes per case
00-051115-68843-0	Individually labeled	Blue	¾" x 36 yd.	48 Rolls per case
00-021200-03120-5	Bulk	Blue	¾" x 36 yd.	48 Rolls per case
00-021200-03121-2	Bulk	Blue	1" x 36 yd.	36 Rolls per case
00-051115-68847-8	Individually labeled	Blue	1" x 36 yd.	36 Rolls per case
00-051115-68863-8	Individually labeled	Blue	2" x 36 yd.	24 Rolls per case
00-021200-04308-6	Bulk	Blue	2" x 36 yd.	24 Rolls per case
00-051115-68849-2	Individually labeled	Blue	3" x 36 yd.	12 Rolls per case
00-021200-03122-9	Bulk	Blue	3" x 36 yd.	12 Rolls per case
00-051115-68842-3	Individually labeled	Blue	4" x 36 yd.	8 Rolls per case
00-021200-40226-5	Bulk	Blue	4" x 36 yd.	8 Rolls per case
00-021200-30763-8	Boxed	Brown	¼" x 36 yd.	144 Rolls per case
00-051115-68851-5	Individually labeled	Brown	¾" x 36 yd.	48 Rolls per case
00-021200-05112-8	Bulk	Brown	¾" x 36 yd.	48 Rolls per case
00-051115-68858-4	Individually labeled	Brown	2" x 36 yd.	24 Rolls per case
00-021200-04309-3	Bulk	Brown	2" x 36 yd.	24 Rolls per case
00-051115-68848-5	Individually labeled	Brown	3" x 36 yd.	12 Rolls per case
00-021200-05113-5	Bulk	Brown	3" x 36 yd.	12 Rolls per case
00-021200-30760-7	Boxed	Green	⅙" x 36 yd.	144 Rolls per case
00-021200-07233-8	Boxed	Green	½" x 36 yd.	12 Rolls per box, 6 Boxes per case
00-051115-68871-3	Individually labeled	Green	¾" x 36 yd.	48 Rolls per case
00-021200-03144-1	Bulk	Green	¾" x 36 yd.	48 Rolls per case
00-021200-07234-5	Boxed	Green	1" x 36 yd.	12 Rolls per box, 3 Boxes per case
00-051115-68822-5	Individually labeled	Green	2" x 36 yd.	24 Rolls per case
00-051115-68868-3	Individually labeled	Green	3" x 36 yd.	12 Rolls per case
00-021200-06468-5	Bulk	Green	3" x 36 yd.	12 Rolls per case
00-021200-30764-5	Boxed	Orange	⅙" x 36 yd.	144 Rolls per case
00-021200-05826-4	Boxed	Orange	¼" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-021200-07473-8	Boxed	Orange	½" x 36 yd.	12 Rolls per box, 6 Boxes per case
00-021200-07474-5	Boxed	Orange	1" x 36 yd.	12 Rolls per box, 3 Boxes per case
00-051115-68835-5	Individually labeled	Purple	¾" x 36 yd.	48 Rolls per case
00-021200-55153-6	Bulk	Purple	¾" x 36 yd.	48 Rolls per case
00-051115-68838-6	Individually labeled	Purple	2" x 36 yd.	24 Rolls per case
00-021200-48424-7	Bulk	Purple	2" x 36 yd.	24 Rolls per case
00-021200-30767-6	Boxed	Red	⅙" x 36 yd.	144 Rolls per case
00-051115-68821-8	Individually labeled	Red	1" x 36 yd.	36 Rolls per case
00-021200-03107-6	Bulk	Red	1" x 36 yd.	36 Rolls per case
00-021200-07205-5	Boxed	Red	¼" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-051115-68819-5	Individually labeled	Red	¾" x 36 yd.	48 Rolls per case
00-021200-03106-9	Bulk	Red	¾" x 36 yd.	48 Rolls per case
00-021200-07206-2	Boxed	Red	⅝" x 36 yd.	12 Rolls per box, 8 Boxes per case
00-021200-07207-9	Boxed	Red	½" x 36 yd.	72 Rolls per case
00-051115-68866-9	Individually labeled	Red	2" x 36 yd.	24 Rolls per case
00-021200-04305-5	Bulk	Red	2" x 36 yd.	24 Rolls per case
00-051115-68825-6	Individually labeled	Red	3" x 36 yd.	12 Rolls per case
00-021200-06469-2	Bulk	Red	3" x 36 yd.	12 Rolls per case
00-051115-68828-7	Individually labeled	Red	4" x 36 yd.	8 Rolls per case
00-021200-03110-6	Bulk	Red	4" x 36 yd.	8 Rolls per case
00-051115-23332-6	Boxed	Red	48" x 36 yd.	1 Roll per case

Specialty Tapes

Vinyl Tapes



3M™ Vinyl Tape 471

UPC	Description	Color	Size	Case Qty/Units
00-021200-05802-8	Boxed	Transparent	¾" x 36 yd.	48 Rolls per case
00-021200-04314-7	Bulk	Transparent	2" x 36 yd.	24 Rolls per case
00-051115-68823-2	Individually labeled	Transparent	2" x 36 yd.	24 Rolls per case
00-021200-07188-1	Boxed	White	1-½" x 36 yd.	12 Rolls per box, 2 Boxes per case
00-021200-07186-7	Boxed	White	½" x 36 yd.	12 Rolls per box, 6 Boxes per case
00-051115-68864-5	Individually labeled	White	¾" x 36 yd.	48 Rolls per case
00-021200-03135-9	Bulk	White	¾" x 36 yd.	48 Rolls per case
00-021200-03136-6	Bulk	White	1" x 36 yd.	36 Rolls per case
00-051115-68867-6	Individually labeled	White	1" x 36 yd.	36 Rolls per case
00-051115-68853-9	Individually labeled	White	2" x 36 yd.	24 Rolls per case
00-021200-04311-6	Bulk	White	2" x 36 yd.	24 Rolls per case
00-051115-68870-6	Individually labeled	White	3" x 36 yd.	12 Rolls
00-021200-06466-1	Bulk	White	3" x 36 yd.	12 Rolls
00-051115-68872-0	Individually labeled	White	4" x 36 yd.	8 Rolls per case
00-021200-03139-7	Bulk	White	4" x 36 yd.	8 Rolls per case
00-021200-07180-5	Bulk	Yellow	½" x 36 yd.	48 Rolls per case
00-021200-05818-9	Boxed	Yellow	¼" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-021200-30768-3	Boxed	Yellow	⅛" x 36 yd.	12 Rolls per box, 12 Boxes per case
00-051111-07104-5	Bulk	Yellow	.39" x 36 yd.	48 Rolls per case
00-051115-68852-2	Individually labeled	Yellow	¾" x 36 yd.	48 Rolls per case
00-021200-03127-4	Bulk	Yellow	¾" x 36 yd.	48 Rolls per case
00-051115-68855-3	Individually labeled	Yellow	1" x 36 yd.	36 Rolls per case
00-021200-03128-1	Boxed	Yellow	1" x 36 yd.	9 Rolls per box, 4 Boxes per case
00-021200-07182-9	Boxed	Yellow	1-½" x 36 yd.	12 Rolls per box, 6 Boxes per case
00-051115-68856-0	Individually labeled	Yellow	2" x 36 yd.	24 Rolls per case
00-021200-04310-9	Bulk	Yellow	2" x 36 yd.	24 Rolls per case
00-051115-68860-7	Individually labeled	Yellow	3" x 36 yd.	12 Rolls per case
00-021200-06470-8	Bulk	Yellow	3" x 36 yd.	12 Rolls per case
00-051115-68862-1	Individually labeled	Yellow	4" x 36 yd.	8 Rolls per case
00-021200-03131-1	Bulk	Yellow	4" x 36 yd.	8 Rolls per case



3M™ High Power Brake Cleaner 08880

High power, general purpose degreaser designed to remove oil, grease, brake fluid and other contaminants from all types of brake assemblies. Leaves no residue and helps eliminate disc brake squeal and chatter. NOT FOR SALE IN CALIFORNIA.

UPC	Size	Case Qty/Units
00-051135-08880-7	14 oz.	12/Case



3M™ High Power Brake Cleaner 08180

3M™ High Power Brake Cleaner blasts away loose friction material, dirt, dust, brake fluid, and other contaminants from all types of brake assemblies. Its fast cleaning action quickly softens and dissolves grease and oil. Its unique chemistry has a low odor, it dries quickly, leaves no residue, and helps eliminate brake noises due to surface contamination. It contains no Chlorinated Solvents. NOTE: Cleaner may instantly damage paint and some plastics. Avoid contact with automotive finishes and decorative finishes.

UPC	Size	Case Qty/Units
00-051135-08180-8	14 oz.	12/Case



Additional Information

WARNING

SORBENT PRODUCTS

Failure to properly handle and dispose of sorbents contaminated by hazardous materials could result in serious physical injury or death. For proper handling, consult the Material Safety Data Sheet for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M CSD Technical Service in the USA at 1-800-626-8578.

WARNING



RESPIRATORY PRODUCTS

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including, but not limited to, training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

WARNING

EYE & FACE PRODUCTS

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and *User Instructions* may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

WARNING

HARD HATS

3M™ Hard Hat H-700 Series and 3M™ Hard Hat H-800 Series provide limited protection only. **Misuse or failure to follow warnings and *User Instructions* may result in serious personal injury or death.** For proper use and selection see Supervisor, *User Instructions* or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

WARNING

HEARING PROTECTION PRODUCTS

Caution: When worn according to the *User Instructions*, this hearing protector helps reduce exposure to both continuous noises, such as industrial noises and noises from vehicles and aircraft, as well as very loud impulse noises, such as gunfire. It is difficult to predict the required and/or actual hearing protection obtained during exposure to impulse noises. For gunfire, the weapon type, number of rounds fired, proper selection, fit and use of hearing protection, proper care of hearing protection, and other variables will impact performance. If your hearing seems dulled or you hear a ringing or buzzing during or after any noise exposure (including gunfire), or for any other reason you suspect a hearing problem, your hearing may be at risk. To learn more about hearing protection for impulse noise, visit www.3M.com/hearing.

Choking Hazard—Keep away from infants and small children. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

WARNING

WELDING HELMETS

This product is designed to help protect the wearer's eyes and face from harmful radiation including visible light, ultra-violet radiation (UV), infra-red radiation (IR), sparks and spatter resulting from welding processes. These products must be used only by qualified persons who are properly trained in their use and maintenance. **Misuse may result in permanent eye injury and vision loss.** Always wear ANSI Z87.1 compliant safety spectacles in addition to any welding helmet. For proper use, see supervisor, or *User Instructions* or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

IMPORTANT NOTICE TO PURCHASER

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer: Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



Industrial Market Center
3M Center, Building 225
St. Paul, MN 55144 USA
www.3M.com

3M, Accuspray, Adflo, Aqua-Pure, Classic, Cool Flow, Cubitron, Doodlebug, Dual Lock, E-A-R, E-A-Rfit, E-A-Rform, E-A-Rsoft, EPX, Express, Fastbond, FX, Hookit, Neon, Nomad, Optime, PELTOR, Perfect-It, Pistonz, Platinum, Pod Plugs, PPS, Push-Ins, Roloc, Safety-Walk, Scotch, Scotch-Brite, Scotchgard, ScotchPad, Scotch-Weld, SecureFit, Sharpshooter, Skull Screws, Speedglas, Stikit, Super 77, TaperFit, Tri-Flange, Trizact, Troubleshooter, UltraFit, UVicator, VHB, and Virtua are all trademarks of 3M. All other trademarks are the property of their respective owners.

Please recycle. Printed in USA. © 3M 2016.
All rights reserved. 78-6901-2400-9