2021 Product Guide



blanco.com



BLANCO UNIT drink. prep. clean.

MAKING KITCHEN LIFE EASIER



TABLE OF CONTENTS

BLANCO UNIT.	
How to choose a Sink	. 6
SILGRANIT [®] Sinks	. 8
VINTERA	11
IKON	12
METRA	14
PERFORMA	16
PRECIS	18
	21 24
VISION	
Stainles Steel Sinks	
PRECISION	
RADIUS 10	
ANDANO	
QUATRUS R15	
QUATRUS	
	40
	41
ESSENTIAL	42
Fireclay Sinks	44
PROFINA	
CERANA	46
Farmhouse Sinks	47
SILGRANIT Farmhouse Sinks	48
	49
Stainless Steel Farmhouse Sinks	50
Universally Accessible Sinks	51
SILGRANIT ADA / CSA Sinks	
Stainless Steel ADA / CSA Sinks	53
Bar / Prep Sinks	
SILGRANIT Bar / Prep Sinks	
Stainless Steel Bar / Prep Sinks	56
Laundry Sinks	
SILGRANIT Laundry Sinks	
Stainless Steel Laundry Sinks	59
How to choose a Faucet	60
Faucets and Soap Dispensers	61
SOLENTA	.65
BLANCOCULINA	65
	66
ARTONA	67
	68
	69
	70 71
PANERA	72
EMPRESSA	73
SOLA	74
Soap Dispenser	75
	73 77
Warranty	85



What is a BLANCO UNIT?

A BLANCO UNIT is a fully integrated sink, faucet and accessory system that enhances your experience with water. The perfect combination of premium products for drinking water, preparing food and cleaning, making kitchen life easier.

THE BLANCO UNIT

Everything you need, all in one place.





Your source of water. Water plays an essential role in your kitchen. Choose a beautifully designed faucet that is functional, intelligent and colour-coordinated with your sink.



Focus on the food. Streamline meal prep, reduce clean-up and simplify your workflow with premium sink and accessory combinations







SOLON.

BLANCO

HOW TO CHOOSE A SINK



1. Determine the size of your sink cabinet



• Standard kitchen cabinets come in size increments of 3" (for example 18", 21" 24", 27", 30", 33", 36" etc.).

• Measure from gable to gable (left to right). Be sure to measure from outside edge to outside edge.

• This is the minimum cabinet size. All BLANCO sinks indicate the minimum cabinet size requirements.

2. Determine the depth of your countertop

Are you keeping an existing laminate countertop that has a backsplash?

For laminate or stone countertops without a backsplash.



A sink that measures up to 20 1/2" deep (front to back) should fit.



A sink that measures up to 22" deep (front to back) should fit.

When installing an undermount sink, it is important to ensure that enough space is allocated for the faucet, fixtures and other materials behind the sink. We recommend consulting your installer.

3. Sink material

SILGRANIT	Stainless Steel	Fireclay
 Patented granite composite material Extremely durable: scratch, stain, heat & impact resistant Variety of colours Easy to clean 	 Heat and stain resistant BLANCO stainless steel sinks come equipped with sound absorbing pads to reduce noise 	 Ultra-smooth, polished surface High gloss white Easy to clean

4. Sink style

Rethink your sink with more style options! BLANCO offers farmhouse sinks, sinks with integrated drainboards, undermount and drop-ins - all with a variety of bowl configurations.

5. Bowl configuration and depth

Choose a bowl configuration based on how you use your kitchen and what will best suit the needs of your household.



6. Installation methods

Undermount

This is when your sink is installed under the counter. This requires a counter material that can have a polished edge around the sink opening (quartz, granite and marble are beautiful options). Undermount sinks can be installed with different reveals:



Drop-in / Topmount

This is when the sink is installed on top of the counter. Great for any countertop material, especially laminate which cannot have a clean, polished edge around the sink opening.

Farmhouse / Apron front

Most farmhouse sinks have a customized undermount installation, however please refer to individual product instructions for more details.

SILGRANIT® SINKS





DARE TO FALL IN LOVE

Silgranit sinks are admired around the world for their exclusive styles and designer colour palette. The kitchen has become a central point in our homes and your sink is an integral part of your daily kitchen routine. Dare to fall in love with a Silgranit sink.



Exclusive Designs

Our Silgranit portfolio is offered in 9 different colours and features over 300 exclusive sink designs. Striking hues like our latest Coal Black, will make your Silgranit sink the statement piece you've been looking for.







Unsurpassed Durability

A Silgranit sink is the ultimate choice for long-lasting kitchen bliss. Scuff marks, hot pans and baking trays straight from the oven – don't stand a chance against Silgranit.

Easy to Clean

Silgranit has a non-porous, smooth stone surface, making it stain-resistant and easy to clean. Our patented Hygienic+Plus surface protection formula reduces bacteria growth by an average of 98%.



Discover amazing new design opportunities with the ultimate matte-black accent for your kitchen. Our latest Silgranit colour, Coal Black, is a deep, intense, flat matte-black perfect for contemporary kitchens. Coal Black is the perfect choice for those who love bold design.

Silgranit's spectrum of nature-inspired neutrals:





Anthracite



Cinder



Metallic Gray







Truffle



Concrete Gray



Biscuit

VINTERA[™] Modern simplicity. Vintage inspired.



 Includes 3½" (90 mm) stainless steel strainer(s), cabinet template and installation instructions

Apron Front	VINTERA 33 EQUAL DOUBLE Apron	VINTERA 30 SUPER SINGLE Apron
	• 14 ¹ /4" ► • 14 ¹ /4" ►	■ 26 ⁹ /16" ■
	19"	
	■ 33" ► 15 ⁵ ⁄ ₁₆ "	30" ► 155%6"
Coal Black NEW	402597	402588
Anthracite	402590	402581
Café	402595	402586
Cinder	402591	402582
Metallic Gray	402592	402583
Truffle	402596	402587
Concrete Gray	402598	402589
Biscuit	402594	402585
White	402593	402584
Sink Specificat	tion	
Min. Cab. Size*	33" (840)	30" (760 mm)
Bowl Depth	9" (229 mm)	9" (229 mm)
Apron Front Depth	6½" (165 mm)	6½" (165 mm)
Note for	1	

Note for Vintera sinks:

To protect from damage, this model should be shipped on a pallet.

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

IKON® Apron front masterpiece defined.



• Includes 3½" (90 mm) stainless steel strainer(s), cabinet template and installation instructions

Apron Front	IKON 33	IKON 33 1¾ LOW DIVIDE	
	32 ⁵ /16" 33" aursa: 33" aursa: ∎ 15%e"	- 32 ⁵ /₁6" -12" -16 ⁵ /₁6" -12" - 33" grrss - 155%"	
Coal Black NEW	402644 NEW	402645 NEW	
Anthracite	401870	402331	
Café	401872	402333	
Cinder	402128	402334	
Metallic Gray	401874	402335	
Truffle	402129	402336	
Concrete Gray	402261	402338	
Biscuit	402130	402332	
White	401876	402337	
Sink Specification			
Min. Cab. Size*	36" (915 mm)	36" (915 mm)	
Bowl Depth	9¼" (235 mm)	9¼" (235 mm)	
Apron Front Depth	10" (254 mm)	10" (254 mm)	
Rim Thickness	1½" (38 mm)	1½" (38 mm)	
Note for Ikon sinks:	To protect from damage, this model should be shipped on a pallet. Cutout size: custom installation. Use sink as template.		
12 BLANCO	* Depending on cabinet construction, a different Consult the cabinet manufacturer.	cabinet size may be required.	

IKON SILGRANIT

Apron Front	IKON 30
	19" 19" 19" 155%
Coal Black NEW	402643 NEW
Anthracite	401831
Café	401832
Cinder	401858
Metallic Gray	401865
Truffle	401866
Concrete Gray	402262
Biscuit	401863
White	401833
Sink Specificat	tion
Min. Cab. Size*	33" (840 mm)
Bowl Depth	9¼" (235 mm)
Apron Front Depth	10" (254 mm)
Rim Thickness	11⁄2" (38 mm)
Note for Ikon sinks:	To protect from damage, this model should be shipped on a pallet. Cutout size: custom installation. Use sink as template.

Apron Front	IKON 27	
	26 ⁵ /16" 27" outside 15 ⁵ /16"	
Coal Black NEW	402642 NEW	
Anthracite	402233	
Café	402235	
Cinder	402236	
Metallic Gray	402237	
Truffle	402238	
Concrete Gray	402240	
Biscuit	402234	
White	402239	
Sink Specificat	tion	
Min. Cab. Size*	30" (760 mm)	
Bowl Depth	9¼" (235 mm)	
Apron Front Depth	10" (254 mm)	
Rim Thickness	11⁄2" (38 mm)	
Note for Ikon sinks:	To protect from damage, this model should be shipped on a pallet. Cutout size: custom installation. Use sink as template.	

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.



 \bullet Includes 31/2" (90 mm) stainless steel strainer(s), drop-in clips and installation instructions

Drop-in	METRA 8S	
	45 ¹¹ / ₁₆ "	
	 ⊲ 10 ¹³ ∕/6"► ⊲ 15 ³ ⁄4" ►	
Coal Black NEW	402648 NEW	
Anthracite	401638	
Café	401639	
Cinder	401640	
Metallic Gray	402247	
White	401641	
Sink Specification		
Min. Cab. Size*	33" (840 mm)	
Bowl Depth	7½" (190 mm)	
Note:	Reversible. Comes with overflow. 2 knock-out holes. To protect from damage, this model should be shipped on a pallet.	

METRA SILGRANIT

Drop-in	METRA X	
	Image: state	
Coal Black NEW	402647 NEW	
Anthracite	401045	
Café	401046	
Cinder	401413	
White	401335	
Sink Specification		
Min. Cab. Size*	24" (610 mm)	
Bowl Depth	7½" (190 mm)	
Note:	Reversible. Cinder comes with overflow. 2 knock-out holes. To protect from damage, this model should be shipped on a pallet.	

Drop-in	METRA 9 E		
	32 ^{11/16} " = 32 ¹¹		
Anthracite	400575		
Sink Specificat	Sink Specification		
Min. Cab. Size*	36" x 36" (915 x 915 mm)		
Bowl Depth	Main 7½" (190 mm) Secondary 5¼16" (128 mm)		
Note:	Comes with overflow. 3 knock-out holes To protect from damage, this model should be shipped on a pallet.		

PERFORMA®

Indulge in the performance, function and beauty.



 Includes 3½" (90 mm) stainless steel strainer(s), cabinet template and installation instructions

PERFORMA
SILGRANIT

Undermount	PERFORMA U 2
Coal Black NEW	402662 NEW
Anthracite	400499
Café	400475
Cinder	401419
Metallic Gray	401712
Truffle	401189
Concrete Gray	402284
White	401713
Sink Specificat	ion
Min. Cab. Size*	36" (915 mm)
Bowl Depth	10" (254 mm)

Undermount	PERFORMA CASCADE	PERFORMA U 1¾ LOW DIVIDE	
Coal Black NEW	402661 NEW	402664 NEW	
Anthracite	400886	401185	
Café	400887	401186	
Cinder	401420	401418	
Metallic Gray	401708	401710	
Truffle	401191	401188	
Concrete Gray	402282	402283	
White	402141	401711	
Sink Specification			
Min. Cab. Size*	36" (915 mm)	36" (915 mm)	
Bowl Depth	Main 10" (254 mm) Secondary 7¾" (197 mm)	10" (254 mm)	
Note:	To protect from damage, this model should be shipped on a pallet. Mesh basket included.	Reversible.	

Additional PERFORMA® sink available.

See Bar / Prep Sinks for more information.

BLANCO * Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

16



 \bullet Includes 3½" (90 mm) stainless steel strainer(s), clips+, cabinet template and installation instructions

Undermount	PRECIS CASCADE	PRECIS U 1¾	
	28 ³ /4" + 15 ³ /4" +		
	27 9/16" ►	17" 13"	
Coal Black NEW	402659 NEW	402652 NEW	
Anthracite	401445	400583	
Café	401446	400585	
Cinder	401447	401396	
Metallic Gray	401684	401682	
Truffle	401481	401142	
Concrete Gray	402268	402263	
White	401482	401706	
Sink Specificat	ion		
Min. Cab. Size*	33" (840 mm)	36" (915 mm)	
Bowl Depth	Main 7 ⁷ / ₈ " (200 mm) Secondary 5½" (140 mm)	9½" (240 mm)	

PRECIS SILGRANIT

Undermount PRECIS U 1% LOW DIVIDE	PRECIS U 2	
Coal Black NEW	402651 NEW	402653 NEW
Anthracite	402065	400580
Café	402066	400581
Cinder	402067	401415
Metallic Gray	402068	401681
Truffle	402069	401179
Concrete Gray	402264	402265
White	402071	401705
Sink Specifica	tion	
Min. Cab. Size*	36" (915 mm)	33" (840 mm)
Bowl Depth	9½" (240 mm)	8" (203 mm)
Note:	Reversible.	

Undermount	Indermount PRECIS 32 U SUPER SINGLE PRECIS 27 U SING	PRECIS 27 U SINGLE
	- 30" ►	4 24 ¹³ ∕16" ►
Coal Black NEW	402660 NEW	402656 NEW
Anthracite	400890	401888
Café	400889	401890
Cinder	401397	401891
Metallic Gray	401683	401892
Truffle	401143	401893
Concrete Gray	402266	402310
White	401820	401894
Sink Specificat	ion	
Min. Cab. Size*	36" (915 mm)	30" (760 mm)
Bowl Depth	9½" (240 mm)	8⁵⁄₃" (220 mm)
Note:	To protect from damage, this model should be shipped on a pallet.	· · · · · · · · · · · · · · · · · · ·



 Except PRECIS U 1¾, PRECIS U 1¾ LOW DIVIDE and PRECIS 32 U SUPER SINGLE
 Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

PRECIS SILGRANIT

Undermount	PRECIS 24 U SINGLE	PRECIS 21 U SINGLE
	23 ⁷ /₁6 ["] 15 ³ 𝔄 ⁿ y y	207%" A 153% A 153% Y Y Y Y
Coal Black NEW	402654 NEW	402658 NEW
Anthracite	401879	400825
Café	401881	400880
Cinder	401882	401417
Metallic Gray	401883	401680
Truffle	401884	401181
Concrete Gray	402309	402267
White	401885	401704
Sink Specificat	ion	
Min. Cab. Size*	27" (685 mm)	24" (610 mm)
Bowl Depth	85⁄8" (220 mm)	7½" (190 mm)

Additional PRECIS™ sinks available. See ADA / CSA Sinks and Bar / Prep Sinks for more information.

DIAMOND[™] Precious design captured in stone.



• Includes 3½" (90 mm) stainless steel strainer(s), drop-in clips, cabinet template and nstallation instructions

Undermount	DIAMOND U 1¾	DIAMOND U 1¾ LOW DIVIDE
	32" F	32" ►
Coal Black NEW	402619 NEW	402620 NEW
Anthracite	400077	401572
Café	400309	401573
Cinder	401403	401574
Metallic Gray	401660	401664
Truffle	401149	401576
Concrete Gray	402271	402272
Biscuit	401811	401810
White	400076	401577
Sink Specificat	ion	
Min. Cab. Size*	36" (915 mm)	36" (915 mm)
Bowl Depth	Main 9½" (240 mm) Secondary 8" (203 mm)	9½" (240 mm)

DIAMOND SILGRANIT

Undermount	DIAMOND U 2	DIAMOND U 2 LOW DIVIDE
Coal Black NEW	402622 NEW	402623 NEW
Anthracite	400073	401834
Café	400322	401835
Cinder	401402	401837
Metallic Gray	401662	401840
Truffle	401148	401836
Concrete Gray	402273	402274
Biscuit	401852	401839
White	400072	401838
Sink Specificat	ion	
Min. Cab. Size*	36" (915 mm)	36" (915 mm)
Bowl Depth	9½" (240 mm)	9½" (240 mm)

DIAMOND SILGRANIT

Drop-in	DIAMOND 1¾	DIAMOND 210	
	33" ▲ 33" ▲ 16 ³ / ₄ " ↓ 16 ⁵ / ₆ " ▶ ↓ ■ 12 ¹ / ₂ " ▶		
Coal Black NEW	402618 NEW	402621 NEW	
Anthracite	400060	400056	
Café	400343	400365	
Cinder	401407	401406	
Metallic Gray	401659	401661	
Truffle	401153	401152	
Concrete Gray	402277	402278	
Biscuit	402134	402133	
White	400059	400055	
Sink Specificat	tion		
Min. Cab. Size*	36" (915 mm)	36" (915 mm)	
Bowl Depth	Main 9½" (240 mm) Secondary 8" (203 mm)	9½" (240 mm)	
Note:	4 additional knock-out holes for accessories.	4 additional knock-out holes for accessories.	

Undermount	DIAMOND U SUPER SINGLE		DIAMOND U 1
	331/2"	12 12 12 12 12 12 12 12 12 12 12 12 12 1	24 ¹ / ₁₆ " - 20 ⁷ / ₆ " - 18 ¹³ / ₆ " - 20 ⁷ / ₆ "
Coal Black NEW	30 ¹ /₂" 402625	► NEW	- 22" ► 402617 NEW
Anthracite	401623	}	400081
Café	401624		400367
Cinder	401627	7	401404
Metallic Gray	401631		401658
Truffle	401628		401150
Concrete Gray	402275		402276
Biscuit	402132		402131
White	401630		400080
Sink Specificat	ion		
Min. Cab. Size*	36" (915 mm)		27" (685 mm)
Bowl Depth	9½" (240 r	nm)	10" (254 mm)

Drop-in DIAMOND SUPER SINGLE		DIAMOND 1
	■ 33 ¹ /2" ■ ■ ■ 16 ¹ /2" ■ ■ ■ 16 ¹ /2" ■ ■ ■ 16 ¹ /2" ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	
Coal Black NEW	402626 NEW	402616 NEW
Anthracite	400069	400064
Café	400369	400368
Cinder	401409	401408
Metallic Gray	401665	401657
Truffle	401155	401154
Concrete Gray	402279	402280
Biscuit	402136	402135
White	400068	400063
Sink Specificat	ion	
Min. Cab. Size*	36" (915 mm)	27" (685 mm)
Bowl Depth	9½" (240 mm)	10" (254 mm)
Note:	6 additional knock-out holes for accessories. This model should be shipped on a pallet.	1 additional knock-out hole for accessory.

Additional DIAMOND[™] sink available.

See Bar / Prep Sinks for more information.

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

22 BLANCO * Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.





 \bullet Includes 3½" (90 mm) stainless steel strainer(s), drop-in clips, cabinet template and installation instructions

Undermount	VISION U 134	VISION U 1¾ VISION U 2
	 30 ⁷ / ₆ " 15 ³ / ₆ " 15 ⁹ / ₁₆ " 15 ⁹ / ₁₆ " ↓ 1 ¹ / _{15³} / ₆ " ↓ ↓ 1 ¹ / _{15³} / ₆ " ↓ ↓	= 30 ¹¹ /16"
Coal Black NEW	402628 NEW	402631 NEW
Anthracite	401138	400085
Café	401139	400376
Cinder	401395	401398
Metallic Gray	401676	401678
Truffle	401141	401144
Concrete Gray	402286	402287
Biscuit	401829	401830
White	402145	402144
Sink Specificati	ion	
Min. Cab. Size*	33" (840 mm)	33" (840 mm)
Bowl Depth	Main 9½" (240 mm) Secondary 8" (203 mm)	8¼" (210 mm)

VISION SILGRANIT

Undermount	VISION U 1½	VISION U 1
Coal Black NEW	402634 NEW	402629 NEW
Anthracite	401130	400492
Café	401131	400494
Cinder	401393	401400
Metallic Gray	401674	402098
Truffle	401133	401146
Concrete Gray	402288	402289
Biscuit	401828	401827
White	402146	402147
Sink Specificat	ion	
Min. Cab. Size*	30" (760 mm)	27" (685 mm)
Bowl Depth	Main 8" (203 mm) Secondary 7" (178 mm)	8" (203 mm)

Drop-in	VISION 1¾	VISION 210
	- 31 ½" + - 153¼" + - 153¼" + - 159½6" + - 123½6" +	- 311/2" - 153/16" - 1311/6"+ - 1311/6"+
Coal Black NEW	402632 NEW	402635 NEW
Anthracite	401134	400012
Café	401135	400307
Cinder	401394	401399
Metallic Gray	-	401677
Truffle	401137	401145
Concrete Gray	402290	402291
Biscuit	401825	401826
White	-	400010
Sink Specificat	ion	
Min. Cab. Size*	33" (840 mm)	33" (840 mm)
Bowl Depth	Main 8" (203 mm) Secondary 7" (178 mm)	8¼" (210 mm)
Note:	2 additional knock-out holes for accessories.	4 additional knock-out holes for accessories.

24

VISION SILGRANIT

Drop-in	VISION 11/2	VISION 1
Coal Black NEW	402630 NEW	402633 NEW
Anthracite	401126	400174
Café	401127	400364
Cinder	401392	401401
Metallic Gray	-	401671
Truffle	401129	401147
Concrete Gray	402292	402293
Biscuit	401824	401823
Sink Specificat	tion	
Min. Cab. Size*	30" (760 mm)	27" (685 mm)
Bowl Depth	Main 8" (203 mm) Secondary 7" (178 mm)	8" (203 mm)
Note:	4 additional knock-out holes for accessories.	4 additional knock-out holes for accessories.

VIENNA[™] Organic curves and smooth lines.



• Includes 3½" (90 mm) stainless steel strainers, drop-in clips, cabinet template and installation instructions

Drop-in	VIENNA 210
	311/8" ▲ 209/6" ▲ 155/6" ▲ 155/6" ▼ ▼
Coal Black NEW	402627 NEW
Anthracite	400171
Café	400911
Cinder	401476
Metallic Gray	401670
Truffle	401822
Concrete Gray	402294
White	400170
Sink Specificat	ion
Min. Cab. Size*	33" (840 mm)
Bowl Depth	8" (203 mm)
Note:	4 additional knock-out holes for accessory.

STAINLESS STEEL SINKS



CLASSIC. TIMELESS. BEAUTIFUL.

BLANCO offers the ultimate in stainless steel quality and craftsmanship. Built with superior 304 series steel, convenient features and German engineering, BLANCO offers a wide range of stainless steel sink styles. BLANCO stainless steel sinks are supported by a Limited Lifetime Warranty.





Quality

BLANCO sinks are made from quality stainless steel with 18/10 chrome-nickel content and will keep their brilliance for decades.

Durability

Stainless steel is easy to maintain, resistant to water stains and calcium deposits. It is non-porous, rust, stain, and heat resistant.

Design

Rounded or tight corners, different bowl depths, unique shapes, and configurations. Discover them all with a wealth of design options.

Accessories

Sink grids, cutting boards, workstations and colanders create the ultimate BLANCO UNIT experience with stainless steel.





- Includes 31/2" (90 mm) stainless steel strainers
- Includes clips, cabinet template and installation instructions +

Apron Front	PRECISION DURINOX U SUPER SINGLE APRON
	- 30" - - 32" - - 19 ^{1/2} "
	402122
Sink Specificat	ion
Min. Cab. Size*	36" (915 mm)
Bowl Depth	10" (254 mm)
Apron Front Depth	9" (229 mm)

Note:

To protect from damage, this model should be shipped on a pallet.

Undermount	PRECISION U 1¾	PRECISION U 2
	Image: state	4 32" ► 1 14 ¹ / ₂ " ► 4 14 ¹ / ₂ " ► 4 00399
Sink Specificat	tion	
Min. Cab. Size*	36" (915 mm)	36" (915 mm)
Bowl Depth	10" (254 mm)	10" (254 mm)

PRECISION Stainless Steel

Undermount	PRECISION U SUPER SINGLE	PRECISION U 1
	⊲ 32" ►	■ 19" ►
	⊲ 30" ►	■ 17" ▶
	400472	400397
Sink Specificat	tion	
Min. Cab. Size*	36" (915 mm)	21" (530 mm)
Bowl Depth	10" (254 mm)	10" (254 mm)

Additional PRECISION[™] sink available.

See Bar / Prep Sinks for more information.



RADIUS[™] 10

Where elegance meets pure design and innovation.



• 3½" (90 mm) stainless steel strainer(s) clips, template, and installation instructions included

RADIUS 10

Stainless Steel

Undermount	RADIUS 10 U LARGE	RADIUS 10 U
	- 25" - - -	19" ►
Sink Specificat	ion	
Min. Cab. Size*	27" (685 mm)	21" (535 mm)
Bowl Depth	10" (254 mm)	10" (254 mm)

Additional RADIUS[™] 10 sinks available.

See Bar / Prep Sinks for more information.

Undermount	RADIUS 10 U 1½	RADIUS 10 U 1¾
	33" 33" 1 33" 1 <th> • 33" • • 13" • • 17" • • 13" • 400470</th>	• 33" • • 13" • • 17" • • 13" • 400470
Sink Specificat		
Min. Cab. Size*	36" (915 mm)	36" (915 mm)
Bowl Depth	Main 10" (254 mm) Secondary 8" (203 mm)	10" (254 mm)

Undermount	RADIUS 10 U 2	RADIUS 10 U SUPER SINGLE
	▲ 32" ► _	▲ 32" ► _
		O
	14 ¹ /2" ⊨ = 14 ¹ /2" ⊨	→ 30" →
	400452	400469
Sink Specificat	tion	
Min. Cab. Size*	36" (915 mm)	36" (915 mm)
Bowl Depth	10" (254 mm)	10" (254 mm)





 \bullet 3½" (90 mm) stainless steel strainer(s), clips and installation instructions included

Undermount	ANDANO U 2	ANDANO U SUPER SINGLE
	 15 ³ ⁄4" 15 ³ ⁄4" 401334	<u> 271⁄2"</u> ► 401566
Sink Specificat	ion	
Min. Cab. Size*	36" (915 mm)	33" (840 mm)
Bowl Depth	7½" (190 mm)	7½" (190 mm)

Undermount	ANDANO U MEDIUM SINGLE
	Image: 195%" Image: 195% Image: 195%
Sink Specificat	ion
Min. Cab. Size*	24" (610 mm)
Bowl Depth	7½" (190 mm)

QUATRUS® R15

Everyday convenience meets modern design.



 \bullet Includes 3½" (90 mm) stainless steel strainer(s), clips, cabinet template and installation instructions

Undermount	QUATRUS R15 U 1¾	QUATRUS R15 U 2
	401520	401519
Sink Specificat	ion	
Min. Cab. Size*	36" (915 mm)	36" (915 mm)
Bowl Depth	9" (229 mm)	9" (229 mm)

Undermount	QUATRUS R15 U SUPER Single	QUATRUS R15 U 1 MEDIUM
	32" ↓	- 25" - -
Sink Specification		
Min. Cab. Size*	36" (915 mm)	27" (685 mm)
Bowl Depth	9" (229 mm)	9" (229 mm)

:

Additional ANDANO^{\rm TM} sinks available.

See Bar / Prep Sinks for more information.



QUATRUS R15

Stainless Steel

Undermount	QUATRUS R15 U 1
	401516
Sink Specificat	ion
Min. Cab. Size*	24" (610 mm)
Bowl Depth	9" (229 mm)

Undermount	QUATRUS R15 ERGON Super Single Apron	QUATRUS R15 U 2 APRON
	= 31" ► 20 ^{1/2} " = 33" ► 15 ³ /4"	•14 ¹ /2"▶ •14 ¹ /2"▶
	402254	401867
Sink Specificat	tion	
Min. Cab. Size*	36" (915 mm)	36" (915 mm)
Bowl Depth	9" (229 mm)	9" (229 mm)
Apron front depth	9" (229 mm)	9" (229 mm)

Note: Ash cutting board included.

Undermount	QUATRUS R15 U Super Single Apron	QUATRUS R15 U 1 MEDIUM APRON
	401868	401869
Sink Specificat	tion	
Min. Cab. Size*	36" (915 mm)	27" (685 mm)
Bowl Depth	9" (229 mm)	9" (229 mm)
Apron front depth	9" (229 mm)	9" (229 mm)

QUATRUS R15

Stainless Steel

Drop-in	QUATRUS R15 DROP IN EQUAL DOUBLE NEW	QUATRUS R15 DROP IN SUPER Single New
1 hole	402611	402612
Sink Specificat	tion	
Min. Cab. Size*	33" (840 mm)	33" (840 mm)
Bowl Depth	8" (203 mm)	8" (203 mm)
Note for QUATRUS R15 DROP-IN sinks:	All QUATRUS R15 DROP-IN sinks can be installed as drop-in or undermount.	

QUATRUS R15 DR0P IN 22 QUATRUS R15 DROP IN 25 Drop-in SINGLE NEW SINGLE NEW 22' 20 1/2" 16" 20¹/2" 0 0 <u>v</u> v <u>v</u> v 23' 20' 1 hole 402613 402614 **Sink Specification** Min. Cab. Size* 27" (685 mm) 24" (610 mm) 8" (203 mm) 8" (203 mm)

Bowl Depth Note for QUATRUS

QUATRUS All QUATRUS R15 DROP-IN sinks can be installed as drop-in or undermount. sinks:

Additional QUATRUS® R15 sinks available.

See Bar / Prep Sinks and Laundry Sinks for more information.

QUATRUS®

The perfect combination of design, price and function.



• Includes 31/2" (90 mm) stainless steel strainer(s), clips, cabinet template and installation instructions

Undermount	QUATRUS U 1¾	QUATRUS U 2
	- 33" - - -<	32" 32" 14 ¹ / ₂ " 14 ¹ / ₂ " 14 ¹ / ₂ " 401247
Sink Specificat	tion	
Min. Cab. Size*	36" (915 mm)	36" (915 mm)
Bowl Depth	9" (229 mm)	9" (229 mm)

Undermount	QUATRUS U SUPER SINGLE	QUATRUS U 1 MEDIUM
	⊲ 32" ►	⊲ 25" ►
	O 18"	• 18" 16"
	⊲ 30" ►	23" ►
	401248	401246
Sink Specificat	tion	
Min. Cab. Size*	36" (915 mm)	27" (685 mm)
Bowl Depth	9" (229 mm)	9" (229 mm)

QUATRUS

Stainless Steel

Undermount	QUATRUS U 1	QUATRUS U
Sink Specificat	ion	1
Min. Cab. Size*	24" (610 mm)	21" (535 mm)
Bowl Depth	9" (229 mm)	9" (229 mm)

Additional QUATRUS® sinks available.

See ADA/ CSA Sinks and Bar / Prep Sinks for more information.

STELLAR®

Classic design with stellar looks and performance.



• Includes 3½" (90 mm) stainless steel strainer(s), clips, cabinet template and installation instructions

Undermount	STELLAR U 1¾	STELLAR U 1½
	32 ³ / ₈ " + ¹ ¹ ¹ ¹ ¹ ¹ ¹ ¹	→ → → → → → → → → → → → → → → → → → →
	401026	401027
Sink Specificat	tion	
Min. Cab. Size*	36" (915 mm)	36" (915 mm)
Bowl Depth	Main 9" (229 mm) Secondary 7" (178 mm)	Main 9" (229 mm) Secondary 7" (178 mm)

Undermount	STELLAR U SUPER SINGLE	
Cink Crestified	401028	
Sink Specificat		
Min. Cab. Size*	30" (760 mm)	
Bowl Depth	9" (229 mm)	

$\label{eq:additional STELLAR \ensuremath{^{\textcircled{\tiny \$}}}\xspace$ sinks available.

See Bar / Prep Sinks for more information.



TIPO[™] New definition of function.



 \bullet Includes 3½" (90 mm) stainless steel strainer(s), drop-in clips, cabinet template and installation instructions

Drop-in	TIPO 8 S
	= 475%" ► 1000 ■ 10000 ■ 1000 ■ 10000 ■ 1000 ■ 1000 ■ 1000 ■ 1000 ■ 1000
Left Hand Bowl (Right Hand Drainboard)	401653
Right Hand Bowl (Left Hand Drainboard)	401654
Sink Specificati	on
Min. Cab. Size*	33" (840 mm)
Bowl Depth	6½" (165 mm)
Drop-in	TIPO XL 6 S
	→ 371/2" →
Left Hand Bowl (Right Hand Drainboard)	
(Right Hand	▲ 19 ↓ 17 ³ /4 ⁿ ↓
(Right Hand Drainboard) Right Hand Bowl (Left Hand	400795 400794
(Right Hand Drainboard) Right Hand Bowl (Left Hand Drainboard)	400795 400794

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.





• Includes 3½" (90 mm) stainless steel strainer(s), drop-in clips, cabinet template and installation instructions

Undermount	ESSENTIAL U 2	ESSENTIAL U 1½
	400008	400006
Sink Specificat	ion	
Min. Cab. Size*	33" (840 mm)	30" (760 mm)
Bowl Depth	8" (203 mm)	Main 8" (203 mm) Secondary 7" (178 mm)



ESSENTIAL Stainless Steel

Drop-in	ESSENTIAL 2	ESSENTIAL 11/2	
	 315//6" 153//6" 153//6" 153//6" 133//4" ▶ ► 133/4" ▶ 	 27¹/4" 37¹/4" 10³/4" 10³/4"	
1 hole	400001	401001	
3 holes (8" centre)	400003	401003	
Sink Specificat	ion		
Min. Cab. Size*	33" (840 mm)	30" (760 mm)	
Bowl Depth	8" (203 mm)	Main 8" (203 mm) Secondary 7" (178 mm)	

Drop-in	ESSENTIAL 1	
1 hole	401101	
3 holes (8" centre)	401103	
Sink Specificat	ion	
Min. Cab. Size*	27" (685 mm)	
Bowl Depth	8" (203 mm)	

Additional ESSENTIAL[™] sink available.

See Laundry Sinks for more information.

FIRECLAY SINKS



OLD WORLD ELEGANCE. SOPHISTICATED DESIGN.

Our Fireclay farmhouse sink collection tells a unique story. Traditional aesthetics get updated in all the right ways with flexible corner styles and modern design enhancements. Hand-finishing techniques and high firing temperatures used during the production of a BLANCO Fireclay sink results in a smooth, glossy surface that is both beautiful and easy to clean. Enjoy old world charm with the timeless beauty of BLANCO Fireclay.



Craftsmanship

Hand-finishing techniques and high firing temperatures result in a smooth, glossy, beautiful surface.





Innovative Accessories

The PROFINA sink features an innovative accessory ledge, adding functional convenience and ergonomic comfort.

Reversible Design

Our CERANA farmhouse sink adds versatility to your kitchen décor with a reversible design allowing for flexible installation options.

15

PROFINA[™] & CERANA[®]

The perfect companion for home chefs.



- 31/2" (90 mm) stainless steel strainer included
- No template or DXF file provided

Apron front	PROFINA	
	401808	
Sink Specificat	tion	
Min. Cab. Size*	39" (990 mm)	
Bowl Depth	9½" (232 mm)	
Apron front depth	10" (254 mm)	
Note:	Beech cutting board included. A custom sink base and support system are required for installation of this sink. Custom installation- use sink as template. This model should be shipped on a pallet.	
	070.000	



46

A custom sink base and support system are required for installation of this sink. Custom installation- use sink as template. This model should be shipped on a pallet.

FARMHOUSE SINKS



SILGRANIT Farmhouse Sinks **VINTERA & IKON**

Apron front	VINTERA 33 EQUAL DOUBLE Apron New	VINTERA 30 SUPER SINGLE Apron New
	• 14 ¹ /4" • • 14 ¹ /4" • • <u>19</u> " 19" 19" 19" 155/4"	= 26 ⁹ /16" + 19" 15 ⁵ /6"
Coal Black NEW	402597	402588
Anthracite	402590	402581
Café	402595	402586
Cinder	402591	402582
Metallic Gray	402592	402583
Truffle	402596	402587
Concrete Gray	402598	402589
Biscuit	402594	402585
White	402593	402584
Sink Specificat	tion	
Min. Cab. Size*	33" (840 mm)	30" (760 mm)
Bowl Depth	9" (229 mm)	9" (229 mm)
Apron Front Depth	6½" (165 mm)	6½" (165 mm)
Note for Vintera sinks:	To protect from damage, this model should be shipped on a pallet.	

Apron front **IKON 33 IKON 33 1¾ LOW DIVIDE** |**■** 32⁵/16" ► |**■**16⁵/16" ►| |**■** 12" ►| 32 5/16" 19' ► 15⁵/16" 33" OUTSIDE BOTTOM ► 15⁵/1 33" OUTSIDE BOTTOM 402644 NEW 402645 NEW Coal Black NEW Anthracite 401870 402331 Café 401872 402333 Cinder 402128 402334 401874 Metallic Gray 402335 Truffle 402129 402336 Concrete Gray 402261 402338 Biscuit 402130 402332 White 401876 402337 **Sink Specification** Min. Cab. Size* 36" (915 mm) 36" (915 mm) Bowl Depth 91/4" (235 mm) 91/4" (235 mm) Apron Front 10" (254 mm) 10" (254 mm) Depth **Rim Thickness** 11/2" (38 mm) 11/2" (38 mm) To protect from damage, this model should be shipped on a pallet. Note for Ikon sinks: Cutout size: custom installation. Use sink as template. * Depending on cabinet construction, a different cabinet size may be required. 48 BLANCO Consult the cabinet manufacturer.

SILGRANIT Farmhouse Sinks **IKON**

Apron front	IKON 30	IKON 27
		= 26 ⁵ /₁6 ^{°°} + = 27 ^{°°} autsoc = 27 ^{°°} autsoc 15 ⁵ /₁6 ^{°°} +
Coal Black NEW	402643 NEW	402642 NEW
Anthracite	401831	402233
Café	401832	402235
Cinder	401858	402236
Metallic Gray	401865	402237
Truffle	401866	402238
Concrete Gray	402262	402240
Biscuit	401863	402234
White	401833	402239
Sink Specification		
Min. Cab. Size*	33" (840 mm)	30" (760 mm)
Bowl Depth	9¼" (235 mm)	9¼" (235 mm)
Apron Front Depth	10" (254 mm)	10" (254 mm)
Rim Thickness	1½" (38 mm)	1½" (38 mm)
Note for	To protect from damage, this model should be shipped on a pallet.	

Ikon sinks:

Cutout size: custom installation. Use sink as template.

Fireclay Farmhouse Sinks PROFINA & CERANA

PROFINA	CERANA
• 34 ⁷ /10" • • 36" • 17%0"	• 28 ¹ /2" • 193%e" • 30" • 17 ⁵ %"
401808	401428
ion	
39" (990 mm)	33" (840 mm)
91/8" (232 mm)	9¼" (235 mm)
10" (254 mm)	10" (254 mm)
Beech cutting board included.	
	- 36" - 17%6" 401808 ion 39" (990 mm) 9%6" (232 mm) 10" (254 mm)

A custom sink base and support system are required for installation of Note for all this sink. Custom installation- use sink as template. This model should fireclay sinks: be shipped on a pallet.

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

Stainless Steel Farmhouse Sinks PRECISION & QUATRUS

Apron front	PRECISION DURINOX U SUPER Single Apron
	- 30" - - 32" - 19 ¹ / ₂ " - 17"
	402122
Sink Specificat	tion
Min. Cab. Size*	36" (915 mm)
Bowl Depth	10" (254 mm)
Apron front depth	9" (229 mm)

Note:

50

To protect from damage, this model should be shipped on a pallet.

Apron front	QUATRUS R15 ERGON SUPER Single Apron	QUATRUS R15 U 2 APRON	
	- 31" - 	=14 ¹ /2"+ =14 ¹ /2"+ = 32" + 16"	
	402254	401867	
Sink Specificat	Sink Specification		
Min. Cab. Size*	36" (915 mm)	36" (915 mm)	
Bowl Depth	9" (229 mm)	9" (229 mm)	
Apron front depth	9" (229 mm)	9" (229 mm)	

Note: Ash cutting board included.

Apron front	QUATRUS R15 U SUPER Single Apron	QUATRUS R15 U 1 MEDIUM Apron	
		23" + 19" 19" 16"	
	401868	401869	
Sink Specificat	Specification		
Min. Cab. Size*	36" (915 mm)	27" (685 mm)	
Bowl Depth	9" (229 mm)	9" (229 mm)	
Apron front depth	9" (229 mm)	9" (229 mm)	

UNIVERSALLY ACCESSIBLE SINKS



GREATER ACCESSIBILITY BY DESIGN

Everybody can appreciate a kitchen that is spacious, organized, safe and well-planned. Designing for accessibility helps people engage with their environment with greater ease. Accessible design incorporates long term design elements that provide flexibility for families, couples, and individuals with a diverse range of ages and abilities. Universal kitchen design maximizes independence and maneuverability for everyone in your home.

SILGRANIT ADA / CSA Sink PRECIS

Dual-mount	PRECIS 25 ADA / CSA SINGLE
Coal Black NEW	402655 NEW
Anthracite	402073
Cinder	402074
Metallic Gray	402075
Concrete Gray	402269
Sink Specificat	tion
Min. Cab. Size*	27" (685 mm)
Bowl Depth	5" (127 mm)
Note:	Sink can be installed as a drop-in or undermount. 2 additional knock-out holes for accessories.



Universally Accessible

5" deep bowls and rear positioned drains help keep the sink area more accessible.



Material Options

Stainless steel and Silgranit materials are available which are both durable and easy to clean.



Installation Versatility

BLANCO ADA/CSA compliant sink models are available in both undermount and drop-in varieties.



Easy To Use Faucets

Single lever and sensor faucets provide easier control of water temperature and flow.

Stainless Steel ADA / CSA Sink QUATRUS

Undermount	QUATRUS U 1 MEDIUM ADA / CSA	ð
Sink Specificat	tion	
Min. Cab. Size*	27" (685 mm)	
Bowl Depth	5½" (140 mm)	

ADA / CSA B651 compliant

Check your local code requirements to ensure compliance

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.



BAR / PREP SINKS



SILGRANIT Bar / Prep Sinks PERFORMA, PRECIS, DIAMOND & BLANCORONDO

Undermount	PERFORMA U BAR	PRECIS U BAR
	$[\bullet 15^{1/2"} \bullet]$	
Coal Black NEW	402663 NEW	402657 NEW
Anthracite	401841	400827
Café	401842	400882
Cinder	401844	401416
Metallic Gray	401845	401679
Truffle	401843	401180
Concrete Gray	402285	402270
White	402143	401703
Sink Specificati	on	
Min. Cab. Size*	21" (535 mm)	18" (455 mm)
Bowl Depth	9" (229 mm)	71⁄2" (190 mm)

Drop-in	DIAMOND MINI	BLANCORONDO
		17 ¹¹ /6"
Coal Black NEW	402624 NEW	402665 NEW
Anthracite	400033	400801
Café	400366	400871
Cinder	401405	401421
Metallic Gray	401663	-
Truffle	401151	-
Concrete Gray	402281	-
Biscuit	402137	-
White	400032	-
Sink Specification	1	
Min. Cab. Size*	18" (455 mm)	21" (535 mm)
Bowl Depth	8" (203 mm)	6½" (165 mm)
Note:		Sink can be installed as a drop-in or undermount.

54 BLANCO

Stainless Steel Bar / Prep Sinks PRECISION, RADIUS 10 & QUATRUS R15

Undermount **RADIUS 10 U BAR PRECISION U 3**/4 15" 17" . 0 0 50 <u>v</u>., 15" ◄ 13" ► 400396 400304 **Sink Specification** Min. Cab. Size* 18" (455 mm) 21" (535 mm) Bowl Depth 10" (254 mm) 8" (203 mm)

Stainless Steel Bar / Prep Sinks QUATRUS, STELLAR, LINCOLN, WINCHESTER & BLANCORONDO

Undermount	QUATRUS U BAR	STELLAR U BAR
	401245	401029
Sink Specification		
Min. Cab. Size*	21" (535 mm)	18" (455 mm)
Bowl Depth	8" (203 mm)	6½" (165 mm)

Undermount	RADIUS 10 U SMALL BAR	ANDANO U SMALL SINGLE
		 17³/₈" ▲ 17³/₈" ▲ 15³/₄" ▲ 15³/₄" ▲ 15³/₄"
	400430	401331
Sink Specificati	on	
Min. Cab. Size*	18" (455 mm)	21" (535 mm)
Bowl Depth	10" (254 mm)	71⁄2" (190 mm)

Undermount	ANDANO U BAR	QUATRUS R15 U BAR
	15" 15" 15" 15° 15° 15° 15° 15° 10°	
	401330	401515
Sink Specificat	ion	
Min. Cab. Size*	18" (455 mm)	21" (535 mm)
Bowl Depth	7½" (190 mm)	8" (203 mm)

Undermount	LINCOLN	WINCHESTER
		• 15" • () • 12 ¹ /2" •
	400781	400780
Sink Specification		
Min. Cab. Size*	15" (381 mm)	18" (455 mm)
Bowl Depth	51⁄2" (140 mm)	6" (150 mm)

Drop-in	BLANCORONDO
	400775
Sink Specificat	ion
Min. Cab. Size*	21" (535 mm)
Bowl Depth	6½" (165 mm)
Note:	Installation instruction included. Sink can be installed as a drop-in or undermount.

LAUNDRY SINKS



SILGRANIT Laundry Sink

Drop-in	LIVEN	
	 25" 4.1015/6" 4.1015/6"	
Coal Black NEW	402646 NEW	
Anthracite	401902	
Café	401904	
Cinder	401905	
Metallic Gray	401906	
Truffle	401907	
Concrete Gray	402297	
Biscuit	401903	
White	401908	
Sink Specificat	tion	
Min. Cab. Size*	27" (685 mm)	
Bowl Depth	12" (305 mm)	
Note:	4 additional knock-out holes for accessories. To protect from damage, this model should be shipped on a pallet. Sink can be installed as a drop-in or undermount.	

Stainless Steel Laundry Sinks QUATRUS R15 & ESSENTIAL

Dual mount or Drop-in	QUATRUS R15 LAUNDRY	ESSENTIAL LAUNDRY
1 hole	401802	401201
3 holes (4" centre)	-	401202
3 holes (8" centre)	-	401203
Sink Specificat	tion	
Min. Cab. Size*	27" (685 mm)	27" (685 mm)
Bowl Depth	12" (305 mm)	12" (305 mm)
Note:	Sink can be installed as a drop-in or undermount.	

* Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

HOW TO CHOOSE A FAUCET



1. Style

Determine what style will fit the design of your kitchen. From modern semi-professional to traditional bridge faucets – understanding your style preference will help you pick a faucet you will love.

2. Faucet height



3. Faucet reach



Make sure you check how far the spout reaches out from the faucet's base to ensure it's proportionate to the size of your sink.

Ensure there is enough

of a window.

clearance for upper cabinetry by knowing the height of the faucet

you're interested in. High arc faucets are usually more suited for island installations, or in front

4. Features

Look for features like pull-out or pull-down sprays, side sprays, professional hose coils and magnetic docking arms. These features add a lot of value to everyday kitchen tasks.

5. Finish

Chrome, stainless steel, classic steel, matte-black or dual finish options can make a huge impact on the overall look and design of your kitchen.

FAUCETS AND SOAP DISPENSERS



INSPIRING STYLES. EUROPEAN DESIGNS.

BLANCO kitchen faucets are continuously awarded prestigious international awards for design, quality, and excellence. Find your dream faucet with over 100 shapes and sizes in beautiful colour-coordinated finishes. All BLANCO faucets are supported by a Limited Lifetime Warranty.

EXTRAORDINARY FINISHES

The perfect finishing touch



Metal Finishes





Semi-professional

Inspired by faucets used in commercial kitchens, semipros feature pressure sprayers, flexible spring coils and magnetic docking arms.



Colour-coordinated

BLANCO exclusively offers over 25 colour-coordinated finishes, designed to coordinate with our full spectrum of Silgranit sink colours.



Contemporary

Sleek, streamlined, minimalistic design details like low arcs and pull-out sprayheads are typically seen in this style category.



Classic

Traditional styles with more elegant and ornate details but with modern features, functionality, and performance.

SILGRANIT-Look – Full Finishes



SILGRANIT-Look – Dual Finishes



Gray

Gray

* NEW finish name (previously Stainless Finish)

Black

DESIGNED TO LAST

Built to perfection with sustainability in mind





Water Conservation

Several BLANCO faucets have switched from 2.2 to 1.5 GPM, providing water saving benefits while still delivering strong water performance.



Premium Quality

Made of solid brass or stainless steel construction with pressure resistant ceramic cartridges that are smooth in operation.



Easy Installation

All BLANCO faucets are equipped with colour-coded, flexible braided stainless steel inlet hoses for easy installation.



Convenient Features

Many BLANCO faucets include patented silicone nozzles – simply rub the nozzles to prevent buildup from lime scale deposits.

Functional Details

Pull-out sprayheads, magnetic docking arms and sensor technology provide the ultimate convenience in the kitchen.





- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- Ceramic disc cartridge
- 1.5 GPM flow rate

	SOLENTA SENSO Pull-down, dual spray	SOLENTA Pull-down, dual spray
Chrome	401992	401990
PVD Steel	401993	401991
	Battery Pack Included	

BLANCOCULINA

Semi-professional



- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- · Solid brass construction; ceramic disc cartridge
- 2.2 GPM flow rate









- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- Solid brass construction; ceramic disc cartridge
- 1.5 GPM flow rate



Additional Semi-professional Faucets.

See RIVANA[™] SEMI-PRO on page 72 and EMPRESSA[™] SEMI-PRO on page 73.





- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- Solid brass construction; ceramic disc cartridge
- 1.5 GPM flow rate NEW

	ARTONA Pull-down, dual spray	ARTONA BAR / PREP Pull-down
	12 3% 12 3% 12 3% 12 3%	- 19%EL - 15%E - 15%E - 15%E
Chrome	442038*	526381*
PVD Steel	442037*	526384*
PVD Steel / Coal Black New	526401*	526387*
PVD Steel / Anthracite	442031*	526378*
PVD Steel / Café	442032*	526380*
PVD Steel / Cinder	442033*	526382*
PVD Steel / Metallic Gray	442034*	526383*
PVD Steel / Truffle	442035*	526385*
PVD Steel / Concrete Gray NEW SUMMER 2021	526400*	526388*
PVD Steel / Biscuit	442273*	526379*
PVD Steel / White	442036*	526386*

* Note: All new model numbers due to 1.5 GPM flow rate change.

Matching Soap Dispenser available.

See ARTONA[®] Soap Dispenser on page 75.





- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- Solid brass construction; ceramic disc cartridge
- 1.5 GPM flow rate NEW

	URBENA Pull-down, dual spray
	₩ 9 1 7 15/16 1 15/16
Chrome	526390*
Classic Steel	526389*
Chrome / Coal Black NEW	526398*
Chrome / Anthracite	526392*
Chrome / Café	526394*
Chrome / Cinder	526395*
Chrome / Metallic Gray	526396*
Chrome / Truffle	526397*
Chrome / Concrete Gray NEW SUMMER 2021	526399*
Chrome / Biscuit	526393*
Chrome / White	526391*

LINUS[™] Colour-coordinated



New collection name (previously POSH)

- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- Solid brass construction; ceramic disc cartridge
- 1.5 GPM flow rate NEW

	LINUS Pull-out, dual spray
Chrome	526365*
PVD Steel	526366*
Coal Black NEW	526374*
Anthracite	526367*
Café NEW	526368*
Cinder NEW	526369*
Metallic Gray	526370*
Truffle NEW	526371*
Concrete Gray NEW SUMMER 2021	526375*
Biscuit NEW	526372*
White	526373 *

* Note: All new model numbers due to 1.5 GPM flow rate change.

* Note: All new model numbers due to 1.5 GPM flow rate change.





- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- Solid brass construction; ceramic disc cartridge
- 2.2 GPM flow rate

	ALTA Pull-out, dual spray	ALTA BAR Solid spout
	■ 1/2" ►	<pre></pre>
Chrome	401317	400544
Classic Steel	401318	400545
Anthracite	401451	400570
Café	401452	400571
Cinder	401456	403812
Metallic Gray	403810	403818
Truffle	401453	403817
Biscuit	403811	403819
White	401454	403825
Chrome / Anthracite	401315	-
Chrome / Café	401316	-
Chrome / Cinder	401450	-
Chrome / Metallic Gray	403805	-
Chrome / Truffle	401327	-
Chrome / Biscuit	403806	-
Chrome / White	403809	-





- Solid stainless steel construction
- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- Ceramic disc cartridge
- 1.5 GPM flow rate

	PANERA Pull-out, dual spray	
	■ ¹ / ₁ / ₆ ■	
Stainless Steel	402043	





- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- Solid brass construction; ceramic disc cartridge
- 1.5 GPM flow rate

	RIVANA SEMI-PRO Pull-down, dual spray	RIVANA HIGH ARC Pull-down, dual spray
Chrome	442675	442677
PVD Steel	442676	442678

	RIVANA BAR / PREP Pull-down
Chrome	442681
PVD Steel	442682

Matching Soap Dispenser available.

See RIVANA Soap Dispenser on page 76.

EMPRESSA[™]



Classic

- Insulated handspray with dual selectable spray patterns
- Colour-coded hot & cold supply lines
- Flexible supply lines & 3/8" compression connections with 9/16" UNEF nuts
- Solid brass construction; ceramic disc cartridge(s)
- 1.5 GPM flow rate

	EMPRESSA BRIDGE Pull-down, dual spray	EMPRESSA SEMI-PRO Pull-down, dual spray
	16 ^{1/4} 1 9/2 2	
Chrome	442504	442508
PVD Steel	442505	442509

	EMPRESSA HIGH ARC Pull-down, dual spray	EMPRESSA BAR / PREP Pull-down
		6 ¹³ /16 ["]
Chrome	442501	442512
PVD Steel	442500	442513

Matching Soap Dispenser available.

See EMPRESSA Soap Dispenser on page 76.



SOAP DISPENSERS



- Solid spout
 Cold water only
 360° swivel for optimal range of motion
- Flexible supply lines & 3/8" compression nut
- Solid brass construction; ceramic disc valve
- 1.5 GPM flow rate

	Solid spout
Chrome	401655
PVD Steel	401656

	ARTONA Soap Dispenser
Chrome	442048
PVD Steel	442047
PVD Steel / Coal Black NEW	442902 NEW
PVD Steel / Anthracite	442049
PVD Steel / Café	442050
PVD Steel / Cinder	442051
PVD Steel / Metallic Gray	442052
PVD Steel / Truffle	442053
PVD Steel / Concrete Gray NEW SUMMER 2021	442901 NEW
PVD Steel / Biscuit	403800
PVD Steel / White	442054

	LATO Soap Dispenser
	▲
Chrome	402298
PVD Steel	402299
PVD Steel / Coal Black NEW	402574 NEW
PVD Steel / Anthracite	402300
PVD Steel / Café	402303
PVD Steel / Cinder	402304
PVD Steel / Metallic Gray	402305
PVD Steel / Truffle	402306
PVD Steel / Concrete Gray NEW SUMMER 2021	402573 NEW
PVD Steel / Biscuit	402302
PVD Steel / White	402307 BLANCO 75

BLANCO * Note: All BLANCO faucets require the same size, 1 3/8" diameter drilled faucet hole. All faucet parts required for installation are included.

74

Soap Dispensers

ACCESSORIES

	RIVANA Soap Dispenser	EMPRESSA Soap Dispenser
	▲ (500 ml)	
Chrome	442679	442516
PVD Steel	442680	442517

	TORRE Soap Dispenser
	▲ 1½" ► 15 fl oz. (450 ml)
Chrome	400601
Classic Steel	400537
PVD Steel NEW	402672 NEW
Coal Black NEW	402572 NEW
Anthracite	400693
Café	400694
Cinder	401449
Metallic Gray	401851
Truffle	401215
Concrete Gray NEW SUMMER 2021	402571 NEW
Biscuit	401850
White	401216



YOUR ULTIMATE BLANCO UNIT

Go beyond the basics with next level meal prep. BLANCO accessories are designed to make life in the kitchen easier by working with your sink and faucet to create a seamless kitchen water hub experience. Customize your BLANCO UNIT with high quality, innovative accessories tailored to meet the needs of your busy kitchen.

Accessories







grade recycled stainless steel, collecting organic waste beneath the counter and out of sight.

C C S S B

Custom-fitted Grids

Constructed of stainless steel and dishwasher safe. Bottom grids offer protection while floating grids provide an elevated surface.

Colanders and Baskets

Colanders and baskets can be used for drying dishes or for rinsing fruits and vegetables.



Cutting Boards

A wide variety of quality cutting boards are available in maple, ash, beech, and walnut.



Functional Sink Rails

Exclusive to the QUATRUS ERGON, these stainless steel sink rails help you fill, soak, rest, drain, defrost, and elevate!

Accessories





Full product details available at **blanco.com**

Accessories



Accessories

BASKET STRAINERS		
	Basic	40621
	Standard	40631
	Premium	40631
CRUMB CUPS		
	Basic	40631
	Standard	40632
	Premium	40630
COLOUR-COORDINATED METAL BASKET STRAIN	ERS	NEV
	Coal Black	24032
(Sund)	Anthracite	24032
Emis	Café	24032
	Cinder	24032
	Metallic Gray	24032
	Truffle	24032
	Concrete Gray	24032
	Biscuit	24032
	White	24031
COLOUR-COORDINATED METAL WASTE FLANGES	;	NEV
	Coal Black	24033
STURE	Anthracite	24033
(IIIIIIII)	Café	24033
	Cinder	24033
	Metallic Gray	24033
	Truffle	24033
	Concrete Gray	24033
	Biscuit	24032
	White	24032

Accessories

MECHANICAL POP-UP STRAINER, ROUND BUTTON		
S	Stainless steel button	406244
MECHANICAL POP-UP STRAINERS, SQUARE BUTTON		
	Chrome button	401243
	Stainless steel button	401242
DECK PLATE		
	Chrome	400620
	Classic Steel	400621
A/C ADAPTOR		
0	For SOLENTA SENSO faucet	406595
SINK CLIPS .	SOLENTA SENSO	406595
	SOLENTA SENSO	
SINK CLIPS *	SOLENTA SENSO faucet Package of 10 clips for undermount drop-in sinks * Clips not recommended for installation in stone	406595

Accessories

BLANCOCLEAN, SILGRANIT SINK CLEANER			
BLANDOL EXAM	1 bottle	406200	
	12 bottles	406210	
BLANCOCLEAN, STAINLESS STEEL CLEANER			
RLANCOLLEAN TEXTER	1 bottle	406201	
	12 bottles	406211	
BLANCOCLEAN, SILGRANIT AND STAINLESS STEEL SINK CLEANER			
RLANDOLEAN Britis Briti	12 bottle combo pack	406212	

WARRANTY

Limited Lifetime Warranty

Stainless Steel and SILGRANIT Sinks

BLANCO CANADA INC. hereafter referred to as BLANCO, is pleased to offer a Limited Lifetime Warranty with all BLANCO sinks used in normal domestic installations. BLANCO warrants its sinks to be free from all manufacturing defects in material and workmanship.

BLANCO will repair or replace, at no charge, excluding labour, any sink supplied by BLANCO that is proven to be defective under normal use. An equivalent replacement will be issued to the original owner provided the defective sink was installed in accordance with BLANCO installation procedures, used and cleaned as recommended and not damaged due to abuse, misuse or negligence. Chips, scratches and stains are not deemed to be manufacturing defects. BLANCO will not be held liable for chips, scratches and stains that can occur under normal use over a period of time. Please refer to cleaning instructions to maintain your sink in its original appearance. BLANCO shall not be held liable under this warranty where the sink has been used in a non-domestic application, improperly installed, or damaged from the impact caused by a heavy object being dropped on the sink or from improper handling. BLANCO shall not be liable for any inconvenience or expense for material or labour related to the removal or replacement of a defective sink or for any loss or damage to any person or property whatsoever resulting from the defective sink. All transportation costs to and from the point of purchase will be the responsibility of the purchaser.

Any sink returned must be in the original packaging and include all the accompanying accessories, parts and documentation. BLANCO reserves the right to inspect any sink reported to be defective prior to replacement of the sink.

Warranty exclusion

Excluded are any accessories that accompany the sink (strainers, waste fittings, waste chutes etc.).

Accessories and Soap Dispensers

BLANCO warrants its accessories and soap dispensers to be free from manufacturing defects for a period of one (1) year from the date of purchase.

WARRANTY

WARRANTY

Limited Lifetime Warranty: Faucets

All faucets are thoroughly checked and tested in the factory. However, if the faucet has a manufacturing defect, BLANCO reserves the right to replace the damaged part or the entire faucet.

BLANCO warrants its faucets to be free from manufacturing defects in material and workmanship; and the finish and ceramic disk cartridge to be free from manufacturing defects and workmanship, to the original consumer purchaser of the faucet from the original date of purchase for as long as the original consumer purchaser owns their home. If the cartridge proves to be defective during the warranty period, BLANCO will provide a replacement free of charge.

Finish and ceramic disk cartridge	LIFETIME*
Limited Lifetime Warranty: Faucets	LIFETIME*

*Lifetime to original consumer purchasers

A new enhanced warranty program for faucets took effect April 15, 2010. (This is not retroactive to previously purchased faucets). It extends the previous 2-year limited period for mechanical components, hand spray and hoses to a Limited Lifetime Warranty period. (As before, the finish and ceramic disc cartridge have limited lifetime warranties).

This warranty does not cover faucets which have been improperly installed or subject to improper use or used in a location other than a residential kitchen or faucets which have been damaged due to mineral deposits or the use of corrosive or abrasive cleaning agents. This warranty does not cover shipping costs, labour costs or any other cost associated with the installation or replacement of the product/parts and is extended only to the original consumer purchaser of the faucet.

BLANCO is not responsible or liable for indirect, special or consequential damages arising out of or in connection with the use or performance of its faucets and its liability under this warranty is limited to the replacement of the defective material at the location of purchase.

Obligation of the original owner

The original dated sales receipt must be retained by the customer and is the only acceptable proof of purchase.

BLANCO makes no additional warranties, expressed or implied and any implied warranty including that of merchantability or fitness for a particular purpose, is limited in its duration to the duration of the written limited warranties set forth herein.

No employee, agent or other person is authorized to provide any warranty on behalf of BLANCO for a BLANCO product that is in addition to or different from the warranty stated above unless the warranty has been previously approved by an authorized BLANCO representative.

This warranty gives you specific legal rights and you may also have other rights which may vary from province to province.

To obtain warranty service, please call BLANCO Customer Service toll free at 1-877-425-2626.

BLANCO Canada, Inc. 100 Corporation Dr Brampton, ON L6S 6B5 Canada 1-877-425-2626



blanco.com