

Specifications




Photo is representative



Powering Business Worldwide

Eaton SGFDA20W

Eaton Blankface GFCI,Audible alarm,Self-test,#14 - 10 AWG,20A,Residential,Commercial,Flush,125 V,GFCI,Back and side wire,White,Brass,Blankface,Thermoplastic,Two-pole,Three-wire,Two-pole, three-wire, grounding

General specifications

PRODUCT NAME	Eaton blankface GFCI
CATALOG NUMBER	SGFDA20W
UPC	032664747984
PRODUCT LENGTH/DEPTH	1.3 in
PRODUCT HEIGHT	1.2 in
PRODUCT WIDTH	3.28 in
PRODUCT WEIGHT	0.38 lb
CERTIFICATIONS	cULus Listed NOM

Product specifications

DEVICE TYPE	Blankface
TYPE	Self-test
AMPERAGE RATING	20A
VOLTAGE RATING	125V
CIRCUIT INTERRUPTER TYPE	GFCI
CONTACT MATERIAL	Brass
FEATURES	Audible alarm
APPLICATION	<ul style="list-style-type: none">• Residential• Commercial
WIRING METHOD	Back and side wire
MATERIAL	Thermoplastic
ALLOWABLE WIRE SIZE	#14 - 10 AWG
TORQUE RATING	16 lbf-inch
NUMBER OF WIRES	Three-wire
MOUNTING METHOD	Flush
NUMBER OF POLES	Two-pole
COLOR	White
FACE/BODY MATERIAL	Thermoplastic
RECEPTACLE TYPE	Two-pole, three-wire, grounding

Resources

BROCHURES	Wiring Devices Buyer's Guide
INSTALLATION INSTRUCTIONS	Installing and testing a GFCI receptacle instruction sheet
MULTIMEDIA	What is a Ground Fault Circuit Interrupting (GFCI) receptacle?
SPECIFICATIONS AND DATASHEETS	Arrow Hart self-test GFCI receptacles with audible alarm spec sheet Eaton Specification Sheet - SGFDA20W

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

