



CONTACT US

Franke Kindred Canada Limited
1000 Franke Kindred Road, Midland, ON L4R 4K9

866-687-7465 frankecanada.com

# Contents 2021

f 0 □ \$ in A У

	STAINLESS STEEL SERIES		FAUCET SERIES
10-15	Manor House	182-187	Farm House
16-21	Culinary Center	188-191	Professional
22-27	Chef Center	192-193	Crystal
28-35	Peak	194-199	Absinthe
36-45	Professional 2.0	200-207	Pescara
46-51	Crystal	208-209	Peak
52-61	Pescara	210-215	Ambient
62-65	Orca 2.0	216-221	Steel
66-69	Prestige	222-225	Active
70-73	Regatta	226-227	Kubus
74-85	Cube	228-231	Cube
86-93	Grande		
94-97	Rotondo		FILTRATION
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Notonido	232-240	Filtration Faucets
	OUTDOOR COLLECTION	241-245	Filtration System
98-103	Outdoor Series	246-251	SOAP DISPENSERS
	FIRECLAY SERIES	240 201	
100 110		252-259	WASTE DISPOSERS
108-113	Farm House	202 207	1171012 2101 002110
114-119	Manor House	260-265	ACCESSORIES
120-123	Orca	200 200	710020011120
124-127	Prestige Cisterna		QUICK REFERENCE
128-133	Cisterna	266-271	Stainless Sinks & Accessories
	GRANITE SERIES	272	Fireclay Sinks & Accessories
138-145	Peak	273-274	Granite Sinks & Accessories
146-151	Maris	275-277	Minimum Cabinet Size
	Kubus	278-281	Faucet Style Guide
152-155 156-163		282-283	Terms & Conditions
164-167	Ellipse Primo	284-287	Category Index
168-171	Gravity	288-291	Alphabetical Index
172-175	Quantum		
1/2-1/3	Quantum		

On the cover: PTX110-28-CA sink with FFPD4450 faucet

# Kitchen sinks that feel tailor-made.

From top-quality materials to exquisite craftsmanship, Franke sinks give you the quality you deserve. What makes our sinks even more wonderful is the fact that we work with you to make sure you select the perfect sink for your home. How often do you cook? How much space do you have? How many people live in your home? This is the sort of detail we go into to ensure you find a sink that you'll love.



### Made by fire

The perfect blend of nature and design, fireclay is made of liquid ceramic which is then fired to create a material that feels incomparably smooth and is tremendously hard-wearing. Whether you prefer classic or modern design, you will simply love the delicate shapes of our Fireclay sinks.





### **Stainless Steel**


### Wonderfully effective

It's no accident that 65% of sinks in North America are made of stainless steel. It looks good in almost any kitchen. What's more, it's corrosion-resistant, has a virtually non-porous surface for easy cleaning and is extremely hygienic. Stainless steel also bonds with oxygen to form a passive protective layer that continuously renews itself. It can withstand extreme temperatures and, last but not least, it is rust-resistant.


### Granite

# Superbly hard-wearing

Sinks made of granite are particularly elegant and bring a natural look into your kitchen. Our processed granite has a soft matte finish and feels warm to the touch. The surface is finely textured and non-porous, ensuring a high standard of hygiene. Composed of 80% quartz sand and 20% very hard acrylic resin, Franke's hard-wearing granite gives you years of beauty.







# **Stainless Steel Sinks**

Manor House	10-15
Culinary Center	16-21
Chef Center	22-27
Peak	28-35
Professional 2.0	36-45
Crystal	46-51
Pescara	52-61
Orca 2.0	62-65
Prestige	66-69
Regatta	70-73
Cube	74-85
Grande	86-93
Rotondo	94-97

OUTDOOR COLLECTION
Outdoor Series 98-103



# Why Franke **Stainless Steel?**

Stainless steel is the material most frequently used for sinks, and the most popular countertop for commercial kitchens. As one of the world's largest buyers of stainless steel for kitchens, we have perfected its evolution over decades to bring you unique quality.

### WHAT MAKES IT SO SPECIAL?

A classic material that can handle high temperature, is very hygienic and offers a timeless aesthetic.

**Corrosion resistant:** premium quality chrome nickel steel makes sinks highly resistant to staining, rust and corrosion

**Non-porous:** naturally hygienic

**Self-regenerating:** stainless steel surfaces develop a passive protective layer that continuously renews, so your sink is easy to clean and care for **Durable:** highly temperature and acid resistant Environmentally-friendly: 100% recyclable

#### CHOOSING THE IDEAL GAUGE

The standard gauge describes the thickness of a metal sheet, on a scale from 8 to 30. The lower the number, the thicker the metal sheet. The thicker it is, the less it can be bent or dented and the quieter it is in use. If too thin, it becomes impossible to produce a sink from a single sheet of metal. So we take great care when choosing the right standard gauge for our sinks:


- Most deep-drawn sinks in full size have a standard 18 gauge
- Hand-made sinks have a standard 16-19 gauge

### STAINLESS STEEL FINISHES



### **DIAMOND FINISH**

Our Diamond finish creates a shiny, almost flawless, appearance that highlights the sink's elegance and makes it an attractive centerpiece to your kitchen.



### **PEARL FINISH**

Our exclusive Pearl finish camouflages everyday wear like a commercial sink while adding an element of modern luxury to your kitchen.



### **SILK FINISH**

This elegant, easy-to-clean finish is beautifully shiny in appearance and scratch resistant.



# **Manor House**

If you are looking to design a modern farmhouse kitchen, look no further than these Manor House sinks. Soft lines, modern features, rustic elements and a large, deep bowl add a refined sophistication to any kitchen while also warm and inviting.



Function is still important, but homeowners today are a lot more interested in design. Modern farmhouse style breathes new life into the old, putting a contemporary twist on country charm.

FRANKECANADA.COM | 11

# **Manor House**





### **Apron Front**

The front of the sink extends out slightly from the cabinet bringing the work space closer, eliminating the need to lean over the counter.





### Extra Deep Bowl

9" deep basin boosts flexibility of use, easily accommodating nearly any pot, pan, or large items that can't go into the dishwasher.





### **Commercial Grade Stainless**

Made of 16 gauge stainless steel with a Pearl finish that will retain its beauty for many years.





### **Precision Drain**

Sloped, elegant lines on the bottom of the bowl ensure an easy, clean drain every time.



### MHX710-30-CA \$2,580



### SPECIFICATIONS


Interior Dimensions: 26½" x 163/16" x 91/16" Exterior Dimensions: 30" x 20 1/8"

Minimum Cabinet Size: 30" Gauge: 16

Weight: 39 lbs.

Sound Dampening: Sound Pad Stainless Finish: Pearl Corner Radius: 19mm

Installation: Apron Front Sides and back are not finished.



### ACCESSORIES

	Bottom
	<b>Grid</b> MH30-36S
	MH30-36S

4 | Cutting Board OA-40S

5 Twist Waste Kit FRTWIST-SN 6 Strainer 7 Inox Assembly 1145 Included

Cream 903

### MHX710-33-CA \$3,095




### SPECIFICATIONS

Interior Dimensions: 29 1/2" x 163/16" x 9 1/16" Exterior Dimensions: 33" x 20 1/8"

Minimum Cabinet Size: 33"

Gauge: 16 Weight: 46 lbs. Sound Dampening: Sound Pad

Stainless Finish: Pearl Corner Radius: 19mm Installation: Apron Front Sides and back are not finished.



#### ACCESSORIES

2	Bottom
	Grid
	MH33-36S

4 Cutting Board OA-40S

5 | Twist Waste Kit FRTWIST-SN

6 Strainer Assembly 1145 Included

7 Inox Cream 903

### MHX710-36-CA \$3,735



### SPECIFICATIONS

Interior Dimensions: 32½" x 163/16" x 91/16" Exterior Dimensions: 36" x 20 1/8"

Minimum Cabinet Size: 36" Gauge: 16

Weight: 48 lbs.


Assembly

1145

Included

Sound Dampening: Sound Pad Stainless Finish: Pearl Corner Radius: 19mm

Installation: Apron Front Sides and back are not finished.



### ACCESSORIES

Bottom
Grid
MH36-36S

4 Cutting Board OA-40S

5 | Twist Waste Kit FRTWIST-SN

6 Strainer

7 Inox 903

Cream

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.

#### ACCESSORIES



1 | Bottom Grid

Stainless

MH30-36S \$270

261/8" x 1513/16"







3 | Bottom Grid 321/8" x 1513/161 Stainless MH36-36S \$335



4 | Cutting Board 14½" x 21%" Solid Wood OA-40S \$375



5 | Twist Waste Kit FRTWIST-SN \$250



Included






7 Inox Cream Stainless Steel Polish 903 \$35



# **Culinary Center**

Innovation meets **minimalist beauty** with the Culinary Center. Packed with **built-in features** that put everyday tools at your fingertips as you work, this **double-sink workstation** makes a magnificent transformation to a clean, modern statement in elegance.



The kitchen prep zone is crucial, since it is where we spend the majority of our time in the kitchen. It is the work center where meals are prepped and combined prior to being cooked.



**16** | 2021 Collection

### Culinary Cente Stainless

# **Culinary Center**



### **Complete Workstation**

Complete kitchen solution with every accessory integrated and stored, bringing efficient workflow to the most basic necessity in the kitchen: the sink.





### **Essential Accessories**

The epitome of efficiency, the most used accessories are neatly stored in the compartment bowl right where you need them for prepping food.





### **Double Bowl Sink**

Storage compartment bowl doubles as an additional sink for cleaning or prepping.






### **Design Details**

The minimalist beauty of the 12mm radius corners and round drain cover accentuate the elegance of the design.





# **Perfectly Organized**



### A place for everything

The double-sink Culinary Center features **essential accessories** built right into the sleek design. When tasks are complete, everything stores neatly into this wellthought-out system.



### Designed for the way you work

The Culinary Center's two cutting boards, colander and draining rack are easily removed and positioned to fit the workflow that's most efficient for you. Rinsing, draining, chopping, dicing and slicing are a snap when the right tools are at hand.



### **Details matter**

The Culinary Center features dual sinks, both with easy-to-reach corners. The custom-fitted accessories compartment allows you to dry and store the tools you use most so they're ready when you need them. At the end of the day you'll have a neat and organized kitchen workstation with everything in its place.

#### CUX110-10 \$2,200



Note: Included accessories can be stored within the sink. They are meant to be used on the counter and are not a custom fit with this sink.


### SPECIFICATIONS

Interior Dimensions: 10 1/8 " x 18 1/8 " x 8 1/16" Exterior Dimensions: 131/8" x 213/8" Minimum Cabinet Size: 18"

Gauge: 19 Weight: 19 lbs.

Sound Dampening: Sound Pad Stainless Finish: Diamond Corner Radius: 12mm

Installation: Undermount with ½" Reveal



#### ACCESSORIES

2	Cutting	3   Cut	tting 4	Cutting	Glass Cover/	6	Knife Holder +	7	Knife	8	Colander 9	1	Wire	10	Frame 11	Strainer
	Board	Boa	ard	Mat	<b>Cutting Board</b>		<b>Cutting Board</b>		Set		CUW-70S		Rack		Cover	Assembly
	CU-40S	CU-	-40P	SP-40S	CU-GC		CU-40K		CU-KS		Included		CU-WR		CU-FC	1145
	Included	Incl	luded	Included	Included		Included		Included				Included		Included	Included
				1	1				•		1	'				1

#### CUX160-21 \$2,855




#### SPECIFICATIONS

Interior Dimensions: 3211/16" x 1878" x 93/16" & 81/16" Exterior Dimensions: 353/16" x 213/8" Minimum Cabinet Size: 39"

Gauge: 19 Weight: 50 lbs.

Sound Dampening: Sound Pad Stainless Finish: Diamond Corner Radius: 12mm

Installation: Undermount with \( \frac{1}{2} \) Reveal



#### ACCESSORIES

Bottom 2 Grid CU21-36S Optional	Cutting 3 Board CU-40S Included	Cutting 4 Board CU-40P Included	Cutting 5 Mat SP-40S Included	Glass Cover/ 6 Cutting Board CU-GC Included	Knife Holder + 7 Cutting Board CU-40K Included	Knife 8 Set CU-KS Included	Colander 9 CUW-70S Included	Rack	Cover CU-FC	Strainer Assembly 1145 Included
--	--	--	--	--	---	-------------------------------------	-----------------------------------	------	----------------	--



1 | Bottom Grid 203/16" x 153/8" Stainless CU21-36S \$170

7 | Knife Set

Set of 3

Black

\$125

CU-KS

Included

2 Cutting Board Walnut CU-40S \$185 Included

8 | Colander

Stainless

CUW-70S

\$240

Included

63/16" x 175/8" x 21/8"



3 Cutting Board Black Plastic CU-40P \$120 Included

Wire Rack

Stainless

CU-WR

\$150

Included

11" x 183/41



Silicone SP-40S \$70 Included

10 Frame Cover

CU-FC

\$150

Included



5 | Glass Cover/ **Cutting Board** Black Glass CU-GC \$145 Included



**Cutting Board** 73/16" x 167/8" Walnut CU-40K \$305 Included



Stainless Finish 1145 \$30 Included



11 Strainer Assembly



Drain Cover Stainless RNDCVR \$105 One included

with CUX160-21

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout








# **Chef Center**

Franke's Chef Center gives you the power of a beautifully designed sink system. **Every accessory is included** and right at hand.

The Chef Center's **wide basin** accommodates large pots and pans easily. The **multi-level sink grid** and **roller mat** are practical accessories designed for any kitchen task, including drying dishes and stemware. A generously sized drain board features a sloped design that fits over the edge of the sink to direct water back into the sink.

FRANKECANADA.COM | 23

## **Chef Center**





### Ledge System

The reveal and integrated ledge allow for a seamless workflow with the custom fit accessories.





### All-in-One Workspace


Seamless workflow, unobstructed surfaces, and integrated accessories - a complete solution.





### **Storage & Composting Bins**

Made from antimicrobial material to reduce odors. Convenient handle allows you to remove the rear compost bin and the front bin can be used to store prepping and cleaning tools.





### **Deep Capacity Bowl**

A large deep bowl makes it easy to clean large cookware items and minimizes splashing, offering the form and function you expect from your sink.



CUX110-18 \$3,035



#### SPECIFICATIONS

Interior Dimensions: 18 1/8" x 16 1/8" x 9" Exterior Dimensions: 28 1/8 x 18 1/8 "


Minimum Cabinet Size: 30"

Gauge: 18 Weight: 55 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Diamond Integral Franke Ledge System Corner Radius: 12mm

Installation: Undermount with ½" Reveal



#### INCLUDED ACCESSORIES

1	Bottom/					
	Shelf Grid					
	Shelf Grid CUW18-36S					
	Included					
	I					

Glass Cutting
Board
CUW-40S
Board CUW-40S Included

Cutting	5	Cutting Ma SP-40S Included
)S d		Included

Mat	6	(
	6	(
		ı

olander 7	Ro
JW-70S	Cl
cluded	In

Roller Mat
CUW-36RM
Included

3	Drain
	Board
	CUW-60S
	Included

9	Drain	10
	Cover	
	PKGCVR	
	Included	

Strainer Assembly 1145 Included

CUX110-24 \$3,285

#### SPECIFICATIONS

Interior Dimensions: 23 1/8 x 16 1/8 x 9" Exterior Dimensions: 33 1/8" x 18 1/8"


Minimum Cabinet Size: 36"

Gauge: 18 Weight: 57 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Diamond

Integral Franke Ledge System Corner Radius: 12mm

Installation: Undermount with ½" Reveal



### INCLUDED ACCESSORIES

2	Bottom/
	Shelf Grid
	Shelf Grid CUW24-36S
	Included

<b>Glass Cutting</b>
Board
CUW-40S
Included

5	Cutting Mat SP-40S Included

- 0	
5	<b>Cutting Mat</b>
	SP-40S
	<b>Cutting Mat</b> SP-40S Included

Cutting	Mat
SP-40S	
Included	

at	6	Co
		Co CU Inc
		Inc

lander	7	
W-70S		
luded		

Roller Mat	
CUW-36RM	
Included	

}	Drain
	Board
	<b>Board</b> CUW-60S



10 | Strainer Assembly 1145 Included

CUX110-31

\$3,570

### SPECIFICATIONS

Interior Dimensions: 31 1/8" x 16 1/8" x 9" Exterior Dimensions: 41 1/8 x 18 1/8 x


Minimum Cabinet Size: 42" Gauge: 18

Weight: 60 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Diamond

Integral Franke Ledge System Corner Radius: 12mm

Installation: Undermount with ½" Reveal



### INCLUDED ACCESSORIES

3	Bottom/ Shelf Grid CUW31-36S Included
	<b>Shelf Grid</b>
	CUW31-36S
	Included

Board CUW-40S Included

4 | Glass Cutting 5 | Cutting Mat SP-40S Included

6 | Colander CUW-70S Included

7 | Roller Mat 8 | Drain CUW-36RM Included

Board CUW-60S Included

9 | Drain Cover **PKGCVR** Included

10 | Strainer Assembly 1145 Included

#### INCLUDED ACCESSORIES





7 | Roller Mat

Stainless

\$170

Included

CUW-36RM

17" x 1578'





8 Drain Board

Stainless

CUW-60S

\$215

Included

13½" x 18¾'







9 | Drain Cover

Stainless

**PKGCVR** 

Included

\$105

47/8" x 47/8"









10 Strainer Assembly

1145

Included

\$30



5 | Cutting Mat 9 13/16" x 14 7/8" Silicone SP-40S \$70 Included



6 | Colander 63/16" x 175/8" x 21/8" Stainless CUW-70S \$240 Included

### OPTIONAL ACCESSORIES



Satin Nickel 906P-SN

\$190








**Push Button** Strainer Kit Chrome 906P-C \$165

Inox Cream Steel Polish 903 \$35



# Peak

Elegantly simple and exceedingly functional, the Peak Collection exudes luxury. **Clean lines** and the **5mm corner radius** maximize workspace. The **square drain cover** complements the minimalist design while obscuring the strainer and waste disposer.

Accessories such as shelf grids, colanders and cutting boards fit perfectly with the sink's **integrated ledge** or over the sink to expand functionality to fit any chef's food preparation style.





# Peak



### Multi-Level Workspace

The bottom sink grid raises to sit on the integrated ledge, creating a higher level workspace to expand your prep, clean and rinse area.





# **Commercial Grade Stainless**

Made of 16 gauge stainless steel with a Diamond finish that will retain its beauty for many years.





### Rear Drain & Drain Cover

The removable drain cover conceals the drain for a seamless bowl surface, while providing a flat bottom surface to allow for more usable workspace.






### Minimalist Design

5mm radius corners and invisible drain provide an eye-catching design element to the kitchen.



### **luxury at its**

PEAK



PKX110-8

\$1,320



#### SPECIFICATIONS

Interior Dimensions: 71/8" x 161/2" x 71/8" Exterior Dimensions: 81/4" x 173/4" Minimum Cabinet Size: 12"

Gauge: 18 Weight: 9 lbs.

Sound Dampening: Sound Pad & Spray Coat


10 | Strainer

1145

Included

Assembly

Stainless Finish: Diamond Corner Radius: 5mm Installation: Undermount



#### ACCESSORIES

5	Colander	6	Drain Cover
	PX-70S		PKXCVR
	Included		Included

8 | Universal

Roller Mat UV-36RM

9 | Twist Waste Kit FRTWIST-SN 11 Inox Cream 903

PKX110-13

\$2,080



### SPECIFICATIONS


Interior Dimensions: 133/8" x 161/2" x 95/8" Exterior Dimensions: 14% x 1734"

Minimum Cabinet Size: 15"

Gauge: 16 Weight: 19 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Diamond Integral Franke Ledge System Corner Radius: 5mm Installation: Undermount



#### ACCESSORIES

bottom/
Shelf Grid
<b>Shelf Grid</b> PX-13S
Included

5 | Colander PX-70S Included

6 Drain Cover PKXCVR Included

8 Universal

**Roller Mat** UV-36RM

9 | Twist Waste Kit FRTWIST-SN 10 Strainer 11 Inox Assembly 1145 Included

Cream 903

### PKX110-16 \$2,340



#### SPECIFICATIONS

Interior Dimensions:  $15\frac{3}{4}$ " x  $16\frac{1}{2}$ " x  $9\frac{5}{8}$ " Exterior Dimensions: 16% x 1734


Minimum Cabinet Size: 18"

Gauge: 16 Weight: 21 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Diamond Integral Franke Ledge System Corner Radius: 5mm Installation: Undermount

UV-36RM



### ACCESSORIES

2	Bottom/
	Shelf Grid PX-16S Included
	PX-16S
	Included

5 | Colander PX-70S Included

6 Drain Cover 7 Cutting PKXCVR Included

Board PX-40S

8 Universal 9 | Twist Roller Mat Waste Kit FRTWIST-SN 10 Strainer Assembly 1145 Included

11 Inox Cream 903

### PKX110-18 \$2,425

### SPECIFICATIONS

Interior Dimensions:  $17\frac{3}{4}$ " x  $16\frac{1}{2}$ " x  $9\frac{5}{8}$ " Exterior Dimensions: 18 % " x 17 3/4"


Minimum Cabinet Size: 24"

Gauge: 16 Weight: 22 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Diamond Integral Franke Ledge System

Corner Radius: 5mm Installation: Undermount



ACCESSORIES

3 Bottom/ Shelf Grid PX-18S Included

5 | Colander PX-70S Included

6 Drain Cover PKXCVR Included

Cutting Board PX-40S

8 Universal 9 Twist Roller Mat Waste Kit UV-36RM

FRTWIST-SN

10 Strainer 11 Inox Assembly 1145 Included

Cream 903

PKX110-21 \$2,655



### SPECIFICATIONS

Interior Dimensions: 21 % x 16 ½ x 9 % 8 Exterior Dimensions: 22 13/16" x 173/4"

Minimum Cabinet Size: 24"

Gauge: 16 Weight: 25 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Diamond Integral Franke Ledge System Corner Radius: 5mm Installation: Undermount

22 13/16" (88cm) —

ACCESSORIES

4 | Bottom/ Shelf Grid PX-21S Included

5 | Colander 6 | Drain Cover 7 | Cutting 8 | Universal PX-70S Included

**PKXCVR** Included

Board PX-40S Roller Mat UV-36RM

9 | Twist Waste Kit FRTWIST-SN

10 | Strainer Assembly 1145 Included

11 | Inox Cream 903

ACCESSORIES



Included

1 | Bottom/Shelf Grid 131/8" x 161/4" Stainless PX-13S \$160



6 | Drain Cover 47/8" x 47/8 Stainless PKXCVR \$125

> One included with each sink


sink, and accessories when making final cutout.



Included

7 | Cutting Board 8 Universal

143/8" x 171/8" Solid Wood PX-40S \$280



Stainless PX-18S \$180 Included



Stainless

UV-36RM

\$195

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories

subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template,

**Roller Mat** 187/16" x 20"



213/8" x 161/4"

Stainless PX-21S \$225 Included

9 Twist Waste Kit FRTWIST-SN \$250



61/8" x 175/16" x 21/8" Stainless PX-70S \$230 Included



Chrome 1145 \$30 Included



10 Strainer Assembly 11

Inox Cream Stainless Steel Polish 903 \$35

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories

#### SPECIFICATIONS


Interior Dimensions: 25" x 161/2" x 95/8" Exterior Dimensions: 263/16" x 173/4"

Minimum Cabinet Size: 27"

Gauge: 16 Weight: 27 lbs.

Sound Dampening: Sound Pad & Spray Coat

Integral Franke Ledge System Stainless Finish: Diamond Corner Radius: 5mm Installation: Undermount



#### ACCESSORIES

Bottom/
Shelf Grid
PX-25S
Included

4 | Colander 5 | Drain Cover 6 | Cutting PX-70S Included

PKXCVR Included Board PX-40S 7 Universal Roller Mat UV-36RM

8 | Twist 9 | Strainer Assembly Waste Kit FRTWIST-SN 1145 Included

Cream 903

### PKX110-28 \$2,750


### Interior Dimensions: 27% x 161/2" x 95/8" Exterior Dimensions: 283/4" x 173/4"

Minimum Cabinet Size: 30" Gauge: 16

SPECIFICATIONS

Weight: 29 lbs. Sound Dampening: Sound Pad & Spray Coat

Integral Franke Ledge System Stainless Finish: Diamond Corner Radius: 5mm Installation: Undermount



#### ACCESSORIES

3	Bottom/
	Shelf Grid PX-28S Included
	PX-28S
	Included

4 | Colander 5 | Drain Cover PX-70S Included

PKXCVR Included

6 Cutting Board PX-40S

7 Universal Roller Mat UV-36RM

8 | Twist Waste Kit FRTWIST-SN 9 | Strainer Assembly 1145 Included

10 Inox Cream 903

### PKX160-RH \$3,705 PKX160-LH

\$3,705



### SPECIFICATIONS

Interior Dimensions: 293/4" x 161/2" x 95/8" & 71/8"

Exterior Dimensions: 30\%" x 17\%"

Minimum Cabinet Size: 33" Gauge: 16


Weight: 35 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Diamond

Integral Franke Ledge System: Large Bowl Corner Radius: 5mm

Installation: Undermount



#### (PKX160 Shown)

### ACCESSORIES

1	Bottom/
	Shelf Grid PX-21S Included
	PX-21S
	Included

4 | Colander PX-70S Included

5 Drain Cover PKXCVR (2) Included

6 Cutting Board PX-40S

7 Universal Roller Mat UV-36RM

8 | Twist Waste Kit FRTWIST-SN 9 Strainer 10 | Inox Cream Assembly 1145 903 Included



#### ACCESSORIES



1 | Bottom/Shelf Grid 213/8" x 161/4" Stainless PX-21S \$225 Included



2 | Bottom/Shelf Grid 24¾" x 16¼" Stainless PX-25S \$230 Included



Bottom/Shelf Grid 275/16" x 161/4" Stainless PX-28S \$240 Included



4 Colander 61/8" x 175/16" x 21/8" Stainless PX-70S \$230 Included



5 | Drain Cover 47/8" x 47/8" Stainless PKXCVR \$125

One included with each sink. PKX160-RH & PKX160-LH include two.



6 | Cutting Board Solid Wood PX-40S \$280



7 Universal Roller Mat 187/16" x 20" Stainless UV-36RM \$195



8 | Twist Waste Kit FRTWIST-SN \$250



9 | Strainer Assembly Chrome \$30 Included



10 | Inox Cream Stainless Steel Polish 903 \$35

### PERFECT TOGETHER

### Peak Faucet

For the complete PEAK Faucet Collection see page 209







# **Professional 2.0**

The second generation of this hard-working sink features a Diamond stainless finish that offers enduring beauty for years. Made of **16 gauge**, commercial-grade stainless steel and available in a variety of size and configuration options. It's the perfect partner for the serious home chef.



### Professional 2.0 Stainless

# **Professional 2.0**





### **Integrated Reveal Ledge**

Allows accessories to work within the sink creating a seamless workflow while prepping meals.





### **Diamond Finish**

Durable finish takes minimal care to maintain a clean, attractive look for years.





### **Rear Drain Cover**

The removable drain cover conceals the drain for a seamless bowl surface, while the rear placement provides extra cabinet space beneath the sink.





### **Deep Capacity Bowl**

A large deep bowl makes it easy to clean large cookware items and minimizes splashing, offering the form and function you expect from your sink.



### PS2X110-15-CA \$1,815



#### SPECIFICATIONS

Interior Dimensions: 15" x 17" x 8" Exterior Dimensions:  $17\frac{1}{2}$ " x  $19\frac{1}{2}$ "


Minimum Cabinet Size: 18"

Gauge: 16 Weight: 21 lbs.

Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond Corner Radius: 8mm

Installation: Undermount with ½" Reveal



### ACCESSORIES

1	Bottom 5	Cutting 6	Colander 7	Drain 8	Roller Mat 9	Strainer
	<b>Grid</b> PS2-15-36S Included	Board PS2-45S	PE-70S	Cover RNDCVR Included	RM18S	Assembly 1145 Included

### PS2X110-18-CA \$1,890



### SPECIFICATIONS

Interior Dimensions: 18" x 17" x 10" Exterior Dimensions: 201/2" x 191/2" Minimum Cabinet Size: 21"

Gauge: 16


Weight: 23 lbs.

Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond

Corner Radius: 8mm

Installation: Undermount with 1/2" Reveal



### ACCESSORIES

2	Bottom 5	Cutting	6	Colander	7	Drain 8	В	Roller Mat 9	Strainer
	Grid	Board		PE-70S		Cover		RM18S	Assembly
	PS2-18-36S	PS2-45S				RNDCVR			1145
	Included					Included			Included

### PS2X110-21-CA \$1,940



#### SPECIFICATIONS

Interior Dimensions: 21" x 17" x 10" Exterior Dimensions: 23½" x 19½" Minimum Cabinet Size: 24"

Gauge: 16 Weight: 25 lbs.


Sound Dampening: Sound Pad and Spray Coat

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories

subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template,

Stainless Finish: Diamond Corner Radius: 8mm

Installation: Undermount with ½" Reveal



### ACCESSORIES

٠.	. 0 0 2 0 0 0 M 1 2 0										
3	Bottom 5	Cutting	6	Colander	7	Drain 8	B   I	Roller Mat 9	)	Strainer	
	<b>Grid</b> PS2-21-36S Included	Board PS2-45S		PE-70S		Cover RNDCVR Included		RM18S		Assembly 1145 Included	

sink, and accessories when making final cutout.

### PS2X110-24-CA \$2,025



#### SPECIFICATIONS


Interior Dimensions: 24" x 17" x 10" Exterior Dimensions: 261/2" x 191/2" Minimum Cabinet Size: 27"

Gauge: 16 Weight: 27 lbs.

Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond Corner Radius: 8mm

Installation: Undermount with ½" Reveal



#### ACCESSORIES

4	Bottom 5	Cutting 6	Colander	7	Drain	8	Roller Mat	9	Strainer
	Grid	Board	PE-70S		Cover		RM18S		Assembly
	PS2-24-36S	PS2-45S			RNDCVR				1145
	Included				Included				Included

### PS2X110-24-12-CA \$2,090



Suitable for laundry/utility

### SPECIFICATIONS

Interior Dimensions: 24" x 17" x 12" Exterior Dimensions: 261/2" x 191/2"


Minimum Cabinet Size: 27" Gauge: 16

Weight: 29 lbs.

Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond Corner Radius: 8mm

Installation: Undermount with ½" Reveal



#### ACCESSORIES

ŀ				- 1			Strainer
	Grid PS2-24-36S Included	Board PS2-45S	PE-70S		Cover RNDCVR Included	RM18S	Assembly 1145 Included

#### ACCESSORIES



1 | Bottom Grid 14½" x 16½" Stainless PS2-15-36S \$175 Included



6 | Colander 61/8" x 175/8" x 21/8" Stainless PE-70S \$280



7 Drain Cover

Stainless

**RNDCVR** 

One included with each sink.

\$105

41/2"

2 | Bottom Grid 17½" x 16½' Stainless PS2-18-36S \$185 Included



\$185



Stainless

\$230

Included

4 | Bottom Grid 20½" x 16½' 23½" x 16½' Stainless PS2-21-36S PS2-24-36S \$240 Included



8 | Roller Mat 12<sup>13</sup>/16" x 177/8" Stainless



5 | Cutting Board 11" x 17%" x 1" Maple PS2-45S \$270



9 | Strainer Assembly Chrome 1145 \$30 Included

sink, and accessories when making final cutout.

### PS2X110-27-CA \$2,225



#### SPECIFICATIONS

Interior Dimensions: 27" x 17" x 10" Exterior Dimensions: 29 1/2" x 19 1/2" Minimum Cabinet Size: 30"


Gauge: 16 Weight: 29 lbs.

Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond Corner Radius: 8mm

RM18S

Installation: Undermount with \( \frac{1}{2} \) Reveal



#### ACCESSORIES

Bottom Grid	Cutting Board
PS2-27-36S	PS2-45S
Included	

7 Colander PE-70S

8 Drain Cover RNDCVR Included

9 Roller Mat

10 Strainer Assembly 1145 Included

### PS2X110-30-CA \$2,340



Board

PS2-45S

### SPECIFICATIONS


Interior Dimensions: 30" x 17" x 10" Exterior Dimensions: 321/2" x 191/2" Minimum Cabinet Size: 33"

Gauge: 16 Weight: 31 lbs.

Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond Corner Radius: 8mm

Installation: Undermount with 1/2" Reveal



### ACCESSORIES 6 | Cutting

4	Bottom
	Grid
	PS2-30-36S
	Included

7 Colander PE-70S

8 Drain Cover RNDCVR Included

9 Roller Mat RM18S

10 Strainer

Assembly

1145

Included

### PS2X110-30-12-CA \$2,425





### SPECIFICATIONS

Interior Dimensions: 30" x 17" x 12" Exterior Dimensions: 32½" x 19½"


Minimum Cabinet Size: 33"

Gauge: 16 Weight: 32 lbs.

Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond Corner Radius: 8mm

Installation: Undermount with 1/2" Reveal



### ACCESSORIES

4	Bottom
	Grid
	PS2-30-36S
	Included

6 | Cutting Board PS2-45S

7 Colander PE-70S

8 Drain Cover RNDCVR Included

9 Roller Mat RM18S

10 Strainer Assembly 1145 Included

#### Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.

### PS2X110-33-CA \$2,560

#### SPECIFICATIONS


Interior Dimensions: 33" x 17" x 10" Exterior Dimensions: 35½" x 19½" Minimum Cabinet Size: 36"

Gauge: 16 Weight: 33 lbs.

Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond Corner Radius: 8mm

Installation: Undermount with ½" Reveal



#### ACCESSORIES

5	Bottom
	Grid
	PS2-33-36S Included
	Included

Board PS2-45S

6 | Cutting 7 | Colander PE-70S

8 Drain Cover **RNDCVR** Included

9 Roller Mat RM18S

10 Strainer Assembly 1145 Included

### PS2X160-18-11-CA \$2,695



### SPECIFICATIONS


Interior Dimensions: 30" x 17" x 10" & 9" Exterior Dimensions: 32½" x 19½" Minimum Cabinet Size: 33"

Gauge: 16

Weight: 34 lbs. Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond Corner Radius: 8mm

Installation: Undermount with 1/2" Reveal



#### ACCESSORIES

1	Bottom	2	Botto
	Grid		Grid
	PS2-11-36S		PS2-1
	Included		Include

8-36S

Cutting Board PS2-45S

7 | Colander PE-70S

8 | Drain Cover RNDCVR (2) Included

9 Roller Mat RM18S

4 | Bottom Grid

Stainless

\$310

Included

PS2-30-36S

29½" x 16½"

Assembly 1145 Included

#### ACCESSORIES



1 | Bottom Grid 10½" x 16½' Stainless PS2-11-36S \$155 Included



6 | Cutting Board 11" x 17%" x 1" Maple PS2-45S \$270



2 | Bottom Grid 17½" x 16½' Stainless PS2-18-36S \$185 Included



7 | Colander 61/8" x 175/8" x 21/8" Stainless PE-70S \$280

PS2-27-36S \$280 Included

3 | Bottom Grid

Stainless

26½" x 16½'

8 | Drain Cover 41/2" Stainless RNDCVR \$105

One included with each sink. PS2X160-18-11-CA

9 | Roller Mat 12<sup>13</sup>/<sub>16</sub>" x 17<sup>7</sup>/<sub>8</sub>" Stainless RM18S \$185



32½" x 16½" Stainless PS2-33-36S \$330 Included



10 Strainer Assembly Chrome 1145 \$30

Included

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.

includes two.

### PS2X120-14-14-CA \$2,695



#### SPECIFICATIONS


Interior Dimensions: 29" x 17" x 10" Exterior Dimensions: 31 ½" x 19 ½" Minimum Cabinet Size: 33"

Gauge: 16 Weight: 32 lbs.

Sound Dampening: Sound Pad and Spray Coat

Stainless Finish: Diamond Corner Radius: 8mm

Installation: Undermount with ½" Reveal



### ACCESSORIES

1	Bottom	3	Cutting
	Grid		Board
	PS2-14-36S		PS2-45S
	(2) Included		

4 Colander PE-70S

5 Drain Cover RNDCVR (2) Included

RM18S

6 Roller Mat 7 Strainer Assembly 1145 Included

### PS2X120-16-16-CA \$2,835



#### SPECIFICATIONS

Interior Dimensions: 33" x 17" x 10" Exterior Dimensions: 35½" x 19½"


Minimum Cabinet Size: 36" Gauge: 16

Weight: 38 lbs.

Sound Dampening: Sound Pad and Spray Coat Stainless Finish: Diamond

Corner Radius: 8mm

Installation: Undermount with ½" Reveal



#### ACCESSORIES

_	Doctom
	Grid
	PS2-16-36S
	(2) Included

Board PS2-45S

3 | Cutting

4 Colander

5 Drain Cover RNDCVR (2) Included

6 Roller Mat RM18S

7 Strainer **Assembly** 1145 Included

#### ACCESSORIES



1 Bottom Grid Stainless PS2-14-36S





4½" Stainless RNDCVR \$105

Two included with each double bowl sink.



2 | Bottom Grid

Stainless

\$175

PS2-16-36S

15½" x 16½"









61/8" x 175/8" x 21/8"

Stainless

PE-70S

\$280





7 | Strainer Assembly

Chrome 1145 \$30 Included

#### Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.

### PERFECT TOGETHER

### **Professional Faucets**

For the complete PROFESSIONAL Faucet Collection see page 191.







FFPD5400



# Crystal

The Crystal sinks not only look stunning - especially when combined with the Crystal faucet - their **performance** and their **reliability** are even more impressive.

Behind the discreetly **elegant glass and stainless steel** is where the magic happens, that's when drains disappear, sinks get flat bottoms and faucets flow like waterfalls.



# Crystal



# **Commercial Grade Stainless**

Made of 16 gauge stainless steel with a Diamond finish that will retain its beauty for many years.





### Removable Drain Cover

Shatterproof drain cover is easily removed for cleaning and sits perfectly in the sink to provide an even flat surface. Goodbye broken stemware.





### **Reversible Installation**

Invisible drain is located on the side of the sink bowl and can be installed with either a left or right side drain hole (single bowl sinks only) while allowing for more room beneath the sink.






# Sound Dampening System

Absorbs and reduces the noise caused by a garbage disposal or running water.







### CLV110-24-CA \$1,940



#### SPECIFICATIONS


Interior Dimensions: 24½" x 17" x 9" Exterior Dimensions: 26½" x 19" Minimum Cabinet Size: 27"

Gauge: 16 Weight: 28 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Diamond Corner Radius: 0mm

Installation: Undermount with ½" Reveal



#### ACCESSORIES

n	10 In C	Strainer 1 Assembly 1145 Included	9	Drain Cover CL-BGC Included CL-WGC CL-SSC		Roller Mat RM18S	7	Colander PE-70S	6	Cutting Board PS2-45S	Grid	
---	------------	--	---	--	--	---------------------	---	--------------------	---	-----------------------------	------	--

### CLV110-28-CA \$2,065



### SPECIFICATIONS


Interior Dimensions: 27½" x 17" x 9" Exterior Dimensions: 291/2" x 19" Minimum Cabinet Size: 30"

Gauge: 16 Weight: 31 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Diamond Corner Radius: 0mm

Installation: Undermount with ½" Reveal



### ACCESSORIES

### CLV110-31-CA \$2,195 —



sink, and accessories when making final cutout.

#### SPECIFICATIONS


Interior Dimensions: 30½" x 17" x 9" Exterior Dimensions: 32½" x 19" Minimum Cabinet Size: 36"

Gauge: 16 Weight: 34 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Diamond Corner Radius: 0mm

Installation: Undermount with ½" Reveal



### ACCESSORIES

4	Bottom	5	Cutting	6	Colander	7	Roller Mat	8	Drain Cover	9	Strainer 1	0	Inox
	Grid		Board		PE-70S		RM18S		CL-BGC Included		Assembly		Cream
	CL-31-36S		PS2-45S						CL-WGC		1145		903
									CL-SSC		Included		
		١		١									

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories

subject to change without notice. Waste openings are standard 3½" (9cm) diameter except where another dimension is noted. Franke recommends using template,

### CLV120-33-CA \$2,330 —



#### SPECIFICATIONS


Interior Dimensions: 30" x 17" x 9" Exterior Dimensions: 32½" x 19" Minimum Cabinet Size: 36" Gauge: 16

Weight: 35 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Diamond

Corner Radius: 0mm

Installation: Undermount with ½" Reveal



### ACCESSORIES

1	Bottom Grid	5	Cutting Board	6	Colander PF-70S	7	Roller Mat	Drain Cover	9	Strainer 10 Assembly	Inox Cream
	CL-14-36S		PS2-45S		. 2 7 00			CL-WGC CL-SSC		1145 Included	903

#### ACCESSORIES



1 | Bottom Grid 15" x 163/4" x 43/4" Stainless CL-14-36S \$185





6 | Colander 61/8" x 175/8" x 21/8" Stainless PE-70S \$280



7 | Roller Mat 12<sup>13</sup>/16" x 17<sup>7</sup>/8" Stainless \$185



3 | Bottom Grid

Stainless

19½" x 161/8"

8 | Drain Cover 6¼" x 167/8" Black CL-BGC

\$175 Included White CL-WGC \$175 Stainless Steel CL-SSC \$175



4 | Bottom Grid 22¾" x 161/8" Stainless CL-31-36S \$210



11" x 17%" x 1" Maple PS2-45S \$270



\$30

Included









### PERFECT TOGETHER

### Crystal Faucet

For the complete CRYSTAL Faucet Collection see page 193. For dispenser details see page 248.





Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.




# Pescara

Whether it's used in a kitchen, bar area, or prep area, Pescara is sure to be a head-turner. The **hidden drain** accents its contemporary look, while an integrated ledge system takes functionality to a whole new level. With three new doublebowl options, there's a Pescara sink for every cooking style.



FRANKECANADA.COM | **53** 

# Pescara





### **Integrated Ledge System**

Shelf grid sits conveniently on the integrated ledge system, creating a higher level workspace. Expand your workspace when you prep, rinse and clean.





### **Concealed Drain**

The removable drain cover conceals the drain for a seamless bowl surface, while provding a flat bottom surface to allow for more usable workspace.





### **Easy-Clean Corners**

The 20mm radius corners make it easy to clean every part of the sink.





### **Sound Dampening** System

Sound dampening pads and spray coat reduce excess noise from running water and disposal vibration.



FRANKECANADA.COM | **55 54** | 2021 Collection

### PTX110-14-CA \$755



#### SPECIFICATIONS

Interior Dimensions: 13½" x 17" x 8" Exterior Dimensions: 1411/16" x 183/16"


Minimum Cabinet Size: 18"

Gauge: 18 Weight: 11 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 20mm

Installation: Undermount with 3mm Reveal



#### ACCESSORIES

1	Bottom 7	Cutting 8	Self Healing 9	Cutting 10	Colander 11	Universal 12	Push Button 13	Strainer 14	Drain
	Grid	Board	Cutting Mat	Board	PE-70S	Roller Mat	Strainer Kit	Assembly	Cover
	PT14-36S	PT-40S	SP-40S	PT-41S		UV-36RM	906P-C	1145	PKGCVR
							906P-SN	Included	Included

### PTX110-17-CA \$830



### SPECIFICATIONS


Interior Dimensions: 16% x 17" x 8½" Exterior Dimensions: 173/4" x 183/16" Minimum Cabinet Size: 21"

Gauge: 18 Weight: 14 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Pearl

Integral Franke Ledge System Corner Radius: 20mm

Installation: Undermount with 3mm Reveal



### ACCESSORIES

2	Bottom C	Sneit	 Cutting	8	Self Healing 9	Cutting	10	Colander	11	Universai	12	Push Button	13	Strainer	14	Drain
	Grid	Grid	Board		Cutting Mat	Board		PE-70S		Roller		Strainer Kit		Assembly		Cover
	PT17-36S	PT14-31S	PT-40S		SP-40S	PT-41S				Mat		906P-C		1145		PKGCVR
										UV-36RM		906P-SN		Included		Included
		1	1			1		l		l		l				l

### PTX110-20-CA \$1,090



#### SPECIFICATIONS

Interior Dimensions: 191/2" x 17" x 9" Exterior Dimensions: 20 1/8" x 18 3/16" Minimum Cabinet Size: 24"

Gauge: 18 Weight: 16 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Integral Franke Ledge System Corner Radius: 20mm

Installation: Undermount with 3mm Reveal


— 18 3/16" (20.8cm) —		— 17" (43.2 cm)
R 20mm	19 1/2" (49.5cm) ————————————————————————————————————	
	9"	(22.9cm)

### ACCESSORIES

**56** | 2021 Collection

3	Bottom	6	Shelf 7	Cutting 8	Self Healing	9	Cutting	10	Colander	11	Universal 1	Push Button	13	Strainer 14	4	Drain
	Grid		Grid	Board	Cutting Mat		Board		PE-70S		Roller	Strainer Kit		Assembly		Cover
	PT20-36S		PT14-31S	PT-40S	SP-40S		PT-41S				Mat	906P-C		1145		PKGCVR
											UV-36RM	906P-SN		Included		Included

### PTX110-22-CA \$1,225



#### SPECIFICATIONS

Interior Dimensions: 22 1/8" x 17" x 9 1/2" Exterior Dimensions: 23\%" x 18\\2" Minimum Cabinet Size: 27"


Gauge: 18

Weight: 18 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Integral Franke Ledge System Corner Radius: 20mm

Installation: Undermount with 3mm Reveal



#### ACCESSORIES

Bottom (	Shelf Grid	7	Cutting Board	8	Self Healing Cutting Mat	9	Cutting Board	10	Colander PE-70S	11	Universal Roller	12	Push Button Strainer Kit	13	Strainer Assembly	14	Drain Cover
PT22-36S	PT14-31S		PT-40S		SP-40S		PT-41S				Mat UV-36RM		906P-C 906P-SN		1145 Included		PKGCVR Included

### PTX110-25-CA \$1,310



### SPECIFICATIONS


Interior Dimensions: 25" x 17" x 91/2" Exterior Dimensions: 261/2" x 181/2" Minimum Cabinet Size: 30"

Gauge: 18 Weight: 20 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Pearl

Integral Franke Ledge System Corner Radius: 20mm

Installation: Undermount with 3mm Reveal



### ACCESSORIES

5	Bottom	6	Shelf	7	Cutting	8	Self Healing	9	Cutting	10	Colander	11	Universal	12	<b>Push Button</b>	13	Strainer	14	Drain
	Grid		Grid		Board		<b>Cutting Mat</b>		Board		PE-70S		Roller		Strainer Kit		Assembly		Cover
	PT25-36S		PT14-31S		PT-40S		SP-40S		PT-41S				Mat		906P-C		1145		PKGCVR
													UV-36RM		906P-SN		Included		Included
١		- 1		ı		- 1													

#### ACCESSORIES



1 | Bottom Grid 125/16" x 15 13/16" Stainless PT14-36S \$175



8 | Self Healing **Cutting Mat** 9 <sup>13</sup>/16" x 14 7/8" Silicone SP-40S \$70

sink, and accessories when making final cutout.



3 | Bottom Grid 153/8" x 1513/16" 185/16" x 15 13/16" Stainless Stainless PT17-36S PT20-36S \$185



9 Cutting Board 10 Colander 11" x 18½" 61/8" x 175/8" x 21/8" Solid Wood Stainless PT-41S PE-70S \$240 \$280



4 | Bottom Grid 20 15/16" x 15 13/16" Stainless PT22-36S \$185



\$195

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories

subject to change without notice. Waste openings are standard 3½" (9cm) diameter except where another dimension is noted. Franke recommends using template,

11 Universal 12 | Push Button Roller Mat Strainer Kit 1876" x 20" Chrome Stainless UV-36RM \$165 Satin Nickel





906P-C

906P-SN \$190















**PKGCVR** \$105 (One included with each sink)

### PTX110-28-CA \$1,385



#### SPECIFICATIONS

Interior Dimensions: 28" x 17" x 91/2" Exterior Dimensions: 291/2" x 181/6"


Minimum Cabinet Size: 33"

Gauge: 18 Weight: 21 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Integral Franke Ledge System Corner Radius: 20mm

Installation: Undermount with 3mm Reveal



#### ACCESSORIES

4	Bottom 6	Shelf Grid	7	Cutting Board	- 1	Self Healing Cutting Mat	9	Cutting Board	Colander PE-70S	11	Universal Roller	12	Push Button Strainer Kit	13	Strainer Assembly	14	Drain Cover
	PT28-36S	PT14-31S		PT-40S		SP-40S		PT-41S			Mat UV-36RM		906P-C 906P-SN		1145 Included		PKGCVF Included

### PTX110-31-CA \$1,520



#### SPECIFICATIONS


Interior Dimensions: 31" x 17" x 9½" Exterior Dimensions: 32½" x 18%6" Minimum Cabinet Size: 36"

Gauge: 18 Weight: 23 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Integral Franke Ledge System Corner Radius: 20mm

Installation: Undermount with 3mm Reveal



### ACCESSORIES

5	Bottom	6 Shelf	7	Cutting	8	Self Healing	9	Cutting	10	Colander	11	Universal	12	Push Button	13	Strainer	14	Drain
	Grid	Grid		Board		<b>Cutting Mat</b>		Board		PE-70S		Roller		Strainer Kit		Assembly		Cover
	PT31-36S	PT14-31S		PT-40S		SP-40S		PT-41S				Mat		906P-C		1145		PKGCVR
												UV-36RM		906P-SN		Included		Included

### PTX160-31-CA \$1,860



### SPECIFICATIONS

Interior Dimensions: 31" x 17" x 8 ½ " & 8" Exterior Dimensions: 32" x 18"


Minimum Cabinet Size: 33"

Gauge: 18 Weight: 20.5 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Integral Franke Ledge System Corner Radius: 20mm

Installation: Undermount with 3mm Reveal



### ACCESSORIES

,	00100	0									
1	Bottom 2	Bottom	6 Shelf	7   Cutting 8	Self Healing	9 Cutting 10	Colander 11	Universal 12	Push Button 13	Strainer 14	Drain
	Grid	Grid	Grid	Board	<b>Cutting Mat</b>	Board	PE-70S	Roller	Strainer Kit	Assembly	Cover
	PT14-36S	PT17-36S	PT14-31S	PT-40S	SP-40S	PT-41S		Mat	906P-C	1145	PKGCVR
								UV-36RM	906P-SN	Included	Included

### **№** PTX160-37-CA \$1,940



### SPECIFICATIONS


Interior Dimensions: 36½" x 17" x 9½" & 8" Exterior Dimensions: 38" x 18" Minimum Cabinet Size: 39"

Gauge: 18 Weight: 25.4 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Pearl

Integral Franke Ledge System Corner Radius: 20mm

Installation: Undermount with 3mm Reveal



### ACCESSORIES

1	Bottom	3	Bottom	6	Shelf	7	Cutting	8	Self Healing	9	Cutting 10	)	Colander	11	Universal 1	12	Push Button 1	3	Strainer	14	Drain
	Grid		Grid		Grid		Board		<b>Cutting Mat</b>		Board		PE-70S		Roller		Strainer Kit		Assembly		Cover
	PT14-36S		PT22-36S		PT14-31S		PT-40S		SP-40S		PT-41S				Mat		906P-C		1145		PKGCVR
															UV-36RM		906P-SN		Included		Included

### **▼PTX160-40-CA** \$2,080

SPECIFICATIONS


Interior Dimensions:  $39\frac{1}{2}$ " x 17" x  $9\frac{1}{2}$ " &  $8\frac{1}{2}$ " Exterior Dimensions: 41" x 18" Minimum Cabinet Size: 42" Gauge: 18

Weight: 27.2 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Pearl

Integral Franke Ledge System Corner Radius: 20mm

Installation: Undermount with 3mm Reveal



### ACCESSORIES

2	Bottom	3	Bottom	6	Shelf	7	Cutting	8	Self Healing	9	Cutting	10	Colander	11	Universal	12	Push Button	13	Strainer 1	14	Drain
	Grid		Grid		Grid		Board		<b>Cutting Mat</b>		Board		PE-70S		Roller		Strainer Kit		Assembly		Cover
	PT17-36S		PT22-36S		PT14-31S		PT-40S		SP-40S		PT-41S				Mat		906P-C		1145		PKGCVR
															UV-36RM		906P-SN		Included		Included
	l	ı						ı		- 1		- 1			l						

### ACCESSORIES



\$175

8 | Self Healing

Silicone

SP-40S

\$70

**Cutting Mat** 

9 13/16" x 14 7/8"

1 | Bottom Grid 2 | Bottom Grid 125/16" x 15<sup>13</sup>/16" Stainless PT14-36S



9 Cutting Board 10 Colander

153/8" x 1513/16"

Stainless

11" x 18½" Solid Wood PT-41S \$240


\$185

Stainless

PT22-36S

61/8" x 175/8" x 21/8" Stainless PE-70S \$280

20<sup>15</sup>/16" x 15<sup>13</sup>/16"



4 | Bottom Grid 26¾" x 15<sup>13</sup>/16" Stainless PT28-36S \$195



187⁄16" x 20"

Stainless

UV-36RM

\$195

11 Universal Roller Mat

12 | Push Button Strainer Kit Chrome 906P-C \$165

Satin Nickel

906P-SN

\$190



5 | Bottom Grid

Stainless

PT31-36S

\$210

29 <sup>13</sup>/<sub>16</sub>" x 15 <sup>13</sup>/<sub>16</sub>"















(One included with each sink. Two included with double bowl)

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.

### Pescara Stainless

### PERFECT TOGETHER

### Pescara Faucets

For the complete PESCARA Faucet Collection see pages 204-206.







# Orca 2.0


Orca 2.0 offers the size advantage of a commercial sink with a **modern design** that is at home in today's luxury kitchen. Spacious Orca 2.0 accommodates large cookware and big tasks, while the optional shelf grid roller mat and wire basket that fit the integral ledge make this sink a high performer.

Designed with gentle curves and a rear drain with a smooth round cover, Orca 2.0 is easy to maintain and **offers enduring visual appeal**. Complete your workstation by adding a solid wood cutting board, a stainless steel colander and a roller mat to **make every meal you prepare effortless**.





## Orca 2.0





### **Drain Cover**

Covers the drain to maintain an even surface of the basin. Good-bye, broken stemware.





### **Kitchen Essentials**

Custom-fit accessories made to work together and turn the sink into a multi-purpose workstation.



### OR2X110-CA \$1,260



### SPECIFICATIONS

Interior Dimensions: 29½" x 18¾" x 9½" Exterior Dimensions: 30 1/16" x 20 1/16"


Minimum Cabinet Size: 33"

Gauge: 18 Weight: 24 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk

Integral Franke Ledge System Corner Radius: 30mm Installation: Undermount





#### ACCESSORIES

|--|

#### ACCESSORIES



1 | Bottom Grid 271/16" x 163/4" Stainless OC2-36S \$270



Roller Mat 10½" x 15¾" Stainless OC2-31S-RH \$195



3 | Cutting Board 171/8" x 1913/16" Solid Wood with Stainless Colander OC2-45SP



4 | Wire Basket 13%" x 18½" x 25%" Stainless OC2-50C \$195



5 Colander 7" x 12½" x 2½" Polished Stainless OC2-60S \$155



6 Drain Cover 4½" Stainless RNDCVR \$105

One included with each sink.



Included

7 | Strainer Assembly Chrome 1145 \$30



8 Inox Cream Stainless Steel Polish 903 \$35



Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.





# Prestige

You'll be amazed by the volume that the **deep-bowl** Prestige sink can handle. The PRX11021-CA model features a **ledge system** for added convenience and **ergonomic** ease of use. A final Silk finish after production creates a **sleek glistening surface**, resulting in a beautiful finish that is hygienic and easy to clean.

# **Prestige**





### **Sound Dampening**

Sound pads and a spray coating absorb and reduce noise.





### Hygienic Silk Finish

A glistening surface resulting in a beautiful finish that is hygienic and easy to clean.



### PCX1102109-CA \$880




#### SPECIFICATIONS

Interior Dimensions: 21 1/4 " x 18 7/8 " x 9 1/16" Exterior Dimensions: 221/4" x 197/8" Minimum Cabinet Size: 24"

Gauge: 18 Weight: 20 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Corner Radius: 83mm Installation: Undermount



#### ACCESSORIES

1	Bottom
	Grid
	PR-36S
	<b>Grid</b> PR-36S

Universal 4 Pop-Up Roller Mat UV-36RM

Strainer 900P-SN27

1145

5 | Strainer Assembly Included

6 Inox Cream

### PRX11021-CA \$1,005




SPECIFICATIONS

Interior Dimensions: 21 1/4" x 18 1/8" x 9 1/16" Exterior Dimensions: 221/4" x 197/8" Minimum Cabinet Size: 24"

Gauge: 18 Weight: 20 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Silk

Integral Franke Ledge System Corner Radius: 83mm Installation: Undermount



### ACCESSORIES

1	Bottom
	<b>Grid</b> PR-36S

2 | Shelf Grid PR-31S 3 | Universal Roller Mat UV-36RM

4 | Pop-Up Strainer 900P 900P-SN27 5 | Strainer Assembly 1145 Included

6 Inox Cream 903

#### ACCESSORIES



1 | Bottom Grid 18<sup>13</sup>/32" x 16<sup>3</sup>/8" Stainless PR-36S \$190



2 | Shelf Grid 205/16" x 137/16" Stainless PR-31S \$190



3 Universal Roller Mat 187/16" x 20" Stainless UV-36RM \$195



4 | Pop-Up Strainer Chrome \$150 Satin Nickel 900P-SN27

\$180



5 | Strainer Assembly Chrome 1145 \$30

6 Inox Cream Stainless Included

Steel Polish 903 \$35

# Regatta

The innovative design of the Regatta offers large bowls while remaining space conscious. A final Silk finish after production creates a **sleek glistening surface**, resulting in a beautiful finish that is hygienic and easy to clean.





# Regatta





#### Rear Drain

Maximizes the usable bottom surface of the bowl while also creating extra cabinet space beneath the sink.





#### **Multiple Bowl**

A multiple bowl sink provides convenience so you can stack dishes in one sink while prepping in the other.



#### RGX160-CA \$1,250



#### SPECIFICATIONS


Interior Dimensions: 29 15/16" x 18 7/8" x 8 7/8" & 6 7/8" Exterior Dimensions: 31½" x 20½"

Minimum Cabinet Size: 33"

Gauge: 18 Weight: 24 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Corner Radius: 113mm Installation: Undermount



#### ACCESSORIES

<b>ottom</b> <b>rid</b> G-36S	Bottom Grid RG-36S-RH	Small Drain Basket CP-50C	Universal Roller Mat UV-36RM	Pop-U Strain 900P 900P-
				7001

#### ACCESSORIES









1145

\$30

Included






11½" x 14¼" RG-36S-RH









6 Strainer Assembly 1145 Included

7 Inox Cream

4 Universal **Roller Mat** 1876" x 20" Stainless UV-36RM \$195

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.



# Cube

With the modern 18 gauge stainless steel design of the Cube family, this **Swiss engineered** line of sinks has it all. The **single and double bowl** styles offer a clean, sleek look with an easy-to-clean **Pearl finish**. **ADA compliant** sinks are available to accommodate your task.



FRANKECANADA.COM | **75** 

# Cube



#### **Optimal Radius Design**

The radius of the sink is simple and contemporary and is easy to clean.





#### **Deep Capacity Bowl**

A large deep bowl makes it easy to clean cookware items and minimizes splashing, offering the form and function you expect from your sink.





#### **Efficient Drain**

The pitched bottom creates efficient draining and the rear drain placement provides additional storage below the sink.





#### **Pearl Finish**

A durable, resilient finish that will stand up to heavy everyday use.



## wonderfully

MODERN



#### CUX110-10

\$2,200



Included accessories are meant to work on the counter or with the balance of the Cube sinks.

#### SPECIFICATIONS


Interior Dimensions: 10 % " x 18 % " x 8 1/6" Exterior Dimensions: 131/8" x 213/8"

Minimum Cabinet Size: 18"

Gauge: 19 Weight: 19 lbs.

Sound Dampening: Sound Pad Stainless Finish: Diamond Corner Radius: 12mm

Installation: Undermount with 1/2" Reveal



#### ACCESSORIES

4	Cutting	5   Cutting	6   Cutting	7   Glass Cover/	8   Knife Holder +	9 Knife	10 Colander	11	Wire 12	Frame 15	Strainer
	Board	Board	Mat	<b>Cutting Board</b>	<b>Cutting Board</b>	Set	CUW-70S		Rack	Cover	Assembly
	CU-40S	CU-40P	SP-40S	CU-GC	CU-40K	CU-KS	Included		CU-WR	CU-FC	1145
	Included	Included	Included	Included	Included	Included			Included	Included	Included

#### CUX110-15-CA \$745




#### SPECIFICATIONS

Interior Dimensions: 15" x 161/8" x 9" Exterior Dimensions: 161/2" x 173/4" Minimum Cabinet Size: 18"

Gauge: 18 Weight: 13 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



#### ACCESSORIES

1	Bottom 4 Grid CU15-36S	Cutting 5 Board CU-40S	Cutting 10 Board CU-40P	Colander 13 CUW-70S	Universal 14 Roller Mat UV-36RM	Push Button 15 Strainer Kit 906P-C 906P-SN	Strainer 16 Assembly 1145 Included	Inox Cream 903
---	------------------------------	------------------------------	-------------------------------	------------------------	---------------------------------------	---	---	----------------------

#### **■ CUX110-19-CA \$785**



#### SPECIFICATIONS


Interior Dimensions: 18" x 161/8" x 9" Exterior Dimensions: 19% x 17¾"

Minimum Cabinet Size: 21"

Gauge: 18 Weight: 23 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



#### A C C E S S O D I E S

	ACCLSSO	1 1	LJ											
2	Bottom	4	Cutting	5	Cutting	10	Colander	13	Universal	14	Push Button	15	Strainer	 Inox
	Grid		Board		Board		CUW-70S		Roller Mat		Strainer Kit		Assembly	Cream
	CU19-36S		CU-40S		CU-40P				UV-36RM		906P-C		1145	903
											906P-SN		Included	

#### CUX110-21-CA \$860




#### SPECIFICATIONS

Interior Dimensions: 21 1/4 " x 16 1/8 " x 9" Exterior Dimensions: 223/4" x 173/4" Minimum Cabinet Size: 24"

Gauge: 18 Weight: 16 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



A	С	С	Ε	S	S	0	R	I	E	,
A	С	С	Е	S	S	O	R	I	E	,

4 Cutting 5 Cutting 10 Colander 13 Universal 14 Push Button 15 Strainer Roller Mat UV-36RM UV-36RM 906P-C 906P-SN 1145 Included	Cr	ream	eam																																																																			
16 Inox Cream 903	eam																																																																					
Cream	eam																																																																					
Cream	eam																																																																					
Cream	eam																																																																					
Cream	eam																																																																					
Cream	eam																																																																					
Cream	eam																																																																					
Cream	eam																																																																					
Cream	eam																																																																					
Cream	eam																																																																					

#### ACCESSORIES



1 | Bottom Grid 13¾" x 15¾" Stainless CU15-36S \$155

7 | Glass Cover/

Black Glass

Included with

CUX110-10

CU-GC

\$145

**Cutting Board** 

11½" x 19¾"



2 | Bottom Grid 17 15/32" x 15 1/2" Stainless CU19-36S \$170

8 | Knife Holder+

**Cutting Board** 

7<sup>3</sup>/<sub>16</sub>" x 16<sup>7</sup>/<sub>8</sub>"

Included with

CUX110-10

Walnut

CU-40K

\$305



3 | Bottom Grid 203/16" x 153/8" Stainless CU21-36S \$170



4 | Cutting Board 7½" x 16%" Walnut CU-40S \$185 Included with CUX110-10



7½" x 16%" Black Plastic CU-40P \$120 CUX110-10

5 | Cutting Board



Silicone SP-40S \$70 Included with Included with CUX110-10



11 | Wire Rack 11" x 183/4" Stainless CU-WR \$150 Included with CUX110-10



Stainless Finish CU-FC \$150 Included with CUX110-10



13 Universal Roller Mat 187/16" x 20" Stainless UV-36RM \$195



14 | Push Button Strainer Kit Chrome 906P-C \$165 Satin Nickel

906P-SN \$190



9 | Knife Set

Black

CU-KS

\$125

Included with

CUX110-10

Set of 3

15 | Strainer Assembly Chrome \$30 Included



10 | Colander

Stainless

CUW-70S

Included with

CUX110-10

\$240

63/16" x 175/8" x 21/8"

16 | Inox Cream Stainless Steel Polish 903 \$35



#### CUX110-23-CA \$900



#### SPECIFICATIONS


Interior Dimensions: 23" x 161/8 x 9" Exterior Dimensions: 24% x 1711/16"

Minimum Cabinet Size: 27"

Gauge: 18 Weight: 17 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



#### ACCESSORIES

Board CU-40S CU-40P CUW-70S Roller Mat UV-36RM Strainer Kit 906P-C 1145 Included CCPam 903
--

#### CUX110-25-CA \$935

#### SPECIFICATIONS


Interior Dimensions: 25" x 161/8 x 9" Exterior Dimensions: 26 1/8 x 17 3/4 " Minimum Cabinet Size: 27"

Gauge: 18 Weight: 18 lbs.

Sound Dampening: Sound Pad & Spray

Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



#### ACCESSORIES

ox eam 3
----------------

#### CUX110-25-8-CA \$935

#### SPECIFICATIONS


Interior Dimensions: 25" x 161/8 x 8" Exterior Dimensions: 26 1/8" x 17 3/4" Minimum Cabinet Size: 27"

Gauge: 18 Weight: 18 lbs.

Sound Dampening: Sound Pad & Spray

Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



3   Bottom 6   Cutting 7   Cutting 8   Colander 9   Universal	10   Push Button 11   Strainer 12   Inox
Grid Board Board CUW-70S Roller Mat	
CU25-8-36S CU-40S CU-40P UV-36RM	906P-C 1145 903
	906P-SN Included

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories

#### CUX110-27-CA \$995


#### SPECIFICATIONS

Interior Dimensions: 27" x 161/8" x 9" Exterior Dimensions: 28½" x 17¾" Minimum Cabinet Size: 30"

Gauge: 18 Weight: 19 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



	Α	ACCESSO	RI	ES												
Grid Board CUW-70S Roller Mat Strainer Kit Assembly	4	Bottom	6	Cutting	7	Cutting	8	Colander	9	Universal	10	Push Button	11	Strainer	12	Inox
		Grid		Board		Board		CUW-70S		Roller Mat		Strainer Kit		Assembly		Cream
CU27-36S   CU-40P   UV-36RM   906P-C   1145		CU27-36S		CU-40S		CU-40P				UV-36RM		906P-C		1145		903
906P-SN Included												906P-SN		Included		

#### CUX110-27-8-CA \$995 -


#### SPECIFICATIONS

Interior Dimensions: 27" x 161/8" x 8" Exterior Dimensions: 28½" x 17¾" Minimum Cabinet Size: 30"

Gauge: 18 Weight: 19 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



#### ACCESSORIES

•	002000	–	~												
5	Bottom	6	Cutting	7	Cutting	8	Colander	9	Universal 1	10	Push Button	11	Strainer	12	Inox
	Grid		Board		Board		CUW-70S		Roller Mat		Strainer Kit		Assembly		Cream 903
	CU27-8-36S		CU-40S		CU-40P				UV-36RM		906P-C		1145		903
											906P-SN		Included		

#### ACCESSORIES



1 | Bottom Grid

Stainless

CU23-36S

\$185

22½ x 15¾"

2 Bottom Grid

24<sup>7</sup>/<sub>32</sub>" x 15<sup>3</sup>/<sub>8</sub>" Stainless CU25-36S \$190



235/8" x 143/4" Stainless CU25-8-36S \$190



4 | Bottom Grid 263/16" x 153/8" Stainless CU27-36S \$195



5 | Bottom Grid 25%6" x 14¾" Stainless CU27-8-36S \$195



\$185



7 Cutting Board  $7\frac{1}{16}$ " x  $16\frac{7}{8}$ " Black Plastic CU-40P \$120



Colander 63/16" x 175/8" x 21/8" Stainless CUW-70S \$240



9 | Universal **Roller Mat** 187⁄16" x 20" Stainless UV-36RM \$195



\$190

10 | Push Button Strainer Kit Chrome 906P-C \$165 Satin Nickel 906P-SN



11 Strainer Assembly Chrome 1145 \$30 Included



12 | Inox Cream Stainless Steel Polish 903 \$35

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.

#### CUX110-30-CA \$1,110




#### SPECIFICATIONS

Interior Dimensions: 30" x 161/8" x 9" Exterior Dimensions: 31 1/2" x 173/4" Minimum Cabinet Size: 33"

Gauge: 18

Weight: 21 lbs. Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



#### ACCESSORIES

6	Bottom 8	Cu
	Grid	Bo
	CU30-36S	CL

utting oard U-40S

Board CU-40P

9 Cutting 10 Colander

11 Universal Roller Mat CUW-70S UV-36RM

12 Push Button 13 Strainer Strainer Kit Assembly 906P-C 1145 906P-SN Included

14 Inox Cream

#### CUX110-30-8-CA \$1,110



#### SPECIFICATIONS

Interior Dimensions: 30" x 161/8" x 8" Exterior Dimensions: 31 1/2 " x 173/4" Minimum Cabinet Size: 33"

Gauge: 18 Weight: 21 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount

	R12 mm			
	16 1/8" (41 cm) 17 %" (45.1 cm)			
30"(76.2 cm)				
31%s"(80.2 cm)	1			

#### ACCESSORIES

7	Bottom
	Grid
	<b>Grid</b> CU30-8-36S

8 | Cutting Board CU-40S

Board CU-40P

CUW-70S

9 Cutting 10 Colander 11 Universal

Roller Mat UV-36RM

12 | Push Button 13 | Strainer Strainer Kit 906P-C 906P-SN

14 Inox Cream 903

Assembly

1145

Included

#### **CUX160-24-CA** \$1,035



#### SPECIFICATIONS


Interior Dimensions: 23 1/8 x 16 1/8 x 9" Exterior Dimensions: 25% x 1711/16"

Minimum Cabinet Size: 27"

Gauge: 18 Weight: 22.6 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



#### ACCESSORIES

1	Bottom	3	В
	Grid		G
	CU10-36S		С

ottom Grid CU13-36S

8 Cutting Board CU-40S

sink, and accessories when making final cutout.

9 Cutting Board CU-40P

10 | Colander 11 | Universal CUW-70S

Roller Mat UV-36RM

Strainer Kit 906P-C 906P-SN


12 Push Button 13 Strainer 14 Inox Assembly Cream 903 1145 Included


Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template,

#### CUX160-CA

#### \$1,330

#### SPECIFICATIONS





Α	CCESSO	RΙ	ES													
	Bottom Grid CU11-36S	5	Bottom Grid CU18-36S	8	Cutting Board CU-40S	9	Cutting Board CU-40P	10	Colander CUW-70S	11	Universal Roller Mat UV-36RM	12	Push Button Strainer Kit 906P-C 906P-SN	13	Strainer Assembly 1145 Included	 Inox Cream 903

Corner Radius: 12mm

Installation: Undermount

#### CUX120-CA


#### \$1,280

#### SPECIFICATIONS

Interior Dimensions: 30" x 161/8" x 9" Exterior Dimensions: 31½" x 17¾" Minimum Cabinet Size: 33"

Gauge: 18 Weight: 24 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount



#### ACCESSORIES

4	Bottom
	Grid
	<b>Grid</b> CU15-36S

8 Cutting Board CU-40S

9 Cutting Board CU-40P

10 Colander CUW-70S

11 Universal **Roller Mat** UV-36RM

12 | Push Button 13 | Strainer Strainer Kit 906P-C 906P-SN

Assembly 1145 Included

Cream

#### ACCESSORIES



1 | Bottom Grid 2 | 23 <sup>11</sup>/<sub>32</sub>" x 15½" Stainless CU10-36S \$135

**Bottom Grid** 

Stainless

\$145

10¼" x 15¾" Stainless CU11-36S CU13-36S \$150

3 | Bottom Grid 11 15/16" x 15 1/2"

4 | Bottom Grid 13¾" x 15¾" Stainless CU15-36S \$155



17%" x 15%" Stainless CU18-36S \$165



CU30-36S

\$200





7½" x 16%"

Walnut

CU-40S

\$185



7½6" x 16%"

Black Plastic

CU-40P

\$120



Stainless

CUW-70S

\$240



63/16" x 175/8" x 21/8"



Roller Mat 187/16" x 20" Stainless UV-36RM \$165 \$195



Satin Nickel

906P-SN

\$190

12 | Push Button Strainer Kit Chrome 906P-C Included



13 | Strainer Assembly Chrome 1145 \$30



14 | Inox Cream Stainless Steel Polish 903 \$35

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.

#### **CUX160-32-CA** \$1,390 **CUX160-32-CA** \$1,390 **CUX160-32-CA** \$1,390



#### SPECIFICATIONS

Interior Dimensions: 30 1/8 x 16 1/8 x 9" Exterior Dimensions: 32%6" x 1711/16" Minimum Cabinet Size: 33"

Gauge: 18

Weight: 26.8 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount

	16
(43.1 cm) (82.7	 PLANN

#### ACCESSORIES

1	Bottom	2	Bottom	5
	Grid		Grid	
	CU13-36S		CU17-36S	

Cutting Board CU-40S

6 Cutting 7 Colander

Board CU-40P

8 Universal **Roller Mat** CUW-70S UV-36RM

9 Push Button Strainer Kit 906P-C 906P-SN

10 Strainer Assembly 1145 Included

#### CUX11021-ADA-CA \$860




#### SPECIFICATIONS

Interior Dimensions: 21 1/4 " x 16 1/8 " x 5" Exterior Dimensions: 223/4" x 173/4" Minimum Cabinet Size: 24"

Gauge: 18 Weight: 16 lbs.

Sound Dampening: Sound Pad Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount **ADA Compliant** 



#### ACCESSORIES

3	Bottom
	Grid
	CU21-36S

5 | Cutting Board CU-40S

6 Cutting Board CU-40P

7 | Colander CUW-70S

8 Universal Roller Mat UV-36RM

906P-C

9 Push Button 10 Strainer Strainer Kit 906P-SN

Assembly 1145 Included

11 Inox Cream 903

#### CUX11027-ADA-CA \$995




#### SPECIFICATIONS

Interior Dimensions: 27" x 161/8" x 5" Exterior Dimensions: 281/2" x 173/4" Minimum Cabinet Size: 30"

Gauge: 18 Weight: 19 lbs.

UV-36RM

Sound Dampening: Sound Pad Stainless Finish: Pearl Corner Radius: 12mm Installation: Undermount ADA Compliant



#### ACCESSORIES

4	Bottom	5
	Grid	
	<b>Grid</b> CU27-36S	

Cutting **Board** CU-40S

6 Cutting 7 Colander Board CU-40P

8 Universal CUW-70S

9 | Push Button 10 | Strainer Roller Mat Strainer Kit 906P-C 906P-SN

**Assembly** 1145 Included

11 Inox Cream 903

ACCESSORIES



Stainless

CU13-36S

\$150

7 | Colander

Stainless

CUW-70S

\$240

1 | Bottom Grid 11 15/16" x 151/2"



2 | Bottom Grid

Stainless

CU17-36S

\$160

 $16^{3}/_{32}$ " x  $15\frac{1}{2}$ "

8 Universal 63/16" x 175/8" x 21/8" Stainless \$195



3 | Bottom Grid 203/16" x 153/8" Stainless CU21-36S \$170



Roller Mat 187/16" x 20" UV-36RM



4 | Bottom Grid 263/16" x 153/8" Stainless CU27-36S \$195



9 | Push Button Strainer Kit Chrome 906P-C \$165

Satin Nickel 906P-SN \$190



Chrome

1145

Included

\$30





6 | Cutting Board 7½" x 16%" Black Plastic CU-40P \$120









11 Inox Cream Stainless Steel Polish 903 \$35

#### PERFECT TOGETHER

#### Cube Faucets

For the complete CUBE Faucet Collection see pages 230-231.







FF3352



FFT3350



FFP3350






# **Grande**

While providing the functionality of a **large surface** and the convenience of **wide corners**, the Grande series will meet your everyday kitchen needs. These design elements provide a unique collaboration of utility and **ease of cleaning**. Grande is the perfect sink.



# **Grande**



elegant blend of SOFT LINES



#### **Commercial Grade Stainless**

18 gauge stainless steel with exceptional resistance to staining.





#### **Sound Dampening** System

Sound dampening pads and spray coat reduce excess noise from running water and disposal vibration.





#### **Deep Bowls**

Maximizing sink capacity with deep bowls to give the sink space needed to complete tasks with ease.





#### Rear Drain

Maximizes the usable bottom surface of the bowl while also creating extra cabinet space beneath the sink.



FRANKECANADA.COM | 89 **88** | 2021 Collection

#### GDX11012-CA \$670



#### SPECIFICATIONS

Interior Dimensions: 12" x 17" x 8" Exterior Dimensions: 133/4" x 183/4" Minimum Cabinet Size: 15"

11 Inox


Cream

903

Gauge: 18 Weight: 12 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Corner Radius: 50mm Installation: Undermount



#### ACCESSORIES

1	Bottom
	Grid
	GD12-36S

8 Universal Roller Mat UV-36RM

9 Pop-Up Strainer 900P 900P-SN27

10 | Strainer

Assembly 1145 Included

GDX11015-CA \$700



Interior Dimensions: 15" x 17" x 9" Exterior Dimensions: 163/4" x 183/4"

Minimum Cabinet Size: 15"

Gauge: 18 Weight: 15 lbs.


Sound Dampening: Sound Pad & Spray Coat

11 Inox

Cream

903

Stainless Finish: Silk Corner Radius: 50mm Installation: Undermount



#### ACCESSORIES

2 Bottom Grid GD15-36S Universal Roller Mat UV-36RM

9 Pop-Up Strainer 900P 900P-SN27

10 Strainer Assembly 1145 Included

GDX11018-CA \$735


#### SPECIFICATIONS

Interior Dimensions: 18" x 193/4" x 9" Exterior Dimensions: 193/4" x 211/2" Minimum Cabinet Size: 21"

Gauge: 18 Weight: 17 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Corner Radius: 50mm Installation: Undermount



#### ACCESSORIES

3 | Bottom Grid GD18-36S

9 | Pop-Up Strainer 900P 900P-SN27 10 Strainer 11 Inox Assembly 1145 Included

Cream 903

GDX11023-CA \$805




#### SPECIFICATIONS

Interior Dimensions: 23" x 17" x 9" Exterior Dimensions: 24¾ " x 18¾" Minimum Cabinet Size: 27"

Gauge: 18 Weight: 21 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Corner Radius: 50mm Installation: Undermount



#### ACCESSORIES

4 | Bottom Grid GD23-36S 6 | Cutting Board GD-40S

8 Universal Roller Mat UV-36RM

9 Pop-Up Strainer 900P 900P-SN27

10 Strainer Assembly 1145 Included

11 Inox Cream 903

GDX11028-CA \$850




#### SPECIFICATIONS

Interior Dimensions: 28" x 17" x 9" Exterior Dimensions: 301/8" x 191/8" Minimum Cabinet Size: 30"

Gauge: 18 Weight: 25 lbs.

Sound Dampening: Sound Pad & Spray Coat Stainless Finish: Silk

Corner Radius: 70mm Installation: Undermount



#### ACCESSORIES

5 | Bottom Grid GD28-36S 7 Cutting Board GD28-40S 8 | Universal Roller Mat UV-36RM

9 | Pop-Up Strainer 900P 900P-SN27 10 | Strainer Assembly 1145 Included

Cream 903

#### ACCESSORIES



1 | Bottom Grid 10½" x 15½' Stainless GD12-36S \$135



7 | Cutting Board 1876" x 143/4" Solid Wood GD28-40S \$270



2 Bottom Grid 135/8" x 151/2" Stainless GD15-36S \$145



8 | Universal Roller Mat 187/16" x 20" Stainless UV-36RM \$195



3 | Bottom Grid 16½" x 18¼" Stainless GD18-36S \$165

9 | Pop-Up Strainer

Chrome

900P

\$150

\$180



4 | Bottom Grid 21½" x 15½" Stainless GD23-36S \$185



5 | Bottom Grid 257/8" x 155/16" Stainless GD28-36S \$210



Solid Wood GD-40S \$270









Stainless Steel Polish 903 \$35

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.

Satin Nickel

900P-SN27

\$870




#### SPECIFICATIONS

Interior Dimensions: 31" x 17" x 9" Exterior Dimensions: 323/4" x 183/4" Minimum Cabinet Size: 33"

Gauge: 18 Weight: 28 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Corner Radius: 50mm Installation: Undermount



#### ACCESSORIES

1	Bottom	6	Cutting	7
	Grid		Board	
	GD31-36S		GD-40S	

Universal Roller Mat UV-36RM

8 Pop-Up Strainer 900P 900P-SN27

Strainer 10 Inox Cream Assembly 903

#### GDX16028RH-CA \$1,050



#### SPECIFICATIONS

1145


Included

Interior Dimensions: 28 1/8" x 17" x 9" & 8" Exterior Dimensions: 29 7/8 " x 18 3/4" Minimum Cabinet Size: 30"

Gauge: 18 Weight: 20 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Corner Radius: 51mm Installation: Undermount



#### ACCESSORIES

2	Bottom	4	В
	Grid		G
	GD12-36S		G

Grid GD15-36S

6 Cutting Board GD-40S

Universal **Roller Mat** UV-36RM

8 | Pop-Up 900P

Strainer 900P-SN27

9 Strainer Assembly 1145 Included

10 Inox Cream 903

#### GDX12031-CA \$1,155



#### SPECIFICATIONS


Interior Dimensions: 31 1/8" x 17" x 9" Exterior Dimensions: 32 1/8" x 18 3/4"

Minimum Cabinet Size: 33" Gauge: 18

Weight: 29 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Corner Radius: 50mm Installation: Undermount



#### ACCESSORIES

4	Bottom
	Grid
	GD15-36S

6 Cutting Board GD-40S

7 Universal Roller Mat UV-36RM

8 Pop-Up Strainer 900P 900P-SN27 9 | Strainer 10 | Inox Assembly 1145 Included

Cream 903

GDX16031RH-CA \$1,355



#### SPECIFICATIONS


Interior Dimensions: 31 1/8" x 17" x 9" x 8" Exterior Dimensions: 32 % " x 18 3/4"

Minimum Cabinet Size: 33"

Gauge: 18 Weight: 27 lbs.

Sound Dampening: Sound Pad & Spray Coat

Stainless Finish: Silk Corner Radius: 50mm Installation: Undermount



ACCESSORIE
------------

3	Bottom
	Grid NC12-36S
	NC12-36S

5 Bottom Grid NC18-36S

6 Cutting Board GD-40S

7 Universal Roller Mat UV-36RM

8 Pop-Up Strainer 900P 900P-SN27 9 Strainer Assembly 1145 Included

10 Inox Cream 903

#### ACCESSORIES



1 | Bottom Grid 293/8" x 151/2" Stainless GD31-36S \$220



6 | Cutting Board 183/8" x 143/4" Solid Wood GD-40S \$270



\$135

Stainless GD12-36S



7 Universal Roller Mat 187/16" x 20" Stainless UV-36RM

\$195





3 | Bottom Grid

Stainless

NC12-36S

\$105

103/16" x 14 15/16"

8 Pop-Up Strainer Chrome 900P \$150 Satin Nickel 900P-SN27

\$180



4 | Bottom Grid 135/8" x 151/2" Stainless GD15-36S \$145



9 | Strainer Assembly Chrome 1145 \$30

Included



10 Inox Cream Stainless Steel Polish 903 \$35


5 | Bottom Grid

Stainless

\$155

NC18-36S

15<sup>15</sup>/16" x 14<sup>15</sup>/16"





# Rotondo

The Rotondo offers the option of **topmount or undermount** installation along with a **smaller size** that works well in the kitchen, bar or laundry. Its attractive **round design** perks up even the most utilitarian space.



## Rotondo





#### **Dual Mount Installation**

Provides versatility, installing as a fashionable undermount with an edgeless finish or an easy drop-in with rim extending over the countertop surface.





#### Easy to Clean

Round smooth edges are easy to clean and maintain, while the stainless steel keeps the sink stain free.



#### RBX110 \$610




#### SPECIFICATIONS

Interior Dimensions: 143/4" x 69/16" Exterior Dimensions: 171/8" x 69/16" Minimum Cabinet Size: 21" (undermount) 18" (topmount)

Gauge: 20 Weight: 5 lbs.

Sound Dampening: Sound Pad Stainless Finish: Silk Installation: Undermount

with 1/2" Reveal or Topmount



May be used as a topmount (has polished rim). May be undermounted (requires EL-Clips). Use interior dimensions as cutout guide.

#### ACCESSORIES

Universal Roller Mat	Pop-Up Strainer	Strainer Assembly	Inox Crean
UV-36RM	900P	1145	903
	900P-SN27	Included	

#### ACCESSORIES



1 Universal Roller Mat 187/16" x 20" Stainless UV-36RM \$195




2 | Pop-Up Strainer \$150 Satin Nickel 900P-SN27 \$180



3 | Strainer Assembly Chrome 1145 \$30 Included



Inox Cream Stainless Steel Polish 903 \$35




# **The Outdoor Series**

Whether your preference is for casual backyard barbecues or elaborate summertime soirées, your outdoor kitchen workspace requires a sink that stands up to the elements and enhances your entertaining style. The Outdoor Series is designed with the attention to detail and quality that is the hallmark of Franke products.

The simple styling of this undermount design features angled interior lines to promote better draining and help keep your sink clean. Pair it with the weather-resistant Outdoor Series faucet, also made of 18-gauge T316 stainless, for an outdoor kitchen that will retain its beauty and integrity for years.

> Note: It is recommended to cover sink in the winter to prevent ice build up. Ice may damage the bowl by expansion.



# **The Outdoor Series**



#### **Weather Resistant**

Manufactured with high-grade, 18-gauge T316 stainless steel - one of the most corrosion resistant grades available - Outdoor Series sinks and faucets can handle rain, cold, snow and heavy use.



# 2

#### **Large Capacity Bowls**

Deep basin provides maximum flexibility. Easily accommodates nearly any pot or pan, and minimizes





#### **Precision Drain**

Designed with sloped, elegant lines on the bottom of the bowl to allow water to drain from sink.





#### **Sound Dampening** System

Sound dampening pads and spray coat reduce excess noise from running water and disposal vibration.



## a breath of FRESH AIR



#### ODX110-2310-316

Suitable for outdoor use

\$965



T316 strainer basket included

#### SPECIFICATIONS

Interior Dimensions: 23" x 17" x 10" Exterior Dimensions: 25" x 19" Minimum Cabinet Size: 30" Gauge: 18 T316 Stainless Steel


Weight: 31 lbs.

Sound Dampening: Sound Pad and Spray Coat

Finish: Pearl

Corner Radius: 10mm

Installation: Undermount with ½" Reveal



#### ACCESSORIES

1 Bottom Grid PS23-36S Included

2 Strainer Basket T316 Included

#### ODX110-2312-316 \$1,100





T316 strainer basket included

#### SPECIFICATIONS


Interior Dimensions: 23" x 17" x 12" Exterior Dimensions: 25" x 19" Minimum Cabinet Size: 30" Gauge: 18 T316 Stainless Steel Weight: 31 lbs.

Sound Dampening: Sound Pad and Spray Coat

Finish: Pearl

Corner Radius: 10mm

Installation: Undermount with 1/2" Reveal



#### 1 | Bottom Grid

ACCESSORIES

PS23-36S Included

2 Strainer Basket T316 Included

#### ACCESSORIES



1 | Bottom Grid 22¼" x 16¼" Stainless PS23-36S \$165 Included



#### 2 | Strainer Basket Stainless Steel T316 Included

#### PERFECT TOGETHER

**Outdoor Faucet** 

Suitable for outdoor use


#### FF3352

Stainless Steel



FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 10 lbs. 316 Stainless Steel ADA Compliant







FF3452SS Stainless Steel






#### FEATURES AND BENEFITS

ADA Compliant

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" 2" (5.1 cm) Weight: 8 lbs. 316 Stainless Steel







# Fireclay Sinks

Farm House 108-113
Manor House 114-119
Orca 120-123
Prestige 124-127
Cisterna 128-133



# Wonderfully Elegant Fireclay

#### **HOW YOUR FIRECLAY SINK IS MADE**

Liquid ceramic consisting of quartz, china clay and kaolin is injected into a mold under high pressure. Prior to drying, surface imperfections are smoothed with soft sponges and a level surface is created with water. The final drying process involves 20 hours in a tunnel kiln at 2200° F. At every stage, each sink is subjected to stringent quality checks performed by experts to make it wonderful.

#### A LIFETIME OF SERVICE

Fireclay is entirely natural, very stylish and amazingly practical. We apply a dirt-repellent finishing polish, which means that any mess, tea or red wine stains can simply be wiped with a little soapy water.

#### SILKY SMOOTH GOOD LOOKS

Fireclay sinks combine beautifully with a variety of work surfaces, such as wood, glass and granite. It's a durable choice that stands up to heat, staining and impact with ease.

#### **VILLEROY & BOCH**

Many handcrafted Franke Fireclay sinks are designed in partnership with Villeroy & Boch, a world-renowned premium porcelain and ceramic producer since 1748. Together, Franke and Villeroy & Boch create distinctive designs that enhance your personal kitchen style.

FRANKECANADA.COM | 107



# **Farm House**

Franke's **apron front** Farm House sinks are made of attractive fireclay for a **smooth**, **polished finish** that's both durable and **easy to clean**. For flexibility, we offer three sizes that let you install a **traditional flat apron front** design.



Note: Color may vary between series.

# Farm House





#### Easy to Clean

A dirt-repellent finishing polish keeps stains like tea and red wine at bay, allowing them to be wiped away with only soap and water.





#### 9" Deep Bowls

Maximizing sink capacity, Farm House offers deep bowls to give you the space you need to complete tasks with ease.





#### Rear Drain\*

The rear drain maximizes the usable bottom surface of the bowl while also creating extra cabinet space beneath the sink.



<sup>\*</sup>Select models



#### **Apron Front Design**

The apron front design enables the user to stand directly in front of the basin, with no cabinets or countertop in between, making it more comfortable for prepping food and cleaning up.




#### FHK710-30WH white \$1,615



#### SPECIFICATIONS

Interior Dimensions: 28 1/8 " x 18 1/4 " x 9 3/16" Exterior Dimensions: 30 1/8" x 20" x 10 1/8" Minimum Cabinet Size: 33" Weight: 103 lbs. Corner Radius: 19mm Installation: Undermount Apron Front



ACCESSORIES

1 | Bottom Grid FK30-36S 4 | Cutting Board OA-40S

5 | Strainer Basket 906 906SN

 $\textbf{Note:} \ \mathsf{Dimensions} \ \mathsf{may} \ \mathsf{vary} \ \mathsf{by} \ \mathsf{2\%} \ \mathsf{(plus} \ \mathsf{or} \ \mathsf{minus)} \mathsf{,} \ \mathsf{due} \ \mathsf{to} \ \mathsf{material}$ attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required see website. Finished on front and sides only.

#### FHK710-33WH white \$2,065




Apron Front



SPECIFICATIONS

Interior Dimensions: 31 1/6" x 18 1/4" x 9 3/16" Exterior Dimensions: 33" x 20" x 101/8" Minimum Cabinet Size: 33" Weight: 110 lbs. Corner Radius: 19mm Installation: Undermount



#### ACCESSORIES

2 Bottom FK33-36S 4 Cutting Board OA-40S

5 Strainer Basket 906SN

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required see website. Finished on front and sides only.


#### FHK710-36WH white \$2,245





#### SPECIFICATIONS

Interior Dimensions: 347/6" x 181/4" x 93/16" Exterior Dimensions: 36" x 20" x 101/8" Minimum Cabinet Size: 36" Weight: 117 lbs. Corner Radius: 19mm Installation: Undermount Apron Front



#### ACCESSORIES

3 Bottom Grid FK36-36S 4 Cutting Board OA-40S

5 Strainer Basket 906 906SN

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required see website. Finished on front and sides only.

#### ACCESSORIES



1 | Bottom Grid 271/8" x 167/8" Stainless FK30-36S \$335



2 | Bottom Grid 29 <sup>13</sup>/<sub>16</sub>" x 16 <sup>7</sup>/<sub>8</sub>" Stainless FK33-36S \$355



3 | Bottom Grid 4 | Cutting Board 32<sup>11</sup>/16" x 167/8" 14½" x 21 1/8" Solid Wood Stainless FK36-36S OA-40S \$375 \$375



5 | Strainer Basket Chrome 906 \$80 Satin Nickel 906SN \$105

#### PERFECT TOGETHER -

#### Farm House Faucets & Dispenser

For the complete FARM HOUSE Faucet Collection see pages 184-187. For dispenser details see page 249.



FF6000A



FFPD400



PF7000A







DW12000



SD6000





# **Manor House**

Villeroy & Boch brings centuries of excellence to the handcrafted beauty of Manor House apron front sinks. **Scratch-resistant** and **hygienic** fireclay offers the qualities most desired in today's kitchens.



Note: Color may vary between series.

# **Manor House**



#### **Apron Front Design**

The apron front design enables the user to stand directly in front of the basin, with no cabinets or countertop in between, making it more comfortable for prepping food and cleaning up.



## 2

#### **Stain Resistant**

We apply a dirt-repellent finishing polish, which means that any mess, tea or red wine stains can simply be wiped away with a little soapy water.





#### CeramicPlus

The CeramicPlus coating causes liquids to bead upon making contact with the sink's surface, repelling dirt, lime-scale and other residues, which are easily wiped off.






#### **Highly Durable**

Fireclay is an extremely tough, scratch-resistant surface that is impervious to acids and bleaches.





#### MHK110-20WH white \$805



Interior Dimensions: 181/8" x 131/4" x 57/8" Exterior Dimensions: 191/2" x 16" x 63/4"


Minimum Cabinet Size: 21"

SPECIFICATIONS

Weight: 40 lbs.

Corner Radius: 12mm Installation: Undermount

Apron Front



Note: Dimensions may vary by 2% (plus or minus), due to material

attributes and firing process. See website for Fireclay Repair Kits.

Pop-Up strainer not compatible. Special installation required -

see website. Finished on front and sides only.

#### ACCESSORIES

7 Cutting Board OA-40S

8 | Strainer Basket 906 906SN

#### MHK110-24WH white \$1,080




#### SPECIFICATIONS

Interior Dimensions: 22" x 16 1/8" x 7 1/8" Exterior Dimensions: 23 1/8 x 19 1/8 x 8 1/8 v Minimum Cabinet Size: 24"

Weight: 58 lbs. Corner Radius: 12mm

Installation: Undermount Apron Front



#### ACCESSORIES

1 Bottom Grid MK24-36C

7 | Cutting Board 0A-40S 8 | Strainer Basket 906 906SN

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required see website. Finished on front and sides only.

#### MHK110-28WH white \$1,165



#### SPECIFICATIONS

Interior Dimensions: 26" x 17\%" x 7\%" Exterior Dimensions: 271/8" x 197/8" x 77/8"


Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories

subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template,

Minimum Cabinet Size: 30" Weight: 64 lbs.

Corner Radius: 12mm Installation: Undermount

Apron Front



2"(5 cm) (15 cm)

#### ACCESSORIES

2 | Bottom Grid MK28-36C 7 | Cutting Board OA-40S

8 | Strainer Basket 906 906SN

sink, and accessories when making final cutout.

#### Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required see website. Finished on front and sides only.

### MHK720-31WH white \$1,260


#### SPECIFICATIONS

Interior Dimensions: 29 3/4" x 17 1/2" x 75/8" Exterior Dimensions: 31 1/4" x 19 3/4" x 8 5/8" Minimum Cabinet Size: 33"

Weight: 82 lbs.

Corner Radius: 12mm Installation: Undermount

Apron Front



#### ACCESSORIES

3 | Bottom Grid MK31-36C-LH 4 | Bottom Grid MK31-36C-RH 7 | Cutting Board OA-40S

8 | Strainer **Basket** 906 906SN

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required see website. Finished on front and sides only.

#### MHK720-35WH white \$1,795






#### SPECIFICATIONS

Interior Dimensions: 33% x 193/4 x 77/8 T Exterior Dimensions: 35½" x 215%" x 85%" Minimum Cabinet Size: 36" Weight: 96 lbs. Corner Radius: 12mm

Installation: Undermount Apron Front



#### ACCESSORIES

5 Bottom MK35-36C-LH

6 | Bottom Grid MK35-36C-RH

7 | Cutting Board

8 Strainer Basket OA-40S 906 906SN

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required see website. Finished on front and sides only.

#### ACCESSORIES



1 | Bottom Grid 21" x 157/8" Coated Stainless MK24-36C \$280



253/16" x 157/8" Coated Stainless MK28-36C \$300



3 | Bottom Grid 171/16" x 1311/16" Coated Stainless MK31-36C-LH \$280

4 | Bottom Grid 171/16" x 1311/16" Coated Stainless MK31-36C-RH



193/16" x 153/8" Coated Stainless MK35-36C-LH \$325



**Bottom Grid** 19316" x 1538" Coated Stainless MK35-36C-RH \$325



7 | Cutting Board 14½" x 21%" Solid Wood OA-40S \$375



8 | Strainer Basket Chrome 906 \$80

> Satin Nickel 906SN \$105

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout



# Orca

With Franke's Orca fireclay sink, you'll enjoy the versatility of a **contemporary design** with a softer **classic look**. Orca is rimmed with the unique **accessory shelf** to create additional workspace without forgoing a **deep basin**. This sophisticated spacious sink is designed to meet your largest culinary challenges head-on.



Note: Color may vary between series.

# Orca



#### **Integrated Ledge** System

The unique Franke accessory shelf turns this large sink into an extra workspace for all of your culinary needs.





#### Easy To Clean

With smooth, rounded corners and a dirt-repelling finish, your fireclay sink is easy to clean and will retain its original beauty for years.



#### ORK110WH white \$1,795






#### SPECIFICATIONS

Interior Dimensions:  $27\frac{1}{2}$ " x  $17\frac{1}{2}$ " x 9" Exterior Dimensions: 29 7/8 " x 19 1/2 " x 9 7/8 " Minimum Cabinet Size: 33"

Weight: 57 lbs.

Integral Franke Ledge System Corner Radius: 70mm Installation: Undermount





#### ACCESSORIES

				Strain
Grid	Grid	Board	Roller Mat	Basket
OK-31C-LH	OK-31C-RH	OA-40S	UV-36RM	906
				906SN
	Grid	Grid Grid	Grid Grid Board	Grid         Grid         Board         Roller Mat           OK-31C-LH         OK-31C-RH         OA-40S         UV-36RM

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required -

#### ACCESSORIES



1 | Bottom Grid 24<sup>3</sup>/16" x 13<sup>7</sup>/8" Coated Stainless OK-36C \$280



\$200

2 | Shelf Grid 3 | Shelf Grid 131/8" x 161/16" 133/16" x 133/8" Coated Stainless OK-31C-LH OK-31C-RH \$200



4 | Cutting Board 14½" x 21¾" Coated Stainless Solid Wood 0A-40S \$375



5 | Universal Roller Mat 187/16" x 20" Stainless UV-36RM \$195




6 | Strainer Basket

Chrome 906 \$80 Satin Nickel 906SN \$105



# Prestige

Renowned ceramics manufacturer Villeroy & Boch created the Prestige **single-bowl** sink in a **classic design** to suit your kitchen. The **CeramicPlus finish** ensures this sink's beauty will endure for years to come.



# **Prestige**





#### **Easy Cleaning**

A silky smooth surface, gently rounded corners and our exclusive CeramicPlus finish make Prestige fireclay easy to clean and help retain its look of luxury for years.





#### Integrated Ledge System

A shelf grid sits conveniently on the integrated ledge system, creating a higher level workspace for prepping, rinsing and cleaning.



#### PRK11021WH White




#### \$1,260

#### SPECIFICATIONS

Interior Dimensions: 21 1/8" x 18 1/2" x 8 3/4" Exterior Dimensions: 23 3/8 " x 20 1/2 " x 9 5/8 " Minimum Cabinet Size: 27" Weight: 42 lbs.

Integral Franke Ledge System Corner Radius: 83mm Installation: Undermount





#### ACCESSORIES

1 | Bottom Grid PK21-36S Grid PK21-31S 3 | Cutting Board OA-40S

Universal

5 | Strainer Roller Mat Basket 906 906SN UV-36RM

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required see website. Finished on front and sides only.

#### ACCESSORIES



1 | Bottom Grid 17½" x 15<sup>13</sup>/16" Stainless PK21-36S \$190



Stainless

PK21-31S

\$190

3 | Cutting Board | 141/2" x 211/8" Solid Wood OA-40S \$375



4 | Universal Roller Mat 187/16" x 20" Stainless UV-36RM \$195



5 | Strainer Basket Chrome 906 \$80 Satin Nickel

906SN \$105

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.







# Cisterna

Created by **Villeroy & Boch** with a **classic design** offered in **three sizes**, the Cisterna fireclay sink is a perfect fit for the kitchen and beyond. Use the smallest size as a bar or prep sink – or pair it with a larger size to create a unique two-bowl design.

Note: Color may vary between series.

# Cisterna



#### **Exceptionally Durable**

Liquid ceramic undergoes a thorough refinement and firing process resulting in a beautifully smooth and hard wearing, highly durable sink.





#### **Kitchen Essentials**

An optional fitted grid protects the bottom of the sink. Add a cutting board and roller mat to complete your perfect workspace.







#### **Sound Absorbing**

3

Fireclay is a naturally sound-absorbing material that reduces the noise caused by a garbage disposal or running water.





#### **Simply Stain Resistant**

Don't worry about red wine, coffee and other food stains. The CeramicPlus finish makes our fireclay sinks simple to clean. Soap and water are all it takes.








#### SPECIFICATIONS

Interior Dimensions: 12 1/8 x 15 3/8 x 6 1/8 x 15 1/8 x 6 1/8 x 15 Exterior Dimensions: 14% x 17% x 75/8 Minimum Cabinet Size: 18"

Weight: 29 lbs.

Corner Radius: 68mm Installation: Undermount





#### ACCESSORIES

1	Bottom	4	Cu
	Grid		Во
	CK13-36C		OA

ıtting oard 4-40S

5 | Universal 6 | Strainer Roller Mat UV-36RM

Basket 906 906SN

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required -

#### CCK110-15WH white \$1,005






Interior Dimensions: 15\%" x 15\%" x 6\%" Exterior Dimensions: 171/2" x 171/2" x 75/8" Minimum Cabinet Size: 21"

Weight: 33 lbs.

SPECIFICATIONS

Corner Radius: 68mm Installation: Undermount



#### ACCESSORIES

2	Bottom
	Grid
	CK15-36C

4 | Cutting 5 | Universal Board Roller Mat OA-40S UV-36RM

6 | Strainer Basket 906 906SN

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required -

#### CCK110-19WH white \$1,110





SPECIFICATIONS


Interior Dimensions: 19 1/8 x 15 3/8 x 6 1/8 x Exterior Dimensions: 21 1/8" x 17 1/8" x 7 1/8"

Minimum Cabinet Size: 27"

Weight: 39 lbs.

Corner Radius: 68mm Installation: Undermount





#### ACCESSORIES

3 | Bottom Grid CK19-36C 4 | Cutting Board 0A-40S

5 | Universal Roller Mat UV-36RM

6 | Strainer Basket 906 906SN

Note: Dimensions may vary by 2% (plus or minus), due to material attributes and firing process. See website for Fireclay Repair Kits. Pop-Up strainer not compatible. Special installation required see website.

#### Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 31/2" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.

#### ACCESSORIES



**Bottom Grid** 133/4" x 1015/16" Coated Stainless CK13-36C \$250



2 | Bottom Grid 13¾" x 13¾" Coated Stainless CK15-36C \$270



3 | Bottom Grid 18" x 1311/16" Coated Stainless CK19-36C \$295



4 | Cutting Board 14½" x 21¾" Solid Wood OA-40S \$375



5 Universal Roller Mat 187⁄16" x 20" Stainless UV-36RM \$195



\$105

6 | Strainer Basket Chrome \$80 Satin Nickel 906SN





# **Granite Sinks**

 Peak
 138-145

 Maris
 146-151


 Kubus
 152-155

 Ellipse
 156-163

 Primo
 164-167

 Gravity
 168-171

 Quantum
 172-175



# Color Your Kitchen with Granite

Sinks made of granite bring a natural look and long-lasting beauty to your kitchen. Made from 80% quartz sand and 20% hard acrylic resin, Franke's processed granite has a subtle shine and feels warm to the touch.

#### **WONDERFUL FOR ACTIVE FAMILIES**

Franke is recognized as a pioneer in the development of granite compounds for sinks. The Sanitized® hygiene function reduces the growth of biofilm and bacterial microbes, ensuring that your sink is clean. Durable granite sinks resist scratches and stains and are easy to clean. That means less work, giving you more time to enjoy the things you love and the peace of mind in knowing your kitchen is clean.

#### **COLORS THAT CREATE ATMOSPHERE**

Practicality meets style with durable, scratch-and-stain-resistant granite sinks in warm, sophisticated shades inspired by nature and on-trend with today's designs. Choose warm tones for a classic look or go contemporary with grey and matte black.












Colors may vary by model.

FRANKECANADA.COM | 137


# Peak

Available in **single-bowl** and **double-bowl** options in **eight finish colors**, Peak granite sinks let you create the kitchen that fits your style. A wide range of accessories allows you to create the ultimate workspace for the way you use your sink.





# **Peak**





#### **Sophisticated Colors**

Whether your style is high contrast, monochromatic or warm complementary colors, a choice of eight finishes lets you define the perfect look.





#### **Modern Style**

Clean lines, tight corners and a hidden drain add a contemporary edge to this line of sinks.





#### Integrated Ledge

The integrated ledge enhances your workspace by allowing you to work directly over the sink. Custom-fit accessories streamline the workflow.






#### Sanitized<sup>®</sup>

Our treated granite reduces bacteria and microbe growth, giving the sink lasting protection.



PKG110-140N \$700 Onyx \$700 PKG110-14ES Mocha PKG110-14SM ■ storm \$700 PKG110-14CH Champagne \$700 PKG110-14CH Champagne \$700
PKG110-14SG Stone Grey \$700 PKG110-14PWT Polar White \$700 **PKG110-14MBK** ■ Matte Black \$700





#### SPECIFICATIONS

Interior Dimensions: 14% x 16½ x 7% " Exterior Dimensions: 161/8" x 181/8"

Minimum Cabinet Size: 21"

Weight: 20 lbs.


Integral Franke Ledge System Corner Radius: 10mm Installation: Undermount

Α	С	С	Ε	S	S	0	R	I	E S	
---	---	---	---	---	---	---	---	---	-----	--

Bottom Roller Mat	6	Shelf Roller Mat	7	Cutting 9 Board	- 1	Strainer 10 Assembly	Drain Cover
PKG14-36RM		PKG14-31RM		PG2-40S		1145	PKGCVR
						Included	Included







#### SPECIFICATIONS

Interior Dimensions: 20%6" x 16%2" x 7%8" Exterior Dimensions: 221/16" x 181/8"

Minimum Cabinet Size: 27"

Weight: 24 lbs.


Integral Franke Ledge System Corner Radius: 10mm Installation: Undermount

#### ACCESSORIES

Bottom Roller Mat	-	Shelf Roller Mat	7		Drain Cover
PKG20-36RM		PKG14-31RM		PG2-40S	 PKGCVR Included








Exterior Dimensions: 32" x 183/4" Minimum Cabinet Size: 36"

Weight: 38 lbs.

Integral Franke Ledge System Corner Radius: 10mm Installation: Undermount



ACCESSORIES

3	Bottom	4	Bottom	5	Shelf	8	Cutting	9	Strainer	10	Drain
	Roller Mat		Grid		Roller Mat		Board		Assembly		Cover
	PKG31-36RM		PKG31-36S		PKG18-31RM		PG-40S		1145		PKGCVR
									Included		Included

#### ACCESSORIES



1 | Bottom Roller Mat 11½6" x 13½" Stainless PKG14-36RM \$195



17¾" x 13½" Stainless PKG20-36RM \$215



2 | Bottom Roller Mat 3 | Bottom Roller Mat 25¾" x 13¾" Stainless PKG31-36RM \$245



4 | Bottom Grid 28½" x 14½" Stainless PKG31-36S \$260



1876" x 163/6" Stainless PKG18-31RM \$160



6 Shelf Roller Mat 113/4" x 161/8" Stainless PKG14-31RM \$160



7 Cutting Board 11" x 1776 Solid Wood PG2-40S \$255



8 | Cutting Board 14% x 18% " Solid Wood PG-40S \$270



9 | Strainer Assembly Chrome 1145 \$30 Included



10 Drain Cover 47/8" x 47/8" Stainless **PKGCVR** \$105 One included

### Peak Granite

PKG1600N PKG160ES PKG160SM storm

PKG160-OYS Oyster PKG160CH Champagne \$1,015 PKG160SG

\$1,015 Onyx \$1,015 Mocha \$1,015

\$1,015

163/4" (42.5cm) R0.4" (1cm) 301/4" (79cm)

PKG160SG

Stone Grey

Stone Gr PKG160-MBK Matte Black \$1,015 Exterior Dimensions: 32" x 1 Minimum Cabinet Size: 36" Weight: 40 lbs.

> Integral Franke Ledge System Corner Radius: 10mm Installation: Undermount

### ACCESSORIES

1 | Bottom Roller Mat PKG17-36RM

2 | Bottom Roller Mat PKG12-36RM 3 Bottom Grid

PKG17-36S

4 | Bottom Grid PKG12-36S

5 | Shelf Roller Mat PKG18-31RM

6 | Cutting Board PG-40S

7 Strainer Assembly 1145 Included

Drain Cover **PKGCVR** Included

#### ACCESSORIES



15" x 13¾" Stainless PKG17-36RM \$195

2 | Bottom Roller Mat 9¾"×13¾" Stainless

\$160

PKG12-36RM

| Bottom Grid 15½" x 14½"

Stainless PKG17-36S \$205

4 | Bottom Grid 10½" x 14½" Stainless PKG12-36S

\$170



5 | Shelf Roller Mat 187⁄16" x 163⁄16" Stainless PKG18-31RM \$160



6 | Cutting Board 143/8" x 183/8" Solid Wood PG-40S \$270



7 | Strainer Assembly Chrome 1145 \$30 Included




**PKGCVR** \$105

8 | Drain Cover 47/8" x 47/8" Stainless

> Two included with PKG160 series








## Maris

Bring the beauty of Franke granite to the laundry room with Maris, a single-bowl sink with **exceptionally spacious** size and a wealth of features. Durable, scratch-and-stain resistant, this granite sink is also bacteria resistant thanks to the Sanitized® treatment. Available as a topmount or undermount in six colors that enhance most any design style, Maris is equally at home in the kitchen.

## **Maris**





## Multi-functional Utility Sink

These generous size sinks are ideal for any busy laundry room or kitchen. They can be used for cleanup, washing pets, washing clothes or for whatever you may need.





## **Superbly Hard Wearing**

Our processed granite is made of 80% quartz sand and 20% hard acrylic resin, which means your sink will stand up to use and retain its attractive appearance, with only soap and water cleanup.





## **Space-Saving Design**

The flat-bottom design creates more room for big tasks without blocking the flow of water. A tight-corner radius helps maximize the sink's interior while the offset rear drain makes the most of cabinet space beneath the sink.






## Perfect Functional Addition

Your laundry room and kitchen are hubs of household chores, but that doesn't mean your sink has to look utilitarian. Maris brings a modern flair with clean lines and a choice of six warm colors.



148 | 2021 Collection FRANKECANADA.COM | 149

MAG610230NY-CA ■ onyx \$825 **MAG610230YS-CA** ■ oyster \$825 MAG61023CHA-CA Champagne \$825 MAG61023SHG-CA ■ Stone Grey \$825 MAG61023PWT-CA Polar White \$825 MAG61023MBK-CA Matte Black \$825



Suitable for laundry/utility


Interior Dimensions: 2376" x 17" x 12" Exterior Dimensions: 25" x 22"

Minimum Cabinet Size: 27" Weight: 35 lbs.

Corner Radius: 16mm Installation: Dual Mount Pre-drilled Faucet Hole: 1 to 5

ACCESSORIES 2 | Roller Mat 4 | Colander 5 Strainer MA-17-31LRM MA-70S Assembly 1145 Included

MAG610310W-ONY-CA monyx MAG610310W-OYS-CA Oyster MAG610310W-CHA-CA Champagne \$825 **MAG610310W-SHG-CA** Stone Grey \$825 MAG610310W-PWT-CA Polar White \$825 SPECIFICATIONS 



Exterior Dimensions: 33" x 22" Minimum Cabinet Size: 36"

Weight: 37 lbs. Corner Radius: 16mm Installation: Topmount Pre-drilled Faucet Hole: 1 to 6

ACCESSORIES

Bottom Grid MA-31-36S	3	<b>Roller Mat</b> MA-31RM	4	Colander MA-70S	5	Cutting Board MA-40S	-	Strainer Assemble 1145 Included
								meduded
		Grid	Grid MA-31RM	Grid MA-31RM	Grid MA-31RM MA-70S	Grid MA-31RM MA-70S	Grid MA-31RM MA-70S Board	Grid MA-31RM MA-70S Board



MAG110310W-MBK-CA Matte Black \$850 Interior Dimensions: 31 1/16" x 17" x 9 1/2" Exterior Dimensions: 33" x 195/16" Minimum Cabinet Size: 36"

Weight: 37 lbs. Corner Radius: 16mm Installation: Undermount

ACCESSORIES 1 | Bottom 3 | Roller Mat 4 | Colander 5 | Cutting 6 | Strainer Grid MA-31RM MA-70S Board **Assembly** MA-40S MA-31-36S 1145 Included

#### ACCESSORIES



1 | Bottom Grid (Left) 14 7/8 " x 15 15/32" (Right) 147/8" x 15 15/32" Stainless MA-31-36S \$195



187/16" x 17 17/32"

MA-17-31LRM

Stainless

\$195

3 Roller Mat 187/8" x 175/16" Stainless MA-31RM \$200



Colander 6 <sup>5</sup>/<sub>32</sub>" x 17 <sup>17</sup>/<sub>32</sub>" Stainless MA-70S \$260



11 <sup>21</sup>/<sub>32</sub>" x 17<sup>5</sup>/<sub>8</sub>" Solid Wood MA-40S \$230



Included



## Kubus

Kubus fits wherever you need it, whether it's your primary kitchen sink or in a prep area. Choose from **six granite colors** to create the kitchen workspace you've always imagined.







## Sized Right

Whether you need a roomy and spacious sink for meals and cleanup or a compact sink to use for prep or as a bar sink, Kubus offers options to make everyday kitchen tasks a breeze.






### **Easy Care**

Cleanup is simple with a Franke granite sink. Soap and water are all it takes. Our Sanitized® treatment makes your Kubus sink bacteria resistant an added plus for busy kitchens and active families.





**▼ KBG110-130YS ■** oyster KBG110-13CH ■ Champagne \$595


KBG110-13SG ■ Stone Grey \$595

\$595 \$595 \$595 \$595

SPECIFICATIONS

Interior Dimensions: 13\%" x 15\%\" x 7\%\" Exterior Dimensions: 15" x 17%" Minimum Cabinet Size: 21"

Weight: 18 lbs. Corner Radius: 25mm Installation: Undermount



ACCESSORIES

1 Bottom 3 Universal Roller Mat Grid KBG13-36S UV-36RM

4 Strainer Assembly 1145 Included

KBG110-310N ■ onyx KBG110-31ES ■ Mocha KBG110-31SM storm

**■ KBG110-310YS ■** oyster KBG110-31CH ■ Champagne \$755

\$755 \$755 \$755 \$755 KBG110-31SG Stone Grey \$755 SPECIFICATIONS

9 1/2" (24cm)

32 %" (82 cm) 31" (79 cm)

Interior Dimensions: 31" x 171/8" x 91/2" Exterior Dimensions: 32 3/8" x 18 1/2" Minimum Cabinet Size: 36" Weight: 39 lbs. Corner Radius: 25mm Installation: Undermount

### ACCESSORIES

2 Bottom Grid KBG31-36S 3 Universal Roller Mat UV-36RM

4 Strainer Assembly 1145 Included

### ACCESSORIES



1 | Bottom Grid 131/8" x 141/8" Stainless KBG13-36S \$150



29½" x 15½" Stainless KBG31-36S \$240



3 Universal Roller Mat 187⁄16" x 20" Stainless UV-36RM \$195



4 | Strainer Assembly Chrome 1145 \$30 Included

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout



## **Ellipse**

Available in **several configurations**, there's an Ellipse sink that's perfect for your space. Franke granite sinks are made from 80% quartz, the hardest component of granite, and bonded using high-quality acrylic resins, for a sink that will serve you for years to come.



**156** | 2021 Collection FRANKECANADA.COM | 157

## **Ellipse**



### **Germ Resistant**

Franke granite is treated with Sanitized®, which helps to reduce bacteria and microbe growth, giving the sink lasting protection.





## **Natural Beauty**

The collection of Ellipse Granite sinks are offered in a variety of warm, sophisticated and enveloping shades, inspired by natural elements.





## Versatile Installation Options

Ellipse has installation options to suit any kitchen style, from a seamless-finish undermount, to an easy-to-install topmount.






## **Always Colorful**

Thanks to the UV protection, the beautiful color of the granite will not fade and ensure long-lasting use.



## colors that


WOW



158 | 2021 Collection FRANKECANADA.COM | 159

ELG110220NY-CAmonyx \$630 ELG11022MOC-CA Mocha \$630 ELG11022STO-CA storm \$630 **ELG110220YS-CA** oyster \$630 ELG11022CHA-CA Champagne \$630 ELG11022SHG-CA stone Grey \$630 ELG11022PWT-CA Polar White \$630





### SPECIFICATIONS

Installation: Undermount

Interior Dimensions: 21 1/8 x 16 1/8 x 9 Exterior Dimensions: 25" x 195/8" Minimum Cabinet Size: 27" Weight: 30 lbs. Corner Radius: 25mm


ACCESSORIES

4 Bottom 5 Universal Roller Mat Grid ELG22-36S UV-36RM

6 Strainer Assembly 1145 Included

ELG1200NY-CA ■ onvx \$735 \$735 ELG120MOC-CA ■ Mocha ELG120STO-CA ■ storm \$735 **ELG1200YS-CA** ■ oyster \$735 ELG120CHA-CA Champagne \$735 ELG120SHG-CA Stone Grey \$735 SPECIFICATIONS ELG120PWT-CA Polar White \$735





Interior Dimensions: 29 1/8 x 17 x 9 Exterior Dimensions: 33" x 193/4" Minimum Cabinet Size: 36" Weight: 37 lbs. Corner Radius: 25mm Installation: Undermount

#### ACCESSORIES

2 | Bottom Grid ELG14-36S 5 Universal Roller Mat UV-36RM

6 Strainer Assembly 1145 Included



ACCES	SORI	E S				
3 Bottom Grid	1	Bottom Grid	5	Universal Roller Mat	6	Strainer Assembly
ELG16-3	6S	ELG13-36S		UV-36RM		1145 Included

#### ACCESSORIES



1 | Bottom Grid 10¾" x 14¼" Stainless ELG13-36S \$155



Stainless

\$175

ELG14-36S



Stainless

ELG16-36S

\$190

3 | Bottom Grid 4 | Bottom Grid 131/8" x 161/8" 19¼" x 14¼" Stainless ELG22-36S \$200



5 Universal **Roller Mat** 187⁄16" x 20" Stainless UV-36RM \$195



6 | Strainer Assembly Chrome 1145 \$30 Included

ESOX25229-1-CA onyx \$555 ESDB25229-1-CA Mocha \$555


ESCH25229-1-CA Champagne \$555

**ESSG25229-1-CA** ■ Stone Grey \$555

**S** ESOY25229-1-CA **→** Oyster \$555

**ESPW25229-1-CA** Polar White \$555





SPECIFICATIONS

Installation: Dual Mount

Interior Dimensions: 21 1/8 x 16 1/8 x 9 Exterior Dimensions: 25" x 22" Minimum Cabinet Size: 27" Weight: 30 lbs. Corner Radius: 25mm

ACCESSORIES

4 Bottom 5 Strainer Grid Assembly FBGG1914 1145 Included





EDDB33229-1-CA Mocha EDCH33229-1-CA Champagne \$620

EDSG33229-1-CA stone Grey \$620

EDOX33229-1-CA onyx

**☑** EDOY33229-1-CA **☐** Oyster

EDPW33229-1-CA Polar White \$620


SPECIFICATIONS \$620


Interior Dimensions: 29 7/8 " x 17" x 9" Exterior Dimensions: 33" x 22" Minimum Cabinet Size: 36" Weight: 42 lbs. Corner Radius: 25mm Installation: Dual Mount

### ACCESSORIES

1 | Bottom 5 | Strainer Grid Assembly FBGG1114 1145 Included







ACCESSORIES 3 Bottom Grid FBGG1316














SPECIFICATIONS

Interior Dimensions: 293/4" x 187/8" x 167/8" x 9" & 8" Exterior Dimensions: 33" x 22" Minimum Cabinet Size: 36" Weight: 42 lbs. Corner Radius: 25mm Installation: Dual Mount

2 Bottom 5 Strainer Grid Assembly FBGG1014 1145 Included

EOOX33229-1-CA Onyx

EODB33229-1-CA Mocha

EOCH33229-1-CA Champagne \$640

**EOSG33229-1-CA** ■ Stone Grey \$640

**№**EOOY33229-1-CA Oyster \$640

EOPW33229-1-CA Polar White \$640

#### ACCESSORIES

1 | Bottom Grid

Stainless

\$125

11½" x 14"

FBGG1114





FBGG1014

\$120





\$640

\$640





5 Strainer Assembly Chrome 1145 \$30 Included





## Primo

Sleek aesthetics, **plenty of prep space** and the **durability** every kitchen requires, grace the Primo sink. The deep **9" bowl** allows for easy washing of large dishes and minimize splashing.

Pictured: DIG62D91-ONY-CA sink with FFT3100 faucet

33" (83.8 cm) 30"(76.2 cm)





## **Generous Bowl Capacity**

The 9" deep bowl easily accommodates large cookware to tackle your biggest kitchen tasks.





### **Dual Mount Installation**

Primo provides the versatility of undermount installation for an edgeless finish or topmount installation with the rim extending over the countertop.












### SPECIFICATIONS

Interior Dimensions: 30" x 17" x 9" Exterior Dimensions: 33" x 22" Minimum Cabinet Size: 36" Corner Radius: 13mm








DIG62D91-SHG-CA Stone Grey \$700





### SPECIFICATIONS

Interior Dimensions: 30" x 17" x 9" Exterior Dimensions: 33" x 22" Minimum Cabinet Size: 36" Weight: 42 lbs.

Corner Radius: 13mm Installation: Dual Mount



ACCESSORIES

3 | Strainer

1145 Included


Assembly

1 | Bottom

Grid

BGDI110

### ACCESSORIES



1 | Bottom Grid 27%" x 15" Stainless BGDI110 \$155



2 | Bottom Grid 123/8" x 15" Stainless BGDI100 \$145



3 Strainer Assembly Chrome 1145 \$30 Included

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.


## Gravity

The beauty of granite offsets the subtly **curved design** of Gravity to create a sink that adds an attractive element to your kitchen. **Durable and hygienic**, it's perfect for the family kitchen.





FRANKECANADA.COM | 169



### **Graceful Curves**

The artistry of gentle curves adds visual appeal to create a luxurious look to the most-used space in your home.





### **Dual Mount**

Whether you prefer a topmount or undermount sink, Gravity offers versatility to suit your style.



SGR3322-1-CA

SC3322-1-CA

SP3322-1-CA

Graphite \$630

Champagne \$630

Polar White \$630

\$670



# $\bullet \otimes \otimes \otimes$

33" (83.8 cm)

#### SPECIFICATIONS

Installation: Dual Mount

Interior Dimensions: 29 1/8 x 19 x 9 Exterior Dimensions: 33" x 22" Minimum Cabinet Size: 36" Weight: 34 lbs. Corner Radius: 26mm

### ACCESSORIES

1 Bottom 4 Strainer Grid Assembly FBBG2716 1145 Included

DIG62F91-ONY-CA Onyx

DIG62F91−GRA−CA Graphite Graphite \$670


DIG62F91-MOC-CA Mocha Mocha

DIG62F91-CHA-CA Champagne \$670

DIG62F91-PWT-CA Polar White \$670

DIG62F91-SHG-CA Stone Grey \$670





### SPECIFICATIONS

Interior Dimensions: 29 3/4" x 18 3/4" x 16 1/2" x 9" & 8" Exterior Dimensions: 33" x 22" Minimum Cabinet Size: 36" Weight: 42 lbs. Corner Radius: 75mm Installation: Dual Mount

### ACCESSORIES

3 | Bottom 2 Bottom 4 | Strainer Grid Grid Assembly BGDIL150 1145 BGDIS150 Included

### ACCESSORIES



1 | Bottom Grid 27" x 16½" Stainless FBBG2716 \$175



2 | Bottom Grid 9½" x 14½" Stainless BGDIS150 \$145



3 | Bottom Grid 157/8" x 161/2" Stainless BGDIL150 \$145



4 Strainer Assembly Chrome 1145 \$30 Included

Note: Templates and chrome strainer kit supplied with stainless steel sinks. All accessories sold separately unless otherwise indicated. Design of custom accessories subject to change without notice. Waste openings are standard 3 ½" (9cm) diameter except where another dimension is noted. Franke recommends using template, sink, and accessories when making final cutout.





## Quantum

Beautiful and durable, Quantum is the perfect bar or prep sink. Thanks to its **UV protection**, granite does not fade, ensuring that your sink will be long-lasting. Granite also offers superior resistance to scratches and chipping and is heat resistant.



## Quantum





## **Exquisitely Compact**

A small sink that's big on looks, Quantum brings the beauty of granite to your bar or prep area.






## **Enduring Good Looks**

Scratch resistant and stain resistant, this sink will provide long-lasting use.



## SOX1720-1-CA ■ onyx \$470 $\underset{\text{(1 faucet hole; 2 predrilled)}}{\text{SZGR1720-1-CA}} \, \blacksquare \, \text{Graphite} \, \$470$ SZCH1720-1-CA ■ Champagne \$470





SPECIFICATIONS

Interior Dimensions: 13%" x 15%" x 8" Exterior Dimensions: 163/4" x 201/2" Minimum Cabinet Size: 18" Weight: 22 lbs.

Corner Radius: 25mm Installation: Dual Mount

### ACCESSORIES

1 | Bottom Grid Assembly FBG180S 1145 Included

### ACCESSORIES





1 | Bottom Grid 11% x 13% " Stainless FBG180S \$115



2 | Strainer Assembly Chrome 1145 \$30 Included

SZPW1720-1-CA Polar White \$470



**Faucets** 

Farm House 182-187
Professional 188-191
Crystal 192-193
Absinthe 194-199
Pescara 200-207
Peak 208-209
Ambient 210-215
Steel 216-221
Active 222-225
Kubus 226-227
Cube 188-191



176 | 2021 Collection FRANKECANADA.COM | 177



### QUALITY ASSURANCE AND CERTIFICATIONS

Franke faucets are manufactured under the supervision and testing of local and international certifying bodies, including CSA, IAPMO, ICC, and NSF. All Franke faucets meet the requirements of the Federal Safe Drinking Water Act, NSF372, NSF61 and ASME A112.18.1\CSA B125.









# Faucets to the highest standards

From extravagant to purist. From satin nickel to polished chrome. Whether you prefer a flexible, pull-out, or integrated water filter, the Franke faucet range meets every need in every kitchen. Your favorite Franke faucet will be the perfect match for your ideal Franke sink.

### MANUFACTURING TO FINEST STANDARDS

Outstanding design and quality components come together during the Franke manufacturing process. Strict adherence to Franke manufacturing standards in forming, finishing and final assembly achieves the exceptional quality and durability that makes a Franke faucet the most desired addition to a kitchen.

### WATER SAVING FEATURE

Conserve natural resources and trim your water bill with Franke's water saving feature. Move the handle to the first position for a water-saving 50% flow. Moving the handle to the second position allows for 100% flow.

Look for faucets with the water saving feature icon, as not all faucets have this feature.



FRANKECANADA.COM | 179



## **Faucet Finishes**

### MAKE YOUR STATEMENT

Franke offers a large selection of premium faucet finishes to complete the design statement in your well-appointed kitchen. Complement or contrast your sink or appliances with one of **16 available** finishes from Matte Black for a sophisticated, modern appeal, to earthy Bronze or rich, bold Copper to accent cabinetry and countertops.



Note: Numbers correspond to last two digits of product number. e.g., FF3940. Finishes available on select faucets.

FRANKECANADA.COM | 181





## **Farm House**

Farm House faucets bring country charm to sinks and kitchens of any design. Choose among **Polished Chrome and Satin Nickel finishes** to reflect your personal style.




FF6080A Satin Nickel





FEATURES AND BENEFITS

3-Hole Bridge Faucet with Side Spray Flow Rate: 1.75 gpm Spray Function: Press & Hold Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: ½" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 14 lbs.



FF7000A

Limited Quantities Available


FF7080A Satin Nickel



FEATURES AND BENEFITS

ADA Compliant (5)

3-Hole Bridge Faucet with Side Spray Flow Rate: 1.75 gpm Spray Function: Press & Hold Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: ½" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 15 lbs.
ADA Compliant



FFS100

Limited Quantities Available


FFS 100 Polished Chrome \$1,21

\$1,360 FFS180 Satin Nickel



FEATURES AND BENEFITS

1-Hole with Side Spray Flow Rate: 1.75 gpm Spray Function: Press & Hold Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 9 lbs. ADA Compliant (5,



FFS400

Limited Quantities Available

FFS400 Polished Chrome \$1,215


FFS480 Satin Nickel



FEATURES AND BENEFITS

ADA Compliant (5

1-Hole with Side Spray Flow Rate: 1.75 gpm Spray Function: Press & Hold Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: ½" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 11 lbs.



## FFPD400

Limited Quantities Available

FFPD400 Polished Chrome \$1,045

FFPD480 Satin Nickel

\$1,215



FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8 " Weight: 10 lbs. ADA Compliant (5



## PF7000A


Limited Quantities Available

PF7080A Satin Nickel

**PF7000A** Polished Chrome \$1,030 ¶

FEATURES AND BENEFITS

Wall Mount Pot Filler Flow Rate: 2.2 gpm Spout Swivel Range: 180° Cartridge: ½" Ceramic Weight: 5 lbs. ADA Compliant



## PF3300

Limited Quantities Available

PF3300

Polished Chrome \$795


PF3380 Satin Nickel

\$645



FEATURES AND BENEFITS

Wall Mount Pot Filler Flow Rate: 2.2 gpm Spout Swivel Range: 180° Cartridge: 1/2 " Ceramic Weight: 5 lbs. ADA Compliant (5



## DW6100C

Limited Quantities Available

DW6100C Polished Chrome \$530


**DW6180C** Satin Nickel



FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 3 lbs. ADA Compliant (5







ADA Compliant: Product is compliant with the American Disabilities Act when properly installed

### LB6100C

Limited Quantities Available


LB6100C Polished Chrome \$530

LB6180C Satin Nickel



### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 3 lbs. ADA Compliant (5







Limited Quantities Available

**LB6200C** Polished Chrome


LB6280C Satin Nickel

\$885



#### FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 3 lbs. ADA Compliant (5



## DW12000

Limited Quantities Available

DW12000 Polished Chrome \$550 \$635









### FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 2 lbs. ADA Compliant







## LB12100

Limited Quantities Available

**LB12100** Polished Chrome


LB12180 Satin Nickel

\$635



### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant (5

















### LB12200 Limited Quantities Available

**LB12200** Polished Chrome


LB12280 Satin Nickel

\$810



#### FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 Weight: 4 lbs. ADA Compliant (5



### Farm House Dispenser

## SD6000

Limited Quantities Available

**SD6000** Polished Chrome SD6080 Satin Nickel

\$235 \$280




### FEATURES AND BENEFITS

Hole Size: 11/8" Weight: 1 lb. Capacity: 12 oz.

### Dispenser Head Detail








## **Professional**

Professional faucets are available in **three configurations** to fit your workstyle and your design preference. All feature a **360-degree swivel spout** for a powerful, directional spray. Pair your new faucet with one of **Franke's Professional** series sinks for a kitchen that not only works hard but will also add beauty to your home. The filter spout model offers the convenience of **clean water** for cooking and drinking right from the faucet.



FRANKECANADA.COM | 189

## **Professional**



## **Full Coverage Swivel**

The 360 degree swivel spout generates a full range of motion, allowing you the flexibility to reach almost any area of your sink, and the tall arch design offers exceptional space for cleaning or filling large pots and pans.



## **Pre-Rinse Spray**

Dual functionality, toggle between spray and stream to make rinsing vegetables or cleaning food residue effortless.





## FFPD5400

FFPD5400 Polished Chrome \$1,405

\$1,665

FFPD5480 Satin Nickel




### FEATURES AND BENEFITS

1-Hole Semi-Pro & 3 in 1 Hot/Cold/Filtered Cold Pre-Rinse Spout: Spray + Stream Filling Spout: Cold filtered Flow Rate: 1.75 gpm & .5 gpm Spray Function: Press & Hold Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 12 lbs.







Note: Filter is not included. Please reference pages 241-245 for filtration options.


## FFPD5300

FFPD5300 Polished Chrome \$1,290 FFPD5380 Satin Nickel



### FEATURES AND BENEFITS

1-Hole Semi-Pro Pre-Rinse Spout: Spray Only Filling Spout: Stream Only Flow Rate: 1.75 gpm Spray Function: Press & Hold Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 11 lbs.
ADA Compliant




## FF5300

Polished Chrome \$865 Satin Nickel




### FEATURES AND BENEFITS

1-Hole Semi-Pro Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 8 lbs. ADA Compliant (5)





ADA Compliant: Product is compliant with the American Disabilities Act when properly installed. 190 | 2021 Collection Faucet supply lines are U.S. standard %" O.D. All faucets can accommodate at least 13/4" countertop thickness. Several can accommodate up to 3". Call for additional thickness. FRANKECANADA.COM | 191



## **Crystal**

Crystal faucets beautifully complement the sinks in our Crystal Collection. They make a **bold statement** – and offer extraordinary function - when paired with any Franke sink.

## FFPD4600


\$1,510 FFPD4600 Polished Chrome FFPD4611 Chrome with White Glass \$1,660 



FEATURES AND BENEFITS

ADA Compliant

1-Hole Semi-Pro Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 13/4 Weight: 11 lbs. Magnetic Spray Dock



Crystal Dispenser

## SD2600

**SD2600** Polished Chrome

SD2680 Satin Nickel




\$250 \$290

FEATURES AND BENEFITS

Hole Size: 11/8" Weight: 1 lb. Capacity: 8.5 oz.











## **Absinthe**

Beauty across the entire range. Oriented on current trends in product design, the combination of the **urban style** and sculptured form provide **sleek aesthetics** that will delight the culinary artist day after day.



### FFS5200


FFS5290SB Satin Brass

Polished Chrome \$995 FFS5220 Matte Black \$1,165 FFS5280 Satin Nickel \$1,165



### FEATURES AND BENEFITS

1-Hole Faucet with Side Spray Flow Rate: 1.75 gpm Spray Function: Press & Hold Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: ½" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 10 lbs.



## FF5200

Polished Chrome \$850 FF5200 FF5220 Matte Black FF5280 Satin Nickel






### FEATURES AND BENEFITS

ADA Compliant (5)

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 11 lbs. Magnetic Spray Dock





## FFPS5200


\$850 FFPS5200 Polished Chrome FFPS5220 Matte Black \$1,005

FFPS5280 Satin Nickel \$1,005 FFPS5290SB Satin Brass



### FEATURES AND BENEFITS

1-Hole Pull-Out Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 9 lbs.





Water Saving Feature

## PF5200

Polished Chrome \$840 \$1,005 PF5280 Satin Nickel


PF5290SB Satin Brass

\$1,005



#### FEATURES AND BENEFITS

Wall Mount Pot Filler Flow Rate: 2.2 gpm Spout Swivel Range: 18 Cartridge: 1/2 " Ceramic Weight: 6 lbs. ADA Compliant (5




## FFP5200

Polished Chrome \$815 FFP5200 \$965 FFP5220 Matte Black \$965 FFP5280 Satin Nickel \$965 FFP5290SB Satin Brass



#### FEATURES AND BENEFITS

1-Hole Prep Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Strear Spout Swivel Range: 180° Cartridge: 35mm Ceramic Countertop Hole Diameter Weight: 11 lbs. Magnetic Spray Dock ADA Compliant





### FFB5200


Polished Chrome \$635 FFB5200 \$780 FFB5220 Matte Black \$780 FFB5280 Satin Nickel \$780 FFB5290SB Satin Brass



### FEATURES AND BENEFITS

1-Hole Bar Flow Rate: 1.75 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/8 Weight: 6 lbs.

ADA Compliant (5)



## Water Saving Feature


## FFT5200

Polished Chrome FFT5200 FFT5220 Matte Black \$965 FFT5280 Satin Nickel



### FEATURES AND BENEFITS

3 in 1 Hot/Cold/Filtered Cold Flow Rate: 1.75 gpm/0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/8 " Weight: 10 lbs. ADA Compliant (5)



Note: Filter is not included. Please reference pages 241-245 for filtration options.


## DW15000

DW15000 Polished Chrome \$580 \$670 DW15020 Matte Black \$670 DW15080 Satin Nickel \$670 DW15090 Satin Brass



### FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8 " Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant (5)









### Absinthe

## LB15100


LB15100 Polished Chrome \$560 \$660 LB15120 Matte Black \$660





FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8 " Ceramic Countertop Hole Diameter: 1 1/4 " Weight: 3 lbs. ADA Compliant





## LB15200


LB15200 Polished Chrome \$690 \$850 LB15220 Matte Black \$850 LB15280 Satin Nickel \$850 LB15290 Satin Brass



### FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4 " Weight: 3 lbs.





## Absinthe Dispenser

## SD5200

\$190 **SD5200** Polished Chrome \$230 SD5220 Matte Black \$230 \$230 Satin Nickel SD5280 SD5290SB Satin Brass




FEATURES AND BENEFITS

Hole Size: 11/8" Weight: 1 lb. Capacity: 10 oz.

Dispenser Head Detail













## Pescara

With a sleek, modern design, Pescara adds professional flair and maximum function to the home kitchen. It features a **single-lever handle** and pull-down sprayer that fits comfortably in your hand for effortless operation. Intuitive, **ergonomic design** allows easy toggling between spray and stream.



## Pescara



## **Dual Function Spray Head**

Easily toggle between spray and stream without the need to reduce water pressure between modes.





## **Durable Coil Spring Hose**

The coil spring hose provides great flexibility for complete reach of the entire sink.





## Magnetic Docking

An intuitive, quick release, magnetic dock holds the spray head securely in place when not in use.





## **Full Coverage Swivel**

The 360 degree swivel spout generates a full range of motion, allowing you the flexibility to reach almost any area of your sink. The tall arch design offers exceptional space for cleaning or filling large pots and pans.






**202** | 2021 Collection FRANKECANADA.COM | **203** 

### FFPD4300

FFPD4300 Polished Chrome


FFPD4350 Stainless Steel





#### FEATURES AND BENEFITS

1-Hole Semi-Pro Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/81 Weight: 10 lbs. Magnetic Spray Dock



FFPD4400

FFPD4400 Polished Chrome

FFPD4450 Stainless Steel

\$930

\$790

\$930

\$930

\$740

\$875



FEATURES AND BENEFITS

ADA Compliant

1-Hole Semi-Pro Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 25mm Ceramic (FFPD4450) 28mm Ceramic (FFPD4400)

Countertop Hole Diameter: 1 3/8"





FF4400

Polished Chrome

Matte Black

FF4480






FEATURES AND BENEFITS

1-Hole Semi-Pro Flow Rate: 1.75 gpm Spray Function: Press & Hold Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/8 " Weight: 8 lbs. Magnetic Spray Dock

ADA Compliant L Water Saving Feature



7 7/8" (41.9 cm)

(20 cm)

(5.1 cm)

(15.6 cm)

## FF4800

FF4880


Polished Chrome Satin Nickel



### FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spout Swivel Range: 180° Cartridge: 35mm Ceramic





FF4700

Polished Chrome


Matte Black

FF4780 Satin Nickel



FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: 35mm Ceramic Countertop Hole Diameter: 13/8" Weight: 6 lbs. ADA Compliant (5



## FFP4400

FFP4400 Polished Chrome

FFP4480 Satin Nickel

\$555 \$680

\$690

\$830

\$845


\$845



FEATURES AND BENEFITS

1-Hole Prep Flow Rate: 1.75 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 28mm Ceramic Countertop Hole Diameter: 13/8" Weight: 7 lbs. ADA Compliant (5





## PFD4400


PFD4400 Polished Chrome

PFD4480 Satin Nickel

### FEATURES AND BENEFITS

Deck Mount Pot Filler Flow Rate: 1.75 gpm Spout Swivel Range: 360° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/8 " Weight: 8 lbs. ADA Compliant (5





### PF4400

PF4480


Polished Chrome

Satin Nickel



### FEATURES AND BENEFITS

Wall Mount Pot Filler Flow Rate: 2.2 gpm Spout Swivel Range: 180° Cartridge: 1/2 " Ceramic Weight: 6 lbs. ADA Compliant (5



Faucet supply lines are U.S. standard %" O.D. All faucets can accommodate at least 1¾" countertop thickness. Several can accommodate up to 3". Call for additional thickness. FRANKECANADA.COM | 205


### DW16000

Polished Chrome \$560 DW16000 \$660 DW16020 Matte Black \$660 DW16022 Shiny Black \$660 Gun Metal DW16040 \$660 DW16061 Copper \$660 DW16065 \$660 DW16080 Satin Nickel \$660 DW16090 Satin Brass



FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8 " Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant




## LB16100

Polished Chrome \$560 LB16100 \$660 Matte Black LB16120 \$660 Shiny Black LB16122 \$660 Gun Metal LB16140 \$660 Copper LB16161 \$660 LB16165 Bronze \$660 Satin Nickel LB16180 \$660 Satin Brass LB16190



FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8 " Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant (5)





## LB16200





### FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 7 15/16" Spray Type: Stream (20.2cm) **↑** Spout Swivel Range: 360° 4 7/8" (12.4cm) Cartridge: 3/8 " Ceramic (9.2cm) Countertop Hole Diameter: 1 1/4" 1 5/8" (4.1cm) ◆◆ Weight: 3 lbs. ADA Compliant (5








The **clean lines** and **metropolitan elegance** of the Peak faucet demonstrate that design and function can hold equal status in your kitchen. Pair this **semi-pro pull-down faucet** with a Peak granite or stainless steel sink for a kitchen that works and looks the way you want it to.



## FFPD5550



\$895






FEATURES AND BENEFITS

ADA Compliant

1-Hole Semi-Pro Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 8 lbs.





## **Ambient**

Ambient faucets encompass all of your kitchen needs with **pull-down** and **pull-out** styles for ultimate flexibility. Enhance your workspace with the collection's **filtration faucets** and **pot filler** to have all of the functions you need – in a beautifully coordinated style.




### FF3100

Polished Chrome \$710 FF3100 \$850 FF3120MBK \$850 FF3180 Satin Nickel



### FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/8 " Weight: 6 lbs. Magnetic Spray Dock



## ADA Compliant Water Saving Feature


## FFP3100

Polished Chrome \$675 FFP3100 \$795 FFP3120MBK Matte Black FFP3180 Satin Nickel





1-Hole Pull-Down Prep Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/8 " Weight: 6 lbs. ADA Compliant (5)






## FFPS4300

Polished Chrome \$540 FFPS4300 \$635 FFPS4320 Matte Black \$635 FFPS4380 Satin Nickel \$635 FFPS4395 Brushed Gold



### FEATURES AND BENEFITS

1-Hole Pull-Out Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream 21/4" Spout Swivel Range: 110° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8 " Weight: 6 lbs. ADA Compliant (5




### FFB3100

Polished Chrome \$495 FFB3100 FFB3120MBK \$605 FFB3180 Satin Nickel



### FEATURES AND BENEFITS

1-Hole Bar Flow Rate: 1.75 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 5 lbs. ADA Compliant 6





## **Water Saving Feature**

## FFPS3600


FFPS3600

FFPS3680 Satin Nickel

Polished Chrome \$560 \$675

### FEATURES AND BENEFITS

1-Hole Pull-Out Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 110° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 6 lbs. ADA Compliant (5)



## PF3100

Polished Chrome


PF3120MBK

\$850 Matte Black \$850 Satin Nickel



FEATURES AND BENEFITS

Wall Mount Pot Filler Flow Rate: 2.2 gpm Spout Swivel Range: 180° Cartridge: ½" Ceramic Weight: 5 lbs. ADA Compliant (5)



## FFT3100


FFT3100 FFT3180 Polished Chrome \$685 Satin Nickel

\$805



### FEATURES AND BENEFITS

3 in 1 Hot/Cold/Filtered Cold Flow Rate: 1.75 gpm/0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/81 Weight: 6 lbs. ADA Compliant (5)



Note: Filter is not included. Please reference pages 241-245 for filtration options.



## DW7000C

DW7000C **DW7020C**  Polished Chrome \$540


DW7080C





### FEATURES AND BENEFITS

The Little Butler® Cold Filtered (24.1 cm) (12.7 cm) Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 13/8" Weight: 3 lbs. ADA Compliant (5





Indicates: Cold Hot Hot/Cold ADA Compliant: Product is compliant with the American Disabilities Act when properly installed

61/4"\_ (15.6 cm)

### LB7100C

LB7100C **№** LB7120C

\$540 Polished Chrome \$635 Matte Black


\$635

LB7180C



### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 3 lbs. ADA Compliant (5





## LB7200C

LB7200C

Polished Chrome \$725 \$885


LB7280C





FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 3 lbs. ADA Compliant





## DW10000

DW10000

Polished Chrome \$580 \$670

\$670

\$670


**DW10020** DW10080

Satin Nickel



FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4 " Weight: 2 lbs. Weight: 2 lbs.
ADA Compliant





## LB10100

LB10100 **LB10120**  Polished Chrome \$580 \$670 Matte Black


LB10180

Satin Nickel



### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant (5)











## Faucet supply lines are U.S. standard % " O.D. All faucets can accommodate at least 1 ¾" countertop thickness. Several can accommodate up to 3". Call for additional thickness.

### LB10200

LB10200

Polished Chrome \$710

遂 LB10220 LB10280


\$850 Matte Black \$850 Satin Nickel



#### FEATURES AND BENEFITS

The Little Butler® 7 1/8" (20 cm) Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant (5





↑ (10.5 cm)

## Ambient Dispenser

## SD3100

Polished Chrome \$150 \$190

\$190

SD3180

SD3120MBK Satin Nickel




FEATURES AND BENEFITS


Hole Size: 1 1/8" Weight: 1 lb. Capacity: 10 oz.











# **Steel**


The name says it all: Steel collection faucets blend the **modern look** and inherent sturdiness of solid stainless steel. The **pull-down sprayer** and **360-degree spout swivel** range offer maximum utility for today's hard-working kitchen.



216 | 2021 Collection FRANKECANADA




FF3452SS Stainless Steel





#### FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 8 lbs. 316 Stainless Steel ADA Compliant




FF3450

\$945



FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 13/81 Weight: 8 lbs. ADA Compliant (5)




# FFP3450

Stainless Steel FFP3425BSS Black Stainless Steel \$885



#### FEATURES AND BENEFITS

1-Hole Pull-Down Prep Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 13/81 Weight: 8 lbs. ADA Compliant (5




# FFB3450

FFB3425BSS Black Stainless Steel \$710



#### FEATURES AND BENEFITS

1-Hole Bar Flow Rate: 1.75 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 5 lbs. ADA Compliant (5)




FFPS3450

Stainless Steel

FFPS3425BSS Black Stainless Steel \$885

#### FEATURES AND BENEFITS


1-Hole Pull-Out Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 150° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 8 lbs.



# PF3450

PF3450


Stainless Steel



#### FEATURES AND BENEFITS

ADA Compliant (5)

Wall Mount Pot Filler Flow Rate: 2.2 gpm Spout Swivel Range: 180° Cartridge: ½" Ceramic Weight: 6 lbs. ADA Compliant (5)



# DW13050


DW13050 Stainless Steel

DW13025BSS Black Stainless Steel \$670



#### FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Function: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 11/41 Weight: 3 lbs. ADA Compliant (5



### IB13150


LB13150 Stainless Steel

\$560 LB13125BSS Black Stainless Steel \$670



#### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant (5)












FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3%" Ceramic Countertop Hole Diameter: 11/4" Weight: 4 lbs.





Steel Dispenser

**SD3450SS** 

sd3450ss Stainless Steel \$330



FEATURES AND BENEFITS

Hole Size: 11/8" Weight: 1 lb. Capacity: 11.5 oz. 316 Stainless Steel







**S**D3425BSS

SD3425BSS Black Stainless Steel \$330




FEATURES AND BENEFITS

Hole Size: 11/8" Weight: 1 lb. Capacity: 11.5 oz.

Dispenser Head Detail







FRANKECANADA.COM | 221





# **Active**

Active faucets are perfect for today's busy kitchens and feature the convenience of a **360-degree swivel spray** and a choice of **14 finishes**. The **dual function** spray-head provides **maximum maneuverability** so you can reach every corner of the sink, with a **smooth retraction** that securely puts the hose back into place.



# **Active**



1

# **Dual Function Spray** Head

Spray head has a toggle switch that allows you to effortlessly change between spray and stream.



2

# **Variety of Finish Options**

Choose from an array of finish options. Make it match with the granite color palette from Active Plus or choose from a wide selection of metal finishes from Active Neo.



#### Active Plus FF3800 FEATURES AND BENEFITS Polished Chrome \$660 FF3800 1-Hole Pull-Out 121/4" \$780 Onyx FF3801 Flow Rate: 1.75 gpm (31.1 cm) Spray Function: Toggle \$780 Mocha FF3802 Spray Type: Spray & Stream \$780 Spout Swivel Range: 360° Storm FF3803 Cartridge: 35mm Ceramic \$780 Countertop Hole Diameter: 1 3/8" FF3804 Oyster Weight: 7 lbs. \$780 ADA Compliant Champagne FF3805

Active Neo FF3900 FEATURES AND BENEFITS Polished Chrome \$660 FF3900 1-Hole Pull-Down \$780 FF3920 Matte Black Flow Rate: 1.75 gpm Spray Type: Toggle \$780 FF3922 Shiny Black Spray Type: Spray & Stream \$780 Spout Swivel Range: 360° Gun Metal FF3940 Cartridge: 35mm Ceramic Limited Quantities Available Countertop Hole Diameter: 1 3/8" \$780 Weight: 8 lbs. Copper FF3961 ADA Compliant (5 \$780 Bronze FF3965 \$780 FF3980 Satin Nickel

Polished Chrome \$150 SD3200 \$190 SD3201 Onyx \$190 SD3202 Mocha \$190 Storm SD3203 \$190 🧬 SD3204 Oyster \$190 Champagne SD3205 \$190 Stone Grey

\$780

\$780

\$780

Stone Grey

Satin Nickel

FF3807

FF3880

FF3990

SD3200


SD3207 \$190 Matte Black SD3220 \$190 Shiny Black SD3222 \$190 SD3240 Gun Metal

Satin Brass

Limited Quantities Available \$190 SD3261 Copper

FEATURES AND BENEFITS

Hole Size: 1 1/8" Weight: 1 lb. Capacity: 10 oz.



Active Dispenser

\$190 SD3265 \$190 SD3280 Satin Nickel \$190 SD3290 Satin Brass

Kubus faucets bring a strikingly simple design to your kitchen while offering a host of useful features including a cleverly designed **pull-down spray**. When work is complete, the hose neatly retracts. The inclined design is the perfect height for large pots.



FF4250


FF4250 Stainless Steel

\$695



#### FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 7 lbs. ADA Compliant



FFP4250

FFP4250 Stainless Steel


\$635



#### FEATURES AND BENEFITS

1-Hole Pull-Down Prep Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 180° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 6 lbs. ADA Compliant (5)





FFB4250

FFB4250 Stainless Steel


\$505



#### FEATURES AND BENEFITS

1-Hole Bar Flow Rate: 1.75 gpm Spray Type: Stream Spout Swivel Range: 180° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 4 lbs.

ADA Compliant (5)







# Cube

The sleek **steel styling** of Cube faucets brings **modern** chic to your kitchen. Complement your kitchen sink with a Cube prep or bar sink for a stylish look throughout.



# FF3352


Suitable for outdoor use



#### FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8"

Weight: 10 lbs. 316 Stainless Steel ADA Compliant



FF3350


FF3350

FF3325BSS Black Stainless Steel \$780



FEATURES AND BENEFITS

1-Hole Pull-Down Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 10 lbs.



FFPD3350

FFPD3350 Stainless Steel


\$630



FEATURES AND BENEFITS

ADA Compliant (5.

1-Hole Pull-Down, 2 Handle Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: ½" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 8 lbs. ADA Compliant



FFP3350

FFP3350


Stainless Steel

\$630 FFP3325BSS Black Stainless Steel \$740



FEATURES AND BENEFITS

1-Hole Prep Flow Rate: 1.75 gpm Spray Function: Toggle Spray Type: Spray & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 10 lbs. ADA Compliant



FFB3350

Stainless Steel


FFB3325BSS Black Stainless Steel \$610



FEATURES AND BENEFITS

1-Hole Bar Flow Rate: 1.75 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 13/8"

Weight: 7 lbs. ADA Compliant



FFT3350


FFT3350 Stainless Steel



FEATURES AND BENEFITS

3 in 1 Hot/Cold/Filtered Cold Flow Rate: 1.75 gpm/0.5 gpm (40cm) Spray Type: Full & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 1 3/8 Weight: 7 lbs.

ADA Compliant (5





Note: Filter is not included. Please reference pages 241-245 for filtration options.





ADA Compliant: Product is compliant with the American Disabilities Act when properly installed.







Point-of-Use Filtration Faucet



Undercounter Water Filter



Heating Tank



Water Chiller

# **Every drop** is wonderful

Franke pioneered multi-tasking kitchen faucets. Today, our beautifully designed range of point-of-use faucets, which dispense hot, cold and filtered water, are considered the blueprint for faucets that go the extra step. By combining the beauty of our most stylish designs and the technologically advanced ceramic water filtration of the Franke StillPure system, we've created the perfect addition to a health-focused kitchen.

#### PURE WATER WHEN YOU NEED IT.

Invisible to the eye and even to the tongue, contaminants, lead, toxins, industrial pollutants, pesticides and even diseases are passed through local water systems into our homes. Unfortunately, filtration pitchers don't fully filter out impurities, and bottled water creates waste. Franke StillPure delivers **delicious**, **water right from the tap.** 

### STYLED FOR CONVENIENCE.

With the Franke **StillPure filtration** system you can choose from a full range of faucet designs to fit your style.

#### CONFIDENCE TO KNOW IT'S PURE.

When you understand the importance of filtered water, you'll want to use StillPure for everything you do in your kitchen. That's why we created point-of-use faucets that deliver filtered water where and when you need it. Instantly rinse, prep and cook with the clean water. With Franke StillPure, it's always right at hand.

FRANKECANADA.COM | 233

# FFT3350








#### FEATURES AND BENEFITS

3 in 1 Hot/Cold/Filtered Cold Flow Rate: 1.75 gpm/0.5 gpm Spray Type: Full & Stream Spout Swivel Range: 360° Cartridge: 35mm Ceramic Countertop Hole Diameter: 13/8" Weight: 7 lbs. ADA Compliant (5



Note: Filter is not included. Please reference pages 241-245 for filtration options.

#### Ambient FFT3100


FFT3100 FFT3180 Polished Chrome \$685

\$805 Satin Nickel



#### FEATURES AND BENEFITS

3 in 1 Hot/Cold/Filtered Cold Flow Rate: 1.75 gpm/0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/81 Weight: 6 lbs. ADA Compliant (5)



Note: Filter is not included. Please reference pages 241-245 for filtration options.



Water Saving Feature

# Absinthe

FFT5280

Polished Chrome \$795 \$965


\$965

Satin Nickel



#### FEATURES AND BENEFITS

3 in 1 Hot/Cold/Filtered Cold Flow Rate: 1.75 gpm/0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 28mm Ceramic Countertop Hole Diameter: 1 3/8" Weight: 10 lbs.



All faucets can accommodate at least 1-3/4" countertop thickness. Several can accommodate up to 3". Call for additional thicknesses, Recommended Pressure Range: 15-75 PSI. All Franke filtration faucets have been certified to comply with NSF61 and NSF372 drinking water system component requirements. These requirements meet California Health and Safety Code requirements for low lead (AB1953) as

well as the low lead requirements of the US Safe Drinking Water Act. Franke faucets also meet the water efficiency requirements of the California Energy Commission and the US Department of Energy

Note: Filter is not included. Please reference pages 241-245 for filtration options.

### Farm House DW6100C

Limited Quantities Available


\$530 **DW6100C** Polished Chrome \$645 **DW6180C** Satin Nickel



#### FEATURES AND BENEFITS

ADA Compliant (

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8 " Weight: 3 lbs. ADA Compliant





LB6100C Limited Quantities Available

Farm House

**LB6100C** Polished Chrome


LB6180C Satin Nickel



#### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 3 lbs. ADA Compliant





#### Farm House LB6200C Limited Quantities Available

**LB6200C** Polished Chrome

LB6280C Satin Nickel

\$885

\$530


\$645



#### FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 3 lbs.





← 6 1/8" → (15.6cm)

8 3/8"

(21.3cm)

#### Farm House DW12000

Limited Quantities Available

Farm House


DW12000 Polished Chrome \$550

DW12080 Satin Nickel



#### FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 2 lbs. ADA Compliant



### LB12100 Limited Quantities Available

\$635


**LB12100** Polished Chrome

LB12180 Satin Nickel



#### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 11/4 Weight: 3 lbs. ADA Compliant





ADA Compliant: Product is compliant with the American Disabilities Act when properly installed All faucets can accommodate at least 1-3/4" countertop thickness. Several can accommodate up to 3". Call for additional thicknesses. Recommended Pressure Range: 15-75 PSI. All Franke filtration faucets have been certified to comply with NSF61 and NSF372 drinking water system component requirements. These requirements meet California Health and Safety Code requirements for low lead (AB1953) as well as the low lead requirements of the US Safe Drinking Water Act. Franke faucets also meet the water efficiency requirements of the California Energy Commission and the US Department of Energy.

← 6 1/8" ← (15.6cm)

### Farm House LB12200

Limited Quantities Available

LB12200

LB12280



#### FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 4 lbs. ADA Compliant (5

← 6 3/4" (17.2cm) (21.3cm)(6.4cm)

### Logik DW9000C

DW9000C DW9080C Polished Chrome Satin Nickel


Polished Chrome

Satin Nickel

\$515 \$635

#### FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Function: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 13/8" Weight: 3 lbs. ADA Compliant (5





# LB9100C


LB9100C LB9180C

Polished Chrome Satin Nickel



#### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" Weight: 3 lbs. ADA Compliant (5)





# Logik LB9200C

LB9200C LB9280C

Polished Chrome Satin Nickel



FEATURES AND BENEFITS ← (19 cm) The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm (24.1 cm) Spray Type: Stream (13.3 cm) T 4 1/4" (10.8 cm) Spout Swivel Range: 360° (22.9 cm) Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 3/8" 2 1/4" Weight: 3 lbs. (5.7 cm)



ADA Compliant: Product is compliant with the American Disabilities Act when properly installed All faucets can accommodate at least 1-3/4" countertop thickness, Several can accommodate up to 3", Call for additional thicknesses, Recommended Pressure Range; 15-75 PSI, All Franke filtration faucets have been certified to comply with NSF61 and NSF372 drinking water system component requirements. These requirements meet California Health and Safety Code requirements for low lead (AB1953) as well as the low lead requirements of the US Safe Drinking Water Act. Franke faucets also meet the water efficiency requirements of the California Energy Commission and the US Department of Energy

ADA Compliant (5)

# Absinthe DW15000

DW15000 Polished Chrome \$580 \$670 DW15020 Matte Black \$670 DW15080 Satin Nickel




Satin Brass



#### FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8 " Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant



#### Absinthe LB15100

LB15100

LB15120


LB15180

**LB15190** 

\$560 Polished Chrome \$660 Matte Black \$660 Satin Nickel

\$670


\$850





#### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8 " Ceramic Countertop Hole Diameter: 11/41 Weight: 3 lbs. ADA Compliant



### Absinthe

# LB15200

\$690 Polished Chrome LB15200 \$850 LB15220 Matte Black \$850 LB15280 Satin Nickel








#### FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8 " Ceramic Countertop Hole Diameter: 1 1/4 " Weight: 3 lbs. ADA Compliant (5



# DW16000


\$560 Polished Chrome DW16000 \$660 Matte Black DW 16020 \$660 DW16022 Shiny Black \$660 DW16040 Gun Metal \$660 DW16061 Copper \$660 Bronze DW 16065 \$660 DW16080 Satin Nickel \$660 DW16090 Satin Brass



#### FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8 " Ceramic Countertop Hole Diameter: 1 1/4 Weight: 3 lbs. ADA Compliant







#### Filtration


#### Pescara LB16100

Polished Chrome \$560 LB16100 \$660 Matte Black LB16120 \$660 LB16122 Shiny Black \$660 Gun Metal LB16140 \$660 Copper LB16161 \$660 LB16165 Bronze \$660 LB16180 Satin Nickel \$660 Satin Brass LB16190



FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 11/41 Weight: 3 lbs. ADA Compliant (5




### Pescara LB16200

Polished Chrome \$700 LB16200 \$820 Matte Black LB16220 \$820 Shiny Black LB16222 \$820 Gun Metal LB16240 \$820 LB16261 Copper \$820 LB16265 \$820 Satin Nickel LB16280 \$820 Satin Brass LB16290



FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 11/4" Weight: 3 lbs. ADA Compliant (5



# Ambient


# DW7000C

Polished Chrome \$540 DW7000C \$635 **№ 7020C** Matte Black \$635 DW7080C Satin Nickel



FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 13/8" Weight: 3 lbs. ADA Compliant (5



# Indicates: Cold Hot Hot/Cold

ADA Compliant: Product is compliant with the American Disabilities Act when properly installed All faucets can accommodate at least 1-3/4" countertop thickness. Several can accommodate up to 3". Call for additional thicknesses, Recommended Pressure Range: 15-75 PSI, All Franke filtration faucets have been certified to comply with NSF61 and NSF372 drinking water system component requirements. These requirements meet California Health and Safety Code requirements for low lead (AB1953) as well as the low lead requirements of the US Safe Drinking Water Act. Franke faucets also meet the water efficiency requirements of the California Energy Commission and the US Department of Energy

### Ambient LB7100C

LB7100C

Polished Chrome \$540

**№** LB7120C LB7180C

Satin Nickel

Matte Black

\$635

\$635

\$885

\$885

\$670

\$670


\$670


\$670



#### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 13/8" Weight: 3 lbs. ADA Compliant (5)





LB7200C

**Ambient** 

**№ LB7220C** 

LB7280C


Matte Black Satin Nickel

Polished Chrome \$725



#### FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 13/8" Weight: 3 lbs. ADA Compliant (5



### **Ambient** DW10000

DW10000

Polished Chrome \$580 S DW10020


Matte Black

DW10080 Satin Nickel



#### FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 2 lbs. ADA Compliant





### **Ambient** LB10100

LB10100

LB10180


Polished Chrome \$580 **LB10120** Matte Black

Satin Nickel




#### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant (5)









### Ambient LB10200

LB10200

Polished Chrome \$710


**LB10220** LB10280





FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range:  $360^{\circ}$ Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4 " Weight: 3 lbs. ADA Compliant (5



\$850

\$850

Steel DW13050


**DW13050** Stainless Steel

\$560 🜌 DW13025BSS 🔳 Black Stainless Steel \$670



FEATURES AND BENEFITS

The Little Butler® Cold Filtered Flow Rate: 0.5 gpm Spray Function: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4 " Weight: 3 lbs. ADA Compliant (5





LB13150

LB13150


Stainless Steel

\$560 LB13125BSS Black Stainless Steel \$6/0



#### FEATURES AND BENEFITS

The Little Butler® Hot Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 3 lbs. ADA Compliant





Stainless Steel


LB13225BSS Black Stainless Steel \$815

\$690



FEATURES AND BENEFITS

The Little Butler® Hot/Cold Filtered Flow Rate: 0.5 gpm Spray Type: Stream Spout Swivel Range: 360° Cartridge: 3/8" Ceramic Countertop Hole Diameter: 1 1/4" Weight: 4 lbs. ADA Compliant (5)

















### HT-400

\$540


#### The Little Butler® Heating Tank

For use with all Franke hot only and hot/cold filtration faucets.



#### FEATURES AND BENEFITS

- Heats up to 60 cups per hour close to boiling temperature
- 8 pre-set temperature settings • Electronic temperature control,
- max 208 degrees • 5/8 gallon stainless steel tank
- 1100 Watts
- 5 year warranty
- 8 lbs.
- Compatible with RO water systems



# CT-200

\$1,300


The Little Butler® Chiller

For use with all Franke cold only filtration faucets.



#### FEATURES AND BENEFITS

- Chills 1 gallon per hour
- Water temperature 40 degrees
- Power: cord, 4 feet, 115 volts, 60 HZ
- 135 Watts
- Stainless steel tank & tubing
- 1 year limited warranty
- 25 lbs.
- Compatible with RO water systems




# FRCNSTR100 \$315

**Filtration Canister** 



#### FEATURES AND BENEFITS

- FRC06 filter cartridge included
- Fits FRC06, FRC07, FRC08, FRC09 and FRC10 filters
- Thermoplastic housing
- Built-in shutoff valve
- Integrated installation bracket
- Quick connect 3/8" push fitting
- 10 year warranty
- BPA Free
- 3 lbs.



# **FRCNSTR**


**Filtration Canister** 

\$440



#### FEATURES AND BENEFITS

- FRC06 filter cartridge included
- Fits FRC06, FRC07, FRC08, FRC09 and FRC10 filters
- Solid stainless steel housing
- Easy installation bracket included
- Quick connect 3/8" push fitting
- 5 year warranty
- 4 lbs.



# Hitratic

# FRCNSTR-DUO-1 \$535

#### **Dual Filtration Canister**



#### FEATURES AND BENEFITS

- FRC06 and FRC09 filters included
- Fits FRC06, FRC07, FRC08, FRC09 and FRC10 filters
- Thermoplastic housing
- Built-in shutoff valve
- Integrated installation bracket
- Quick connect 3/8" push fitting
- 10 year warranty
- BPÁ Free
- 6 lbs.



# FRCNSTR-DUO-2 \$535

#### **Dual Filtration Canister**



#### FEATURES AND BENEFITS

- FRC07 and FRC09 filters included
- Fits FRC06, FRC07, FRC08, FRC09 and FRC10 filters
- Thermoplastic housing
- Built-in shutoff valve
- Integrated installation bracket
- Quick connect 3/8" push fitting
- 10 year warranty
- BPA Free
- 6 lbs.



# How to determine which filter to order if the replacement filter model number is not identified on the canister:

- 1. Locate the serial number on your canister
- 2. If the serial number begins with FR then order the FRX02 filter set
- 3. If the serial number begins with FRC then order the FRC06, FRC07, FRC08, FRC09, FRC10 filter set

#### **Contaminant Reduction Overview**

EU TRATION ORITERIA	PRI	MARY FILT	ERS	F	PRE-FILTER	S
FILTRATION CRITERIA	FRX02	FRC06	FRC07	FRC08	FRC09	FRC10
Reduces Chlorine	X	Х	Х			
Reduces Chloramine			Х			
Reduces Particulates and Turbidity	Х	Х	Х			
Reduces Cysts (Cryptosporidium)	Х	Х	Х			
Reduces Bacteria (E Coli)	Х	Х	Х			
Reduces Insecticides and Herbicides	Х	Х	Х			
Reduces Lead	Х	Х				
Reduces Fluoride				Х		
Reduces Sediment					х	
Reduces Limescale and Hardness						Х

Note: See individual filter product data sheets for details on specific contaminants filtered.

FRX02

Filter

\$175




#### FEATURES AND BENEFITS

#### Reduces:

- Chlorine (taste and odor)
- Particulate and turbidity
- Cysts (Cryptosporidium)
- Lead

Note: See filter product data sheet for details on specific contaminants filtered.

1 lb.



**242** | 2021 Collection FRANKECANADA.COM | **243** 

### FRC06 \$135 FRC06-2PK \$240

\$135

\$135

\$80

Filter




#### FEATURES AND BENEFITS

#### Reduces:

- Chlorine (taste and odor)
- Particulate and turbidity
- Cysts (Cryptosporidium)
- Lead

Note: See filter product data sheet for details on specific contaminants filtered.

1 lb.



FRC07

Filter




FEATURES AND BENEFITS

### Reduces:

- Chloramine
- Chlorine (taste and odor)
- Particulate and turbidity

Note: See filter product data sheet for details on specific contaminants filtered.

1 lb.



FRC08

Filter




FEATURES AND BENEFITS

#### Reduces:

Flouride

Note: See filter product data sheet for details on specific contaminants filtered.

1 lb.



FRC09

Filter




FEATURES AND BENEFITS

#### Reduces:

Sediment

Note: See filter product data sheet for details on specific contaminants filtered.

1 lb.



FRC10

\$145

\$50

Filter




#### FEATURES AND BENEFITS

- Removes temporary hardness in drinking
- Removes Calcium and Magnesium

Limescale reduction

Note: See filter product data sheet for details on specific contaminants filtered.

1 lb.



SB60

**Pressure Protection Valve** 



FEATURES AND BENEFITS

Flow Rate: 4 gpm @ 100 psi Max Pressure: 300 psi Max Temperature: 104°F (40°C) Type: SB60 limiting valve, 60 psi Pipe: ¼" - Inlet/Outlet Quick Connect Weight: 1 lb.

**244** | 2021 Collection FRANKECANADA.COM | 245



# **Soap Dispensers**

With styles to complement every Franke faucet, our **Soap Dispensers** are a must-have for today's busy kitchens. With an **easy-to-operate** hand pump, cleanliness is always within your reach.



### Square SD-800


Polished Chrome \$600 \$650 SD-880N Satin Nickel



FEATURES AND BENEFITS

Hole Size: 11/81 Weight: 3 lbs. Capacity: 16 oz.

# Dispenser Head Detail



Twin SD-500

Polished Chrome \$430 SD-500


SD-580N Satin Nickel





Hole Size: 11/8" Weight: 2 lbs. Capacity: 16 oz.





# Crystal SD2600

Polished Chrome \$250

SD2680 Satin Nickel







#### FEATURES AND BENEFITS

Hole Size: 11/81 Weight: 1 lb. Capacity: 8.5 oz.







# Steel SD3450SS


SD3450SS Stainless Steel

\$330




#### FEATURES AND BENEFITS

Hole Size: 11/8" Weight: 1 lb. Capacity: 11.5 oz. 316 Stainless Steel








# Steel SD3425BSS

SD3425BSS Black Stainless Steel \$330




FEATURES AND BENEFITS

Hole Size: 1 1/8" Weight: 1 lb. Capacity: 11.5 oz.







# Farm House SD6000

Limited Quantities Available

SD6000 SD6080




FEATURES AND BENEFITS

Hole Size: 11/8" Weight: 1 lb. Capacity: 12 oz.

**Dispenser Head Detail** 





# Logik 902

Limited Quantities Available

902-C 902-SN

Satin Nickel

Polished Chrome \$225 \$270

\$190

\$230

\$230

\$230

\$280




FEATURES AND BENEFITS

Hole Size: 11/8" Weight: 1 lb. Capacity: 12 oz.

Dispenser Head Detail





# Absinthe SD5200

SD5200

SD5280

SD5220

Polished Chrome Matte Black Satin Nickel

SD5290SB Satin Brass




FEATURES AND BENEFITS

Hole Size: 1 1/8" Weight: 1 lb. Capacity: 10 oz.

Dispenser Head Detail





248 | 2021 Collection FRANKECANADA.COM | 249

# Ambient SD3100

SD3100 **№** SD3120MBK

Polished Chrome \$150 \$190 Matte Black


\$190

Satin Nickel SD3180

FEATURES AND BENEFITS

Hole Size: 1 1/8" Weight: 1 lb. Capacity: 10 oz.

Dispenser Head Detail



4 1/8" [(10.5 cm)]

# Active SD3200

Polished Chrome \$150 SD3200 \$190 \$190 SD3201 Mocha SD3202 \$190 Storm SD3203 \$190 Oyster \$190 SD3205 Champagne \$190 Stone Grey SD3207 \$190 Matte Black SD3220 \$190 \$190 Shiny Black SD3222 Gun Metal SD3240 \$190 SD3261 Copper \$190 SD3265 Bronze \$190

Satin Nickel

Satin Brass


\$190

FEATURES AND BENEFITS

Hole Size: 11/8" Weight: 1 lb. Capacity: 10 oz.

Щ

Dispenser Head Detail





SD3280

SD3290



# **Waste Disposers**

Clean up after a big meal has never been so simple with a Franke waste disposer. These **energy efficient** disposers won't leave you second guessing about whether to put food waste in the trash bin or disposal. The disposals come equipped with an **antimicrobial agent, Bio Shield®**, that will reduce odor causing bacteria, and the **Silver Guard®\*** feature that offers a magnetic rim to prevent metal objects from falling into the disposer.

\*On selected models



# Specification Guide

ITEM	WARRANTY	MOTOR TYPE	POWER CORD	SHREDDER BLADE TYPE	SOUND INSULATED SHELL
FWDJ125 (1 1/4HP)	Limited Lifetime	2800 rpm Jam-Resistant DC motor	Included	Stainless	Yes
FWDJ75B (3/4HP)	10 Years	2700 rpm Jam-Resistant DC motor	Included	Stainless	Yes
FWDJ75 (3/4HP)	10 Years	2700 rpm Jam-Resistant DC motor	Included	Stainless	Yes
FWDJ50 (1/2HP)	5 Years	2600 rpm Jam-Resistant DC motor	Included	Stainless	Yes
WDJ75 (3/4HP)	5 Years	2700 rpm Jam-Resistant DC motor	Included	Galvanized	No
WDJ75NC (3/4HP)	5 Years	2700 rpm Jam-Resistant DC motor	No Cord	Galvanized	No
WDJ50 (1/2HP)	3 Years	2600 rpm Jam-Resistant DC motor	Included	Galvanized	No
WDJ50NC (1/2HP)	3 Years	2600 rpm Jam-Resistant DC motor	No Cord	Galvanized	No
WDJ33 (1/3HP)	2 Years	2400 rpm Jam-Resistant DC motor	Included	Galvanized	No

Franke waste disposers are 😱 certified Finer grinding for septic system compatibility in ALL models, with no additional chemicals needed.

FWDJ125

\$555


11/4 HP Disposer



#### FEATURES AND BENEFITS

- Horsepower: 11/4
- Feed: Continuous
- RPM: 2800 • Silverguard®
- Warranty: Lifetime
- Bio Shield®
- Sound Insulated Shell
- Stainless Steel Grinding Chamber
- Torque Master® Balanced Grinding Systems

19 lbs.



FWDJ75B \$575


3/4 HP Disposer



#### FEATURES AND BENEFITS

- Horsepower: 3/4
- Feed: Batch • RPM: 2700
- Warranty: 10 Year
  Bio Shield®
- Sound Insulated Shell
- Stainless Steel Grinding Chamber
- Torque Master® Balanced Grinding Systems

18 lbs.



\$420 FWDJ75


3/4 HP Disposer



#### FEATURES AND BENEFITS

- Horsepower: 3/4
- Feed: Continuous
- RPM: 2700
- Silverguard® Warranty: 10 Year
- Bio Shield®
- Sound Insulated Shell
- Stainless Steel Grinding Chamber
- Torque Master® Balanced Grinding Systems

17 lbs.




FWDJ50 \$295

1/2 HP Disposer



#### FEATURES AND BENEFITS

- Horsepower: 1/2
- Feed: Continuous
- RPM: 2600
- Warranty: 5 Year
- Bio Shield®
- Sound Insulated Shell
- Stainless Steel Grinding Chamber
- Torque Master® Balanced Grinding Systems



15 lbs.

FRANKECANADA.COM | 255

**254** | 2021 Collection

### Waste Disposers

3/4 HP Disposer

\$355

\$330

\$250

\$225



FEATURES AND BENEFITS

- Horsepower: 3/4
- Feed: Continuous • RPM: 2700
- Warranty: 5 Year
- Bio Shield® Torque Master® Balanced **Grinding Systems**

6¼" **◄**(15.9cm)**→** 101/2" (26.7 cm) 141/8" (35.9 cm)

13 lbs.

WDJ75NC


3/4 HP Disposer **Without Power Cord** 



FEATURES AND BENEFITS

- Horsepower: 3/4 • Feed: Continuous
- RPM: 2700
- Warranty: 5 Year Bio Shield®
- Torque Master® Balanced Grinding Systems

13 lbs.




WDJ50

1/2 HP Disposer



FEATURES AND BENEFITS

- Horsepower: ½ • Feed: Continuous
- RPM: 2600
- Warranty: 3 Year
- Bio Shield®
- Torque Master® Balanced **Grinding Systems**



11 lbs.

# WDJ50NC


1/2 HP Disposer **Without Power Cord** 



FEATURES AND BENEFITS

- Horsepower: ½ • Feed: Continuous
- RPM: 2600
- Warranty: 3 Year
- Bio Shield®
- Torque Master® Balanced **Grinding Systems**

11 lbs.



WDJ33


1/3 HP Disposer



FEATURES AND BENEFITS

- Horsepower: 1/3
- Feed: Continuous
- RPM: 2400
- Warranty: 2 Year
- Bio Shield®
- Torque Master® Balanced **Grinding Systems**

10 lbs.



WD9088

Controller

Requires disposer air switch



FEATURES AND BENEFITS

For continuous feed models

1 lb.



Round Disposer Air Switch

WD3428C WD3428SN

WD3428BK

Polished Chrome Satin Nickel

\$215


\$150

\$45 \$45 \$45



FEATURES AND BENEFITS

For continuous feed models 1¾" Diameter 2" Shaft (length) Fits a 1 3/8" hole



Note: Requires controller WD9088.

Square Disposer Air Switch

WD930CH WD981SN WD907BLK

Polished Chrome Polished Nickel

Satin Nickel

Black

\$85 \$85

\$85 \$85



FEATURES AND BENEFITS


For continuous feed models 1 13/16" Square 2" Shaft (length) Fits a 1 ½" hole 1 lb. Note: Requires controller WD9088



Extended Waste Disposer Flange WDFLANGE-EX-SN WDFLANGE-EX-WH

Satin Nickel White





FEATURES AND BENEFITS

Hole Size: 3½" 4 oz. Stopper not Included. Use stopper provided with the waste disposer.


Waste Disposer Flange WDFLANGE-SS WDFLANGE-CH WDFLANGE-BK

Stainless Steel \$95
Polished Chrome \$95
Black \$95



FEATURES AND BENEFITS

Hole Size:  $3\frac{1}{2}$ " 3.5 oz. Stopper Included









# **Accessories**

Franke offers everything for the kitchen sink. **Customize your work space** with our accessories, including strainers, waste kits, drain covers and roller mats.

- 2 lbs.
- Use over sink or on counter
- Compatible with most sinks
- Holds up to 40 lbs.
- For use as dish drainer or trivet
- 187/16" x 20"
- Dishwasher safe

Strainer Basket

906


Polished Chrome \$80

906SN Satin Nickel



FEATURES AND BENEFITS

1 lb. Standard 3½" waste hole



Strainer Basket 900W

\$70



FEATURES AND BENEFITS

1 lb. Standard 3½" waste hole




906D-SN Satin Nickel



FEATURES AND BENEFITS

1 lb. Includes strainer basket and compost cup




Stainless Steel



FEATURES AND BENEFITS

1 lb. 47/8" x 47/8" Feet are coated



Square drain cover **PKGCVR** 

Stainless Steel

\$105



FEATURES AND BENEFITS

1 lb. 47/8" x 47/8" Feet are coated



Round Drain Cover RNDCVR

Stainless Steel

\$105



FEATURES AND BENEFITS

1 lb. 4½" Feet are coated



906P-SN


Satin Nickel

Polished Chrome \$165

\$190

FEATURES AND BENEFITS

1 lb. Hole size: 1 3/8" MAX. 2½" countertop thickness Flange diameter 13/4"
Cable length 19"
Standard 31/2" waste hole
Only compatible with stainless steel sinks



Pop-up Strainer

900P

900P-SN27

Satin Nickel

Polished Chrome \$150



FEATURES AND BENEFITS

1 lb. Hole size: 1" MAX. 21/2" countertop thickness Flange diameter 1½"
Cable length 27"
Standard 3½" waste hole Not compatible with fireclay sinks



Remote Twist Waste Kit

FRTWIST-SN Satin Nickel



\$250

FEATURES AND BENEFITS

1 lb. Hole size: 13/8" MAX. 2½" countertop thickness
Flange diameter 1¾"
Cable length 19"
Standard 3½" waste hole Only compatible with stainless



Inox Cream 903

\$35



FEATURES AND BENEFITS

Stainless steel cleaner

- Restores sheen and brightness
- Easy to use
- 250 ml

Faucet Hole Cover

628

Polished Chrome \$10



	MODEL NO.	BOTTOM GRID	CUTTING MAT	CUTTING BOARD	CUTTING BOARD	COLANDER	DRAIN BOARD	ROLLER MAT	KNIFE SET	WIRE RACK	FRAME COVER	POP-UP STRAINER	DRAIN COVER	PAGE NO.
	CUX110-18	CUW18-36S	SP-40S	CUW-40S		CUW-70S	CUW-60S	CUW-36RM				906P-C	PKGCVR	
		The The										906P-SN	407	26
		Included	Included	Included		Included	Included	Included				~	Included	
	CUX110-24	CUW24-36S	SP-40S	CUW-40S		CUW-70S		CUW-36RM				906P-C	PKGCVR	
CENTER		The little					1					906P-SN		26
CHEF		(Stronger										4	20	20
0	CUX110-31	CUW31-36S	SP-40S	Included CUW-40S		Included CUW-70S	Included CUW-60S	Included CUW-36RM				906P-C	Included PKGCVR	
		ACCORD					1					906P-SN		26
		(C)										4	lookudad	20
	CLV110-24-CA	Included CL-24-36S	Included	Included	PS2-45S	Included PE-70S	Included	Included RM18S					Included CL-WGC	
		4000						//1100					CL-SSC	50
	Sing.	14-10						00000					CL-BGC Included	
	CLV110-28-CA	CL-28-36S			PS2-45S	PE-70S		RM18S					CL-WGC CL-SSC	F0
		14						((1))					CL-BGC Included	50
YST/	CLV110-31-CA	CL-31-36S			PS2-45S	PE-70S		RM18S					CL-WGC	
S.		4.4.4.0						//1100					CL-SSC	50
								<u> </u>					CL-BGC Included	
	CLV120-33-CA	CL-14-36S			PS2-45S	PE-70S		RM18S					CL-WGC CL-SSC	
								(1)						51
	CUX110-10		SP-40S	CU-40S	CU-40P	CUW-70S			CU-KS	CU-WR	CU-FC		CL-BGC Included	
	March .					~				1	Tree			
	0			Included CU-40K	Included CU-GC				///	4 190 gal				78
	11		•	7					·	- WAN				
	CUX110-15-CA	CU15-36S	Included	Included CU-40S	Included CU-40P	Included CUW-70S		UV-36RM	Included	Included	Included	906P-C		
	00X110-13-0A	0013 303		00-403	00-401	00W-703		OV-SOINIVI				906P-SN		78
	100	· 10										~		, ,
	CUX110-19-CA	CU19-36S		CU-40S	CU-40P	CUW-70S		UV-36RM				906P-C 906P-SN		
	0	The same										3		78
	CUX110-21-CA	CU21-36S		CU-40S	CU-40P	CUW-70S		UV-36RM				906P-C		
	0	900										906P-SN		79
CUBE	CUX110-23-CA	CU23-36S		CU-40S	CU-40P	CUW-70S		UV-36RM				906P-C		
	00X110 20 0X			00 400	00 401	0011700		OV GORINI				906P-SN		80
		6						1				<b>4</b>		
	CUX110-25-CA	CU25-36S		CU-40S	CU-40P	CUW-70S		UV-36RM				906P-C 906P-SN		
	0	Carried Park										4		80
	CUX110-25-8-CA	CU25-8-36S		CU-40S	CU-40P	CUW-70S		UV-36RM				906P-C		
	0	Carren										906P-SN		80
	OUV110.07.04			011.100	011.100	011111 700		10/0/01				00/00		
	CUX110-27-CA	CU27-36S		CU-40S	CU-40P	CUW-70S		UV-36RM				906P-C 906P-SN		81
		J						1				~		
	CUX110-27-8-CA			CU-40S	CU-40P	CUW-70S		UV-36RM				906P-C		
	0	6.50										906P-SN		81

MODEL NO.	BOTTOM GRID	CUTTING MAT	CUTTING BOARD	CUTTING BOARD	COLANDER	ROLLER MAT	KNIFE SET	WIRE RACK	FRAME COVER	DRAIN COVER	POP-UP STRAINER	PAGI NO.
CUX110-30-CA	CU30-36S		CU-40S	CU-40P	CUW-70S	UV-36RM					906P-C 906P-SN	82
CUX110-30-8-CA			CU-40S	CU-40P	CUW-70S	UV-36RM					906P-C 906P-SN	
0	6.20										9007-311	82
CUX120-CA	CU15-36S		CU-40S	CU-40P	CUW-70S	UV-36RM					906P-C 906P-SN	83
CUX160-CA	CU18-36S CU11-36S		CU-40S	CU-40P	CUW-70S	UV-36RM					906P-C 906P-SN	83
	1				~						4	
CUX160-24-CA	CU10-36S CU13-36S		CU-40S	CU-40P	CUW-70S	UV-36RM					906P-C 906P-SN	82
CUX160-32-CA	CU13-36S CU17-36S		CU-40S	CU-40P	CUW-70S	UV-36RM					906P-C 906P-SN	84
CUX11021-ADA-CA	A CU21-36S		CU-40S	CU-40P	CUW-70S	UV-36RM					906P-C 906P-SN	84
CUX11027-ADA-C/	A CU27-36S		CU-40S	CU-40P	CUW-70S	UV-36RM					906P-C 906P-SN	84
CUX110-10		SP-40S	CU-40S Included CU-40K Included	CU-40P Included CU-GC Included	CUW-70S		CU-KS	CU-WR	CU-FC			21
CUX160-21	CU21-36S	SP-40S	CU-40S Included CU-40K	CU-40P Included CU-GC	CUW-70S		CU-KS	CU-WR	CU-FC	RNDCVR		21
GDX11012-CA	GD12-36S	Included	Included	Included	Included	UV-36RM	Included	Included	Included	Included	900P 900P-SN27	90
GDX11015-CA	GD15-36S					UV-36RM					900P 900P-SN27	90
GDX11018-CA	GD18-36S										900P 900P-SN27	90

266 | 2021 Collection FRANKECANADA.COM | 267

	MODEL NO.	BOTTOM GRID	SHELF GRID	CUTTING BOARD	COLANDER	WIRE BASKET	ROLLER MAT	TWIST WASTE KIT	POP-UP STRAINER	DRAIN COVER	PAGE NO.
	GDX11023-CA	GD23-36S		GD-40S			UV-36RM		900P 900P-SN27		91
	GDX11028-CA	GD28-36S		GD28-40S			UV-36RM		900P 900P-SN27		91
	GDX11031-CA	GD31-36S		GD-40S			UV-36RM		900P 900P-SN27		92
GRANDE	GDX12031-CA	GD15-36S		GD-40S			UV-36RM		900P 900P-SN27		92
GR	GDX16028RH-CA	GD12-36S		GD-40S			UV-36RM		900P 900P-SN27		
	0 0	GD15-36S							•		92
	GDX16031RH-CA	NC12-36S NC18-36S		GD-40S			UV-36RM		900P 900P-SN27		93
	MHX710-30-CA	MH30-36S		OA-40S				FRTWIST-SN	٠		
USE	MHX710-33-CA	MH33-36S		OA-40S				FRTWIST-SN			14
ANOR HOUS	0			1				وأ			14
Σ	MHX710-36-CA	MH36-36S		OA-40S				FRTWIST-SN			14
CA 2.0	OR2X110-CA	OC2-36S	OC2-31S-RH	OC2-45SP	OC2-60S	OC2-50C				RNDCVR	65
IES OF	ODX110-2310-316	PS23-36S		2000	U					Included	102
DOOR SERI	ODX110-2312-316	Included PS23-36S									
OUT	9	Included									102
	PKX110-8				PX-70S	UV-36RM		FRTWIST-SN		PKXCVR	32
PEAK	PKX110-13	PX-13S	PX-13S		PX-70S	UV-36RM		FRTWIST-SN		PKXCVR Included	32
	PKX110-16	PX-16S	PX-1 6S	PX-40S	PX-70S	UV-36RM		FRTWIST-SN		PKXCVR	32

	MODEL NO.	BOTTOM GRID	SHELF GRID	CUTTING MAT	CUTTING BOARD	CUTTING BOARD	COLANDER	ROLLER MAT	TWIST WASTE KIT	POP-UP STRAINER	DRAIN COVER	PAG NO
ľ	PKX110-18	PX-18S	PX-18S			PX-40S	PX-70S	UV-36RM	FRTWIST-SN		PKXCVR	
	1000	Who had	WA-MA						- 1			33
		Included	Included				Included				Included	
	PKX110-21	PX-21S	PX-21S			PX-40S	PX-70S	UV-36RM	FRTWIST-SN		PKXCVR	
	100	Included	Included				Included		e		Included	33
	PKX110-25	PX-25S	PX-25S			PX-40S	PX-70S	UV-36RM	FRTWIST-SN		PKXCVR	
									e i		Included	34
	PKX110-28	PX-28S	Included PX-28S			PX-40S	PX-70S	UV-36RM	FRTWIST-SN		PKXCVR	
	20											34
ŀ	PKX160	Included PX-21S	Included PX-21S			PX-40S	Included PX-70S	UV-36RM	FRTWIST-SN		Included	
	E 10 22	1 1 2 10	17/210				1 1 7 0 0	SV SOKWI	TRIWIST-SIN		PKXCVR	34
	PTX110-14-CA	Included PT14-36S	Included	SP-40S	PT-40S	PT-41S	Included PE-70S	UV-36RM	7	00/00	2 Included	
	TIXTIO-14-GA	1114 000		<b>1</b>	11400		12700	0V-30KW		906P-C 906P-SN	PKGCVR	56
ŀ	PTX110-17-CA	PT17-36S	PT14-31S	SP-40S	PT-40S	PT-41S	PE-70S	UV-36RM		00/00	Included	
	TIXTIO-17-GA			•			72700	OV-SORIAL		906P-C 906P-SN	PKGCVR	56
ŀ	PTX110-20-CA	PT20-36S	PT14-31S	SP-40S	PT-40S	PT-41S	PE-70S	UV-36RM		0040.0	Included	
	TATTO 20 GA							SV SORIVI		906P-C 906P-SN	PKGCVR	56
	PTX110-22-CA	PT22-36S	PT14-31S	SP-40S	PT-40S	PT-41S	PE-70S	UV-36RM		906P-C	PKGCVR	
	TO LE GIVE				-					906P-SN		57
-	PTX110-25-CA	PT25-36S	PT14-31S	SP-40S	PT-40S	PT-41S	PE-70S	UV-36RM		906P-C	PKGCVR	
Van C	TATTO 20 GA									906P-SN	FRGCVR	57
ŀ	DTV110 20 CA	PT28-36S	PT14-31S	SP-40S	PT-40S	PT-41S	PE-70S	LIV 24DM		7	Included	
	PTX110-28-CA	1120 303		1400	11400			UV-36RM		906P-C 906P-SN	PKGCVR	58
ŀ	PTX110-31-CA	PT31-36S	PT14-31S	SP-40S	PT-40S	PT-41S	PE-70S	UV-36RM		7	Included	
	FIXITO-31-CA	1101000		-	11400		12700	UV-SURIVI		906P-C 906P-SN	PKGCVR	58
-	DTV140.21.04	PT14-36S	PT14-31S	SP-40S	PT-40S	PT-41S	PE-70S	111/ 2404		00/00	Included	
	PTX160-31-CA	1114-303	1114-313	JI -+UJ	1 1-403	11-413	1 12-703	UV-36RM		906P-C 906P-SN	PKGCVR	
		PT17-36S								4		58
	PTX160-37-CA	PT14-36S	PT14-31S	SP-40S	PT-40S	PT-41S	PE-70S	UV-36RM		00/00	Included	
	1 1X100-07-0A			5. 100	1.130			O V -OUIVIVI		906P-C 906P-SN	PKGCVR	
		PT22-36S								4	Included	59

268 | 2021 Collection FRANKECANADA.COM | 269

Stainless Sinks and Accessories Stainless Sinks and Accessories

	MODEL NO.	BOTTOM GRID	SHELF GRID	CUTTING MAT	CUTTING BOARD	CUTTING BOARD	COLANDER	ROLLER MAT	POP-UP STRAINER	DRAIN COVER	PAGE NO.
	PTX160-40-CA	PT17-36S	PT14-31S	SP-40S	PT-40S	PT-41S	PE-70S	UV-36RM	906P-C	PKGCVR	
PESCARA	0 0	PT22-36S		•					906P-SN	2 Included	59
	PCX1102109-CA	PR-36S						UV-36RM	900P 900P-SN27		
PRESTIGE									7001-31127		69
PRES	PRX11021-CA	PR-36S	PR-31S					UV-36RM	900P 900P-SN27		
	0								e		69
	PS2X110-15-CA	PS2-15-36S				PS2-45S	PE-70S	RM18S		RNDCVR	
	0	Included								Included	40
	PS2X110-18-CA	PS2-18-36S				PS2-45S	PE-70S	RM18S		RNDCVR	
	0							40		Included	40
	PS2X110-21-CA	PS2-21-36S				PS2-45S	PE-70S	RM18S		RNDCVR	
	0							40		Included	40
L 2.0	PS2X110-24-CA	PS2-24-36S				PS2-45S	PE-70S	RM18S		RNDCVR	
ROFESSIONAL 2.0	0							45		Included	41
PR	PS2X110-24-12-CA	Included PS2-24-36S				PS2-45S	PE-70S	RM18S		RNDCVR	
	0									Included	41
	PS2X110-27-CA	PS2-27-36S				PS2-45S	PE-70S	RM18S		RNDCVR	
	0	Included								Included	42
	PS2X110-30-CA	PS2-30-36S				PS2-45S	PE-70S	RM18S		RNDCVR	
	0									Included	42
	PS2X110-30-12-CA	Included PS2-30-36S				PS2-45S	PE-70S	RM18S		RNDCVR	
	0	and the state of t						45		Included	42
	PS2X110-33-CA	PS2-33-36S				PS2-45S	PE-70S	RM18S		RNDCVR	
	0	Included						4		Included	43

	MODEL NO.	BOTTOM GRID	CUTTING BOARD	COLANDER	DRAIN BASKET	ROLLER MAT	POP-UP STRAINER	DRAIN COVER	PAGE NO.
	PS2X160-18-11-CA	PS2-11-36S	PS2-45S	PE-70S		RM18S		RNDCVR	
AL 2.0	0 0	Included PS2-18-36S						2 Included	43
PROFESSIONAL 2.0	PS2X120-14-14-CA	PS2-14-36S 2 Included	PS2-45S	PE-70S		RM18S		RNDCVR 2 Included	44
	PS2X120-16-16-CA	PS2-16-36S 2 Included	PS2-45S	PE-70S		RM18S		RNDCVR	44
REGATTA	RGX160-CA	RG-36S RG-36S-RH			CP-50C	UV-36RM	900P 900P-SN27		73
ROTONDO	RBX110					UV-36RM	900P 900P-SN27		97



**270** | 2021 Collection FRANKECANADA.COM | 271

	MODEL NO.	BOTTOM GRID	SHELF GRID	CUTTING BOARD	ROLLER MAT	PAGE NO.
	CCK110-13	CK13-36C		OA-40S	UV-36RM	132
CISTERNA	CCK110-15	CK15-36C		OA-40S	UV-36RM	132
	CCK110-19	CK19-36C		OA-40S	UV-36RM	132
	FHK710-30	FK30-36S		OA-40S		112
FARM HOUSE	FHK710-33	FK33-36S		OA-40S		112
E.	FHK710-36	FK36-36S		OA-40S		112
	MHK110-20			OA-40S		118
	MHK110-24	MK24-36C		OA-40S		118
SE	MHK110-28	MK28-36C		OA-40S		118
MANOR HOUSE	MHK720-31	MK31-36C-LH MK31-36C-RH		OA-40S		119
	MHK720-35	MK35-36C-LH MK35-36C-RH		OA-40S		119
ORCA	ORK110	OK-36C	OK-31C-LH OK31C-RH	OA-40S	UV-36RM	123
PRESTIGE	PRK11021	PK21-36S	PK21-31S	OA-40S	UV-36RM	127

	MODEL NO.	BOTTOM GRID	ROLLER MAT	PAGE NO.
ш	ELG11022ONY-CA*	ELG22-36S	UV-36RM	
	0	THE THE		160
ı	ELG1200NY-CA*	ELG14-36S	UV-36RM	
	0 0	Marie Control		160
	ELG1600NY-CA*	ELG16-36S	UV-36RM	
	0 0	BEER .		
		ELG13-36S		161
		The B		
	ESOX25229-1-CA*	FBGG1914		
	-	igni/Altes		1/0
	0			162
SE	EDOX33229-1-CA*	FBGG1114		
	TOTAL TOTAL			162
ш				
	E00X33229-1-CA*	FBGG1014		
	Total Comme	8.1		
	Second Second	FBGG1316		163
		低油		
		5, 6		
	SGR3322-1-CA*	FBBG2716		
	0			171
		601101118		
<u>_</u>	DIG62F91-CA*	BGDIL150		
RAV		fich		
<u>ග</u>	9 0	9.11.9		17.
		BGDIS150		171
	KBG110-13*	KBG13-36S	UV-36RM	
	69	E-3		155
S		AND TOTAL		
KUBUS	KBG110-31*	KBG31-36S	UV-36RM	
Ť				1.55
		All the state of t		155

**272** | 2021 Collection FRANKECANADA.COM | **273** 

<sup>\*</sup>Reference corresponding pages for all available color options.

	MODEL NO.	BOTTOM GRID	BOTTOM ROLLER MAT	COLANDER	SHELF ROLLER MAT	CUTTING BOARD	DRAIN COVER	PAGE NO.
	MAG610230NY-CA*			MA-70S	MA-17-31LRM			
	0			0				150
40	MAG610310W-ONY-CA*	MA-31-36S		MA-70S	MA-31RM	MA-40S		
MARIS		The sales		0		The same of		150
	MAG110310W-ONY-CA*	MA-31-36S		MA-70S	MA-31RM	MA-40S		
	0	the same of		0		The same		151
	PKG110-14*		PKG14-36RM		PKG14-31RM	PG2-40S	PKGCVR	
							Included	142
	PKG110-20*		PKG20-36RM		PKG14-31RM	PG2-40S	PKGCVR	
							Included	142
PEAK	PKG110-31*	PKG31-36S	PKG31-36RM		PKG18-31RM	PG-40S	PKGCVR	
B		William St.					-	143
	-	American					Included	
	PKG160*	PKG17-36S	PKG17-36RM		PKG18-31RM	PG-40S	PKGCVR	
		A REGISTER	-					
		PKG12-36S	PKG12-36RM				0/	144
		Beech	E					
	DIG61091-ONY-CA*	BGDI110					Included	
	DIGGTOTT GITT CIT	14 14 73 4 14						
PRIMO								167
R	DIG62D91-ONY-CA*	BGDI100						
۱	0 0							167
Σ	SOX1720-1-CA*	FBG180S						
QUANTUM	•							175

<sup>12&</sup>quot; & 15"



GDX11012-CA Page 90



Page 90





PKX110-8

GDX11015-CA Page 32

PKX110-13 Page 32

18"















CCK110-13 Page 132

CUX110-10 Page 21 & 78

CUX110-15-CA Page 78

PKX110-16 Page 32

PS2X110-15-CA Page 40

PTX110-14-CA Page 56 RBX110 (Topmount) Page 97

SOX1720-1 Page 175

21"



CCK110-15 Page 132



CUX110-19-CA

Page 78









KBG110-13

Page 155



MHK110-20 Page 118









PTX110-17-CA Page 56 PKG110-14 Page 142

PS2X110-18-CA Page 40

24"











PCX1102109-CA Page 69



PKX110-18 Page 33



27"






CLV110-24-CA Page 50











ELG11022 Page 160



CCK110-19

Page 132





CUX110-23-CA

Page 80

















**274** | 2021 Collection FRANKECANADA.COM | 275 CLV110-28-CA Page 50

MHK110-28

Page 118

30"

33"







CLV120-33-CA Page 51 CUX110-24 Page 26 DIG61091 Page 167

DIG62D91 Page 167

DIG62F91 Page 171



36"









EDOX33229-1 Page 162

CLV110-31-CA Page 50

ELG120 Page 160

ELG160 Page 161

EOOX33229-1 Page 163

FHK710-36 Page 112

KBG110-31 Page 155











MAG110310W Page 151

MAG610310W Page 150

MHK720-35 Page 119

MHX710-36-CA Page 14

PKG110-31 Page 143

PKG160 Page 144







PTX110-31-CA Page 58







CUX110-30-CA Page 82



CUX110-18 Page 26

0

MHX710-30-CA Page 14



CUX120-CA Page 83

CUX110-27-ADA-CA Page 84

0

ODX110-2310-316 ODX110-2312-316 Page 102 Page 102



CUX160-CA Page 83

CUX110-27-CA Page 81

CUX110-27-8-CA Page 81

PKX110-28 Page 34





OR2X110-CA Page 65

0

FHK710-30 Page 112

0

GDX11028-CA Page 91

PS2X110-27-CA

Page 42



FHK710-33 Page 112

0 0

GDX16028RH-CA Page 92

PTX110-25-CA Page 57









PS2X110-30-CA Page 42

CUX110-30-8-CA Page 82



PS2X110-30-12-CA

Page 42



PS2X120-14-14-CA

Page 44



PS2X160-18-11-CA

Page 43

CUX160-32-CA Page 84



Page 58







Page 58

PKX160-RH PKX160-LH Page 34

RGX160-CA Page 73

42"

39"



CUX160-21 Page 21

PTX160-40-CA Page 59

PTX160-37-CA Page 59



**276** | 2021 Collection

# Side Spray Faucets



Absinthe FFS5200 Page 196



Farm House FF6000A Page 184



Farm House FF7000A Page 184



Farm House FFS100 Page 184



Farm House FFS400 Page 184

### Pull-Out Faucets



Absinthe FFPS5200 Page 196



FF3800

Page 225



Ambient FFPS3600 Page 213



Ambient FFPS4300 Page 212



FFPS3450 Page 219

# Pull-Down Faucets



Absinthe FF5200 Page 196



FF3900 Page 225



Ambient FF3100 Page 212



Page 230



Cube FF3352 Page 230



Cube FFPD3350 Page 230



Farm House FFPD400 Page 185



Kubus FF4250 Page 227



Pescara FF4700 Page 205



Pescara XL FF4800 Page 204



Steel FF3450 Page 218



Steel FF3452SS Page 218

### **Professional Faucets**



Crystal FFPD4600 Page 193



Peak FFPD5550 Page 209



Pescara FF4400 Page 204



Pescara XL FFPD4300 Page 204



Pescara FFPD4400 Page 204



Professional FF5300 Page 191



Professional FFPD5300 Page 191



FFPD5400 Page 191

# Prep Faucets



Absinthe FFP5200 Page 197



Ambient FFP3100 Page 212



Cube FFP3350 Page 230



Kubus FFP4250 Page 227



Pescara FFP4400 Page 205



Steel FFP3450 Page 218





Absinthe

FFB5200

Page 197

FFB3100

Page 212



FFB3350

Page 231

FFB4250 Page 227

FFB3450 Page 218

### Pot Fillers



Absinthe PF5200 Page 196

Pescara

PF4400

Page 205



PFD4400 Page 205

Ambient

PF3100

Page 213



Farm House PF3300 Page 185



Farm House PF7000A Page 185



### 3-in-1 Filtration Faucets



Absinthe FFT5200 Page 197 & 234



FFT3100

Page 213 & 234







FFT3350





Page 231 & 234



### **Cold Filtration Faucets**



Absinthe DW15000 197 & 237



Ambient DW10000 Page 214 & 239



Ambient DW7000C Page 213 & 238



Farm House DW12000 Page 186 & 235



Farm House Logik DW6100C DW9000C Page 236 Page 185 & 234



Pescara

DW16000

Page

206 & 237

DW13050 Page 219 & 240

### Hot Filtration Faucets







LB10100 Page 214 & 239



Ambient Farm House LB7100C LB12100 Page 214 & 239 Page 186 & 235



Farm House LB6100C Page 186 & 235



Logik LB9100C Page 236



Pescara LB16100 Page 206 & 238



LB13150 Page 219 & 240

## Hot/Cold Filtration Faucets



Absinthe LB15200

198 & 237



Ambient

LB10200

Page

215 & 240





Ambient

LB7200C

Page

214 & 239





LB12200

Page

187 & 236



Page

186 & 235





Pescara LB16200 Page 206 & 238



Steel LB13250 Page 220 & 240

Soap Dispenser Guide



Absinthe SD5200 Page 198 & 249



Active

SD3200

Page

225 & 250

SD3100 Page 215 & 250



Crystal SD2600 Page 193 & 248



187 & 249

Logik 902 Farm House SD6000 Page Page



249



248





Page 248

280 | 2021 Collection FRANKECANADA.COM | 281



# **WARRANTY**

#### SINKS

Franke Kindred Canada Limited warrants the quality of its stainless steel, granite and fireclay sinks to be free from manufacturing defects in material and workmanship, under normal usage for the lifetime of the sink.

#### **HOT & COLD FILTERED WATER**

Franke Kindred Canada Limited extends the following warranties to the original purchaser of its faucets, and hot and cold dispenser systems and tanks after January 1, 2013. All other products will be covered under the prior warranty. Warranties apply only to the original owner, providing the product has been installed in accordance with our installation instructions, and used as recommended in a normal residential application. In the event of a warranty claim, the owner will be required to provide proof of purchase. For more details, please reference www.frankecanada.com.

#### **FAUCETS**

All faucets installed in a private residence will carry a limited lifetime warranty on all mechanical parts to be free of manufacturing defects in material and workmanship under normal usages. All chrome finishes carry a limited lifetime warranty; all other finishes are warranted for five (5) years from the original date of purchase.

#### WATER DISPENSER SYSTEMS

Franke Kindred Canada Limited warrants Franke water dispenser systems to be free of manufacturing defects for a period of five (5) years from the date of purchase.

#### FRANKE HOT WATER

Franke Kindred Canada Limited warrants Franke heating tanks to be free of manufacturing defects for a period of one (1) year from the date of purchase.

#### FRANKE WASTE DISPOSER

Please reference page 254 for warranty information specific to each Franke Waste Disposer model.

SINKS	Page	Price	SINKS	Page	Price	SINKS	Page	Price
CCK110-13WH	132	\$985	ELG11022SHG-CA	160	\$630	MAG110310W-SHG-CA	151	\$850
CCK110-15WH	132	\$1,005	ELG11022STO-CA	160	\$630	MAG61023CHA-CA	150	\$825
CCK110-19WH	132	\$1,110	ELG120CHA-CA	160	\$735	MAG61023MBK-CA	150	\$825
CLV110-24-CA	50	\$1,940	ELG120MOC-CA	160	\$735	MAG610230NY-CA	150	\$825
CLV110-28-CA	50	\$2,065	ELG1200NY-CA	160	\$735	MAG610230YS-CA	150	\$82
CLV110-31-CA	50	\$2,195	ELG120OYS-CA	160	\$735	MAG61023PWT-CA	150	\$82
CLV120-33-CA	51	\$2,330	ELG120PWT-CA	160	\$735	MAG61023SHG-CA	150	\$82
CUX110-10	21,78	\$2,200	ELG120SHG-CA	160	\$735	MAG610310W-CHA-CA	150	\$82
CUX110-15-CA	78	\$745	ELG120STO-CA	160	\$735	MAG610310W-MBK-CA	150	\$82
CUX110-18	26	\$3,035	ELG160CHA-CA	161	\$745	MAG610310W-ONY-CA	150	\$82
CUX110-19-CA	78	\$785	ELG160MOC-CA	161	\$745	MAG610310W-OYS-CA	150	\$82
CUX110-21-CA	79	\$860	ELG1600NY-CA	161	\$745	MAG610310W-PWT-CA	150	\$82
CUX11021-ADA-CA	84	\$860	ELG160OYS-CA	161	\$745	MAG610310W-SHG-CA	150	\$82
CUX110-23-CA	80	\$900	ELG160PWT-CA	161	\$745	MHK110-20WH	118	\$80
CUX110-24	26	\$3,285	ELG160SHG-CA	161	\$745	MHK110-24WH	118	\$1,080
CUX110-25-CA	80	\$935	ELG160STO-CA	161	\$745	MHK110-28WH	118	\$1,16
CUX110-25-8-CA	80	\$935	EOCH33229-1-CA	163	\$640	MHK720-31WH	119	\$1,260
CUX110-27-CA	81	\$995	EODB33229-1-CA	163	\$640	MHK720-35WH	119	\$1,79
CUX110-27-8-CA	81	\$995	EOOX33229-1-CA	163	\$640	MHX710-30-CA	14	\$2,580
CUX11027-ADA-CA	84	\$995	EOOY33229-1-CA	163	\$640	MHX710-33-CA	14	\$3,09
CUX110-30-CA	82	\$1,110	EOPW33229-1-CA	163	\$640	MHX710-36-CA	14	\$3,73
CUX110-30-8-CA	82	\$1,110	EOSG33229-1-CA	163	\$640	ODX110-2310-316	102	\$96
CUX110-31	26	\$3,570	ESCH25229-1-CA	162	\$555	ODX110-2312-316	102	\$1,100
CUX120-CA	83	\$1,280	ESDB25229-1-CA	162	\$555	OR2X110-CA	65	\$1,260
CUX160-CA	83	\$1,330	ESOX25229-1-CA	162	\$555	ORK110WH	123	\$1,79
CUX160-21	21	\$2,855	ESOY25229-1-CA	162	\$555	PCX1102109-CA	69	\$880
CUX160-24-CA	82	\$1,035	ESPW25229-1-CA	162	\$555	PKG110-14CH	142	\$700
CUX160-32-CA	84	\$1,390	ESSG25229-1-CA	162	\$555	PKG110-14MBK	142	\$700
DIG61091-CHA-CA	167	\$630	FHK710-30WH	112	\$1,615	PKG110-14ES	142	\$700
DIG61091-GRA-CA	167	\$630	FHK710-33WH	112	\$2,065	PKG110-140N	142	\$700
DIG61091-MOC-CA	167	\$630	FHK710-36WH	112	\$2,245	PKG110-140YS	142	\$700
DIG61091-ONY-CA	167	\$630	GDX11012-CA	90	\$670	PKG110-14PWT	142	\$700
DIG61091-PWT-CA	167	\$630	GDX11015-CA	90	\$700	PKG110-14SG	142	\$700
DIG61091-SHG-CA	167	\$630	GDX11018-CA	90	\$735	PKG110-14SM	142	\$700
DIG62D91-CHA-CA	167	\$700	GDX11023-CA	91	\$805	PKG110-20CH	142	\$805
DIG62D91-GRA-CA	167	\$700	GDX11028-CA	91	\$850	PKG110-20MBK	142	\$805
DIG62D91-MOC-CA	167	\$700	GDX11031-CA	92	\$870	PKG110-20ES	142	\$805
DIG62D91-ONY-CA	167	\$700	GDX12031-CA	92	\$1,155	PKG110-200N	142	\$805
DIG62D91-PWT-CA	167	\$700	GDX16028RH-CA	92	\$1,050	PKG110-200YS	142	\$805
DIG62D91-SHG-CA	167	\$700	GDX16031RH-CA	93	\$1,355	PKG110-20PWT	142	\$805
DIG62F91-CHA-CA	171	\$670	KBG110-13CH	155	\$595	PKG110-20SG	142	\$805
DIG62F91-GRA-CA	171	\$670	KBG110-13MES	155	\$595	PKG110-20SM	142	\$805
DIG62F91-MOC-CA	171	\$670	KBG110-130N	155	\$595	PKG110-31CH	143	\$910
DIG62F91-ONY-CA	171	\$670	KBG110-130YS	155	\$595	PKG110-31ES	143	\$910
DIG62F91-PWT-CA	171	\$670	KBG110-13SG	155	\$595	PKG110-31MBK	143	\$910
DIG62F91-SHG-CA	171	\$670	KBG110-13SM	155	\$595	PKG110-310N	143	\$910
EDCH33229-1-CA	162	\$620	KBG110-31CH	155	\$755	PKG110-310YS	143	\$910
EDDB33229-1-CA	162	\$620	KBG110-31ES	155	\$755	PKG110-31PWT	143	\$910
EDOX33229-1-CA	162	\$620	KBG110-310N	155	\$755	PKG110-31SG	143	\$910
EDOY33229-1-CA	162	\$620	KBG110-310YS	155	\$755	PKG110-31SM	143	\$910
EDPW33229-1-CA	162	\$620	KBG110-31SG	155	\$755	PKG160CH	144	\$1,015
EDSG33229-1-CA	162	\$620	KBG110-31SM	155	\$755	PKG160-MBK	144	\$1,01
ELG11022CHA-CA	160	\$630	MAG110310W-CHA-CA	151	\$850	PKG160ES	144	\$1,01
ELG11022MOC-CA	160	\$630	MAG110310W-MBK-CA		\$850	PKG1600N	144	\$1,01
ELG110220NY-CA	160	\$630	MAG110310W-ONY-CA	151	\$850	PKG160-OYS	144	\$1,015
ELG11022OYS-CA	160	\$630	MAG110310W-OYS-CA	151	\$850	PKG160-PWT	144	\$1,015
ELG11022PWT-CA	160	\$630	MAG110310W-PWT-CA		\$850	PKG160SG	144	\$1,015

SINKS	Page	Price	FAUCETS	Page	Price	FAUCETS	Page	Price
PKG160SM	144	\$1,015	FF3804	225	\$780	FFPD400	185	\$1,045
PKX110-13	32	\$2,080	FF3805	225	\$780	FFPD4300	204	\$975
PKX110-16	32	\$2,340	FF3807	225	\$780	FFPD4350	204	\$1,100
PKX110-18	33	\$2,425	FF3880	225	\$780	FFPD4400	204	\$790
PKX110-21	33	\$2,655	FF3900	225	\$660	FFPD4450	204	\$930
PKX110-25	34	\$2,695	FF3920	225	\$780	FFPD4600	193	\$1,510
PKX110-28	34	\$2,750	FF3922	225	\$780	FFPD4611	193	\$1,660
PKX110-8	32	\$1,320	FF3940	225	\$780	FFPD4621	193	\$1,660
PKX160-LH	34	\$3,705	FF3961	225	\$780	FFPD4680	193	\$1,790
PKX160-RH	34	\$3,705	FF3965	225	\$780	FFPD480	185	\$1,215
PRK11021WH	127	\$1,260	FF3980	225	\$780	FFPD5300	191	\$1,290
PRX11021-CA	69	\$1,005	FF3990	225	\$780	FFPD5380	191	\$1,530
PS2X110-15-CA	40	\$1,815	FF4250	227	\$695	FFPD5400	191	\$1,405
PS2X110-18-CA	40	\$1,890	FF4400	204	\$790	FFPD5480	191	\$1,665
PS2X110-21-CA	40	\$1,940	FF4420	204	\$930	FFPD5550	209	\$895
PS2X110-24-CA	41	\$2,025	FF4480	204	\$930	FFPS3425BSS	219	\$885
PS2X110-24-12-CA	41	\$2,090	FF4700	205	\$715	FFPS3450	219	\$725
PS2X110-27-CA	42	\$2,225	FF4720	205	\$845	FFPS3600	213	\$560
PS2X110-30-CA	42	\$2,340	FF4780	205	\$845	FFPS3680	213	\$675
PS2X110-30-12-CA		\$2,425	FF4800	204	\$740	FFPS4300	212	\$540
PS2X110-33-CA	43	\$2,560	FF4880	204	\$875	FFPS4320	212	\$635
PS2X120-14-14-CA		\$2,695	FF5200	196	\$850	FFPS4380	212	\$635
PS2X120-16-16-CA		\$2,835	FF5220	196	\$1,005	FFPS4395	212	\$635
PS2X160-18-11-CA		\$2,695	FF5280	196	\$1,005	FFPS5200	196	\$850
PTX110-14-CA	56	\$755	FF5290SB	196	\$1,005	FFPS5220	196	\$1,005
PTX110-17-CA	56	\$830	FF5300	191	\$865	FFPS5280	196	\$1,005
PTX110-20-CA	56	\$1,090	FF5380	191	\$1,025	FFPS5290SB	196	\$1,005
PTX110-22-CA	57	\$1,225	FF6000A	184	\$2,055	FFS100	184	\$1,215
PTX110-25-CA	57	\$1,310	FF6080A	184	\$2,300	FFS180	184	\$1,360
PTX110-28-CA	58	\$1,385	FF7000A	184	\$2,055	FFS400	184	\$1,215
PTX110-31-CA	58	\$1,520	FF7080A	184	\$2,300	FFS480	184	\$1,360
PTX160-31-CA	58	\$1,860	FFB3100	212	\$495	FFS5200	196	\$995
PTX160-37-CA	59	\$1,940	FFB3120MBK	212	\$605	FFS5220	196	\$1,165
PTX160-40-CA	59	\$2,080	FFB3180	212	\$605	FFS5280	196	\$1,165
RBX110	97	\$610	FFB3325BSS	231	\$610	FFS5290SB	196	\$1,165
RGX160-CA	73	\$1,250	FFB3350	231	\$520	FFT3100	213, 234	\$685
SC3322-1-CA	171	\$630	FFB3425BSS	218	\$710	FFT3180	213, 234	\$805
SGR3322-1-CA	171	\$630	FFB3450	218	\$580	FFT3350	231, 234	\$630
SOX1720-1-CA	175	\$470	FFB4250	227	\$505	FFT5200	197, 234	\$795
SP3322-1-CA	171	\$630	FFB5200	197	\$635	FFT5220	197, 234	\$965
SZCH1720-1-CA	175	\$470	FFB5220	197	\$780	FFT5280	197, 234	\$965
SZGR1720-1-CA	175	\$470	FFB5280	197	\$780	PF3100	213	\$710
SZPW1720-1-CA	175	\$470	FFB5290SB	197	\$780	PF3120MBK	213	\$850
021 11 1 20 1 0/1	175	Ψ+70	FFP3100	212	\$675	PF3180	213	\$850
FAUCETS			FFP3120MBK	212	\$795	PF3300	185	\$795
FF3100	212	\$710	FFP3180	212	\$795	PF3380	185	\$935
FF3120MBK	212	\$850	FFP3325BSS	230	\$740	PF3450	219	\$800
FF3180	212	\$850	FFP3350	230	\$630	PF4400	205	\$690
FF3325BSS	230	\$780	FFP3425BSS	218	\$885	PF4480	205	\$830
FF3350	230	\$670	FFP3450	218	\$725	PF5200	196	\$840
	230	\$070 \$780	FFP4250	216	\$635	PF5200 PF5220	196	\$1,005
FF3425BSS				205	\$555			
FF3450	218 218	\$945 \$800	FFP4400	205	\$680	PF5280	196 196	\$1,005 \$1,005
		\$800 \$045	FFP4480	203 197	\$815	PF5290SB		\$1,005 \$1,030
	03, 218	\$945 \$660	FFP5200			PF7000A	185	\$1,030 \$1,130
FF3800	225	\$660 \$700	FFP5220	197 197	\$965 \$065	PF7080A	185	\$1,120
FF3801 FF3802	225	\$780 \$700	FFP5280		\$965 \$065	PFD4400	205	\$690 \$830
FF30UZ	225	\$780	FFP5290SB	197 230	\$965 \$630	PFD4480	205	\$830

FF3803 225 \$780 FFPD3350 230 \$630 FRANKECANADA.COM | **284** | 2021 Collection

FILTRATION	Page	Price	FILTRATION	Page	Price	DISPOSERS	Page	Price
CT-200	241	\$1,300	LB13225BSS	220, 240	\$815	SD3203	225, 250	\$190
DW10000	214, 239	\$580	LB13250	220, 240	\$690	SD3204	225, 250	\$190
DW10020	214, 239	\$670	LB15100	198, 237	\$560	SD3205	225, 250	\$190
DW10080	214, 239	\$670	LB15120	198, 237	\$660	SD3207	225, 250	\$190
DW12000	186, 235	\$550	LB15180	198, 237	\$660	SD3220	225, 250	\$190
DW12080	186, 235	\$635	LB15190	198, 237	\$660	SD3222	225, 250	\$190
DW13025BSS	219, 240	\$670	LB15200	198, 237	\$690	SD3240	225, 250	\$190
DW13050	219, 240	\$560	LB15220		\$850	SD3240	225, 250	\$190
DW15000	197, 237	\$580	LB15220 LB15280	198, 237		SD3265	225, 250	\$190
DW15020				198, 237	\$850		225, 250	
DW15080	197, 237	\$670	LB15290	198, 237	\$850	SD3280	-	\$190
	197, 237	\$670	LB16100	206, 238	\$560	SD3290	225, 250	\$190
DW15090	197, 237	\$670	LB16120	206, 238	\$660	SD3425BSS	220, 249	\$330
DW16000	206, 237	\$560	LB16122	206, 238	\$660	SD3450SS	220, 248	\$330
DW16020	206, 237	\$660	LB16140	206, 238	\$660	SD5200	198, 249	\$190
DW16022	206, 237	\$660	LB16161	206, 238	\$660	SD5220	198, 249	\$230
DW16040	206, 237	\$660	LB16165	206, 238	\$660	SD5280	198, 249	\$230
DW16061	206, 237	\$660	LB16180	206, 238	\$660	SD5290SB	198, 249	\$230
DW16065	206, 237	\$660	LB16190	206, 238	\$660	SD6000	187, 248	\$235
DW16080	206, 237	\$660	LB16200	206, 238	\$700	SD6080	187, 248	\$280
DW16090	206, 237	\$660	LB16220	206, 238	\$820			
DW6100C	185, 234	\$530	LB16222	206, 238	\$820	DISPOSERS		
DW6180C	185, 234	\$645	LB16240	206, 238	\$820	FWDJ125	255	\$555
DW7000C	213, 238	\$540	LB16261	206, 238	\$820	FWDJ50	255	\$295
DW7020C	213, 238	\$635	LB16265	206, 238	\$820	FWDJ75	255	\$420
DW7080C	213, 238	\$635	LB16280	206, 238	\$820	FWDJ75B	255	\$575
DW9000C	236	\$515	LB16290	206, 238	\$820	WD3428BK	257	\$45
DW9080C	236	\$635	LB6100C	186, 235	\$530	WD3428C	257	\$45
FFT3100	213, 234	\$685	LB6180C	186, 235	\$645	WD3428SN	257	\$45
FFT3180	213, 234	\$805	LB6200C	186, 235	\$725	WD94203N WD907BLK	257	\$85
FFT3350							257	\$150
	231, 234	\$630	LB6280C	186, 235	\$885	WD9088		
FFT5200	197, 234	\$795	LB7100C	214, 239	\$540	WD930CH	257	\$85
FFT5220	197, 234	\$965	LB7120C	214, 239	\$635	WD981SN	257	\$85
FFT5280	197, 234	\$965	LB7180C	214, 239	\$635	WD982PN	257	\$85
FRC06	244	\$135	LB7200C	214, 239	\$725	WDFLANGE-BK	258	\$95
FRC06-2PK	244	\$240	LB7220C	214, 239	\$885	WDFLANGE-CH	258	\$95
FRC07	244	\$135	LB7280C	214, 239	\$885	WDFLANGE-EX-SN	258	\$95
FRC08	244	\$135	LB9100C	236	\$515	WDFLANGE-EX-WH	258	\$95
FRC09	244	\$80	LB9180C	236	\$635	WDFLANGE-SS	258	\$95
FRC10	245	\$145	LB9200C	236	\$710	WDJ33	257	\$215
FRCNSTR	241	\$440	LB9280C	236	\$850	WDJ50	256	\$250
FRCNSTR-DUO-1	242	\$535	SB60	245	\$50	WDJ50NC	256	\$225
FRCNSTR-DUO-2	242	\$535				WDJ75	256	\$355
FRCNSTR100	241	\$315	SOAP DISPENSERS			WDJ75NC	256	\$330
FRX02	243	\$175	902-C	249	\$225			
HT-400	241	\$540	902-SN	249	\$270	ACCESSORIES		
LB10100	214, 239	\$580	SD-500	248	\$430	628	265	\$10
LB10120	214, 239	\$670	SD-580N	248	\$480		, 27, 33, 35,	\$35
LB10180	214, 239	\$670	SD-800	248	\$600		, 65, 69, 73,	ψυυ
_B10200	214, 239	\$710	SD-880N	248	\$650		, 81, 83, 85,	
LB10200 LB10220	215, 240							
		\$850 \$850	SD2600	193, 248	\$250		93, 97, 265	<u></u>
LB10280	215, 240	\$850	SD2680	193, 248	\$290		3, 119, 123,	\$80
LB12100	186, 235	\$550	SD3100	215, 250	\$150		27, 133, 262	<b>.</b> . =
LB12180	186, 235	\$635	SD3120MBK	215, 250	\$190	900P 69	, 73, 91, 93,	\$150
LB12200	187, 236	\$680	SD3180	215, 250	\$190		97, 264	
LB12280	187, 236	\$810	SD3200	225, 250	\$150	900P-SN27 69	, 73, 91, 93,	\$180
LB13125BSS	219, 240	\$670	SD3201	225, 250	\$190		97, 264	
LB13150	219, 240	\$560	SD3202	225, 250	\$190	900W	262	\$70

ACCESSORIE	<b>S</b> Page	Price	ACCESSORIES	Page	Price	ACCESSORIES	Page	Pric
906D-SN	262	\$190	ELG14-36S	161	\$175	PKG14-36RM	143	\$19
906P-C	27, 57, 59, 79, 81, 83,	\$165	ELG16-36S	161	\$190	PKG17-36RM	144	\$19
	85, 264		ELG22-36S	161	\$200	PKG17-36S	144	\$20
06P-SN	27, 57, 59, 79, 81, 83,	\$190	FBBG2716	1 <i>7</i> 1	\$175	PKG18-31RM	143, 144	\$16
	85, 264		FBG180S	175	\$115	PKG20-36RM	143	\$21
145	15, 21, 27, 33, 35, 41,	\$30	FBGG1014	163	\$120	PKG31-36RM	143	\$24
	43, 44, 51, 57, 59, 65,		FBGG1114	163	\$125	PKG31-36S	143	\$26
	69, 73, 79, 81, 83, 85,		FBGG1316	163	\$135	PKGCVR	27, 57, 59,	\$10
	91, 93, 97,143, 144,		FBGG1914	163	\$145		143, 144, 263	
	151, 155, 161, 163,		FK30-36S	113	\$335	PKXCVR	33, 35, 263	\$12
	167, 171, 175		FK33-36S	113	\$355	PR-31S	69	\$19
06SN	113, 119, 123, 127,	\$105	FK36-36S	113	\$375	PR-36S	69	\$19
00011	133, 262	Ψ100	FRTWIST-SN	15, 33, 35, 264	\$250	PS2-11-36S	43	\$15
BGDI100	167	\$145	GD12-36S	91, 93	\$135	PS2-14-36S	44	\$16
BGDI100	167	\$155	GD15-36S	91, 93	\$145	PS2-14-303 PS2-15-36S	41	\$17
BGDIL150	171	\$145	GD18-36S	91, 93	\$165	PS2-16-36S	44	\$17
SGDIS150			GD23-36S		\$185			\$18
	171	\$145		91		PS2-18-36S	41, 43	
CK13-36C	133	\$250	GD28-36S	91	\$210	PS2-21-36S	41	\$23
CK15-36C	133	\$270	GD28-40S	91	\$270	PS2-24-36S	41	\$24
CK19-36C	133	\$295	GD31-36S	93	\$220	PS2-27-36S	43	\$28
CL-14-36S	51	\$185	GD-40S	91, 93	\$270	PS2-30-36S	43	\$31
CL-24-36S	51	\$185	KBG13-36S	155	\$150	PS2-33-36S	43	\$33
CL-28-36S	51	\$195	KBG31-36S	155	\$240	PS2-45S	41, 43, 44, 51	\$27
CL-31-36S	51	\$210	MA-1 <i>7</i> -31LRM	151	\$195	PS23-36S	102	\$10
CL-BGC	51	\$175	MA-31-36S	151	\$195	PT14-31S	57, 59	\$17
CL-SSC	51	\$175	MA-31RM	151	\$200	PT14-36S	57, 59	\$17
CL-WGC	51	\$175	MA-40S	151	\$230	PT17-36S	57, 59	\$17
CP-50C	73	\$315	MA-70S	151	\$260	PT20-36S	57	\$18
CU10-36S	83	\$135	MH30-36S	15	\$270	PT22-36S	57, 59	\$18
CU11-36S	83	\$145	MH33-36S	15	\$295	PT25-36S	57	\$18
CU13-36S	83, 85	\$150	MH36-36S	15	\$335	PT28-36S	59	\$19
CU15-36S	79, 83	\$155	MK24-36C	119	\$280	PT31-36S	59	\$21
CU17-36S	85	\$160	MK28-36C	119	\$300	PT-40S	57, 59	\$25
CU18-36S	83	\$165	MK31-36C-LH	119	\$280	PT-41S	57, 59	\$24
CU19-36S	79	\$170	MK31-36C-RH	119	\$280	PX-13S	33	\$16
CU21-36S	21, 79, 85	\$170	MK35-36C-LH	119	\$325	PX-16S	33	\$17
CU23-36S	81	\$185	MK35-36C-RH	119	\$325	PX-18S	33	\$18
CU25-36S	81	\$190	NC12-36S	93	\$105	PX-21S	33, 35	\$22
CU25-8-36S	81	\$190	NC18-36S	93	\$155	PX-25S	35	\$23
CU27-36S	81,85	\$195	OA-40S	15, 113, 119,	\$375	PX-28S	35	\$24
CU27-8-36S	81	\$195		123, 127, 133		PX-40S	33, 35	\$28
CU30-36S	83	\$200	OC2-31S-RH	65	\$195	PX-70S	33, 35	\$23
CU30-8-36S	83	\$200	OC2-36S	65	\$270	RG-36S	73	\$12
CU-40K	21, 79	\$305	OC2-45SP	65	\$410	RG-36S-RH	73	\$16
CU-40P	21, 79, 81, 83, 85	\$120	OC2-50C	65	\$195	RM18S	41, 43, 44, 51	\$18
CU-40S	21, 79, 81, 83, 85	\$185	OC2-60S	65	\$155	RNDCVR	21, 41, 43,	\$10
CU-FC	21, 79, 61, 65, 65	\$150	OK-31C-LH	123	\$200	KINDOVK	44, 65, 263	Ψι
CU-GC	·			123	\$200	SP-40S		\$
CU-KS	21, 79	\$145	OK-31C-RH			3P-403	21, 27, 57,	Φ.
	21, 79	\$125	OK-36C	123	\$280	T04 /	59, 79	tana la cal
CU-WR	21, 79	\$150	PE-70S	41, 43, 44, 51,	\$280	T316	102	
CUW-36RM	27	\$170		57, 59	40==	UV-36RM	33, 35, 57, 59,	\$19
CUW-40S	27	\$190	PG-40S	143, 144	\$270		69, 73, 79, 81,	
CUW-60S	27	\$215	PG2-40S	143	\$255		83, 85, 91, 93,	
CUW-70S	21, 27, 79, 81, 83, 85	\$240	PK21-31S	127	\$190		97, 123, 127,	
CUW18-36S	27	\$170	PK21-36S	127	\$190		133, 155, 161,	
CUW24-36S	27	\$180	PKG12-36RM	144	\$160		262	
CUW31-36S	27	\$190	PKG12-36S	144	\$170			
LG13-36S	161	\$155	PKG14-31RM	143	\$160			

286 | 2021 Collection FRANKECANADA.COM | 287

PRODUCT NO.	Page	Price	PRODUCT NO.	Page	Price	PRODUCT NO.	Page	Price	PRODUCT NO.	Page	Price	PRODUCT NO.	Page	Price	PRODUCT NO.	Page	Price
628	265	\$10	CU11-36S	83	\$145	DIG62D91-CHA-CA	167	\$700	ELG13-36S	161	\$155	FF4700	205	\$715	FFPS3450	219	\$725
903	15, 27, 33, 35,	\$35	CU13-36S	83, 85	\$150	DIG62D91-GRA-CA	167	\$700	ELG14-36S	161	\$175	FF4720	205	\$845	FFPS3600	213	\$560
	51, 65, 69, 73,		CU15-36S	79,83	\$155	DIG62D91-MOC-CA	167	\$700	ELG160CHA-CA	161	\$745	FF4780	205	\$845	FFPS3680	213	\$675
	79, 81, 83, 85,		CU17-36S	85	\$160	DIG62D91-ONY-CA	167	\$700	ELG160MOC-CA	161	\$745	FF4800	204	\$740	FFPS4300	212	\$540
	91, 93, 97,		CU18-36S	83	\$165	DIG62D91-PWT-CA	167	\$700	ELG1600NY-CA	161	\$745	FF4880	204	\$875	FFPS4320	212	\$635
	265		CU19-36S	79	\$170	DIG62D91-SHG-CA	167	\$700	ELG1600YS-CA	161	\$745	FF5200	196	\$850	FFPS4380	212	\$635
906	113, 119, 123,	\$80	CU21-36S	21, 79, 85	\$170	DIG62F91-CHA-CA	171	\$670	ELG160PWT-CA	161	\$745	FF5220	196	\$1,005	FFPS4395	212	\$635
	127, 133, 262		CU23-36S	81	\$185	DIG62F91-GRA-CA	171	\$670	ELG160SHG-CA	161	\$745	FF5280	196	\$1,005	FFPS5200	196	\$850
1145	15, 21, 27, 33,	\$30	CU25-36S	81	\$190	DIG62F91-MOC-CA	1 <i>7</i> 1	\$670	ELG160STO-CA	161	\$745	FF5290SB	196	\$1,005	FFPS5220	196	\$1,005
	35, 41, 43, 44,		CU25-8-36S	81	\$190	DIG62F91-ONY-CA	1 <i>7</i> 1	\$670	ELG16-36S	161	\$190	FF5300	191	\$865	FFPS5280	196	\$1,005
	51, 57, 59, 65,		CU27-36S	81,85	\$195	DIG62F91-PWT-CA	1 <i>7</i> 1	\$670	ELG22-36S	161	\$200	FF5380	191	\$1,025	FFPS5290SB	196	\$1,005
	69, 73, 79, 81,		CU27-8-36S	81	\$195	DIG62F91-SHG-CA	1 <i>7</i> 1	\$670	EOCH33229-1-CA	163	\$640	FF6000A	184	\$2,055	FFS100	184	\$1,215
	83, 85, 91, 93,		CU30-36S	83	\$200	DW10000	214, 239	\$580	EODB33229-1-CA	163	\$640	FF6080A	184	\$2,300	FFS180	184	\$1,360
	97,143, 144,		CU30-8-36S	83	\$200	DW10020	214, 239	\$670	EOOX33229-1-CA	163	\$640	FF7000A	184	\$2,055	FFS400	184	\$1,215
	151, 155, 161,		CU-40K	21, 79	\$305	DW10080	214, 239	\$670	EOOY33229-1-CA	163	\$640	FF7080A	184	\$2,300	FFS480	184	\$1,360
	163, 167, 171,		CU-40P	21, 79, 81,	\$120	DW12000	186, 235	\$550	EOPW33229-1-CA	163	\$640	FFB3100	212	\$495	FFS5200	196	\$995
	175			83, 85		DW12080	186, 235	\$635	EOSG33229-1-CA	163	\$640	FFB3120MBK	212	\$605	FFS5220	196	\$1,165
900P	69, 73, 91, 93,	\$150	CU-40S	21, 79, 81,	\$185	DW13025BSS	219, 240	\$670	ESCH25229-1-CA	162	\$555	FFB3180	212	\$605	FFS5280	196	\$1,165
	97, 264			83, 85		DW13050	219, 240	\$560	ESDB25229-1-CA	162	\$555	FFB3325BSS	231	\$610	FFS5290SB	196	\$1,165
900P-SN27	69, 73, 91, 93,	\$180	CU-FC	21, 79	\$150	DW15000	197, 237	\$580	ESOX25229-1-CA	162	\$555	FFB3350	231	\$520	FFT3100	213, 234	\$685
	97, 264		CU-GC	21, 79	\$145	DW15020	197, 237	\$670	ESOY25229-1-CA	162	\$555	FFB3425BSS	218	\$710	FFT3100	213, 234	\$685
900W	262	\$70	CU-KS	21, 79	\$125	DW15080	197, 237	\$670	ESPW25229-1-CA	162	\$555	FFB3450	218	\$580	FFT3180	213, 234	\$805
902-C	249	\$225	CUW18-36S	27	\$170	DW15090	197, 237	\$670	ESSG25229-1-CA	162	\$555	FFB4250	227	\$505	FFT3180	213, 234	\$805
902-SN	249	\$270	CUW24-36S	27	\$180	DW16000	206, 237	\$560	FBBG2716	171	\$175	FFB5200	197	\$635	FFT3350	231, 234	\$630
906D-SN	262	\$190	CUW31-36S	27	\$190	DW16020	206, 237	\$660	FBG180S	175	\$115	FFB5220	197	\$780	FFT3350	231, 234	\$630
906P-C	27, 57, 59, 79,	\$165	CUW-36RM	27	\$170	DW16022	206, 237	\$660	FBGG1014	163	\$120	FFB5280	197	\$780	FFT5200	197, 234	\$795
	81, 83, 85,		CUW-40S	27	\$190	DW16040	206, 237	\$660	FBGG1114	163	\$125	FFB5290SB	197	\$780	FFT5200	197, 234	\$795
	264		CUW-60S	27	\$215	DW16061	206, 237	\$660	FBGG1316	163	\$135	FFP3100	212	\$675	FFT5220	197, 234	\$965
906P-SN	27, 57, 59, 79,	\$190	CUW-70S	21, 27, 79,	\$240	DW16065	206, 237	\$660	FBGG1914	163	\$145	FFP3120MBK	212	\$795	FFT5220	197, 234	\$965
	81, 83, 85,			81, 83, 85		DW16080	206, 237	\$660	FF3100	212	\$710	FFP3180	212	\$795	FFT5280	197, 234	\$965
	264		CU-WR	21, 79	\$150	DW16090	206, 237	\$660	FF3120MBK	212	\$850	FFP3325BSS	230	\$740	FFT5280	197, 234	\$965
906SN	113, 119, 123,	\$105	CUX110-10	21, 78	\$2,200	DW6100C	185, 234	\$530	FF3180	212	\$850	FFP3350	230	\$630	FHK710-30WH	112	\$1,615
	127, 133, 262		CUX110-15-CA	78	\$745	DW6180C	185, 234	\$645	FF3325BSS	230	\$780	FFP3425BSS	218	\$885	FHK710-33WH	112	\$2,065
BGDI100	167	\$145	CUX110-18	26	\$3,035	DW7000C	213, 238	\$540	FF3350	230	\$670	FFP3450	218	\$725	FHK710-36WH	112	\$2,245
BGDI110	167	\$155	CUX110-19-CA	78	\$785	DW7020C	213, 238	\$635	FF3352	103, 230	\$780	FFP4250	227	\$635	FK30-36S	113	\$335
BGDIL150	171	\$145	CUX11021-ADA-C	CA 84	\$860	DW7080C	213, 238	\$635	FF3425BSS	218	\$945	FFP4400	205	\$555	FK33-36S	113	\$355
BGDIS150	171	\$145	CUX110-21-CA	79	\$860	DW9000C	236	\$515	FF3450	218	\$800	FFP4480	205	\$680	FK36-36S	113	\$375
CCK110-13WH	132	\$985	CUX110-23-CA	80	\$900	DW9080C	236	\$635	FF3452SS	103, 218	\$945	FFP5200	197	\$815	FRC06	244	\$135
CCK110-15WH		\$1,005	CUX110-24	26	\$3,285	EDCH33229-1-CA	162	\$620	FF3800	225	\$660	FFP5220	197	\$965	FRC06-2PK	244	\$240
CCK110-19WH		\$1,110	CUX110-25-8-CA	80	\$935	EDDB33229-1-CA	162	\$620	FF3801	225	\$780	FFP5280	197	\$965	FRC07	244	\$135
CK13-36C	133	\$250	CUX110-25-CA	80	\$935	EDOX33229-1-CA	162	\$620	FF3802	225	\$780	FFP5290SB	197	\$965	FRC08	244	\$135
CK15-36C	133	\$270	CUX110-27-8-CA	81	\$995	EDOY33229-1-CA	162	\$620	FF3803	225	\$780	FFPD3350	230	\$630	FRC09	244	\$80
CK19-36C	133	\$295	CUX11027-ADA-C		\$995	EDPW33229-1-CA	162	\$620	FF3804	225	\$780	FFPD400	185	\$1,045	FRC10	245	\$145
CL-14-36S	51	\$185	CUX110-27-CA	81	\$995	EDSG33229-1-CA	162	\$620	FF3805	225	\$780	FFPD4300	204	\$975	FRCNSTR	241	\$440
CL-24-36S	51	\$185	CUX110-30-8-CA	82	\$1,110	ELG11022CHA-CA	160	\$630	FF3807	225	\$780	FFPD4350	204	\$1,100	FRCNSTR100	241	\$315
CL-28-36S	51	\$195	CUX110-30-CA	82	\$1,110	ELG11022MOC-CA	160	\$630	FF3880	225	\$780	FFPD4400	204	\$790	FRCNSTR-DUO-1	242	\$535
CL-31-36S	51	\$210	CUX110-31	26	\$3,570	ELG110220NY-CA	160	\$630	FF3900	225	\$660	FFPD4450	204	\$930	FRCNSTR-DUO-2	242	\$535
CL-BGC	51	\$175	CUX120-CA	83	\$1,280	ELG110220YS-CA	160	\$630	FF3920	225	\$780	FFPD4600	193	\$1,510	FRTWIST-SN	15, 33,	\$250
CL-SSC	51	\$175	CUX160-21	21	\$2,855	ELG11022PWT-CA	160	\$630	FF3922	225	\$780	FFPD4611	193	\$1,660		35, 264	
CLV110-24-CA		\$1,940	CUX160-24-CA	82	\$1,035	ELG11022SHG-CA	160	\$630	FF3940	225	\$780	FFPD4621	193	\$1,660	FRX02	243	\$175
CLV110-28-CA		\$2,065	CUX160-32-CA	84	\$1,390	ELG11022STO-CA	160	\$630	FF3961	225	\$780	FFPD4680	193	\$1,790	FWDJ125	255	\$555
CLV110-31-CA		\$2,195	CUX160-CA	. 83	\$1,330	ELG120CHA-CA	160	\$735	FF3965	225	\$780	FFPD480	185	\$1,215	FWDJ50	255	\$295
CLV120-33-CA		\$2,330	DIG61091-CHA-CA		\$630	ELG120MOC-CA	160	\$735	FF3980	225	\$780	FFPD5300	191	\$1,290	FWDJ75	255	\$420
CL-WGC	51	\$175	DIG61091-GRA-CA		\$630	ELG1200NY-CA	160	\$735	FF3990	225	\$780	FFPD5380	191	\$1,530	FWDJ75B	255	\$575
CP-50C	73		DIG61091-MOC-C		\$630	ELG1200YS-CA	160	\$735	FF4250	227	\$695	FFPD5400	191	\$1,405	GD12-36S	91, 93	\$135
CT-200		\$1,300	DIG61091-ONY-CA		\$630	ELG120PWT-CA	160	\$735	FF4400	204	\$790	FFPD5480	191	\$1,665	GD15-36S	91, 93	\$145
CU10-36S	83	\$135	DIG61091-PWT-CA		\$630	ELG120SHG-CA	160	\$735	FF4420	204	\$930	FFPD5550	209	\$895	GD18-36S	91	\$165
L 2021 Collection	2		DIG61091-SHG-CA	A 167	\$630	ELG120STO-CA	160	\$735	FF4480	204	\$930	FFPS3425BSS	219	\$885		ERANKECANIA	

288 | 2021 Collection

PRODUCT NO.	Page	Price	PRODUCT NO.	Page	Price	PRODUCT NO.	Page	Price
GD23-36S	91	\$185	LB16180	206, 238	\$660	MK24-36C	119	\$280
GD28-36S	91	\$210	LB16190	206, 238	\$660	MK28-36C	119	\$300
GD28-40S	91	\$270	LB16200	206, 238	\$700	MK31-36C-LH	119	\$280
GD31-36S	93	\$220	LB16220	206, 238	\$820	MK31-36C-RH	119	\$280
GD-40S	91, 93	\$270	LB16222	206, 238	\$820	MK35-36C-LH	119	\$32
GDX11012-CA	90	\$670	LB16240	206, 238	\$820	MK35-36C-RH	119	\$32
GDX11015-CA	90	\$700	LB16261	206, 238	\$820	NC12-36S	93	\$10
GDX11018-CA	90	\$735	LB16265	206, 238	\$820	NC18-36S	93	\$15
GDX11023-CA	91	\$805	LB16280	206, 238	\$820	OA-40S	15, 113, 119,	\$37
GDX11028-CA	91	\$850	LB16290	206, 238	\$820		123, 127, 133	, -
GDX11031-CA	92	\$870	LB6100C	186, 235	\$530	OC2-31S-RH	65	\$19
GDX12031-CA	92	\$1,155	LB6180C	186, 235	\$645	OC2-36S	65	\$270
GDX16028RH-CA	92	\$1,050	LB6200C	186, 235	\$725	OC2-45SP	65	\$410
GDX16031RH-CA	93	\$1,355	LB6280C	186, 235	\$885	OC2-50C	65	\$195
HT-400	241	\$540	LB7100C	214, 239	\$540	OC2-60S	65	\$15
KBG110-13CH	155	\$595	LB7120C	214, 239	\$635	ODX110-2310-31		\$96
KBG110-13MES	155	\$595	LB7180C	214, 239	\$635	ODX110-2312-31		\$1,100
KBG110-130N	155	\$595	LB7200C	214, 239	\$725	OK-31C-LH	123	\$200
KBG110-130N KBG110-130YS	155	\$595 \$595	LB7200C LB7220C	214, 239	\$725 \$885	OK-31C-RH	123	\$200
KBG110-13013 KBG110-13SG	155	\$595	LB7280C	214, 239	\$885	OK-36C	123	\$280
KBG110-13SM	155	\$595 \$595	LB9100C		\$515	OR2X110-CA	65	\$1,260
KBG110-133W KBG110-31CH		\$755	LB9180C	236		ORK110WH		
	155			236	\$635		123	\$1,79
KBG110-31ES	155	\$755	LB9200C	236	\$710	PCX1102109-CA	69	\$880
KBG110-310N	155	\$755 \$755	LB9280C	236	\$850	PE-70S	41, 43, 44,	\$280
KBG110-310YS	155	\$755	MA-17-31LRM	151	\$195	DE0100	51, 57, 59	Φ74
KBG110-31SG	155	\$755	MA-31-36S	151	\$195	PF3100	213	\$710
KBG110-31SM	155	\$755	MA-31RM	151	\$200	PF3120MBK	213	\$850
KBG13-36S	155	\$150	MA-40S	151	\$230	PF3180	213	\$850
KBG31-36S	155	\$240	MA-70S	151	\$260	PF3300	185	\$79
LB10100	214, 239	\$580	MAG110310W-CHA-C		\$850	PF3380	185	\$93
LB10120	214, 239	\$670	MAG110310W-MBK-C		\$850	PF3450	219	\$800
LB10180	214, 239	\$670	MAG110310W-ONY-C		\$850	PF4400	205	\$690
LB10200	215, 240	\$710	MAG110310W-OYS-CA		\$850	PF4480	205	\$830
LB10220	215, 240	\$850	MAG110310W-PWT-C	A 151	\$850	PF5200	196	\$840
LB10280	215, 240	\$850	MAG110310W-SHG-C	A 151	\$850	PF5220	196	\$1,00
LB12100	186, 235	\$550	MAG61023CHA-CA	150	\$825	PF5280	196	\$1,00
LB12180	186, 235	\$635	MAG61023MBK-CA	150	\$825	PF5290SB	196	\$1,00
LB12200	187, 236	\$680	MAG61023ONY-CA	150	\$825	PF7000A	185	\$1,030
LB12280	187, 236	\$810	MAG610230YS-CA	150	\$825	PF7080A	185	\$1,120
LB13125BSS	219, 240	\$670	MAG61023PWT-CA	150	\$825	PFD4400	205	\$690
LB13150	219, 240	\$560	MAG61023SHG-CA	150	\$825	PFD4480	205	\$830
LB13225BSS	220, 240	\$815	MAG610310W-CHA-C	A 150	\$825	PG2-40S	143	\$25
LB13250	220, 240	\$690	MAG610310W-MBK-C		\$825	PG-40S	143, 144	\$270
LB15100	198, 237	\$560	MAG610310W-ONY-C		\$825	PK21-31S	127	\$190
LB15120	198, 237	\$660	MAG610310W-OYS-CA		\$825	PK21-36S	127	\$190
LB15180	198, 237	\$660	MAG610310W-PWT-C		\$825	PKG110-14CH	142	\$700
LB15190	198, 237	\$660	MAG610310W-SHG-C		\$825	PKG110-14ES	142	\$700
LB15200	198, 237	\$690	MH30-36S	15	\$270	PKG110-14MBK	142	\$700
LB15220	198, 237	\$850	MH33-36S	15	\$295	PKG110-140N	142	\$700
LB15280	198, 237	\$850	MH36-36S	15	\$335	PKG110-140YS	142	\$700
LB15290	198, 237	\$850	MHK110-20WH	118	\$805	PKG110-14PWT	142	\$700
LB16100	206, 238	\$560	MHK110-24WH	118	\$1,080	PKG110-14SG	142	\$700
LB16120	206, 238	\$660	MHK110-28WH	118	\$1,060	PKG110-14SM	142	\$700
LB16122	206, 238	\$660	MHK720-31WH	119	\$1,765	PKG110-143M	142	\$80
LB16122 LB16140		\$660	MHK720-35WH				142	
	206, 238			119	\$1,795	PKG110-20ES		\$805
LB16161	206, 238	\$660	MHX710-30-CA	14	\$2,580	PKG110-20MBK	142	\$805
LB16165	206, 238	\$660	MHX710-33-CA	14	\$3,095	PKG110-200N	142	\$805

PRODUCT NO.	Page	Price	PRODUCT NO.	Page	Price	PRODUCT NO.	Page	Price
PKG110-20PWT	142	\$805	PS2X110-18-CA	40	\$1,890	SD3205	225, 250	\$190
PKG110-20SG	142	\$805	PS2X110-21-CA	40	\$1,940	SD3207	225, 250	\$190
PKG110-20SM	142	\$805	PS2X110-24-12-CA	41	\$2,090	SD3220	225, 250	\$190
PKG110-31CH	143	\$910	PS2X110-24-CA	41	\$2,025	SD3222	225, 250	\$190
PKG110-31ES	143	\$910	PS2X110-27-CA	42	\$2,225	SD3240	225, 250	\$190
PKG110-31MBK	143	\$910	PS2X110-30-12-CA	42	\$2,425	SD3261	225, 250	\$190
PKG110-310N	143	\$910	PS2X110-30-CA	42	\$2,340	SD3265	225, 250	\$190
PKG110-310YS	143	\$910	PS2X110-33-CA	43	\$2,560	SD3280	225, 250	\$190
PKG110-31PWT	143	\$910	PS2X120-14-14-CA	44	\$2,695	SD3290	225, 250	\$190
PKG110-31SG	143	\$910	PS2X120-16-16-CA	44	\$2,835	SD3425BSS	220, 249	\$330
PKG110-31SM	143	\$910	PS2X160-18-11-CA	43	\$2,695	SD3450SS	220, 248	\$330
PKG12-36RM	144	\$160	PT14-31S	57, 59	\$175	SD-500	248	\$430
PKG12-36S	144	\$170	PT14-36S	57, 59	\$175	SD5200	198, 249	\$190
PKG14-31RM	143	\$160	PT17-36S	57, 59	\$175	SD5220	198, 249	\$230
PKG14-36RM	143	\$195	PT20-36S	57	\$185	SD5280	198, 249	\$230
PKG160CH	144	\$1,015	PT22-36S	57, 59	\$185	SD5290SB	198, 249	\$230
PKG160ES	144	\$1,015	PT25-36S	57	\$185	SD-580N	248	\$480
PKG160-MBK	144	\$1,015	PT28-36S	59	\$195	SD6000	187, 248	\$235
PKG1600N	144	\$1,015	PT31-36S	59	\$210	SD6080	187, 248	\$280
PKG160-OYS	144	\$1,015	PT-40S	57, 59	\$250	SD-800	248	\$600
PKG160-PWT	144	\$1,015	PT-41S	57, 59	\$240	SD-880N	248	\$650
PKG160SG	144	\$1,015	PTX110-14-CA	56	\$755	SGR3322-1-CA	171	\$630
PKG160SM	144	\$1,015	PTX110-17-CA	56	\$830	SOX1720-1-CA	175	\$470
PKG17-36RM	144	\$195	PTX110-20-CA	56	\$1,090	SP3322-1-CA	171	\$630
PKG17-36S	144	\$205	PTX110-22-CA	57	\$1,225	SP-40S	21, 27, 57,	\$70
PKG18-31RM	143, 144	\$160	PTX110-25-CA	57	\$1,310		59, 79	
PKG20-36RM	143	\$215	PTX110-28-CA	58	\$1,385	SZCH1720-1-CA	175	\$470
PKG31-36RM	143	\$245	PTX110-31-CA	58	\$1,520	SZGR1720-1-CA	175	\$470
PKG31-36S	143	\$260	PTX160-31-CA	58	\$1,860	SZPW1720-1-CA	175	\$470
PKGCVR	27, 57, 59,	\$105	PTX160-37-CA	59	\$1,940	T316	102	included
	143, 144, 263		PTX160-40-CA	59	\$2,080	UV-36RM	33, 35, 57,	\$195
PKX110-13	32	\$2,080	PX-13S	33	\$160		59, 69, 73,	
PKX110-16	32	\$2,340	PX-16S	33	\$175		79, 81, 83,	
PKX110-18	33	\$2,425	PX-18S	33	\$180		85, 91, 93,	
PKX110-21	33	\$2,655	PX-21S	33, 35	\$225	9	7, 123, 127,	
PKX110-25	34	\$2,695	PX-25S	35	\$230		133, 155,	
PKX110-28	34	\$2,750	PX-28S	35	\$240		161, 262	
PKX110-8	32	\$1,320	PX-40S	33, 35	\$280	WD3428BK	257	\$45
PKX160-LH	34	\$3,705	PX-70S	33, 35	\$230	WD3428C	257	\$45
PKX160-RH	34	\$3,705	RBX110	97	\$610	WD3428SN	257	\$45
PKXCVR	33, 35, 263	\$125	RG-36S	73	\$125	WD907BLK	257	\$85
PR-31S	69	\$190	RG-36S-RH	73	\$160	WD9088	257	\$150
PR-36S	69	\$190	RGX160-CA	73	\$1,250	WD930CH	257	\$85
PRK11021WH	127	\$1,260	1	43, 44, 51	\$185	WD981SN	257	\$85
PRX11021-CA	69	\$1,005	RNDCVR 2	1, 41, 43,	\$105	WD982PN	257	\$85
PS2-11-36S	43	\$155	44	4, 65, 263		WDFLANGE-BK	258	\$95
PS2-14-36S	44	\$165	SB60	245	\$50	WDFLANGE-CH	258	\$95
PS2-15-36S	41	\$175	SC3322-1-CA	171	\$630	WDFLANGE-EX-SN	258	\$95
PS2-16-36S	44	\$175	SD2600	193, 248	\$250	WDFLANGE-EX-WH	258	\$95
PS2-18-36S	41,43	\$185	SD2680	193, 248	\$290	WDFLANGE-SS	258	\$95
PS2-21-36S	41	\$230	SD3100	215, 250	\$150	WDJ33	257	\$215
PS2-24-36S	41	\$240	SD3120MBK	215, 250	\$190	WDJ50	256	\$250
PS2-27-36S	43	\$280	SD3180	215, 250	\$190	WDJ50NC	256	\$225
PS2-30-36S	43	\$310	SD3200	225, 250	\$150	WDJ75	256	\$355
PS2-33-36S	43	\$330	SD3201	225, 250	\$190	WDJ75NC	256	\$330
PS23-36S	102	\$165	SD3202	225, 250	\$190			
PS2-45S	41, 43, 44, 51	\$270	SD3203	225, 250	\$190			
			1	005 050	<b>0.100</b>	İ		

MHX710-36-CA 14 \$3,735 PKG110-200YS 142 \$805 PS2X110-15-CA 40 \$1,815 SD3204 225, 250 \$190

290 | 2021 Collection FRANKECANADA.COM | 291

