

Cutters – Cables and Accessories



AH
Arrow Head Starting Drill
For 5/16", 3/8", 1/2" and 9/16" cable.



1-1/4" SCB
1-1/4" Side Cutter Blades
For cutting and scraping.
For 5/16" and 3/8" cable.



1/4" and 5/16" Down Head
Lead cable down the stack – not up. For 1/4" and 5/16" cable.



1/4" and 5/16" Double Down Head
For especially difficult bends.
For 1/4" and 5/16" cable.



FAH
Flexible Arrow Head
For sharp turns in small lines.
For 5/16" and 3/8" cable.



BG
Boring Gimlet
For removing loose objects.
For 5/16" and 3/8" cable.



1CG and 1-1/2CG
Clog Chopper
Clears debris, scale, and crystallized urine. For 5/16" and 3/8" cable.



DHBG
Down Head Boring Gimlet
Goes down waste, not up the stack.
For 5/16" and 3/8" cable.



DHF
Down Head Fitting
Can be used with all standard Handylectric cutters.
For 5/16" and 3/8" cable.



LE-1 – Small Flexible Leader
Attach to 1/2" wire rope center snakes to go through "P" traps and other close bends. For 3/8", 1/2" and 9/16" cable.



RTR-1
Small Corkscrew Retrieving Tool
For removing loose objects.
For 3/8", 1/2" and 9/16" cable.



1-1/2 UC
1-1/2" U-Cutter
For cutting and scraping.
For 3/8", 1/2" and 9/16" cable.



2UC
2" U-Cutter
For cutting and scraping
For 1/2", 9/16", 5/8" and 3/4" cable.



SCB – Side Cutter Blades (Two Piece Set)
For cutting and scraping.
Furnished in 2", 3", and 4" sizes.
For 1/2", 9/16", 5/8" and 3/4" cable.



RSB
Rotary Saw Blades (Two Piece Set)
For cutting and scraping.
Furnished in 3" and 4" sizes.
For 1/2", 9/16"/5/8" and 3/4" cable.



2CG and 2-1/2CG
Clog Chopper
Clears debris, scale, and crystallized urine.
For 1/2", 9/16", 5/8" and 3/4" cables.

Cutters

For 5/8" and 3/4" Cable Machines



SHD
Spear Head
Starting Drill



RTR-2
Corkscrew Retrieving Tool
For removing loose objects.



HDSC
Heavy Duty Side Cutters
In 3" and 4" sizes.



UC
2", 3", and 4" U-Cutters
For cutting and scraping.



SCB
Side Cutter Blades
For cutting and scraping.
Furnished in 3" and 4" sizes.



RP-2
Root Ripper™
Heavy spring screws into root mass, while front hook tears into stoppage. Passes through 4" "P" Traps.



RSB
Rotary Saw Blades
For roots and other stoppages. Furnished in 3" and 4" sizes.



3-6HDEC
Heavy Duty 3" to 6" Expansion Cutter
Can pass through 3" pipe to reach and clean 6" pipe. Can be put through 4" "P" traps.



4-6 SAC
Self Adjusting 4" to 6" Side Cutter Blades
Can pass through 4" pipe to reach and clean 6" pipe.



3CG and 4CG
Clog Choppers
Maneuverable cutters clears roots, debris, and scale. Available with connector to match General or other brands.



HDB
Heavy Duty Saw Blades
For roots and other stoppages. Furnished in 3", 4", and 6" sizes.



LE-2 – Large Flexible Leader
Used with both 3/4" or 5/8" wire rope center cables to go through "P" traps and other tight bends.



LE-3 – Large Flexible Leader
Used with both 3/4" or 5/8" wire rope center cables to go through "P" traps and other tight bends.



Spider Cutters
Cuts coming and going. Available in 3" and 4" sizes.

Cutter Set for 7.5R7, 7.5R8 – 5/8" Sectional Cables



R-AH
Arrow Head Starting Tool



R-BG
Boring Gimlet
For removing loose objects.



R-1-1/2 UC
1-1/2" U-Cutter
For cutting and scraping.



R-RTR-1
Corkscrew Retrieving Tool.
For removing loose objects.

Cutter Set for 15R10 – 7/8" Sectional Cables



R-HA-10
Hook Auger For breaking up stoppage and retrieving.



R-SHD-10
Spear Head



R-2UC-10
2" U-Cutter
For cutting and scraping.



R-3UC-10
3" U-Cutter
For cutting and scraping.



R-RTR-10
Corkscrew Retrieving Tool
For removing loose objects.

Rodrunner/Model 88 Standard Cutter Set

Note all cutters illustrated with "G" connector.
If ordering with "L" connector, drop "G" prefix and substitute "L". For example: L-SHD.



Rodrunner/Model 88 Standard Cutter Set



Cables

Flexicore® Cable

Wire Rope Center Construction


Heavy-gauge wire coiled tightly around 49-strand aircraft-type wire rope and heat treated. Has unequalled strength and the right amount of flexibility. So tough it carries a one-year warranty against defect or breakage. Flexicore Patent Nos. 2,244,735 and 2,849,870



General Flexicore® Cable with Male and Female Connector

Sectional Cables

Sections for Model 88 and Rodrunner come in the all-purpose Flexichain which has a chain center, a stiffer Proflex which has a spring center, and a hollow style. Choose from three coupling styles. They snap together in a second and are taken apart quickly with a spanner wrench or uncoupling key. With the more recently developed "G" connector, no torque is put on the locking pin when running in reverse, making it a durable coupling.



Accessories

Snake Oil™

Protects your cables better than common lubricants. Its special rust inhibitor cuts through moisture and replaces it with a rust-resistant coating. In addition, Snake-Oil gives your equipment a fresh, clean smell.



Catalog Number	Description
SOQ	1 Quart Snake-Oil
SOG	1 Gallon Snake-Oil

SIG

Splash/Impact Goggles

Can be worn over glasses.



GT Cable Guide Tube

Adds safety when you can't get machine close to drain opening. 30" long x 1-1/4" diameter spring.



GTE Guide Tube Extension

Five foot extension attaches to the Cable Guide Tube. Made of 40" conduit with 24" spring end.

QF "Quick Fix" Repair Coupler



Just screw on tightly and it won't come off. For 1/2", 9/16", 5/8", and 3/4" sizes.

FC Butt-Weld Connector



Passes through automatic feeds. No need to adjust feed. For 5/8", and 3/4" sizes.

FC-O Cup Type Connector



Sheath fits over cable for easier repairs. For 5/16", 3/8", 1/2", 5/8" and 3/4" sizes.

RS Repair Sleeve



In 3/8", 1/2", 5/8", and 3/4" sizes.



MGT

Manhole Guide Tube

Supports drain cables in manholes. Adjusts from 6'2" to 9'4". 4'4" extensions available.

General General Wire Spring Co.
PIPE CLEANERS
McKees Rocks, PA 15136 USA
800-245-6200 or 412-771-6300