GERBER

D210204BT

Fixed Rough-In Valve for Roman Tub

SPECIFICATIONS




Features/Benefits


- For 3-Hole 10" Center Installation
- 1/2" Crimp PEX connection
- Installs in Decks Up to 1 1/2" Thick
- Ceramic Disc Cartridge
- Includes Protective Cap

Standards & Certifications

ASME A112.18.1/CSA B125.1

Flow Rate





Submittal Information:

Name: _____ Contractor: _____

Location: _____ Contact #: _____

GERBER

D210204BT

Valve brute fixe pour baignoire romaine

CARACTÉRISTIQUES




Caractéristiques et avantages


- Installation à 3 trous, entraxe de 10 po
- Raccord par sertissage PEX de 1/2 po
- Montage d'une épaisseur maximale de 1 1/2 po
- Cartouche à disque céramique
- Capuchon de protection compris

Normes et certifications

ASME A112.18.1/CSA B125.1

Débit





Renseignements pour la soumission :

Nom : _____ Entrepreneur : _____

Emplacement : _____ Numéro de téléphone : _____

GERBER

D210204BT

Válvula de empalme fija para bañera romana

ESPECIFICACIONES




Características/Beneficios


- Para instalación en 3 orificios con centros de 10″
- Conexión de prensado de polietileno reticulado de 1/2″
- Para instalar en mesadas de hasta 1 1/2″ de grosor
- Cartucho de disco de cerámica
- Incluye tapa protectora

Estándares y certificación

ASME A112.18.1/CSA B125.1

Caudal





Información a presentar:

Nombre: _____ Contratista: _____

Ubicación: _____ N.º de contacto: _____