

Job or Customer :	
Location :	
Engineer :	
<input type="checkbox"/> Complies with Spec <input type="checkbox"/> Alternate	Notes :
Contractor :	
HeatLink Rep :	
Submitted By :	Date :
Approved By :	Date :
P.O. Number :	Date :

### Description

The new Confined Space Press Tool developed by HeatLink is designed to create press connections using HeatLink PEX-a tubing, SS press sleeves and fittings, and qualifies for HeatLink's 25 year system warranty.

The new tool is designed for one or two handed pressing and its unique design and expanded utility showcase HeatLink's focus on listening to the needs of customers and developing effective solutions for challenging situations. The Confined Space Tool is perfect for use in tight spaces where HPP Multiport Tees are used. It incorporates a "W" press profile for visual identification of an effective press and the handles can be opened in narrow spaces. The new tool is also smaller and lighter than the 11300 series press tools.

### Technical Data

Material:..... Metal

Qty	Stk. #	Sleeve Size	Dimensions			Weight
			A	B	C	
	11433	1/2"	9.5" (241.3 mm)	8.375" (212.7 mm)	1.2" (30.5 mm)	2.0 lbs 0.9 kg
	11434	3/4"	9.625" (244.5 mm)	8.375" (212.7 mm)	1.2" (30.5 mm)	2.2 lbs 1.0 kg

### Installation

Installation of the stainless steel press sleeves must follow all of HeatLink's instructions and guidelines, found in the Potable Water Systems Installation Guide.

### Related Documents

- Potable Water Systems Installation Guide (L3235)
- HeatLink Limited Plumbing Warranty

