



## 347 V Boxes


**CIMBS-1-HV**

**CIMBS-4-HV** (1 gang to 4 gangs)

**CIMBD-1-HV**

**CIMBD-4-HV** (1 gang to 4 gangs)


| Cat. No.                    | Volume<br>(Cu. in.) | Number<br>of Gangs | Width<br>(in.) | Knockouts    |
|-----------------------------|---------------------|--------------------|----------------|--------------|
|                             |                     |                    |                | 1/2 in. ends |
| 2-3/8 in. Deep x 4 in. High |                     |                    |                |              |
| CIMBS-1-HV                  | 20.25               | 1                  | 2-1/4          | 2            |
| CIMBS-2-HV                  | 20.25 / gang        | 2                  | 4-1/16         | 4            |
| CIMBS-3-HV                  | 20.25 / gang        | 3                  | 5-7/8          | 6            |
| CIMBS-4-HV                  | 20.25 / gang        | 4                  | 7-11/16        | 8            |
| 3-3/8 in. Deep x 4 in. High |                     |                    |                |              |
| CIMBD-1-HV                  | 22.5                | 1                  | 2-1/4          | 4            |
| CIMBD-2-HV                  | 22.5 / gang         | 2                  | 4-1/16         | 8            |
| CIMBD-3-HV                  | 22.5 / gang         | 3                  | 5-7/8          | 12           |
| CIMBD-4-HV                  | 22.5 / gang         | 4                  | 7-11/16        | 16           |

Note: All HV boxes have tapped holes spaced 3-17/32 in. to accommodate 347 V switches. Standard lateral spacing 1-13/16 in., on pre-ganged boxes. Pre-ganged boxes include fibre partitions

### Partitions Only



#### Accessories

**CIMBS-HV-PART**

**CIMBD-HV-PART**

## 347 V Boxes

### Boxes and Kits

|                                                                                    |                                                                                    |                                                                                      |                                                                                     |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|   |   |    |  |
| <b>BC52171-HV-KI T</b>                                                             | <b>BC52171-KSSXHVKIT</b>                                                           | <b>CI1204-1-HV</b>                                                                   | <b>CI1204-2-HV</b>                                                                  |
|  |  |  |                                                                                     |
| <b>CI1204-LA-HV</b>                                                                | <b>CI1204-LSSAX-HV</b>                                                             | <b>CI1204-SSX-HV</b>                                                                 |                                                                                     |



| Cat. No.                  | Volume<br>(Cu. in.) | Number<br>of Gangs | Dimensions        | Features |        |          | Knockouts    | Pryouts |
|---------------------------|---------------------|--------------------|-------------------|----------|--------|----------|--------------|---------|
|                           |                     |                    | H x W x D (in.)   | Ears     | Clamps | Brackets | 1/2 in. ends | ends    |
| 2-1/2 in. Deep — Gangable |                     |                    |                   |          |        |          |              |         |
| BC52171-HV-KIT            | 33,6                | 1                  | 4 x 4 x 2-1/8     | -        | -      | -        | 2            | -       |
| BC52171-KSSXHVKIT         | 33,6                | 1                  | 4 x 4 x 2-1/8     | -        | -      | -        | 2            | -       |
| CI1204-1-HV               | 16.0                | 1                  | 3 x 2-1/4 x 2-1/2 | recessed | -      | -        | 2            | -       |
| CI1204-2-HV               | 32.0                | 2                  | 3 x 4-1/2 x 2-1/2 | recessed | -      | -        | 4            | -       |
| CI1204-LA-HV              | 16.0                | 1                  | 3 x 2-1/4 x 2-1/2 | flush    | BX     | -        | -            | 4       |
| CI1204-LSSAX-HV           | 16.0                | 1                  | 3 x 2-1/4 x 2-1/2 | -        | BX     | “SSX”    | -            | 4       |
| CI1204-SSX-HV             | 16.0                | 1                  | 3 x 2-1/4 x 2-1/2 | -        | -      | “SSX”    | 2            | -       |
| CI1204-SS1X-HV            | 16.0                | 1                  | 3 x 2-1/4 x 2-1/2 | -        | -      | “SSX”    | 2            | -       |
| CI1204-LSSAX-HV-1         | 16.0                | 1                  | 3 x 2-1/4 x 2-1/2 | -        | BX     | “SSX”    | -            | 4       |

Note: All HV boxes have tapped holes spaced 3-17/32 in. to accommodate 347 V switches. CI1204-2-HV includes CIHVP partition. On multigang boxes lateral spacing 2-1/4 in. When ganged, CIHVP partition must be installed between spacers.

## 347 V Boxes

### Covers

|                                                                                    |                                                                                    |                                                                                      |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|   |   |   |
| <b>CI1110-HV</b>                                                                   | <b>BC11-C-4-HV</b>                                                                 | <b>BC11-C-5-HV</b>                                                                   |
|  |  |  |
| <b>CI11-C-10-HV</b>                                                                | <b>CIFS-1G-1/2-HV / CIFS-1G-3/4-HV</b>                                             | <b>CIFS-9-HV</b>                                                                     |
| Includes stamped aluminum "FS" cover.                                              |                                                                                    |                                                                                      |



| Cat. No.                                             | Volume<br>(Cu. in.) | Number<br>of Gangs | Dimensions          | Features            | Knockouts    |
|------------------------------------------------------|---------------------|--------------------|---------------------|---------------------|--------------|
|                                                      |                     |                    | H x W x D (in.)     | Raised Ground Screw | 1/2 in. ends |
| 1-7/8 in. Deep                                       |                     |                    |                     |                     |              |
| CI1110-HV                                            | 16.5                | 1                  | 4 x 2-3/8 x 1-7/8   | yes                 | 2            |
| 347 V “FS” Box Kits — 1-7/8 in. Deep (Cast Aluminum) |                     |                    |                     |                     |              |
| CIFS-1G-1/2-HV                                       | 14.0                | 1                  | 6 x 2-13/16 x 1-7/8 | yes                 | 1 x 1/2 hub  |
| CIFS-1G-3/4-HV                                       | 14.0                | 1                  | 6 x 2-13/16 x 1-7/8 | yes                 | 1 x 3/4 hub  |

**Note:** All HV boxes have tapped holes spaced 3-17/32 in. to accommodate 347 V switches.

| Cat. No.                                   | Description       |
|--------------------------------------------|-------------------|
| <b>347 V Utility Box Covers</b>            |                   |
| <b>BC11-C-4-HV</b>                         | Blank             |
| <b>BC11-C-5-HV</b>                         | One toggle switch |
| <b>CI11-C-10-HV</b>                        | Decora            |
| <b>347 V "FS" Cover (Stamped Aluminum)</b> |                   |
| <b>CIFS-9-HV</b>                           | One toggle switch |

Mounting screws included

## 347 V Boxes

### Covers and Accessories


**CIHVP**

**CISBEX-HV**

**CI6851-HV**

**CI6852-HV**

**CI6853-HV**

**CI6854-HV**



| Cat. No.                                                       | Description                 |
|----------------------------------------------------------------|-----------------------------|
| <b>347 V Stainless Steel Wall Plates (for CI1204-HV Boxes)</b> |                             |
| <b>CI6851-HV</b>                                               | Single 347 V toggle switch  |
| <b>CI6852-HV</b>                                               | Two 347 V toggle switches   |
| <b>CI6853-HV</b>                                               | Three 347 V toggle switches |
| <b>CI6854-HV</b>                                               | Four 347 V toggle switches  |

**Note:** Device mounting screws included. Lateral spacing 2-1/4" on CI6852-HV / CI6853-HV / CI6854-HV

| Cat. No.                          | Description                                                                                |
|-----------------------------------|--------------------------------------------------------------------------------------------|
| <b>347 V Partitions (Steel)</b>   |                                                                                            |
| <b>CIHVP</b>                      | High voltage partition to be used with 347 V boxes (CI1204 series) when ganged             |
| <b>347 V Device Box Extension</b> |                                                                                            |
| <b>CISBEX-HV</b>                  | 2 in. x 3 in. 347 V – Maximum adjustable depth – 1-7/8 in. – Complete with mounting screws |

## 347 V Boxes

### HV (347 V) vs Regular Box Spacing



## Extension Rings

