

# SAFETY DATA SHEET

Issuing Date 06-Feb-2012

Revision Date 28-Feb-2019

**Revision Number 2** 

\_\_\_\_\_



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

Product identifier

Product Name PETRO-TAPE™

Other means of identification

Product Code(s) 307

(M)SDS Number WPS-JLI-068

Synonyms JET-LUBE® - PETRO-TAPE™; ILEX PETRO-TAPE™

Recommended use of the chemical and restrictions on use

**Recommended Use** Sealant Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube, LLC.

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

**Telephone** US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

**Company Emergency Phone** 

Number

1-800-699-6318

**Emergency Telephone Number** 

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

# 2. HAZARDS IDENTIFICATION

#### Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).



AppearanceWhitePhysical stateSolidOdorNo information available

### GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

### **Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood Wear personal protective equipment/face protection

**Precautionary Statements - Response** 

IF exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Synonyms JET-LUBE® - PETRO-TAPE™; ILEX PETRO-TAPE™

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Ptfe	9002-84-0	90-100	-	-

The product contains no substances which at their given concentration, are considered to be hazardous to health.

# 4. FIRST AID MEASURES

#### First aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Inhalation** If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is

difficult, (trained personnel should) give oxygen.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.



Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides. Thermal decomposition of product above 300 degrees (C), can create

Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen

Fluoride and Carbon Dioxide. Other PTFE degradation products include;

perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and

trifluoromethane.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid generation of

dust. Do not breathe dust. Use personal protective equipment as required. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.



**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not breathe dust. Avoid generation of dust. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Limits** 

Chemical Name	Alberta	British Columbia	Ontario TWAEV	Quebec
Ptfe				TWA: 2.5 mg/m <sup>3</sup>
9002-84-0				

### Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** No special protective equipment required. Avoid contact with eyes.

**Hand protection** No special protective equipment required. Viton™. Neoprene gloves. Nitrile rubber.

**Skin and body protection** Lightweight protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not breathe dust. Wear suitable gloves and

eye/face protection. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES



307 - PETRO-TAPE™ Revision Date 28-Feb-2019

Physical and Chemical Properties

Physical state Solid Appearance White

Odor No information available
Color No information available

Odor Threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

None known Melting / freezing point 325 + 10 °C None known Boiling point / boiling range No data available None known **Flash Point** No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit No data available

Lower flammability limit

No data available

Vapor pressure

No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative density2.15 - 2.20None known

Water Solubility Insoluble

Solubility(ies) Solubility in other solvents None known

Partition coefficient: n-octanol/water Not Applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties

Oxidizing properties

No information available
No information available

Other Information

Softening Point No information available Molecular Weight No information available

VOC Content (%) None

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

# 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides. Thermal decomposition of product above 300 degrees (C), can create

Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen

Fluoride and Carbon Dioxide. Other PTFE degradation products include;

perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and

trifluoromethane.



# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Contact with eyes may cause irritation.

Skin contact None known.

**Ingestion** Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Information on toxicological effects

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-dust/mist) 0.05 mg/L

Unknown acute toxicity No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Persistence and Degradability No information available.



**Bioaccumulation** There is no data for this product.

**Mobility** No information available.

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

IATA Not regulated

**IMDG** Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Regulations** 

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.
DSL/NDSL Complies.
EINECS/ELINCS Complies.
ENCS Complies.
KECL Complies.
PICCS Complies.



307 - PETRO-TAPE™ Revision Date 28-Feb-2019

AICS Complies.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Ptfe			X		
9002-84-0					

16 OTHER INFORMATION

NFPA Health hazards 0 Flammability 0 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By
Product Stewardship
23 British American Blvd.



307 - PETRO-TAPE™ Revision Date 28-Feb-2019

Latham, NY 12110 1-800-572-6501

Issuing Date 06-Feb-2012

Revision Date 28-Feb-2019

Revision Note Initial Release

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 



