

Stripping without readjustment from 32–8 AWG  
 Universal blade geometry – tough and robust  
 Ideal grip design with excellent control  
 Recessed wire cutter

- > automatic adjustment to all single-, multi and fine-stranded conductors with standard PVC insulation. Range of 32 AWG (0.03 mm<sup>2</sup>) to 8 AWG (10.0 mm<sup>2</sup>)
- > no manual fine adjustment necessary
- > no damage to the conductors
- > steel clamping jaws with integrated cutting edges hold the cable and prevent slipping
- > includes recessed wire cutter for Cu and Al conductors, stranded up to 8 AWG and single wire up to 10 AWG
- > particularly smooth running mechanics and very low weight
- > replaceable blades block and length stop
- > handle with soft-plastic zone for a steady grip
- > the body is constructed of lightweight fiberglass-reinforced plastic
- > blade: special tool steel; oil-hardened
- > **NOT FOR THHN CABLE**



# MultiStrip



Wire cutter for multi-stranded wire cables up to 8 AWG (10 mm<sup>2</sup>)



Steel clamping jaws avoid slipping of the cable

## Patented Mechanics

The incision depth of the stripping blade adjusts automatically to the diameter of the wire and to the thickness of all standard insulating materials.

There is no need for any of the manual adjustment still necessary when other conventional pliers with a wide wire-stripping range are used.




Precise stripping from 32–8 AWG without readjustment



## Mode of operation of straight cutters

An incision is made in the red area only.

Not suitable for highly-flexible or armored insulation materials or multi-layered insulation such as THHN.



Product Number	Packaging	↔ Inch mm		Stripping capacities mm <sup>2</sup>	AWG	⚖️ lbs
12 42 195	X	7 1/2 190	MM	0.03 - 10.0	32 - 8	0.31
12 49 21	Spare blades block for 12 42 195					
12 49 23	Spare length stop for 12 42 195					