

Product information

71 82 950

Concrete Mesh Cutter



- cutting capacity up to 48 HRC hardness
- precision cutting edges additionally induction hardened, cutting edge hardness approx. 62 HRC
- forged-in stopper with comfortable shock- absorber
- good access due to very flat construction of head and joint area
- ergonomically angled handles to minimise effort
- sturdy non-slip two-colour dual component handle sleeves
- precise adjustment (12 positions) by eccentric bolt
- high cutting performance with minimum effort due to optimum co-ordination of the cutting edge angle and transmission ratio
- bolted cutter head, replaceable
- joint: special tool steel, forged
- handles: steel tube, powder-coated
- blade: chrome vanadium heavy-duty steel, forged, multi stage oil-hardened

Allgemein

Article No.	71 82 950
EAN	4003773066798
Head	grey atramentized
Handles	with multi-component grips
weight	4,110 g
Dimensions	950 x 180 x 40 mm

Technische Attribute

HRC 19	Ø 11 mm
HRC 48	Ø 6 mm
HRC 40	Ø 9 mm
Cutting edge length mm	44 mm
Head thickness	40 mm

Klassifikation

eCl@ss 5.1.4	21040302
ETIM 5.0	EC002689
ETIM 6.0	EC002689
proficl@ss 6.0	AAC440c002

technical change and errors excepted