



SLIMLEDTMMULTI

MULTI-APPLICATIONS, MULTI-COLORS.

Easily convert a standard octagon box or retrofit a traditional 4" or 6" downlight to an LED fixture. On-face magnets allows for securely attaching dead front magnetic faceplates (for 4" only). Perfect for multi-unit residential, the SLIMLED MULTI is also Fire Rated when installed in steel junction box.




ADDITIONAL TRIMS SOLD SEPARATELY

*Not available on high output option.



SlimLED MULTI High Output



DELIVERED

Up to 789 lm

RATINGS



TRIM COLORS



WHITE (WH)

BLACK (BK)

SILVER (SL)

SIZE



TRIM



Round

Square

COLOR TEMPERATURE



27 K

30 K

35 K

40 K

Ordering Guide

High Output

SLMT4-8W

Color Temperature

-HO

30K : 3000 K
40K : 4000 K
27K : 2700 K
35K : 3500 K



Highlighted option denotes QuickShip.

Square Trim

SLMT4-ST*

Finish

Finish

BK : Black
SL : Silver
WH : White

*Square trim only, fixture sold separately

CRI

80

COMPATIBLE HOUSING

- Standard octagon box

ACCESSORIES



SLM4-RST-(WH/BK)
(WH/BG/SP/SS/BK)

SHADE Mini decorative,
dead front round trim/baffle




SLM4-SST-(WH/BK)
(WH/BG/SP/SS/BK)

SHADE Mini decorative,
dead front square trim/baffle

QuickShip option is available on orders of 100 pieces or less, and will ship within 2 business days of the order being received. QuickShip lead time may vary for orders greater than 100 pieces. No additional shipment rates apply. Subject to availability. For additional options please consult your Liteline representative. Due to our continued efforts to improve our products, product specifications are subject to change without notice. Refer to liteline.com for up to date specifications. Color swatches may not be exact, contact rep for sample.

SlimLED MULTI 4"



DELIVERED

Up to 560 lm

RATINGS



TRIM COLORS



SIZE



TRIM



COLOR TEMPERATURE



27 K, 30 K, 35 K,
40 K & 50 K

CRI

90

Ordering Guide

Selectable Output

SLMT4-8W



Highlighted option denotes QuickShip.

Square Trim

SLMT4-ST*

Finish



BK : Black
SL : Silver
WH : White

*Square trim only, fixture sold separately

COMPATIBLE HOUSING

- RF401 series
- RF402 series
- RF405 series
- OR
- Standard octagon box

ACCESSORIES



SLM4-RST-(WH/BK)
(WH/BG/SP/SS/BK)

SHADE Mini decorative,
dead front round trim/baffle



SLM4-SST-(WH/BK)
(WH/BG/SP/SS/BK)


SHADE Mini decorative,
dead front square trim/baffle



SLMT4-CAN

4" Housing accessories
(Retrofit kit)
E26 lampholder +
butterfly clips


SlimLED MULTI 6"




6" CAN*

J-BOX

* Retrofit Kit sold separately for
13W version only (P-SLMT6-6CAN)



EVERYTHING IN 1 BOX



DELIVERED

13W
Up to 1070lm
15W
Up to 1170lm

RATINGS



TRIM COLORS



SIZE



TRIM



COLOR TEMPERATURE



27 K, 30 K, 35 K,
40 K & 50 K

CRI

90

COMPATIBLE HOUSING

- RF601ICAT series
- RF602ICAT series
- OR
- Standard octagon box

ACCESSORIES



P-SLMT6-6CAN

6" Housing accessories
(Retrofit kit) E26 lampholder
+ wire + connectors + spring
clips for 13W version only.



SLMT6-RT-BK

Optional trim for 6" SlimLED
Multi, Black.



SLMT6-RT-BN

Optional trim for 6" SlimLED
Multi, Brushed Nickel.



SLM6-RST-(WH/BK)
(WH/BG/SP/SS/BK)

SHADE Mini decorative,
dead front round
trim/baffle



SLM6-SST-(WH/BK)
(WH/BG/SP/SS/BK)

SHADE Mini decorative,
dead front square
trim/baffle

Ordering Guide

Standard



SLMT6-13W

Highlighted option denotes QuickShip.

Commercial



SLMT6-C-15W*

Highlighted option denotes QuickShip.

*120-277V, 0-10V dimming only



 **Liteline**

Liteline Corporation
Copyright © 2024
All rights reserved.

Telephone
416.996.1856
1.866.730.7704

Fax
905.709.5255
1.888.738.9736

[LITELINE.COM](https://www.liteline.com)

M-SLMMULTI-ALL-SS-E
REV 10.16.24

