

BRAIDED SUPPLIES**BRAIDED SUPPLY - TOILET**

- Stainless steel #304 braided supply
- PVC inner hose (CSA approved)
- Plated brass nuts
- 100% pressure tested
- Logo and lot stamps
- Won't kink or crease
- Meets CSA B125.3 and ASSE A112.18.6 standards
- NSF 61 and cUPC approved



PART#	DESCRIPTION
55513	7/8" ballcock nut x 3/8" OD comp. x 9"
55510	7/8" ballcock nut x 3/8" OD comp. x 12"
55511	7/8" ballcock nut x 3/8" OD comp. x 16"
55512	7/8" ballcock nut x 3/8" OD comp. x 20"

BRAIDED SUPPLY - FAUCET


- Stainless steel #304 braided supply
- PVC inner hose (CSA approved)
- Plated brass nuts
- 100% pressure tested
- Logo and lot stamps
- Won't kink or crease
- Meets CSA B125.3 and ASSE A112.18.6 standards
- NSF 61 and cUPC approved



PART#	DESCRIPTION
55503	1/2" IPS x 3/8" OD comp. x 9"
55500	1/2" IPS x 3/8" OD comp. x 12"
55501	1/2" IPS x 3/8" OD comp. x 16"
55502	1/2" IPS x 3/8" OD comp. x 20"
55504	1/2" IPS x 3/8" OD comp. x 30"

BRAIDED SUPPLY - ICE MAKER

- Stainless steel #304 braided supply
- PVC inner hose (CSA approved)
- Plated brass nuts
- 100% pressure tested
- Logo and lot stamps
- Braided stainless steel
- Won't kink or crease
- Meets CSA B125.3 and ASSE A112.18.6 standards
- NSF 61 and cUPC approved




PART#	DESCRIPTION
55530	1/4" OD comp. x 1/4" OD comp. x 12"
55532	1/4" OD comp. x 1/4" OD comp. x 36"
55534	1/4" OD comp. x 1/4" OD comp. x 48"
55536	1/4" OD comp. x 1/4" OD comp. x 60"
55538	1/4" OD comp. x 1/4" OD comp. x 72"

BRAIDED SUPPLIES

BRAIDED SUPPLY - WASHING MACHINE, STANDARD



- Stainless steel #304 braided supply
- PVC inner hose
- 100% tested
- Standard flow
- 1/4" I.D tube
- Logo & lot stamped
- Won't kink or crease
- Meets CSA B125.3
- cUPVC approved



PART#	DESCRIPTION
55520	3/4" x 3/4" FGHT x 48"
55522	3/4" x 3/4" FGHT x 60"
55524	3/4" x 3/4" FGHT x 72"
55526	3/4" x 3/4" FGHT x 144"

BRAIDED SUPPLY - DISHWASHER



New style
part# 2155



Elbow with PEX fitting
part# 2159




Old style
part# 2161



- Stainless steel #304 braided supply
- PVC inner hose (CSA approved)
- Plated brass nuts
- 100% pressure tested
- Logo and lot stamps
- Won't Kink or crease
- Meets CSA B125.3 and ASSE A112.18.6 standards
- NSF 61 and cUPC approved

PART#	DESCRIPTION
55507	3/8" OD comp. x 3/8" OD comp. x 12"
55509	3/8" OD comp. x 3/8" OD comp. x 20"
55514	3/8" OD comp. x 3/8" OD comp. x 48" with 90° elbow
55516	3/8" OD comp. x 3/8" OD comp. x 60" with 90° elbow
55518	3/8" OD comp. x 3/8" OD comp. x 72" with 90° elbow
555141	3/8" OD comp. x 3/8" OD comp. x 48" with FHT/elbow
555161	3/8" OD comp. x 3/8" OD comp. x 60" with FHT/elbow
555181	3/8" OD comp. x 3/8" OD comp. x 72" with FHT/elbow
2155	Elbow 3/4" FHT x 3/8" MIP (available separately)
2159	Adaptor fitting 3/4" FHT x PEX brass elbow
2161	Connection fitting, 3/8 MIP x 3/8 comp. 90



BRAIDED SUPPLIES**BRAIDED SUPPLY - WASHING MACHINE, 90° ELBOW, PREMIUM**

- Premium, oversized hose increased flow rates
- 90° elbow connect 3/4" FGHT
- Stainless steel #304 braided supply
- PVC inner hose
- 100% tested
- 3/8" I.D tube
- Logo & lot stamped
- Won't kink or crease
- Meets CSA B125.3
- NSF and cUPC approved



PART#	DESCRIPTION
-------	-------------

55598	60" long
55599	72" long

BRAIDED SUPPLIES FOR FAUCET (COUPLINGS)

- 1/2" IPS x 1/2" IPS
- Stainless steel #304 braided supply
- PVC inner hose (CSA approved)
- Plated brass nuts
- 100% pressure tested
- Logo and lot stamps
- Won't kink or crease
- Meets CSA B125.3 and ASSE A112.18.6 standards
- NSF 61 and cUPC approved



PART#	DESCRIPTION
-------	-------------

55596	9" coupling connector
55597	12" coupling connector

BRAIDED SUPPLIES FOR FAUCET

- Used on builder series faucets
- Stainless steel #304 braided supply
- PVC inner hose (CSA approved)
- Plated brass nuts
- 100% pressure tested
- Logo and lot stamps
- Meets CSA B125.3 and ASSE A112.18.6 standards
- NSF 61 and cUPC approved



PART#	DESCRIPTION
-------	-------------

55506	3/8" comp x 3/8" female comp x 12"
55508	3/8" comp x 3/8" female comp x 20"

BRAIDED SUPPLY - HOT WATER HEATER

- Meets CSA B125 standard
- Santoprene tube
- Stainless steel #304 braided supply
- NSF and cUPC approved



PART#	DESCRIPTION
-------	-------------

55585	3/4" FIP x 3/4" FIP x 12" long
55586	3/4" FIP x 3/4" FIP x 18" long
55587	3/4" FIP x 3/4" FIP x 24" long

BRAIDED SUPPLIES - FLUIDMASTER

DISHWASHER STAINLESS STEEL SUPPLY



- FLUIDMASTER brand
- Sleeve or bulk
- No-burst
- CSA approved

PART#	DESCRIPTION
-------	-------------

FM480	48" bulk
FM481	48" sleeve
FM460	60" bulk
FM461	60" sleeve
FM720	72" bulk
FM721	72" sleeve

ICE MAKER STAINLESS STEEL SUPPLY



- FLUIDMASTER brand
- Sleeve packaged
- No-burst
- CSA approved

PART#	DESCRIPTION
-------	-------------

FM260	60" sleeve
FM272	72" sleeve
FM2120	120" sleeve

WASHING MACHINE S.S. SUPPLY



- FLUIDMASTER brand
- Bulk packaged
- No-burst
- CSA approved

PART#	DESCRIPTION
-------	-------------


FM360	60" bulk
--------------	----------

KITCHEN & LAUNDRY

F

LAVATORY COUPLING NUT

PART#	SIZE	MATERIAL
1322	1/2" x 7/16"	Brass
1322C	1/2" x 7/16"	CP brass
1326C	1/2" x 3/8"	CP die cast
1327C	1/2" x 7/16"	CP die cast
1327P	1/2" x 7/16"	Die cast
1328C	1/2" x 1/2"	CP die cast
1328P	1/2" x 1/2"	Die cast
1335	1/2" x 1/2"	Brass
1335C	1/2" x 1/2"	CP brass

PLASTIC SUPPLY TUBES

- PEX flexible supply tubes in 3/8" O.D. for faucets & toilet fill valves
- Pack 10 per bag
- With plastic ferrule

PART#	LENGTH	DESCRIPTION
55590	12"	For fill valve
55591	20"	For fill valve
55592	30"	For fill valve
55593	12"	For faucet valve
55594	20"	For faucet valve
55595	30"	For faucet valve

LAVATORY TAILPIECE

- 1/4" IPS x 1-1/2" long brass
- Sold per pair

PART#	DESCRIPTION
857	Lavatory tailpiece

KITCHEN & LAUNDRY

INSTALLATION KITS

WATER CLOSET INSTALLATION KITS



Each package contains 1 of:

part#82 (Brass closet bolts 5/16" x 2-1/4")

part#55510 (12" toilet SS braided supply)

part#27082 includes **part#268** (wax gasket)

part#27083 includes **part#270** (wax gasket with horn)

PART#	DESCRIPTION
27082	Toilet installation kit
27083	Toilet installation kit, with wax gasket with horn

1/4 TURN STRAIGHT STOPS FAUCET HOOK UP KITS

Each package contains 2 of:

1/4 turn straight stops

Stainless steel braided supplies

part#1230 (1/2" flanges)



PART#	SUPPLY LENGTH	1/4 STRAIGHT STOPS
27085	12"	1/2" comp x 3/8" comp
27090	12"	1/2" sweat x 3/8" comp
27094	12"	1/2" PEX x 3/8" comp
27087	20"	1/2" comp x 3/8" comp
27091	20"	1/2" sweat x 3/8" comp
27095	20"	1/2" PEX x 3/8" comp


1/4 TURN ANGLE STOPS FAUCET HOOK UP KITS

Each package contains 2 of:

1/4 turn angle stops

Stainless steel braided supplies

part#1230 (1/2" flanges)



PART#	SUPPLY LENGTH	1/4 TURN ANGLE
27084	12"	1/2" comp x 3/8" comp
27092	12"	1/2" Sweat x 3/8 comp
27096	12"	1/2" PEX x 3/8 comp
27086	20"	1/2" comp x 3/8 comp
27093	20"	1/2" Sweat x 3/8 comp
27097	20"	1/2" PEX x 3/8 comp

DISHWASHER HOOK-UP KIT



Each package contains 1 of:

part#506065 teflon tape

part#3332 1/4 turn straight stop 1/2" compression x 3/8" compression

part#55516 60" stainless steel braided supply

part#27088 ABS fitting dw wye

1-1/2" x 1-1/2" x 3/4" barb

PART#	DESCRIPTION
27089	Dishwasher hook up kit

3 WAY QUARTER TURN VALVES**QUARTER TURN VALVE WITH TEE FITTING**

- Quarter turn valve
- With tee fitting
- Chrome plated
- 3/8" or 1/4" connected
- 1 per bag
- cUPC approved valve

PART#	DESCRIPTION
3406	3/8" O.D. x 3/8" female O.D. x 3/8" O.D.
3407	3/8" O.D. x 3/8" female O.D. x 1/4" O.D.

QUARTER TURN 3 WAY VALVE

- 3 way valve
- Chrome plated
- Quarter turn
- Brass plug included
- 1 per bag
- cUPC approved

PART#	DESCRIPTION
3404	5/8" O.D. x 3/8" O.D. x 1/4" O.D.
3405	3/8" O.D. x 3/8" O.D. x 1/4" O.D.

QUARTER TURN VALVE PEX TEE FITTING

- Quarter turn valve
- Chrome plated fitting
- Use on dishwasher
- Use on humidifier
- 1 per bag
- cUPC approved valve

PART#	DESCRIPTION
3410	1/2" PEX x 1/2" PEX x 3/8" O.D. comp.
3411	1/2" PEX x 1/2" PEX x 1/4" O.D. comp.

ADAPTER TEE - 3 WAY

- Brass adapter valve
- Retrofit applications
- 1 per bag

PART#	DESCRIPTION
3415	3/8" female O.D. comp. x 3/8" comp. x 1/4" comp.
3416	3/8" female O.D. comp. x 3/8" comp. x 3/8" comp.

STOP VALVES

**QUARTER TURN STOP
ANGLE 1/2" COPPER SWEAT**

- Chrome plated
- Smooth 1/4 turn on/off action
- Brass ball & body
- PTFE seats
- Premium quality
- NSF 61.9 approval
- cUPC approved

**QUARTER TURN STOP
ANGLE 3/8" FIP**

- Chrome plated
- Smooth 1/4 turn on/off action
- Brass ball & body
- PTFE seats
- Premium quality
- NSF 61.9 approval
- cUPC approved

PART#	DESCRIPTION
3334	1/2" copper sweat x 3/8" compression

PART#	DESCRIPTION
3333	3/8" FIP x 3/8" compression

**STOP VALVES ANGLE, COMPRESSION
1/2" SWEAT**

- Chrome plated
- Solid die cast plated handle
- Brass body
- Plated brass stem
- Premium quality
- cUPC approved

PART#	DESCRIPTION
12655	1/2" Sweat x 3/8" compression

**STOP VALVES, COMPRESSION
ANGLE 3/8" FIP**

- Chrome plated
- Solid die cast plated handle
- Brass body
- Plated brass stem
- Premium quality
- cUPC approved

PART#	DESCRIPTION
12651	3/8" FIP x 3/8" compression

STOP VALVES

F

**QUARTER TURN STOP STRAIGHT
3/8" F.I.P. INLET**

- Chrome plated
- Smooth 1/4 turn on/off action
- Brass ball & body
- PTFE seats
- Premium quality
- NSF 61.9 approval
- cUPC approved

**QUARTER TURN STOP STRAIGHT
1/2" COPPER SWEAT**

- Chrome plated
- Smooth 1/4 turn on/off action
- Brass ball & body
- PTFE seats
- Premium quality
- NSF 61.9 approval
- cUPC approved

PART#	DESCRIPTION
3329	3/8" F.I.P. inlet x 3/8" compression

PART#	DESCRIPTION
3331	1/2" copper sweat x 3/8" compression

**STOP VALVES, COMPRESSION
STRAIGHT 3/8" FIP**

- Chrome plated
- Solid die cast plated handle
- Brass body
- Plated brass stem
- Premium quality
- cUPC approved

**STOP VALVES STRAIGHT
1/2" SWEAT COMPRESSION**

- Brilliant chrome finish
- Solid die cast plated handle
- Brass body
- Plated brass stem
- Premium quality
- cUPC approved

PART#	DESCRIPTION
12650	3/8" FIP x 3/8" compression

PART#	DESCRIPTION
12654	1/2" sweat x 3/8" compression

KITCHEN & LAUNDRY

STOP VALVES

QUARTER TURN STOP
ANGLE 1/2" F.I.P. INLET

- Chrome plated
- Smooth 1/4 turn on/off action
- Brass ball & body
- PTFE seats
- Premium quality
- NSF 61.9 approval
- cUPC approved

QUARTER TURN STOP
STRAIGHT 1/2" F.I.P. INLET

- Chrome plated
- Smooth 1/4 turn on/off action
- Brass ball & body
- PTFE seats
- Premium quality
- NSF 61.9 approval
- cUPC approved

PART#	DESCRIPTION
3335	1/2" F.I.P. inlet x 3/8" compression

PART#	DESCRIPTION
3330	1/2" F.I.P. Inlet x 3/8" compression

STOP VALVES ANGLE
1/2" FIP x COMPRESSION

- Chrome plated
- Solid die cast plated handle
- Brass body
- Plated brass stem
- Premium quality
- cUPC approved

STOP VALVES STRAIGHT
1/2" FIP x COMPRESSION

- Chrome plated
- Solid die cast plated handle
- Brass body
- Plated brass stem
- Premium quality
- cUPC approved

PART#	DESCRIPTION
12653	1/2" FIP x 3/8" compression

PART#	DESCRIPTION
12652	1/2" FIP x 3/8" compression

STOP VALVES**QUARTER TURN STOP
ANGLE 5/8" OD COMPRESSION**

- Chrome plated
- Smooth 1/4 turn on/off action
- Brass ball & body
- PTFE seats
- Premium quality
- NSF 61.9 approval
- cUPC approved

**QUARTER TURN STOP STRAIGHT
5/8" COMPRESSION**

- Chrome plated
- Smooth 1/4 turn on/off action
- Brass ball & body
- PTFE seats
- Premium quality
- NSF 61.9 approval
- cUPC approved

PART#	DESCRIPTION
3336	5/8" compression x 3/8" compression

PART#	DESCRIPTION
3332	5/8" compression x 3/8" compression

**STOP VALVES ANGLE
5/8" COMPRESSION**

- Chrome plated
- Solid die cast plated handle
- Brass body
- Plated brass stem
- Premium quality
- cUPC approved

**STOP VALVES STRAIGHT
5/8" COMPRESSION**

- Chrome plated
- Solid die cast plated handle
- Brass body
- Plated brass stem
- Premium quality
- cUPC approved

PART#	DESCRIPTION
12657	5/8" compression x 3/8" compression

PART#	DESCRIPTION
12656	5/8" compression x 3/8" compression

STOP VALVES

ADD A STOP RETROFIT 1/4 TURN VALVE - STRAIGHT



- 1/4" turn smooth on/off
- Don't spend time removing an existing stop or fitting, especially in tight places
- It only takes seconds to thread the 1/4 turn retrofit ball stop onto an existing fitting or seized stop
- Premium quality
- cUPC approved

ADD A STOP RETROFIT 1/4 TURN VALVE - ANGLE



- 1/4" turn smooth on/off
- Don't spend time removing an existing stop or fitting, especially in tight places
- It only takes seconds to thread the 1/4 turn retrofit ball stop onto an existing fitting or seized stop
- Premium quality
- cUPC approved

PART#	DESCRIPTION
3326	3/8" compression x 3/8" compression

PART#	DESCRIPTION
3325	3/8" compression x 3/8" compression

QUARTER TURN STOP ANGLE, WITH 1/4" MALE THREAD



- 1/4 turn on/off valves
- Brass ball & body
- Forged quarter turn angle stops with 1/4" MPT connection
- Premium quality
- cUPC approved

QUARTER TURN STOP STRAIGHT WITH 1/4" MALE THREAD



- 1/4 turn on/off valves
- Brass ball & body
- Forged quarter turn angle stops with 1/4" MPT connection
- Premium quality
- cUPC approved

PART#	DESCRIPTION
3560	1/4" MPT x 3/8" compression

PART#	DESCRIPTION
3562	1/4" MPT x 3/8" compression

AERATORS**AERATOR PREMIUM QUALITY**

PART#	THREADS	STYLE	GPM @ 60 PSI
2100	Male 15/16" -27	Slotted	2.0
2103	Female 55/64" -27	Slotted	2.0
2105	Dual 15/16" - 55/64" -27	Slotted	2.0
2105BN	Dual 15/16" - 55/64" - 27	Slotted brushed nickel	2.0
2105PB	Dual 15/16" - 55/64" - 27	Slotted polished brass	2.0
2104	Dual 15/16" - 55/64"- 27	Slotted WS	1.5

AERATOR ECONOMY QUALITY

PART#	THREADS	STYLE	GPM @ 60 PSI
2120	Male 15/16" -27	Non-slotted	2.0
2122	Female 55/64" -27	Non-slotted	2.0
2124	Dual 15/16" -55/64" -27	Non-slotted	2.0
2130	Male 13/16" -27	Non-slotted	2.0
2131	Female 13/16" -27	Non-slotted	2.0
2132	Male 15/16" -27	Non-slotted WS	1.5
2133	Female 55/64" -27	Non-slotted WS	1.5
2134	Dual 15/16" -55/64" -27	Non-slotted WS	1.5
2135	Female 55/64" -27	Non-slotted WS	1
2137	Dual 15/16" -55/64" -27	Non-slotted WS	1
2138	Male 15/16" -27	Non-slotted WS	1

AERATOR - 6 PACK TUBES

PART#	TYPE	STYLE	GPM @ 60 PSI
2103T	Premium - female 55/64" -27	Slotted	2.0
2105T	Premium - dual 15/16"-55/64" - 27	Slotted	2.0
2104T	Premium - dual 15/16"-55/64" - 27	Slotted WS	1.5
2120T	Economy - male 15/16" - 27	Non-slotted	2.0
2122T	Economy - female 55/64" - 27	Non-slotted	2.0
2124T	Economy - dual 15/16"-55/64" - 27	Non-slotted	2.0
2130T	Economy - male 13/16" - 27	Non-slotted	2.0
2132T	Economy - male 15/16" -27	Non-slotted	1.5
2133T	Economy - female 55/64" - 27	Non-slotted WS	1.5
2134T	Economy - dual 15/16"-55/64" - 27	Non-slotted WS	1.5

AERATORS

AERATOR - COUNTER DISPLAYS

24
Tubes
6 Aerators
per tube



- These displays are guaranteed to trigger an impulse purchase by the plumber!
- Small display generates BIG profits!

Slotted premium quality

PART# DUAL THREADS

2106	Contains 144 - part#2105
2107	Contains 144 - part#2104 (water saver)

Non-slotted economy quality

PART# DUAL THREADS

2125	Contains 144 - part#2124
2136	Contains 144 - part#2134 (water saver)

AERATOR - VANDAL RESISTANT



- Chrome plated brass
- Special key wrench included

PART#	TYPE	FLOW	GPM @ 60PSI
2126	Female - 55/64" - 27T	Water saver	.50
21261	Female - 55/64" - 27T	Water saver	1.0
2127	Male - 15/16" - 27T	Water saver	.50
21271	Male - 15/16" - 27T	Water saver	1
2128	Female - 55/64" - 27T	Standard	2.2
2129	Male - 15/16" - 27T	Standard	2.2
2126K	Replacement key only		

AERATOR - SWIVEL



- Popular double jointed swivel aerators
- All white or white with chrome trim
- Counter display with 36 units

PART#	TYPE	DESCRIPTION
2002	Shower head - low flow	1.5 gpm, CSA approved
2002A	Single aerators - double	White with chrome trim
2002B	Single aerators - double	All White
2002D	Point of sale counter display	18 - 2002A & 18 - 2002B
2002DC	Point of sale counter display	36 - 2002A
2002VP	Shower head - low flow vandal proof	1.5 gpm, CSA approved

AERATORS & AERATOR ADAPTERS

F

PREMIUM DECORATIVE AERATOR , PYRAMID

- Pyramid style premium aerator
- Chrome finish
- 15/16 male thread
- 2.0 GPM
- Perfect match to classical & decorative faucets

PART#	DESCRIPTION
1995	Pyramid style aerator

PREMIUM DECORATIVE, BELL

- Bell style premium aerator
- Chrome finish
- 15/16 male thread
- 2.0 GPM
- Perfect match to classical & decorative faucets

PART#	DESCRIPTION
1996	Bell style aerator

PREMIUM DECORATIVE AERATOR , FLUTE


- Flute style aerator
- Chrome finish
- 15/16 male thread
- 2.0 GPM
- Perfect match to classical & decorative faucets

PART#	DESCRIPTION
1997	Flute style aerator

AERATOR ADAPTER, DUAL THREAD FAUCET TO HOSE THREAD

- Threadsize: 55/64-27, 1516-24 x 3/4GHT

PART#	DESCRIPTION
2260	Faucet to hose thread

AERATOR ADAPTER, W/ GARDEN HOSE THREAD

PART#	DESCRIPTION
2261	Garden hose thread

MALE ADAPTER, 15/16" - 27 TPI X 55/64" - 27 TPI

PART#	DESCRIPTION
2262	15/16" - 27 TPI x 55/64" - 27 TPI

KITCHEN & LAUNDRY

KITCHEN & LAUNDRY

MALE ADAPTER, 13/16" - 27 TPI x 55/64" - 27 TPI



PART#	DESCRIPTION
2263	13/16" - 27 TPI x 55/64" - 27 TPI

FEMALE x MALE 55/64" - 27 TPI



PART#	DESCRIPTION
2264	Female 3/4" x male 55/64 x 27 TPI
2265	Female 13/16" x male 55/64 x 24 TPI

FEMALE 55/64" - 27 TPI x FEMALE 15/16" - 24 TPI




PART#	DESCRIPTION
2177	Chrome plated brass female 55/64" - 27 TPI x female 15/16" - 24 TPI

DISHWASHER ADAPTER



PART#	DESCRIPTION
2266	Dual thread dishwasher adapter w/aerator
2178	Female thread dishwasher adapter w/aerator
2180	Dual thread dishwasher adapter non-aerator

LAVATORY LEGS



- Chrome plated
- 2" adjustment
- 30" overall length
- Boxed by the pair
- Installation instructions with each pair
- Adjustable to fit a variety of china & enamel lavatories

PART#	DESCRIPTION
1250	Lavatory legs

KITCHEN & LAUNDRY

F

DEEP BASIN ROSETTE

- Stamped steel

FLAT BASIN ROSETTE

- Stamped steel

PART#	DESCRIPTION
1266	Deep basin rosette

PART#	DESCRIPTION
1268	Flat basin rosette

FAUCET HOLE COVERS

- Covers pre drilled holes on sink and counters

PART#	SIZE
1274	2"
1275	1-3/4"

NUT - LOCK

- Sink strainer replacement nut in brass

PART#	SIZE	MATERIAL
1312	3-3/8"	Brass basket strainer

SNAP-IN FAUCET HOLE COVER

- Chrome plated
- Fits 1-1/2" hole
- Holes in china or stainless steel fixtures vary in diameter
- This cover fits most but not all manufacturers

PART#	DESCRIPTION
1279	Snap-in faucet hole cover

SINK HOLD DOWN BOLT

- Hold down sinks
- Pack of 4 or bulk available
- 3-5/16" long x 1/4" diameter
- With side clip

PART#	DESCRIPTION
4517	Sink hold down bolt - 4 pack
4517Q	Sink hold down bolt - bulk

KITCHEN & LAUNDRY

KITCHEN & LAUNDRY

STOPPER - FIT ALL RUBBER



PART#	BULK PART#	DESCRIPTION
12000	12000Q	Basin 1" to 1-3/8"
12001	12001Q	Tub 1-1/2" to 2"

RUBBER STOPPER



PART#	BULK PART#	SIZE
12005	12005Q	1"
12006	12006Q	1-1/8"
12007	12007Q	1-1/4"
12008	12008Q	1-3/8"
12009	12009Q	1-1/2"
12010	12010Q	1-5/8"
12011	12011Q	1-3/4"
12012	12012Q	1-7/8"

BEAD CHAIN # 10



PART#	MATERIAL	DESCRIPTION
1122	Plated steel	250 ft. roll
1124	Plated brass	250 ft. roll
1130	Plated steel	Connector type "B"
1131	Plated steel	Connector type "A"

BATH & BASIN STOPPER CHAIN

- "B" Connector with loop ring
- Stoppers not included



PART#	MATERIAL	DESCRIPTION
1123	Plated steel	11" - basin w/ "B" connector
1123A	Plated steel	11" - basin w/ "B" connector & loop ring
1125	Plated steel	15" - bath w/ "B" connector
1125A	Plated steel	15" - bath w/ "B" connector & loop ring
1118	Plated brass	11" - basin w/ "B" connector
1118A	Plated brass	11" - basin w/ "B" connector & loop ring
1119	Plated brass	15" - bath w/ "B" connector
1119A	Plated brass	15" - bath w/ "B" connector & loop ring

KITCHEN & LAUNDRY

F

SINK STRAINER, WIRE MESH

- Chrome plated wire mesh screens
- Contains 3 strainers, 2", 2 3/4" and 3 1/2" wide
- For use in sinks & bathtubs
- Allows water to drain while catching debris, food, hair etc.
- Displayed packaged

PART#	DESCRIPTION
21822	Wire mesh, 3 piece set

SINK STRAINER, PLASTIC

- White plastic screens for sink and bath
- Contains 2" and 2-3/4" sizes
- Allows water to drain while catching debris, food, hair etc.
- Display packaged

PART#	DESCRIPTION
21820	Plastic strainers, large and small

HAIR SNARE

- LYNCAR'S hair snare
- White PVC
- Packaged for display
- Use in household drains

PART#	DESCRIPTION
21817	Hair snare

HOSE CLAMP

- All stainless steel hose clamp
- Stainless housing and screw
- 10 pieces per box
- For full line of LYNCAR'S hose clamps see **page J-5**

PART#	DESCRIPTION
63010	5/8" clamp
63016	7/8" clamp

DISHWASHER DRAIN HOSE

- Box packaged
- Made of braided rubber with a rayon tire grade cord
- It is an extremely durable hose & resists kinking

PART#	SIZE	LENGTH
506	5/8"	50'
507	7/8"	50'

DISHWASHER CONNECTOR KIT

- Rigid construction
- Will not collapse

PART#	DESCRIPTION
496	Dishwasher connector kit

KITCHEN & LAUNDRY

DUCTING

FRESH AIR INTAKES W/ SCREEN



- To allow fresh air to enter the home
- 1/4" galvanized screen included.
- For fireplaces, H.E. furnaces



PART#	DESCRIPTION
1716W	3" new style - white
1716B	3" new style - brown
1717W	4" new style - white
1717B	4" new style - brown

DRYER VENT KIT - PRO FLEX



- With 4" x 8' aluminum duct pipe, wall flange & clamps
- UL listed recommended for gas & electric dryers



PART#	DESCRIPTION
1716	Dryer vent kit - pro flex

VENT CAPS REPLACEMENT



- Flat screen(louvered) or traditional



PART#	DESCRIPTION
1696W	4" traditional - white
1696B	4" traditional - brown
1697W	4" louvered - white
1697B	4" louvered - brown
1698W	4" fresh air (molded screen) - white
1698B	4" fresh air (molded screen) - brown

VENT HOOD- TRADITIONAL STYLE



- With 4" aluminum duct pipe
- Weather resistant
- Paintable
- Narrow profile
- Prevents drafts



PART#	COLOUR
1718W	White
1718B	Brown

VENT HOOD - LOUVERED STYLE



- With 4" aluminum duct pipe



PART#	DESCRIPTION
1721W	White
1721B	Brown

DUCTING

F

DUCT - PRO FLEX DRYER TRANSITION

- Box packaged
- 4" diameter x 8 feet long
- UL approved, listed & marked

PART#	DESCRIPTION
1714	Duct - PRO FLEX Dryer transition

DUCT - FLEXIBLE ALUMINUM FOIL

- Box packaged
- 4" diameter x 25 feet long
- Recommended for venting electric dryer & air intake
- cUL listed

PART#	DESCRIPTION
1720	4" x 25' boxed

DUCT - FLEXIBLE ALUMINUM

- Box packaged
- 4" diameter x 10' long
- Recommended for venting gas dryer
- cUL listed

PART#	DESCRIPTION
1694	4" x 10' boxes

DUCT - RESIDENTIAL INSULATED

- 4" diameter x 25 feet long
- Bulk packaged
- Recommended for venting
- cUL, UL approved, listed & marked

PART#	DESCRIPTION
16955	4" x 25'

KITCHEN & LAUNDRY

DUCTING

DRYER VENT KIT - INDOOR



- Used for electric dryers when outdoor venting is not possible
- Great for apartments and R.V's
- 1 per box & 12 per case
- cUL approved PROFLEX dryer duct included



PART#	DESCRIPTION
1719	Dryer vent kit - indoor

CLAMPS FOR DRYER DUCTS



- Extra clamps for mounting dryer duct



PART#	DESCRIPTION
1724	3"- 4" adjustable plastic clamp
1723	4" tension metal clamp

DRAIN COVER ALUMINUM



- Aluminum floor drain cover
- Heavy duty construction
- 1/4" thick x 4-1/2" diameter

PART#	DESCRIPTION
1216	Drain cover replacement

WASHING MACHINE PAN



- High impact white polypropylene Plastic Matte finish
- Will not rust, corrode or crack
- Includes PVC drain fitting
- Bottom or side outlet (not pre-cut)
- 1" drain can pass all codes
- Easy to install
- OD 27" x 30" x 2-1/8"
- Only sold as boxes of 6

PART#	DESCRIPTION
11506	Washing machine pan

LAUNDRY HOOKS - ALUMINUM



- Aluminum hooks for drain on laundry
- Available in 3/4" or 1" diameter sizes

PART#	SIZE
12605	3/4" x 11"
12610	1" x 11"

MOLDED HOOK DRAIN HOSE



- Molded rubber drain hose
- With expanded end
- Will fit drain outlets of 3/4", 7/8" & 1" sizes

PART#	DESCRIPTION
12600	Molded hook drain hose

FAUCET - BAR & LAUNDRY**FAUCET - LAUNDRY TRAY**

- Laundry tray faucet, 4" centres
- Full metal construction, brass waterways
- Double O-Ring Spout
- Tubular spout with hose threads
- Metal chrome handles
- Trap seal primer
- Removeable aerator
- Compression cartridges



PART#	DESCRIPTION
-------	-------------

33200	Faucet complete
33201	Handles - hot & cold
33202	Cartridge

FAUCET - LAUNDRY BRASS

- All brass laundry tray faucet
- 4" centres
- 6" tubular spout with hose threads
- EMCO style red & blue laundry handles
- Mounting bracket included
- Trap seal primer
- Removeable aerator
- Compression cartridges
- CSA approved



PART#	DESCRIPTION
-------	-------------

33205	Faucet complete
2013	Red handle
2014	Blue handle
899	Cartridge

FAUCET - WALL MOUNT WITH SOAP DISH

- Chrome plated cast brass body
- 6" cast spout
- Complete with soap dish
- Lever handles
- Rear flanges

PART#	DESCRIPTION
-------	-------------

21815	Faucet - wall mount with soap dish
--------------	------------------------------------

BAR FAUCET

- Polished chrome plated metal
- 4" centres
- 6" goose neck spout
- Brass waterways
- Metal handles
- CSA approved




PART#	DESCRIPTION
-------	-------------

34295	Faucet complete
33201	Handles - hot & cold
33202	Cartridge

PANTRY FAUCETS


PANTRY FAUCET - LONG REACH



- 7/16" diameter hole required
- 1/4" compression connection
- Chrome
- cUPC approved

PART#	DESCRIPTION
2040LR	Pantry faucet - long reach


PANTRY FAUCET - TALL SPOUT



- 7/16" diameter hole required
- 1/4" compression connection
- Chrome

PART#	DESCRIPTION
2040TS	Pantry faucet - tall spout

PANTRY FAUCET - THE ORIGINAL



- 7/16" diameter hole required
- cUPC approved

PART#	FINISH	COMPRESSION CONNECTION
2040	Chrome	1/4"
2040BN	Brushed nickel	1/4"
2041	Chrome	3/8"

LIQUID SOAP DISPENSER UNIVERSAL QUALITY REPLACEMENT



- 2" spout
- 10" length
- Chrome plated or brushed nickel brass pump
- Mounts through counter
- Unbreakable poly bottle
- Holds 7 oz.

PART#	DESCRIPTION
2042	Chrome
2042BN	Brushed nickel
2042P	Replacement pump

KITCHEN & LAUNDRY


F

QUICK DECK PLATE

Retrofit Deck Repair Plate



Deck Repair Plate



- 2 great time savers for the maintenance plumber
- 8" faucet deck repair plate
- This deck backer plate provides a solid foundation to secure 8" centre faucets.
- Ideal for securing faucets to counter tops with over size & irregular holes or uneven under-the counter mounting surfaces. 14GA
- Galvanized steel
- Select the retrofit deck repair plate for those situations when removing & reinstalling the supply lines are not practical
- Finish: galvanized steel painted red

PART#	DESCRIPTION
1214R	Retrofit repair plate
1214	Deck repair plate

FAUCET LOCKNUT



- Plastic 1/2 IPS
- For bottom thread on faucet

PART#	DESCRIPTION
4410	Faucet Locknut - pair
4410Q	Faucet Locknut - bulk

SHANK EXTENDERS



- Add additional threads to faucet to get below deep counters
- Answer to a common problem "I need more length to fit the granite top"
- 1-1/2" overall
- Seals with ID O-Rings
- Solid brass

PART#	DESCRIPTION
33216	Shank extenders, pair

KITCHEN & LAUNDRY

ICE MAKER HOOK-UP KITS

ICE MAKER KIT WITH POLY TUBING



For use on refrigerators with automatic icemakers. Also use on humidifiers.

KIT CONTAINS

- 1. 1/4" x 25' poly tubing
- 1. self-piercing needle valve
- 1. 1/4" compression union
- 2. 1/4" brass insert sleeves
- 2. 1/4" delrin insert sleeves

PART#	DESCRIPTION
2045	Poly hook - up kit

ICE MAKER KIT WITH COPPER TUBING



For use on refrigerators with automatic icemakers. Also use on humidifiers.

KIT CONTAINS

- 1. 1/4" x 25' copper tubing
- 1. self piercing needle valve
- 1. 1/4" compression union
- 1. 1/4" compression male
- 1. 1/4" 90° compression elbow

PART#	DESCRIPTION
2049	Copper hook up kit

ICEMAKER ACCESSORIES

F

SELF PIERCING NEEDLE VALVES

- For 3/8" To 1" copper tube
- KIT CONTAINS:
Needle valve
Saddle clamp
Nuts
Bolts

PART#	DESCRIPTION
2162	Self piercing needle valves
2162Q	Self piercing needle valves - bulk

VALVE - SELF-PIERCING SADDLE / HUMIDIFIER

- Easy to install
- Will not flatten pipe
- 1/4" compression outlet
- Fits 3/8", 7/16", 5/8" copper

PART#	DESCRIPTION
2165	Self piercing saddle valve
2165Q	Self piercing saddle valve - bulk

CARBON FILTER - GRANULATED

- Filters contain granulated carbon for taste & odor removal from municipal drinking water.
- Container - Polypropylene
- Media- activated carbon
- Filter/screen - Polyester Felt
- Micron size - 20
- Flow rate - 1 GPM @ 60 PSI
- Life span - 3-6 months
- Effective filtering - 2000 GAL.
- Temp rating - 120° F
- Pressure rating - 125 PSI

PART#	DESCRIPTION
2060	Carbon filter

KITCHEN & LAUNDRY

FITTING ADAPTERS

COMPRESSION x COMPRESSION



- Chrome brass finish

PART#	TYPE	DESCRIPTION
12770	Straight body	3/8" compression x 5/8" compression
12771	Straight body	1/2" compression x 5/8" compression
12772	Angle body	3/8" compression x 5/8" compression
12773	Angle body	1/2" compression x 5/8" compression

SWEAT x COMPRESSION



- Brass finish

PART#	TYPE	DESCRIPTION
12777	Straight body	1/2" sweat x 3/8" compression
12778	Angle body	1/2" sweat x 3/8" compression

FIP x COMPRESSION



- Chrome brass finish

PART#	TYPE	DESCRIPTION
12779	Straight body	3/8" FIP x 3/8" compression
12783	Straight body	1/2" FIP x 3/8" compression
12780	Angle body	3/8" FIP x 3/8" compression
12784	Angle body	1/2" FIP x 3/8" compression

MIP x SWEAT



- Rough brass finish

PART#	DESCRIPTION
12804	1/2" MIP x 1/2" sweat
12805	3/4" MIP x 1/2" sweat
12806	3/8" MIP x 1/2" sweat
12807	3/8" MIP x 3/8" sweat

SEE PAGE G-6 FOR PEX X COMPRESSION

FITTING ADAPTERS

F

FAUCET ADAPTER

- Chrome brass finish

PART#	DESCRIPTION
12776	1/2" FIP x 5/8" compression

COMPRESSION UNION

- Chrome brass finish

PART#	DESCRIPTION
12775	1/4" compression x 1/4" compression
12774	3/8" compression x 3/8" compression
12789	1/2" compression x 1/2" compression
12790	5/8" compression x 5/8" compression

FIP x SWEAT

- Rough brass finish

PART#	DESCRIPTION
12800	1/2" FIP x 1/2" sweat
12801	3/8" FIP x 3/8" sweat
12802	3/4" FIP x 1/2" sweat
12803	3/8" FIP x 1/2" sweat

MIP x COMPRESSION

- Chrome brass finish

PART#	TYPE	DESCRIPTION
12787	Straight body	1/4" MIP x 3/8" compression
12781	Straight body	3/8" MIP x 3/8" compression
12785	Straight body	1/2" MIP x 3/8" compression
12788	Straight body	1/4" MIP x 1/4" compression
12782	Angle body	3/8" MIP x 3/8" compression
12786	Angle body	1/2" MIP x 3/8" compression

KITCHEN & LAUNDRY

F

NOTES

KITCHEN & LAUNDRY