

# Scale Management System

Model NSAS 2500 Model NSAS 4500 Model NSAS 6500

### **How It Works:**

The Scale Management Media precipitates calcium carbonate slowly within the pores of the media as hard water flows through it, slightly reducing the hardness of the water and lowering the waters scaling potential. This happens through a process which causes the precipitation of hardness. Scale Management Media has a high charge density and has greater potential to perform this process than other media.

#### **Products**

| <b>COMPLETE SYS</b>                         | TEMS    |                   |               |                  |  |
|---|---------|-------------------|---------------|------------------|--|
| Model                                       | P/N     | Inlet/Outlet FNPT | Flow Rate GPM |                  |  |
| NSAS 2500                                   | 7337018 | 3/4"              | 5             |                  |  |
| NSAS 4500                                   | 7337000 | 1"                | 10            |                  |  |
| NSAS 6500                                   | 7336999 | 1"                | 12            |                  |  |
| REPLACEMENT CARTRIDGES FOR SYSTEMS          |         |                   |               |                  |  |
| Model                                       | P/N     | Size              | Flow Rate GPM | Fits This System |  |
| NSAS 2510                                   | 7337131 | 2.5" x 10"        | 5             | NSAS 2500        |  |
| NSAS 4510                                   | 7337686 | 4.5" x 10"        | 10            | NSAS 4500        |  |
| NSAS 6520                                   | 7337115 | 4.9" x 20"        | 12            | NSAS 6500        |  |
| REPLACEMENT CARTRIDGE FOR COMPETITIVE MODEL |         |                   |               |                  |  |
| Model                                       | P/N     | Size              | Flow Rate GPM |                  |  |
| NSAS 2520                                   | 7337123 | 2.5" x 20"        | 3             |                  |  |

## **Specifications**

| Model              | NSAS 2500    | NSAS 4500  | NSAS 6500  |
|--------------------|--------------|------------|------------|
| Flow Rate (gpm)    | 5            | 10         | 12         |
| Max pressure       | 100 psi      | 100 psi    | 100 psi    |
| Max Temp           | 100 F        | 100 F      | 100 F      |
| Overall Dimensions | 4.9" x 11.5" | 7.2" x 13" | 7.2" x 23" |
| Weight             | 4.5 lbs      | 8 lbs      | 14 lbs     |
| Sump Color         | Blue         | Blue       | Blue       |
| Bracket & Screws   | included     | included   | included   |



A Marmon Water/Berkshire Hathaway Company



#### **Dimensions**





