



Institutional Quality - Specification Grade

Contemporary Design • Individually Pressure Tested



AB 1953

Heavy Duty - Wall Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator
- Color coded handles
- Full flow with a quarter turn of the handle



333 Series Stems
33029 - Handle
Use Swing or Goose Spout

| PART NUMBER | SPOUT LENGTH | ADJUSTS |
|-------------|--------------|------------------------|
| 33006 | 6" | 7-1/2" to 8-1/2" |
| 33008 | 8" | |
| 33010 | 10" | |
| 33012 | 12" | |
| 33014 | 14" | |

Medium Duty - Wall Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator



333 Series Stems
33029 - Handle
Use Swing or Goose Spout

| PART NUMBER | SPOUT LENGTH | ADJUSTS |
|-------------|--------------|------------------------|
| 33306 | 6" | 7-1/2" to 8-1/2" |
| 33308 | 8" | |
| 33310 | 10" | |
| 33312 | 12" | |
| 33314 | 14" | |

Heavy Duty - Deck Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator
- Color coded handles



| PART NUMBER | LENGTH |
|-------------|--------|
| 33410 | 10" |
| 33412 | 12" |

Commercial Faucets



Highest Quality • Durable • Reliable • Economical

Compliant

AB 1953

Heavy Duty - Deck Mount - 4" Centers

- Chrome plated brass
- 1/2" FPT inlets
- Satin finished brass water ways
- 55/64" Female water saver aerator
- Twin Seal chrome plated brass tubular swing spout



330 Series Stems

33029 - Handle

Use Swing or
Goose Spout

| PART NUMBER | SPOUT LENGTH |
|-------------|--------------|
| 33105 | 6" |
| 33106 | 12" |
| 33105-G | 6" Gooseneck |

Medium Duty - Deck Mount - 4" Centers - Sink or Laundry Tray

- Same features as above model but a lighter pattern style and plain brass water ways.
- Supplied with hose thread adapter



331 Series Stems

33160 - Set of Handles

| PART NUMBER | SPOUT LENGTH |
|-------------|--------------|
| 33151 | 6" Gooseneck |
| 33152 | 6" |
| 33153 | 8" |
| 33154 | 10" |
| 33155 | 12" |

Medium Duty - Wall Mount - 4" Centers

- Same features as above models but a lighter pattern style and plain brass water ways



331 Series Stems

33160 - Set of Handles

| PART NUMBER | SPOUT LENGTH |
|-------------|--------------|
| 33161 | 6" Gooseneck |
| 33162 | 6" |
| 33163 | 8" |
| 33164 | 10" |
| 33165 | 12" |
| 33166 | 14" |



Special Duty Commercial Faucets

Highest Quality • Durable • Reliable • Economical

Service Sink Faucets - 8" Centers - 8" Spout

- Integral check stems
- 1/2" FPT inlets
- Satin chrome plated brass
- 3/4" Male hose thread on spout
- Chrome plated brass hinged wall support
- 7-1/2" to 8-1/2" Wall centers



- 33110-B Wall Bracket only
- 330 Series Stem
- 33029 Hot/Cold Handle
- 33101 Brass Slide for Vacuum Breaker
- 33102 Vacuum Breaker Replacement Kit, includes Slide and Insert
- 33103 Plastic Insert for Vacuum Breaker

***Not For Potable Water**

PART NUMBER
33110

Service Sink Faucets - 8" Centers - 2-1/2" Spout

Same features as above model, with the exception of no hinged wall support.



- 330 Series Stem
- 33029 - Handle

***Not For Potable Water**

PART NUMBER
33109

Rubber Mop Sink Hose

- 3/4" female hose thread
- 36" braided hose (shortened photo)



Hose and Bracket sold separately



PART NUMBER
489

Mop Sink Hose Bracket

- Cam action wall bracket to hold hose
- With mounting screws



PART NUMBER
488



Commercial Faucet Replacement Parts

Heavy Duty Swing Spout

- Twin Seal -Tubular
- Chrome plated brass
- 55"/64" Female water saver aerator

Compliant AB 1953



| PART NUMBER | LENGTH |
|-------------|--------|
| 33806 | 6" |
| 33808 | 8" |
| 33810 | 10" |
| 33812 | 12" |
| 33814 | 14" |

Heavy Duty Gooseneck Spout

- Twin Seal -Tubular - Chrome plated brass
- 55"/64" Female aerator

Compliant AB 1953



| PART NUMBER | LENGTH |
|-------------|--------|
| 33831 | 6" |

Replacement Handles

- 20 Spline - Cold or Hot, Sold by the each



Sold Individually with red or blue indicator disks

PART NUMBER
33029

Blade Style Handles

- 20 Spline - Cold or Hot, Sold by the each,
- 4-1/2" Length



Sold Individually with red or blue indicator disks

PART NUMBER
33104

Stems with Handles

- Fits T&S



Compliant AB 1953

| PART NUMBER | TYPE |
|-------------|------|
| 33027-A | Cold |
| 33028-A | Hot |

Replacement Handles

- Hot/Cold handles fit 3315 Series Faucets



PART NUMBER
33160

Replacement Stems



330 Series



331 Series



333 Series

Compliant AB 1953

| PART NUMBER | FITS FAUCET SERIES | TYPE |
|-------------|--------------------|------|
| 33027* | 330 | Cold |
| 33028* | 330 | Hot |
| 33158 | 331 | Cold |
| 33159 | 331 | Hot |
| 33320 | 333 | Cold |
| 33321 | 333 | Hot |

*Fits T&S

Female Supply Inlet Couplings

- Chrome plated brass - 1/2" FPT inlets
- 33350 and 33352 fit heavy duty wall mount faucets
- 33351 fits moderate duty wall mount faucets



| PART NUMBER | FITS | ADJUSTS |
|-------------|-------------|------------------------------|
| 33350 | Heavy Duty | 7-1/2" to 8-1/2" |
| 33351 | Medium Duty | 7-1/2" to 8-1/2" |
| 33352 | Heavy Duty | 4-1/2" to 12-1/2" with stops |



Commercial Pre-Rinse Assemblies

Chrome Plated Brass • Built for Rugged Use

Compliant 

AB 1953

Wall Mount - 8" Centers

Available with either standard 7-1/2" to 8-1/2" adjustable female supply inlet couplings or, with 4-1/2" to 12-1/2" female supply inlet couplings with stops.

- Metal handle - plastic grip spray
- 1/2" FPT inlets
- 3/8" IPS X 24" Chrome plated brass riser
- 38" Stainless steel hose
- 12" Wall bracket
- Food service grade
- Uses 33614 Pre-Rinse Faucet



330 Series Stem
33029 - Handle

Interchanges
with T&S

| PART NUMBER | ADJUSTS |
|-------------|---------------------------------|
| 33013 | 7-1/2" to 8-1/2" |
| 33016 | 4-1/2" to 12-1/2" with stops |

Pre-Rinse Spray Assembly Parts

Pre-Rinse Add On Faucet

- Connects to 3/8" pre-rinse riser
- Chrome plated brass
- 3/8" X 2-3/4" MIP inlet
- Fits all manufacturers

Compliant AB 1953



| PART NUMBER | SPOUT LENGTH |
|-------------|--------------|
| 33614 | 6" |
| 33614-8 | 8" |
| 33614-10 | 10" |
| 33614-12 | 12" |

Pre-Rinse Spray Cartridge

Chrome plated brass

Compliant AB 1953




PART NUMBER
33019

Replaces T & S

Pre-Rinse Hoses

- Flexible stainless steel
- Food grade inner hose withstands continuous working temperature



| PART NUMBER | LENGTH |
|-------------|--------|
| 33044 | 38" |
| 33060 | 54" |

Pre-Rinse Spring - Riser Nipple & Spring Coupling

Spring shortened for photo



| PART NUMBER | DESCRIPTION |
|-------------|--|
| 33022 | L-Spring, 1-1/2" diameter |
| 33023 | 3" Spring coupling Chrome plated brass 3/8" coarse thread x 3/8" FIP |
| 33024 | 3/8" x 24" CP riser nipple* |

*not pictured

Pre-Rinse Spray

Compliant AB 1953

- Chrome plated brass
- Metal handle - plastic grip
- Connects directly to hose
- High pressure wash
- Positive shut off
- Stay ring included



| PART NUMBER | DESCRIPTION |
|-------------|------------------------|
| 33018 | Complete unit |
| 33020 | Bumper ring only |
| 33021 | Spray face only |
| 33030 | Insulated brass handle |

Replaces T & S

Pre-Rinse Wall Bracket & Riser Hook

Chrome plated brass



| PART NUMBER | DESCRIPTION |
|-------------|-----------------------------------|
| 33025 | 1/2" Wall bracket fits 3/8" riser |
| 33026 | 3/8" Riser hook |



Lever & Twist Commercial Sink Drain

Nickel plated brass body, stainless steel handle, stainless steel strainer, nickel plated brass stopper.
Replaces Franklin, Klein, Chicago Faucet, T&S

Lever Handle Drain without Overflow



| PART NUMBER | SINK OPENING | DRAIN CONNECTION |
|-------------|--------------|------------------|
| 33122 | 3-1/2" | 1-1/2" |
| 33123 | 3-1/2" | 2" |

Lever Handle Drain with 1-1/4" Overflow Outlet



| PART NUMBER | SINK OPENING | DRAIN CONNECTION |
|-------------|--------------|------------------|
| 33131 | 3-1/2" | 1-1/2" |
| 33125 | 3-1/2" | 2" |

Twist Lever Handle Drain without Overflow



| PART NUMBER | SINK OPENING | DRAIN CONNECTION |
|-------------|--------------|------------------|
| 33126 | 3-1/2" | 1-1/2" |
| 33127 | 3-1/2" | 2" |

Twist Lever Handle Drain with 1-1/4" Overflow Outlet



| PART NUMBER | SINK OPENING | DRAIN CONNECTION |
|-------------|--------------|------------------|
| 33145 | 3-1/2" | 1-1/2" |
| 33146 | 3-1/2" | 2" |

The above drains fit a 3-1/2" sink opening and utilize a 4-1/2" strainer flange.

Commercial Faucets



Combo Lever & Twist Commercial Sink Drain for 3" Sink Openings


New!



- Supplied with tailpiece for either 2" or 1-1/2" drain outlet
- Supplied with an overflow outlet
- A blind cap is also supplied if overflow is not used

| PART NUMBER | SINK OPENING | HANDLE |
|-------------|--------------|--------|
| 33120 | 3" | Lever |
| 33124 | 3" | Twist |

Handles and strainer are stainless steel. Drain body and stopper are nickel plated brass




| PART NUMBER | DESCRIPTION |
|-------------|---|
| 33133 | Lever Handle |
| 33136 | 3-1/2" Strainer Flange |
| 33137 | O-Ring for Stopper |
| 33138 | 3-1/2" Strainer |
| 33139 | Stopper with O-Ring |
| 33140 | Twist Handle |
| 33143 | 2" x 1-1/2" Slip Joint Drain Reducer Bushing* |
| 33150 | Repair Kit for all drains listed |

*not pictured

Commercial Sink Drain Tool

- Removes Lever & Twist Drains
- Fits 3" & 3-1/2" drains
- Constructed from 304 stainless steel
- Drain Sold Separately

New!



PART NUMBER
7093





Sink or Laundry Tray Faucet 7-1/2" to 9-1/2" Adjustment

This popular utility faucet can now be wall mounted or deck mounted.

PASCO re-introduces this popular utility faucet which was discontinued by Price Pfister.

- Replaces Price Pfister Beverly laundry tray faucet
- 7-1/2" to 9-1/2" wall adjustment
- Chrome plated brass
- 5-1/2" male hose thread spout
- Inlet bodies screw directly onto 1/2" IPS inlet nipples
- Easily adapts to a wide variety of installations

Replacement Stem 21-392
Handle 21-210C 21-220H



Remove hot side inlet and rotate 90° to change faucet to a deck mount.




Part #: 2139

***Not For Potable Water**

**PART NUMBER
69120**

Deck - Patio - Pool - Campground Exposed Shower

- Economical, yet ruggedly constructed for outdoor installations.
- Wall mount
- Chrome Plated Brass
- 7" to 9-1/2" wall adjustment
- Adjustable low flow showerhead
- 6" Adjustable Wall Bracket
- Cross Handles
- 24" Riser
- 1/2" IPS Female Inlets



Replacement Stem 21-392

**PART NUMBER
67252**



Quarter Turn Lavatory Faucet

- Not self-closing
- Plumbers Quality
- Chrome plated brass
- Low flow aerator
- Hot or cold cross handle
- 1/2" IPS shank
- Complete with locknut and rosette



Compliant
 AB 1953

| PART NUMBER | HANDLE |
|-------------|--------|
| 21805 | Hot |
| 21806 | Cold |

Self-Closing Lavatory Faucets - Heavy Duty

New Design

- Star or lever handle
- Vandal proof cap and aerator
- Chrome plated brass
- 1/2" IPS shank
- Low flow aerator
- Complete with locknut and rosette



***Not For Potable Water**

| PART NUMBER | HANDLE STYLE |
|-------------|--------------|
| 21931 | Star |
| 21932 | Lever |

Self-Closing Wall Faucets - Heavy Duty

New Design

- Star or lever handle
- Vandal proof cap
- No aerator
- Chrome plated brass
- 1/2" FPT inlet



***Not For Potable Water**

| PART NUMBER | HANDLE STYLE |
|-------------|--------------|
| 21936 | Star |
| 21937 | Lever |

Push Button Self-Closing Lavatory Faucet

- Economical
- Chrome plated brass
- Low flow aerator
- 1/2" IPS shank
- Complete with locknut and rosette
- Non-adjustable slow close
- Closes in approximately 6 seconds at 60 PSI.



***Not For Potable Water**

| PART NUMBER |
|-------------|
| 21803 |

Push Button Self-Closing Lavatory Faucet

- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- Plumbers Quality
- Chrome plated brass
- Low flow aerator
- 1/2" IPS shank
- Complete with locknut and rosette



***Not For Potable Water**

| SEPARATE CARTRIDGE | PART NUMBER |
|--------------------|-------------|
| 21333 | 21800 |



Push Button Drinking Fountain

- 3/8" FPT
- Chrome plated brass
- Lead-free cartridges
- Replaces HAWS HW5010

Compliant AB 1953



| PART NUMBER | DESCRIPTION |
|-------------|--|
| 2194 | Bubbler w/lead free cartridge |
| 2195 | Lead-free brass replacement cartridges |

| PART NUMBER | REPAIR PARTS |
|-------------|-----------------------------|
| 2194-1 | Chrome collar for button |
| 2194-2 | Chrome push button |
| 2194-3 | Cartridge retention bushing |
| 2194-6 | Inlet washer |
| 2194-M | Mouthpiece set |

Push Button Drinking Fountain Retro Fit Kit

Replaces fountains on china fixtures

Compliant AB 1953

Kit contains:

- # 2194 Chrome plated brass bubbler head with lead-free cartridges
- 1/2" x 3/8" x 3-1/2" inlet nipple
- Polished stainless steel flange
- Rosette, locknut & coupling nut
- 1-3/4" cockhole cover



| PART NUMBER | DESCRIPTION |
|-------------|---|
| 2197 | Retro-fit Kit |
| 1270 | SS flange only |
| 2187 | Brass nipple only |
| 2197-K | Repair kit contains all the above except 2194 Bubbler |

Self-Closing Drinking Fountain

- 1/2" FPT
- Chrome plated brass
- Flow regulator screw
- Cross handle
- Precision ball bearing actions

Compliant AB 1953



| PART NUMBER | FPT |
|-------------|------------|
| 2190 | 1/2" |
| 2190-RK | Repair Kit |

Replacement Parts For Drinking Fountains

for part numbers:

- 2194
- 2197



| PART NUMBER | DESCRIPTION |
|-------------|-----------------------------|
| 2194-1 | Chrome collar for button |
| 2194-2 | Chrome push button |
| 2194-3 | Cartridge retention bushing |
| 2194-6 | Inlet washer |
| 2194-M | Mouthpiece set |



Pure Flow Drinking Fountain Cartridge

- The simple yet durable design allows thousands of on/off cycles
- Fits similar style of fountains like our 2194
- This new design replaces the old style 2195 and 2196 cartridges
- Durable - Lead Free - Easily Adjusted

Compliant

AB 1953

Replaces:
HAW VRK5010
HALSEY-TAYLOR 15010
TOMLINSON 1016337



2195



To adjust water flow, use the "Serrated Dial Counter."
DO NOT USE A SCREWDRIVER. Position the dial turning clockwise to decrease water flow. To increase water flow, turn the dial in a counter clockwise direction. Note the position of the notch on the dial (if turned past 180° the water flow will start to decrease.)

| |
|--------------------|
| PART NUMBER |
| 2195 |
| 2195-SS |

Remote Bush Button Valve

- Superior quality
- Chrome plated brass button and escutcheon
- 1/4" FPT
- Lead-free cartridge

Compliant


AB 1953



| |
|--------------------|
| PART NUMBER |
| 2179 |

Fountain Bushing & Valve Wrench 2-in-1 Tool

- Tightens or loosens cartridge retaining bushing
- Prevents bushing thread damage which causes leaks



| |
|--------------------|
| PART NUMBER |
| 7047 |




Glass Fillers - 3 Styles


The Original



Tall Spout



Long Reach



- Chrome plated brass
- 1/4" or 3/8" compression connection

Compliant AB 1953

| PART NUMBER | DESCRIPTION |
|-------------|-------------------|
| 2040 | Original - 1/4" |
| 2041 | Original - 3/8" |
| 2040-TS | Tall Spout - 1/4" |
| 2040-LR | Long Reach - 1/4" |

Replacement Parts



| PART NUMBER | CONNECTION |
|-------------|--------------------------------------|
| 2039 | 3-3/4" Stud Extender |
| 2044 | Repair Kit |
| 2040-C | 1/4" x 3/8" Tubing Reducing Coupling |

Commercial Sink Overflow

- Chrome plated brass
- 1-1/4" x 14" x 18" Tube
- 1-1/4" Satin chrome plated elbow
- Stainless steel overflow strainer & screw



| PART NUMBER | DESCRIPTION |
|-------------|---|
| 33141 | Strainer with 1-1/4" ELL |
| 33142 | 1-1/4" x 14" x 18" brass overflow elbow for slip joint connection |
| 33144 | Strainer Only |
| 33147 | Complete unit as shown |

Self-Closing Valve

- Chrome plated brass
- 1/2" FPT x 1/2" FPT



**PART
NUMBER**
2192

Push Button Self-Closing 90 Degree Valve

- Chrome plated brass
- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- 1/2" FPT inlet and outlet valve ONLY, no nipples



**PART
NUMBER**
21810

Push Button Self-Closing 180 Degree Valve

- Chrome plated brass
- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- 1/2" FPT inlet and outlet valve ONLY, no nipples



**PART
NUMBER**
21830

Self-Closing Shower Valve

- Chrome plated brass
- 1/2" FPT inlet and outlet



**PART
NUMBER**
2193



**Push Button Self-Closing
90 Degree FlushValve with Vacuum Breaker**

- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- Plumbers quality
- Chrome plated brass
- 1/2" FPT inlet
- Vacuum breaker with 9" overall length
- Chrome plated brass urinal spud flange with spud nut, washers
- 1/2" IPS wall flange



| PART NUMBER | DESCRIPTION |
|-------------|--|
| 21849 | Complete flushvalve WITH vacuum breaker |
| 21850 | Valve ONLY with vacuum breaker adapter |
| 21333 | Cartridge ONLY |
| 2020 | 3/4" x 1-1/2" Chrome plated brass valve to vacuum breaker adapter ONLY |
| 980 | Spud nut ONLY, with washer |
| 981 | Chrome plated brass escutcheon ONLY |
| 982 | Spud nut, escutcheon & washer |

**Push Button Self-Closing
90 Degree FlushValve**

- Use 1/16" Hex key to adjust slow close timing screw. Adjusts closing time from 3 to 15 seconds
- Plumbers quality
- Chrome plated brass
- 1/2" FPT inlet
- 3/4" OD x 8" CP brass tailpiece
- Chrome plated brass urinal spud flange with spud nut, washers
- 1/2" IPS wall flange



| PART NUMBER | DESCRIPTION |
|-------------|---|
| 21840 | Complete flushvalve LESS vacuum breaker |
| 21845 | Valve ONLY with nut & washer |
| 21333 | Cartridge ONLY |
| 980 | Spud nut ONLY, with washer |
| 981 | Chrome plated brass escutcheon & washer |
| 982 | Spud nut, escutcheon & washer |
| 997 | 3/4" OD x 8" CP Brass tube, no threads with washers |

**Vacuum Breaker
with Flush Tailpiece**

- Chrome plated brass
- 9" Overall length
- 1-1/2" Top connection
- 3/4" OD flush tube



**PART
NUMBER
2022**

Vacuum Breaker Repair Kit



**PART
NUMBER
2025**