



PL-C Cluster 4-Pin Base

PL-C 26W/41/4P/ALTO 10PK

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum effciency and sleek design solutions are required.

Product data


General Information				
Cap-Base	G24Q-3 [G24q-3]			
Light Technical				
Color Code	841 [CCT of 4100K]			
Luminous Flux	1,800 lm			
Color Designation	Cool White (CW)			
Correlated Color Temperature (Nom)	4100 K			
Luminous Efficacy (rated) (Nom)	67 lm/W			
Color rendering index (CRI)	82			
Operating and Electrical				
Power Consumption	26.0 W			
Lamp Current (Nom)	0.335 A			
Controls and Dimming				
Dimmable	Yes			

Approval and Application	
Mercury (Hg) Content (Nom)	1.4 mg
Energy Consumption kWh/1000 h	29 kWh
Product Data	
Order product name	PL-C 26W/41/4P/ALTO 10PK
Full product name	PL-C 26W/41/4P/ALTO 10PK
Order code	927907384030
Material Nr. (12NC)	927907384030
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677111779
Numerator - Packs per outer box	10
EAN/UPC - Case	60046677111771

Datasheet, 2023, November 1 data subject to change


PL-C Cluster 4-Pin Base

Dimensional drawing




Product	D (max)	D1 (max)	A (max)	B (max)	C (max)
PL-C 26W/41/4P/ALTO 10PK	27.1 mm	27.1 mm	130.5 mm	149.0 mm	163.9 mm


Photometric data



Spectral Power Distribution Colour - PL-C 26W/41/4P/ALTO 10PK

Lifetime





Life Expectancy Diagram - PL-C 26W/41/4P/ALTO 10PK

Life Expectancy Diagram - PL-C 26W/41/4P/ALTO 10PK

PL-C Cluster 4-Pin Base

Lifetime



Lumen Maintenance Diagram - PL-C 26W/41/4P/ALTO 10PK

