

Technical Information Bulletin

LED Lamps




Date: _____ Name of distributor: _____
 In hands date of project: _____ Client #: _____
 Project name/Number: _____ Name of end user: _____

ORDERING INFORMATION

Order code: 67093
Description: G4/S2/12V/2.3W/30K/STD
UPC: 69549670938
Case quantity: 100 / 1 000

PHYSICAL DATA

Shape: JC
Base: G4
Finish: Clear



PERFORMANCE DATA

Watts (W): 2.3
Volts (VAC): 12
Colour temp. (K)¹: 3 000
Lumen output (lm)²: 230
Lumen per Watts (lm/W): 100
Traditional equivalent: 20
CRI: 80
Life L70 (h)³: 15 000
Beam angle (°): 360
Power factor: 0.7
Operating temp. range: -25 °C to 50 °C (-13 °F to 122 °F)

¹ Typical colour temperature range: +/- 5 %
² Lumen values are derived from photometric testing. Initial lumens range: +/- 10 %
³ Life hours are derived from IESNA LM80-08 testing report and projected per IESNA TM-21-11 extrapolations



CAUTION

*Not suitable for use in totally enclosed luminaires

Qty	Description	Price

I accept the specifications of the luminaire configuration mentioned above.

Name: _____
 Company: _____
 Signature: _____

Date: _____

This lighting equipment complies with Canadian standard ICES-005 for use in residential applications.
 Data is based upon tests performed in a controlled environment and representative of relative performance.
 Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.