




LED Puck Light Line Voltage (120 V)


There is need for an LED driver with the line voltage models, as they can be used directly with the 120 V power cord plug for a quick and simple installation. They can also be installed with the hardwire box for direct connections. The option of surface mounting or recessed installation also adds to the versatility of these LED puck lights.

- Up to 20 LED puck lights can be installed in a row
- Sturdy aluminum housing to better dissipate the heat
- Gimbal feature to reduce glare and direct the light where needed
- Smooth dimming




LED Puck Lights - Line Voltage (120 V)

Order code	Description	Watts per LED puck (W)	Volts (VAC)	Colour temp. (K)	Lumen output per LED puck (lm)	CRI	Life L70 (hrs)	Beam angle (°)	Finish	Lens finish	Case qty (master)
LED Puck Light - 1 Wire											
67101	UCP/1WIRE/120V/4W/30K/FR/WH/STD	4	120	3 000	200	90	36 000	120	White	Frosted	50
67104	UCP/1WIRE/120V/4W/30K/FR/BN/STD	4	120	3 000	200	90	36 000	120	Brushed nickel	Frosted	50
LED Puck Light - 2 Wires											
67100	UCP/2WIRES/120V/4W/30K/FR/WH/STD	4	120	3 000	200	90	36 000	120	White	Frosted	50
67103	UCP/2WIRES/120V/4W/30K/FR/BN/STD	4	120	3 000	200	90	36 000	120	Brushed nickel	Frosted	50
LED Puck Light - Kits of 3 units											
67102	UCP/KIT3/120V/4W/30K/FR/WH/STD	4	120	3 000	200	90	36 000	120	White	Frosted	20
67105	UCP/KIT3/120V/4W/30K/FR/BN/STD	4	120	3 000	200	90	36 000	120	Brushed nickel	Frosted	20




1 Wire



2 Wires

Accessories

Order code	Description	Type	Figure	Length in. (mm)	Case qty (master)
67106	UCP/PLUG/120V/STD	120 V Power Cord Plug	A	73 5/8 (1 870)	100
67787	UC/HARDWIREBOX/120V/STD	Hardwire Box	B	165	50
67108	UCP/JUMPER/12IN/STD	12" Jumper	C	12 (304)	500
67109	UCP/JUMPER/36IN/STD	36" Jumper	C	36 (914)	500
67110	UCP/JUMPER/72IN/STD	72" Jumper	C	72 (1 828)	250



Included in the box (kits of 3 units)

- 1 Wire LED Puck - 1 unit
- 2 Wires LED Puck - 2 units
- 120 V Power Cord Plug - 1 unit



DIMMABLE



DRY



5 YEARS WARRANTY



ETL Intertek

Lumen values are derived from photometric testing.
For a complete list of compatible dimmers, please visit www.standardpro.com



LED Puck Light Low Voltage (12 V)

STANDARD's low voltage LED puck line has a sleek and modern look, with the slimmest profile on the market. Its magnetic design also allows to change the trim finish and the backplate to create a whole new look!

- Up to 10 LED Puck Lights can be installed in row
- Recessed and surface mount installation
- Sleek 7 mm profile
- Smooth dimming




Order code	Description	Watts per puck (W)	Volts (VDC)	Colour temp. (K)	Lumen output per puck (lm)	CRI	Life L70 (hrs)	Beam angle (°)	Finish	Lens finish	Case qty (master)
LED Puck Light											
67168	UCP/12V/2.2W/30K/FR/WH/STD	2.2	12	3 000	150	90	50 000	120	White	Frosted	200
67170	UCP/12V/2.2W/40K/FR/WH/STD	2.2	12	4 000	150	90	50 000	120	White	Frosted	200
67172	UCP/12V/2.2W/30K/FR/BLK/STD	2.2	12	3 000	150	90	50 000	120	Black	Frosted	200
67174	UCP/12V/2.2W/40K/FR/BLK/STD	2.2	12	4 000	150	90	50 000	120	Black	Frosted	200
67176	UCP/12V/2.2W/30K/FR/BN/STD	2.2	12	3 000	150	90	50 000	120	Brushed nickel	Frosted	200
67178	UCP/12V/2.2W/40K/FR/BN/STD	2.2	12	4 000	150	90	50 000	120	Brushed nickel	Frosted	200
LED Puck Light - Kits of 3 units											
67169	UCP/KIT3/12V/2.2W/30K/FR/WH/STD	2.2	12	3 000	150	90	50 000	120	White	Frosted	30
67171	UCP/KIT3/12V/2.2W/40K/FR/WH/STD	2.2	12	4 000	150	90	50 000	120	White	Frosted	30
67173	UCP/KIT3/12V/2.2W/30K/FR/BLK/STD	2.2	12	3 000	150	90	50 000	120	Black	Frosted	30
67175	UCP/KIT3/12V/2.2W/40K/FR/BLK/STD	2.2	12	4 000	150	90	50 000	120	Black	Frosted	30
67177	UCP/KIT3/12V/2.2W/30K/FR/BN/STD	2.2	12	3 000	150	90	50 000	120	Brushed nickel	Frosted	30
67179	UCP/KIT3/12V/2.2W/40K/FR/BN/STD	2.2	12	4 000	150	90	50 000	120	Brushed nickel	Frosted	30



Accessories

Order code	Description	Type	Figure	Case qty (inner/master)
67180	UCP/TRIM/BACKPLATE/WH/STD	White Trim and Backplate	A	50 / 200
67181	UCP/TRIM/BACKPLATE/BLK/STD	Black Trim and Backplate	B	50 / 200
67182	UCP/TRIM/BACKPLATE/BN/STD	Brushed nickel Trim and Backplate	C	50 / 200
67183	UCP/ACC/HUB6/STD	Hub for 6 LED Puck Lights	D	50 / 120
67185	UCP/ACC/DIMMER/STD	Dimmer Switch	E	50 / 120
67186	UCP/ACC/MOTIONSENSOR/STD	Motion Sensor	F	50 / 120



Included in the box (kits of 3 units)

LED Puck Lights - 3 units

12 V Plug-in LED Driver (12 W) - 1 unit




Lumen values are derived from photometric testing.
For a complete list of compatible dimmers, please visit www.standardpro.com

LED Puck Light Kit - Bare Wires

- Up to 10 LED Puck Lights can be installed in row
- An economic LED puck light solution
- The bare wires allow you to run the desired wire length between each puck
- Recessed installation only
- Smooth dimming



Order code	Description	Watts per puck (W)	Volts (VAC)	Colour temp. (K)	Lumen output per puck (lm)	CRI	Life L70 (hrs)	Beam angle (°)	Finish	Lens finish	Case qty (master)
67187	UCP/WIRES/12V/2W/30K/FR/WH/STD	2	12	3 000	120	90	50 000	120	White	Frosted	240



LED Driver (12 V)

Order code	Description	Output power (W)	Input voltage (VAC)	Output voltage (VDC)	Input current (mA)	Frequency (Hz)	Power factor	Finish	Case qty (master)
Plug-in - Non-Dimmable									
67184	LED/DRIVER/12W/12V/PLUG/ND/STD	12	100-240	12	1 000	50/60	0.50	White	80
62265	LED/TAPE/36W/12V/WW+CW/PS/ND/STD	36	100-240	12	1 500	50/60	0.80	White	100
Hardwired - Dimmable									
65740	LED/DRIVER/50W/12V/HW/D/STD	50	100-130	12	410	50/60	0.95	White	20
Hardwired - Non-Dimmable									
65743	LED/DRIVER/10W/12V/HW/ND/STD	10	100-240	12	220	50/60	0.50	White	100
65744	LED/DRIVER/20W/12V/HW/ND/STD	20	100-240	12	250	50/60	0.90	White	100
65745	LED/DRIVER/60W/12V/HW/ND/VS/STD	60	100-240	12	1 100	50/60	0.50	White	30
65746	LED/DRIVER/60W/12V/HW/ND/STD	60	90-264	12	1 400	47/63	0.93	White	10