

SPEAKMAN®

THE EXPERIENCE SPEAKS FOR ITSELF

2023 HOSPITALITY TRAINING

- Speakman History
 - Health and Wellness
 - Water Conservation
- Projects and Testimonials
- Speakman Showerhead Technology
- More Than a Showerhead
 - Toilets and Kitchen
- Top Product Collections
 - Features and FAQ
- Speakman Makes It Easy
 - UVT, ShowerSlides, SLV options
 - Low Flow Alternative Options
- Shower Valves
- State Restrictions/Low Flow Required
- Commercial Faucets
 - Metering Faucets
 - Sensor
 - Eyesaver Faucets- Safety
- Custom Ordering Process
- Return Policy
- Warranty and Customer Support


- **Speakman cares about your Health and Wellness**
 - When water journeys through plumbing, it collects chlorine, iron, dirt, and other unwanted elements that can adversely affect the health of your hair, skin, and overall well-being.
 - Speakman took our popular Hotel Collection showerhead and created a cleaner shower experience by adding an internal filtering cartridge inside the head that can remove 99% of Chlorine and other harmful contaminants
 - Filter functions for up to 6 months, or 10,000 gallons before needing replacing
 - Our Hotel Pure Filtered Shower Head comes in Polished Chrome and Brushed Nickel, with the choice of with low-flow options as well.



Hotel Pure Filtered Shower Head Chrome
S-2005-HFB

S-2005-HBF

HOTEL PURE FILTERED SHOWER HEAD



- Includes an internal filtering cartridge
- Equipped with 58 individual sprays
- Recommend replacing filter every 6 months (model # FS-1 - see below)
- Plastic body construction, with brass ball nut

Dimensions: 5.9"H x 4.13"L x 4.38"W


SKU	GPM	
S-2005-HBF	2.5	YES
S-2005-HBF-E175	1.75	YES
S-2005-HBFE2	2	YES
S-2005-HBFBN	2.5	NO
S-2005-HBFBNE2	2	YES



Repair Parts: FS-1

FS-1

REPLACEMENT SHOWER FILTER



- Removes 99% of chlorine
- Compatible with Hotel Pure Shower Head
- Functions for up to 6 months or 10,000 gallons
- Features unique media blend

Dimensions: 1.75"H x 2.6"L x 2.6"W

SKU	GPM	
FS-1	N/A	N/A

[Filtered Showerhead Video](#)




S-2005-HBF-E175
Hotel Filtered Shower Head

At Speakman, we take water conservation very seriously and have dedicated our resources to design showerheads that offer the same *amazing* experience while saving water and protecting our environment.

- We are proud to offer a variety of our shower heads in low-flow options including 2.0 GPM, 1.75 GPM and 1.5 GPM.
 - SKUS are notated with E2, E175, and E15 accordingly
- Speakman showerheads, faucets and toilets are WaterSense Certified
- Our bathroom faucets now feature a 1.2 GPM flow rate, and our commercial faucets are equipped with a 0.5 GPM flow outlet.
- Toilets operate at 1.28 GPF
- Speakman is dedicated to developing new low-flow options through our lines in order to meet new state restrictions as well.



Icon 2.0 Low Flow Shower Head
S-2251-E2



Instead of simply restricting water flow, our team developed revolutionary technology that optimizes and enhances water pressure, resulting in the most powerful eco-friendly performance imaginable.



SPEAKMAN®

Our experience in Hospitality and Commercial industries, coupled with our understanding of what resonates with guests, positions us as a trusted partner of all major hotel brands.

“ Best Low Flow Showerhead. This option isn’t too costly but still delivers great results, which is probably why it’s commonly found in hotel bathrooms.”

- Good Housekeeping



[Approved Speakman Hospitality SKU List](#)

■ Showerhead Spray Systems – Anystream and Exhilaration

- **Anystream** was patented by Speakman in 1923. Anystream refers to any Speakman showerheads that offer our **360° rotating plate or** side handle that infinitely rotates 360-degrees in either direction for seamless transition between spray patterns. This helps to reduce the chance of breakage from handle positioning stops. The 360-degree rotation also results in self-cleaning, ensuring each stream is delivered at its intended pressure, every time. Anystream showerheads offer three distinct spray patterns (Needle, Normal, and Flood).
- **Exhilaration** - Exhilaration refers to our showerhead that offer our patented “reaction spray setting in a multi-function showerhead along with our satin spray, center massage, a rain spray, and a pause mode
 - **Reaction** – Uses our “TempoFlow” Technology which is a *patented 360° spinning, water propelled impeller and outlet hole design to offer same amazing experience with low flow. Named “reaction” for customers reaction when realizing they are showering with low flow. Originally only offered in our Single Function Shower Head.*



Icon Shower head and so much more...


Our signature silhouette, the all brass **Icon** Shower Head has been engineered to perfection to deliver the greatest experience imaginable. Featuring 64 individual sprays in S-2251, a timeless design and a solid brass construction, Icon will look and perform beautifully for years to come

More than just the best shower head in the industry...

- Speakman offers full bathroom collections to provide our clients matching high quality products at a great price.
- Finish the job with our Speakman faucets, toilets and matching accessories.
- Speakman kitchen faucets now available!



- One & two-piece skirted toilets
- ADA Compliant
- Includes elongated seat and install kit
- 1.28 GPF
- Rimless design for seamless look & easy-clean
- 7-year warranty on Fill Valve
- Right-hand toilet option available
- Finish levers available for purchase
- Heated Bidet Seat Option
 - Comes with remote
 - Anti-bacterial seat with self-cleaning wand
 - Built in nightlight and deodorizer
 - Quiet open and close
 - One Button Smart Control



Variety of Styles and Beautiful finishes

Sensor Options available (notated SBS)

LURA® KITCHEN FAUCET SERIES

Lura kitchen faucets make a sleek statement. Clean and simple lines blend with performance, including a two-function sprayer that delivers great maneuverability and water delivery around the kitchen sink.



NEO™ KITCHEN FAUCET SERIES

Crafted to maximize modern style in the kitchen, the Neo kitchen faucets deliver incredible hands-free and pull down functionality with a decorator's eye for design.



CHELSEA™ KITCHEN FAUCET SERIES

A blend of modern and traditional lines, the Chelsea Pull Down kitchen faucets deliver style versatility and modern convenience for today's work and living spaces. The curved neck and handle make a sophisticated design statement.



PROPER® KITCHEN FAUCET SERIES

Give your farmhouse kitchen a show-stopping centerpiece with the Speakman Proper High Rise kitchen faucet. With a vintage bridge design inspired by the rustic farms dotting the English countryside, the style works perfectly with oversized fireclay and apron-front sinks.



COMMANDER® KITCHEN FAUCET SERIES

Speakman single lever kitchen faucets are the simple durable solution for kitchen applications. All Speakman single lever kitchen faucets have a lustrous polished chrome plated brass finish.



Features and Benefits

- Durable, permanent magnet DC motor for reliable quiet performance
- Compact 7" diameter design increase available space under counter
- Includes a 30" power cord for fast install; also removable for hardwired configurations
 - Tap-in access for dishwasher connection
- 1700 RPM motor will easily handle kitchen waste

SKU	DESCRIPTION	STOCK FINISHES
GD-5012	1/2 HP Garbage Disposal	Matte Black
GD-5034	3/4 HP Garbage Disposal	Matte Black







CLODAGH

Lura Collection - Modern/Square

With Lura, we believe that less is more. Inspired by elements of both minimal and industrial design, each fixture in this collection features crisp lines and pronounced curves. The result is a classic, yet undeniably modern, assortment that is ideal for both traditional and contemporary bathrooms alike.

Available Finishes





Q. Is this collection available in any specialty (special order) finishes?

A. Yes, specialty finishes are available for this collection: Brushed Nickel, Polished Nickel, Polished Brass, Brushed Bronze, Oil Rubbed Bronze, Brushed Chrome, and Matte Black.

Q. Is a drain supplied with the faucets?

A. Yes, a pop-up drain with lift rod is supplied.

Q. What type of connection are on the Widespread faucet?

A. Thread connection from outlet of end body to supply tee for spout shank is 3/8 compression to 3/8 compression. Inlet connections are 3.8 compression flex hose.

Q. Does the faucet come complete with hoses?

A. Yes, the faucets come with 3/8 compression stainless steel flex hoses (9/16-24UNEF-2B)

Q. Will these faucets work with Vessel sinks?

A. Yes, these faucets were designed to work with Vessel sinks.




ROGER THOMAS

Vector Collection


With Vector, the lines tell the story. They guide the eye throughout the bathroom to create a visual experience that is enticing at every angle. Each fixture in this assortment features clean, precise lines accentuated by soft curves to create an elegant look that is surprisingly bold.

Vector Faucet Features



Available Finishes





Q. Is this collection available in any specialty (special order) finishes?

A. Yes, specialty finishes are available for this collection: Polished Nickel, Polished Brass, and Matte Black.

Q. Is a drain supplied with the faucet?

A. Yes, a pop-up drain with lift rod is supplied.

Q. What type of connections are on the Widespread Faucet?

A. Thread connection from outlet of end body to supply tee for spout shank is 3/8 compression to 3/8 compression. Connection at inlet of end body is 1/2- 14 NPSM Thread.

Q. What deck thickness do the faucets fit?

A. The faucets fit decks up to 2 1/2 thick.

Q. Does the faucet come complete with hoses?

A. Yes, the faucets come with stainless steel flex hose (9/16-24UNEF-2B)

Q. Will these faucets work with Vessel Sinks?

A. No, these faucets will not work with Vessel Sinks.

Neo - Modern Circular Style

i.e., Grohe Cosmopolitan, Kohler Purist

The Neo Collection features a beautifully simplistic, cylindrical design that is perfect for any bathroom. Constructed entirely of solid, Low lead brass, the Neo offers exceptional durability. Its sleek lever handle is engineered to provide precise control over water temperature.

Available Finishes



PC BN


Brushed Nickel is not available in all products.

Special Finishes



ORB PB PN BBZ MB





Q. Is this collection available in any specialty (special order) finishes?

A. Yes, specialty finishes are available for this collection: Polished Nickel, Polished Brass, Brushed Bronze, Oil Rubbed Bronze and Matte Black.

Q. Is a drain supplied with the faucets?

A. Yes, the drain is supplied with the widespread, single lever, and vessel sink faucets.

Q. What type of connections are on the Single Lever Faucet?

A. Thread connection at inlet of hose (connects to water supply) is 3/8 compression and at outlet of hose (connects to spout) is M10 X 1.6G Male – M10 X 1.6H Female (metric thread).

Q. What type of connections are on the Widespread Faucet?

A. Thread connection from outlet of end body to supply tee for spout shank is 3/8 compression to 3/8 compression. Connection at inlet of end body is 1/2 - 14 NPSM Thread. Speakman does not provide this hose with the assembly due to unknown distance to water supply.

Q. What deck thickness do the faucets fit?

A. Single lever and Vessel Sink faucets fit deck thickness up to 1 3/8". Widespread faucet fits a deck thickness up to 1 1/4". Specifiers of customers should verify their deck thickness against the product rough-in as shown on Speakman specification sheets and IOMS to ensure the product will install correctly.

Q. Will these faucets work with Vessel Sinks?

A. Yes, this faucet is designed to work with vessel sinks.

Q. What material are the accessories made of?

A. The accessories are made of zinc, brass, stainless steel, and plastic construction.

Q. Do the accessories include mounting hardware?

A. Yes, the accessories include mounting hardware. Mounting bracket is assembled inside mounts. Screws and mollies are provided in bag group.

Kubos Collection


Square look – i.e., Kohler Memoirs

Clean with striking simplicity, the Speakman Kubos collection embodies pure, minimalistic design. By stripping back unnecessary details, this modern single lever faucet will undoubtedly make a statement. Its crisp, square handle is bold, yet surprisingly comfortable.

Available Finishes



PC BN





Q. Is this collection available in any specialty (special order) finishes?

A. Yes, specialty finishes are available for this collection: Polished Nickel, Polished Brass, Brushed Bronze, Oil Rubbed Bronze, and Matte Black.

Q. Is a drain supplied with the faucets?

A. Yes, the drain is supplied with widespread and single lever faucets.

Q. What type of connections are on the Single Lever faucet?

A. Thread connection at inlet of hose (connects to water supply) is 3/8 compression and at outlet of hose (connects to spout) is M10 X 1 6G Male – M10 x 1 6H Female (Metric thread).

Q. What type of connections are on the Widespread Faucet?

A. Thread connection from outlet of end body to supply tee from spout shank is 3/8 compression to 3.8 compression. Connection at inlet of end body is 1/2- 14 NPSM thread. Speakman does not provide this hose with the assembly due to unknown distance to water supply.

Q. What deck thickness do the faucets fit?

A. The faucets fit standard deck thickness, up to 1- 1/2". Specifiers of customers should verify their deck thickness against the product rough-in as shown on Speakman specification sheets and IOMS to ensure the product will install correctly.

Q. What material are the accessories made of?

A. The accessories are made of zinc, brass, stainless steel, and plastic construction.

Q. Do the accessories include mounting hardware?

A. Yes, the accessories include mounting hardware. Mounting bracket is assembled inside mounts. Screws and mollies are provided in bag group.

Lucid Collection

With fluid lines and sleek details, the Lucid collection delivers the simple, unobstructed styling found throughout Europe's finest hotels and living spaces.

Every piece in the collection features Lucid's signature design details – including gentle curves, crisscrossing lines and soft squared angles – for flawless coordination.

Additions to collection coming mid 2023

Two lower spout heights, a single-lever faucet and matching shower trims (with and without diverter)



FINISHES

 Polished Chrome

 Matte Black



Available Q4 2023

Q. Is the collection available in any specialty (special order) finishes?

A. Yes, we offer BBZ and BN as specialty finish options in our single lever faucet, mid-spout, low-spout, and thermostatic trims with and without the diverter.

Q. Is the drain supplied with the faucet?

A. Yes, the drain is supplied with our Single Lever and Widespread faucets.

Q. What type of connection is the Single Handle Faucet?

A. 9/16"-24 (3/8 compression)

Q. What type of connections are on the Widespread Faucet?

A. Inlet supply lines not included, accepts 1/2" NPSM to 3/8" compression supply lines or supplied coupling nuts with 3/8" O.D. ball nose risers.

Q. What deck thickness do the faucets fit?

A. The faucets fit standard deck thickness up to 1-1/2". Specifiers or customers should verify their deck thickness against the product rough-in as shown on Speakman specification sheets and IOMs to ensure the product will install correctly.

Q. What is the material for the accessories?

A. The accessories are made of metal construction and corrosion resistant finishes.

Q. Do the accessories include mounting hardware?

A. Yes, the accessories include mounting hardware. Mounting bracket is assembled inside mounts. Screws and mollies are provided in bag.

SPEAKMAN MAKES IT EASY...

- ✓ Universal Valve Trim (UVT)
- ✓ ShowerSlides
- ✓ SLV SKUs

- Time is one of the most valuable assets, therefore Speakman wants to make it easy, not only when you purchase our products, but during your bathroom install and renovation process
- Our **Universal Valve Trims** and **ShowerSlides** are great examples of products that Speakman has designed in order to offer a quick bathroom refresh, without the need to drill or change the valve behind the wall.
- Speakman offers a variety of our SLV SKUs in different flow rates and finishes to help take the work out of pairing shower heads, tub faucets, and trims when ordering.



Designed to provide your bathroom with a much-needed facelift, the Universal Shower Valve Trim is the ultimate solution to your remodeling needs. With the capability to retrofit multiple manufacturers valves, the Speakman UVT provides true flexibility with a remarkably elegant design.

Why use Speakman UVT?

BUDGET STRETCHER		The UVT eliminates costly renovation expenses because you don't have to replace the valve and tile.
TIME SAVER		Ability to refresh the look of a shower one hallway at a time between check-in and check-out.
COMPLETE LOOK		Supported by complete collections for a consistent aesthetic. Complete the look when paired with world class Speakman shower heads.

- Available in our Neo and Kubos Trim Styles to meet your design needs.
- Option to order shower trim separately, or as a bundle with the showerhead, or tub/shower combo.
- Comes in Polished Chrome and Brushed Nickel with the option of Specialty Finishes.

STOCK FINISH:				
				
PC	BN			
SPECIALTY FINISHES:				
				
BBZ	MB	ORB	PB	PN



CPT-1300-UNI

Configurable hot & cold indicators

ABS wall plate

Includes mounting hardware

Solid metal handle

With the Universal Valve Trim, we designed four unique adapters that perfectly fit the most popular valves that are available today.



KOHLER® RITE-TEMP

K-304-CS-NA
K-304-CX-NA
K-304-PS-NA
K-304-PX-NA
K-304-US-NA
K-304-UX-NA
K-304-K-NA
K-304-KS-NA



MOEN® POSITEMP

2510
2520
2570
2580
2590



DELTA® MULTICHOICE

R10000-UNBX
R10000-UNBXH F
R10000-UNWS
R10000-UN
R10000-UNWSHF



SYMMONS® TEMPTROL

4000-BODY
4000-X-BODY
46-2-X-BODY



CPT-1000-UNI

[UVT Moen Install Video](#)

Spa-like experience without the cost and hassle of investing in a complex renovation. The Speakman ShowerSlide Shower Bars easily install directly into traditional shower plumbing configurations, without having to touch anything behind the wall.

Why use Speakman ShowerSlides?



COST-EFFECTIVE UPDATE: Speakman's ShowerSlide allows you to easily and quickly update the look and function of the showers in your properties without changing the valve, saving you time and money for your next project.



UPGRADED EXPERIENCE: Speakman's ShowerSlide gives you the opportunity to upgrade your guests' experience by giving them a "spa-like" Showerhead and Hand Shower combination in place of just the showerhead with little renovation work.



EASE OF INSTALL: Speakman's ShowerSlide mounts directly to the wall without relying on the shower arm for support. This allows for an easy install whether the shower arm is held up by framing or piping behind the wall. Also, the pre-sealed adapter allows you to quickly and easily check for leaks prior to the installation.

- Available in 10-in. rise or 5-in. rise for rain showers
- Stainless Steel Bar
- Provides outlets for any Speakman Rain Shower, Hand Shower or Shower Wand for a complete showering experience.


STOCK FINISHES:



PC

BN

MB



Our customers purchase the SM level and request the valve to be sent prior to the trim during the in-wall construction phase. Therefore, Speakman now offers the shower combo without the valve. This gives our customers freedom to choose the valve and connection type they need from our newly released shower valves.

Why use Speakman Shower Combo?



CUSTOMIZATION: Speakman's new Shower Combination models give you the ability to pair your favorite trim with the valve and connection of your choice. With 3 different valves to choose from (Pressure Balancing, Thermostatic or Thermostatic/Pressure Balancing valve) and a variety of connections available, you can customize the shower and installation experience to fit your needs.



FLEXIBILITY: Speakman's new Shower Combination models give you the ability to order valves separately from the trim so you can obtain the products you need for larger projects in a timely manner. Simply order the valves when required for installation and the trim at a later date when completing the renovation or construction to avoid excess product on project sites.

- Variety of styles to meet any design style
- Combos available in shower head and trim, tub/shower, hand shower, and tub/hand shower options.
- Fits Pressure Balance or Thermostatic Valves

STOCK FINISHES:



PC

BN



SLV-1030



SLV-1040

SENTINEL MARK II® PRESSURE BALANCE VALVES

Our pressure balance valves are designed to keep water temperature consistent, regardless of spikes in pressure within the hot or cold supply lines.

- Protects users from thermal shock and scalding hot water
- ASSE 1016 standards at flow rates as low as 2.0 GPM
- Solid brass body provides unrivaled durability

NON-DIVERTER

TRIM COMPATIBILITY



CPV-PB
Sweat & Thread

CPV-PB-PXE
PEX Cold Expansion

CPV-PB-PXC
PEX Crimp



CPT-1001
Neo Shower
Valve Trim



CPT-3001
Sentinel Mark II
Shower Valve Trim



CPT-12001
Echo Shower
Valve Trim



CPT-24000
Kubos Shower
Valve Trim



CDCPT25001
Lura Cross
Shower Valve
Trim



CDCPT25003
Lura Lever
Shower Valve
Trim



CPT-27000
Vector Shower
Valve Trim

DIVERTER

TRIM COMPATIBILITY



CPV-PB-DV
Sweat & Thread

CPV-PB-DV-PXE
PEX Cold Expansion

CPV-PB-DV-PXC
PEX Crimp



CPT-1401
Neo Shower
Valve Trim



CPT-3401
Sentinel Mark II
Shower Valve Trim



CPT-12401
Echo Shower
Valve Trim



CPT-24400
Kubos Shower
Valve Trim



CDCPT25401
Lura Cross
Shower Valve
Trim



CDCPT25403
Lura Lever
Shower Valve
Trim



CPT-27400
Vector Shower
Valve Trim

SENTINEL MARK II® THERMOSTATIC VALVES

These valves use thermostatic technology to blend hot and cold water together to ensure a constant and safe temperature, preventing scalding hot water.

- Includes integral stops and a temperature limit stop
- ASSE 1016 standards at flow rates as low as 1.5 GPM
- Protects users from scalding hot water
- Cost-efficient thermostatic solution

NON-DIVERTER

TRIM COMPATIBILITY



CPV-T2
Sweat & Thread
CPV-T2-PXE
PEX Cold Expansion
CPV-T2-PXC
PEX Crimp



CPT-1001
Neo Shower
Valve Trim



CPT-3001
Sentinel Mark II
Shower Valve Trim



CPT-12001
Echo Shower
Valve Trim



CPT-24000
Kubos Shower
Valve Trim



CDCPT25001
Lura Cross
Shower Valve
Trim



CDCPT25003
Lura Lever
Shower Valve
Trim



CPT-27000
Vector Shower
Valve Trim

DIVERTER

TRIM COMPATIBILITY



CPV-T2-DV
Sweat & Thread
CPV-T2-DV-PXE
PEX Cold Expansion
CPV-T2-DV-PXC
PEX Crimp



CPT-1401
Neo Shower
Valve Trim



CPT-3401
Sentinel Mark II
Shower Valve Trim



CPT-12401
Echo Shower
Valve Trim



CPT-24400
Kubos Shower
Valve Trim



CDCPT25401
Lura Cross
Shower Valve
Trim



CDCPT25403
Lura Lever
Shower Valve
Trim



CPT-27400
Vector Shower
Valve Trim

Many States have Water Efficiency Laws that impact the sale and distribution within each applicable state of such regulated SKUs and other products, including, but not limited to, water closets, urinals, lavatory faucets, showerheads, and/or kitchen faucets (“Subject Fixtures and Fittings”). Speakman has discontinued shipping restricted products into these areas.

State	Referenced Legislation or Regulation	Fixture - Fitting				
		Water Closets	Urinals	Private Lavatory Faucets	Showerheads	Kitchen Faucets
Colorado	SB 14-103	1.28 gpf	0.5 gpf	Public- 0.5 gpm Residential- 1.5 gpm	2.0 gpm	1.8/ 2.2 gpm*
New York	A2286	1.28 gpf	0.5 gpf	1.5 gpm	2.0 gpm	NA
Oregon	HB 2062	1.28 gpf	0.5 gpf	Public- 0.5 gpm Residential- 1.2 gpm	1.8 gpm	1.8/ 2.2 gpm*
Vermont	H.410 (Act 139)	Adhere to EPACT 92	0.5 gpf	Public- 0.5 gpm Residential- 1.5 gpm	2.0 gpm	1.8/ 2.2 gpm*
Washington	HB 1444 SB 5115	1.28 gpf	Wall 0.125 gpf / Other Types - 0.5 gpf	Public- 0.5 gpm Residential- 1.2 gpm	1.8 gpm	1.8/ 2.2 gpm*
Hawaii	HB556	Adhere to EPACT 92	Adhere to EPACT 92	Public- 0.5 gpm Residential- 1.2 gpm	1.8 gpm	1.8/ 2.2 gpm*
Massachusetts	S9	1.28 gpf	0.5 gpf	Public- 0.5 gpm Residential- 1.5 gpm	2.0 gpm	1.8/ 2.2 gpm*
Rhode Island	H 5966 S 0339	1.28 gpf	0.5 gpf	1.5 gpm	2.0 gpm	1.8/ 2.2 gpm*
California	California Appliance Efficiency Regulation Title 20	1.28 gpf	Wall 0.125 gpf / Other Types-0.5 gpf	Public- 0.5 gpm Residential- 1.2 gpm	1.8 gpm	1.8/ 2.2 gpm*
New Jersey	A 5160 S 3324	1.28 gpf	0.5 gpf	1.5 gpm	2.0 gpm	1.8/ 2.2 gpm*

* Maximum flow rate is 1.8 gpm with optional temporary flow of 2.2 gpm.

Utility / Janitorial Faucets, Exposed Showers

- Fixed or swivel spout and lever handles, cross handles available
- Low lead brass construction
- 0.5 GPM Flow Rate



SEF-9000 Service Sink
Eyewash faucet
(works with Commander
SC-5811-RCP)



- Metering Products designed for easy maintenance.
- Innovative Sensor Faucets and Sensor Soap Dispensers.



Speakman S-5122 Easy-Push Single
Supply Metering Faucet



Speakman Sensorflo SF-8800 AC
Powered Sensor Faucet



Speakman Sensorflo SF-9200
Gooseneck AC Powered Sensor
Faucet




Speakman Sensorflo SF-9800 AC
Powered Sensor Faucet

- SF-8800 & SF-9800 have both AC adaptor and battery pack.
- We recommend these for stock as the customer can choose in the field how to install.
- Easy maintenance with components above the counter.



Sensorflo Touchless Soap Dispensers
SFS-8000/SFS-9000

- Battery or AC Power
- Compatible with any soap on the market
- Durable brass construction
- Can be used with both liquid and foaming hand soap
- 2000ml soap bottle included
- 1.0 second soap dispensing



Eyesaver Faucet – Generation 2 (available in Sensor too)

Performance: The faucets feature two independent water channels allowing users to use either the faucet and/or the eyewash separately or simultaneously. The eyewash activation is now more intuitive for the end user by lifting the handle vs a pulling motion.


Customizable: : Ensuring the faucet and eyewash meet customer needs there are a variety of options available for each unit.

EYEWASH OPTIONS:


- A-SEF-NA: Non-aerated eyewash outlets
- SEF-TW: Thermostatic mixing valve for tepid water during eyewash usage

FAUCET OPTIONS:

- 8: 8" Gooseneck spout for faucet
- A-SEF-BOLF: 0.5 GPM (1.89 L/min) faucet flow control and 1.5 GPM (5.7 L/min) laminar faucet flow control kit
- A-SEF-ST: Serrated tip for faucet with vacuum breaker (Not NSF 61/372 compliant)



- ❑ Submit request to customerservice@speakman.com with as many details you have about the project, timing, quantities, and available drawings.
 - ❑ Types of requests – custom finish, logo stamps, design modifications and custom designs.
- ❑ Our internal team will review and respond with any additional questions.
- ❑ Once engineering has reviewed, we will provide a budget if feasible.
- ❑ Project kick off meetings occur, details, lead times etc.
- ❑ PO is placed and production begins.



[Custom Brochure](#)

We are looking forward to working with you more!

Speakman is approved for all major hospitality chains and would love to work with you on your next project.

Give us the opportunity to cross over a spec to Speakman – Send to quotes@speakman.com

Customer Care & Tech Support

- **Customer Care**

Mon - Fri 7am - 7pm EST

1 (800) 537-2107

Customerservice@speakman.com

- **Product Technical Support**

Mon - Fri, 8am - 5pm EST

1(800) 436-9172

Specialservices@speakman.com

Warranty

- Limited lifetime warranty (consumer)
- 1- year limited warranty (commercial)

[Speakman Return Policy](#)

Resources

- Product specs, installation guides, and additional information can be found at www.Speakman.com



marconcine

SPEAKMAN
THE EXPERIENCE SPEAKS FOR ITSELF

THANK YOU