

LED – Tractor/Utility Lamps Mini Catalogue

Catalogue Number #2015TUL



LED TRACTOR LAMP DISPLAY!

VERSION 2 LED TRACTOR LAMP DISPLAY

- Ideal for every showroom!
- Fully functioning display!
- Small footprint – measures 16"W x 24"H x 5"D!
- Ask your sales representative for a demonstration!



Ask for our 154 page Lighting & Safety Equipment Catalogue
#2013LSE

All Lamps that are on the
"Version 2" Display are found
in this condensed catalogue
and are marked with this icon:



*725298

Tractor/Utility Lamps – LED

RECTANGULAR TRACTOR/UTILITY LAMPS – LED

- 10-30VDC (1.40A @ 12V, 0.7A @ 24V) • 18 Watts (6 x 3W Diodes)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat-sink'
- Polycarbonate Lens
- Stainless Steel Hardware, Epoxy Coated Bracket • IP67
- Dimensions: 6.33"W x 1.82"H x 2.38"D • Stud Size: 5/16"

Light Pattern	Lumens	1 PC/PK	10 PCS/PK	
Flood (60°)	1260	*725237	*725237B	*NEW
Flood with Centre Spot Pattern (25°)	1260	*725227	*725227B	*NEW



*725237



Side View



*725227



Back View

RECTANGULAR TRACTOR/UTILITY LAMPS – LED

- 10-30VDC (1.40A @ 12V, 0.73A @ 24V)
- 18 Watts (6 x 3W Diodes)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP67
- Dimensions: 4.33"W x 2.36"H x 2.20"D
- Stud Size: 8mm

Light Pattern	Lumens	1 PC/PK	10 PCS/PK	
Flood Pattern (60°)	1140	*725230	*725230B	*NEW
Spot Pattern (30°)	1140	*725231	*725231B	*NEW



*725230



Front/Angled View



Side View



Back View



*725231



Front/Angled View



Side View



Back View

Tractor/Utility Lamps – LED

RECTANGULAR TRACTOR/UTILITY LAMP – LED

LED



- 10-30VDC (0.85A @ 12V, 0.42A @ 24V)
- 9 Watts (3 x 3W Diodes)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP67
- Dimensions: 4.33"W x 2.36"H x 2.20"D
- Stud Size: 8mm

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Flood Pattern (60°)	600	725222	725222B

600
Lumens

RECTANGULAR (MINI) TRACTOR/UTILITY LAMP – LED

LED



- 9-36VDC (1.5A @ 12V, 0.8A @ 24V)
- 10 Watts (10 x 1W Diodes)
- Hooded Aluminum Alloy Housing (Black)
- Housing also functions as a built-in 'heat sink'
- Combines the distance of a Spot Pattern with the wide distance of a Flood Pattern
- Polycarbonate Lens • Stainless Steel Hardware • IP67
- Dimensions: 3½" W x 4¹¹/₁₆" H x 2¾" D • Stud Size: 5/16"

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Flood with Centre Spot Pattern (25°)	922	725202	725202B

922
Lumens

OVAL TRACTOR/UTILITY LAMP – LED

LED ***NEW**



- 10-30VDC (2.5A @ 12V, 1.25A @ 24V)
- 65 Watts (13 x 5W Diodes)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat-sink'
- Polycarbonate Lens
- Stainless Steel Hardware • IP67
- Dimensions: 6.5" W x 4.45" H x 3.72" D
- Stud Size: 8mm

Light Pattern	Lumens	1 PC/PK	
Flood (60°)	5850	*725242	*NEW

5850
Lumens

Tractor/Utility Lamps – LED

5½" SQUARE TRACTOR/UTILITY LAMPS – LED

LED *NEW

- 10-30VDC (5.66A @ 12V, 2.88A @ 24V)
- 90 Watts (9 x 10W Diodes)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP68
- Dimensions: 5.31"W x 4.72"H x 4.48"D
- Stud Size: 12mm

Light Pattern	Lumens	1 PC/PK
Flood Pattern (90°)	8100	*725228 *NEW
Spot Pattern (10°)	8100	*725229 *NEW

**8100
Lumens**



Side View

Back View



*725228



Front/Angled View



*725229



Front/Angled View

5" SQUARE TRACTOR/UTILITY LAMPS – LED

LED *NEW

- 9-32VDC (4A @ 12V, 2A @ 24V)
- 48 Watts (16 x 3W Diodes)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Tempered Glass Lens
- Stainless Steel Hardware
- IP67
- Dimensions: 4.92"W x 6.10"H x 3.46"D
- Stud Size: 10mm

Light Pattern	Lumens	1 PC/PK
Narrow Flood Pattern (20°)	4800	*725235 *NEW
Spot Pattern (10°)	4800	*725236 *NEW



**4800
Lumens**



Side View



Back View



*725235



Front/Angled View



*725236



Front/Angled View

Tractor/Utility Lamps – LED

SQUARE TRACTOR/UTILITY LAMPS – LED

LED



725218



725219



Side View



Back View

- 9-32VDC (3.8A @ 12V, 1.9A @ 24V)
- 48 Watts (16 x 3W Diodes)
- Die-Cast Black Aluminum Housing
- Back also functions as a built-in 'heat sink'
- PMMA (Polymethyl Methacrylate) Lens
- Stainless Steel Hardware
- IP67
- Dimensions: 4.33"W x 4.33"H x 2.83"D
- Stud Size: 8mm

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Flood Pattern (60°)	2880	725218	725218B
Spot Pattern (30°)	2880	725219	725219B



4½" SQUARE TRACTOR/UTILITY LAMPS – LED

LED ***NEW**



*725240



Front/Angled View



Side View



Back View

- 10-30VDC (1.4A @ 12V, 0.7A @ 24V)
- 24 Watts (8 x 3W Diodes)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP67
- Dimensions: 4.33"W x 5.04"H x 2.17"D
- Stud Size: 8mm

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Narrow Flood Pattern (45°)	1520	*725240	*725240B *NEW



Tractor/Utility Lamps – LED

4½" SQUARE TRACTOR/UTILITY LAMPS – LED

- 10-30VDC (1.1A @ 12V, 0.6A @ 24V)
- 15 Watts (5 x 3W Diodes)
- Die-Cast Hooded Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens • Stainless Steel Hardware • IP67
- Mounting Brackets for Pedestal or Surface Mount provided
- Dimensions: 4.33"W x 5.04"H x 1.81"D
- Stud Size: 5/16"

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Flood Pattern (60°)	1500	*725225	*725225B
Spot Pattern (30°)	1500	*725226	*725226B



1500 Lumens

LED *NEW



*725225



*725226



PEDESTAL MOUNT



SURFACE MOUNT



MOUNTING BRACKETS SUPPLIED WITH 725225 & 725226 FOR USER TO SELECT PEDESTAL AND SURFACE MOUNT APPLICATION



*725225



*725226

SQUARE TRACTOR/UTILITY LAMPS – LED

- 9-36VDC (0.8A @ 12V, 0.5A @ 24V)
- 8 Watts (8 x 1W Diodes)
- Aluminum Alloy Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware • IP67
- Dimensions: 4¾"W x 4¾"H x 1¾"D
- Stud Size: 5/16"

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Narrow Flood Pattern (45°)	699	725200	725200B

699 Lumens

LED



725200



Side View



Back View

SQUARE TRACTOR/UTILITY LAMPS – LED

- 12-48VDC (0.71A @ 12V, 0.33A @ 24V)
- 12 Watts (4 x 3W Diodes)
- Polymer Housing (Front), Die-Cast (Black) Aluminum Housing
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens • Stainless Steel Hardware • IP66
- Thermal shock resistant • Reverse Polarity protected
- Spike protected • CE Certified
- 4.33"W x 4.33"H x 3.33"D • Stud Size: 12mm

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Wide Flood Pattern (60°)	440	725205	725205B

440 Lumens

LED



725205



Side View



Back View

Tractor/Utility Lamps – LED

4½" ROUND TRACTOR/UTILITY LAMPS – LED

LED



*725209



*725211



*725209



*725211



PEDESTAL MOUNT



SURFACE MOUNT

- 10-30VDC (1.3A @ 12V, 0.6A @ 24V)
- 18 Watts (6 x 3W Diodes)
- Die-Cast Hooded Aluminum Housing (Black)
- Back also functions as a built-in 'heat-sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP67
- Mounting Brackets for Pedestal or Surface Mount provided
- Dimensions: 4.56"W x 5.04"H x 1.89"D
- Stud Size: 5/16"

Light Pattern	Lumens	1 PC/PK	10 PCS/PK	
Flood Pattern (60°)	1800	*725209	*725209B	*NEW
Spot Pattern (30°)	1800	*725211	*725211B	*NEW



**1800
Lumens**

MOUNTING
BRACKETS SUPPLIED
WITH 725209 &
725211 FOR USER
TO SELECT PEDESTAL
AND SURFACE MOUNT
APPLICATION

4½" ROUND TRACTOR/UTILITY LAMPS – LED

LED *NEW



*725238



*725239



Side View



Back View

- 9-32VDC (2.1A @ 12V, 1.1A @ 24V)
- 27 Watts (9 x 3W Diodes)
- Die-Cast Hooded Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP67
- Dimensions: 4.33"W x 5.04"H x 2.25"D
- Stud Size: 8mm

Light Pattern	Lumens	1 PC/PK	10 PCS/PK	
Flood Pattern (60°)	1710	*725238	*725238B	*NEW
Spot Pattern (30°)	1710	*725239	*725239B	*NEW



**1710
Lumens**

Tractor/Utility Lamps – LED

4½" ROUND TRACTOR/UTILITY LAMP – LED

- 10-30 VDC (1.4A @ 12V, 0.7A @ 24V)
- 24 Watts (8 x 3W Diodes)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP67
- Dimensions: 4.33"W x 5.04"H x 1.77"D
- Stud Size: 8mm

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Narrow Flood Pattern (45°)	1520	*725241	*725241B

*NEW

**1520
Lumens**



*725241



Side View



Back View

4½" ROUND TRACTOR/UTILITY LAMP – LED

- 10-80VDC (0.8A @ 12V, 0.6A @ 24V)
- 18 Watts (6 x 3W Diodes)
- Hooded Aluminum Alloy Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP67
- Dimensions: 4½"W x 5½"H x 2½"D
- Stud Size: 10mm

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Wide Flood Pattern (60°)	1300	725204	725204B

**1300
Lumens**



725204



Side View



Back View

Tractor/Utility Lamps – LED

2" ROUND (MINI) TRACTOR/UTILITY LAMPS – LED

LED ***NEW**



*725234

- 9-60VDC (0.83A @ 12V, 0.41A @ 24V)
- 10 Watts (1 x 10W Diode)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP68
- Dimensions: 2.24"W x 2.24"H x 2.56"D
- Stud Size: 6mm

Light Pattern	Lumens	1 PC/PK	10 PCS/PK	
Flood Pattern (20°)	750	*725234	*725234B	*NEW
Spot Pattern (10°)	750	*725233	*725233B	*NEW



*725233



750
Lumens



Side View

Back View

2" ROUND (MINI) TRACTOR/UTILITY LAMPS – LED

LED



725214



725213

- 10-80VDC (0.3A @ 12V, 0.17A @ 24V)
- 5 Watts (1 x 5W Diode)
- Die-Cast Aluminum Housing (Black)
- Back also functions as a built-in 'heat sink'
- Polycarbonate Lens
- Stainless Steel Hardware
- IP67
- Dimensions: 2"W x 2"H x 2.85"D
- Stud Size: 6mm



Angle View

Light Pattern	Lumens	1 PC/PK	10 PCS/PK
Flood Pattern (60°)	250	725214	725214B
Spot Pattern (30°)	250	725213	725213B



Side View



Back View

250
Lumens

Tractor/Utility Lamps – LED

LED PAR 36 TRACTOR/UTILITY LAMPS

TECHSPAN® LED Par 36 Sealed Beams fit existing Par 36 rubber housings, rubber grommets and other housings. You now have the option to use an LED version of the Par 36 lamp assembly or retrofit an existing Par 36 housing with one of our new "LED Par 36" sealed beams. Simply remove the old Incandescent sealed beam and replace it with the LED sealed beam that has the pattern required. Finally Par 36 lamps with the advantages of LED.

LED
1200
Lumens

LED PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMPS – SWIVEL MOUNT

These versatile LED Tractor/Utility lamps emit 1,200 Lumens and are attached to Stainless Steel mounting hardware for durability. Order just the sealed beams to retrofit your retrofit an existing Par 36 housing with one of our new "LED Par 36" sealed beams. They will also fit into rubber grommets, Par 36 rubber housings and other housings.

- 12-30VDC (1.1A @ 12V) • 6 Diodes • Die-Cast Aluminum Housing
- Polycarbonate Lens • Stainless Steel Hardware • Stud Size: 1/4"

Part#		Qty/Pkg
725220	Spot Pattern. 1200 Lumens	1 PC
725221	Trapezoid Pattern. 1200 Lumens	1 PC

REPLACEMENT PARTS FOR 725220 & 725221

Part#	Description	Qty/Pkg
735434	Replacement LED Sealed Beam for 725220 . LED version of #4416 or #7400, (Spot Pattern). 1200 Lumens	1 PC
735435	Replacement LED Sealed Beam for 725221 . LED version of #4411, (Trapezoid Pattern). 1200 Lumens	1 PC



LED PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMPS – RUBBER HOUSING (19 DIODES)

TECHSPAN® Par 36 housings are manufactured with synthetic resins. They have the feel and shock absorbing characteristics of rubber. This material is UV resistant which guarantees the colour will not fade or crack, and will withstand against road contaminants that normally deteriorate rubber housings. Mounting hardware is Zinc plated steel. These LED Utility lamps emit 250 Lumens and are available assembled in these rubber housings. You can also order just the sealed beams to retrofit an existing Incandescent Par 36 housing with an LED Par 36. They will also fit into rubber grommets and other housings.

LED
250
Lumens

LED TRACTOR/UTILITY LAMP ASSEMBLIES IN RUBBER HOUSING – NO SWITCH

- Dimensions: 4⅞" Dia. x 5⅞" H x 3"D • Stud Size: 5/16"

Part#		Qty/Pkg
725210	Lamp emits a Flood pattern up to 200 feet that is very similar to the standard Incandescent Par 36 Lamp. 19 Diodes. 0.15A @ 12V. 250 Lumens	1 PC
725210B	Same as 725210 except 10 pcs per box	10 PCS



725210

MAGNETIC BASE LED TRACTOR/UTILITY LAMP ASSEMBLIES IN RUBBER HOUSING & POWER SUPPLY ADAPTER – NO SWITCH

- Dimensions: 4⅞" Dia. x 6⅞" H x 3"D • Stud Size: 5/16"

Part#		Qty/Pkg
725217	Lamp emits a Flood pattern up to 200 feet that is very similar to the standard Incandescent Par 36 Lamp. 19 Diodes. 0.15A @ 12V. 250 Lumens. Magnetic Base with a 13' cord and a 12V Adapter Plug	1 PC




725217

REPLACEMENT PARTS FOR LED PAR 36 (4½" ROUND) TRACTOR/UTILITY LAMP ASSEMBLIES – RUBBER HOUSINGS

Part#	Description	Qty/Pkg
735436	LED version of #4411. Flood Pattern. 250 Lumens. 19 Diodes. 0.15A @ 12VDC	1 PC
725045	4½" Round (Rubber) Housing Only – Slide Connectors/Quick Disconnects	1 PC
725045B	4½" Round (Rubber) Housing Only – Slide Connectors/Quick Disconnects	10 PCS
739007	Magnet 3" x 3" Square with Scratch-Resistant Covering	1 PC



735436



Techspan Lighting & Safety
Equipment Catalogue
Part# 2013LSE



Techspan Wire, Cable & Electrical
Accessories Catalogue
Part# 2015WCE



Deutsch Connectors Catalogue
Part# 2014TDC

LOOKING FOR
MORE PRODUCTS?
ASK FOR
OUR OTHER
CATALOGUES...




Techspan Wire Management Products
Part# TI2011WMP



Techspan Control & Automation Products
Part# TI2011CAP



Bayco Professional Lighting & Cord Solutions
Part# TB2011
Watch for our **NEW** Catalogue in 2015!



Cole Hersee Catalogue
Part# D-275



Techspan/Pollak Heavy-Duty Electrical
Controls' Products
Part# MC-612

ta **TECHSPAN**

We have what you need!

3131 Pepper Mill Court
Mississauga, Ontario
Canada L5L 4X6

Tel: 905.820.6150 or
1.800.363.1588
Fax: 905.820.6142
Email: sales@techspan.ca

Check out our website:
www.techspan.ca