

Eaton VS306U-V

Catalog Number: VS306U-V

Eaton vacancy sensor switch, No neutral connection, Flush, 120V, Wire leads, Maintained closure, Ivory, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1-pole, 3-way, 1-phase, 450 sq ft, Vacancy, 600W 722158

General specifications

Product Name	Catalog Number
Eaton vacancy sensor switch	VS306U-V
UPC	Product Length/Depth
032664722158	2.8 in
Product Height	Product Width
5 in	3.3 in
Product Weight	Certifications
46.2 lb	NOM
	cULus Listed

Product specifications

Special features

No neutral connection

Phase

Single-phase

Load type

FLR

INC

HAL

MLV

LED

ELV

CFL

Closure type

Maintained

Color

Ivory

Wiring method

Wire leads

Mounting method

Flush

Range

450 sq ft

Number Of Poles

Single-pole

Type

Vacancy sensor switch

Sensor type

Vacancy

Power consumption

600 W

Number of ways

Three-way

Voltage rating

120 V

Resources

Specifications and datasheets

[Eaton Specification Sheet - VS306U-V](#)

[Eaton Passive infrared \(PIR\) motion spec sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)