

# Eaton VS306U-W

Catalog Number: VS306U-W

Eaton vacancy sensor switch, No neutral connection, Flush, 120V, Wire leads, Maintained closure, White, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1-pole, 3-way, 1-phase, 450 sq ft, Vacancy, 600W 722165

## General specifications

Product Name	Catalog Number
Eaton vacancy sensor switch	VS306U-W
UPC	Product Length/Depth
032664722165	2.8 in
Product Height	Product Width
5 in	3.3 in
Product Weight	Certifications
0.001 lb	cULus Listed
	NOM

## Product specifications

### Special features

No neutral connection

### Phase

Single-phase

### Load type

HAL

ELV

LED

INC

FLR

MLV

CFL

### Closure type

Maintained

### Color

White

### Wiring method

Wire leads

### Mounting method

Flush

### Range

450 sq ft

### Number Of Poles

Single-pole

### Type

Vacancy sensor switch

### Sensor type

Vacancy

### Power consumption

600 W

### Number of ways

Three-way

### Voltage rating

120 V

## Resources

### Specifications and datasheets

[Eaton Specification Sheet - VS306U-W](#)

[Eaton Passive infrared \(PIR\) motion spec sheet](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)