

## L-Keys for Hexagon Socket Screws



<b>EAN:</b>	4013288018885	<b>Size:</b>	126x20x4 mm
<b>Part number:</b>	05022072001	<b>Weight:</b>	9 g
<b>Article number:</b>	950 PKL inch	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life
- Metric

High quality L-keys for imperial hexagonal socket screws. Hex-Plus offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

**Web link**

[https://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_inch.html](https://products.wera.de/en/tools_for_the_aerospace_segment_l-keys_l-keys_for_hexagon_socket_screws_950_pkl_inch.html)

Wera - 950 PKL inch  
 05022072001 - 4013288018885

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

### L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened – and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

### Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

### Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes – for simple and rapid accessing of the required tool. Making it easy to find the right tool.

## Surface protection



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

### Web link






[https://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_inch.html](https://products.wera.de/en/tools_for_the_aerospace_segment_l-keys_l-keys_for_hexagon_socket_screws_950_pkl_inch.html)

Wera - 950 PKL inch  
05022072001 - 4013288018885

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

Further versions in this product family:

	 inch	 mm	 mm	 inch	 inch
05022079001 <sup>1)</sup>	0.05	83	14	3 1/4	9/16
05022081001 <sup>1)</sup>	1/16	91	15	3 1/2	19/32
05022068001	5/64	100	16	4	5/8
05022070001	3/32	112	18	4 7/16	23/32
05022071001	7/64	119	19	4 3/4	3/4
<b>05022072001</b>	<b>1/8</b>	<b>126</b>	<b>20</b>	<b>5</b>	<b>25/32</b>
05022073001	9/64	132	23	5 3/16	29/32
05022074001	5/32	140	25	5 1/2	1
05022076001	3/16	160	25	6 5/16	1
05022078001	7/32	180	27	7 1/16	1 1/16
05022080001	1/4	190	34	7 1/2	1 5/16
05022082001	5/16	200	36	8	1 7/16
05022095001	3/8	212	38	8 3/8	1 1/2
05022096001	1/2	224	40	9	1 9/16

1) Regular hexagon

## Web link

[https://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_pkl\\_inch.html](https://products.wera.de/en/tools_for_the_aerospace_segment_l-keys_l-keys_for_hexagon_socket_screws_950_pkl_inch.html)

Wera - 950 PKL inch  
05022072001 - 4013288018885

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de