

Compact Catalogue



Content

Screwdrivers



Kraftform Stainless Steel	4
Kraftform Plus - Series 900	6
Kraftform Plus - Series 300	10
Kraftform Series Comfort	26
Wooden Handle Series	28
Flagdriver Series	29
Screwdriving Accessories	29
Kraftform Micro Series	31
400 T-Handle Series	38
ESD Tools	42

Tools for Electricians



Kraftform Stainless VDE	48
Kraftform 100 VDE	49
Kraftform Kompakt VDE	58
Kraftform Kompakt Turbo i	64
Kraftform Comfort VDE	68
The Zyklus Ratchet VDE and Accessories	69
Torque Tools VDE	73

Ratchets & Accessories



1/4" Zyklus Speed	74
1/4" Zyklus Metal Push	79
1/4" Zyklus Metal Switch	81
1/4" Zyklus Accessories	82
3/8" Zyklus Speed	91
3/8" Zyklus Metal Push	93
3/8" Zyklus Metal Switch	95
3/8" Zyklus Accessories	96
1/2" Zyklus Speed	105
1/2" Zyklus Hybrid	108
1/2" Zyklus Metal Push	109
1/2" Zyklus Metal Switch	110
1/2" Zyklus Accessories	111
1/2" Koloss	121
Zyklus Mini	123
Tool-Check	125

Joker Spanners



6000 Joker Ratcheting combination wrenches	132
6001 Joker Switch Ratcheting combination wrenches, with switch lever	135
6002 Joker Double open-ended wrenches	135
6003 Joker Ring spanner	137
6004 Joker Self-setting spanner	139

L-Keys



L-Keys for Hexagon Socket Screws	140
L-Keys for TORX® Screws	151
Offset Screwdrivers	155

Kraftform Kompakt



Kraftform Kompakt Turbo	156
Kraftform Kompakt 10, 12	157
Kraftform Kompakt 20, 22, 25, 26, 28	158
Kraftform Kompakt 40, 41	161
Kraftform Kompakt 50	162
Kraftform Kompakt 60, 62	162
Kraftform Kompakt 70, 71	166
Kraftform Kompakt 100	167
Kraftform Kompakt 400	168
Kraftform Kompakt User-Specific Sets	168
Bitholding Screwdrivers and Adaptors	175
Kraftform Kompakt Vario with Ratchet Function	177
Kraftform Kompakt Vario without Ratchet Function	180

Wera 2go



Wera 2go 1 Tool Carrier	183
Wera 2go 2 Tool Container	183
Wera 2go 3 Tool Box	184
Wera 2go 4 Tool Quiver	184
Wera 2go 5 Tool Carrier	185
Wera 2go 6 Shoulder Strap	185
Wera 2go 7 High Tool Box	185
Hook and Loop Fastener Strips	185

Bits



	Bits For Phillips Screws	186
	Bits For Pozidriv Screws	199
	Bits For Plusminus Screws – Slotted/Phillips	207
	Bits For Plusminus Screws – Slotted/Pozidriv	207
	Bits For TORX® Screws	207
	Bits For TORX® BO Screws	217
	Bits For TORX PLUS® Screws	218
	Bits For TORX PLUS® IPR Screws	219
	Bits For ASSY® Screws	220
	Bits For Slotted Screws Guide Sleeves	221
	Bits For Hexagon Socket Screws	227
	Bits For Hexagon Socket BO Screws	230
	Bits For Square Socket Screws	230
	Bits For TORQ-SET® Screws	233
	Bits For TRI-WING® Screws	235
	Bits For Multi-Point Screws	235
	Bits For Hi-TORQUE Screws	236
	Bits For Microstix® Screws	237
	Bits For Spanner Screws	237
	Nutsetters	238
	Internal Thread Insertion Tool	239

Holders and Adaptors



Impaktor Bit Holders	240
Rapidaptor Bit Holders	241
BiTorsion Bit Holders With Quick-Release Chuck	243
Universal Bit Holders With Quick-Release Chuck	243
Universal Bit Holders With Retaining Ring	244
Universal Bit Holders With Stainless Steel Sleeve	245
Universal Bit Holders With Copper Beryllium Sleeve	247
Bit Holders With adjustable Depth-Control Stop	247
Adaptors	247

Bit Sets



Bit-Checks Impaktor	250
Bit-Checks Stainless	253
Bit-Checks / Bit-Safes BiTorsion	255
Bit-Checks Diamond	258
Bit-Checks / Bit-Safes Universal	261
Bit-Checks Wood	272
Bit-Checks Metal	274
Bit Sets For Special Applications	275

Torque Tools



Series 7400 Adjustable Torque Screwdrivers	280
Series 7400 Pre-Set Adjustable Torque Screwdrivers	284
Series Torque-indicators	285
Series Click-Torque Wrenches	287
Series Insert Tools	294
Accessories	300

Impact Driver and Soft-faced Hammers




Impact Driver 90 Nm	301
Soft Faced Hammers	301

Index

Code No. Index	303
Article No. Index	316

Kraftform Stainless - stainless steel to prevent rust




High quality Kraftform Plus screwdriver out of stainless steel. The stainless tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. They can be used for industrial application without hesitation. The Lasertip tip literally bites into the head of the screw and thereby prevents any slipping out of the screw head. Multi-component Kraftform handle for fast and low-fatigue working.

Take it easy Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Lasertip tips for more secure fit in the screw head

Lasertip - laser engineered blade



3335 Screwdriver for slotted screws, stainless



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05032001001 ¹⁾	107329	0,5	3,0	3,0	80	81	1/8"
05032002001	107336	0,6	3,5	3,5	100	81	9/64"
05032003001	107343	0,8	4,0	4,0	100	98	5/32"
05032004001	107350	1,0	5,5	5,5	125	98	7/32"

¹⁾without Lasertip

3334 Screwdriver for slotted screws, stainless



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05032005001	107367	1,2	6,5	6,0	150	105	1/4"
05032006001	107374	1,2	8,0	7,0	175	112	5/16"
05032007001	107381	1,6	10,0	9,0	200	112	3/8"

3350 PH Screwdriver for Phillips screws, stainless



	EAN						
Code	4013288		mm	mm	mm		
05032020001 ¹⁾	107398	PH 0	60	81	3,0	2 3/8"	5
05032021001	107404	PH 1	80	98	4,5	3 1/8"	10
05032022001	107411	PH 2	100	105	6,0	4"	10
05032023001	107428	PH 3	150	112	8,0	6"	5

¹⁾without Lasertip

3355 PZ Screwdriver for Pozidriv screws, stainless



	EAN		mm	mm	mm	mm	
Code	4013288						
05032030001 ¹⁾	107435	PZ 0	60	81	3,0	2 3/8"	5
05032031001	107442	PZ 1	80	98	4,5	3 1/8"	10
05032032001	107459	PZ 2	100	105	6,0	4"	10
05032033001	107466	PZ 3	150	112	8,0	6"	5

¹⁾without Lasertip

3367 Screwdriver for TORX® screws, stainless



	EAN		mm	mm	mm	mm	
Code	4013288						
05032050001	107473	TX 8	60	81	3,5	2 3/8"	10
05032051001	107480	TX 9	60	81	4,0	2 3/8"	10
05032052001	107497	TX 10	80	81	4,0	3 1/8"	10
05032053001	107503	TX 15	80	98	4,0	3 1/8"	10
05032054001	107510	TX 20	100	98	4,5	4"	10
05032055001	107527	TX 25	100	105	5,0	4"	10
05032056001	107534	TX 27	115	105	5,5	4 9/16"	10
05032057001	107541	TX 30	115	105	6,0	4 9/16"	10
05032058001	107558	TX 40	130	112	7,0	5 3/16"	10

3368 Screwdriver for square socket screws, stainless


- Stainless screwdriver for square socket screws
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away
- Stainless against extraneous rust



	EAN		mm	mm	mm	mm	
Code	4013288						
05032070002	114150	# 1	80	98	4,5	3 1/8"	10
05032071002	114167	# 2	100	105	6,0	4"	10

3334/6 Screwdriver set, stainless and rack

- Storage rack for wall-mounting




Code	EAN		
05032060001	111388		1
		+	3350 PH 1x PH 1x80; 1x PH 2x100
		-	3335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
		-	3334 1x 1,2x6,5x150

¹⁾without Lasertip

3334/3355/6 Screwdriver set, stainless and rack

- Storage rack for wall-mounting



Code	EAN		
05032061001	111395		1
		+	3355 PZ 1x PZ 1x80; 1x PZ 2x100
		-	3335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
		-	3334 1x 1,2x6,5x150

¹⁾without Lasertip

3334/3350/3355/6 Screwdriver set, stainless and rack

- Storage rack for wall-mounting


3334/3350/3355/6 Screwdriver set, stainless and rack



Code	EAN			
05032063001	111739			1
		+	3350 PH 1x PH 1x80; 1x PH 2x100	
		+	3355 PZ 1x PZ 1x80; 1x PZ 2x100	
		●	3335 1x 0,5x3,0x80 ¹⁾	
		●	3334 1x 1,2x6,5x150	

¹⁾ without Lasertip

Wera Chiseldriver



Wera Chiseldriver for fastening, chiselling and loosening seized screws. Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. A hexagon blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer.

The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for durability and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster.

The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.


932 A Screwdriver for slotted screws



	EAN	1	2	3	4	5	6	7
Code	4013288	mm	mm	mm	mm	mm	mm	mm
05018260001 ¹⁾	018007	0,6	3,5	4		80	81	10
05018262001	018014	0,8	4,5	5	8	90	98	10
05018264001	018021	1,0	5,5	6	10	100	105	10
05018266001	018038	1,2	7,0	6	10	125	105	10
05018268001	018045	1,6	9,0	8	13	150	112	10
05018270001	018052	1,6	10,0	8	13	175	112	5
05018272001	018069	2,0	12,0	10	16	200	117	2
05018274001	018076	2,5	14,0	10	16	250	117	2

¹⁾ No throughout blade, no impact cap and no hexagon bolster

932 A SB Screwdriver for slotted screws



Code	EAN			
05100085001	181596	●	932 A	10
05100086001	181602	●	932 A	10
05100087001	181619	●	932 A	10

932 AS Screwdriver for slotted screws

- Hexagonal blade extending through the handle, impact cap with integrated square and bolster

932 AS Screwdriver for slotted screws



Code	EAN	mm	mm	mm	mm	mm	mm	mm
05018300001	134486	0,8	4,5	5	8	100	98	10
05018301001	134462	1,0	5,5	6	10	113	105	10
05018302001	134455	1,2	7,0	6	10	138	105	10

917 SPH Screwdriver for Phillips screws



Code	EAN	PH	mm	mm	mm	mm	mm	mm
05017005001	017734	PH 1	5	8	80	98	3 1/8"	10
05017010001	017741	PH 2	6	10	100	105	4"	10
05017015001	017758	PH 3	8	13	150	112	6"	5
05017020001	017765	PH 4	10	16	200	117	8"	2

917 SPH SB Screwdriver for Phillips screws



Code	EAN			
05100075001	181565	+	917 SPH	10
05100076001	181572	+	917 SPH	10
05100077001	181589	+	917 SPH	5

917 SPHS Screwdriver for Phillips screws

- Hexagonal blade extending through the handle, impact cap with integrated square and bolster

917 SPHS Screwdriver for Phillips screws



Code	EAN	PH	mm	mm	mm	mm	mm	mm
05017040001	134493	PH 1	5	8	90	98	3 35/64"	10
05017041001	134448	PH 2	6	10	113	105	4 29/64"	10

918 SPZ Screwdriver for Pozidriv screws



Code	EAN	PZ	mm	mm	mm	mm	mm	mm
05017050001	017772	PZ 1	5	8	80	98	3 1/8"	10
05017052001	017789	PZ 2	6	10	100	105	4"	10
05017054001	017796	PZ 3	8	13	150	112	6"	5
05017056001	017802	PZ 4	10	16	200	117	8"	2

918 SPZ SB Screwdriver for Pozidriv screws



Code	EAN			
	4013288			
05100080001	181633	+	918 SPZ 1x PZ 1x80	10
05100081001	181640	+	918 SPZ 1x PZ 2x100	10
05100082001	181657	+	918 SPZ 1x PZ 3x150	5

977 Screwdriver for TORX® screws



Code	EAN							
	4013288							
05024400001	094742	TX 15	5	8	80	98	3 1/8"	10
05024401001	094759	TX 20	5	8	90	98	3 1/2"	10
05024402001	094766	TX 25	6	10	100	105	4"	10
05024403001	094773	TX 27	6	10	125	105	5"	10
05024404001	094780	TX 30	8	13	150	112	6"	10
05024405001	094797	TX 40	8	13	150	112	6"	10

Big Pack 900 Screwdriver set Kraftform Wera: Chiseldriver and rack

- Storage rack for wall-mounting

Big Pack 900 Screwdriver set Kraftform Wera: Chiseldriver and rack



Code	EAN			
	4013288			
05133285001	176349			1
		+	917 SPH 1x PH 1x80; 1x PH 2x100; 1x PH 3x150	
		+	918 SPZ 1x PZ 1x80; 1x PZ 2x100; 1x PZ 3x150	
		+	932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125; 1x 1,6x9,0x150	
		+	977 TORX® 1x TX 20x90; 1x TX 25x100	
			Rack 2x 190,0x50,0	

¹⁾No throughout blade, no impact cap and no hexagon bolster

932/6 Screwdriver set Kraftform Wera: Chiseldriver and rack

- Storage rack for wall-mounting

932/6 Screwdriver set Kraftform Wera: Chiseldriver and rack



Code	EAN			
	4013288			
05018282001	018090			1
		+	917 SPH 1x PH 1x80; 1x PH 2x100	
		+	932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125	

¹⁾No throughout blade, no impact cap and no hexagon bolster

932 S/6 Screwdriver set Kraftform Wera: Chiseldriver and rack

- Impact cap with integrated square and bolster for the transfer of higher torque
- Storage rack for wall-mounting

932 S/6 Screwdriver set Kraftform Wera: Chiseldriver and rack



Code	EAN			
05018283001	4013288 134479			1
		+	917 SPHS 1x PH 1x90; 1x PH 2x113	
		●	932 A 1x 0,6x3,5x80 ¹⁾	
		●	932 AS 1x 0,8x4,5x100; 1x 1,0x5,5x113; 1x 1,2x7,0x138	

¹⁾No throughout blade, no impact cap and no hexagon bolster

932/918/6 Screwdriver set Kraftform Wera: Chiseldriver and rack

- Storage rack for wall-mounting

932/918/6 Screwdriver set Kraftform Wera: Chiseldriver and rack



Code	EAN			
05018287001	4013288 018137			1
		+	918 SPZ 1x PZ 1x80; 1x PZ 2x100	
		●	932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125	

¹⁾No throughout blade, no impact cap and no hexagon bolster

977/6 TORX® Screwdriver set Kraftform Wera: Chiseldriver and rack


- Storage rack for wall-mounting

977/6 TORX® Screwdriver set Kraftform Wera: Chiseldriver and rack



Code	EAN			
05024410001	4013288 094803			1
		★	977 TORX® 1x TX 15x80; 1x TX 20x90; 1x TX 25x100; 1x TX 27x125; 1x TX 30x150; 1x TX 40x150	

Kraftform - the shape that adapts to the hand




High quality Kraftform Plus screwdriver with electrician's blade. Multi-component Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

The tips of Wera Lasertip screwdrivers are microscopically roughened by means of laser beams. This rough surface literally bites into the head of the screw. Any unintentional slipping out is therefore prevented.

Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace and handle markings make for simplified finding and sorting of the tool.

- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Lasertip tips for more secure fit in the screw head

Lasertip - laser engineered blade



335 Screwdriver for slotted screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05008006001 ¹⁾	039996	0,4	2,0	60	70	2,5	5/64"	10
05110000001 ¹⁾	003232	0,4	2,5	60	70	2,5	3/32"	10
05008007001 ¹⁾	003249	0,4	2,5	75	70	2,5	3/32"	10
05008008001 ¹⁾	107985	0,5	3,0	150	81	4,0	1/8"	10
05008009001 ¹⁾	107992	0,5	3,0	200	81	4,0	1/8"	5
05110001001 ¹⁾	003256	0,5	3,0	80	81	3,0	1/8"	10
05008015001	003263	0,6	3,5	100	81	3,5	9/64"	10
05110002001	003270	0,6	3,5	125	81	3,5	9/64"	10
05110003001	003287	0,6	3,5	200	81	3,5	9/64"	5
05110004001	003294	0,8	4,0	100	98	4,0	5/32"	10
05110005001	003300	0,8	4,0	150	98	4,0	5/32"	10
05110006001	003317	0,8	4,0	200	98	4,0	5/32"	5
05008027001 ¹⁾	003324	0,8	4,0	300	98	4,0	5/32"	2
05110007001	003331	1,0	5,5	125	98	5,5	7/32"	10
05008055001	003348	1,0	5,5	150	98	5,5	7/32"	10
05110008001	003355	1,0	5,5	200	98	5,5	7/32"	5
05008060001 ¹⁾	003362	1,0	5,5	300	98	5,5	7/32"	2
05008061001	108005	1,2	6,0	100	105	6,0	5/16"	10

¹⁾ without Lasertip

335 SB Slotted screwdriver



Code	EAN			
	4013288			
05100042001	181275	335	1x 0.6x3.5x100	10
05100043001	181251	335	1x 0.8x4.0x100	10
05100044001	181244	335	1x 1.0x5.5x125	10

334 SK Screwdriver for slotted screws

- Hexagonal blade

334 SK Screwdriver for slotted screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05007670001	108036	0,6	3,5	4	-	75	81	10
05007671001	108043	0,8	4,0	4	-	90	81	10
05007672001	108050	0,8	4,5	5	8	90	98	10
05007673001	108067	1,0	5,5	6	10	100	98	10
05007674001	108074	1,2	6,5	6	10	125	105	10
05007675001	108081	1,2	7,0	6	10	125	105	10
05007676001	108098	1,6	9,0	8	13	150	112	10
05007677001	108104	1,6	10,0	8	13	175	112	5

334 Screwdriver for slotted screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05007610001	003058	0,8	5,0	100	98	5,0	3/16"	10
05007620001	003065	1,0	6,0	125	105	6,0	1/4"	10
05340330001	102553	1,0	6,0	150	105	6,0	1/4"	10
05110010001	003089	1,2	6,5	150	105	6,0	1/4"	10
05007635001	003072	1,2	7,0	150	105	7,0	9/32"	10
05007621001	108012	1,2	6,5	200	105	7,0	9/32"	5
05110011001	003096	1,2	8,0	175	112	7,0	5/16"	5
05007640001	108029	1,6	8,0	175	112	7,0	5/16"	5
05110104001	003102	1,6	10,0	200	112	9,0	3/8"	5
05110105001 ¹⁾	003119	2,0	12,0	250	117	10,0	1/2"	2

¹⁾without Lasertip

334 SB Screwdriver for slotted screws



Code	EAN			
05100030001	181411	334	1x 1.2x6.5x150	10
05100031001	181220	334	1x 1.2x8.0x175	5

378 B Screwdriver for slotted screws

- Square blade

378 B Screwdriver for slotted screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05110050001	004598	0,8	4,0	4	75	98	5/32"	10
05110051001	004604	1,0	5,5	5	100	98	7/32"	10
05110052001	004611	1,2	6,5	6	125	105	1/4"	10
05110053001	004628	1,6	8,0	8	150	112	5/16"	10
05007355001	004635	1,6	10,0	8	60	112	3/8"	5
05110054001	004642	1,6	10,0	8	175	112	3/8"	5
05110150001	004666	1,6	10,0	8	200	112	3/8"	5
05110055001	004673	2,0	12,0	10	200	112	1/2"	5
05110151001	004680	2,0	12,0	10	250	112	1/2"	5

350 SK PH Screwdriver for Phillips screws

- Hexagonal blade and bolster for higher torque transfer

350 SK PH Screwdriver for Phillips screws



	EAN		mm	mm	mm	mm	mm	
Code	4013288		mm	mm	mm	mm	mm	
05008750001 ¹⁾	108128	PH 0	4		60	81	2 3/8"	5
05008751001	108135	PH 1	5	8	80	98	3 1/8"	10
05008752001	108142	PH 2	6	10	100	105	4"	10
05008753001	108159	PH 3	8	13	150	112	6"	5

¹⁾without Lasertip

350 PH Screwdriver for Phillips screws



	EAN	+	mm	mm	mm	mm	
Code	4013288						
05008705001 ¹⁾	003591	PH 0	60	81	3,0	2 3/8"	5
05008706001 ¹⁾	108111	PH 0	100	81	3,0	4"	5
05008710001	003607	PH 1	80	98	4,5	3 1/8"	10
05008712001	003614	PH 1	200	98	4,5	8"	2
05008715001 ¹⁾	003621	PH 1	300	98	4,5	12"	2
05008720001	003638	PH 2	100	105	6,0	4"	10
05008723001	097996	PH 2	150	105	6,0	6"	10
05008725001	003645	PH 2	200	105	6,0	8"	2
05008730001 ¹⁾	003652	PH 2	300	105	6,0	12"	2
05008735001	003669	PH 3	150	112	8,0	6"	5
05008740001 ¹⁾	003676	PH 4	200	112	10,0	8"	2

¹⁾without Lasertip

350 PH SB Screwdriver for Phillips screws



Code	EAN			
	4013288			
05100050001	181329	+	350 PH 1x PH 0x60 ¹⁾	10
05100051001	181336	+	350 PH 1x PH 1x80	10
05100052001	181343	+	350 PH 1x PH 2x100	10

355 SK PZ Screwdriver for Pozidriv screws

- Hexagonal blade and bolster for higher torque transfer

355 SK PZ Screwdriver for Pozidriv screws



	EAN	*	mm	mm	mm	mm	mm	
Code	4013288							
05009340001 ¹⁾	108180	PZ 0	4		60	81	2 3/8"	5
05009341001	108197	PZ 1	5	8	80	98	3 1/8"	10
05009342001	108203	PZ 2	6	10	100	105	4"	10
05009343001	108210	PZ 3	8	13	150	112	6"	5

¹⁾without Lasertip

355 PZ Screwdriver for Pozidriv screws



	EAN	*	mm	mm	mm	mm		
Code	4013288							
05009305001 ¹⁾	004024	PZ 0	60	81	3,0	2 3/8"		10
05009310001	004031	PZ 1	80	98	4,5	3 1/8"		10
05009312001	004048	PZ 1	200	98	4,5	8"		2
05009313001 ¹⁾	108166	PZ 1	300	98	4,5	12"		2
05009315001	004055	PZ 2	100	105	6,0	4"		10
05009317001	004062	PZ 2	200	105	6,0	8"		2
05347743001	097040	PZ 2	250	105	6,0	10"		2
05009319001 ¹⁾	108173	PZ 2	300	105	6,0	12"		2
05009320001	004079	PZ 3	150	112	8,0	6"		5
05009325001 ¹⁾	004086	PZ 4	200	112	10,0	8"		2

¹⁾without Lasertip

355 PZ SB Screwdriver for Pozidriv screws



Code	EAN			
	4013288			
05100055001	181282	+	355 PZ 1x PZ 0x60 ¹⁾	10
05100056001	181299	+	355 PZ 1x PZ 1x80	10
05100057001	181305	+	355 PZ 1x PZ 2x100	10

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



High quality Kraftform Plus screwdriver.

Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Hex-Plus offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess.

Take it easy Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

- Hexagonal screwdriver Hex-Plus
- Hex-Plus allows socket head screws to live longer

354 Screwdriver for hexagon socket screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05023105001	003942	2,0	75	70	3,0	3"		5
05023107001	003959	2,5	75	81	3,0	3"		10
05023110001	003966	3,0	75	81	4,0	3"		10
05023115001	003973	4,0	75	98	5,0	3"		10
05023120001	003980	5,0	80	105	6,0	3 1/8"		10
05023125001	003997	6,0	80	105	7,0	3 1/8"		5
05023130001	004000	8,0	100	112	10,0	4"		5

352 Ball end screwdriver for hexagon socket screws


- Hexagonal blade and ballpoint for secure working even in difficult installation situations

352 Ball end screwdriver for hexagon socket screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05022795001	032577	1,5		60	70	2 3/8"		10
05022800001	003751	2,0		100	70	4"		10
05138070001	003768	2,5		100	81	4"		10
05022805001	003775	3,0		100	81	4"		10
05022810001	003782	4,0		100	98	4"		10
05022815001	003799	5,0		100	105	4"		10
05022820001	003805	6,0		125	105	5"		5
05022825001	003812	8,0		150	112	6"		5
05022830001	003829	10,0		150	112	6"		5
05022835001	003836	12,0		150	117	6"		5
05022905001	003843		5/32"	100	98	4"		5
05022910001	003850		3/16"	100	105	4"		5
05022915001	003867		7/32"	100	105	4"		5
05022920001	003874		1/4"	125	105	5"		5
05022925001	003881		5/16"	150	112	6"		5
05022930001	003898		3/8"	150	112	6"		5
05022935001	003904		1/2"	150	117	6"		5

TORX® Tools with holding function



High quality Kraftform Plus screwdriver.

Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Holding function: the wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool.

The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

- Screwdriver for recessed TORX® screws
- Holding function for TORX® screws
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away

367 TORX® HF Screwdriver with holding function for TORX® screws




	EAN						
Code	4013288		mm	mm	mm		
05028048001	106643	TX 8	60	81	3,5	2 3/8"	10
05028049001	106650	TX 9	60	81	4,0	2 3/8"	10
05028050001	100696	TX 10	80	81	4,0	3 1/8"	10
05028051001	100702	TX 15	80	98	4,0	3 1/8"	10
05028052001	100719	TX 20	100	98	4,5	4"	10
05028070001	138415	TX 20	300	98	4,5	12"	4
05028053001	100726	TX 25	100	105	5,0	4"	10
05028071001	138408	TX 25	300	105	6,0	12"	4
05028054001	100733	TX 27	115	105	5,5	4 9/16"	10
05028072001	138392	TX 27	300	105	6,0	12"	4
05028055001	100740	TX 30	115	105	6,0	4 9/16"	10
05028073001	138385	TX 30	300	105	6,0	12"	4
05028056001	100757	TX 40	130	112	7,0	5 3/16"	10

367 Screwdriver for TORX® screws



	EAN						
Code	4013288		mm	mm	mm		
05028000001	025852	TX 5	60	70	3,5	2 3/8"	10
05028001001	004185	TX 6	60	70	3,5	2 3/8"	10
05028002001	004192	TX 7	60	70	3,5	2 3/8"	10
05028003001	004208	TX 8	60	81	3,5	2 3/8"	10
05028004001	004215	TX 9	60	81	4,0	2 3/8"	10
05028005001	004222	TX 10	80	81	4,0	3 1/8"	10
05028008001	004239	TX 15	80	98	4,0	3 1/8"	10
05028010001	004246	TX 20	100	98	4,5	4"	10
05028012001	004253	TX 25	100	105	5,0	4"	10
05028013001	004260	TX 27	115	105	5,5	4 9/16"	10
05028015001	004277	TX 30	115	105	6,0	4 9/16"	10
05028020001	004284	TX 40	130	112	7,0	5 1/8"	10
05028025001	004291	TX 45	130	112	8,0	5 1/8"	10

367 SB Screwdriver for TORX® screws




Code	EAN			
	4013288			
05100060001	181350		367 TORX® 1x TX 10x80	10
05100061001	181367		367 TORX® 1x TX 15x80	10
05100062001	181374		367 TORX® 1x TX 20x100	10
05100063001	181381		367 TORX® 1x TX 25x100	10
05100064001	181398		367 TORX® 1x TX 30x115	10

367 K Ball end screwdriver for TORX® screws

- Black Point tip and ballpoint, chrome-plated

367 K Ball end screwdriver for TORX® screws



Code	EAN							
	4013288		mm	mm	mm	mm		
05027950001	004338	TX 15	80	98	4,0	3 1/8"		5
05027952001	004345	TX 20	100	98	4,5	4"		5
05027954001	004352	TX 25	100	105	5,0	4"		5
05027956001	004369	TX 27	115	105	5,5	4 9/16"		5
05027958001	004376	TX 30	115	105	6,0	4 9/16"		5

367 TORX® B0 Screwdriver for tamper-proof TORX® screws

High quality Kraftform Plus screwdriver. Multi-component Kraftform handle for fast and low-fatigue working.

TORX® B0 screws have a protruding pin in their drive profile. This prevents any unauthorised loosening since the "normal" hex tools cannot move these screws. Only special TORX® B0 tools have a bore hole which can slip over the pin.

The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit.

The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

- Screwdrivers for recessed TORX® screws with safety pin

367 TORX® B0 Screwdriver for tamper-proof TORX® screws



Code	EAN							
	4013288		mm	mm	mm	mm		
05138257001	039965	TX 7	60	70	3,5	2 3/8"		5
05138258001	039972	TX 8	60	81	3,5	2 3/8"		5
05138259001	039989	TX 9	60	81	4,0	2 3/8"		5
05138260001	025869	TX 10	80	81	4,0	3 1/8"		5
05138268001	108234	TX 10	300	81	4,0	12"		5
05138261001	025876	TX 15	80	98	4,0	3 1/8"		5
05138269001	108241	TX 15	300	98	4,0	12"		2
05138262001	025883	TX 20	100	98	4,5	4"		5
05138270001	108258	TX 20	300	98	4,5	12"		2
05138263001	025890	TX 25	100	105	5,0	4"		5
05138264001	025906	TX 27	115	105	5,5	4 9/16"		5
05138265001	025913	TX 30	115	105	6,0	4 9/16"		5
05138266001	025920	TX 40	130	112	7,0	5 3/16"		5

367 TORX PLUS® Screwdriver for TORX PLUS® screws

High quality Kraftform Plus screwdriver by Wera. TORX PLUS® profile: in comparison to "normal" TORX® profiles, the enlargement of the 6 torque-transferring flanks between the tool and screw is implemented by using an elliptical and not circular profile design.

This means that the power applied when fastening is spread across a larger surface area. Higher torque is transferred and the service life of the screw and tool is also enhanced. Multi-component Kraftform handle for rapid and convenient working.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. The Wera Black Point tip offers a perfect fit and optimised corrosion protection. The hexagonal non-roll feature prevents any annoying rolling away at the workplace. Handle markings for simplified finding and sorting of the tools.

367 TORX PLUS® Screwdriver for TORX PLUS® screws



	EAN						
Code	4013288		mm	mm	mm		
05028029001	041555	5 IP	60	70	3,5	2 3/8"	5
05028030001	040091	6 IP	60	70	3,5	2 3/8"	5
05028031001	040107	7 IP	60	70	3,5	2 3/8"	5
05028032001	040114	8 IP	60	70	3,5	2 3/8"	5
05028033001	040121	9 IP	60	81	4,0	2 3/8"	5
05028034001	040138	10 IP	80	81	4,0	3 1/8"	5
05028035001	040145	15 IP	80	98	4,0	3 1/8"	5
05028036001	040152	20 IP	100	98	4,5	4"	5
05028037001	040169	25 IP	100	105	5,0	4"	5
05028038001	040176	30 IP	115	105	6,0	4 9/16"	5

371 TORQ-SET® Mplus screwdriver for TORQ-SET® screws

High quality Kraftform Plus screwdriver. The stronger flanks when compared with the conventional TORQ-SET profile result in 70% more breaking torque and thereby enhanced durability. Multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Hexagonal anti-roll feature prevents any rolling away and handle markings make for simplified finding and sorting of the tool.

- Screwdriver for TORQ-SET® screws
- Mplus for more breaking torque and durability, chrome-plated

371 TORQ-SET® Mplus screwdriver for TORQ-SET® screws



	EAN							
Code	4013288	mm		mm	mm	mm		
05028130001	094933	6		80	98	4,5	3 1/8"	5
05028132001	094940	8		100	105	6,0	4"	5
05028134001	094957	10		100	105	6,0	4"	5
05028136001	094964		1/4"	125	112	8,0	5"	5

368 Screwdriver for square socket head screws

High quality Kraftform Plus screwdriver for square socket screws. The colour coding system allows the user to quickly find and identify the size needed. Multi-component Kraftform handle for fast and low-fatigue working.

The Wera Black Point tip offers optimised corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

368 Screwdriver for square socket head screws



	EAN							
Code	4013288			mm	mm	mm		
05117680001	028723		# 00	60	81	3,5	2 3/8"	5
05117681001	028730		# 0	60	81	4,0	2 3/8"	5
05117682001	028747		# 1	80	98	4,5	3 1/8"	5
05117683001	028754		# 1	200	98	4,5	8"	5
05117684001	028761		# 2	100	105	6,0	4"	5
05117685001	028778		# 2	200	105	6,0	8"	5
05117691001	040916		# 2	300	105	6,0	12"	2
05117686001	028785		# 3	150	112	8,0	6"	5
05117687001	028792		# 4	200	112	8,0	8"	5

368 SB Screwdriver for square socket head screws



Code	EAN			
	4013288			
05100070001	181404	368	1x # 1x80	5
05100071001	181428	368	1x # 2x100	5
05100072001	181435	368	1x # 3x150	5

375 TRI-WING® screwdriver for TRI-WING® screws



Code	EAN						
	4013288		mm	mm	mm		
05028116001	094919	0	80	81	3,5	3 1/8"	5
05028118001	094926	1	80	81	3,5	3 1/8"	5
05028120001	037046	2	80	98	4,5	3 1/8"	5
05028122001	037053	3	80	98	4,5	3 1/8"	5
05028124001	037060	4	100	98	6,0	4"	5
05028126001	037077	5	100	98	6,0	4"	5

391 Hose clamp screwdriver

- Hose clamp screwdriver for hexagon head screws
- Flexible, circular blade

391 Hose clamp screwdriver



Code	EAN						
	4013288	mm	mm	mm			
05028148001	004703	6	167	98	6 9/16"		5
05028150001	004710	7	167	98	6 9/16"		5
05028152001	004727	8	167	98	6 9/16"		5

395 Nutdriver

- Nutsetter for hexagon head screws



	EAN						
	4013288	mm	mm	mm	mm		
Code							
05028205001	004734	3,0	125	98	5,0	5"	5
05028210001	004741	3,5	125	98	6,1	5"	5
05028215001	004758	4,0	125	98	6,9	5"	5
05028220001	004765	4,5	125	98	7,1	5"	5
05028225001	004772	5,0	125	98	8,1	5"	5
05028230001	004789	5,5	125	98	8,1	5"	5
05029405001	004796	6,0	125	98	9,1	5"	5
05029410001	004802	7,0	125	105	11,0	5"	5
05029415001	004819	8,0	125	105	12,1	5"	5
05029420001	004826	9,0	125	105	13,1	5"	5
05029425001	004833	10,0	125	112	14,1	5"	5
05029430001	004840	11,0	125	112	16,0	5"	5
05029435001	004857	12,0	125	112	17,1	5"	5
05029440001	004864	13,0	125	112	18,1	5"	5
05029445001	004871	14,0	125	112	19,1	5"	5
05029450001	004888	15,0	125	112	21,0	5"	5

395 HO Nutdriver

High quality nutsetter with hollow shaft by Wera. Hollow shaft for the fastening of threaded rods; only then can the threaded rod with nut slip into the hollow shaft. Multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Hexagonal anti-roll feature prevents any rolling away and handle markings make for simplified finding and sorting of the tool; for hexagon head screws.

- Nutsetter for hexagon head screws
- Hollow shaft for protruding threaded rods, chrome-plated

395 HO Nutdriver



	EAN							
Code	4013288	mm		mm	mm	mm		
05029460001	108296	5,0		90	98	7,2	3 35/64"	5
05029461001	108302	5,5		90	98	7,2	3 35/64"	5
05029462001	108319	6,0		90	98	7,2	3 35/64"	5
05029463001	108326	7,0		90	105	7,2	3 35/64"	5
05029464001	108333	8,0		90	105	9,3	3 35/64"	5
05029465001	108340	10,0		90	112	9,3	3 35/64"	5
05029466001	108357	13,0		90	112	11,0	3 35/64"	5
05029501001	110503		3/16"	90	98	7,2	3 35/64"	5
05029502001	110510		1/4"	90	98	7,2	3 35/64"	5
05029503001	110527		5/16"	90	105	9,3	3 35/64"	5
05029504001	110534		11/32"	90	105	9,3	3 35/64"	5
05029505001	110541		3/8"	90	112	9,3	3 35/64"	5
05029506001	110558		7/16"	90	112	11,0	3 35/64"	5
05029507001	110565		1/2"	90	112	11,0	3 35/64"	5

Take it easy tool finder with color markings - for quick tool identification



Especially small screwdrivers with short blades for hard to reach areas. The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

The blades have all the benefits of the Wera Bit technology. Special surface treatment of the blades for high corrosion protection and optimum fitting accuracy in the screw.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Blades with the benefits of the Wera Bit technology
- Hexagonal anti-roll feature against rolling away
- Take it easy tool finder: colour coding according to profile and size

335 Stubby/carburetor screwdriver



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05008840001	212115	0,6	3,5	24,5	54	3,5	9/64"	5
05008841001	212122	0,8	4,0	24,5	54	4,0	5/32"	5
05008842001	212139	1,0	5,5	24,5	54	5,5	7/32"	5
05008843001	212146	1,2	6,5	24,5	54	6,5	1/4"	5
05008844001	212153	1,2	8,0	24,5	54	8,0	5/16"	5

350 PH Phillips-head Stubby/carburetor screwdriver



	EAN						
Code	4013288		mm	mm	mm	mm	
05008850001	212160	PH 1	25	54	4,2	1"	5
05008851001	212177	PH 2	25	54	5,2	1"	5
05008852001	212184	PH 3	25	54	6,2	1"	5

355 PZ Phillips-head Stubby/carburetor screwdriver




	EAN						
Code	4013288		mm	mm	mm	mm	
05008853001	212191	PZ 1	25	54	4,5	1"	5
05008854001	212207	PZ 2	25	54	6,0	1"	5
05008855001	212214	PZ 3	25	54	8,0	1"	5

367 TORX® Stubby screwdriver



	EAN						
Code	4013288		mm	mm	mm	mm	
05008856001	212245	TX 10	25	54	3,4	1"	5
05008857001	212252	TX 15	25	54	3,7	1"	5
05008858001	212269	TX 20	25	54	4,0	1"	5
05008859001	212276	TX 25	25	54	4,5	1"	5
05008860001	212283	TX 27	25	54	5,1	1"	5
05008861001	212290	TX 30	25	54	5,6	1"	5
05008862001	212306	TX 40	25	54	-	1"	5

368 Stubby screwdriver for square head socket screws



	EAN						
Code	4013288		mm	mm	mm	mm	
05008863001	212313	# 01	25	54	4,2	1"	5
05008864001	212320	# 02	25	54	4,2	1"	5

Kraftform Big Pack 300

- Screwdrivers for slotted, cross-recess Phillips and Pozidriv screws and TORX®

Kraftform Big Pack 300



Code	EAN		
05105630001	163622		1
		350 PH 1x PH 1x80; 1x PH 2x100	
		355 PZ 1x PZ 1x80; 1x PZ 2x100	
		367 TORX® 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115	
		334 1x 1,2x6,5x150	
		335 1x 0,6x3,5x100; 1x 0,8x4,0x100	
		Rack 2x 190,0x50,0	

Kraftform XXL

- For every application the right tool

Kraftform XXL



Code	EAN		
05051010001	139092		1
		350 PH 1x PH 1x80; 1x PH 2x100	
		355 PZ 1x PZ 1x80; 1x PZ 2x100	
		932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125	
		334 1x 1,2x6,5x150	
		335 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100	
		247 1x 0,5x3,0x70	
		Rack 2x 190,0x50,0	

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

Kraftform XXL 2



Code	EAN		
05051011001	4013288 144225		1
		+	350 PH 1x PH 2x100
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100
		●	932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125
		●	335 1x 0,8x4,0x100
		✳	367 TORX® 1x TX 15x80; 1x TX 20x100; 1x TX 25x100
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100
		●	247 1x 0,5x3,0x70
			Rack 2x 190,0x50,0

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

Kraftform XXL 3



Code	EAN		
05347106001	4013288 182388		1
		●	932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125
		+	350 PH 1x PH 1x80; 1x PH 2x100
		●	334 1x 1,2x6,5x150
		●	335 1x 0,8x4,0x100; 1x 1,0x5,5x125
		□	368 1x # 1x80; 1x # 2x100
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100
			Rack 2x 190,0x50,0

¹⁾ without Lasertip

Kraftform 2go 300

11 Kraftform screwdrivers; with Take it easy Toolfinder; in the Wera 2go 4 quiver; comes with an adjustable partition element for individual sectioning.

- Suitable for docking with the Wera 2go system

Kraftform 2go 300



Code	EAN		
05004313001	4013288 187833		1
			Wera 2go 4 1x 165,0x165,0x105,0
		+	350 PH 1x PH 1x80; 1x PH 2x100
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100
		✳	367 TORX® 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115
		●	334 SK 1x 0,8x4,5x90; 1x 1,2x7,0x125
			K120 1x 50,0x120,0

334 SK/6 Rack screwdriver set Kraftform Plus Lasertip and rack

- Hexagonal blade and bolster for higher torque transfer

334 SK/6 Rack screwdriver set Kraftform Plus Lasertip and rack



Code	EAN		
05007680001	4013288 111418		1
		+	350 SK PH 1x PH 1x80; 1x PH 2x100
		●	334 SK 1x 0,6x3,5x75; 1x 0,8x4,0x90; 1x 1,0x5,5x100; 1x 1,2x6,5x125

334/6 Rack screwdriver set Kraftform Plus Lasertip and rack



Code	EAN			
05105650001	4013288	003133		1
		+	350 PH 1x PH 1x80; 1x PH 2x100	
		●	334 1x 1,2x6,5x150	
		●	335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

¹⁾without Lasertip

334/355 SK/6 Screwdriver set Kraftform Plus Lasertip and rack

- Hexagonal blade and bolster for higher torque transfer

334/355 SK/6 Screwdriver set Kraftform Plus Lasertip and rack



Code	EAN			
05007681001	4013288	111425		1
		+	355 SK PZ 1x PZ 1x80; 1x PZ 2x100	
		●	334 SK 1x 0,6x3,5x75; 1x 0,8x4,0x90; 1x 1,0x5,5x100; 1x 1,2x6,5x125	

334/355/6 Rack screwdriver set Kraftform Plus Lasertip and rack



Code	EAN			
05105656001	4013288	003140		1
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100	
		●	334 1x 1,2x6,5x150	
		●	335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

¹⁾without Lasertip

335/350/355/6 Screwdriver set Kraftform Plus Lasertip and rack





Code	EAN			
05105622001	4013288	041616		1
		+	350 PH 1x PH 1x80; 1x PH 2x100	
		+	355 PZ 1x PZ 1x80; 1x PZ 2x100	
		●	335 1x 0,8x4,0x100; 1x 1,0x5,5x125	

335/350/355/3 Screwdriver set Kraftform Plus 300 mm-long blades

- Extra-long blade for low-lying working situations

335/350/355/3 Screwdriver set Kraftform Plus 300 mm-long blades



Code	EAN			
05347735002	120991			1
		335	1x 1,0x5,5x300 ¹⁾	
		350 PH	1x PH 2x300 ¹⁾	
		355 PZ	1x PZ 2x300 ¹⁾	

¹⁾without Lasertip

335/350/355/4 Screwdriver set Kraftform Plus Lasertip 200 mm-long blades

- Extra-long blade for low-lying working situations

335/350/355/4 Screwdriver set Kraftform Plus Lasertip 200 mm-long blades



Code	EAN			
05347736002	117397			1
		350 PH	1x PH 2x200	
		355 PZ	1x PZ 1x200; 1x PZ 2x200	
		335	1x 1,0x5,5x200	

335/350/367/7 Rack screwdriver set Kraftform Plus Lasertip and rack



Code	EAN			
05320540001	094704			1
		350 PH	1x PH 2x100	
		355 PZ	1x PZ 1x80; 1x PZ 2x100	
		335	1x 0,8x4,0x100	
		367 TORX®	1x TX 15x80; 1x TX 20x100; 1x TX 25x100	

367/7 TORX® HF Kraftform Plus screwdriver set with holding function and rack

- Holding function for TORX® screws, chrome-plated

367/7 TORX® HF Kraftform Plus screwdriver set with holding function and rack



Code	EAN			
05223161001	118226			1
		367 TORX® HF	1x TX 8x60; 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 27x115; 1x TX 30x115	


367/6 TORX® HF Kraftform Plus screwdriver set with holding function and rack



Code	EAN		
05028059001	4013288 100764		1
			367 TORX® HF 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130

367/4 TORX® HF Kraftform Plus screwdriver set with holding function and 300 mm-long blades

- Screwdriver for TORX® screws; holding function and extra-long 300 mm blade



Code	EAN		
05028074001	4013288 138378		1
			367 TORX® HF 1x TX 20x300; 1x TX 25x300; 1x TX 27x300; 1x TX 30x300

367/6 TORX® Screwdriver set Kraftform Plus and rack



Code	EAN		
05028062001	4013288 028891		1
			367 TORX® 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130

334/368/6 Screwdriver set and rack



Code	EAN		
05347778001	4013288 122735		1
			350 PH 1x PH 1x80; 1x PH 2x100
			334 1x 1,2x6,5x150
			335 1x 0,8x4,0x100
			368 1x # 1x80; 1x # 2x100

367/6 TORX® BO Kraftform Plus screwdriver set and rack

- Screwdrivers for recessed TORX® screws with safety pin



Code	EAN		
05138250001	4013288 028907		1
			367 TORX® BO 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130

395 HO/7 SM Nutdriver set

- Nutsetter for hexagon head screws
- Hollow shaft for protruding threaded rods, chrome-plated

395 HO/7 SM Nutdriver set



Code	EAN		
05029510001	4013288 111432		1
		●	395 HO 1x 5,0x90; 1x 5,5x90; 1x 6,0x90; 1x 7,0x90; 1x 8,0x90; 1x 10,0x90; 1x 13,0x90

395 HO/3 Sanitary Nutdriver set

- Nutsetter for hexagon head screws, chrome-plated
- With hollow shaft for protruding threaded rods, particularly suitable for installing/removing mixer taps on washbasins

395 HO/3 Sanitary Nutdriver set



Code	EAN		
05134275001	4013288 207616		1
		●	395 HO 1x 10,0x90; 1x 13,0x90; 1x 7/16"x90

391/3 Hose clamp screwdriver set



Code	EAN		
05135311001	4013288 169860		1
		●	391 1x 6x167; 1x 7x167; 1x 8x167

Stubby Set 1 screwdriver set


Especially small screwdrivers with short blades for hard to reach areas. The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

The blades have all the benefits of the Wera Bit technology. Special surface treatment of the blades for high corrosion protection and an optimum fit in the screw head.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Blades with the benefits of the Wera Bit technology
- Hexagonal anti-roll feature against rolling away
- Take it easy tool finder: colour coding according to profile and size

Stubby Set 1 screwdriver set




Code	EAN		
05008870001	4013288 212337		1
		●	335 Stubby 1x 0,6x3,5x24,5; 1x 0,8x4,0x24,5; 1x 1,0x5,5x24,5
		+	350 PH Stubby 1x PH 1x25; 1x PH 2x25

Stubby Set 2 screwdriver set




Code	EAN		
05008871001	4013288 212344		1
		335 Stubby 1x 0,6x3,5x24,5; 1x 0,8x4,0x24,5; 1x 1,0x5,5x24,5	
		355 PZ Stubby 1x PZ 1x25; 1x PZ 2x25	

Stubby Set 3 screwdriver set



Code	EAN		
05008872001	4013288 214096		1
		350 PH Stubby 1x PH 1x25; 1x PH 2x25	
		335 Stubby 1x 1,0x5,5x24,5	
		368 Stubby 1x # 01x25; 1x # 02x25	

Stubby Set TX 1 screwdriver set TORX®



Code	EAN		
05008876001	4013288 212351		1
		367 TORX® Stubby 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25	

300/7 Mix 1 screwdriver set

Application-specific mixture of workshop screwdrivers with normal long blade and especially small Stubby screwdrivers with short blade for hard to reach areas.

The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working. The blades have all the benefits of the Wera Bit technology. Special surface treatment of the blades for high corrosion protection and an optimum fit in the screw head.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact Stubby screwdriver for working in confined spaces
- Lasertip screwdriver with long blade
- Ergonomic 2-component Kraftform handle for precise work
- Hexagonal anti-roll feature against rolling away
- Take it easy tool finder: colour coding according to profile and size

300/7 Mix 1 screwdriver set



Code	EAN		
05008900001	4013288 214218		1
		350 PH Stubby 1x PH 1x25; 1x PH 2x25	
		350 PH 1x PH 1x80; 1x PH 2x100	
		334 1x 1,2x6,5x150	
		335 1x 0,5x3,0x80 ¹⁾ ; 1x 1,0x5,5x125	
		Rack 1x 190,0x50,0	

¹⁾without Lasertip

300/7 Mix 2 screwdriver set



Code	EAN			
05008901001	4013288 214225			1
		Rack		
		1x 190,0x50,0		
		355 PZ Stubby		
		1x PZ 1x25; 1x PZ 2x25		
		355 PZ		
		1x PZ 1x80; 1x PZ 2x200		
		334		
		1x 1,2x6,5x150		
		335		
		1x 0,5x3,0x80 ¹⁾ ; 1x 1,0x5,5x125		

¹⁾without Lasertip

1335 Screwdriver for slotted screws

High quality Kraftform Comfort screwdriver with circular blade for slotted screws. Multi-component Kraftform handle for fast and low-fatigue working.

The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit.

The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

- Kraftform Comfort screwdriver for slotted screws
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

1335 Screwdriver for slotted screws



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05031400001	108944	0,4	2,0	60	81	2,5	5/64"	10
05031401001	108951	0,4	2,5	75	81	2,5	3/32"	10
05031402001	108968	0,5	3,0	80	81	3,0	1/8"	10
05031403001	108975	0,5	3,0	150	81	3,0	1/8"	10
05031405001	108999	0,6	3,5	100	81	3,5	9/64"	10
05031406001	109002	0,6	3,5	125	81	3,5	9/64"	10
05031408001	109026	0,8	4,0	100	98	4,0	5/32"	10
05031409001	109033	0,8	4,0	150	98	4,0	5/32"	10
05031411001	109057	0,8	4,0	300	98	4,0	5/32"	2
05031412001	109064	1,0	5,5	125	98	5,5	7/32"	10
05031413001	109071	1,0	5,5	150	98	5,5	7/32"	10
05031416001	109101	1,2	6,0	100	105	6,0	15/64"	10

1334 Screwdriver for slotted screws



	EAN							
Code	4013288	mm	mm	mm	mm			
05031420001	109118	0,8	5,0	100	98	3/16"	4"	10
05031421001	109125	1,0	6,0	125	105	15/64"	5"	10
05031422001	109132	1,2	6,5	150	105	1/4"	6"	10
05031424001	109156	1,2	7,0	150	105	9/32"	6"	10
05031425001	109163	1,2	8,0	175	112	5/16"	7"	5
05031426001	109170	1,6	8,0	175	112	5/16"	7"	5
05031427001	109187	1,6	10,0	200	112	3/8"	8"	5

1350 PH Screwdriver for Phillips screws



	EAN						
Code	4013288		mm	mm	mm		
05031440001	109279	PH 0	60	81	3,0	2 3/8"	5
05031441001	109286	PH 1	80	98	4,5	3 1/8"	10
05031442001	109293	PH 1	200	98	4,5	8"	2
05031444001	109316	PH 2	100	105	6,0	4"	10
05031445001	109323	PH 2	200	105	6,0	8"	2
05031447001	109347	PH 3	150	112	8,0	6"	5

1355 PZ Screwdriver for Pozidriv screws



Code	4013288						
05031460001	109408	PZ 0	60	81	3,0	2 3/8"	10
05031461001	109415	PZ 1	80	98	4,5	3 1/8"	10
05031463001	109439	PZ 2	100	105	6,0	4"	10
05031466001	109460	PZ 3	150	112	8,0	6"	5

1367 TORX® screwdriver for TORX® screws



Code	4013288						
05031500001	109644	TX 5	60	81	3,5	2 3/8"	10
05031501001	109651	TX 6	60	81	3,5	2 3/8"	10
05031502001	109668	TX 7	60	81	3,5	2 3/8"	10
05031503001	109675	TX 8	60	81	3,5	2 3/8"	10
05031504001	109682	TX 9	60	81	4,0	2 3/8"	10
05031505001	109699	TX 10	80	81	4,0	3 1/8"	10
05031506001	109705	TX 15	80	98	4,0	3 1/8"	10
05031507001	109712	TX 20	100	98	4,5	4"	10
05031508001	109729	TX 25	100	105	5,0	4"	10
05031509001	109736	TX 27	115	105	5,5	4 9/16"	10
05031510001	109743	TX 30	115	105	6,0	4 9/16"	10
05031511001	109750	TX 40	130	112	7,0	5 3/16"	10
05031512001	109767	TX 45	130	112	8,0	5 1/8"	10

1334/6 Screwdriver set Kraftform Comfort



Code	EAN				
05031551001	110879				1
		+			1350 PH 1x PH 1x80; 1x PH 2x100
		•			1335 1x 0,5x3,0x80; 1x 0,8x4,0x100; 1x 1,0x5,5x125
		•			1334 1x 1,2x6,5x150

1334/1355/6 Screwdriver set Kraftform Comfort



Code	EAN				
05031552001	110886				1
		+			1355 PZ 1x PZ 1x80; 1x PZ 2x100
		•			1335 1x 0,5x3,0x80; 1x 0,8x4,0x100; 1x 1,0x5,5x125
		•			1334 1x 1,2x6,5x150

1335/1350/1355/6 Screwdriver set Kraftform Comfort



Code	EAN				
05031553001	110893				1
		+			1350 PH 1x PH 1x80; 1x PH 2x100
		+			1355 PZ 1x PZ 1x80; 1x PZ 2x100
		•			1335 1x 0,8x4,0x100; 1x 1,0x5,5x125

1367/6 TORX® screwdriver set Kraftform Comfort



Code	EAN				
05031554001	111548				1
		•			1367 TORX® 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130

Wooden Handle Series

High quality screwdriver made out of hard beech wood that ensures a long product service life, even when the tool is subject to high strain. The double leather cap combined with the blade that extends right through the handle provide additional safety and reduce the danger of the handle splintering when struck with a hammer. Higher torque can be transferred by fitting an open-end or ring spanner over the hexagonal bolster.

The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit.

- Traditional screwdriver with sturdy handle made out of beech wood
- Cylindrical handle out of hard wood ensures a long product service life
- Higher torque can be transferred by fitting an open-end or ring spanner over the hexagonal bolster
- Hexagonal blade extending through the handle for more safety when struck with a hammer
- Double leather cap reduces the danger of the handle splintering

930 A Screwdriver for slotted screws



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05018005001	017819	0,6	3,5	8	90	102	9/64"	10
05018010001	017826	0,8	4,5	8	90	102	0,178"	10
05018015001	017833	1,0	5,5	8	100	102	7/32"	10
05018020001	017840	1,2	7,0	10	125	111	9/32"	10
05018025001	017857	1,6	9,0	13	175	126	11/32"	10
05018030001	017864	1,6	10,0	13	175	126	3/8"	5
05018035001	017871	2,0	12,0	13	200	126	1/2"	2
05018040001	017888	2,5	14,0	16	250	140	9/16"	2

935 SPH Screwdriver for Phillips screws



	EAN						
Code	4013288		mm	mm	mm		
05018350001	018151	PH 1	8	90	102	3 1/2"	10
05018352001	018168	PH 2	10	100	111	4"	10
05018354001	018175	PH 3	13	175	126	7"	5
05018355001	110497	PH 4	16	200	140	8"	2

955 SPZ Screwdriver for Pozidriv screws



	EAN						
Code	4013288		mm	mm	mm		
05023305001	018977	PZ 1	8	90	102	3 1/2"	10
05023307001	018984	PZ 2	10	100	111	4"	10
05023309001	018991	PZ 3	13	175	126	7"	5

930/935/6 Screwdriver set



Code	EAN		
05018251001	017918		1
			935 SPH 1x PH 1x90; 1x PH 2x100
			930 A 1x 0,6x3,5x90; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125

930/955/6 Screwdriver set



Code	EAN		
05137810001	026507		1
			955 SPZ 1x PZ 1x90; 1x PZ 2x100
			930 A 1x 0,6x3,5x90; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125

1267 A TORX® flagdriver for TORX® screws

High quality Wera flagdriver for recessed TORX® screws. High torque transfer for small screws. Particularly suitable for exchanging indexable inserts.

The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. Multi-component for outstanding grip.

- TORX® flagdriver for recessed TORX® screws
- Multi-component handle
- Circular blade with BlackLaser treatment for outstanding surface protection and long service life
- High corrosion protection
- High torque transfer for small screws

1267 A TORX® flagdriver for TORX® screws



	EAN							
Code	4013288		mm	mm	mm			
05026350001	093516	TX 6	33	62,0	3,0	1 19/64"		10
05026351001	093523	TX 7	33	62,0	3,0	1 19/64"		10
05026352001	093530	TX 8	40	69,0	3,0	1 37/64"		10
05026353001	093547	TX 9	40	69,0	3,0	1 37/64"		10
05026354001	093554	TX 10	40	69,0	3,0	1 37/64"		10

1267 A TORX PLUS® flagdriver for TORX PLUS® screws



	EAN							
Code	4013288		mm	mm	mm			
05026360001	093561	6 IP	33	62,0	3,0	1 19/64"		10
05026361001	093578	7 IP	33	62,0	3,0	1 19/64"		10
05026363001	093608	9 IP	40	69,0	3,0	1 37/64"		10

1267 B TORX® combination flagdriver for TORX® and hexagon socket screws

High quality Wera flagdrivers with combination profiles for recessed TORX and socket head screws. High torque can be applied to small screws. Particularly suitable for the replacement of indexable inserts. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. Multi-component for an especially good grip.

1267 B TORX® combination flagdriver for TORX® and hexagon socket screws



	EAN							
Code	4013288		mm	mm	mm			
05026372001	093639	TX 15	3,5	47	86,0	1 27/32"		10
05026373001	093707	TX 15	4	47	86,0	1 27/32"		10
05026374001	093646	TX 20	4	47	86,0	1 27/32"		10

1267 B TORX PLUS® combination flagdriver for TORX PLUS® and hexagon socket screws



	EAN							
Code	4013288		mm	mm	mm			
05026382001	093677	15 IP	3,5	47	86,0	1 27/32"		10

Wera Star - Magnetizer/Demagnetizer

Wera magnetiser to magnetise and demagnetise tools to ensure the screw remains firmly on the blade.

- Wera Star magnetiser
- To magnetise and demagnetise tool tips
- Securely holds the screw on the tool

Wera Star - Magnetizer/Demagnetizer



	EAN			
Code	4013288			
05073403001	157850			1
		Wera Star		
		1x 48,0		

1427 Awl



	EAN	□	□	□					
Code	4013288	mm	mm						
05027405001	019998	105	92	4 3/16"					5

1428 Reamer



	EAN	□	□	□					
Code		mm	mm						
05027455001	020000	107	92	4 9/32"					5

Rack for Kraftform Micro screwdrivers



		□	□						
		mm	mm						
05134002001	100047	190,0	80						1

Rack for Kraftform screwdrivers



	EAN	□	□						
Code	4013288	mm	mm						
05134001001	100030	190,0	50,0						1

1440/1442 Screw gripper set


Screw gripper set: attachment tool with holding function for screws. Holds all screw profiles securely on the tool.

During the job, the gripper can be pushed up along the blade so that it is not in the way when working with low-lying screws.

- Screw gripper set
- Attachment tool with holding function for screws
- Holds all screw profiles and sizes securely on the tool
- Made out of stable, elastomer material



1440/1442 Screw gripper set




Code	EAN			
05073680001	4013288			
	140340			1
		1440		
		1x 4,5-6,0x41,0		
		1442		
		1x 6,0-8,5x41,0		

1441 SB Screw gripper attachment for screwdriver blades, long bits and L-keys, with holding function for screws



	EAN	□	□						
Code	4013288	mm	mm						
05073681001	140357	4,5-6,0	41,0						1

Kraftform Micro - the electronic screwdriver



High quality Wera Micro screwdriver for precision mechanical jobs. Rapid twisting results from fixing the hand on the head and using the fast-turning zone just below.

This makes time-consuming grip adjustments unnecessary. Power zones with integrated soft sections ensure the transfer of high loosening and tightening torque; a precision zone for the right rotation angle during fine adjustment work.

The Black Point tip offers optimised corrosion protection and an exact fit. Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- Anti-roll feature and swivel cap for rapid twisting
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size
- E.g. for electricians, opticians, precision mechanics, jewellers or IT hardware fitters

2035 Screwdriver for slotted screws for electronic applications




	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	
05117990001	108418	0,16	0,8	40	97	2,0	1/32"	10
05117991001	108425	0,18	1,0	40	97	2,0	0,04"	10
05117992001	108432	0,20	1,2	40	97	2,0	0,05"	10
05118002001	031877	0,23	1,5	40	97	2,0	1/16"	10
05118003001	108456	0,23	1,5	60	97	2,0	1/16"	10
05118000001	031860	0,25	1,2	40	97	2,0	0,05"	10
05117993001	108463	0,30	1,8	40	97	2,0	0,07"	10
05118004001	031884	0,30	1,8	60	97	2,0	0,07"	10
05118017001	151704	0,30	2,0	50	97	2,0	0,07"	10
05117997001	194824	0,35	2,5	40	97	2,5	0,07"	10
05118005001	108470	0,40	2,0	40	97	2,5	5/64"	10
05118006001	031891	0,40	2,0	60	97	2,5	5/64"	10
05118007001	108487	0,40	2,0	100	97	2,5	5/64"	10
05117994001	108494	0,40	2,5	50	97	2,5	3/32"	10
05118008001	031907	0,40	2,5	80	97	2,5	3/32"	10
05117995001	108517	0,50	3,0	50	97	3,0	1/8"	10
05118010001	031914	0,50	3,0	80	97	3,0	1/8"	10
05118012001	031921	0,60	3,5	80	97	4,0	3/64"	10
05118014001	031938	0,80	4,0	80	97	4,0	5/32"	10

2055 PZ Screwdriver for Pozidriv screws for electronic applications



	EAN						
Code	4013288		mm	mm	mm		
05118030001	032195	PZ 0	60	97	3,0	2 3/8"	10
05118032001	032201	PZ 1	80	97	4,0	3 1/16"	10

2050 PH Screwdriver for Phillips screws for electronic applications



	EAN						
Code	4013288		mm	mm	mm		
05345290001 ^{1) 2)}	164506	PH 000	40	97	1,5/2,5"	1 9/16"	10
05118019001 ^{1) 2)}	108562	PH 00	40	97	1,8/2,5"	1 9/16"	10
05118020001 ¹⁾	031969	PH 00	60	97	2,5	2 3/8"	10
05118026001 ³⁾	194800	PH 0	40	97	3,0	1 9/16"	10
05118022001 ³⁾	031976	PH 0	60	97	3,0	2 3/8"	10
05118023001	108579	PH 1	60	97	4,0	2 3/8"	10
05118024001	031983	PH 1	80	97	4,0	3 1/8"	10

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm.

³⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

2067 TORX® HF screwdriver with holding function for electronic applications


- Holding function for TORX® screws

2067 TORX® HF screwdriver with holding function for electronic applications




	EAN							
Code	4013288		mm	mm	mm			
05118180001	108623	TX 4	40	97	2,5	1 9/16"		5
05118181001	108630	TX 5	40	97	3,0	1 9/16"		5
05118182001	108647	TX 6	40	97	3,0	1 9/16"		5
05118183001	108654	TX 7	60	97	3,0	2 3/8"		5
05118184001	108661	TX 8	60	97	3,0	2 3/8"		5
05118185001	108678	TX 9	60	97	4,0	2 3/8"		5
05118186001	108685	TX 10	60	97	4,0	2 3/8"		5

2067 TORX® screwdriver for TORX® screws for electronic applications




	EAN							
Code	4013288		mm	mm	mm			
05118035001	108593	TX 1	40	97	2,0	1 9/16"		5
05118036001	108609	TX 2	40	97	2,0	1 9/16"		5
05118037001	108616	TX 3	40	97	2,0	1 9/16"		5
05118039001	040084	TX 4	40	97	2,5	1 9/16"		5
05118040001	032218	TX 5	40	97	3,0	1 9/16"		5
05118042001	032225	TX 6	40	97	3,0	1 9/16"		5

2067 TORX® B0 screwdriver for tamper-proof TORX® screws for electronic applications



	EAN							
Code	4013288		mm	mm	mm			
05118044001	032232	TX 7	60	97	3,0	1 9/16"		5
05118046001	032249	TX 8	60	97	3,0	2 3/8"		5
05118048001	032256	TX 9	60	97	4,0	2 3/8"		5
05118050001	032263	TX 10	60	97	4,0	2 3/8"		5
05118052001	032270	TX 15	60	97	4,0	2 3/8"		5
05118054001	032287	TX 20	60	97	4,0	2 3/8"		5

2067 IPR TORX PLUS® screwdriver for electronic applications




	EAN							
Code	4013288		mm	mm	mm			
05030160001	178749	1 IPR	40	97	2,0	1 47/64"		5

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



- Kraftform Micro screwdriver for hexagon socket screws
- Hex-Plus allows socket head screws to live longer

2054 Screwdriver for hexagon socket screws for electronic applications




	EAN							
Code	4013288		mm	mm	mm	mm		
05118060001	032072	0,7		40	97	3,0	1 9/16"	5
05118062001	032089	0,9		40	97	3,0	1 9/16"	5
05118064001	032096	1,3		40	97	3,0	1 9/16"	5
05118066001	032102	1,5		60	97	3,0	2 3/8"	5
05118068001	032119	2		60	97	3,0	2 3/8"	5
05118070001	032126	2,5		60	97	4,0	2 3/8"	5
05118072001	032133	3,0		60	97	4,0	2 3/8"	5
05345284001	152206	-	0,028"	40	97	3,0	1 9/16"	5
05345285001	152213	-	0,035"	40	97	3,0	1 9/16"	5
05118074001	032140	-	0,05"	40	97	3,0	1 9/16"	5
05118076001	032157	-	1/16"	60	97	3,0	2 3/8"	5
05118078001	032164	-	5/64"	60	97	3,0	2 3/8"	5
05118080001	032171	-	3/32"	60	97	4,0	2 3/8"	5
05118082001	032188	-	7/64"	60	97	4,0	2 3/8"	5
05118075001	108807	-	1/8"	60	97	4,0	2 3/8"	5

2052 Ball end hexagon screwdriver for electronic applications

- Ballpoint for dependable working even in difficult installation situations

2052 Ball end hexagon screwdriver for electronic applications




	EAN							
Code	4013288	mm		mm	mm	mm		
05118089001	108814	1,3		60	97	3,0	2 3/8"	5
05118090001	031990	1,5		60	97	3,0	2 3/8"	5
05118092001	032003	2,0		60	97	3,0	2 3/8"	5
05118094001	032010	2,5		60	97	4,0	2 3/8"	5
05118096001	032027	3,0		60	97	4,0	2 3/8"	5
05118098001	032034	-	1/16"	60	97	3,0	2 3/8"	5
05118100001	032041	-	5/64"	60	97	3,0	2 3/8"	5
05118102001	032058	-	3/32"	60	97	3,0	2 3/8"	5
05118106001	110954	-	7/64"	60	97	4,0	2 3/8"	5
05118103001	108821	-	1/8"	60	97	4,0	2 3/8"	5

2072 Kraftform Micro screwdriver for Microstix® screws



	EAN						
Code			mm	mm	mm		
05118145001	194817	m	40	97	2,5	1 9/16"	5

2069 Nutdriver for electronic applications



	EAN							
Code	4013288	mm		mm	mm	mm		
05118108001	108852	1,5		60	97	5,7	2 3/8"	5
05118109001	108869	1,8		60	97	5,7	2 3/8"	5
05118110001	032300	2,0		60	97	5,7	2 3/8"	5
05118112001	032317	2,5		60	97	5,7	2 3/8"	5
05118114001	032324	3,0		60	97	5,7	2 3/8"	5
05118116001	032331	3,2		60	97	5,7	2 3/8"	5
05118118001	032348	3,5		60	97	5,7	2 3/8"	5
05118120001	032355	4,0		60	97	5,7	2 3/8"	5
05118122001	032362	4,5		60	97	6,4	2 3/8"	5
05118124001	032379	5,0		60	97	7,0	2 3/8"	5
05118126001	032386	5,5		60	97	7,8	2 3/8"	5
05345281001	150189	6,0		60	97	8,5	2 3/8"	5
05118128001	032393	-	3/32"	60	97	5,7	2 3/8"	5
05118130001	032409	-	7/64"	60	97	5,7	2 3/8"	5
05118132001	032416	-	1/8"	60	97	5,7	2 3/8"	5
05118134001	032423	-	9/64"	60	97	5,7	2 3/8"	5
05118136001	032430	-	5/32"	60	97	5,7	2 3/8"	5
05118135001	110596	-	3/16"	60	97	6,6	2 3/8"	5
05118137001	112019	-	7/32"	60	97	7,8	2 3/8"	5
05345282001	150196	-	1/4"	60	97	9,0	2 3/8"	5

1429 Chip lifter

- Chip lifter to remove firmly-fitted parts from a circuit board after desoldering

1429 Chip lifter



	EAN						
Code	4013288	mm	mm	mm	mm		
05027456001	112187	1,0	3,5	50	97		10

1013 Kraftform Micro bitholding screwdriver

Kraftform Micro holder with ergonomic Kraftform handle for fast and low-fatigue working. The anti-roll feature prevents any bothersome rolling away at the workplace. Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive. Ideal for applications on smartphones, cell phones, cameras, electronic equipment, in dental laboratories and dental surgeries.

- Kraftform Micro bit holder
- Multi-component Kraftform Micro handle with anti-roll feature and swivel cap
- Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1013 Kraftform Micro bitholding screwdriver



	EAN	mm	mm	mm					
Code	4013288	mm	mm	mm					
05051276001	183699	23	97	1"					1

Kraftform Micro Big Pack 1 Screwdriver set for electronic applications

Wera Micro screwdriver set for fine mechanical screw connections. By supporting the hand on the rotating cap, and by the fast rotating zone below the rotating cap, lightning fast turning is possible.

Time-consuming hand switching is eliminated. Storage and transport in a robust roll-bag, so the correct tool is always at hand.

With Take it easy tool finder: colour coding by profile and size stamping.

- 25-piece Kraftform Micro screwdriver set in a robust and compact roll bag
- Kraftform Micro handle for fast and ergonomic working
- Tools with anti-roll protection and rotating cap for fast turning
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size
- Suitable for electricians, opticians, precision mechanics, jewellers or computer hardware engineers

Kraftform Micro Big Pack 1 Screwdriver set for electronic applications



Code	EAN		
05134000001	4013288 209580		1
		2050 PH Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾	
		2067 TORX® 1x TX 5x40; 1x TX 6x40	
		2067 TORX® HF 1x TX 5x40; 1x TX 6x40; 1x TX 7x60; 1x TX 8x60; 1x TX 10x60	
		2067 TORX PLUS® IPR Micro 1x 1 IPRx40	
		2054 Micro 1x 0,9x40; 1x 1,3x40; 1x 1,5x60; 1x 2x60	
		2035 Micro 1x 0,23x1,5x40; 1x 0,30x1,8x60; 1x 0,35x2,5x40; 1x 0,40x2,0x60; 1x 0,50x3,0x80	
		2069 Micro 1x 4,0x60; 1x 5,5x60	
		2072 1x mx40	
		1429 1x 1,0x3,5x50	
		K240 1x 50,0x240,0	

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm.

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Micro 12 Universal 1 Screwdriver set for electronic applications

- Kraftform Micro set in a robust pouch

Kraftform Micro 12 Universal 1 Screwdriver set for electronic applications



Code	EAN			
05073675001	4013288 165695			1
		+	2050 PH Micro 1x PH 00x60 ¹⁾ ; 1x PH 0x60 ²⁾	
		*	2067 TORX® HF 1x TX 5x40; 1x TX 6x40	
		—	2035 Micro 1x 0,23x1,5x40; 1x 0,30x1,8x60; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80	
		○	2054 Micro 1x 0,9x40; 1x 1,5x60; 1x 2x60	

¹⁾Optimised for Asian PH screws

²⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

Kraftform Micro 12 Electronics 1 Screwdriver set for electronic applications

- Kraftform Micro screwdriver for slotted, Phillips, TORX® B0, Hex, IPR and Microstix® screws plus chip lifter

Kraftform Micro 12 Electronics 1 Screwdriver set for electronic applications



Code	EAN			
05073677001	4013288 194831			1
		+	2050 PH Micro 1x PH 000x40 ¹⁾ ²⁾ ; 1x PH 00x40 ¹⁾ ²⁾ ; 1x PH 0x40 ³⁾	
		*	2067 TORX® B0 Micro 1x TX 8x60; 1x TX 10x60	
		*	2067 TORX PLUS® IPR Micro 1x 1 IPRx40	
		—	2035 Micro 1x 0,23x1,5x40; 1x 0,35x2,5x40	
		●	2069 Micro 1x 2,5x60; 1x 3,0x60	
		⦿	2072 1x mx40	
		●	1429 1x 1,0x3,5x50	

¹⁾Optimised for Asian PH screws

²⁾On the output side, the blade is turned to a nominal length of 10 mm.

³⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)




Kraftform Kompakt Micro 11 Electronics 1

Kraftform Kompakt Micro Set for precision mechanical applications; suitable for the take-up of bits with 4 mm halfmoon drive (Wera series 9) and bits with 4 mm HIOS drive (Wera series 21); handle/interchangeable blade system for rapid blade change; Kraftform Micro handle with twist cap and free-turning zone for rapid twisting, making any time-consuming repositioning of the fingers unnecessary; power zone with integrated soft zones for the transfer of higher tightening and loosening torque; precision zone directly above the blade for the right angle for adjustment work; comes with 10 bits for manual as well as power tool operations; rapid fixing of the bit: just push the bit into the insert for automatic locking and a secure fit.

To change the bit, simply push the sleeve forward and remove; free-turning sleeve for simple guidance of the tool during the screwdriving process.

Kraftform Kompakt Micro 11 Electronics 1



Code	EAN			
05073676001	4013288 194848			1
		1013 Kraftform Micro	1x 97	
		851/9 C	1x PH 000x44 ¹⁾ ; 1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾	
		867/9 C TORX®	1x TX 8x44	
		867/9 C TORX PLUS®	1x 3 IPx44	
		867/9 IPR TORX® PLUS	1x 1 IPRx44	
		800/9 C	1x 0,35x2,5x44	
		872/9	1x mx44 ³⁾	
		869/9	1x 2,5x44,0; 1x 3,0x44,0	

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

³⁾ Form A

Kraftform Kompakt Micro 11 Universal 1



Code	EAN			
05135938001	4013288 178343			1
		1013 Kraftform Micro	1x 97	
		851/9 C	1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ ; 1x PH 1x44 ¹⁾	
		840/9 C	1x 1,5x44; 1x 2,0x44	
		800/9 C	1x 0,23x1,5x44; 1x 0,40x2,0x44; 1x 0,50x3,0x44	
		867/9 C TORX®	1x TX 5x44; 1x TX 6x44	


¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

2035/6 A Screwdriver set and rack for electronic applications

- With useful plastic rack

2035/6 A Screwdriver set and rack for electronic applications



Code	EAN			
05118150001	4013288 031945			1
		2050 PH Micro	1x PH 00x60 ¹⁾ ; 1x PH 0x60 ²⁾	
		2035 Micro	1x 0,30x1,8x60; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80	

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

2035/6 B Screwdriver set and rack for electronic applications

- With useful plastic rack

2035/6 B Screwdriver set and rack for electronic applications



Code	EAN		
05118152001	4013288 031952		1
		+	2050 PH Micro 1x PH 0x60 ¹⁾ ; 1x PH 1x80
		●	2035 Micro 1x 0,40x2,5x80; 1x 0,50x3,0x80; 1x 0,60x3,5x80; 1x 0,80x4,0x80

¹⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

2050/6 Screwdriver set and rack for electronic applications

- Kraftform Micro screwdriver for slotted, Phillips-Recess, IPR and Microstix® screws
- With useful plastic rack

2050/6 Screwdriver set and rack for electronic applications



Code	EAN		
05030181001	4013288 194794		1
		+	2050 PH Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾
		☆	2067 TORX PLUS® IPR Micro 1x 1 IPRx40
		●	2072 1x mx40
		●	2035 Micro 1x 0,35x2,5x40

¹⁾Optimised for Asian PH screws

²⁾On the output side, the blade is turned to a nominal length of 10 mm.

³⁾Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

2052/6 Hexagon screwdriver set and rack for electronic applications

- Kraftform Micro screwdriver with ballpoint for hexagon socket screws

2052/6 Hexagon screwdriver set and rack for electronic applications



Code	EAN		
05118156001	4013288 032065		1
		○	2052 Micro 1x 1,5x60; 1x 2,0x60; 1x 2,5x60; 1x 3,0x60
		○	2054 Micro 1x 0,9x40; 1x 1,3x40

2067/6 TORX® B0 screwdriver set and rack for electronic applications

- Kraftform Micro screwdriver set for recessed TORX® screws with safety pin

2067/6 TORX® B0 screwdriver set and rack for electronic applications



Code	EAN		
05118154001	4013288 032294		1
		☆	2067 TORX® B0 Micro 1x TX 7x60; 1x TX 8x60; 1x TX 9x60; 1x TX 10x60; 1x TX 15x60; 1x TX 20x60

2069/6 Screwdriver set and rack for electronic applications



Code	EAN		
05118158001	032447		1
		2069 Micro 1x 2,0x60; 1x 2,5x60; 1x 3,0x60; 1x 3,5x60; 1x 4,0x60; 1x 5,0x60	

Series 400 T-Handle

The ergonomically shaped 2-component T-handle with finger recesses and pleasant surface facilitates very high power transmission and fatigue-free working.

Due to the special surface treatment, the blades receive a high level of corrosion protection. The optimum fitting accuracy of the screw is also guaranteed.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- Take it easy tool finder: colour coding according to profile and size
- With additional short arm for the transmission of extremely high torques due to the leverage of the long arm

454 T-handle hexdriver



Code	EAN							
05023330001	207753	2	100	12	32	65	4"	5
05023332001	207814	2,5	100	12	32	65	4"	5

454 HF T-handle hexagon screwdriver Hex-Plus with holding function



Code	EAN						
05023334001	207838	3	100	15	38	77	5
05023338001	207883	4	100	15	38	77	5
05023339001	207876	4	150	15	38	77	5
05023340001	207890	4	200	15	38	77	5
05023342001	207913	5	100	20	49	99	5
05023343001	207920	5	150	20	49	99	5
05023344001	207937	5	200	20	49	99	5
05023346001	207951	6	100	20	49	99	5
05023347001	207968	6	150	20	49	99	5
05023348001	207975	6	200	20	49	99	5
05023350001	208002	7	200	20	49	99	5
05023351001	208019	8	100	20	49	99	5
05023352001	208026	8	150	20	49	99	5
05023353001	208033	8	200	20	49	99	5
05023354001	208057	10	100	20	49	99	5
05023355001	208064	10	200	20	49	99	5

454 Imperial T-handle hexagon screwdriver Hex-Plus, imperial



Code	EAN						
05023356001	214133	5/64"	150	12	32	65	5
05023357001	208071	3/32"	150	12	32	65	5
05023358001	208088	7/64"	150	12	32	65	5

454 HF T-handle hexagon screwdriver Hex-Plus with holding function, imperial

- With holding function (HF) on the long arm to securely hold the screw on the tool

454 HF T-handle hexagon screwdriver Hex-Plus with holding function, imperial



Code	EAN							
05023359001	208095	1/8"	150	15	38	77		5
05023360001	208101	9/64"	150	15	38	77		5
05023361001	208118	5/32"	150	15	38	77		5
05023362001	208125	3/16"	150	20	49	99		5
05023363001	208132	7/32"	150	20	49	99		5
05023364001	208149	1/4"	150	15	49	99		5
05023365001	208156	5/16"	150	20	49	99		5
05023366001	208163	3/8"	150	20	49	99		5

467 TORX® HF T-handle screwdriver with holding function


- With holding function (HF) on the long arm to securely hold the screw on the tool

467 TORX® HF T-handle screwdriver with holding function




Code	EAN							
05023367001	208217	TX 6	100	12	32	65	3,0	5
05023368001	208224	TX 7	100	12	32	65	3,0	5
05023369001	208231	TX 8	100	12	32	65	3,5	5
05023370001	208248	TX 9	100	12	32	65	3,5	5
05023371001	208255	TX 10	100	12	32	65	4,0	5
05023372001	208262	TX 15	100	15	38	77	4,0	5
05023373001	208279	TX 20	100	15	38	77	4,5	5
05023374001	208286	TX 20	200	15	38	77	4,5	5
05023375001	208293	TX 25	100	15	38	77	5,0	5
05023376001	208309	TX 25	200	15	38	77	5,0	5
05023377001	208316	TX 27	200	20	49	99	6,0	5
05023378001	208323	TX 30	200	20	49	99	6,0	5
05023379001	208330	TX 40	200	20	49	99	8,0	5
05023380001	208347	TX 45	200	20	49	99	9,0	5

495 T-handle socket wrench screwdrivers



Code	EAN							
05023381001	208354	5	230	38	77	9"		5
05023382001	208361	5,5	230	38	77	9"		5
05023383001	208378	6	230	38	77	9"		5
05023384001	208385	7	230	49	99	9"		5
05023385001	208392	8	230	49	99	9"		5
05023386001	208408	9	230	49	99	9"		5
05023387001	208415	10	230	49	99	9"		5
05023389001	208439	11	230	49	99	9"		5
05023391001	208477	12	230	49	99	9"		5
05023393001	208491	13	230	49	99	9"		5

Radidaptor - the amazing compact multifunction tool



The ergonomically shaped 2-component T-handle with finger recesses and pleasant surface facilitates very high power transmission and fatigue-free working.

For bits with $\frac{1}{4}$ " hex head drive as per DIN ISO 1173-C 6.3 and E 6.3. With Rapidaptor technology for lightning-fast bit changes.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- With Rapidaptor technology for lightning-fast bit changes
- Bitholders, magnetic, for easier application of the screw
- For bits with $\frac{1}{4}$ " external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

416 R T-handle Bitholding screwdriver Rapidaptor



	EAN							
Code	4013288		mm	mm	mm			
05023404001	214157	$\frac{1}{4}$ "	45	44	99	$1 \frac{25}{32}$ "		2

454/7 HF Set 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function

- With holding function (HF) on the long arm to securely hold the screw on the tool

454/7 HF Set 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function




	Code	EAN		
	05023450001	214829		1
			454 1x 2,5x100	
			454 HF 1x 3x100; 1x 4x100; 1x 5x150; 1x 6x150; 1x 8x200; 1x 10x200	
			Rack 2x 190,0x50,0	

454/10 HF Set Imperial 1 screwdriver set T-handle imperial screwdrivers Hex-Plus with holding function, imperial

- With holding function (HF) on the long arm to securely hold the screw on the tool

454/10 HF Set Imperial 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function, imperial




Code	EAN		
05023451001	4013288 214836		1
		○	454 Imperial 1x 3/32"x150; 1x 7/64"x150
		○	454 Imperial HF 1x 1/8"x150; 1x 9/64"x150; 1x 5/32"x150; 1x 3/16"x150; 1x 7/32"x150; 1x 1/4"x150; 1x 5/16"x150; 1x 3/8"x150
			Rack 2x 190,0x50,0

467/7 TORX® HF Set 1 screwdriver set T-handle TORX® screwdrivers with holding function

- With holding function (HF) on the long arm to securely hold the screw on the tool

467/7 TORX® HF Set 1 screwdriver set T-handle TORX® screwdrivers with holding function



Code	EAN		
05023452001	4013288 214874		1
		⌘	467 TORX® HF 1x TX 10x100; 1x TX 15x100; 1x TX 20x100; 1x TX 25x100; 1x TX 30x200; 1x TX 40x200; 1x TX 45x200
			Rack 2x 190,0x50,0



ESD Series

ESD-safe Micro screwdriver. Dependable protection against electrostatic energy and associated damage. Rapid twisting results from fixing the hand on the head and using the fast-turning zone just below. This makes time-consuming grip adjustments unnecessary.

Power zones with integrated soft sections ensure the transfer of high loosening and tightening torque; a precision zone for the right rotation angle during fine adjustment work.

The Black Point tip offers optimised corrosion protection and an exact fit. Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

- ESD-safe tool thanks to surface resistance of $< 10^9 \text{ Ohm}$
- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size
- Anti-roll feature and swivel cap for rapid twisting

1578 A ESD Kraftform Micro screwdriver for slotted screws



	EAN	mm	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	mm	
05030099001	215253	0,16	0,8	40	97	2,0	1/32"	5
05030101001	039040	0,23	1,5	40	97	2,5	1/16"	5
05030100001	039033	0,25	1,2	40	97	2,5	0,05"	5
05030102001	039057	0,30	1,8	60	97	2,5	0,07"	5
05030108001	194763	0,35	2,5	40	97	2,5	3/32"	5
05030103001	039064	0,40	2,0	60	97	2,5	5/64"	5
05030104001	039071	0,40	2,5	80	97	2,5	3/32"	5
05030105001	039088	0,50	3,0	80	97	3,0	1/8"	5
05030106001	039095	0,60	3,5	80	97	4,0	9/64"	5
05030107001	039101	0,80	4,0	80	97	4,0	5/32"	5

1550 PH ESD Kraftform Micro screwdriver for Phillips screws



	EAN	+	mm	mm	mm	mm	
Code	4013288	+	mm	mm	mm	mm	
05030117001 ^{1) 2)}	194725	PH 000	40	97	1,5/2,5"	1 9/16"	5
05030118001 ^{1) 2)}	194732	PH 00	40	97	1,8/2,5"	1 9/16"	5
05030110001 ²⁾	039118	PH 00	60	97	1,8/2,5"	2 3/8"	5
05030119001 ³⁾	194749	PH 0	40	97	3,0	1 9/16"	5
05030111001 ³⁾	039125	PH 0	60	97	3,0	2 3/8"	5
05030112001	039132	PH 1	80	97	4,0	3 1/8"	5

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm.

³⁾ Size 0 modified according to JCIIS 0 (Japanese Camera Industrial Standard)

1555 PZ ESD Kraftform Micro screwdriver for Pozidriv screws



	EAN	*	mm	mm	mm	mm	
Code	4013288	*	mm	mm	mm	mm	
05030115001	039149	PZ 0	60	97	3,0	2 3/8"	5
05030116001	039156	PZ 1	80	97	4,0	3 1/8"	5

TORX® Tools with holding function

Clamping force holds TORX® screw tight.




1567 TORX® HF ESD Kraftform Micro screwdriver with holding function for TORX® screws



	EAN						
Code	4013288		mm	mm	mm		
05030400001	183972	TX 4	40	97	2,5	1 9/16"	5
05030401001	183989	TX 5	40	97	3,0	1 9/16"	5
05030402001	183996	TX 6	40	97	3,0	1 9/16"	5
05030403001	184009	TX 7	60	97	3,0	2 3/8"	5
05030404001	184016	TX 8	60	97	3,0	2 3/8"	5
05030405001	184023	TX 9	60	97	4,0	2 3/8"	5
05030406001	184030	TX 10	60	97	4,0	2 3/8"	5

1567 TORX® ESD Kraftform Micro screwdriver for TORX® screws



	EAN						
Code	4013288		mm	mm	mm		
05030158001	215239	TX 2	40	97	2,0	1 9/16"	5
05030159001	215246	TX 3	40	97	2,0	1 9/16"	5
05030120001	039163	TX 4	40	97	2,5	1 9/16"	5
05030121001	039170	TX 5	40	97	3,0	1 9/16"	5
05030122001	039187	TX 6	40	97	3,0	1 9/16"	5

1567 IPR TORX PLUS® ESD screwdriver



	EAN						
Code	4013288		mm	mm	mm		
05030135001	194756	1 IPR	40	97	2,0	1 9/16"	5

1572 ESD Kraftform Micro screwdriver for Microstix® screws



	EAN						
Code	4013288		mm	mm	mm		
05030080001	181169	m	40	97	2,5	1 9/16"	5
05030081001	181176	00	40	97	2,5	1 9/16"	5
05030082001	181183	F	40	97	2,5	1 9/16"	5
05030083001	181190	0	40	97	2,5	1 9/16"	5
05030084001	181206	1	40	97	2,5	1 9/16"	5

1569 ESD Nutdriver



	EAN						
Code	4013288		mm	mm	mm		
05030410001	184047	1,5	60	97	5,7	2 3/8"	5
05030411001	184054	1,8	60	97	5,7	2 3/8"	5
05030412001	184061	2,0	60	97	5,7	2 3/8"	5
05030413001	184078	2,5	60	97	5,7	2 3/8"	5
05030414001	184085	3,0	60	97	5,7	2 3/8"	5
05030415001	184092	3,2	60	97	5,7	2 3/8"	5
05030416001	184108	3,5	60	97	5,7	2 3/8"	5
05030417001	184115	4,0	60	97	5,7	2 3/8"	5
05030418001	184122	4,5	60	97	6,4	2 3/8"	5
05030150001	093486	5,0	60	97	7,0	2 3/8"	5
05030151001	093493	5,5	60	97	7,8	2 3/8"	5

1578 A/6 ESD Screwdriver set and rack for electronic applications

- Includes practical rack for tidy storage of the screwdrivers

1578 A/6 ESD Screwdriver set and rack for electronic applications



Code	EAN		
05030170001	113900		1
		+	1550 PH ESD Micro 1x PH 0x60 ¹⁾ ; 1x PH 1x80
		-	1578 A ESD Micro 1x 0,23x1,5x40; 1x 0,25x1,2x40; 1x 0,30x1,8x60; 1x 0,40x2,5x80

¹⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

1550/6 ESD Screwdriver set and rack for electronic applications

- Includes practical rack for tidy storage of the screwdrivers

1550/6 ESD Screwdriver set and rack for electronic applications



Code	EAN		
05030180001	194787		1
		+	1550 PH ESD Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾
		-	1578 A ESD Micro 1x 0,35x2,5x40
		+	1567 TORX PLUS® IPR ESD 1x 1 IPRx40
		+	1572 ESD 1x mx40

¹⁾Optimised for Asian PH screws

²⁾On the output side, the blade is turned to a nominal length of 10 mm.

³⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

1013 Kraftform Micro ESD bitholding screwdriver

ESD-safe Wera tool. The Kraftform Micro ESD holder for dependable protection against electrostatic energy and associated damage. Electrical surface resistance of $< 10^9$ Ohm. Ergonomic Kraftform handle for pleasant and low-fatigue working.

Black anti-roll feature prevents any bothersome rolling away at the workplace. Suitable for the take-up of bits with 4 mm half-moon drive and bits with 4 mm HIOS drive. Ideal for applications on smartphones, cell phones, cameras, electrical appliances, in dental labs and dental surgeries.

- Kraftform Micro ESD bit holder
- ESD-safe tool thanks to surface resistance of $< 10^9$ Ohm
- Multi-component Kraftform Micro handle with anti-roll feature and swivel cap
- Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1013 Kraftform Micro ESD bitholding screwdriver



Code	EAN	mm	mm	1"		
05300004001	168610	23	97	1"		1

Radidaptor - the amazing compact multifunction tool



- ESD bit holder for ESD-safe working
- Surface resistance of $< 10^9$ Ohm
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Hexagonal anti-roll feature against rolling away
- $\frac{1}{4}$ " hexagonal take-up with Radidaptor quick-release chuck

816 R ESD bitholding screwdriver, non-magnetic



	EAN							
Code	4013288		mm					
05051464001	103918	1/4"	119					2

813 R ESD bitholding screwdriver, non-magnetic



	EAN							
Code	4013288		mm					
05051273001	103901	1/4"	90					2

Kraftform Kompakt 60 ESD

ESD-safe Wera tool. 16 bits. Includes bitholder 816 R ESD holder, multi-component for high working speeds and particularly ergonomic screwdriving. Dependable protection against electrostatic energy and associated damage.

Compact set that enables both manual as well as power tool operations. Simple sorting according to profile and size, easy bit removal and reinsertion; with belt clip, 18-piece.

- Suitable for manual and power tool operations
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Rapidaptor quick-release chuck
- Tough viscous bits for universal use
- In robust pouch

Kraftform Kompakt 60 ESD



Code	EAN			
05051043001	183934			1
			816 R ESD 1x 1/4"x119	
			851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
			855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
			867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
			840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
			800/4 Z 1x 1,0x5,5x89	

Kraftform Kompakt Micro 11 ESD 1



Code	EAN			
05073670001	4013288			1
	168344	1013 Kraftform Micro ESD		
		1x 97		
		851/9 C		
		1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ ; 1x PH 1x44 ¹⁾		
		867/9 C TORX®		
		1x TX 5x44; 1x TX 6x44		
		800/9 C		
		1x 0,23x1,5x44; 1x 0,40x2,0x44; 1x 0,50x3,0x44		
		840/9 C		
		1x 1,5x44; 1x 2,0x44		

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt Stubby ESD 1

Handle/interchangeable blade system for lightning fast replacement of the required blade. Especially small ESD bit-holding Stubby screwdriver handle with short blade for electrostatically secure working even in hard to reach areas. Suitable for the mounting of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1. With strong permanent magnet, which also holds large and heavy screws.

The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working. High-quality bits for universal use. Compact, textile box with high robustness, low weight and volume. Suitable for docking with the Wera 2go system.

- ESD bits hand holder for electrostatically safe working, magnetic
- 851/1 J: bits optimized for Asian PH screws

Kraftform Kompakt Stubby ESD 1




Code	EAN			
05057472001	4013288			1
	214584	811/1 Stubby ESD		
		1x 1/4"x54		
		851/1 Z PH		
		1x PH 0x25; 1x PH 1x25; 1x PH 2x25		
		851/1 J		
		1x PH 00x25x2,0		
		800/1 Z		
		1x 0,5x3,0x25; 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25; 1x 1,2x8,0x25		

811/1 ESD Stubby bits hand holder, magnetic


- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Hexagonal anti-roll feature against rolling away
- ESD bits hand holder for electrostatically safe working, magnetic
- For 1/4" bits as per DIN ISO 1173-C 6.3

811/1 ESD Stubby bits hand holder, magnetic



Code	EAN						
05008881001	212382	1/4"	10	54	3/8"		2

Kraftform Stainless - stainless steel to prevent rust




High quality Kraftform Plus VDE screwdriver out of stainless steel by Wera. The stainless tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. They can be used for industrial application without hesitation.

The individual testing of the Kraftform Stainless VDE screwdrivers in a water bath at 10,000 volts as per DIN EN 60900 (IEC 60900) ensures safe working with voltages of up to 1,000 volts. Secure working is also ensured under extreme conditions and verified with the proven cold impact resistance at -40° C. Kraftform handle for fast and low-fatigue working.

Take it easy Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

Lasertip - laser engineered blade



3160 i VDE Insulated Screwdriver for slotted screws, stainless



	EAN	mm	mm	mm	mm	mm	mm	mm
Code	4013288	mm	mm	mm	mm	mm	mm	mm
05022729001 ¹⁾	122353	0,5	3,0	80	81	1/8"	3 1/8"	10
05022730001	122148	0,6	3,5	100	81	9/64"	4"	10
05022731001	122155	0,8	4,0	100	98	5/32"	4"	10
05022732001	122162	1,0	5,5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3162 i PH VDE Insulated screwdriver for Phillips screws, stainless



	EAN	mm	mm	mm	mm	mm	mm
Code	4013288	mm	mm	mm	mm	mm	mm
05022733001	122179	PH 1	80	98	3 1/8"		5
05022734001	122186	PH 2	100	105	4"		5

3165 i PZ VDE Insulated screwdriver for Pozidriv screws, stainless



	EAN	mm	mm	mm	mm	mm	mm
Code	4013288	mm	mm	mm	mm	mm	mm
05022740001	183941	PZ 1	80	98	3 1/8"		5
05022741001	183965	PZ 2	100	105	4"		5

3160 i/7 Screwdriver set, stainless and rack

- Including useful rack for well-arranged storage of the screwdrivers

3160 i/7 Screwdriver set, stainless and rack



Code	EAN			
05022728001	4013288 118073			1
		●	3247 1x 0,5x3,0x70	
		+	3162 i VDE 1x PH 1x80; 1x PH 2x100	
		●	3160 i VDE 1x 0,5x3,0x80 ¹⁾ ; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

3165 i/6 Screwdriver set, stainless and rack

- Including useful rack for well-arranged storage of the screwdrivers


3165 i/6 Screwdriver set, stainless and rack



Code	EAN			
05022745001	4013288 184207			1
		+	3165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100	
		●	3160 i VDE 1x 0,5x3,0x80 ¹⁾ ; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125	

¹⁾ without Lasertip

Lasertip - laser engineered blade



Wera VDE screwdrivers with multi-component Kraftform Plus handle for fast and low-fatigue working: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Individually tested in water bath at 10,000 volts for secure work at the permissible voltage of 1,000 volts.

The tips of the Wera Lasertip screwdrivers are microscopically roughened by laser beams. This rough surface literally bites into the head of the screw. Any unintentional slipping out is therefore a thing of the past.

Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

- Insulated blades for secure work at 1,000 volts
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Conical blade, Lasertip

160 i VDE Insulated screwdriver for slotted screws



Code	EAN	mm	mm	mm	mm	mm	mm	mm
05006100001 ¹⁾	027221	0,4	2,5	80	81	3/32"	3 1/8"	10
05006105001 ¹⁾	027238	0,5	3,0	100	81	1/8"	4"	10
05006110001	027245	0,6	3,5	100	81	9/64"	4"	10
05006115001	027252	0,8	4,0	100	98	5/32"	4"	10
05006116001	105431	0,8	4,0	150	98	5/32"	6"	5
05006120001	027269	1,0	5,5	125	98	7/32"	5"	10
05006121001	105448	1,0	5,5	200	98	7/32"	8"	5
05006125001	027276	1,2	6,5	150	105	1/4"	6"	10
05006126001	105455	1,2	6,5	200	105	1/4"	8"	5
05006130001	027283	1,2	8,0	175	112	5/16"	7"	5
05006135001	028884	1,6	8,0	200	112	5/16"	8"	5
05006140001	028877	1,6	10,0	200	112	3/8"	8"	5

¹⁾ without Lasertip

160 i SB VDE Insulated screwdriver for slotted screws



Code	EAN			
05100000001	181466	160 i VDE	1x 0.4x2.5x80 ¹⁾	10
05100001001	181473	160 i VDE	1x 0.5x3.0x100 ¹⁾	10
05100002001	181480	160 i VDE	1x 0.6x3.5x100	10
05100003001	181497	160 i VDE	1x 0.8x4.0x100	10
05100004001	181503	160 i VDE	1x 1.0x5.5x125	10

160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws



Code	EAN	mm	mm	mm	mm	mm	mm	
05006440001	160089	0,6	3,5	100	81	9/64"	4"	10
05006441001	160102	0,8	4,0	100	98	5/32"	4"	10
05006442001	160126	1,0	5,5	125	98	7/32"	5"	10

160 iSS VDE Insulated screwdriver with reduced blade and handle diameter for slotted screws

- Reduced blade and handle diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated



Code	EAN	mm	mm	mm	mm	mm	mm	
05020129001	179548	0,8	4,0	100	81	5/32"	4"	5

162 i PH VDE Insulated screwdriver for Phillips screws



Code	EAN		mm	mm	mm	mm	
05006150001 ¹⁾	027290	PH 0	80	81	3 1/8"		5
05006152001	027306	PH 1	80	98	3 1/8"		5
05006153001	105417	PH 1	150	98	6"		5
05006154001	027313	PH 2	100	105	4"		5
05006159001	105424	PH 2	200	105	8"		5
05006156001	027320	PH 3	150	112	6"		5
05006158001 ¹⁾	027818	PH 4	200	112	8"		2

¹⁾ without Lasertip

162 i PH SB VDE Insulated screwdriver for Phillips screws



Code	EAN		
05100011001	181442	162 i PH VDE	1x PH 1x80
05100012001	181459	162 i PH VDE	1x PH 2x100

162 iS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

162 iS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws



	EAN	+	mm	mm	mm		
Code	4013288						
05006450001	160140	PH 1	80	98	3 1/8"		5
05006451001	160164	PH 2	100	105	4"		5

162 iSS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws

- Reduced blade and handle diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

162 iSS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws



	EAN	+	mm	mm	mm		
Code	4013288						
05020131001	179432	PH 1	80	81	3 1/8"		5
05020133001	179425	PH 2	100	98	4"		5


165 i PZ VDE Insulated screwdriver for Pozidriv screws



	EAN	+	mm	mm	mm		
Code	4013288						
05006160001 ¹⁾	032782	PZ 0	80	81	3 1/8"		5
05006162001	029836	PZ 1	80	98	3 1/8"		5
05006163001	105462	PZ 1	150	98	6"		5
05006164001	029843	PZ 2	100	105	4"		5
05006165001	105479	PZ 2	200	105	8"		5
05006166001	029850	PZ 3	150	112	6"		5
05006168001 ¹⁾	029867	PZ 4	200	112	8"		2

¹⁾ without Lasertip

165 i PZ SB VDE Insulated screwdriver for Pozidriv screws



Code	EAN	+		
05100015001	181510	+	165 i PZ VDE 1x PZ 1x80	5
05100016001	181527	+	165 i PZ VDE 1x PZ 2x100	5

165 iS PZ VDE Insulated screwdriver with reduced blade diameter for Pozidriv screws

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

165 iS PZ VDE Insulated screwdriver with reduced blade diameter for Pozidriv screws



	EAN	+	mm	mm	mm		
Code	4013288						
05006460001	160188	PZ 1	80	98	3 1/8"		5
05006461001	160249	PZ 2	100	105	4"		5

162 i PH/S VDE Insulated screwdriver for PlusMinus screws (Phillips/slotted)

- Combination profile - Phillips / slotted

162 i PH/S VDE Insulated screwdriver for PlusMinus screws (Phillips/slotted)



	EAN	+	mm	mm	mm		
Code	4013288						
05006380001	102614	# 1	80	98	3 1/8"		5
05006381001	102621	# 2	100	105	4"		5

162 i PH/S SB VDE Insulated screwdriver for PlusMinus screws (Phillips/slotted)



Code	EAN			
05100019001	186560	+	162 i PH/S VDE 1x # 1x80	5
05100020001	186577	+	162 i PH/S VDE 1x # 2x100	5

162 iS PH/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Phillips/slotted)

- Reduced shaft diameter: combination profile - Phillips / slotted
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

162 iS PH/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Phillips/slotted)



Code	EAN	+	mm	mm	mm		
05006455001	160201	# 1	80	98	3 1/8"		5
05006456001	160225	# 2	100	105	4"		5

165 i PZ/S VDE Insulated screwdriver for PlusMinus screws (Pozidriv/slotted)

- Combination profile - Pozidriv / slotted

165 i PZ/S VDE Insulated screwdriver for PlusMinus screws (Pozidriv/slotted)



	EAN							
Code	4013288		mm	mm				
05006190001	102638	# 1	80	98	3 1/8"			5
05006191001	102645	# 2	100	105	4"			5

165 i PZ/S SB VDE Insulated screwdriver for PlusMinus screws (Pozidriv/slotted)



Code	EAN			
05100021001	186584	+	165 i PZ/S VDE 1x # 1x80	5
05100022001	186591	+	165 i PZ/S VDE 1x # 2x100	5

165 iS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted)

- Reduced shaft diameter: combination profile - Pozidriv / slotted
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

165 iS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted)



	EAN						
Code	4013288		mm	mm			
05006465001	160263	# 1	80	98	3 1/8"		5
05006466001	160287	# 2	100	105	4"		5

165 iSS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted)

- Reduced blade and handle diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated




	EAN						
Code	4013288		mm	mm			
05020132001	179418	# 1	80	81	3 1/8"		5
05020134001	179401	# 2	100	98	4"		5

167 i VDE Insulated screwdriver for TORX® screws



	EAN						
Code	4013288		mm	mm			
05006181001	108876	TX 5	80	81	3 1/8"		5
05006182001	108883	TX 6	80	81	3 1/8"		5
05006183001	108890	TX 7	80	81	3 1/8"		5
05006184001	108906	TX 8	80	81	3 1/8"		5
05006169001	036452	TX 9	80	81	3 1/8"		5
05006170001	036667	TX 10	80	81	3 1/8"		5
05006172001	036674	TX 15	80	98	3 1/8"		5
05006174001	036681	TX 20	80	98	3 1/8"		5
05006176001	036698	TX 25	100	105	4"		5
05006177001	036469	TX 27	100	105	4"		5
05006178001	036704	TX 30	100	105	4"		5
05006179001	036476	TX 40	150	112	6"		5
05006186001	108913	TX 45	150	112	6"		5

Hex-Plus - lets hexagon socket screws last longer



164 i VDE Insulated screwdriver for hexagon socket screws



	EAN						
Code	4013288	mm	mm	mm			
05004650001	036605	2,5	80	98	3 1/8"		5
05004655001	036612	3,0	80	98	3 1/8"		5
05004660001	036629	4,0	80	98	3 1/8"		5
05004665001	036636	5,0	80	105	3 1/8"		5
05004670001	036643	6,0	100	105	4"		5
05004675001	036650	8,0	100	112	4"		5

168 i VDE Insulated screwdriver for square socket head screws



	EAN						
Code	4013288		mm	mm			
05004780001	038777	# 1	80	98	3 1/8"		5
05004783001	105486	# 1	150	98	6"		5
05004781001	038784	# 2	100	105	4"		5
05004784001	105493	# 2	200	105	8"		5
05004782001	040909	# 3	150	112	6"		5

168 i SB VDE Insulated screwdriver for square socket head screws



Code	EAN			
05100024001	181534		168 i VDE 1x # 1x80	5
05100025001	181541		168 i VDE 1x # 2x100	5
05100026001	181558		168 i VDE 1x # 3x150	5

190 i VDE Insulated nutdriver



Code	EAN							
05005300001	032485	5,5		125	98	11,0	5"	5
05005305001	032492	6,0		125	98	12,0	5"	5
05005310001	032508	7,0		125	105	14,0	5"	5
05005315001	032515	8,0		125	105	15,0	5"	5
05005320001	032522	9,0		125	105	16,0	5"	5
05005325001	032539	10,0		125	112	17,0	5"	5
05005330001	032546	11,0		125	112	19,0	5"	5
05005335001	032553	12,0		125	112	20,0	5"	5
05005340001	032560	13,0		125	112	21,0	5"	5
05104900001	039552	-	3/16"	125	98	11,0	5"	10
05345280001	150172	-	7/32"	125	98	12,0	5"	10
05104905001	039606	-	1/4"	125	98	13,0	5"	10
05104901001	039569	-	5/16"	125	105	15,0	5"	10
05104906001	039613	-	3/8"	125	105	17,0	5"	10
05104902001	039576	-	7/16"	125	112	19,0	5"	10
05104904001	039590	-	1/2"	125	112	21,0	5"	10
05104903001	039583	-	9/16"	125	112	23,0	5"	10
05104907001	039620	-	5/8"	125	112	25,0	5"	10

247 Single-pole voltage tester



Code	EAN							
05005655001	002686	0,5	3,0	70	3,0	1/8"	2 3/4"	5

^{*)}Product not available in the USA and Canada.

247 SB Single-pole voltage tester



Code	EAN			
05100100001	181664		247 1x 0.5x3.0x70	5


^{*)}Product not available in the USA and Canada.

Kraftform Big Pack 100 VDE

14-piece screwdriver set with individually tested, insulated screwdrivers as per IEC 60900. Individual testing in a water bath at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

- Insulated blades for secure work at 1,000 volts
- Multi-component Kraftform handle for high working speeds and ergonomic screwdriving
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Lasertip tips for more secure fit in the screw head

Kraftform Big Pack 100 VDE



Code	EAN		
05105631001	4013288 163639		1
		+	162 i PH VDE 1x PH 1x80; 1x PH 2x100
		+	165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100
		+	165 i PZ/S VDE 1x # 1x80; 1x # 2x100
		+	167 i TORX® VDE 1x TX 10x80; 1x TX 15x80; 1x TX 20x80
		●	160 iS 1x 0,6x3,5x100
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125
		●	247 1x 0,5x3,0x70
			Rack 2x 190,0x50,0

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

Kraftform 2go 100

11 VDE-insulated, Kraftform screwdrivers; with Take it easy Toolfinder; in the Wera 2go 4 quiver; comes with an adjustable partition element for individual sectioning.

- Suitable for docking with the Wera 2go system

Kraftform 2go 100



Code	EAN		
05004310001	4013288 187826		1
			Wera 2go 4 1x 165,0x165,0x105,0
		+	162 i PH VDE 1x PH 1x80; 1x PH 2x100
		+	165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100
		+	167 i TORX® VDE 1x TX 10x80; 1x TX 15x80; 1x TX 20x80
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,8x4,0x150; 1x 1,0x5,5x200
		●	160 iS 1x 0,6x3,5x100
			K120 1x 50,0x120,0

¹⁾ without Lasertip

160 i/6 Rack Screwdriver Set Kraftform Plus Series 100 + Rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/6 Rack Screwdriver Set Kraftform Plus Series 100 + Rack



Code	EAN		
05006145001	4013288 027887		1
		+	162 i PH VDE 1x PH 1x80; 1x PH 2x100
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125

¹⁾ without Lasertip

160 i/7 Rack screwdriver set Kraftform Plus Series 100, voltage tester and rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/7 Rack screwdriver set Kraftform Plus Series 100, voltage tester and rack



Code	EAN			
05006147001	4013288 041708			1
		+	162 i PH VDE 1x PH 1x80; 1x PH 2x100	
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		●	247 1x 0,5x3,0x70	

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

160 i/165 i/7 Rack screwdriver set Kraftform Plus Series 100, voltage tester and rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/165 i/7 Rack screwdriver set Kraftform Plus Series 100, voltage tester and rack



Code	EAN			
05006148001	4013288 041715			1
		+	165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100	
		●	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		●	247 1x 0,5x3,0x70	

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

167 i/6 Screwdriver set Kraftform Plus Series 100

- Including useful rack for well-arranged storage of the screwdrivers

167 i/6 Screwdriver set Kraftform Plus Series 100



Code	EAN			
05133356001	4013288 160072			1
		★	167 i TORX® VDE 1x TX 8x80; 1x TX 9x80; 1x TX 10x80; 1x TX 15x80; 1x TX 20x80; 1x TX 25x100	

160 iS/7 Rack screwdriver set Kraftform Plus Series 100, voltage tester and rack. With reduced blade diameter

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Including useful rack for well-arranged storage of the screwdrivers

160 iS/7 Rack screwdriver set Kraftform Plus Series 100, voltage tester and rack. With reduced blade diameter



Code	EAN			
05006480001	4013288 160713			1
		+	162 iS 1x PH 1x80; 1x PH 2x100	
		★	165 iS PZ/S 1x # 2x100	
		●	160 iS 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		●	247 1x 0,5x3,0x70	

²⁾ Product not available in the USA and Canada.

160 iSS/7 screwdriver set Kraftform Plus Series 100.
With reduced blade diameters and smaller handle diameters

- Kraftform screwdrivers with reduced blade diameter as well as partially with slim handle design
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Safe work at a voltage of 1,000 volts, individually tested

160 iSS/7 screwdriver set Kraftform Plus Series 100. With reduced blade diameters and smaller handle diameters



					
Code	EAN				
05135961001	4013288				1
	178640		160 iSS 1x 0,8x4,0x100		
			160 iS 1x 0,6x3,5x100; 1x 1,0x5,5x125		
			162 iSS 1x PH 1x80; 1x PH 2x100		
			165 iSS PZ/S 1x # 1x80; 1x # 2x100		

160 i/168 i/6 Rack screwdriver set Kraftform Plus Series 100, and rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/168 i/6 Rack screwdriver set Kraftform Plus Series 100, and rack



				
Code	EAN			
	4013288			
05347777001	122957			1
			162 i PH VDE 1x PH 1x80; 1x PH 2x100	
			160 i VDE 1x 0,6x3,5x100; 1x 1,0x5,5x125	
			168 i VDE 1x # 1x80; 1x # 2x100	



160 i/162 i/167 i/9 Screwdriver set Kraftform Plus Series 100



Code	EAN			
05133355001	160065			1
		+	162 i PH VDE 1x PH 2x100	
		+	165 i PZ VDE 1x PZ 2x100	
		+	165 i PZ/S VDE 1x # 1x80; 1x # 2x100	
		+	167 i TORX® VDE 1x TX 15x80; 1x TX 20x80; 1x TX 25x100	
		—	160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 1,0x5,5x125	

¹⁾without Lasertip

165 iS PZ/S # 1 + 2 screwdriver set Kraftform Plus series 100. With reduced blade diameter

- Reduced shaft diameter: combination profile - Pozidriv / slotted
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

165 iS PZ/S # 1 + 2 screwdriver set Kraftform Plus series 100. With reduced blade diameter



Code	EAN			
05006470001	214317			1
		+	165 iS PZ/S 1x # 1x80; 1x # 2x100	

Kraftform Kompakt & VDE - every size always available

Kraftform Kompakt VDE 16 Torque 1,2-3,0 Nm extra slim 1

16-piece torque VDE interchangeable blade set. Includes 14 blades (11 of which with a reduced diameter) with integrated insulation protection.

Torque VDE holder with adjustable torque from 1.2-3.0 Nm and VDE holder 817 VDE. Kraftform Plus handle: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

- Kraftform Kompakt VDE torque screwdriver set with adjustable torque
- Adjustable Kraftform VDE torque holder exclusively for Wera VDE interchangeable blades
- VDE interchangeable blades 154 mm long
- In robust pouch
- 16-piece

Kraftform Kompakt VDE 16 Torque 1.2-3.0 Nm extra slim 1



Code	EAN			
05135906001	188335			1
		●	7400 VDE 1x 7441 VDE, 1,2-3,0 Nm	
		●	817 VDE 1x 9x102	
		+	KK 62 iS 1x PH 1x154; 1x PH 2x154	
		+	KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154	
		+	KK 65 iS PZ/S 1x # 1x154; 1x # 2x154	
		+	KK 67 i TORX® 1x TX 10x154	
		+	KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		—	KK 60 i 1x 0,4x2,5x154	
		—	KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	

Kraftform Kompakt VDE 15 Torque 1.2-3.0 Nm extra slim 1

15-piece torque VDE interchangeable blade set. Includes 14 blades (12 of which with a reduced diameter) with integrated insulation protection. Torque VDE holder with adjustable torque from 1.2-3.0 Nm. Kraftform Plus handle: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Kraftform Kompakt VDE 15 Torque 1.2-3.0 Nm extra slim 1



Code	EAN		
05059291001	168375		1
		7400 VDE 1x 7441 VDE, 1,2-3,0 Nm	
		KK 62 iS 1x PH 1x154; 1x PH 2x154	
		KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154	
		KK 65 iS PZ/S 1x # 1x154; 1x # 2x154	
		KK 67 i TORX® 1x TX 10x154	
		KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		KK 60 i 1x 0,4x2,5x154	
		KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	

Kraftform Kompakt VDE 18 Universal 1

16 VDE interchangeable blades with 817 VDE Kraftform handle in a robust belt pouch. Individually tested tools as per IEC 60900. Individual test in water bath at 10,000 volts for secure work at the permissible voltage of 1,000 volts.

Kraftform Kompakt VDE 18 Universal 1



Code	EAN		
05003471001	106599		1
		817 VDE 1x 9x102	
		KK 62 i 1x PH 1x154; 1x PH 2x154	
		KK 62 i PH/S 1x # 1x154; 1x # 2x154	
		KK 65 i PZ 1x PZ 1x154; 1x PZ 2x154	
		KK 65 i PZ/S 1x # 1x154; 1x # 2x154	
		KK 60 i 1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	
		KK 96 VK 6,3 1x 6,3x89	
		KK 97 VK 8,1 1x 8,1x89	
		KK 98 DK 1x 89	
		KK 99 FL 1x 89	
		247 1x 0,5x3,0x70	

™Product not available in the USA and Canada.

Kraftform Kompakt VDE 18 Imperial 1



Code	EAN			
05347108001	182401			1
		●	817 VDE 2x 9x102	
		+	KK 62 i 1x PH 1x154; 1x PH 2x154	
		+	KK 62 i PH/S 1x # 1x154; 1x # 2x154	
		+	KK 65 i PZ/S 1x # 1x154; 1x # 2x154	
		●	KK 60 i 1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	
		○	KK 68 i 1x # 1x154; 1x # 2x154	
		■	KK 96 VK 6,3 1x 6,3x89	
		■	KK 97 VK 8,1 1x 8,1x89	
		▲	KK 98 DK 1x 89	
		●	KK 99 FL 1x 89	

Kraftform Kompakt VDE 18 Universal 2



Code	EAN			
05347107001	182395			1
		●	817 VDE 2x 9x102	
		+	KK 62 i 1x PH 1x154; 1x PH 2x154	
		+	KK 62 i PH/S 1x # 1x154; 1x # 2x154	
		●	KK 60 i 1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	
		+	KK 65 i PZ 1x PZ 1x154; 1x PZ 2x154	
		+	KK 65 i PZ/S 1x # 1x154; 1x # 2x154	
		■	KK 96 VK 6,3 1x 6,3x89	
		■	KK 97 VK 8,1 1x 8,1x89	
		▲	KK 98 DK 1x 89	
		●	KK 99 FL 1x 89	

Kraftform Kompakt VDE 17 extra slim 1

- Individually tested VDE interchangeable blades with reduced blade diameters
- 2 multi-component, ergonomic Kraftform VDE hand-holders with anti-roll protection
- In a robust textile box
- Multifunctional pliers for electrical installation: cable cutting, stripping, gripping, bending, deburring, crimping of wire end ferrules
- Pliers including cable shears with precision cutting edges (inductively hardened) for Cu and Al cables up to 5 x 2.5mm² / Ø 15 mm

Kraftform Kompakt VDE 17 extra slim 1



Code	EAN			
05136027001	4013288			1
		●	817 VDE 2x 9x102	
		+	KK 62 iS 1x PH 1x154; 1x PH 2x154	
		+	KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154	
		+	KK 65 iS PZ/S 1x # 1x154; 1x # 2x154	
		+	KK 67 i TORX® 1x TX 10x154	
		+	KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		●	KK 60 i 1x 0,4x2,5x154	
		●	KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	
			KNIPPEX 13 96 200	
			K70 1x 50,0x70,0	

Kraftform Kompakt VDE 17 Universal 1

- 2 multi-component, ergonomic Kraftform VDE hand-holders with anti-roll protection

Kraftform Kompakt VDE 17 Universal 1



Code	EAN			
05059030001	4013288			1
		●	817 VDE 2x 9x102	
		+	KK 62 i 1x PH 1x154; 1x PH 2x154	
		+	KK 65 i PZ 1x PZ 1x154; 1x PZ 2x154	
		+	KK 65 i PZ/S 1x # 1x154; 1x # 2x154	
		+	KK 67 i TORX® 1x TX 10x154; 1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		●	KK 60 i 1x 0,4x2,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154; 1x 1,2x6,5x154	
		●	KK 60 iS 1x 0,6x3,5x154	

Kraftform Kompakt VDE 16 extra slim 1

- VDE interchangeable blade with reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 16 extra slim 1



Code	EAN			
05003484001	4013288 164056			1
		817 VDE	1x 9x102	
		KK 62 iS	1x PH 1x154; 1x PH 2x154	
		KK 65 iS PZ	1x PZ 1x154; 1x PZ 2x154	
		KK 65 iS PZ/S	1x # 1x154; 1x # 2x154	
		KK 67 i TORX®	1x TX 10x154	
		KK 67 iS TORX®	1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		KK 60 i	1x 0,4x2,5x154	
		KK 60 iS	1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	
		247	1x 0,5x3,0x70	

™Product not available in the USA and Canada.

Kraftform Kompakt VDE 16 Universal 1



Code	EAN			
05003474001	4013288 144010			1
		817 VDE	1x 9x102	
		KK 62 i	1x PH 1x154; 1x PH 2x154	
		KK 65 i PZ	1x PZ 1x154; 1x PZ 2x154	
		KK 65 i PZ/S	1x # 1x154; 1x # 2x154	
		KK 67 i TORX®	1x TX 10x154; 1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		KK 60 i	1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	
		247	1x 0,5x3,0x70	

™Product not available in the USA and Canada.

Kraftform Kompakt VDE 7 Universal 1

6 VDE interchangeable blades with 817 VDE Kraftform handle in a robust belt pouch. Individually tested tools as per IEC 60900. Individual test in water bath at 10,000 volts for secure work at the permissible voltage of 1,000 volts.

Kraftform Kompakt VDE 7 Universal 1



Code	EAN			
05003470001	4013288 106582			1
		817 VDE	1x 9x102	
		KK 62 i	1x PH 1x154; 1x PH 2x154	
		KK 60 i	1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	

Kraftform Kompakt VDE 7 Imperial 1



Code	EAN			
05003473001	4013288 106612			1
		●	817 VDE 1x 9x102	
		+	KK 62 i 1x PH 1x154; 1x PH 2x154	
		⊖	KK 60 i 1x 0,6x3,5x154; 1x 1,0x5,5x154	
		□	KK 68 i 1x # 1x154; 1x # 2x154	

Kraftform Kompakt VDE 7 Universal 2



Code	EAN			
05003472001	4013288 106605			1
		●	817 VDE 1x 9x102	
		+	KK 65 i PZ 1x PZ 1x154; 1x PZ 2x154	
		⊖	KK 60 i 1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	

Series 7400 VDE Kraftform adjustable torque handle (0.3-3.5 Nm)

- Adjustable Kraftform VDE torque holder
- Adjustable torque from 0.3-1.2
- Distinct audible and perceivable excess load signal when the pre-set torque value is reached
- Suitable for Kraftform Kompakt VDE blades
- Rapid exchange of the interchangeable blades

Series 7400 VDE Kraftform adjustable torque handle (0.3-3.5 Nm)



Code	EAN	Art.No.	mm	Nm	Nm	mm		
05074752001	179111	7440 VDE	9	0,3-1,2	0,05	192	7/16"	1
05074750001	168535	7441 VDE	9	1,2-3,0	0,10	192	7/16"	1
05074757001	184412	7444 VDE	9	1,7-3,5	0,10	192	7/16"	1

817 VDE Kraftform blade-holding handle

- Kraftform Kompakt VDE Kraftform handle
- Exclusively for Wera VDE interchangeable blades
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Hexagonal anti-roll feature against rolling away

817 VDE Kraftform blade-holding handle



Code	EAN	mm	mm					
05003990001	104359	9	102					1

Kraftform Kompakt Turbo i 1

Many users would like to be able to carry out screwdriving processes faster without compromise.

With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver.

A part time universal gear is the solution: integrated in the handle of the screwdriver, it significantly increases the working speed. The Kraftform Turbo accelerates the screwdriving in a purely mechanical way.

The turbo function can either be switched on or off by pressing a button. Turning it off is recommended for fine adjustment and final tightening or loosening of a high torque screw.

The robust steel design is maintenance-free and ensures a long product life.

The Kraftform Turbo hand holder 827 T i and the individually tested Wera VDE interchangeable blades guarantee fast and safe working even under tension.

- Quadruples the screwdriving speed in a purely mechanical way (without battery)
- Activation and deactivation of the turbo function by a simple push of a button
- The fixable universal gear allows powerful screwdriving and easy fine adjustments
- Robust, maintenance-free gear made of steel (maximum torque 14 Nm)
- Individually tested tool as per IEC 60900 at 10,000 V for safe working at up to 1,000 volts

Kraftform Kompakt Turbo i 1



Code		EAN		
		4013288		
05057484001	214638			1
			827 T i Kraftform Turbo	
			1x 9x125	
			817 VDE	
			1x 9x102	
			KK 62 iS	
			1x PH 1x154; 1x PH 2x154	
			KK 65 iS PZ	
			1x PZ 1x154; 1x PZ 2x154	
			KK 65 iS PZ/S	
			1x # 1x154; 1x # 2x154	
			KK 67 i TORX®	
			1x TX 10x154	
			KK 67 iS TORX®	
			1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
			KK 60 i	
			1x 0,4x2,5x154	
			KK 60 iS	
			1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	

Available from May 2020

Kraftform Kompakt Turbo i Imperial 1



Code	EAN			
05057485001	4013288 214669			1
		●	827 T i Kraftform Turbo 1x 9x125	
		●	817 VDE 1x 9x102	
		+	KK 62 iS 1x PH 1x154; 1x PH 2x154	
		+	KK 62 i PH/S 1x # 1x154; 1x # 2x154	
		✱	KK 67 i TORX® 1x TX 10x154	
		✱	KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		□	KK 68 iS 1x # 1x154; 1x # 2x154	
		●	KK 60 i 1x 0,4x2,5x154	
		●	KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	

Available from May 2020

827 T i Kraftform Turbo hand holder



Code	EAN	mm	mm					
05057481001 ¹⁾	4013288 214607	9	125					1

¹⁾Available from May 2020

Kraftform Kompakt VDE interchangeable blades

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing in a water bath at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

Kraftform Kompakt VDE 60 i



Code	EAN	mm	mm	mm	mm	mm		
05003400001	104052	0,4	2,5	154	3/32"	6 1/16"		5
05003401001	104069	0,5	3,0	154	1/8"	6 1/16"		5
05003402001	104076	0,6	3,5	154	9/64"	6 1/16"		5
05003403001	104083	0,8	4,0	154	5/32"	6 1/16"		5
05003404001	104090	1,0	5,5	154	7/32"	6 1/16"		5
05003405001	104106	1,2	6,5	154	1/4"	6 1/16"		5

Kraftform Kompakt VDE 60 iS

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 60 iS



Code	EAN	mm	mm	mm	mm	mm		
05003406001	163882	0,6	3,5	154	9/64"	6 1/16"		5
05003407001	163899	0,8	4,0	154	5/32"	6 1/16"		5
05003408001	163905	1,0	5,5	154	7/32"	6 1/16"		5

Kraftform Kompakt VDE 62 i



Code	EAN	mm	mm	mm	mm	mm		
05003410001	104113	PH 0	154	6 1/16"				5
05003411001	104120	PH 1	154	6 1/16"				5
05003412001	104137	PH 2	154	6 1/16"				5

Kraftform Kompakt VDE 62 iS

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 62 iS



	EAN						
Code	4013288		mm				
05003413001	163912	PH 1	154	6 1/16"			5
05003414001	163929	PH 2	154	6 1/16"			5

Kraftform Kompakt VDE 65 i



	EAN						
Code	4013288		mm				
05003450001	104144	PZ 0	154	6 1/16"			5
05003451001	104151	PZ 1	154	6 1/16"			5
05003452001	104168	PZ 2	154	6 1/16"			5

Kraftform Kompakt VDE 65 iS

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 65 iS



	EAN						
Code	4013288		mm				
05003455001	163950	PZ 1	154	6 1/16"			5
05003456001	164032	PZ 2	154	6 1/16"			5

Kraftform Kompakt VDE 62 i PH/S

- Kraftform Kompakt VDE interchangeable blade for PlusMinus screws slotted / Phillips
- Particularly for jobs on terminal blocks, fuse boxes, switches and relays

Kraftform Kompakt VDE 62 i PH/S



	EAN						
Code	4013288		mm				
05003440001	104311	# 1	154	6 1/16"			5
05003441001	104328	# 2	154	6 1/16"			5

Kraftform Kompakt VDE 62 iS PH/S

- Kraftform Kompakt VDE interchangeable blade for PlusMinus screws slotted / Phillips
- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 62 iS PH/S



	EAN						
Code	4013288		mm				
05003442001	163936	# 1	154	6 1/16"			5
05003443001	163943	# 2	154	6 1/16"			5

Kraftform Kompakt VDE 65 i PZ/S

- Combination profile - Pozidriv / slotted
- Particularly for jobs on terminal blocks, fuse boxes, switches and relays

Kraftform Kompakt VDE 65 i PZ/S



	EAN						
Code	4013288		mm				
05003445001	104335	# 1	154	6 1/16"			5
05003446001	104342	# 2	154	6 1/16"			5

Kraftform Kompakt VDE 65 iS PZ/S

- Combination profile - Pozidriv / slotted
- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 65 iS PZ/S



	EAN		mm				
Code	4013288		mm				
05003447001	164018	# 1	154	6 1/16"			5
05003448001	164025	# 2	154	6 1/16"			5

Kraftform Kompakt VDE 67 i TORX®



	EAN		mm				
Code	4013288		mm				
05003429001	196491	TX 8	154	6 1/16"			5
05003430001	104243	TX 9	154	6 1/16"			5
05003431001	104250	TX 10	154	6 1/16"			5
05003432001	104267	TX 15	154	6 1/16"			5
05003433001	104274	TX 20	154	6 1/16"			5
05003434001	104281	TX 25	154	6 1/16"			5
05003435001	104298	TX 27	154	6 1/16"			5
05003436001	104304	TX 30	154	6 1/16"			5

Kraftform Kompakt VDE 67 iS TORX®

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 67 iS TORX®



	EAN		mm				
Code	4013288		mm				
05003437001	163981	TX 15	154	6 1/16"			5
05003438001	163998	TX 20	154	6 1/16"			5
05003439001	164001	TX 25	154	6 1/16"			5

Kraftform Kompakt VDE 68 i



	EAN		mm				
Code	4013288		mm				
05003415001	104175	# 1	154	6 1/16"			5
05003416001	104182	# 2	154	6 1/16"			5

Kraftform Kompakt VDE 68 iS

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 68 iS



	EAN		mm				
Code	4013288		mm				
05003417001	163967	# 1	154	6 1/16"			5
05003418001	163974	# 2	154	6 1/16"			5

Kraftform Kompakt VDE 64 i



	EAN							
Code	4013288	mm	mm					
05003420001	104199	2,5	154	6 1/16"				5
05003421001	104205	3,0	154	6 1/16"				5
05003422001	104212	4,0	154	6 1/16"				5
05003423001	104229	5,0	154	6 1/16"				5
05003424001	104236	6,0	154	6 1/16"				5

Kraftform Kompakt 96 VK 6,3

Glass-fibre reinforced switch cabinet key. Blade for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blade without needing any special tools - square socket.

Kraftform Kompakt 96 VK 6,3



	EAN							
Code	4013288	mm	mm					
05003460001	105349	6,3	89	3 9/16"				5

Kraftform Kompakt 97 VK 8,1

- Kraftform Kompakt switch cabinet key 8.1 mm

Kraftform Kompakt 97 VK 8,1



	EAN							
Code	4013288	mm	mm					
05003461001	105370	8,1	89	3 9/16"				5

Kraftform Kompakt 98 DK



	EAN							
Code	4013288		mm					
05003462001	105356		89	3 9/16"				5

Kraftform Kompakt 99 FL



	EAN							
Code	4013288		mm					
05003463001	105363		89	3 9/16"				5

Kraftform Comfort VDE

- Insulated Kraftform Comfort VDE blades for safe working up to 1,000 volts
- Multi-component Kraftform handle for fast and low-fatigue working
- Handle markings simplify finding and sorting of tools
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Individually tested

1160 i VDE Insulated screwdriver for slotted screws



	EAN							
Code	4013288	mm	mm	mm	mm			
05031580001	110107	0,4	2,5	80	81	3/32"	3 1/8"	10
05031581001	110114	0,5	3,0	100	81	1/8"	4"	10
05031582001	110121	0,6	3,5	100	81	9/64"	4"	10
05031583001	110138	0,8	4,0	100	98	5/32"	4"	10
05031584001	110145	0,8	4,0	150	98	5/32"	6"	5
05031587001	110176	1,0	5,5	125	98	7/32"	5"	10
05031585001	110152	1,0	5,5	200	98	7/32"	8"	5
05031588001	110183	1,2	6,5	150	105	1/4"	6"	10
05031589001	110190	1,2	8,0	175	112	5/16"	7"	5

1162 i PH VDE Insulated screwdriver for Phillips screws



	EAN							
Code	4013288		mm	mm				
05031600001	110220	PH 0	80	81	3 1/8"			5
05031601001	110237	PH 1	80	98	3 1/8"			5
05031602001	110244	PH 1	150	98	6"			5
05031603001	110251	PH 2	100	105	4"			5
05031604001	110268	PH 2	200	105	8"			5
05031605001	110275	PH 3	150	112	6"			5

1165 i PZ VDE Insulated screwdriver for Pozidriv screws



	EAN						
Code	4013288		mm	mm			
05031610001	110299	PZ 0	80	81	3 1/8"		5
05031611001	110305	PZ 1	80	98	3 1/8"		5
05031613001	110329	PZ 2	100	105	4"		5
05031615001	110343	PZ 3	150	112	6"		5

1160 i/7 Safety screwdriver set Kraftform Comfort VDE and voltage tester



Code	EAN			
05031575001	110831			1
		+	1162 i PH VDE 1x PH 1x80; 1x PH 2x100	
		•	1160 i VDE 1x 0,4x2,5x80; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		•	4115 1x 0,5x3,0x65	

Product not available in the USA and Canada.

1160 i/1165 i/7 Screwdriver set Kraftform Comfort VDE and voltage tester



Code	EAN			
05031576001	110848			1
		+	1165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100	
		•	1160 i VDE 1x 0,4x2,5x80; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125	
		•	4115 1x 0,5x3,0x65	

Product not available in the USA and Canada.

8100 SB VDE 1 Zyklop Ratchet set, insulated, switch lever, 3/8" drive, metric



Incredibly compact set arrangement for a lot of tools in a small space. Individually tested ratchet, sockets and extensions as per IEC 60900 at 10,000V for safe working at the approved voltage of 1,000V.

Textile box with very high robustness and durability can be positioned upright for clear storage in the workshop shelf. Additional surface protection through textile outer material. Low weight and volume for easier mobility. Smooth turning mechanism for secure hold and easy removal of VDE sockets.

- Insulated and 100% individually tested Zyklop ratchets, sockets and extensions for safe working up to 1,000 volts
- Fine-toothed ratchet with 80 teeth for a short return angle of 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Robust and extremely compact textile box with socket holders, which ensure a secure hold and easy socket removal by means of a rotating mechanism
- Tools and textile box protect sensitive surfaces, the box is Wera 2go compatible



8100 SB VDE 1 Zyklop Ratchet set, insulated, switch lever, 3/8" drive, metric



Code	EAN			
05004970001	190970			1
		⊙	8007 B VDE 1x 3/8"x222,0	
		⊙	8790 B VDE 1x 6,0x46,0; 1x 7,0x46,0; 1x 8,0x46,0; 1x 9,0x46,0; 1x 10,0x46,0; 1x 11,0x46,0; 1x 12,0x46,0; 1x 13,0x46,0; 1x 14,0x46,0; 1x 15,0x46,0; 1x 16,0x46,0; 1x 17,0x46,0; 1x 18,0x46,0; 1x 19,0x46,0	
		⊙	8794 SB VDE 1x 3/8"x91,0	
		⊙	8794 LB VDE 1x 3/8"x166,0	

Belt B VDE 1 Zyklop bit socket set TORX®/hexagonal socket with holding function, 3/8" drive

10 Zyklop bit sockets, with 3/8" drive, insulated, individually tested as per IEC 60900. Increased safety due to 2-component isolation with yellow core under red insulation outer layer visible in case of damage to outer red VDE insulation layer. With holding function for TORX® screws to Acument Intellectual Properties specifications or holding function for hexagonal socket screws. Robust textile belt in the typical Wera 2go design with 10 VDE bit sockets in a compact space. A smooth turning mechanism ensures secure holding and easy removal of the sockets. Includes snap hook for attaching to belt loops or bags. With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley and Wera 2go tool transport system. VDE 3/8" bit socket and holding function for particularly comfortable screwdriving with reduced risk of screw loss when feeding to the component. With increased safety due to yellow insulation core, which becomes visible in case of damage to the outer red VDE insulation layer. Individually tested tool as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V.

- 10-piece 3/8" socket set on robust textile belt
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Extremely short and compact 3/8" bit socket for easy work even in very confined spaces
- The holding function holds screws securely on the tool
- Individually tested tool as per IEC 60900 at 10,000 V for safe working at up to 1,000 volts
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B VDE 1 Zyklop bit socket set TORX®/hexagonal socket with holding function, 3/8" drive




Code	EAN			
05004930001	4013288 210234			1
			8767 B VDE HF 1x TX 20x55,0; 1x TX 25x55,0; 1x TX 27x55,0; 1x TX 30x55,0; 1x TX 40x55,0; 1x TX 45x59,0	
			8740 B VDE HF 1x 4,0x55,0; 1x 5,0x55,0; 1x 6,0x55,0; 1x 8,0x59,0	
			Belt B VDE 0/10 1x 71,0x209,0	
			K30 1x 30,0x200,0	

8007 B VDE Zyklop ratchet, insulated, with switch lever, with 3/8" drive

- Insulated and 100% individually tested Zyklop ratchet for safe working up to 1,000 volts
- Fine toothing with 80 teeth for a short return angle of only 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Safe socket lock via push button, convenient direction change thanks to the reversing lever
- Plastic coating protects surfaces from damage

8007 B VDE Zyklop ratchet, insulated, with switch lever, with 3/8" drive



Code	EAN							
05004966001	4013288 190963			mm	222,0			3

8790 B VDE Zyklop $\frac{3}{8}$ " socket, insulated

- Individually tested tool as per IEC 60900 at 10,000V
- Increased safety due to 2-component isolation with yellow insulation core under red insulation outer layer
- Plastic coating protects surfaces from damage

8790 B VDE Zyklop $\frac{3}{8}$ " socket, insulated



	EAN						
Code	4013288	mm	mm	mm	mm		
05004950001	192936	6,0	46,0	14,8	23,0		1
05004951001	192943	7,0	46,0	15,7	23,0		1
05004952001	192950	8,0	46,0	17,0	23,0		1
05004953001	192967	9,0	46,0	18,2	23,0		1
05004954001	192974	10,0	46,0	19,4	23,0		1
05004955001	192981	11,0	46,0	20,7	23,0		1
05004956001	192998	12,0	46,0	23,0	23,0		1
05004957001	193001	13,0	46,0	23,0	23,0		1
05004958001	193018	14,0	46,0	24,7	23,0		1
05004959001	193025	15,0	46,0	26,0	23,0		1
05004960001	193032	16,0	46,0	26,8	23,0		1
05004961001	193049	17,0	46,0	29,0	23,0		1
05004962001	193056	18,0	46,0	29,6	23,0		1
05004963001	193063	19,0	46,0	30,7	23,0		1

8767 B VDE HF TORX® Zyklop bit socket, insulated, with holding function, $\frac{3}{8}$ " drive

- The holding function holds screws securely on the tool
- Extremely short and compact $\frac{3}{8}$ " bit socket for easy work even in very confined spaces

8767 B VDE HF TORX® Zyklop bit socket, insulated, with holding function, $\frac{3}{8}$ " drive



	EAN						
Code	4013288		mm	mm	mm		
05004920001	210173	TX 20	55,0	23,0	9,0		1
05004921001	210180	TX 25	55,0	23,0	9,0		1
05004922001	210197	TX 27	55,0	23,0	9,0		1
05004923001	210203	TX 30	55,0	23,0	9,0		1
05004924001	210210	TX 40	55,0	23,0	9,0		1
05004925001	210227	TX 45	59,0	23,0	13,0		1

8740 B VDE HF Zyklop Hex bit socket, insulated, with holding function, $\frac{3}{8}$ " drive

- The holding function holds screws securely on the tool
- Extremely short and compact $\frac{3}{8}$ " bit socket for easy work even in very confined spaces

8740 B VDE HF Zyklop Hex bit socket, insulated, with holding function, $\frac{3}{8}$ " drive



	EAN						
Code	4013288	mm	mm	mm	mm		
05004900001	210135	4,0	55,0	23,0	9,0		1
05004901001	210142	5,0	55,0	23,0	9,0		1
05004902001	210159	6,0	55,0	23,0	9,0		1
05004903001	210166	8,0	59,0	23,0	13,0		1

8760 B VDE XZN Zyklop bit socket, insulated, $\frac{3}{8}$ " drive, for multi-point socket screws

- Extremely short and compact $\frac{3}{8}$ " bit socket for easy work even in very confined spaces

8760 B VDE XZN Zyklop bit socket, insulated, $\frac{3}{8}$ " drive, for multi-point socket screws



	EAN						
Code	4013288		mm	mm	mm		
05004940001	211453	M 8	59,0	23,0	13,0		1
05004941001	211460	M 10	59,0	23,0	13,0		1
05004942001	211477	M 12	59,0	23,0	13,0		1

8794 LB VDE Zyklop extension, insulated, long, 3/8"

- 3/8" VDE Zyklop extension
- Individually tested tool as per IEC 60900 at 10,000 V
- Increased safety due to 2-component isolation with yellow insulation core under red insulation outer layer
- Plastic coating protects surfaces from damage
- Long version

8794 LB VDE Zyklop extension, insulated, long, 3/8"



	EAN							
Code	4013288		mm					
05004965001	190956	3/8"	166,0					1

8794 SB VDE Zyklop extension, insulated, short, 3/8"

- Short version

8794 SB VDE Zyklop extension, insulated, short, 3/8"



	EAN							
Code	4013288		mm					
05004964001	190949	3/8"	91,0					1

Socket rail B VDE (textile belt), 10 location, unloaded

- Empty textile belt for 10 VDE socket wrench/bit socket inserts, 3/8"
- Includes a convenient snap hook
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Socket rail B VDE (textile belt), 10 location, unloaded



Code	EAN			
05003982001	4013288			1
	210913			
		Belt B VDE 0/10		
		1x 71,0x209,0		
		K30		
		1x 30,0x200,0		

400 i VDE Hex Insulated torque-indicator

Wera VDE torque indicator with fixed torque for hexagon socket screws. Tamper proof. The robust slip clutch generates a clearly audible and tactile trigger that signals when the set torque is reached, making it impossible to apply any further torque. The loosening torque value is significantly higher than the set tightening torque, therefore no additional tools are needed for loosening screw connections. The shape of the handle perfectly fills the whole hand and fingers comfortably lie in the softly rounded recessed grips. This ensures optimal, ergonomic power transfer. Individually tested tool as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V.

- Insulated, individually tested VDE T-handle torque indicator for safe working up to 1,000V
- T-handle is ideal for transferring controlled tightening torque and high loosening torque
- Error-free screwdriving due to non-slip friction clutch and exact torque transmission
- Distinctly audible and noticeable excess-load signal when the pre-set torque is reached
- Tamper-proof against accidental changing of set torque value




400 i VDE Hex Insulated torque-indicator



	EAN							
Code	4013288		Nm	mm	mm	mm		
05004980001	206398	4,0	5,0	90	48	100	3 1/2"	1
05004981001	206114	5,0	5,0	90	48	100	3 1/2"	1

Zyklop Speed - incredibly fast and incredibly flexible



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- 42-piece ratchet set in robust textile box
- Freely pivoting ratchet head with 5 predefined locking positions
- Bit-sockets with all the advantages of the Wera bit technology
- TORX®, hex plus and hexagon nuts with holding function for screws / nuts
- Take it easy tool finder with colour coding according to sizes
- Suitable for Wera 2go

8100 SA All-in Zyklop Speed Ratchet Set, 1/4" drive, with holding function, metric



Code	EAN		
05003755001	4013288 190994		1
		8000 A 1x 1/4"x152,0	
		8796 LA 1x 1/4"x150,0	
		8794 A 1x 1/4"x56,0	
		8790 HMA HF 1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0	
		8767 A HF 1x TX 8x28,0; 1x TX 9x28,0; 1x TX 10x28,0; 1x TX 15x28,0; 1x 3,7x3,7xTX 20x28,0; 1x 4,1x4,1xTX 25x28,0; 1x 4,8x4,8xTX 27x28,0; 1x 5,4x5,4xTX 30x28,0; 1x 6,5x6,5xTX 40x28,0	
		8740 A 1x 2,0x28,0; 1x 2,5x28,0	
		8740 A HF 1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0; 1x 6,0x28,0; 1x 7,0x28,0; 1x 8,0x28,0	
		8751 A 1x PH 1x28,0; 1x PH 2x28,0; 1x PH 3x28,0	
		8755 A 1x PZ 1x28,0; 1x PZ 2x28,0; 1x PZ 3x28,0	
		8700 A FL 1x 0,8x5,5x28,0; 1x 1,2x6,5x28,0	
		ME1 1x 14,0x43,0	

8100 SA 6 Zyklop Speed Ratchet Set, 1/4" drive, metric

- Freely pivoting ratchet head with 5 predefined locking positions
- Fine toothing with 72 teeth
- Small return angle of only 5°
- Free-turning sleeve for high working speeds
- Take it easy tool finder with colour coding according to sizes
- Compact textile box with high robustness, low weight and volume

8100 SA 6 Zyklop Speed Ratchet Set, 1/4" drive, metric



Code	EAN		
05004016001	174000		1
		8000 A	
		1x 1/4"x152,0	
		8790 HMA	
		1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0;	
		1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0;	
		1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		8794 LA	
		1x 1/4"x150,0	
		8794 A	
		1x 1/4"x56,0	
		8784 A1	
		1x 1/4"x1/4"x37,0	
		851/4 TZ PH	
		1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		855/4 TZ PZ	
		1x PZ 1x50; 1x PZ 2x50	
		867/4 Z TORX®	
		1x TX 10x50; 1x TX 15x50; 1x TX 20x50;	
		1x TX 25x50; 1x TX 27x50; 1x TX 30x50	
		840/4 Z Hex-Plus	
		1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50	

8100 SA 9 Zyklop Speed Ratchet Set, 1/4" drive, imperial



Code	EAN		
05004019001	173843		1
		8000 A	
		1x 1/4"x152,0	
		8790 HMA	
		1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0;	
		1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0;	
		1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0	
		8794 LA	
		1x 1/4"x150,0	
		8794 A	
		1x 1/4"x56,0	
		8784 A1	
		1x 1/4"x1/4"x37,0	
		851/4 TZ PH	
		1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		855/4 TZ PZ	
		1x PZ 1x50; 1x PZ 2x50	
		867/4 Z TORX®	
		1x TX 10x50; 1x TX 15x50; 1x TX 20x50;	
		1x TX 25x50; 1x TX 27x50; 1x TX 30x50	
		840/4 Z Hex-Plus	
		1x 5/32"x50; 1x 3/16"x50; 1x 7/32"x50; 1x 1/4"x50	

Kraftform Kompakt Zyklop MS1 Metal/Speed 1/4"

- Incredibly fast 1/4" Zyklop Speed ratchet with pivoting ratchet head and 5 predefined locking positions
- Extremely slim Zyklop Metal ratchet with long lever
- Return angle of only 5°
- Convenient direction change thanks to switchover lever
- Set in robust textile box

Kraftform Kompakt Zyklop MS1 Metal/Speed 1/4"



Code	EAN			
05135949001	4013288 178633			1
		8000 A	1x 1/4"x152,0	
		8004 A	1x 1/4"x141,0	
		8796 LA	1x 1/4"x150,0	
		8794 LA	1x 1/4"x150,0	
		8794 SA	1x 1/4"x75,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		8794 A	1x 1/4"x56,0	
		8795 A	1x 1/4"x35,5	

8100 SA 2 Zyklop Speed Ratchet Set, 1/4" drive, metric

- 42-piece set in a robust metal case

8100 SA 2 Zyklop Speed Ratchet Set, 1/4" drive, metric



Code	EAN			
05003533001	4013288 127103			1
		8000 A	1x 1/4"x152,0	
		8790 HMA	1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0	
		8789 A	1x 1/4"x110,0	
		8794 A	1x 1/4"x56,0	
		8795 A	1x 1/4"x35,5	
		8784 A1	1x 1/4"x1/4"x37,0	
		8796 SA	1x 1/4"x75,0	
		8796 LA	1x 1/4"x150,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		867/1 Z TORX® B0	1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	
		800/1 Z	1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x8,0x25	

8100 SA 4 Zyklop Speed Ratchet Set, 1/4" drive, imperial

- 41-piece set in a robust metal case

8100 SA 4 Zyklop Speed Ratchet Set, 1/4" drive, imperial



Code	EAN			
05003535001	4013288 121127			1
		8000 A	1x 1/4"x152,0	
		8790 HMA	1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0; 1x 9/16"x23,0	
		8789 A	1x 1/4"x110,0	
		8794 A	1x 1/4"x56,0	
		8795 A	1x 1/4"x35,5	
		8784 A1	1x 1/4"x1/4"x37,0	
		8796 SA	1x 1/4"x75,0	
		8796 LA	1x 1/4"x150,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		867/1 Z TORX® B0	1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus	1x 5/64"x25; 1x 3/32"x25; 1x 1/8"x25; 1x 9/64"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25	
		800/1 Z	1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x8,0x25	

8100 SA/SC 2 Zyklop Speed Ratchet Set, 1/4" drive and 1/2" drive, metric

- 43-piece set in a robust metal case

8100 SA/SC 2 Zyklop Speed Ratchet Set, 1/4" drive and 1/2" drive, metric



Code	EAN			
05160785001	4013288 126610			1
		8000 A	1x 1/4"x152,0	
		8790 HMA	1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		8796 LA	1x 1/4"x150,0	
		8000 C	1x 1/2"x277,0	
		8790 HMC	1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0; 1x 21,0x37,0; 1x 22,0x37,0; 1x 24,0x37,0	
		8796 LC	1x 1/2"x250,0	
		816 R	1x 1/4"x119	
		800/4 Z	1x 1,0x5,5x89	
		840/4 Z Hex-Plus	1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
		851/4 Z PH	1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		855/4 Z PZ	1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
		867/4 Z TORX® B0	1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	

Kraftform Kompakt Zyklus Speed

- Pouch for belt attachment

Kraftform Kompakt Zyklus Speed




Code	EAN		
05051045001	4013288 155313		1
		8000 A 1x 1/4"x152,0	
		8784 A1 1x 1/4"x1/4"x37,0	
		8794 LA 1x 1/4"x150,0	
		851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
		867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50	
		800/4 Z 1x 1,0x5,5x50	
		840/4 Z Hex-Plus 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50	
		8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	

8000 A Zyklus Speed Ratchet with 1/4" drive

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

8000 A Zyklus Speed Ratchet with 1/4" drive




Code	EAN						
05003500001	4013288 121868	1/4"	mm	152,0			1

8000 A SB Zyklus Speed Ratchet with 1/4" drive



Code	EAN						
05073260001	4013288 128034	8000 A 1x 1/4"x152,0					3

Zyklop Metal with push-through square



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square
- Take it easy tool finder system

8100 SA 7 Zyklop Metal Ratchet Set with push-through square, 1/4" drive, metric



Code	EAN		
05004017001	4013288 173898		1
		8003 A 1x 1/4"x141,0	
		8790 HMA 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		8794 LA 1x 1/4"x150,0	
		8794 A 1x 1/4"x56,0	
		8784 A1 1x 1/4"x1/4"x37,0	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

8100 SA 10 Zyklop Metal Ratchet Set with push-through square, 1/4" drive, imperial



Code	EAN			
05004020001	4013288 173904			1
			8003 A 1x 1/4"x141,0	
			8790 HMA 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0	
			8794 LA 1x 1/4"x150,0	
			8794 A 1x 1/4"x56,0	
			8784 A1 1x 1/4"x1/4"x37,0	
			851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
			855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
			867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25	
			840/1 Z Hex-Plus 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25	

8003 A Zyklop Metal Ratchet with push-through square and 1/4" drive

- For 1/4" square sockets with ball lock
- Forged, full metal ratchet (chrome-molybdenum); slim design to enable work in very confined spaces.
- The dual-ratchet-teeth design means that a 76 fine-toothings division can be achieved from the 38 robust teeth with a return angle of only 4.7°.
- Absolutely smooth switchover of the non-detachable push-through square

8003 A Zyklop Metal Ratchet with push-through square and 1/4" drive



Code	EAN						
05004003001	4013288 174017		mm	mm	mm		3
		1/4"	141,0	21	22		

Zyklop Metal with switch lever



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°

8100 SA 8 Zyklop Metal Ratchet Set with switch lever, 1/4" drive, metric



Code	EAN			
05004018001	4013288 173836			1
		8004 A	1x 1/4"x141,0	
		8790 HMA	1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		8794 LA	1x 1/4"x150,0	
		8794 A	1x 1/4"x56,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25	
		840/1 Z Hex-Plus	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

8100 SA 11 Zyklop Metal Ratchet Set with switch lever, 1/4" drive, imperial



Code	EAN			
05004021001	4013288 173850			1
		8004 A	1x 1/4"x141,0	
		8790 HMA	1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0	
		8794 LA	1x 1/4"x150,0	
		8794 A	1x 1/4"x56,0	
		8784 A1	1x 1/4"x1/4"x37,0	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25	
		840/1 Z Hex-Plus	1x 3/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25	

8100 SA 12 HF Zyklop Metal Ratchet Set with switch lever, 1/4" drive, metric

- Sockets with holding function for screws/bolts/nuts

8100 SA 12 HF Zyklop Metal Ratchet Set with switch lever, 1/4" drive, metric



Code	EAN			
05003756001	190987			1
			8004 A 1x 1/4"x141,0	
			8794 LA 1x 1/4"x150,0	
			8794 A 1x 1/4"x56,0	
			8790 HMA HF 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
			ME1 1x 14,0x43,0	

8004 A Zyklop Metal Ratchet with switch lever and 1/4" drive

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking

8004 A Zyklop Metal Ratchet with switch lever and 1/4" drive



Code	EAN					
05004004001	174024	1/4"	141,0	19	22	3

8790 HMA Zyklop 1/4" socket

- 1/4" Zyklop socket
- For manual and power tool operations (non-impact)
- Knurling at lower end to enable easy gripping when used in manual applications
- Equipped with ball stop groove
- Take it easy tool finder with colour coding according to sizes

8790 HMA Zyklop 1/4" socket



Code	EAN						
05003501001	120083		4,0		23,0	6,9	13,0
05003502001	120106		4,5		23,0	7,5	13,0
05003503001	120113		5,0		23,0	8,2	13,0
05003504001	120120		5,5		23,0	8,8	13,0
05003505001	120137		6,0		23,0	9,4	13,0
05003506001	120144		7,0		23,0	11,0	13,0
05003507001	120151		8,0		23,0	12,0	13,0
05003508001	120090		9,0		23,0	13,0	14,0
05003509001	120168		10,0		23,0	14,5	14,5
05003510001	120175		11,0		23,0	16,0	15,0
05003511001	120182		12,0		23,0	17,0	16,0
05003512001	120199		13,0		23,0	18,0	17,0
05003513001	120205		14,0		23,0	20,0	18,0
05003499001	206862		15,0		23,0	21,5	19,0
05003514001	120212			3/16"	23,0	7,5	13,0
05003515001	120229			7/32"	23,0	8,8	13,0
05003516001	120236			1/4"	23,0	11,0	13,0
05003517001	120243			9/32"	23,0	11,0	13,0
05003518001	120250			5/16"	23,0	12,0	13,0
05003519001	120267			11/32"	23,0	13,0	14,0
05003520001	120274			3/8"	23,0	14,5	14,5
05003521001	120281			7/16"	23,0	16,0	15,0
05003522001	120298			1/2"	23,0	18,0	17,0
05003523001	120304			9/16"	23,0	20,0	18,0

8790 HMA HF Zyklus socket with 1/4" drive with holding function

- Socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Chrome vanadium steel, matt chrome-plated
- Equipped with ball stop groove, knurling at lower end for better gripping

8790 HMA HF Zyklus socket with 1/4" drive with holding function



Code	EAN		mm	mm	mm	mm	
05003717001	185631		4,0	23,0	7,0	11,0	1
05003718001	185648		4,5	23,0	7,8	11,0	1
05003719001	185655		5,0	23,0	8,9	11,0	1
05003720001	185662		5,5	23,0	9,2	11,0	1
05003721001	185679		6,0	23,0	10,5	11,0	1
05003722001	185686		7,0	23,0	11,9	11,0	1
05003723001	185693		8,0	23,0	12,9	11,0	1
05003724001	185709		9,0	23,0	14,1	12,0	1
05003725001	185716		10,0	23,0	15,6	12,5	1
05003726001	185723		11,0	23,0	17,4	13,0	1
05003727001	185730		12,0	23,0	18,4	14,0	1
05003728001	185747		13,0	23,0	19,5	15,0	1
05003729001	185754		14,0	23,0	20,8	16,0	1
05003010001	206855		15,0	23,0	21,5	18,5	1

Belt A 1 Zyklus socket set with holding function, 1/4" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A Smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Sockets with holding function for particularly convenient screw-driving with reduced risk of losing the screw when approaching the workpiece.

Supplied with a non-woven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 10-piece socket set on a robust textile belt, 1/4"
- Sockets with holding function for screws/bolts/nuts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt A 1 Zyklus socket set with holding function, 1/4" drive



Code	EAN		
05003880001	190758		1
		8790 HMA HF 1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0	
		ME1 1x 14,0x43,0	
		Belt A 0/9 1x 39,0x238,0	
		K30 1x 30,0x200,0	

Nut Extractor

- Simple removal of nuts contained within Wera HF sockets
- For the simple removal of nuts from 1/4", 3/8", 1/2" sockets with holding function
- Hexagonal anti-roll feature against rolling away

Nut Extractor



	EAN								
Code	4013288	mm	mm						
05050005001	192554	14,0	43,0						1

Belt A 4 Zyklop socket set, 1/4" drive


- 9-piece socket set on a robust textile belt, 1/4"
- For manual and power tool operations (non-impact)
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt A 4 Zyklop socket set, 1/4" drive



	EAN								
Code	4013288								
05003883001	190789								1
			8790 HMA 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0						
			Belt A 0/9 1x 39,0x238,0						
			K30 1x 30,0x200,0						

Belt A Imperial 1 Zyklop In-Hex-Plus bit socket set with holding function, 1/4" drive



	EAN								
Code	4013288								
05003884001	194992								1
			8740 A 1x 5/64"x28,0; 1x 3/32"x28,0; 1x 7/64"x28,0						
			8740 A HF 1x 1/8"x28,0; 1x 9/64"x28,0; 1x 5/32"x28,0; 1x 3/16"x28,0; 1x 7/32"x28,0; 1x 1/4"x28,0						
			Belt A 0/9 1x 39,0x238,0						
			K30 1x 30,0x200,0						

8790 HMA Deep 1/4" socket

Long 1/4" hand and machine socket (ISO 2725 part 3) with ball intercept ring; for external hexagonal bolts and sockets.

For use in manual and machine operation (non-impact), even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle.

- Long sockets for low-lying screwdriving, often even with protruding threaded rods in small spaces
- Hexagonal profile enables precise bolting with high power transmission and preserves the profile
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- For manual and machine operation (non-impact), ball intercept ring
- Made of matt chromed chrome-vanadium

8790 HMA Deep 1/4" socket



Code	EAN		mm	mm	mm	mm	
05004500001	210258		4,0	50,0	6,7	11,8	1
05004501001	210128		5,0	50,0	8,0	11,8	1
05004502001	210241		5,5	50,0	8,6	11,8	1
05004503001	210265		6,0	50,0	9,2	11,8	1
05004504001	210272		7,0	50,0	10,8	11,8	1
05004505001	210289		8,0	50,0	11,8	11,0	1
05004506001	210296		9,0	50,0	12,8	12,0	1
05004507001	210302		10,0	50,0	14,7	12,8	1
05004508001	210319		11,0	50,0	15,8	14,0	1
05004509001	210326		12,0	50,0	16,8	15,0	1
05004510001	210333		13,0	50,0	17,8	16,0	1
05004511001	210340		14,0	50,0	19,8	17,0	1
05004512001	210357		15,0	50,0	20,8	18,0	1

Belt A Deep 1 socket set, 1/4" drive

Robust textile belt in the typical Wera design with 9 long 1/4" manual and machine socket inserts (non-impacting) in a confined space. A smoother turning mechanism ensures a secure holding and easy removal of sockets. Includes snap hook for attaching to belt loops or bags.

With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley or the Wera 2go tool transport system.

Long 1/4" manual and mechanical socket wrench inserts (ISO 2725 part 3) from Wera for use in manual and machine operation (non-impacting) even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. With hexagonal profile and ball-catching groove. The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle. For external hexagonal bolts and sockets.

- 9-piece socket set on a robust textile belt, 1/4"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 1/4" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screw-driving with high power transmission
- Take it easy tool finder with colour coding according to sizes

Belt A Deep 1 socket set, 1/4" drive



Code	EAN		
05004525001	210371		1
		8790 HMA Deep 1x 5,0x50,0; 1x 5,5x50,0; 1x 6,0x50,0; 1x 7,0x50,0; 1x 8,0x50,0; 1x 10,0x50,0; 1x 11,0x50,0; 1x 12,0x50,0; 1x 13,0x50,0	
		Belt A 0/9 1x 39,0x238,0	
		K30 1x 30,0x200,0	

8767 A HF TORX® Zyklop bit socket with holding function, 1/4" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8767 A HF TORX® Zyklop bit socket with holding function, 1/4" drive



	EAN							
Code	4013288			mm	mm	mm	mm	
05003360001	186829		TX 8	28,0	12,0	12,5	11,0	1
05003361001	186843		TX 9	28,0	12,0	12,5	11,0	1
05003362001	186836		TX 10	28,0	12,0	12,5	11,0	1
05003363001	186850		TX 15	28,0	12,0	12,5	11,0	1
05003364001	186867		TX 20	28,0	12,0	12,5	11,0	1
05003365001	186874		TX 25	28,0	12,0	12,5	11,0	1
05003366001	186881		TX 25	100,0	12,0	12,5	83,0	1
05003367001	186898		TX 27	28,0	12,0	12,5	11,0	1
05003368001	186904		TX 27	100,0	12,0	12,5	83,0	1
05003369001	186911		TX 30	28,0	12,0	12,5	11,0	1
05003370001	186928		TX 30	100,0	12,0	12,5	83,0	1
05003371001	186935		TX 40	28,0	12,0	12,5	11,0	1
05003372001	186942		TX 40	100,0	12,0	12,5	83,0	1

Belt A 3 TORX® HF Zyklop bit socket set with holding function, 1/4" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket. Especially short, stable bit-sockets with all the advantages of the Wera bit technology.

Bit sockets with holding function for particularly convenient screwdriving with reduced risk of losing the screw when approaching the workpiece. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 9-piece bit-socket set on a robust textile belt, 1/4"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System
- Take it easy tool finder with colour coding according to sizes

Belt A 3 TORX® HF Zyklop bit socket set with holding function, 1/4" drive



Code	EAN		
05003882001	190772		1
			8767 A HF 1x TX 8x28,0; 1x TX 9x28,0; 1x TX 10x28,0; 1x TX 15x28,0; 1x 3,7x3,7xTX 20x28,0; 1x 4,1x4,1xTX 25x28,0; 1x 4,8x4,8xTX 27x28,0; 1x 5,4x5,4xTX 30x28,0; 1x 6,5x6,5xTX 40x28,0
			Belt A 0/9 1x 39,0x238,0
			K30 1x 30,0x200,0

8767 A TORX® HF 1 Zyklop bit socket set with holding function, 1/4" drive

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually
- Long design

8767 A TORX® HF 1 Zyklop bit socket set with holding function, 1/4" drive



Code	EAN		
05003375001	197014		1
			8767 A HF 1x TX 25x100,0; 1x TX 27x100,0; 1x TX 30x100,0; 1x TX 40x100,0
			K70 1x 50,0x70,0

8740 A HF Zyklop bit socket with holding function, 1/4" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Hex-Plus allows socket head screws to live longer

8740 A HF Zyklop bit socket with holding function, 1/4" drive



	EAN							
Code	4013288		mm		mm	mm	mm	
05003332001	187123		3,0		28,0	12,0	12,5	1
05003333001	187178		4,0		28,0	12,0	12,5	1
05003334001	187185		4,0		100,0	12,0	12,5	1
05003335001	187192		5,0		28,0	12,0	12,5	1
05003336001	187208		5,0		100,0	12,0	12,5	1
05003337001	187215		6,0		28,0	12,0	12,5	1
05003338001	187222		6,0		100,0	12,0	12,5	1
05003341001	189547		7,0		28,0	12,0	12,5	1
05003342001	189554		7,0		100,0	12,0	12,5	1
05003339001	187239		8,0		28,0	12,0	12,5	1
05003340001	187246		8,0		100,0	12,0	12,5	1
05003383001	189868			1/8"	28,0	12,0	12,5	1
05003384001	189875			9/64"	28,0	12,0	12,5	1
05003385001	189882			5/32"	28,0	12,0	12,5	1
05003386001	189899			3/16"	28,0	12,0	12,5	1
05003387001	189905			7/32"	28,0	12,0	12,5	1
05003388001	189912			1/4"	28,0	12,0	12,5	1
05003389001	189844			5/16"	28,0	12,0	12,5	1

8740 A Zyklop bit socket, 1/4" drive

- Bit socket (non-impact) for manual or machine tool operations
- Hex-Plus allows socket head screws to live longer

8740 A Zyklop bit socket, 1/4" drive



	EAN							
Code	4013288		mm		mm	mm	mm	
05003330001	187154		2,0		28,0	12,0	12,5	1
05003331001	187161		2,5		28,0	12,0	12,5	1
05003380001	189820			5/64"	28,0	12,0	12,5	1
05003381001	189837			3/32"	28,0	12,0	12,5	1
05003382001	189851			7/64"	28,0	12,0	12,5	1

Belt A 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/4" drive

Typically Wera designed robust textile belt with 8 in-hex bit-sockets taking up minimal space.

A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 8-piece bit socket set on a robust textile belt, 1/4"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit sockets with retaining function for hexagon socket screws
- Take it easy tool finder with colour coding according to sizes
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt A 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/4" drive



	EAN		
Code	4013288		
05003881001	190765		1
		8740 A	1x 2,0x28,0; 1x 2,5x28,0
		8740 A HF	1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0; 1x 6,0x28,0; 1x 7,0x28,0; 1x 8,0x28,0
		Belt A 0/8	1x 39,0x220,0
		K30	1x 30,0x200,0

8740 A HF 1 Zyklop bit socket set with holding function, 1/4" drive

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually
- Long design

8740 A HF 1 Zyklop bit socket set with holding function, 1/4" drive



Code	EAN		
05003345001	191007		1
		8740 A HF	
		1x 4,0x100,0; 1x 5,0x100,0; 1x 6,0x100,0;	
		1x 7,0x100,0; 1x 8,0x100,0	
		K70	
		1x 50,0x70,0	

8751 A Phillips Zyklop bit socket, 1/4" drive

- Extremely short


8751 A Phillips Zyklop bit socket, 1/4" drive



Code	EAN					
05003350001	187253	PH 1	28,0	12,0	11,0	12,5
05003351001	187260	PH 2	28,0	12,0	11,0	12,5
05003352001	187277	PH 3	28,0	12,0	11,0	12,5

8755 A Pozidriv Zyklop bit socket, 1/4" drive

- Extremely short



Code	EAN						
05003353001	187284	PZ 1	28,0	12,0	11,0	12,5	1
05003354001	187291	PZ 2	28,0	12,0	11,0	12,5	1
05003355001	187307	PZ 3	28,0	12,0	11,0	12,5	1

8700 A FL Slotted screws Zyklop bit socket, 1/4" drive

- Extremely short

8700 A FL Slotted screws Zyklop bit socket, 1/4" drive



Code	EAN						
05003320001	187314	0,8	5,5	28,0	12,0	11,0	1
05003321001	187321	1,0	5,5	28,0	12,0	11,0	1
05003322001	187338	1,2	6,5	28,0	12,0	11,0	1

8796 LA Zyklop "flexible-lock" extension with free-turning sleeve, long, 1/4"

- For 1/4" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 LA Zyklop "flexible-lock" extension with free-turning sleeve, long, 1/4"



Code	EAN						
05003531001	121059	1/4"	150,0				1

8796 SA Zyklop "flexible-lock" extension with free-turning sleeve, short, 1/4"

- For 1/4" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 SA Zyklop "flexible-lock" extension with free-turning sleeve, short, 1/4"



	EAN							
Code	4013288		mm					
05003530001	121042	1/4"	75,0					1

8794 LA Zyklop extension with free-turning sleeve, long, 1/4"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 LA Zyklop extension with free-turning sleeve, long, 1/4"



	EAN							
Code	4013288		mm					
05003526001	121073	1/4"	150,0					1

8794 SA Zyklop extension with free-turning sleeve, short, 1/4"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 SA Zyklop extension with free-turning sleeve, short, 1/4"



	EAN							
Code	4013288		mm					
05003525001	121066	1/4"	75,0					1

8789 A Zyklop sliding T-handle, 1/4"

Wera Zyklop T-handle for higher torque transfer. For 1/4" square sockets with ball lock. Adjustable drive, therefore more flexible usage. Out of high quality chrome vanadium steel, matt chrome-plated.

8789 A Zyklop sliding T-handle, 1/4"



	EAN							
Code	4013288		mm					
05003524001	121493	1/4"	110,0					3

8795 A Zyklop universal joint, 1/4"

Wera Zyklop universal joint for 1/4" square sockets with ball lock.

8795 A Zyklop universal joint, 1/4"



	EAN							
Code	4013288		mm					
05003528001	121509	1/4"	35,5					1

8794 A Zyklop wobble extension, 1/4"

Wobble extension for the Wera Zyklop. Swivel angle of 15° in all directions. This ensures rapid and precise work even in confined working situations.

8794 A Zyklop wobble extension, 1/4"



	EAN							
Code	4013288		mm					
05003527001	121080	1/4"	56,0					1

8784 A1 Zyklop bit adaptor, 1/4"

- 1/4" Zyklop adaptor with quick-release chuck for rapid bit change

8784 A1 Zyklop bit adaptor, 1/4"



Code	EAN	Icon 1	Icon 2	Unit	mm			
05003529001	121035	1/4"	1/4"	37,0				1

Socket rail A (textile belt), 9 location, unloaded




Code	EAN			
05003891001	192424			1
		Belt A 0/9	1x 39,0x238,0	
		K30	1x 30,0x200,0	

Socket rail A (textile belt), 8 location, unloaded



Code	EAN			
05003890001	192417			1
		Belt A 0/8	1x 39,0x220,0	
		K30	1x 30,0x200,0	

Zyklop Speed - incredibly fast and incredibly flexible



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Freely pivoting ratchet head with 5 predefined locking positions
- Fine toothing with 72 teeth
- Small return angle of only 5°
- Free-turning sleeve for high working speeds
- Take it easy tool finder with colour coding according to sizes
- Compact textile box with high robustness, low weight and volume

8100 SB 6 Zyklop Speed Ratchet Set, 3/8" drive, metric



Code	EAN		
05004046001	4013288 173911		1
		8000 B 1x 3/8"x199,0	
		8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0	
		8794 LB 1x 3/8"x200,0	
		8794 B 1x 3/8"x76,0	
		8784 B1 1x 1/4"x3/8"x44,0	
		851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50; 1x PZ 3x50	
		867/4 Z TORX® 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50; 1x TX 40x50	
		840/4 Z Hex-Plus 1x 4,0x50; 1x 5,0x50; 1x 6,0x50; 1x 8,0x50	
		800/4 Z 1x 1,0x5,5x50	

8100 SB 9 Zyklop Speed Ratchet Set, 3/8" drive, imperial



Code	EAN		
05004049001	4013288 173980		1
		8000 B 1x 3/8"x199,0	
		8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0	
		8794 LB 1x 3/8"x200,0	
		8794 B 1x 3/8"x76,0	
		8784 B1 1x 1/4"x3/8"x44,0	
		851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50	
		855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50; 1x PZ 3x50	
		867/4 Z TORX® 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50; 1x TX 40x50	
		840/4 Z Hex-Plus 1x 3/16"x50; 1x 7/32"x50; 1x 1/4"x50; 1x 5/16"x50	
		800/4 Z 1x 1,0x5,5x50	

8100 SB 2 Zyklop Speed Ratchet Set, $\frac{3}{8}$ " drive, metric

- 43-piece set in a robust metal case

8100 SB 2 Zyklop Speed Ratchet Set, $\frac{3}{8}$ " drive, metric



Code	EAN		
05003594001	4013288 121141		1
		8000 B 1x $\frac{3}{8}$ "x199,0	
		8790 HMB 1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 20,0x30,0; 1x 21,0x30,0; 1x 22,0x30,0; 1x 24,0x32,0	
		8789 B 1x $\frac{3}{8}$ "x165,0	
		8794 B 1x $\frac{3}{8}$ "x76,0	
		8795 B 1x $\frac{3}{8}$ "x50,0	
		8784 B1 1x $\frac{1}{4}$ "x $\frac{3}{8}$ "x44,0	
		8796 SB 1x $\frac{3}{8}$ "x125,0	
		8796 LB 1x $\frac{3}{8}$ "x200,0	
		851/1 Z PH 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ 1x PZ 2x25; 1x PZ 3x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25; 1x 10,0x25	
		800/1 Z 1x 1,0x5,5x25	

8100 SB 4 Zyklop Speed Ratchet Set, $\frac{3}{8}$ " drive, imperial

- 38-piece set in a robust metal case

8100 SB 4 Zyklop Speed Ratchet Set, $\frac{3}{8}$ " drive, imperial



Code	EAN		
05003596001	4013288 121165		1
		8000 B 1x $\frac{3}{8}$ "x199,0	
		8790 HMB 1x $\frac{1}{4}$ "x29,0; 1x $\frac{5}{16}$ "x29,0; 1x $\frac{11}{32}$ "x29,0; 1x $\frac{3}{8}$ "x29,0; 1x $\frac{7}{16}$ "x29,0; 1x $\frac{1}{2}$ "x29,0; 1x $\frac{9}{16}$ "x29,0; 1x $\frac{5}{8}$ "x30,0; 1x $\frac{11}{16}$ "x30,0; 1x $\frac{3}{4}$ "x30,0; 1x $\frac{13}{16}$ "x30,0; 1x $\frac{7}{8}$ "x30,0	
		8789 B 1x $\frac{3}{8}$ "x165,0	
		8794 B 1x $\frac{3}{8}$ "x76,0	
		8795 B 1x $\frac{3}{8}$ "x50,0	
		8784 B1 1x $\frac{1}{4}$ "x $\frac{3}{8}$ "x44,0	
		8796 SB 1x $\frac{3}{8}$ "x125,0	
		8796 LB 1x $\frac{3}{8}$ "x200,0	
		851/1 Z PH 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ 1x PZ 2x25; 1x PZ 3x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		800/1 Z 1x 1,0x5,5x25	
		840/1 Z Hex-Plus 1x $\frac{5}{64}$ "x25; 1x $\frac{3}{32}$ "x25; 1x $\frac{1}{8}$ "x25; 1x $\frac{9}{64}$ "x25; 1x $\frac{5}{32}$ "x25; 1x $\frac{3}{16}$ "x25; 1x $\frac{7}{32}$ "x25	

8000 B Zyklop Speed Ratchet with $\frac{3}{8}$ " drive

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

8000 B Zyklop Speed Ratchet with $\frac{3}{8}$ " drive




	EAN							
Code	4013288		mm					
05003550001	121875	$\frac{3}{8}$ "	199,0					1

8000 B SB Zyklop Speed Ratchet with $\frac{3}{8}$ " drive



	EAN			
Code	4013288			
05073261001	128041	8000 B	1x $\frac{3}{8}$ "x199.0	3

Zyklop Metal with push-through square



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square

8100 SB 7 Zyklop Metal Ratchet Set with push-through square, $\frac{3}{8}$ " drive, metric



Code	EAN		
05004047001	173867		1
		8003 B	1x $\frac{3}{8}$ "x222,0
		8790 HMB	1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0
		8794 LB	1x $\frac{3}{8}$ "x200,0
		8794 B	1x $\frac{3}{8}$ "x76,0
		8784 B1	1x $\frac{1}{4}$ "x $\frac{3}{8}$ "x44,0
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25
		867/1 TORX®	1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25
		840/1 Z Hex-Plus	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25

8100 SB 10 Zyklop Metal Ratchet Set with push-through square, 3/8" drive, imperial



Code	EAN		
05004050001	4013288 173935		1
		8003 B 1x 3/8"x222,0	
		8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0	
		8794 LB 1x 3/8"x200,0	
		8794 B 1x 3/8"x76,0	
		8784 B1 1x 1/4"x3/8"x44,0	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25; 1x 5/16"x25	

8003 B Zyklop Metal Ratchet with push-through square and 3/8" drive

- Forged, full metal ratchet (chrome-molybdenum); slim design to enable work in very confined spaces.
- The dual-ratchet-teeth design means that a 76 fine-toothing division can be achieved from the 38 robust teeth with a return angle of only 4.7°.
- Absolutely smooth switchover of the non-detachable push-through square
- For 3/8" square sockets with ball lock

8003 B Zyklop Metal Ratchet with push-through square and 3/8" drive



Code	EAN						
05004033001	4013288 174031	3/8"	222,0	27	29		3

Zyklop Metal with switch lever



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Compact textile box with high robustness, low weight and volume

8100 SB 8 Zyklop Metal Ratchet Set with switch lever, 3/8" drive, metric



Code	EAN			
	4013288			
05004048001	173928			1
			8004 B 1x 3/8"x222,0	
			8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0	
			8794 LB 1x 3/8"x200,0	
			8794 B 1x 3/8"x76,0	
			8784 B1 1x 1/4"x3/8"x44,0	
			851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
			855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
			867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
			840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	

8100 SB 11 Zyklop Metal Ratchet Set with switch lever, 3/8" drive, imperial




Code	EAN			
	4013288			
05004051001	173959			1
			8004 B 1x 3/8"x222,0	
			8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0	
			8794 LB 1x 3/8"x200,0	
			8794 B 1x 3/8"x76,0	
			8784 B1 1x 1/4"x3/8"x44,0	
			851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
			855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
			867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25	
			840/1 Z Hex-Plus 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25; 1x 5/16"x25	

8100 SB HF 1 Zyklop Metal Ratchet Set with switch lever, 3/8" drive, with holding function, metric

- Colour coding of the sockets according to size

8100 SB HF 1 Zyklop Metal Ratchet Set with switch lever, 3/8" drive, with holding function, metric



Code	EAN			
05003785001	195081			1
		8004 B		
		1x 3/8"x222,0		
		8790 HMB HF		
		1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0;		
		1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x29,0;		
		1x 17,0x29,0; 1x 18,0x29,0; 1x 19,0x29,0		
		8794 LB		
		1x 3/8"x200,0		
		8794 B		
		1x 3/8"x76,0		
		ME1		
		1x 14,0x43,0		

The Zyklop Metal Ratchets Switch, 3/8"

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking

8004 B Zyklop Metal Ratchet with switch lever and 3/8" drive



Code	EAN						
05004034001	174048	3/8"	222,0	26	29		3

8790 HMB Zyklop 3/8" socket

- 3/8" Zyklop socket
- For manual and power tool operations (non-impact)
- Knurling at lower end to enable easy gripping when used in manual applications
- Take it easy tool finder with colour coding according to sizes

8790 HMB Zyklop 3/8" socket



Code	EAN						
05003551001	120311	6,0		29,0	10,5	18,0	1
05003552001	120328	7,0		29,0	11,0	18,0	1
05003553001	120335	8,0		29,0	12,2	18,0	1
05003554001	120342	9,0		29,0	13,5	18,0	1
05003555001	120359	10,0		29,0	14,5	18,0	1
05003556001	120366	11,0		29,0	16,0	18,0	1
05003557001	120373	12,0		29,0	17,0	18,0	1
05003558001	120380	13,0		29,0	18,5	20,0	1
05003559001	120397	14,0		29,0	19,5	22,0	1
05003560001	120403	15,0		29,0	21,0	24,0	1
05003561001	120410	16,0		30,0	22,0	24,0	1
05003562001	120427	17,0		30,0	23,5	24,0	1
05003563001	120434	18,0		30,0	24,5	24,0	1
05003564001	120441	19,0		30,0	26,0	24,0	1
05003565001	120458	20,0		30,0	28,0	25,0	1
05003566001	120465	21,0		30,0	28,0	25,0	1
05003567001	120472	22,0		30,0	32,0	25,0	1
05003568001	120489	24,0		32,0	32,0	25,0	1
05003569001	120496		1/4"	29,0	11,0	18,0	1
05003570001	120502		5/16"	29,0	12,2	18,0	1
05003571001	120519		11/32"	29,0	13,5	18,0	1
05003572001	120526		3/8"	29,0	14,5	18,0	1
05003573001	120533		7/16"	29,0	16,0	18,0	1
05003574001	120649		1/2"	29,0	18,5	20,0	1
05003575001	120557		9/16"	29,0	19,5	22,0	1
05003576001	120564		5/8"	30,0	22,0	24,0	1
05003577001	120571		11/16"	30,0	23,0	24,0	1
05003578001	120588		3/4"	30,0	26,0	24,0	1
05003579001	120595		13/16"	30,0	28,0	25,0	1
05003580001	120601		7/8"	30,0	32,0	25,0	1

8790 HMB HF Zyklop socket with $\frac{3}{8}$ " drive with holding function

- Socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Chrome vanadium steel, matt chrome-plated
- Equipped with ball stop groove, knurling at lower end for better gripping

8790 HMB HF Zyklop socket with $\frac{3}{8}$ " drive with holding function



Code	EAN		mm	mm	mm	mm	mm	
05003740001	193919		6,0	29,0	10,5	17,5	6,5	1
05003741001	193926		7,0	29,0	11,2	17,5	6,5	1
05003742001	193933		8,0	29,0	12,2	17,5	6,5	1
05003743001	193940		9,0	29,0	13,7	17,5	6,5	1
05003744001	193957		10,0	29,0	15,0	17,5	8,0	1
05003745001	193964		11,0	29,0	16,2	17,5	9,5	1
05003746001	193971		12,0	29,0	17,0	17,5	9,5	1
05003747001	193988		13,0	29,0	18,4	19,5	9,5	1
05003748001	193995		14,0	29,0	19,5	21,5	12,5	1
05003749001	194008		15,0	29,0	21,0	23,5	12,5	1
05003750001	194015		16,0	29,0	22,2	23,5	12,5	1
05003751001	194022		17,0	29,0	24,0	23,5	12,5	1
05003752001	194039		18,0	29,0	24,5	23,5	12,5	1
05003753001	194046		19,0	29,0	26,0	23,5	12,5	1

Belt B 1 Zyklop socket set with holding function, $\frac{3}{8}$ " drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets. Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Sockets with holding function for particularly convenient screw-driving with reduced risk of losing the screw when approaching the workpiece. Supplied with a non-woven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 10-piece socket set on a robust textile belt, $\frac{1}{4}$ "
- Sockets with holding function for screws/bolts/nuts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System



Belt B 1 Zyklop socket set with holding function, $\frac{3}{8}$ " drive



Code	EAN		
05003970001	194947		1
		8790 HMB HF 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x29,0; 1x 17,0x29,0; 1x 18,0x29,0; 1x 19,0x29,0	
		ME1 1x 14,0x43,0	
		Belt B 0/9 1x 45,0x310,0	
		K30 1x 30,0x200,0	

Belt B 4 Zyklop socket set, 3/8" drive

- 9-piece socket set on a robust textile belt, 3/8"
- For manual and power tool operations (non-impact)
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 4 Zyklop socket set, 3/8" drive



Code	EAN		
05003973001	4013288 194978		1
		8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0	
		Belt B 0/9 1x 45,0x310,0	
		K30 1x 30,0x200,0	

8790 HMB Deep 3/8" socket

Long 3/8" hand and machine socket (ISO 2725 part 3) with ball intercept ring; for external hexagonal bolts and sockets. For use in manual and machine operation (non-impact), even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle.

- Long sockets for low-lying screwdriving, often even with protruding threaded rods in small spaces
- Hexagonal profile enables precise bolting with high power transmission and preserves the profile
- Take it easy tool finder with colour coding according to sizes
- Knurling at lower end to enable easy gripping when used in manual applications
- For manual and machine operation (non-impact), ball intercept ring
- Made of matt chromed chrome-vanadium

8790 HMB Deep 3/8" socket



	EAN							
Code	4013288		mm	mm	mm	mm		
05004530001	210388		8,0	64,0	12,2	17,0		1
05004531001	210395		9,0	64,0	13,5	17,0		1
05004532001	210401		10,0	64,0	14,5	17,0		1
05004533001	210418		11,0	64,0	15,7	17,0		1
05004534001	210425		12,0	64,0	16,5	18,0		1
05004535001	210432		13,0	64,0	19,0	17,0		1
05004536001	210449		14,0	64,0	20,0	18,0		1
05004537001	210456		15,0	64,0	22,0	20,0		1
05004538001	210463		16,0	64,0	22,0	20,0		1
05004539001	210470		17,0	64,0	24,0	22,0		1
05004540001	210487		18,0	64,0	26,0	23,0		1
05004541001	210494		19,0	64,0	26,0	23,0		1
05004542001	210500		20,0	64,0	28,0	25,0		1
05004543001	210517		21,0	64,0	28,0	25,0		1
05004544001	210524		22,0	64,0	30,0	26,0		1

Belt B Deep 1 socket set, 3/8" drive

Robust textile belt in the typical Wera design with 9 long 3/8" manual and machine socket inserts (non-impacting) in a confined space. A smoother turning mechanism ensures a secure holding and easy removal of sockets. Includes snap hook for attaching to belt loops or bags. With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley or the Wera 2go tool transport system.

Long 3/8" manual and mechanical socket wrench inserts (ISO 2725 part 3) from Wera for use in manual and machine operation (non-impacting) even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. With hexagonal profile and ball-catching groove. The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle. For external hexagonal bolts and sockets.

- 9-piece socket set on robust textile belt 3/8"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 3/8" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- Take it easy tool finder with colour coding according to sizes

Belt B Deep 1 socket set, 3/8" drive



Code	EAN		
05004545001	210555		1
		● 8790 HMB Deep 1x 8,0x64,0; 1x 10,0x64,0; 1x 12,0x64,0; 1x 13,0x64,0; 1x 15,0x64,0; 1x 16,0x64,0; 1x 17,0x64,0; 1x 18,0x64,0; 1x 19,0x64,0	
		Belt B 0/9 1x 45,0x310,0	
		K30 1x 30,0x200,0	

8767 B HF TORX® Zyklop bit socket with holding function, 3/8" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8767 B HF TORX® Zyklop bit socket with holding function, 3/8" drive



	EAN						
Code	4013288			mm	mm	mm	
05003059001	189097		TX 10	35,0	12,0	17,5	1
05003060001	188830		TX 15	35,0	12,0	17,5	1
05003061001	188847		TX 20	35,0	12,0	17,5	1
05003062001	188854		TX 25	35,0	12,0	17,5	1
05003063001	188861		TX 25	107,0	12,0	17,5	1
05003064001	188878		TX 27	35,0	12,0	17,5	1
05003065001	188885		TX 27	107,0	12,0	17,5	1
05003066001	188892		TX 30	35,0	12,0	17,5	1
05003067001	188908		TX 30	107,0	12,0	17,5	1
05003068001	188915		TX 40	35,0	12,0	17,5	1
05003069001	188922		TX 40	107,0	12,0	17,5	1
05003070001	188939		TX 45	38,5	12,0	17,5	1
05003071001	188946		TX 45	100,0	12,0	17,5	1
05003072001	188953		TX 50	38,5	12,0	17,5	1
05003073001	188960		TX 50	100,0	12,0	17,5	1

Belt B 3 TORX® HF Zyklop bit socket set with holding function, 3/8" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket. Especially short, stable bit-sockets with all the advantages of the Wera bit technology.

Bit sockets with holding function for particularly convenient screwdriving with reduced risk of losing the screw when approaching the workpiece. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 9-piece bit-socket set on a robust textile belt, 3/8"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 3 TORX® HF Zyklop bit socket set with holding function, 3/8" drive



				
Code	EAN 4013288			
05003972001	194961			1
			8767 B HF 1x TX 10x35,0; 1x TX 15x35,0; 1x TX 20x35,0; 1x TX 25x35,0; 1x TX 27x35,0; 1x TX 30x35,0; 1x TX 40x35,0; 1x TX 45x38,5; 1x TX 50x38,5	
			Belt B 0/9 1x 45,0x310,0	
			K30 1x 30,0x200,0	

8767 B TORX® HF 1 Zyklop bit socket set with holding function, 3/8" drive

- Bit sockets with holding function for TORX® screws
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually

8767 B TORX® HF 1 Zyklop bit socket set with holding function, 3/8" drive



				
Code	EAN			
	4013288			
05003185001	195074			1
			8767 B HF 1x TX 25x107,0; 1x TX 27x107,0; 1x TX 30x107,0; 1x TX 40x107,0; 1x TX 45x100,0; 1x TX 50x100,0	

8740 B HF Zyklop bit socket with holding function, 3/8" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes

8740 B HF Zyklop bit socket with holding function, 3/8" drive



Code	EAN		mm	mm	mm	mm	mm	
05003030001	188557		3,0	35,0	12,0	17,5	1	
05003031001	188564		4,0	35,0	12,0	17,5	1	
05003032001	188571		4,0	107,0	12,0	17,5	1	
05003033001	188649		5,0	35,0	12,0	17,5	1	
05003034001	188656		5,0	107,0	12,0	17,5	1	
05003035001	188663		6,0	35,0	12,0	17,5	1	
05003036001	188731		6,0	107,0	12,0	17,5	1	
05003037001	188748		7,0	38,5	12,0	17,5	1	
05003038001	188755		7,0	100,0	12,0	17,5	1	
05003039001	188779		8,0	38,5	12,0	17,5	1	
05003040001	188786		8,0	100,0	12,0	17,5	1	
05003041001	188793		9,0	38,5	12,0	17,5	1	
05003042001	188809		9,0	100,0	12,0	17,5	1	
05003043001	188816		10,0	38,5	12,0	17,5	1	
05003044001	188823		10,0	100,0	12,0	17,5	1	
05003080001	193407			35,0	12,0	17,5	1	
05003081001	193414			107,0	12,0	17,5	1	
05003082001	193421			35,0	12,0	17,5	1	
05003083001	193438			35,0	12,0	17,5	1	
05003084001	193445			107,0	12,0	17,5	1	
05003085001	193452			35,0	12,0	17,5	1	
05003086001	193551			107,0	12,0	17,5	1	
05003087001	193568			35,0	12,0	17,5	1	
05003088001	193575			107,0	12,0	17,5	1	
05003089001	193612			35,0	12,0	17,5	1	
05003090001	193629			107,0	12,0	17,5	1	
05003091001	193636			38,5	12,0	17,5	1	
05003092001	193643			100,0	12,0	17,5	1	
05003093001	193650			38,5	12,0	17,5	1	
05003094001	193667			100,0	12,0	17,5	1	

Belt B 2 Zyklop In-Hex-Plus bit socket set with holding function, 3/8" drive

Typically Wera designed robust textile belt with 8 in-hex bit-sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly.

Includes a snap hook for secure fastening to a belt loop or pocket. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 8-piece bit socket set on a robust textile belt, 3/8"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 2 Zyklop In-Hex-Plus bit socket set with holding function, 3/8" drive



Code	EAN		
05003971001	194954		1
			8740 B HF 1x 3,0x35,0; 1x 4,0x35,0; 1x 5,0x35,0; 1x 6,0x35,0; 1x 7,0x38,5; 1x 8,0x38,5; 1x 9,0x38,5; 1x 10,0x38,5
			Belt B 0/8 1x 45,0x275,0
			K30 1x 30,0x200,0

8740 B HF 1 Zyklop bit socket set with holding function, $\frac{3}{8}$ " drive

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually
- Long design

8740 B HF 1 Zyklop bit socket set with holding function, $\frac{3}{8}$ " drive



	Code	EAN		
	05003180001	4013288 195050		1
			8740 B HF 1x 4,0x107,0; 1x 5,0x107,0; 1x 6,0x107,0; 1x 7,0x100,0; 1x 8,0x100,0; 1x 9,0x100,0; 1x 10,0x100,0	

8740 B HF Imperial 1 Zyklop bit socket set with holding function, $\frac{3}{8}$ " drive

- Long version
- Imperial

8740 B HF Imperial 1 Zyklop bit socket set with holding function, $\frac{3}{8}$ " drive



	Code	EAN		
	05003181001	4013288 195067		1
			8740 B HF 1x $\frac{1}{8}$ "x107,0; 1x $\frac{5}{32}$ "x107,0; 1x $\frac{3}{16}$ "x107,0; 1x $\frac{7}{32}$ "x107,0; 1x $\frac{1}{4}$ "x107,0; 1x $\frac{5}{16}$ "x100,0; 1x $\frac{3}{8}$ "x100,0	

Belt B Imperial 1 Zyklop In-Hex-Plus bit socket set with holding function, $\frac{3}{8}$ " drive

Typically Wera designed robust textile belt with 8 in-hex bit-sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly.

Includes a snap hook for secure fastening to a belt loop or pocket. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 8-piece bit socket set on a robust textile belt, $\frac{3}{8}$ "
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System
- Imperial

Belt B Imperial 1 Zyklop In-Hex-Plus bit socket set with holding function, $\frac{3}{8}$ " drive



	Code	EAN		
	05003974001	4013288 194985		1
			8740 B HF 1x $\frac{1}{8}$ "x35,0; 1x $\frac{9}{64}$ "x35,0; 1x $\frac{5}{32}$ "x35,0; 1x $\frac{3}{16}$ "x35,0; 1x $\frac{7}{32}$ "x35,0; 1x $\frac{1}{4}$ "x35,0; 1x $\frac{5}{16}$ "x38,5; 1x $\frac{3}{8}$ "x38,5	
			Belt B 0/8 1x 45,0x275,0	
			K30 1x 30,0x200,0	

8796 LB Zyklop „flexible-lock“ extension with free-turning sleeve, long, 3/8"

- For 3/8" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 LB Zyklop „flexible-lock“ extension with free-turning sleeve, long, 3/8"



	EAN							
Code	4013288		mm					
05003592001	121325	3/8"	200,0					1

8796 SB Zyklop „flexible-lock“ extension with free-turning sleeve, short, 3/8"

- Flexible lock system for either locking or rapid exchange of the attached tool
- For 3/8" square sockets with ball lock
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 SB Zyklop „flexible-lock“ extension with free-turning sleeve, short, 3/8"



	EAN							
Code	4013288		mm					
05003591001	121318	3/8"	125,0					1

8794 LB Zyklop extension with free-turning sleeve, long, 3/8"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 LB Zyklop extension with free-turning sleeve, long, 3/8"



	EAN							
Code	4013288		mm					
05003583001	121288	3/8"	200,0					1

8794 SB Zyklop extension with free-turning sleeve, short, 3/8"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 SB Zyklop extension with free-turning sleeve, short, 3/8"



	EAN							
Code	4013288		mm					
05003582001	121271	3/8"	125,0					1

8789 B Zyklop sliding T-handle, 3/8"

Wera ZyklopT-handle for higher torque transfer. For 3/8" square sockets with ball lock. Adjustable drive for more flexible usage. Out of high quality chrome vanadium steel, matt chrome-plated.

8789 B Zyklop sliding T-handle, 3/8"



	EAN							
Code	4013288		mm					
05003581001	121516	3/8"	165,0					3

8795 B Zyklop universal joint, 3/8"

Wera Zyklop universal joint for 3/8" square sockets with ball lock.

8795 B Zyklop universal joint, 3/8"



	EAN							
Code	4013288		mm					
05003585001	121523	3/8"	50,0					1

8794 B Zyklop wobble extension, 3/8"

Wobble extension for the Wera Zyklop. Swivel angle of 15° in all directions. This ensures rapid and precise work even in confined working situations.

8794 B Zyklop wobble extension, 3/8"



Code	EAN	Icon	Unit	mm					
05003584001	121295	3/8"	76,0						1

8784 B1 Zyklop bit adaptor, 3/8"

- 3/8" Zyklop adaptor with quick-release chuck for rapid bit change



Code	EAN	Icon	Unit	mm					
05003590001	121301	1/4"	3/8"	44,0					1

Socket rail B (textile belt), 9 location, unloaded




Code	EAN			
05003981001	195012			1
		Belt B 0/9	1x 45,0x310,0	
		K30	1x 30,0x200,0	

Socket rail B (textile belt), 8 location, unloaded



Code	EAN			
05003980001	195005			1
		Belt B 0/8	1x 45,0x275,0	
		K30	1x 30,0x200,0	

Zyklop Speed - incredibly fast and incredibly flexible



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Freely pivoting ratchet head with 5 predefined locking positions
- Fine toothing with 72 teeth
- Small return angle of only 5°
- Free-turning sleeve for high working speeds
- Take it easy tool finder with colour coding according to sizes
- Compact textile box with high robustness, low weight and volume

8100 SC 6 Zyklop Speed Ratchet Set, 1/2" drive, metric



Code	EAN			
	4013288			
05004076001	173874			1
		8000 C		
		1x 1/2"x277,0		
		8790 HMC		
		1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0		
		8794 LC		
		1x 1/2"x250,0		
		8794 C		
		1x 1/2"x52,0		
		8784 C2		
		1x 5/16"x1/2"x50,0		
		851/2 Z PH		
		1x PH 2x32; 1x PH 3x32		
		855/2 Z PZ		
		1x PZ 2x32; 1x PZ 3x32		
		867/2 Z TORX®		
		1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35		
		840/2 Z		
		1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30		

8100 SC 9 Zyklop Speed Ratchet Set, 1/2" drive, imperial



Code	EAN			
	4013288			
05004079001	173997			1
		8000 C		
		1x 1/2"x277,0		
		8790 HMC		
		1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0		
		8794 LC		
		1x 1/2"x250,0		
		8794 C		
		1x 1/2"x52,0		
		8784 C2		
		1x 5/16"x1/2"x50,0		
		851/2 Z PH		
		1x PH 2x32; 1x PH 3x32		
		855/2 Z PZ		
		1x PZ 2x32; 1x PZ 3x32		
		867/2 Z TORX®		
		1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35		
		840/2 Z		
		1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30		

8100 SC 2 Zyklop Speed Ratchet Set, 1/2" drive, metric

- 37-piece set in a robust metal case

8100 SC 2 Zyklop Speed Ratchet Set, 1/2" drive, metric



Code	EAN			
05003645001	4013288 121189			1
		8000 C		
		1x 1/2"x277,0		
		8790 HMC		
		1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0; 1x 20,0x37,0; 1x 21,0x37,0; 1x 22,0x37,0; 1x 24,0x37,0; 1x 27,0x40,0; 1x 30,0x42,0; 1x 32,0x42,0		
		8789 C		
		1x 1/2"x250,0		
		8794 C		
		1x 1/2"x52,0		
		8795 C		
		1x 1/2"x69,0		
		8784 C2		
		1x 5/16"x1/2"x50,0		
		8796 SC		
		1x 1/2"x125,0		
		8796 LC		
		1x 1/2"x250,0		
		851/2 Z PH		
		1x PH 3x32		
		855/2 Z PZ		
		1x PZ 3x32		
		867/2 Z TORX®		
		1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35		
		840/2 Z		
		1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30		

8100 SC 4 Zyklop Speed Ratchet Set, 1/2" drive, imperial

- 38-piece set in a robust metal case

8100 SC 4 Zyklop Speed Ratchet Set, 1/2" drive, imperial



Code	EAN			
05003647001	4013288 121202			1
		8000 C		
		1x 1/2"x277,0		
		8790 HMC		
		1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0; 1x 7/8"x37,0; 1x 15/16"x37,0; 1x 31/32"x37,0; 1x 1"x40,0; 1x 1 1/16"x40,0; 1x 1 1/8"x40,0; 1x 1 3/16"x42,0; 1x 1 1/4"x42,0		
		8789 C		
		1x 1/2"x250,0		
		8794 C		
		1x 1/2"x52,0		
		8795 C		
		1x 1/2"x69,0		
		8784 C2		
		1x 5/16"x1/2"x50,0		
		8796 SC		
		1x 1/2"x125,0		
		8796 LC		
		1x 1/2"x250,0		
		851/2 Z PH		
		1x PH 3x32		
		855/2 Z PZ		
		1x PZ 3x32		
		867/2 Z TORX®		
		1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35		
		840/2 Z		
		1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30		

8000 C Zyklop Speed Ratchet with 1/2" drive

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

8000 C Zyklop Speed Ratchet with 1/2" drive




Code	EAN							
05003600001	121882	1/2"	277,0					1

8000 C SB Zyklop Speed Ratchet with 1/2" drive



Code	EAN							
05073262001	128058	8000 C	1x 1/2"x277,0					3

Zyklop Hybrid - longer for more torque



Zyklop Hybrid ratchet set, 1/2" drive, metric. Including Zyklop Hybrid ratchet and Hybrid handle extension.

- Switchover lever for convenient direction change
- Fine-pitched with 72 teeth for a return angle of only 5°
- Compact textile box with high robustness, low weight and volume
- Colour coding of the sockets according to size
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets

8006 SC 1 Zyklop Hybrid Ratchet Set, 1/2" drive, metric




Code	EAN							
05004090001	182159							1
		8006 C	1x 1/2"x281,0					
		8797 C	1x 271,0					
		8794 LC	1x 1/2"x250,0					
		8790 HMC HF	1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0					

Zyklop Hybrid Set

Zyklop Hybrid ratchet set, 1/2" drive, metric. Including Zyklop Hybrid ratchet and Hybrid handle extension, extension and 10 sockets.

- Zyklop Hybrid ratchet with long overall length (leverage effect) and slim ratchet head
- Fine-pitched with 72 teeth for a return angle of only 5°
- Extension with unlocking pin

Zyklop Hybrid Set



Code	EAN			
05004095001	4013288 184320			1
		8006 C 1x 1/2"x281,0		
		8797 C 1x 271,0		

8006 C Zyklop Hybrid Ratchet with switch lever and 1/2" drive

Zyklop Hybrid ratchet with switchover lever and 1/2" drive, low weight, ergonomic Kraftform handle with slim head design, long lever and with an extension option.

8006 C Zyklop Hybrid Ratchet with switch lever and 1/2" drive



Code	EAN						
05003780001	4013288 184214	1/2"	281,0	34	37		3

8797 C Zyklop Hybrid extension


- Can be used with Zyklop Hybrid 8006 C
- To increase the torque to be applied
- Multi-component Kraftform handle optimised to withstand pressure and tensile loads
- With unlocking pin
- Blade out of tough, tempered chrome-molybdenum steel

8797 C Zyklop Hybrid extension



Code	EAN						
05003781001	4013288 183200	271,0	134,0				1

Zyklop Metal with push-through square



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square
- Take it easy tool finder system

8100 SC 7 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, metric



Code	EAN		
05004077001	4013288 173942		1
		8003 C 1x 1/2"x281,0	
		8790 HMC 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0	
		8794 LC 1x 1/2"x250,0	
		8794 C 1x 1/2"x52,0	
		8784 C2 1x 5/16"x1/2"x50,0	
		851/2 Z PH 1x PH 2x32; 1x PH 3x32	
		867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35	
		840/2 Z 1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30	

8100 SC 10 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, imperial



Code	EAN		
05004080001	4013288 173966		1
		8003 C 1x 1/2"x281,0	
		8790 HMC 1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0	
		8794 LC 1x 1/2"x250,0	
		8794 C 1x 1/2"x52,0	
		8784 C2 1x 5/16"x1/2"x50,0	
		851/2 Z PH 1x PH 2x32; 1x PH 3x32	
		867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35	
		840/2 Z 1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30	

8003 C Zyklop Metal Ratchet with push-through square and 1/2" drive

- Forged, full metal ratchet (chrome-molybdenum); slim design to enable work in very confined spaces.
- The dual-ratchet-teeth design means that a 76 fine-toothed division can be achieved from the 38 robust teeth with a return angle of only 4.7°.
- Absolutely smooth switchover of the non-detachable push-through square
- For 1/2" square sockets with ball lock

8003 C Zyklop Metal Ratchet with push-through square and 1/2" drive



Code	EAN	Icon	mm	mm	mm		
05004063001	174055	1/2"	281,0	36	37		3

Zyklop Metal with switch lever



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°

8100 SC 8 Zyklop Metal Ratchet Set with switch lever, 1/2" drive, metric



Code	EAN			
05004078001	173881			1
		8004 C	1x 1/2"x281,0	
		8790 HMC	1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0	
		8794 LC	1x 1/2"x250,0	
		8794 C	1x 1/2"x52,0	
		8784 C2	1x 5/16"x1/2"x50,0	
		851/2 Z PH	1x PH 2x32; 1x PH 3x32	
		867/2 Z TORX®	1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35	
		840/2 Z	1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30	

8100 SC 11 Zyklop Metal Ratchet Set with switch lever, 1/2" drive, imperial



Code	EAN			
05004081001	4013288 173973			1
		8004 C		
		1x 1/2"x281,0		
		8790 HMC		
		1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0		
		8794 LC		
		1x 1/2"x250,0		
		8794 C		
		1x 1/2"x52,0		
		8784 C2		
		1x 5/16"x1/2"x50,0		
		851/2 Z PH		
		1x PH 2x32; 1x PH 3x32		
		867/2 Z TORX®		
		1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35		
		840/2 Z		
		1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30		

8004 C Zyklop Metal Ratchet with switch lever and 1/2" drive

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking

8004 C Zyklop Metal Ratchet with switch lever and 1/2" drive



Code	EAN					
05004064001	4013288 174062	1/2"	281,0	34	37	3

8790 C Impaktor socket with 1/2" drive

Impaktor socket for use with electric or pneumatic impact wrenches with 12.5mm = 1/2" drive. The Impaktor technology ensures above-average service life even under extreme conditions.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. With hexagonal profile and grooved socket.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile. For hexagon headed bolts, screws and nuts.

- For use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive
- Impaktor technology for above-average service life
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- With Take it easy tool finder: colour coding by size
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools

8790 C Impaktor socket with 1/2" drive



Code	EAN						
	4013288		mm	mm	mm	mm	
05004570001	210012		13,0	38,0	21,0	24,0	1
05004571001	210029		14,0	38,0	22,0	24,0	1
05004572001	210036		15,0	38,0	24,0	24,0	1
05004573001	210043		16,0	38,0	24,0	24,0	1
05004574001	210050		17,0	38,0	26,0	26,0	1
05004575001	210067		18,0	38,0	28,0	28,0	1
05004576001	210074		19,0	38,0	28,0	28,0	1
05004577001	210081		20,0	38,0	26,0	30,0	1
05004578001	210098		21,0	38,0	26,0	30,0	1

Belt C Impaktor 1 socket set, 1/2" drive

Robust textile belt in the typical Wera design with nine Impaktor socket wrench plug-ins for missions in confined spaces. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets. Including snap hook for attachment on belt loops or bags.

With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley and Wera 2go tool transport system. Impaktor sockets for use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive.

Impaktor technology ensures above-average service life, even under extreme conditions. With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. With hexagonal profile and grooved socket.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile. For external hexagonal bolts and sockets.

- 9-piece socket set on robust textile belt 1/2"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Particularly suitable for use with customary impact drivers
- With Take it easy tool finder: colour coding by size
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C Impaktor 1 socket set, 1/2" drive



Code	EAN		
05004580001	210104		1
		8790 C Impaktor 1x 13,0x38,0; 1x 14,0x38,0; 1x 15,0x38,0; 1x 16,0x38,0; 1x 17,0x38,0; 1x 18,0x38,0; 1x 19,0x38,0; 1x 20,0x38,0; 1x 21,0x38,0	
		Belt C Impaktor 0/9 1x 71,0x210,0	
		K30 1x 30,0x200,0	

8790 HMC Zyklop socket with 1/2" drive

- 1/2" inch Zyklop socket
- For manual and power tool operations (non-impact)
- Knurling at lower end to enable easy gripping when used in manual applications
- Equipped with ball stop groove
- Take it easy tool finder with colour coding according to sizes

8790 HMC Zyklop socket with 1/2" drive



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05003601001	120618		10,0		37,0	15,5	24,0	1
05003602001	120625		11,0		37,0	16,5	24,0	1
05003603001	120656		12,0		37,0	17,5	24,0	1
05003604001	120663		13,0		37,0	19,0	24,0	1
05003605001	120670		14,0		37,0	20,0	24,0	1
05003606001	120687		15,0		37,0	21,0	24,0	1
05003607001	120694		16,0		37,0	22,5	24,0	1
05003608001	120700		17,0		37,0	24,0	26,0	1
05003609001	120717		18,0		37,0	25,0	26,0	1
05003610001	120724		19,0		37,0	26,5	26,0	1
05003611001	120731		20,0		37,0	28,0	26,0	1
05003612001	120748		21,0		37,0	29,0	26,0	1
05003613001	120755		22,0		37,0	30,5	26,0	1
05003614001	120762		24,0		37,0	33,0	28,0	1
05003615001	120779		27,0		40,0	36,5	32,0	1
05003616001	120786		30,0		42,0	40,0	34,0	1
05003617001	120793		32,0		42,0	42,0	36,0	1
05003618001	120809			3/8"	37,0	15,5	24,0	1
05003619001	120816			7/16"	37,0	16,5	24,0	1
05003620001	120823			1/2"	37,0	19,0	24,0	1
05003621001	120830			9/16"	37,0	20,0	24,0	1
05003622001	120847			19/32"	37,0	21,0	24,0	1
05003623001	120854			5/8"	37,0	22,5	24,0	1
05003624001	120861			11/16"	37,0	25,5	26,0	1
05003625001	120878			3/4"	37,0	26,5	26,0	1
05003626001	120885			25/32"	37,0	28,0	26,0	1
05003627001	120892			13/16"	37,0	29,0	26,0	1
05003628001	120908			7/8"	37,0	30,5	26,0	1
05003629001	120915			15/16"	37,0	33,0	28,0	1
05003630001	120922			31/32"	37,0	33,0	28,0	1
05003631001	120939			1"	40,0	36,5	32,0	1
05003632001	120946			1 1/16"	40,0	36,5	32,0	1
05003633001	120953			1 1/8"	40,0	40,0	34,0	1
05003634001	120960			1 3/16"	42,0	40,0	34,0	1
05003635001	120977			1 1/4"	42,0	42,0	36,0	1

8790 HMC HF Zyklop socket with 1/2" drive with holding function

- Socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Chrome vanadium steel, matt chrome-plated
- Equipped with ball stop groove, knurling at lower end for better gripping

8790 HMC HF Zyklop socket with 1/2" drive with holding function



Code	EAN		mm	mm	mm	mm	mm	
05003730001	180957		10,0	37,0	17,8	23,5	10,4	1
05003731001	180964		11,0	37,0	18,8	23,5	10,4	1
05003732001	180971		12,0	37,0	20,4	23,5	11,4	1
05003733001	181022		13,0	37,0	21,4	23,5	11,4	1
05003734001	181039		14,0	37,0	22,6	23,5	11,4	1
05003735001	181046		15,0	37,0	23,6	23,5	12,0	1
05003736001	181053		16,0	37,0	25,0	23,5	12,0	1
05003737001	181060		17,0	37,0	26,8	23,5	12,5	1
05003738001	181077		18,0	37,0	28,0	23,5	12,5	1
05003739001	181084		19,0	37,0	29,2	23,5	14,0	1

Belt C 1 Zyklop socket set with holding function, 1/2" drive

Typically Wera designed robust textile belt with 6 sockets taking up minimal space. A Smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly.

Includes a snap hook for secure fastening to a belt loop or pocket. Sockets with holding function for particularly convenient screwdriving with reduced risk of losing the screw when approaching the workpiece.

Supplied with a non-woven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 7-piece socket set on a robust textile belt, 1/2"
- Sockets with holding function for screws/bolts/nuts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C 1 Zyklop socket set with holding function, 1/2" drive



Code	EAN			
05003995001	204400		8790 HMC HF 1x 10,0x37,0; 1x 13,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 19,0x37,0	1
			ME1 1x 14,0x43,0	
			Belt C 0/6 1x 45,0x275,0	
			K30 1x 30,0x200,0	

8790 HMC HF 1 Zyklop socket set with 1/2" drive, with holding function

Socket set with holding function for particularly convenient screwdriving with reduced risk of losing the screw when addressing the workpiece.

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually

8790 HMC HF 1 Zyklop socket set with 1/2" drive, with holding function



Code	EAN			
05004203001	184238			1
		●	8790 HMC HF 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0	

8790 C Wheel Impaktor Socket with 1/2" drive

Impaktor socket, 1/2", for use with impact wrenches, with rotating smooth plastic sleeve for higher working speed, better accuracy during screwdriving and additional rim protection.

- For use with electric or pneumatic impact wrenches with 12.5mm = 1/2" drive
- Robust Impaktor design for extremely high stresses
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- Take it easy tool finder with colour coding according to sizes

8790 C Wheel Impaktor Socket with 1/2" drive



Code	EAN		mm	mm	mm		
05004590001	210739		17,0	85,0	30,0		1
05004591001	210746		19,0	85,0	30,0		1
05004592001	210753		21,0	85,0	32,0		1

Wheel Impaktor C Set 1 Socket set, 1/2" drive

Three 1/2" Impaktor socket wrench plug-ins, for use with impact wrenches; with rotating smooth plastic sleeve for higher working speed and additional rim protection. Internal plastic insert to protect the wheel bolt surface.

Wheel Impaktor C Set 1 Socket set, 1/2" drive



Code	EAN			
05004595001	210760			1
		●	8790 C Wheel Impaktor 1x 17,0x85,0x30,0; 1x 19,0x85,0x30,0; 1x 21,0x85,0x32,0	

8790 HMC Deep socket with 1/2" drive

Long 1/2" hand and machine socket (ISO 2725 part 3) with ball intercept ring; for external hexagonal bolts and sockets. For use in manual and machine operation (non-impact), even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile. Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle.

- Long sockets for low-lying screwdriving, often even with protruding threaded rods in small spaces
- Hexagonal profile enables precise bolting with high power transmission and preserves the profile
- Knurling at lower end to enable easy gripping when used in manual applications
- Made of matt chromed chrome-vanadium

8790 HMC Deep socket with 1/2" drive



Code	EAN		mm	mm	mm	mm		
05004550001	210562		10,0	83,0	15,5	21,8		1
05004551001	210579		11,0	83,0	16,7	22,0		1
05004552001	210586		12,0	83,0	18,0	22,0		1
05004553001	210593		13,0	83,0	19,2	22,0		1
05004554001	210609		14,0	83,0	20,5	22,0		1
05004555001	210616		15,0	83,0	22,0	20,7		1
05004556001	210623		16,0	83,0	22,0	20,7		1
05004557001	210630		17,0	83,0	24,0	22,2		1
05004558001	210647		18,0	83,0	26,0	23,2		1
05004559001	210654		19,0	83,0	26,0	23,2		1
05004560001	210661		20,0	83,0	28,0	25,2		1
05004561001	210678		21,0	83,0	28,0	25,2		1
05004562001	210685		22,0	83,0	30,0	27,2		1
05004563001	210692		24,0	83,0	32,0	28,2		1

Belt C Deep 1 socket set, 1/2" drive

- 6-piece socket set on robust textile belt, 1/2"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 1/2" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- Take it easy tool finder with colour coding according to sizes

Belt C Deep 1 socket set, 1/2" drive



Code	EAN			
05004565001	210708			1
			8790 HMC Deep 1x 10,0x83,0; 1x 13,0x83,0; 1x 15,0x83,0; 1x 16,0x83,0; 1x 17,0x83,0; 1x 19,0x83,0	
			Belt C 0/6 1x 45,0x275,0	
			K30 1x 30,0x200,0	

8767 C HF TORX® Zyklop bit socket with 1/2" drive with holding function

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8767 C HF TORX® Zyklop bit socket with 1/2" drive with holding function



	EAN							
Code	4013288			mm	mm	mm	mm	
05003830001	183316		TX 20	60,0	16,4	23,5	21,5	1
05003850001	183545		TX 20	140,0	16,4	23,5	101,5	1
05003831001	183323		TX 25	60,0	16,4	23,5	21,5	1
05003851001	183552		TX 25	140,0	16,4	23,5	101,5	1
05003832001	183330		TX 27	60,0	16,4	23,5	21,5	1
05003852001	183569		TX 27	140,0	16,4	23,5	101,5	1
05003833001	183347		TX 30	60,0	16,4	23,5	21,5	1
05003853001	183576		TX 30	140,0	16,4	23,5	101,5	1
05003834001	183354		TX 40	60,0	16,4	23,5	21,5	1
05003854001	183583		TX 40	140,0	16,4	23,5	101,5	1
05003835001	183361		TX 45	60,0	16,4	23,5	21,5	1
05003855001	184443		TX 45	140,0	16,4	23,5	101,5	1
05003836001	183378		TX 50	60,0	21,4	23,5	21,5	1
05003856001	183606		TX 50	140,0	21,4	23,5	101,5	1
05003837001	183385		TX 55	60,0	21,4	23,5	21,5	1
05003857001	183613		TX 55	140,0	21,4	23,5	101,5	1
05003838001	183392		TX 60	60,0	21,4	23,5	21,5	1
05003858001	183620		TX 60	140,0	21,4	23,5	101,5	1

Belt C 3 TORX® HF Zyklop bit socket set with holding function, 1/2" drive

Typically Wera designed robust textile belt with 6 in-hex bit-sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 6-piece socket set on robust textile belt, 1/2"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C 3 TORX® HF Zyklop bit socket set with holding function, 1/2" drive



	EAN		
Code	4013288		
05003997001	204882		1
		8767 C HF 1x TX 25x60,0; 1x TX 30x60,0; 1x TX 40x60,0; 1x TX 45x60,0; 1x TX 50x60,0; 1x TX 55x60,0	
		Belt C 0/6 1x 45,0x275,0	
		K30 1x 30,0x200,0	

8767 C TORX® HF 1 Zyklus bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume

8767 C TORX® HF 1 Zyklus bit socket set with 1/2" drive, with holding function



Code	EAN		
05004202001	4013288 184276		1
		8767 C HF 1x TX 20x60,0; 1x TX 25x60,0; 1x TX 27x60,0; 1x TX 30x60,0; 1x TX 40x60,0; 1x TX 45x60,0; 1x TX 50x60,0; 1x TX 55x60,0; 1x TX 60x60,0	

8767 C TORX® HF 2 Zyklus bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume
- Long version

8767 C TORX® HF 2 Zyklus bit socket set with 1/2" drive, with holding function



Code	EAN		
05004211001	4013288 185464		1
		8767 C HF 1x TX 20x140,0; 1x TX 25x140,0; 1x TX 27x140,0; 1x TX 30x140,0; 1x TX 40x140,0; 1x TX 45x140,0	

8767 C TORX® HF 3 Zyklus bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume
- Long version

8767 C TORX® HF 3 Zyklus bit socket set with 1/2" drive, with holding function



Code	EAN		
05004212001	4013288 185471		1
		8767 C HF 1x TX 20x140,0; 1x TX 25x140,0; 1x TX 27x140,0; 1x TX 30x140,0; 1x TX 40x140,0; 1x TX 45x140,0; 1x TX 50x140,0; 1x TX 55x140,0; 1x TX 60x140,0	

8740 C HF Zyklop bit socket with 1/2" drive with holding function

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8740 C HF Zyklop bit socket with 1/2" drive with holding function



Code	EAN		mm	mm	mm	mm	mm	
05003820001	183217		4,0	60,0	14,0	21,5	21,5	1
05003840001	183484		4,0	140,0	14,0	21,5	101,5	1
05003821001	183224		5,0	60,0	14,0	21,5	21,5	1
05003841001	183491		5,0	140,0	14,0	21,5	101,5	1
05003822001	183231		6,0	60,0	14,0	21,5	21,5	1
05003842001	183507		6,0	140,0	14,0	21,5	101,5	1
05003823001	183248		7,0	60,0	14,0	23,5	21,5	1
05003843001	183514		7,0	140,0	14,0	23,5	101,5	1
05003824001	183255		8,0	60,0	16,0	23,5	21,5	1
05003844001	183521		8,0	140,0	16,0	23,5	101,5	1
05003825001	183262		10,0	60,0	16,0	23,5	21,5	1
05003845001	183538		10,0	140,0	16,0	23,5	101,5	1
05003826001	183279		12,0	60,0	21,0	23,5	23,0	1
05003827001	183286		14,0	60,0	22,0	23,5	23,0	1
05003828001	183293		17,0	60,0	24,5	25,5	23,0	1
05003829001	183309		19,0	60,0	26,5	27,5	23,0	1

Belt C 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/2" drive

Typically Wera designed robust textile belt with 6 in-hex bit-sockets taking up minimal space.


A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 6-piece socket set on robust textile belt, 1/2"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/2" drive



Code	EAN		
05003996001	204424		1
		8740 C HF	
		1x 4,0x60,0; 1x 5,0x60,0; 1x 6,0x60,0;	
		1x 7,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0	
		Belt C 0/6	
		1x 45,0x275,0	
		K30	
		1x 30,0x200,0	

8740 C HF 1 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume

8740 C HF 1 Zyklop bit socket set with 1/2" drive, with holding function



Code	EAN		
05004201001	4013288		1
	184283		
		8740 C HF	
		1x 4,0x60,0; 1x 5,0x60,0; 1x 6,0x60,0;	
		1x 7,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0;	
		1x 12,0x60,0; 1x 14,0x60,0; 1x 17,0x60,0	

8740 C HF 2 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume
- Long version

8740 C HF 2 Zyklop bit socket set with 1/2" drive, with holding function



Code	EAN		
05004210001	4013288		1
	185457		
		8740 C HF	
		1x 4,0x140,0; 1x 5,0x140,0; 1x 6,0x140,0;	
		1x 7,0x140,0; 1x 8,0x140,0; 1x 10,0x140,0	

8796 LC Zyklop „flexible-lock“ extension with free-turning sleeve, long, 1/2"

- For 1/2" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 LC Zyklop „flexible-lock“ extension with free-turning sleeve, long, 1/2"



Code	EAN						
05003643001	4013288	1/2"	250,0				1
	121462						

8796 SC Zyklop „flexible-lock“ extension with free-turning sleeve, short, 1/2"

- For 1/2" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 SC Zyklop „flexible-lock“ extension with free-turning sleeve, short, 1/2"



Code	EAN						
05003642001	4013288	1/2"	125,0				1
	121455						

8794 LC Zyklop extension with free-turning sleeve, long, 1/2"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 LC Zyklop extension with free-turning sleeve, long, 1/2"



Code	EAN						
05003638001	4013288	1/2"	250,0				1
	121431						

8794 SC Zyklop extension with free-turning sleeve, short, 1/2"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 SC Zyklop extension with free-turning sleeve, short, 1/2"



		EAN								
Code	4013288			mm						
05003637001	121424	1/2"	125,0							1

8789 C Zyklop sliding T-handle, 1/2"

Wera Zyklop T-handle for higher torque transfer. For 1/2" square sockets with ball lock. Adjustable drive for more flexible usage. Out of high quality chrome vanadium steel, matt chrome-plated.

8789 C Zyklop sliding T-handle, 1/2"



		EAN								
Code	4013288			mm						
05003636001	121530	1/2"	250,0							3

8795 C Zyklop universal joint, 1/2"

Wera Zyklop universal joint for 1/2" square sockets with ball lock.

8795 C Zyklop universal joint, 1/2"



		EAN								
Code	4013288			mm						
05003640001	121547	1/2"	69,0							1

8794 C Zyklop wobble extension, 1/2"

Wobble extension for the Wera Zyklop. Swivel angle of 15° in all directions. This ensures rapid and precise work even in confined working situations.

8794 C Zyklop wobble extension, 1/2"



		EAN								
Code	4013288			mm						
05003639001	121448	1/2"	52,0							1

8784 C2 Zyklop bit adaptor, 1/2", 5/16"


Adaptor from square to hex. For 5/16" hex bits as per DIN ISO 1173-C 8 and Wera connecting series 2; with quick-release chuck.

8784 C2 Zyklop bit adaptor, 1/2", 5/16"



		EAN								
Code	4013288				mm					
05003641001	119353	5/16"	1/2"	50,0						1

Koloss - this ratchet is the best!



The ratchet that can also be safely and officially used as a hammer. The Koloss is a reversible, heavy-duty ratchet that can be used with a load of at least 600 Newton metres. The dual ratchet teeth and the minimum return angle of only 6° ensure rapid and precise screwdriving even in confined situations.

And the best thing: absolutely no impact on the hammer faces, however hard, can destroy the ratchet mechanism.

Multi-component Kraftform handle optimised to withstand pressure, impact and tensile loads; take-up for Koloss extension 8780 C and Koloss centring pin 8781 C at end of handle. Also included in the set: 1 pad to protect materials and surface areas, 1 Koloss extension for the transfer of even more torque, 1 unlocking pin and 1 holster – so the Koloss can always be at hand.

- For loads of at least 600 Newton metres
- Push-through square drive for right/left switchover
- Including hammer function
- Multi-component Kraftform handle optimised to withstand pressure, impact and tensile loads
- Fine-pitched ratchet mechanism, small return angle of 6°

8002 C Koloss All Inclusive Set with ½" drive



Code	EAN		
05133862001	4013288 162403		1
		8002 C	
		1x ½"x341,0	
		8782 C	
		1x 2x50,0	
		8780 C	
		1x 341,0x137	
		8000 E	
		1x 40,5	
		8000 HLF	
		1x 175,0x75,0	

8002 C Koloss ½" with ½" drive



Code	EAN		
05003692001	4013288 144607		1
		8002 C	
		1x ½"x341,0	
		8782 C	
		1x 2x50,0	
		8000 HLF	
		1x 175,0x75,0	

8780 C Koloss extension

Extension for the Wera Koloss out of tough, tempered chrome-molybdenum steel. Can be used as an extension with the Wera Koloss 8002 C to increase the torque to be applied. Multi-component Kraftform handle optimised to withstand pressure, impact and tensile loads. Safety instructions laser-engraved for permanent recognition.

8780 C Koloss extension



Code	EAN	mm	mm				
05003695001	144614	341,0	137				1

8781 C Koloss centring pin

Centring pin for the Wera Koloss. To align lugs or drill holes.
Conical pin, tough, hardened chrome-molybdenum steel.

8781 C Koloss centring pin



	EAN								
Code	4013288	mm	mm						
05003696001	144683	50	135,0						1

8782 C Koloss pad set

Protective pads for the Wera Koloss. To protect materials and surfaces of workpieces. Flexible thermoplastic, elastomer material offering permanent elasticity and maximum protection.

8782 C Koloss pad set



	EAN								
Code	4013288	#	mm						
05003697001	144690	2	50,0						1

Unlocking pin




	EAN								
Code	4013288	mm							
05136400001	194633	40,5							1

Socket rail C (textile belt), 6 location, unloaded



Code	EAN			
05003892001	205797			1
			Belt C 0/6 1x 45,0x275,0	
			K30 1x 30,0x200,0	

Socket rail C Impaktor (textile belt), 9 location, unloaded



Code	EAN		
05003893001	211484		1
		Belt C Impaktor 0/9 1x 71,0x210,0	
		K30 1x 30,0x200,0	

Zyklop Mini - beauty in strength

Zyklop Mini 1 & 2
Fine tooth mechanism (60 teeth), small return angle of only 6° – ideal for precision work.

Zyklop Mini 1 & 2
Its slim design makes it ideal for all particularly confined working situations.

Zyklop Mini 1
Thumbwheel for rapid fastening.

Zyklop Mini 1 & 2
Easy switching between left/right operations.

Zyklop Mini 2
The Zyklop Mini 2 is suitable for the direct attachment of the special Wera Zyklop sockets 8790 FA. These sockets feature a very low height, ideal for confined working spaces.




Wera Zyklop Mini 1: a symbiosis of strength and stylishness. Incredibly robust due to its drop-forged, full-steel design. Can withstand torque forces up to 65 Nm.

The petite sizing is particularly suited for work in confined spaces. The thumbwheel allows fast screwdriving. Comes in a set in the proven Wera Bit-Check with socket adaptor and belt clip. Simple tool removal and reinsertion is ensured, very robust and durable.

- Bit-Checks convince due to their functionality in a minimum of space
- Wera Mini ratchet for particularly fast screwdriving even in confined spaces
- Ideal for working in confined spaces
- Tough viscous bits for universal use
- In handy and robust Bit-Check


Bit-Check 30 Zyklop Mini 1



Code	EAN			
	4013288			
05073640001	144652			1
		8001 A		
		1x 1/4"x87,0		
		870/1		
		1x 1/4"x25 ¹⁾		
		889/4/1 K		
		1x 1/4"x50		
		851/1 TZ PH		
		2x PH 1x25; 3x PH 2x25; 1x PH 3x25		
		855/1 TH PZ		
		1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25		
		867/1 TZ TORX®		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25; 1x TX 40x25		
		867/1 Z TORX® B0		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25		
		800/1 TZ		
		1x 1,0x5,5x25		
		840/1 Z Hex-Plus		
		1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25;		
		1x 8,0x25		

¹⁾With friction ball; for manual nut spinner sockets

Bit-Check 30 Zyklop Mini 2



Code	EAN			
	4013288			
05346293001	145765			1
		8001 A		
		1x 1/4"x87,0		
		889/4/1 K		
		1x 1/4"x50		
		870/1		
		1x 1/4"x25 ¹⁾		
		851/1 TZ PH		
		2x PH 1x25; 3x PH 2x25; 1x PH 3x25		
		867/1 TZ TORX®		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25; 1x TX 40x25		
		867/1 Z TORX® B0		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25		
		840/1 Z Hex-Plus		
		1x 3/32"x25; 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25;		
		1x 1/4"x25		
		800/1 TZ		
		1x 1,0x5,5x25		
		868/1 Z		
		1x # 1x25; 3x # 2x25; 1x # 3x25		

¹⁾With friction ball; for manual nut spinner sockets

Kraftform Kompakt Zyklus Mini 2

Ratchets and screws in a Kraftform Kompakt format. These drop-forged, full-steel ratchets, Zyklus Mini 1 and 2, combine filigree design with incredible robustness.

For particularly rapid screwdriving in confined working situations. Zyklus Mini 1 or Zyklus Mini 2 can be used whenever screwdriving with power tools or conventional hand tools is unfeasible for lack of space. 1 bit ratchet Zyklus Mini 1; suitable for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera connecting series 1 and 4; also possible to use 1/4" sockets by attaching the Wera adaptor 870/1. 1 socket ratchet Zyklus Mini 2; suitable for the direct attachment of Wera Zyklus special sockets 8790 FA.

Kraftform Kompakt Zyklus Mini 2



Code				
EAN				
05135918001	182180			1
		8001 A		
		1x 1/4"x87,0		
		8005		
		1x 107		
		813		
		1x 1/4"x78		
		870/1		
		1x 1/4"x25 ¹⁾		
		851/1 Z PH		
		1x PH 1x25; 1x PH 2x25		
		855/1 Z PZ		
		1x PZ 1x25; 1x PZ 2x25		
		867/1 TORX®		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25; 1x TX 40x25		
		840/1 Z Hex-Plus		
		1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25		
		8790 FA		
		1x 4,0; 1x 5,0; 1x 5,5; 1x 6,0; 1x 7,0; 1x 8,0;		
		1x 10,0; 1x 12,0; 1x 13,0		

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check PLUS

Combination tool consisting of a ratchet, bits, sockets and holder in a minimum of space. Ideal as a universal companion for a whole host of screwdriving applications. High quality bit holder with Kraftform Plus handle for pleasant, ergonomic working that prevents blisters and calluses. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Mini ratchet for rapid working when fastening jobs with a power tool or conventional hand tools are not feasible due to insufficient space. Rapid changeover from left to right direction and vice versa by using the switchover lever. Fast work possible by turning the thumbwheel (with the thumb) on the ratchet head. Simplest operation even with just one hand. Ergonomic ratchet head/lever: Kraftform geometry with perfectly shaped contact areas for the fingers.

The direct bit take-up in the ratchet head makes for a mini tool design and is ideal for low working heights. The small return angle of 6° allows for precise work. Robust drop-forged, full steel design. Torque of over 65 Nm.

The Rapidaptor bit holder with free-turning sleeve: can be used as an extension; for rapid bit change without any special tools – even the very smallest bits with just a single hand. Tough viscous bits for universal use. Sockets for both manual as well as power tool operations for almost all applications.

Take it easy Tool Finder with colour coding according to size - for simple and rapid accessing of the required tool. Featuring a good grip to allow easy pick-up even with oily hands. Ball stop groove, for hex head bolts and nuts; chrome vanadium steel, matt chrome-plated.

Tool-Check PLUS



Code	EAN		
05056490001	4013288 173003		1
		8001 A 1x 1/4"x87,0	
		813 1x 1/4"x78	
		889/4/1 K 1x 1/4"x50	
		870/1 1x 1/4"x25 ¹⁾	
		8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		855/1 TH PZ 1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	
		867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	
		800/1 TZ 1x 1,0x5,5x25	

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check PLUS Imperial



Code	EAN		
05056491001	4013288 178756		1
		8001 A 1x 1/4"x87,0	
		813 1x 1/4"x78	
		889/4/1 K 1x 1/4"x50	
		870/1 1x 1/4"x25 ¹⁾	
		8790 HMA 1x 3/16"x23,0; 1x 1/4"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0	
		851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		800/1 TZ 1x 1,0x5,5x25	
		867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		840/1 Z Hex-Plus 1x 3/32"x25; 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 5/16"x25	
		868/1 V 1x # 1x25; 3x # 2x25; 1x # 3x25	

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check 1 SB

- 1/4" bit ratchet, tough-absorbing bits, Rapidaptor holder, adaptor and 1/4" sockets
- Ideal for working in confined spaces
- Tough viscous bits for universal use
- Use of 1/4" sockets also possible with the Wera adaptor 870/1
- Take it easy tool finder: colour coding according to profile and size


Tool-Check 1 SB



Code	EAN		
05073220001	162526		1
		8001 A 1x 1/4"x87,0	
		870/1 1x 1/4"x25 ¹⁾	
		889/4/1 K 1x 1/4"x50	
		851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		855/1 TH PZ 1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	
		867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		800/1 TZ 1x 1,0x5,5x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	
		8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check Automotive 1



Code	EAN		
05200995001	165343		1
		8001 A 1x 1/4"x87,0	
		870/1 1x 1/4"x25 ¹⁾	
		889/4/1 K 1x 1/4"x50	
		851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		800/1 TZ 1x 1,0x5,5x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	
		860/1 XZN 1x M 4x25; 1x M 5x25; 1x M 6x25; 1x M 8x25	
		873/1 Five Lobe 1x 20x25; 1x 25x25; 1x 27x25; 1x 30x25	
		8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	

¹⁾With friction ball; for manual nut spinner sockets

Bit-Check 10 Zyklop Mini BiTorsion 1

Many tools in a minimum of space. The sorting according to drive and size allows rapid accessing of the bits.

The Wera Mini ratchet: drop-forged, full-steel design. Fine-pitched mechanism with 60 teeth that allows a small return angle of only 6° for precise work. Simple left/right switchover. Ergonomically-designed ratchet head and lever.

- 1/4" Mini ratchet and tough viscous bits

Bit-Check 10 Zyklop Mini BiTorsion 1



Code	EAN		
05057418001	195951		1
		8001 A	
		1x 1/4"x87,0	
		+	
		851/1 BTZ PH	
		1x PH 1x25; 1x PH 2x25	
		+	
		855/1 BTZ PZ	
		1x PZ 1x25; 1x PZ 2x25	
		+	
		867/1 TORX® BTZ	
		1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		○	
		840/1 BTZ Hex-Plus	
		1x 4,0x25; 1x 5,0x25	

Bit-Check 10 Zyklop Mini 1

- Tough viscous bits for universal use

Bit-Check 10 Zyklop Mini 1



Code	EAN		
05073645001	168115		1
		8001 A	
		1x 1/4"x87,0	
		+	
		851/1 Z PH	
		1x PH 1x25; 1x PH 2x25	
		+	
		855/1 Z PZ	
		1x PZ 1x25; 1x PZ 2x25	
		+	
		867/1 TORX®	
		1x TX 15x25; 1x TX 20x25; 1x TX 25x25	
		○	
		840/1 Z Hex-Plus	
		1x 4,0x25; 1x 5,0x25	


Bicycle Set 1

Bicycle repair shops and passionate cyclists love screwdriving on a bicycle. With their Bicycle Set 1, the screwdriving tool specialist Wera offers an assortment of tools that is very mobile thanks to its compact and design-oriented textile folding bag, and offers solutions for the most common screwdriving situations when working with bicycles.

The sturdy bag contains the bit ratchet Zyklop Mini 1 and 10 bits with all the benefits of Wera-Bit technology, specially adapted to the most common screw connections on a bicycle.

- Compact 12-piece wrench set for bicycle applications, also for mobile use
- Practical range for DIY assembly work and repairs
- Suitable tools for the most common bolt profiles on road bikes, mountain bikes and e-bikes
- Robust, surface-friendly, compact textile folding bag

Bicycle Set 1



Code	EAN			
05004170001	4013288 207623			1
			8001 A 1x 1/4"x87,0	
		●○	899/4/1 1x 1/4"x100	
		+	851/1 Z PH 1x PH 2x25	
		✦	867/1 TORX® 1x TX 10x25; 1x TX 25x25	
		○	840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	

Bicycle Set 3

Bicycle tool set with ratchet, bit, sockets and a bit hand holder in a compact space. Perfect as a universal companion with a variety of screwdriving challenges.

High quality bit hand-holder with Kraftform Plus handle for comfortably ergonomic work, which avoids blisters and calluses. Hard grip zones for high working speed, soft grip zones for high torque transmission.

Bit ratchet for quick work when bolting by machine or by conventional hand tool is not possible due to lack of space.

Fast switching from left to right and vice versa via the switching lever. Quick turning (by thumb) over the grooved ratchet head. Simplest operation even with just one hand.

Ergonomic ratchet head/lever: Kraftform geometry with perfectly shaped contact surfaces for fingers. The direct bit holder in the ratchet head and the smallest tool design allow for low working heights.

Small return angle of 6° for precise work. Robust drop forged full steel design. Torques of over 65 Nm.

The Rapidaptor bit holder with quick-turn coating can be used as an extension, for lightning-fast bit changes with only one hand without auxiliary tools of even the smallest bit sizes.

Tough bits, for universal use. Hand and machine sockets for almost all applications.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands.

With ball-catching groove. For external hexagonal bolts and sockets. Made of matt-chromed chrome-vanadium.

- Compact 39-piece screwdriving tool set for bicycle applications, also for mobile use
- Practical range for DIY assembly work and repairs
- Tools for the most popular screw profiles on road bikes, mountain bikes and e-bikes
- Robust, surface-friendly, compact low weight textile pouch
- Take it easy tool finder with colour coding according to sizes

Zyklop Mini 2 Ratchet

Zyklop Mini 2 for the direct take-up of special Wera Zyklop sockets. Combines filigree design with incredible robustness. For particularly rapid screwdriving even in confined working spaces. The Zyklop Mini 2 is the preferred choice whenever fastening with a power tool or conventional hand tool is impossible due to a lack of space.

- Direct attachment of special Zyklop sockets
- Small return angle of 6° for precise working
- Simple left/right switchover
- Ideal for confined working situations

Zyklop Mini 2 Ratchet



	EAN								
Code	4013288	mm							
05003660001	179616	107							1

8008 A Zyklop Mini 3 Ratchet with 1/4" drive

The Wera Zyklop Mini 3 ratchet for 1/4" sockets. Simplest operation even with just one hand in confined screwdriving challenges. Drop-forged full steel design.

Fine tooth mechanism with 60 teeth allows a small return angle of 6° for precise work.

The knurled wheel allows fast screwdriving in tight spaces when there is no room for ratcheting. Simple left/right switching. Ergonomically shaped ratchet head and lever.

- Mini ratchet suitable for direct mounting of 1/4" nuts
- Drop-forged full steel design for torques exceeding 65 Nm
- Fine-pitched ratchet mechanism and small return angle of 6°
- Simple left/right switchover
- Ideal for working in confined spaces

8008 A Zyklop Mini 3 Ratchet with 1/4" drive



	EAN								
Code	4013288	mm							
05003793001	211699	1/4"	87,0						1

8790 FA Zyklus socket with 1/4" and Hexagon 11 drive

Zyklus socket with 1/4 inch and hex drive for manual jobs with a 1/4 inch ratchet.


8790 FA Zyklus socket with 1/4" and Hexagon 11 drive



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05003665001	179623	4,0	9,5	6,4	11,8	18,0		1
05003666001	179630	4,5	9,5	7,0	11,8	18,0		1
05003667001	179647	5,0	9,5	7,6	11,8	18,0		1
05003668001	179654	5,5	9,5	8,2	11,8	18,0		1
05003669001	179661	6,0	9,5	9,2	11,8	18,0		1
05003670001	183408	7,0	9,5	10,4	11,8	18,0		1
05003675001	179678	8,0	9,5	11,5	11,8	18,0		1
05003690001	179685	10,0	9,5	13,8	11,8	18,0		1
05003684001	183415	12,0	9,5	16,8	11,8	18,0		1
05003685001	179692	13,0	9,5	17,8	11,8	18,0		1



Joker - Can.Do.Everything.Better.



High quality, metric, combination ratchet wrench by Wera. Everything that a wrench has to be able to do. And a whole lot more. Faster, better, stylish. Yes, a real Joker. The new generation of combination ratchet wrenches.


Suitable for hexagon socket screws, bolts or nuts. Comes with holding function, thanks to the metal plate in the jaw, which reduces the risk of dropping nuts and bolts. The replaceable metal plate in the jaw secures nuts and bolts with its extra hard teeth and reduces the danger of slipping.

The integrated limit stop prevents any slipping around the bolt head and allows higher torque to be applied. The double-hex geometry makes for a positive connection with nuts or bolts and reduces the risk of slipping. A return angle of only 30° at the open end prevents any time consuming flipping of the wrench. The ratchet mechanism at the ring end, with an exceptional, fine-tooth mechanism – 80 teeth in all – enables flexibility even in very confined working spaces.

The specially forged geometry ensures high torque transfer and strength. The ratchet is manufactured out of high performance chrome molybdenum steel with nickel-chrome coating for high corrosion protection. Take it easy Tool Finder with colour coding according to sizes.

- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- The double-hex geometry reduces the risk of slipping
- Return angle of only 30°
- Take it easy Tool Finder with colour coding according to sizes

6000 Joker Ratcheting combination wrenches



Code	EAN		mm	mm	mm	mm	mm	
05073268001	167309		8	144	20	5,5	18	3
05073270001	164360		10	159	22	5,5	21	3
05073271001	167316		11	165	25	6,3	22	3
05073272001	167323		12	170,7	26,3	6,6	25	3
05073273001	164377		13	177	27,3	7	25	3
05073274001	167330		14	188	29,3	7,5	28	3
05073275001	167347		15	200	32,3	7,8	28,5	3
05073276001	167392		16	212	35	8,2	32,7	3
05073277001	164384		17	224	37,2	8,5	32,7	3
05073278001	167408		18	235	39	9	33,8	3
05073279001	164391		19	246	42	9,5	34,8	3

6000 Joker Ratcheting combination wrenches, Imperial



Code	EAN			mm	mm	mm	mm	
05073280001	167354		5/16"	144	20	5,5	18	3
05073281001	167361		3/8"	159	22	5,5	21	3
05073282001	167378		7/16"	165	25	6,3	22	3
05073283001	167385		1/2"	177	27,3	7	25	3
05073284001	167415		9/16"	188	29,3	7,5	28	3
05073285001	167422		5/8"	212	35	8,2	32,7	3
05073286001	167439		11/16"	235	39	9	33,8	3
05073287001	167446		3/4"	246	42	9,5	34,8	3

6000 Joker 11 Set 1 of ratcheting combination wrenches

- In robust pouch

6000 Joker 11 Set 1 of ratcheting combination wrenches




Code	EAN		
05020013001	4013288 167521		1
6000 Joker 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x170,7; 1x 13x177; 1x 14x188; 1x 15x200; 1x 16x212; 1x 17x224; 1x 18x235; 1x 19x246			

6000 Joker 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- In robust pouch

6000 Joker 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



Code	EAN		
05020012001	4013288 167514		1
6000 Joker Imperial 1x 5/16"x144; 1x 3/8"x159; 1x 7/16"x165; 1x 1/2"x177; 1x 9/16"x188; 1x 5/8"x212; 1x 11/16"x235; 1x 3/4"x246			

6000/6002 Joker 6 Set 1 Set of ratcheting combination / double open-ended wrenches

- The Joker double open-ended wrench is ideally suited for locking down nuts and bolts.
- In robust pouch

6000/6002 Joker 6 Set 1 Set of ratcheting combination / double open-ended wrenches



Code	EAN		
05020022001	4013288 173034		1
6000 Joker 1x 10x159; 1x 13x177; 1x 17x224; 1x 19x246			
6002 Joker Double 1x 10x13x167; 1x 17x19x235			

6000 Joker 4 Set 1 Set of ratcheting combination wrenches

- In robust pouch

6000 Joker 4 Set 1 Set of ratcheting combination wrenches




Code	EAN		
05073290001	4013288 164407		1
6000 Joker 1x 10x159; 1x 13x177; 1x 17x224; 1x 19x246			

6000 Joker 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- In robust pouch

6000 Joker 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



Code	EAN			
05073295001	167460			1
		6000 Joker Imperial 1x 7/16"x165; 1x 1/2"x177; 1x 9/16"x188; 1x 3/4"x246		

6001 Joker Switch

Joker ratcheting combination wrenches with angled ratchet head and switch lever. The metal plate in the jaw provides for the holding function which reduces the risk of losing nuts and bolts.

The integrated limit stop can prevent any slipping from the bolt head downwards and enables higher torque to be applied.

The exchangeable metal plate in the jaw securely holds nuts and bolts with its extra hard teeth and reduces the risk of slipping.

The double-hex geometry delivers a very positive connection with nuts or bolts and again provides for a lower risk of any slipping. The low return angle of only 30° at the jaw end avoids any time-consuming flipping of the wrench when fastening.

The reversible ratchet mechanism at the ring end with its fine toothing (80 teeth) ensures great flexibility even in confined spaces. Audibly precise ratchet mechanism.

Additionally, the robust two-piece locking element provides for an extreme stability. Comes with a 15° angled ratchet end for secure work even at high torque.

The special forged geometry allows for high torque transfer and high flexural rigidity. Manufactured out of high-performance chrome-molybdenum steel with a nickel-chromium coating for high corrosion protection.

With Take it easy tool finder: colour coding according to size.

- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- Very fine toothing and robust locking element
- Ratchet end angled by 15°
- Take it easy tool finder with colour coding according to sizes

6001 Joker Switch Ratcheting combination wrenches, with switch lever



Code	EAN							
05020064001	184696		mm	mm	mm	mm	mm	3
05020065001	183903		8	144	20,3	5,5	18	3
05020066001	183910		10	159	23	5,5	21,5	3
05020067001	183927		11	165	24,3	6,3	22	3
05020068001	184702		12	171	26,3	6,6	25	3
05020069001	184719		13	179	27,3	7	26	3
05020070001	184726		14	187	30	7,5	28	3
05020071001	184733		15	199	32	7,8	28,8	3
05020072001	184740		16	213	35	8,2	31,7	3
05020073001	184757		17	225	37	8,5	33	3
05020074001	184764		18	234	39,5	9	34	3
05020075001	184771		19	246	42	9,5	34,7	3

6001 Joker Switch Ratcheting combination wrenches, with switch lever, imperial



Code	EAN							
05020075001	184788		mm	mm	mm	mm	mm	3
05020076001	184795		5/16"	144	20,3	5,5	18	3
05020077001	184801		3/8"	159	23	5,5	21,5	3
05020078001	184818		7/16"	165	24,3	6,3	22	3
05020079001	184825		1/2"	171	26,3	6,6	25	3
05020080001	184832		9/16"	187	30	7,5	28	3
05020081001	184849		5/8"	213	35	8,2	31,7	3
05020082001	184771		11/16"	234	39,5	9	34	3
05020083001	184771		3/4"	246	42	9,5	34,7	3

6002 Joker Double open-ended wrenches

- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- The double-hex geometry reduces the risk of slipping
- Return angle of only 30°
- Take it easy tool finder with colour coding according to sizes

6002 Joker Double open-ended wrenches



Code	EAN							
05003760001	173010		mm	mm	mm	mm	mm	3
05003765001	173027		10	23	13	27	5,5	3
05020260001 ¹⁾	212764		17	37	19	42	8,5	3
05020261001 ¹⁾	212771		20	48	22	51	10	3
05020262001 ¹⁾	212788		22	48	24	51	10	3
05020263001 ¹⁾	212795		24	51	27	60	11	3
05020264001 ¹⁾	212801		27	63	32	66	12	3
05020265001 ¹⁾	212801		30	63	32	66	12	3

¹⁾ Available from May 2020

6001 Joker Switch 11 Set 1 Set of ratcheting combination wrenches

- Compact textile box with high robustness, low weight and volume

6001 Joker Switch 11 Set 1 Set of ratcheting combination wrenches




Code	EAN		
05020091001	184160		1
6001 Joker Switch 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x171; 1x 13x179; 1x 14x187; 1x 15x199; 1x 16x213; 1x 17x225; 1x 18x234; 1x 19x246			

6001 Joker Switch 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- Compact textile box with high robustness, low weight and volume

6001 Joker Switch 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



				
Code	EAN 4013288			
05020093001	184153			1
		6001 Joker Switch Imperial 1x 5/16"x144; 1x 3/8"x159; 1x 7/16"x165; 1x 1/2"x171; 1x 9/16"x187; 1x 5/8"x213; 1x 11/16"x234; 1x 3/4"x246		

6001 Joker Switch 4 Set 1 Set of ratcheting combination wrenches

- In robust pouch

6001 Joker Switch 4 Set 1 Set of ratcheting combination wrenches



				
Code	EAN			
	4013288			
05020090001	184139			1
		6001 Joker Switch 1x 10x159; 1x 13x179; 1x 17x225; 1x 19x246		

6001 Joker Switch 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- In robust pouch

6001 Joker Switch 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



				
Code	EAN			
	4013288			
05020092001	184146			1
		6001 Joker Switch Imperial 1x 7/16"x165; 1x 1/2"x171; 1x 9/16"x187; 1x 3/4"x246		

6003 Joker ring spanner

As the installation space becomes increasingly tight during screwdriving, it remains necessary that tools enable users to work successfully.

Narrow spaces require additional placement points of the tool. Can spanners be modified so that the placement possibilities of the tool increase?

The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points. A repeated 180° turn of the wrench around the longitudinal axis during screw-driving provides four placement possibilities, and bolts or screw heads can be "taken" every 15°.

The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces. The Joker 6003 will automatically find the respective placement point after every turn.

The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With Take it easy tool finder: colour coding by size.

- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°
- Take it easy tool finder with colour coding according to sizes

6003 Joker ring spanner



Code	EAN		mm	mm	mm	mm	mm	
05020200001	212528		8	115	19	4,5	12,5	3
05020201001	212542		10	125	22	5	15	3
05020202001	212559		11	135	24,5	5	17	3
05020203001	212566		12	148	26	5,5	18	3
05020204001	212696		13	160	27	6	19	3
05020205001	212702		14	167	29	6	20	3
05020206001	212719		15	174	32	6	22	3
05020207001	212726		16	182	35	6,5	23	3
05020208001	212733		17	190	38	6,5	24,5	3
05020209001	212740		18	210	39	7,5	26	3
05020210001	212757		19	230	42	7,5	27,5	3

6003 Joker ring spanner, imperial



Code	EAN		mm	mm	mm	mm	mm	
05020211001	212979		5/16"	115	19	4,5	12,5	3
05020212001	212986		3/8"	125	22	5	15	3
05020213001	212993		7/16"	135	24,5	5	17	3
05020214001	213006		1/2"	160	26	6	19	3
05020215001	213013		9/16"	167	29	6	20	3
05020216001	213020		5/8"	182	35	6,5	23	3
05020217001	213037		11/16"	210	40	7,5	26	3
05020218001	213044		3/4"	230	42	7,5	27,5	3

6003 Joker 11 Set 1 ring spanner set

- In robust pouch

6003 Joker 11 Set 1 ring spanner set



Code	EAN			
05020231001	214195			1
		6003 Joker 1x 8x115; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230		

6003 Joker 8 Imperial Set 1 ring spanner set, Imperial

- In robust pouch

6003 Joker 8 Imperial Set 1 ring spanner set, Imperial



			
Code	EAN		
05020241001	4013288 214201		1
		6003 Joker Imperial 1x 5/16"x115; 1x 3/8"x125; 1x 7/16"x135; 1x 1/2"x160; 1x 9/16"x167; 1x 5/8"x182; 1x 11/16"x210; 1x 3/4"x230	

6003 Joker 5 Set 1 ring spanner set

- In robust pouch

6003 Joker 5 Set 1 ring spanner set



			
Code	EAN		
05020230001	4013288 214171		1
		6003 Joker 1x 8x115; 1x 10x125; 1x 13x160; 1x 17x190; 1x 19x230	

6003 Joker 5 Imperial Set 1 ring spanner set, Imperial

- In robust pouch

6003 Joker 5 Imperial Set 1 ring spanner set, Imperial



			
Code	EAN		
05020240001	4013288 214188		1
		6003 Joker Imperial 1x 5/16"x115; 1x 3/8"x125; 1x 1/2"x160; 1x 9/16"x167; 1x 3/4"x230	

6004 Joker self-setting spanner

Many users wish to have a universal screwdriving tool with the widest possible range of applications. It should be a single tool for multiple metric and imperial dimensions.

It should automatically adjust to the different screw sizes. It should be safe to grab without damaging anything and allow for a high working speed. The continuous and parallel jaws replace several single spanner dimensions.

The required size is automatically and continuously set when attaching the tool to the hexagon bolt or screw. The integrated lever mechanism securely clamps the hexagon screw or bolt between the jaws, which significantly reduces the risk of slipping or damage.

The ratchet function ensures fast and consistent screwdriving without removing the tool. Thanks to the corner-width rectangular prisms, a back-pivoting angle of only 30° can be realized.

The single-arm design in conjunction with the ratchet function and the corner-width prism make it possible to work even in confined spaces.

The adjustable Joker 6004 is the universal screwdriving tool. Self-setting. Gripping. Spanning.

- The adjustable Joker 6004 covers all metric and imperial dimensions in the respective field of application
- Automatic and continuous grip of hexagon screws and bolts
- Lever mechanism when gripping avoids slipping and damage
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet function
- Back-pivoting angle of only 30° through placement in the corner-width rectangular prisms in the mouth

6004 Joker S self-setting spanner



	EAN	mm	mm	mm	mm			
Code	4013288	mm		mm	mm			
05020100001	211729	10-13	7/16"-1/2"	154	10			3

6004 Joker L self-setting spanner



	EAN	mm	mm	mm	mm			
Code	4013288	mm		mm	mm			
05020101001	214706	16-19	5/8"-3/4"	224	14			3

6004 Joker XXL self-setting spanner




	EAN	mm	mm	mm	mm			
Code	4013288	mm		mm	mm			
05020102001	214713	24-32	15/16"-1 1/4"	322	20			3


Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



Kraftform Stainless - stainless steel to prevent rust



High quality L-key set out of stainless steel for hexagon socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. Take it easy Tool Finder: colour coding according to size. In an almost wear-free L-key clip fastener.


- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Hex-Plus allows socket head screws to live longer
- Take it easy tool finder with colour coding according to sizes
- Wear-resistant clip material for enhanced durability
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures

3950/9 Hex-Plus Multicolour Stainless 1 L-key set, metric, stainless



Code	EAN		
05022669001	4013288 185211		1
		3950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	

3950/9 Hex-Plus Stainless 1 L-key set, metric, stainless



Code	EAN		
05022720001	4013288 111364		10
		3950 PKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	

3950/9 Hex-Plus Stainless 1 SB L-key set, metric, stainless



Code	EAN		
05073544001	4013288 180377		1
		3950 PKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	

3950/9 Hex-Plus Imperial Stainless 1 L-key set, Imperial, stainless

- In robust pouch

3950/9 Hex-Plus Imperial Stainless 1 L-key set, imperial, stainless



Code	EAN		
05022721001	4013288		1
	117281		
		3950 PKL inch 1x 3/32"x112; 1x 7/64"x119; 1x 1/8"x123; 1x 9/64"x130; 1x 5/32"x137; 1x 3/16"x154; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224	

950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function

- L-keys with retaining function for hexagon socket screws
- Hexagonal ballpoint on the long arm
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures

950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function



Code	EAN		
05022210001	4013288		1
	188403		
		950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112	
		950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	

950/9 Hex-Plus Multicolour 1 L-key set, metric, BlackLaser



Code	EAN		
05022089001	4013288		5
	180841		
		950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224	

950/9 Hex-Plus Multicolour 1 SB Multicolour L-key set, metric, BlackLaser



Code	EAN		
05073593001	4013288		1
	165688		
		950 SPKL Multicolour 1x 1.5x90; 1x 2.0x101; 1x 2.5x112; 1x 3.0x123; 1x 4.0x137; 1x 5.0x154; 1x 6.0x172; 1x 8.0x195; 1x 10.0x224	

L-keys in a two-component clip

L-keys fit securely into the clip


Solid rubber material for great durability

Easy-to-use opening and closing mechanism

Sizes marked on the clip

- Short version

950/9 Hex-Plus Multicolour 2 L-key set, metric, BlackLaser



Code	EAN		
05133164001	4013288 207517		1
		950 SPKS Multicolour 1x 1,5x50; 1x 2,0x56; 1x 2,5x63; 1x 3,0x71; 1x 4,0x80; 1x 5,0x90; 1x 6,0x100; 1x 8,0x112; 1x 10,0x125	

950/9 Hex-Plus Multicolour Imperial 1 L-key set, imperial, BlackLaser

- In robust pouch

950/9 Hex-Plus Multicolour Imperial 1 L-key set, imperial, BlackLaser



Code	EAN		
05022639001	4013288 182593		1
		950 SPKL inch 1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224	

950/7 Hex-Plus Multicolour Magnet 1 L-key set, metric, BlackLaser

- For recessed screws, it's often advantageous for the screw to be held on the L-key by magnetic force. The Wera clips with magnetiser/demagnetiser enable a magnetisation/demagnetisation of L-keys in a flash.

950/7 Hex-Plus Multicolour Magnet 1 L-key set, metric, BlackLaser



Code	EAN		
05022534001	4013288 183750		5
		950 SPKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172	

950/9 L Hex-Plus HF 1 L-key set, metric, chrome-plated, with holding function

- The holding function on the long arm keeps screws securely on the tool
- High corrosion protection thanks to chrome-plating

950/9 L Hex-Plus HF 1 L-key set, metric, chrome-plated, with holding function



Code	EAN		
05022130001	4013288 207227		1
		950 L 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112	
		950 L HF 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 1 L-key set, metric, chrome-plated



Code	EAN		
05022087001	4013288 104816		10
		950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 1 SB L-key set, metric, chrome-plated



Code	EAN		
05073391001	4013288 030160		1
		950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 2 L-key set, metric, chrome-plated



Code	EAN		
05021909001	4013288 111937		10
		950 L 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 3 L-key set, metric, chrome-plated

- Short version
- Hexagonal ballpoint on the long arm

950/9 Hex-Plus 3 L-key set, metric, chrome-plated



Code	EAN		
05133163001	4013288 112255		10
		950 PKS 1x 1,5x50 ¹⁾ ; 1x 2,0x56; 1x 2,5x63; 1x 3,0x71; 1x 4,0x80; 1x 5,0x90; 1x 6,0x100; 1x 8,0x112; 1x 10,0x125	

¹⁾Regular hexagon

950/9 Hex-Plus 4 L-key set, metric, chrome-plated

- Extra-short arm for use on difficult-to-access screws
- Hexagonal ballpoint on the long arm

950/9 Hex-Plus 4 L-key set, metric, chrome-plated



Code	EAN		
05073594001	4013288 139177		1
		950 PKLS 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 5 L-key set, metric, chrome-plated



Code	EAN		
05021406001	4013288 111890		10
		950 1x 1,5x45 ¹⁾ ; 1x 2,0x50; 1x 2,5x56; 1x 3,0x63; 1x 4,0x70; 1x 5,0x80; 1x 6,0x90; 1x 8,0x100; 1x 10,0x112	

¹⁾Regular hexagon.

950/9 Hex-Plus 6 L-key set, metric, BlackLaser

- BlackLaser for high corrosion protection and long service life

950/9 Hex-Plus 6 L-key set, metric, BlackLaser



Code	EAN		
05022086001	4013288 104809		10
		950 PKL BM 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 6 SB L-key set, metric, BlackLaser



Code	EAN		
05073596001	4013288 106414		1
		950 PKL BM 1x 1.5x90 ¹⁾ ; 1x 2.0x100; 1x 2.5x112; 1x 3.0x126; 1x 4.0x140; 1x 5.0x160; 1x 6.0x180; 1x 8.0x200; 1x 10.0x219	

¹⁾Regular hexagon

950/9 Hex-Plus 7 L-key set, metric, BlackLaser

- Short version



Code	EAN		
05021737001	4013288 112286		10
		950 BM 1x 1,5x45 ¹⁾ ; 1x 2,0x50; 1x 2,5x56; 1x 3,0x63; 1x 4,0x70; 1x 5,0x80; 1x 6,0x90; 1x 8,0x100; 1x 10,0x112	

¹⁾Regular hexagon

950/7 Hex-Plus Magnet 1 Magnetic L-key set, metric, chrome-plated

- For recessed screws, it's often advantageous for the screw to be held on the L-key by magnetic force. The Wera clips with magnetiser/demagnetiser enable a magnetisation/demagnetisation of L-keys in a flash.

950/7 Hex-Plus Magnet 1 Magnetic L-key set, metric, chrome-plated




Code	EAN		
05022101001	4013288 111968		10
		950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180	

¹⁾Regular hexagon

950/7 Hex-Plus 1 L-key set, metric, chrome-plated

- Hexagonal ballpoint on the long arm

950/7 Hex-Plus 1 L-key set, metric, chrome-plated



Code	EAN		
05022181001	4013288 111883		10
		950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180	

¹⁾Regular hexagon

950/13 Hex-Plus Imperial 1 L-key set, imperial, BlackLaser

- BlackLaser for high corrosion protection and long service life
- Hexagonal ballpoint on the long arm

950/13 Hex-Plus Imperial 1 L-key set, imperial, BlackLaser



Code	EAN		
05021728001	4013288 111982		10
		950 PKL inch 1x 0,05"x83 ¹⁾ ; 1x 1/16"x91 ¹⁾ ; 1x 5/64"x100; 1x 3/32"x112; 1x 7/64"x119; 1x 1/8"x126; 1x 9/64"x132; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212	

¹⁾Regular hexagon

950/9 Hex-Plus Imperial 1 L-key set, imperial, BlackLaser



Code	EAN		
05022171001	4013288 111975		10
		950 PKL inch 1x 5/64"x100; 1x 3/32"x112; 1x 1/8"x126; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212	

950/9 Hex-Plus Imperial 1 SB L-key set, imperial, BlackLaser



Code	EAN		
05133180001	4013288 154118		1
		950 PKL inch 1x 5/64"x100; 1x 3/32"x112; 1x 1/8"x126; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212	

Bicycle Set 4

L-keys made from circular material with plastic sleeve for use on bicycles. The plastic sleeve makes working comfortable even at low temperatures and is easy on the fingers.

All L-keys are easily accessible due to their colour coding and size markings. For hexagonal socket screws and TORX® screws. In a robust and lightweight folding pouch.

- In a practical, lightweight folding pouch for easy carrying



Bicycle Set 4



Code	EAN		
05004173001	4013288 211446		1
		950 SPKL Multicolour 1x 2,0x101; 1x 2,5x112	
		950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195	
		967 SXL TORX® HF Multicolour 1x TX 10x112; 1x TX 25x154	

3950 SPKL Multicolour L-key, metric, stainless

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated.

Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.

Take it easy Tool Finder: colour coding according to size. In an almost wear-free L-key clip fastener.

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Take it easy tool finder with colour coding according to sizes
- Wear-resistant clip material for enhanced durability

3950 SPKL Multicolour L-key, metric, stainless



	EAN		⌀	L ₁	L ₂	L ₃	L ₄	
Code	4013288		mm	mm	mm			
05022660001	185792		1,5	90	14	3 1/2"	9/16"	10
05022661001	185808		2,0	101	16	4"	5/8"	10
05022662001	185815		2,5	112	19	4 7/16"	3/4"	10
05022663001	185822		3,0	123	21	4 7/8"	27/32"	10
05022664001	185839		4,0	137	24	5 3/8"	1"	10
05022665001	185846		5,0	154	27	6 1/16"	1 1/16"	10
05022666001	185860		6,0	172	31	6 3/4"	1 1/4"	10
05022667001	185877		8,0	195	37	7 11/16"	1 7/16"	10
05022668001	185884		10,0	224	42	9"	1 11/16"	10

3950 PKL L-key, metric, stainless



	EAN	⌀	L ₁	L ₂	L ₃	L ₄	
Code	4013288	mm	mm	mm			
05022700001	111265	1,5	90	14	3 1/2"	9/16"	10
05022701001	111272	2,0	101	16	4"	5/8"	10
05022702001	111289	2,5	112	19	4 7/16"	3/4"	10
05022703001	111296	3,0	123	21	4 7/8"	27/32"	10
05022704001	111302	4,0	137	24	5 3/8"	1"	10
05022705001	111319	5,0	154	27	6 1/16"	1 1/16"	10
05022706001	111326	6,0	172	31	6 3/4"	1 1/4"	10
05022708001	111340	8,0	195	37	7 11/16"	1 7/16"	10
05022709001	111357	10,0	224	42	9"	1 11/16"	10

3950 PKL L-key, imperial, stainless




	EAN	⌀	L ₁	L ₂	L ₃	L ₄	
Code	4013288		mm	mm			
05022710001	117151	3/32"	112	19	4 7/16"	3/4"	10
05022711001	117168	7/64"	119	20	4 3/4"	25/32"	10
05022712001	117175	1/8"	123	21	4 7/8"	27/32"	10
05022713001	117182	9/64"	130	22	5 3/16"	29/32"	10
05022714001	117199	5/32"	137	24	5 3/8"	1"	10
05022715001	117205	3/16"	154	27	6 1/16"	1 1/16"	10
05022716001	117212	1/4"	185	34	7 1/4"	1 5/16"	10
05022717001	117229	5/16"	195	37	7 11/16"	1 7/16"	10
05022718001	117236	3/8"	224	42	9"	1 11/16"	5

950 SPKL HF L-key Multicolour, metric, with holding function

- The holding function holds screws securely on the tool

950 SPKL HF L-key Multicolour, metric, with holding function




	EAN		⊙	L	L	L	L	
Code	4013288		mm	mm	mm			
05022200001	188342		3,0	123	21	4 7/8"	27/32"	10
05022201001	188359		4,0	137	24	5 3/8"	1"	10
05022202001	188366		5,0	154	27	6 1/16"	1 1/16"	10
05022203001	188373		6,0	172	31	6 3/4"	1 1/4"	10
05022204001	188380		8,0	195	37	7 11/16"	1 7/16"	10
05022205001	188397		10,0	224	42	9"	1 11/16"	10

950 SPKL L-key Multicolour, metric



	EAN		⊙	L	L	L	L	
Code	4013288		mm	mm	mm			
05022600001	167842		1,5	90	14	3 1/2"	9/16"	10
05022602001	167934		2,0	101	16	4"	5/8"	10
05022604001	167859		2,5	112	19	4 7/16"	3/4"	10
05022606001	167866		3,0	123	21	4 7/8"	27/32"	10
05022608001	167873		4,0	137	24	5 3/8"	1"	10
05022610001	167880		5,0	154	27	6 1/16"	1 1/16"	10
05022612001	167897		6,0	172	31	6 3/4"	1 1/4"	10
05022614001	167903		8,0	195	37	7 11/16"	1 7/16"	10
05022616001	167910		10,0	224	42	9"	1 11/16"	10

950 SPKL L-key Multicolour, imperial



	EAN		⊙	L	L	L	L	
Code	4013288		mm	mm				
05022630001	182500		5/64"	101	16	4"	5/8"	10
05022631001	182517		3/32"	112	19	4 7/16"	3/4"	10
05022632001	182524		1/8"	123	21	4 7/8"	27/32"	10
05022633001	182531		5/32"	137	24	5 3/8"	1"	10
05022634001	182548		3/16"	154	27	6 1/16"	1 1/16"	10
05022635001	182555		7/32"	172	31	6 3/4"	1 1/4"	10
05022636001	182562		1/4"	185	34	7 1/4"	1 5/16"	10
05022637001	182579		5/16"	195	37	7 11/16"	1 7/16"	10
05022638001	182586		3/8"	224	42	9"	1 11/16"	10

950 SPKS L-key Multicolour, metric

- Short version

950 SPKS L-key Multicolour, metric




	EAN		⊙	L	L	L	L	
Code	4013288		mm	mm	mm			
05022678001	211910		1,5	50	14	2"	9/16"	10
05022670001	211934		2,0	56	16	2 7/32"	5/8"	10
05022671001	211927		2,5	63	19	2 1/2"	3/4"	10
05022672001	211941		3,0	71	21	2 3/4"	27/32"	10
05022673001	211958		4,0	80	24	3 1/8"	1"	10
05022674001	211965		5,0	90	27	3 1/2"	1 1/16"	10
05022675001	211972		6,0	100	31	4"	1 1/4"	10
05022676001	211989		8,0	112	37	4 7/16"	1 7/16"	10
05022677001	211996		10,0	125	42	5"	1 11/16"	10

950 PKL L-key, metric, chrome-plated

- High corrosion protection thanks to chrome-plating
- Hexagonal ballpoint on the long arm

950 PKL L-key, metric, chrome-plated



	EAN						
Code	4013288	mm	mm	mm			
05022050001 ¹⁾	018779	1,5	90	14	3 1/2"	9/16"	10
05022052001	018786	2,0	100	16	4"	5/8"	10
05022054001	018793	2,5	112	18	4 7/16"	23/32"	10
05022056001	018809	3,0	126	20	5"	25/32"	10
05022058001	018816	4,0	140	25	5 1/2"	1"	10
05022060001	018823	5,0	160	28	6 5/16"	1 3/32"	10
05022062001	018830	6,0	180	32	7 1/16"	1 1/4"	10
05022063001	037718	7,0	190	34	7 1/2"	1 5/16"	10
05022064001	018847	8,0	200	36	8"	1 7/16"	10
05022066001	018854	10,0	219	40	8 11/16"	1 9/16"	10
05022067001	038708	12,0	248	45	10"	1 3/4"	5

¹⁾Regular hexagon

950 PKL BM L-key, metric, BlackLaser

- BlackLaser for high corrosion protection and long service life
- Hexagonal ballpoint on the long arm

950 PKL BM L-key, metric, BlackLaser



	EAN						
Code	4013288	mm	mm	mm			
05027101001 ¹⁾	094988	1,5	90	14	3 1/2"	9/16"	10
05027102001	094995	2,0	100	16	4"	5/8"	10
05027103001	095008	2,5	112	18	4 7/16"	23/32"	10
05027104001	095015	3,0	126	19	5"	3/4"	10
05027105001	095022	4,0	140	25	5 1/2"	1"	10
05027106001	095039	5,0	160	28	6 5/16"	1 3/32"	10
05027107001	095046	6,0	180	32	7 1/16"	1 1/4"	10
05027110001	095053	7,0	190	34	7 1/2"	1 5/16"	10
05027108001	095060	8,0	200	36	8"	1 7/16"	10
05027109001	095077	10,0	219	40	8 11/16"	1 9/16"	10
05027111001	095084	12,0	248	45	10"	1 3/4"	5

¹⁾Regular hexagon

950 PKL L-key, imperial, BlackLaser




	EAN						
Code	4013288	mm	mm	mm	mm		
05022079001 ¹⁾	041203	0,05"	83	14	3 1/4"	9/16"	10
05022081001 ¹⁾	041210	1/16"	91	15	3 1/2"	19/32"	10
05022068001	018861	5/64"	100	16	4"	5/8"	10
05022070001	018878	3/32"	112	18	4 7/16"	23/32"	10
05022071001	041227	7/64"	119	19	4 3/4"	3/4"	10
05022072001	018885	1/8"	126	20	5"	25/32"	10
05022073001	041234	9/64"	132	23	5 3/16"	29/32"	10
05022074001	018892	5/32"	140	25	5 1/2"	1"	10
05022076001	018908	3/16"	160	25	6 5/16"	1"	10
05022078001	018915	7/32"	180	27	7 1/16"	1 1/16"	10
05022080001	018922	1/4"	190	34	7 1/2"	1 5/16"	10
05022082001	018939	5/16"	200	36	8"	1 7/16"	10
05022095001	038739	3/8"	212	38	8 3/8"	1 1/2"	5
05022096001	038746	1/2"	224	40	9"	1 9/16"	5

¹⁾Regular hexagon

950 PKLS Long Arm Ballpoint Hex Key, metric, chrome plated

- Extra-short arm for use on difficult-to-access screws

950 PKLS Long Arm Ballpoint Hex Key, metric, chrome plated



	EAN						
Code	4013288	mm	mm	mm	mm		
05022040001 ¹⁾	139429	1,5	90	4,5	3 1/2"	11/64"	10
05022041001	139283	2,0	100	5,5	4"	7/32"	10
05022042001	139290	2,5	112	6,5	4 7/16"	1/4"	10
05022043001	139306	3,0	126	7,5	5"	19/64"	10
05022044001	139313	4,0	140	10,0	5 1/2"	25/64"	10
05022045001	139320	5,0	160	12	6 5/16"	15/32"	10
05022046001	139337	6,0	180	15	7 1/16"	19/32"	10
05022047001	139344	8,0	200	19	8"	3/4"	10
05022048001	139351	10,0	219	22	8 5/8"	7/8"	10

¹⁾Regular hexagon

950 PKS L-key, metric, chrome-plated

- Short design for particularly confined screwdriving situations

950 PKS L-key, metric, chrome-plated



	EAN	mm	mm	mm	mm	mm		
Code	4013288	mm	mm	mm	mm	mm		
05133150001 ¹⁾	098047	1,5	50	14	2"	9/16"		10
05133151001	098054	2,0	56	16	2 7/32"	5/8"		10
05133152001	098061	2,5	63	18	2 1/2"	23/32"		10
05133153001	098078	3,0	71	20	2 3/4"	25/32"		10
05133154001	098085	4,0	80	22	3"	29/32"		10
05133155001	098092	5,0	90	25	3 1/2"	1"		10
05133156001	098108	6,0	100	28	4"	1 3/32"		10
05133157001	098115	8,0	112	32	4 7/16"	1 1/4"		10
05133158001	098122	10,0	125	36	5"	1 5/16"		10

¹⁾Regular hexagon

950 L HF L-key, metric, chrome-plated, with holding function

- The holding function on the long arm keeps screws securely on the tool

950 L HF L-key, metric, chrome-plated, with holding function



	EAN	mm	mm	mm	mm	mm		
Code	4013288	mm	mm	mm	mm	mm		
05022120001	207258	3,0	126	20	5"	25/32"		10
05022121001	207265	4,0	140	25	5 1/2"	1"		10
05022122001	207319	5,0	160	28	6 5/16"	1 3/32"		10
05022123001	207326	6,0	180	32	7 1/16"	1 1/4"		10
05022124001	207340	8,0	200	36	8"	1 7/16"		10
05022125001	207333	10,0	219	40	8 11/16"	1 9/16"		5

950 L-key, metric, chrome-plated



	EAN	mm	mm	mm	mm	mm		
Code	4013288	mm	mm	mm	mm	mm		
05021600001 ¹⁾	038722	1,5	90	14	3 1/2"	9/16"		10
05021605001	018656	2,0	100	16	4"	5/8"		10
05021610001	018663	2,5	112	18	4 7/16"	23/32"		10
05021615001	018670	3,0	126	20	5"	25/32"		10
05021620001	018687	4,0	140	25	5 1/2"	1"		10
05021625001	018694	5,0	160	28	6 5/16"	1 3/32"		10
05021630001	018700	6,0	180	32	7 1/16"	1 1/4"		10
05021632001	037701	7,0	190	30	7 1/2"	1 1/4"		10
05021635001	018717	8,0	200	36	8"	1 7/16"		10
05021640001	018724	10,0	219	40	8 11/16"	1 9/16"		5
05021645001	018731	12,0	250	45	10"	1 3/4"		5

950 L-key, metric, chrome-plated



	EAN	mm	mm	mm	mm	mm		
Code	4013288	mm	mm	mm	mm	mm		
05021005001 ¹⁾	018267	1,5	45	14	1 3/4"	9/16"		10
05021010001	018274	2,0	50	16	2"	5/8"		10
05021015001	018281	2,5	56	18	2 7/32"	23/32"		10
05021020001	018298	3,0	63	20	2 1/2"	25/32"		10
05021025001	018304	3,5	66	23	2 5/8"	29/32"		10
05021030001	018311	4,0	70	25	2 3/4"	1"		10
05021035001	018328	4,5	75	26	3"	1 1/32"		10
05021040001	018335	5,0	80	28	3 1/8"	1 3/32"		10
05021045001	018342	6,0	90	32	3 1/2"	1 1/4"		10
05021050001	018359	7,0	95	34	3 3/4"	1 5/16"		10
05021055001	018366	8,0	100	36	4"	1 7/16"		10
05021060001	018373	9,0	106	38	4 3/16"	1 1/2"		10
05021065001	018380	10,0	112	40	4 7/16"	1 9/16"		10
05021070001	018397	11,0	120	43	4 3/4"	1 11/16"		10
05021075001	018403	12,0	125	45	5"	1 3/4"		10
05021080001	018410	13,0	132	50	5 3/16"	2"		10
05021085001 ¹⁾	018427	14,0	140	56	5 1/2"	2 7/32"		10
05021090001 ¹⁾	018434	17,0	160	63	6 5/16"	2 1/2"		5
05021095001 ¹⁾	018441	19,0	180	70	7 1/16"	2 3/4"		5
05021100001 ¹⁾	018458	22,0	200	80	8"	3 1/8"		5
05021105001 ¹⁾	018465	24,0	224	90	9"	3 1/2"		5
05021110001 ¹⁾	018472	27,0	250	100	10"	4"		2

¹⁾Regular hexagon.


950 BM L-key, metric, BlackLaser



	EAN	Ø	L ₁	L ₂	L ₃	L ₄		
Code	4013288	mm	mm	mm				
05027201001 ¹⁾	095381	1,5	45	14	1 3/4"	9/16"		10
05027202001	095398	2,0	50	16	2"	5/8"		10
05027203001	095541	2,5	56	18	2 7/32"	23/32"		10
05027204001	095404	3,0	63	20	2 1/2"	25/32"		10
05027205001	095411	3,5	66	23	2 5/8"	29/32"		10
05027206001	095428	4,0	70	25	2 3/4"	1"		10
05027207001	095435	4,5	75	26	3"	1 1/32"		10
05027208001	095442	5,0	80	28	3 1/8"	1 3/32"		10
05027209001	095459	6,0	90	32	3 1/2"	1 1/4"		10
05027210001	095466	7,0	95	34	3 3/4"	1 5/16"		10
05027211001	095473	8,0	100	36	4"	1 7/16"		10
05027213001	095480	9,0	106	38	4 11/64"	1 1/2"		10
05027212001	095497	10,0	112	40	4 7/16"	1 9/16"		10
05027214001	095503	11,0	120	43	4 23/32"	1 11/16"		10
05027215001	095510	12,0	125	45	5"	1 49/64"		10

¹⁾Regular hexagon

Kraftform Stainless - stainless steel to prevent rust



Set of high quality stainless steel L-keys for internal TORX® screws. Very corrosion-resistant due to ice-hardened stainless steel material of the L-key, avoiding the transmission of extraneous rust in stainless steel screw connections.

With holding function on the long arm: The clamping force resulting from the surface pressure between the output tip and the screw profile holds the screws securely on the tool.


With extra long arm for working in a low position.

The grip-friendly hose jacket facilitates screwdriving even at low temperatures. Take it easy tool finder with colour coding by size.

With a practical clip made of durable material for secure holding of the L-key while at the same time allowing easy removal.

- The holding function on the long arm keeps screws securely on the tool
- Extremely high corrosion protection thanks to ice-hardened stainless steel design
- Compact and easy to remove - stored in a 2-component plastic clip
- Handle-friendly hose jacket with tool finder Take it easy: Colour coding according to size

TORX® Tools with holding function



3967/9 TX SXL Multicolour HF Stainless 1 L-key set with holding function, stainless



Code	EAN		
05022689001	4013288 207128		1
		3967 SXL HF TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX XL Multicolour HF 1 L-key set with holding function, long

- Holding function for recessed TORX® screws
- Long version
- Take it easy tool finder with colour coding according to sizes

967/9 TX XL Multicolour HF 1 L-key set with holding function, long



Code	EAN		
05024470001	4013288 193537		1
		967 SXL TORX® HF Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX Multicolour HF 1 L-key set with holding function

- Holding function for recessed TORX® screws
- Take it easy tool finder with colour coding according to sizes

967/9 TX Multicolour HF 1 L-key set with holding function



Code	EAN		
05024179001	4013288 185228		1
		967 SL TORX® HF 1x TX 8x76; 1x TX 9x79; 1x TX 10x85; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132	

967/9 TX XL HF 1 L-key set with holding function, long

- Holding function for recessed TORX® screws
- Long version

967/9 TX XL HF 1 L-key set with holding function, long



Code	EAN		
05024450001	4013288 193513		1
		967 XL HF TORX® 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX HF 1 L-key set with holding function, BlackLaser

- Holding function for recessed TORX® screws

967/9 TX HF 1 L-key set with holding function, BlackLaser



Code	EAN		
05024244001	4013288 104953		10
		967 L TORX® HF 1x TX 8x76; 1x TX 9x79; 1x TX 10x85; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132	

967/9 TX XL Multicolour 1 Multicolour L-key set for TORX® screws, long



Code	EAN		
05024480001	4013288 193544		1
		967 SXL TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112	
		967 SPKXL TORX® Multicolour 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX B0 Multicolour 1 L-key set for tamper-proof TORX® screws, BlackLaser

- L-keys for TORX® B0 screws to loosen safety connections

967/9 TX B0 Multicolour 1 L-key set for tamper-proof TORX® screws, BlackLaser



Code	EAN			
05024335001	4013288	180858		10
			967 SPKL TORX® B0 Multicolour 1x TX 8x76 ¹⁾ ; 1x TX 9x79 ¹⁾ ; 1x TX 10x85 ²⁾ ; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132	

¹⁾Product without bore hole at the short and without ball-end at the long arm.

²⁾Product without ball-end at the long arm.

967/9 TX B0 Multicolour 1 SB L-key set for tamper-proof TORX® screws, BlackLaser



Code	EAN			
05073599001	4013288	170125		1
			967 SPKL TORX® B0 Multicolour 1x TX 8x76 ¹⁾ 1x TX 9x79 ¹⁾ 1x TX 10x85 ²⁾ 1x TX 15x90 1x TX 20x96 1x TX 25x104 1x TX 27x112 1x TX 30x122 1x TX 40x132	

¹⁾Product without bore hole at the short and without ball-end at the long arm.

²⁾Product without ball-end at the long arm.

967/9 TX XL 1 TORX® L-key set, long

- Long version

967/9 TX XL 1 TORX® L-key set, long



Code	EAN			
05024460001	4013288	193520		1
			967 XL TORX® 1x TX 8x90; 1x TX 9x101; 1x TX 10x112	
			967 PKXL TORX® 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224	

967/9 TX 1 L-key set, BlackLaser



Code	EAN			
05024242001	4013288	104946		10
			967 PKL TORX® 1x TX 8x76 ¹⁾ ; 1x TX 9x79 ¹⁾ ; 1x TX 10x85 ¹⁾ ; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132	

¹⁾Product without ball-end at the long arm.


967/9 TX 1 SB L-key set, BlackLaser



Code	EAN			
05073598001	4013288	106438		1
			967 PKL TORX® 1x TX 8x76 ¹⁾ 1x TX 9x79 ¹⁾ 1x TX 10x85 ¹⁾ 1x TX 15x90 1x TX 20x96 1x TX 25x104 1x TX 27x112 1x TX 30x122 1x TX 40x132	

¹⁾Product without ball-end at the long arm.

Kraftform Stainless - stainless steel to prevent rust



3967 SXL HF TORX® L-key Multicolour with holding function, long, stainless



	EAN							
Code	4013288			mm	mm			
05022680001	207135		TX 8	90	16	3 1/2"	5/8"	10
05022681001	207142		TX 9	101	16	4"	5/8"	10
05022682001	207159		TX 10	112	19	4 7/16"	3/4"	10
05022683001	207166		TX 15	123	21	4 7/8"	27/32"	10
05022684001	207173		TX 20	137	24	5 3/8"	1"	10
05022685001	207180		TX 25	154	27	6 1/16"	1 1/16"	10
05022686001	207197		TX 27	172	31	6 3/4"	1 1/4"	10
05022687001	207203		TX 30	195	37	7 11/16"	1 7/16"	10
05022688001	207210		TX 40	224	42	9"	1 11/16"	10

967 SXL HF TORX® L-key Multicolour with holding function, long

- Holding function for recessed TORX® screws

967 SXL HF TORX® L-key Multicolour with holding function, long



	EAN							
Code	4013288			mm	mm			
05024471001	194145		TX 8	90	16	3 1/2"	5/8"	10
05024472001	194152		TX 9	101	16	4"	5/8"	10
05024473001	194169		TX 10	112	19	4 7/16"	3/4"	10
05024474001	194176		TX 15	123	21	4 7/8"	27/32"	10
05024475001	194183		TX 20	137	24	5 3/8"	1"	10
05024476001	194190		TX 25	154	27	6 1/16"	1 1/16"	10
05024477001	194206		TX 27	172	31	6 3/4"	1 1/4"	10
05024478001	194213		TX 30	195	37	7 11/16"	1 7/16"	10
05024479001	194220		TX 40	224	42	9"	1 11/16"	10

967 SPKXL TORX® L-key Multicolour, long

- Long design

967 SPKXL TORX® L-key Multicolour, long



	EAN							
Code	4013288			mm	mm			
05024484001	194305		TX 15	123	21	4 7/8"	27/32"	10
05024485001	194312		TX 20	137	24	5 3/8"	1"	10
05024486001	194329		TX 25	154	27	6 1/16"	1 1/16"	10
05024487001	194336		TX 27	172	31	6 3/4"	1 1/4"	10
05024488001	194343		TX 30	195	37	7 11/16"	1 7/16"	10
05024489001	194350		TX 40	224	42	9"	1 11/16"	10

967 SL TORX® HF L-key Multicolour with holding function

- Holding function for recessed TORX® screws

967 SL TORX® HF L-key Multicolour with holding function



	EAN							
Code	4013288			mm	mm			
05024170001	185235		TX 8	76	16	3"	5/8"	5
05024171001	185242		TX 9	79	16	3 1/8"	5/8"	5
05024172001	185259		TX 10	85	17	3 1/4"	21/32"	5
05024173001	185266		TX 15	90	18	3 1/2"	23/32"	5
05024174001	185273		TX 20	96	19	3 3/4"	3/4"	5
05024175001	185280		TX 25	104	21	4 1/8"	27/32"	5
05024176001	185297		TX 27	112	22	4 7/16"	29/32"	5
05024177001	185303		TX 30	122	24	4 13/16"	1"	5
05024178001	185310		TX 40	132	27	5 3/16"	1 1/16"	5

967 SPKL TORX® B0 L-key Multicolour

- L-key for TORX® socket screws with safety pin

967 SPKL TORX® B0 L-key Multicolour



	EAN							
Code	4013288			mm	mm			
05024350001 ¹⁾	172679		TX 8	76	16	3"	5/8"	10
05024351001 ¹⁾	172686		TX 9	79	16	3 1/8"	5/8"	10
05024352001 ²⁾	172693		TX 10	85	17	3 3/8"	21/32"	10
05024353001	172709		TX 15	90	18	3 1/2"	23/32"	10
05024354001	172716		TX 20	96	19	3 3/4"	3/4"	10
05024355001	172723		TX 25	104	21	4 1/8"	27/32"	10
05024356001	172730		TX 27	112	22	4 7/16"	29/32"	10
05024357001	172747		TX 30	122	24	4 13/16"	1"	10
05024358001	172754		TX 40	132	27	5 3/16"	1 1/16"	10

¹⁾Product without bore hole at the short and without ball-end at the long arm.

²⁾Product without ball-end at the long arm.

967 SXL TORX® L-key Multicolour, long

- Long version

967 SXL TORX® L-key Multicolour, long



	EAN							
Code	4013288			mm	mm			
05024481001	194275		TX 8	90	16	3 1/2"	5/8"	10
05024482001	194282		TX 9	101	16	4"	5/8"	10
05024483001	194299		TX 10	112	19	4 7/16"	3/4"	10

967 XL HF TORX® L-key with holding function, long

- Holding function for recessed TORX® screws



	EAN							
Code	4013288			mm	mm			
05024451001	193674	TX 8	90	16	3 1/2"	5/8"		10
05024452001	193681	TX 9	101	16	4"	5/8"		10
05024453001	193698	TX 10	112	19	4 7/16"	3/4"		10
05024454001	193704	TX 15	123	21	4 7/8"	27/32"		10
05024455001	193711	TX 20	137	24	5 3/8"	1"		10
05024456001	193728	TX 25	154	27	6 1/16"	1 1/16"		10
05024457001	193735	TX 27	172	31	6 3/4"	1 1/4"		10
05024458001	193742	TX 30	195	37	7 11/16"	1 7/16"		10
05024459001	193759	TX 40	224	42	9"	1 11/16"		10

967 PKXL TORX® L-key, long

- TORX® ballpoint on the long arm



	EAN							
Code	4013288			mm	mm			
05024464001	194084	TX 15	123	21	4 7/8"	27/32"		10
05024465001	194091	TX 20	137	24	5 3/8"	1"		10
05024466001	194107	TX 25	154	27	6 1/16"	1 1/16"		10
05024467001	194114	TX 27	172	31	6 3/4"	1 1/4"		10
05024468001	194121	TX 30	195	37	7 11/16"	1 7/16"		10
05024469001	194138	TX 40	224	42	9"	1 1/16"		10

967 XL TORX® L-key, long

- Long design

967 XL TORX® L-key, long



	EAN							
Code	4013288			mm	mm			
05024461001	194053	TX 8	90	16	3 1/2"	5/8"		10
05024462001	194060	TX 9	101	16	4"	5/8"		10
05024463001	194077	TX 10	112	19	4 7/16"	3/4"		10

967 PKL TORX® L-key, BlackLaser

- TORX® ballpoint on the long arm

967 PKL TORX® L-key, BlackLaser



	EAN							
Code	4013288		mm	mm				
05024199001 ¹⁾	104939	TX 8	76	16	3"	5/8"		5
05024100001 ¹⁾	035035	TX 9	79	16	3 1/8"	5/8"		5
05024105001 ¹⁾	019431	TX 10	85	17	3 3/8"	21/32"		5
05024200001	019547	TX 15	90	18	3 1/2"	23/32"		5
05024202001	019554	TX 20	96	19	3 3/4"	3/4"		5
05024204001	019561	TX 25	104	21	4 1/8"	27/32"		5
05024206001	019578	TX 27	112	22	4 7/16"	29/32"		5
05024208001	019585	TX 30	122	24	4 13/16"	1"		5
05024210001	019592	TX 40	132	27	5 3/16"	1 1/16"		5

¹⁾Product without ball-end at the long arm.

967 L TORX® HF L-key with holding function, BlackLaser

- Holding function for recessed TORX® screws

967 L TORX® HF L-key with holding function, BlackLaser



	EAN							
Code	4013288		mm	mm				
05024160001	104847	TX 8	76	16	3"	5/8"		5
05024161001	104922	TX 9	79	16	3 1/8"	5/8"		5
05024162001	104854	TX 10	85	17	3 1/4"	21/32"		5
05024163001	104861	TX 15	90	18	3 1/2"	23/32"		5
05024164001	104878	TX 20	96	19	3 3/4"	3/4"		5
05024165001	104885	TX 25	104	21	4 1/8"	27/32"		5
05024166001	104892	TX 27	112	22	4 7/16"	29/32"		5
05024167001	104908	TX 30	122	24	4 13/16"	1"		5
05024168001	104915	TX 40	132	27	5 3/16"	1 1/16"		5

967 TORX® L-key, BlackLaser



	EAN							
Code	4013288		mm	mm				
05024001001	019257	TX 6	42	16	1 5/8"	5/8"		5
05024002001	019264	TX 7	48	16	1 7/8"	5/8"		5
05024003001	019271	TX 8	48	16	1 7/8"	5/8"		5
05024004001	019288	TX 9	48	16	1 7/8"	5/8"		5
05024005001	019295	TX 10	51	17	2"	21/32"		5
05024008001	019301	TX 15	54	18	2 1/8"	23/32"		5
05024010001	019318	TX 20	57	19	2 1/4"	3/4"		5
05024012001	019325	TX 25	60	20	2 3/8"	25/32"		5
05024013001	019332	TX 27	64	21	2 1/2"	27/32"		5
05024015001	019349	TX 30	70	24	2 3/4"	1"		5
05024020001	019356	TX 40	76	26	3"	1 1/32"		5

919 PH Offset Screwdriver

- Offset screwdrivers for cross-recess screws, Phillips
- 90° and 180°, chrome-plated

919 PH Offset Screwdriver



	EAN							
Code	4013288		mm	mm				
05017205001	002792	PH1+2	125	20	5"	25/32"		5

919 PZ Offset Screwdriver

- Offset screwdrivers for cross-recess screws, Pozidriv
- 90° and 180°

919 PZ Offset Screwdriver



	EAN							
Code	4013288		mm	mm				
05017305001	002815	PZ1+2	125	20	5"	25/32"		5

920 A Offset Screwdriver

- Offset screwdrivers for slotted screws
- 90° and 180°

920 A Offset Screwdriver



	EAN							
Code	4013288		mm	mm				
05017405001	002839	4,0+4,0	100	12	4"	1/2"		5
05017410001	002846	5,5+5,5	125	16	5"	5/8"		5
05017415001	002853	8,0+8,0	150	20	6"	25/32"		5

Kraftform Kompakt Turbo 1

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver.

A part time universal gear is the solution: integrated in the handle of the screwdriver, it significantly increases the working speed. The Kraftform Turbo accelerates the screwdriving in a purely mechanical way.

The turbo function can either be switched on or off by pressing a button. Turning it off is recommended for fine adjustment and final tightening or loosening of a high torque screw.

The robust steel design is maintenance-free and ensures a long product life. Thanks to the Rapidaptor bit holder, the Kraftform Turbo can be used with all conventional 1/4" hexagon bits for a wide variety of screw profiles.

With the Rapidaptor function the bits can be inserted directly and can be easily removed by pushing the sleeve forward - allowing single hand operation.

- Quadruples the screwdriving speed in a purely mechanical way (without battery)
- Activation and deactivation of the turbo function by a simple push of a button
- The fixable universal gear allows powerful screwdriving and easy fine adjustments
- Robust, maintenance-free gear made of steel (maximum torque 14 Nm)

Kraftform Kompakt Turbo 1



Code	EAN		
05057482001	4013288 214614		1
		826 T Kraftform Turbo 1x 1/4"x146	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
		867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
		800/4 Z 1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89	

Kraftform Kompakt Turbo Imperial 1



Code	EAN		
05057483001	4013288 214621		1
		826 T Kraftform Turbo 1x 1/4"x146	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		840/4 Z Hex-Plus 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89	
		868/4 Square-Plus 1x # 1x89; 1x # 2x89; 1x # 3x89	
		800/4 Z 1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89	

826 T Kraftform Turbo bits handholder with Rapidaptor quick-release chuck

- Quadruples the screwdriving speed in a purely mechanical way (without battery)
- Activation and deactivation of the turbo function by a simple push of a button
- The fixable universal gear allows powerful screwdriving and easy fine adjustments
- Robust, maintenance-free gear made of steel (maximum torque 14 Nm)

826 T Kraftform Turbo bits handholder with Rapidaptor quick-release chuck



Code	EAN	Hex	Length	Unit
05057480001	214591	1/4"	146	1

Kraftform Kompakt 10, 12

9 tough viscous Wera bits for universal use. Torsion design to combat premature wear.

1 holder 813 R Kraftform with Rapidaptor quick-release chuck; multi-component for high working speeds and particularly ergonomic screwdriving.

- Kraftform holder with Rapidaptor quick-release chuck
- Torsion design of the bits against premature wear
- Tough viscous bits for universal use
- Convenient and robust storage

Kraftform Kompakt 10



Code	EAN	Hex	Length	Unit
05056653001	041647			1
		Hex	813 R	
			1x 1/4"x90	
		Cross	851/1 TZ PH	
			1x PH 1x25; 1x PH 2x25	
		Star	855/1 TZ PZ	
			1x PZ 1x25; 1x PZ 2x25	
		Star	867/1 TZ TORX®	
			1x TX 10x25; 1x TX 15x25; 1x TX 20x25	
		Star	800/1 TZ	
			1x 0,5x4,0x25; 1x 1,0x5,5x25	


Kraftform Kompakt 12



Code	EAN	Hex	Length	Unit
05135942001	155887			1
		Hex	813 R	
			1x 1/4"x90	
		Cross	851/1 J	
			1x PH 00x25x2,0; 1x PH 0x25x2,5 ¹⁾ ; 1x PH 1x25x3,0	
		Star	851/1 TZ PH	
			1x PH 2x25	
		Star	867/1 TZ TORX®	
			1x TX 5x25; 1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25	

¹⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt 20 - the right tool for machine or hand



Wera compact tools enable the simultaneous use for the two types of fastening “manual” and “power tool”. The handle/interchangeable system in a compact design with various blade tips in a minimum of space make the user mobile and flexible.


Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 und E 6.3 (ISO 1173) and Wera connecting series 1 and 4. Comes with an extension, bayonet, Rapidaptor technology.

Kraftform handle with non-roll feature, multi-component for particularly ergonomic screwdriving. Integrated magazine for the storage of the bits. In this way, this set replaces a 6-piece screwdriver set and reduces the equipment required to a minimum.


The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

- Kraftform holder with bayonet blade and Rapidaptor quick-release chuck
- Kraftform handle with anti-roll feature, multi-component and integrated magazine
- Retractable bayonet blade
- Take it easy tool finder: colour coding according to profile and size
- In robust pouch

Take it easy tool finder with color markings - for quick tool identification



Kraftform Kompakt 20 Tool Finder 1 with pouch



Code	EAN		
05051016001	4013288 185327		1
	889/4 R	1x 1/4"x100	
	851/1 BTZ PH	1x PH 1x25; 1x PH 2x25	
	855/1 BTZ PZ	1x PZ 1x25; 1x PZ 2x25	
	867/1 TORX® BTZ	1x TX 25x25	
	800/1 BTZ	1x 0,8x5,5x25	

Kraftform Kompakt 20 Tool Finder 2 with pouch

13-piece Kraftform Kompakt set with 6x 25mm long and 6x 89mm long bits. Wera's compact tools allow the simultaneous use of both types of screw connections; "hand" or "machine".

The handle blade-change system in a compact design with different compact blade tips makes the user mobile and flexible. Suitable for bits with 1/4" hexagonal drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173) and Wera connection series 1 and 4.

With connecting adapter, bayonet, Rapidaptor technology, Kraftform handle with anti-roll protection, multi-components allow for particularly ergonomic screwdriving. Integrated magazine for storing 25mm long bits.

This set replaces a 12-piece screwdriver set and reduces the necessary equipment to a minimum.

Profile and size of the bits are easily recognizable due to the Wera Take it easy tool finder with its colour coding and easily visible labels.

- 6x25mm bits with Take it easy tool finder: colour coding by profile and size stamping and 6x89mm bits

Kraftform Kompakt 20 Tool Finder 2 with pouch



Code	EAN		
05051017001	4013288 211224		1
		889/4 R 1x 1/4"x100	
		851/1 BTZ PH 1x PH 1x25; 1x PH 2x25	
		855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25	
		867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89	
		867/4 Z TORX® 1x TX 20x89; 1x TX 25x89	

Kraftform Kompakt 20 Tool Finder 3 with pouch




Code	EAN		
05051013001	4013288 211569		1
		889/4 R 1x 1/4"x100	
		851/1 BTZ PH 1x PH 1x25; 1x PH 2x25	
		867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25	
		868/1 BTZ Square-Plus 1x # 1x25; 1x # 2x25	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89	
		867/4 Z TORX® 1x TX 20x89; 1x TX 25x89	
		868/4 Square-Plus 1x # 1x89; 1x # 2x89	

Kraftform Kompakt 20 A

- Tough viscous bits for universal use

Kraftform Kompakt 20 A



Code	EAN		
05051019001	4013288 100528		1
		889/4 R 1x 1/4"x100	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Kraftform Kompakt 20 with pouch



Code	EAN		
05051021001	4013288 098917		1
		889/4 R 1x 1/4"x100	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Kraftform Kompakt 22 with pouch



Code	EAN			
05051023001	4013288 098924			1
		889/4 R	1x 1/4"x100	
		855/1 Z PZ	1x PZ 1x25; 2x PZ 2x25	
		867/1 TORX®	1x TX 15x25; 1x TX 20x25; 1x TX 25x25	

Kraftform Kompakt 25 with pouch



Code	EAN			
05051024001	4013288 098931			1
		889/4 R	1x 1/4"x100	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		800/1 Z	1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Kraftform Kompakt 26 with pouch



Code	EAN			
05051025001	4013288 098948			1
		889/4 R	1x 1/4"x100	
		851/1 Z PH	1x PH 1x25; 1x PH 2x25	
		800/1 Z	1x 1,0x5,5x25; 1x 1,2x6,5x25	
		868/1 Z	1x # 1x25; 1x # 2x25	


Kraftform Kompakt 28 SB

Wera compact tool with multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving. Integrated bit magazine in the handle for the storage of 6 bits.

The bayonet blade can be lowered into the handle in confined screwdriving situations; it can be removed for insertion in a power tool. The retaining ring and the strong permanent magnet ensure a secure fit of the bit.


- Adaptor bayonet with stainless sleeve, retaining ring and strong permanent magnet
- Tough viscous bits for universal use

Kraftform Kompakt 28 SB



Code	EAN			
05073240001	4013288 138927			1
		851/1 Z PH	1x PH 1x25; 1x PH 2x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25	
		800/1 Z	1x 1,0x5,5x25; 1x 1,2x6,5x25	

Kraftform Kompakt 28 Imperial 1



Code	EAN		
05073241001	4013288 214676		1
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25
		□	868/1 Z 1x # 1x25; 1x # 2x25
		●	800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25

Kraftform Kompakt 28 with pouch



Code	EAN		
05134491001	4013288 175373		1
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25
		+	855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25
		●	800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25

Kraftform Kompakt 40 and 41

- Pouch with 89 mm-long bits
- Kraftform holder with Rapidaptor quick-release chuck
- Rapidaptor quick-release chuck allows rapid bit change
- Tough viscous bits for universal use
- Ergonomic Kraftform handle for low-fatigue working

Kraftform Kompakt 40



Code	EAN		
05059298001	4013288 096319		1
		●	816 R 1x 1/4"x119
		+	851/4 Z PH 1x PH 1x89; 1x PH 2x89
		+	855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89
		●	800/4 Z 1x 1,0x5,5x89; 1x 1,2x6,5x89

Kraftform Kompakt 41



Code	EAN		
05059299001	4013288 096326		1
		●	816 R 1x 1/4"x119
		+	851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89
		+	855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89
		●	867/4 Z TORX® B0 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89

Kraftform Kompakt 50

12-piece bit set with holder and Rapidaptor quick-release chuck; multi-component Kraftform handle for low-fatigue working.

The telescopic bayonet blade – which can be lowered into the handle – allows fast manual work even in confined installation situations when the blade is retracted. Suitable for manual and power tool operations.

Kraftform Kompakt 50



Code	EAN		
05056656001	4013288 093219		1
		817 R 1x 1/4"x133	
		889/4 R 1x 1/4"x100	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25	

Kraftform Kompakt 60 Torque 1.2 - 3.0 Nm

Pouch with bits in a length of 89 mm. Includes torque screwdriver 7441 with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working. Suitable for manual and power tool operations. 17-piece; compact handle/interchangeable blade system for torque-controlled tightening. Includes torque holder 7441, settings from 1.2 to 3.0 Nm. Adjustable in 0.10 Nm steps.

Simple setting of the required torque value without any special tools. Easy-to-read scale value. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand. Includes 16 bits with a length of 89 mm and a practical pouch for tidy storage.

- Adjustable Kraftform torque screwdriver with Rapidaptor quick-release chuck
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Rapidaptor technology for rapid bit change
- Suitable for manual and power tool operations
- Practical pouch for tidy storage

Kraftform Kompakt 60 Torque 1.2 - 3.0 Nm




Code	EAN		
05059293001	4013288 169624		1
		7400 1x 7441, 1/4", 1,2-3,0 Nm	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		800/4 Z 1x 1,0x5,5x89	
		840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	

**Kraftform Stainless -
stainless steel to prevent rust**

Stainless steel material to prevent extraneous rust

Shop floor-proof thanks to vacuum ice hardening



Pouch with bits in a length of 89 mm. Includes Kraftform holder 3816 R with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working. Stainless design to prevent the formation of extraneous rust.

Kraftform Kompakt 60, stainless



	Code	EAN 4013288		
05071116001	115713			1
			3816 R 1x 1/4"x119	
			3851/4 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
			3855/4 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
			3867/4 TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
			3800/4 1x 1,0x5,5x89	
			3840/4 Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	

Kraftform Kompakt 60, imperial, stainless



Code	EAN			
05071117001	4013288			
	115720			1
			3816 R 1x 1/4"x119	
			3851/4 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
			3867/4 TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
			3800/4 1x 1,0x5,5x89	
			3840/4 Hex-Plus 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89	
			3868/4 Square-Plus 1x # 1x89; 1x # 2x89; 1x # 3x89	



Kraftform Kompakt 60

Pouch with 89-mm long bits. Includes 816 R Kraftform holder with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working.

Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Suitable for manual and power tool operations; 17-piece.

Kraftform Kompakt 60



Code	EAN		
05059295001	096289		1
		816 R 1x 1/4"x119	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		800/4 Z 1x 1,0x5,5x89	
		840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	

Kraftform Kompakt 60, imperial



Code	EAN		
05051042001	156037		1
		816 R 1x 1/4"x119	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		800/4 Z 1x 1,0x5,5x89	
		840/4 Z Hex-Plus 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89	
		868/4 Square-Plus 1x # 1x89; 1x # 2x89; 1x # 3x89	


Kraftform Kompakt 60 KK

- Ballpoint bits allow a swivelling of the tool axis

Kraftform Kompakt 60 KK



Code	EAN		
05059294001	165503		1
		816 R 1x 1/4"x119	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
		867/4 KK 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89; 1x TX 40x89	
		842/4 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	



	Code	EAN 4013288		
05059297001	096302			1
			816 R 1x 1/4"x119	
			851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
			855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
			867/4 Z TORX® B0 1x TX 8x89; 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 27x89; 1x TX 30x89; 1x TX 40x89	
			840/4 Z Hex-Plus B0 1x 2,0x89; 1x 2,5x89; 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
			800/4 Z 1x 1,2x6,5x89	
			871/4 TORQ-SET® Mplus 1x 6x89; 1x 8x89; 1x 10x89	
			875/4 TRI-WING® 1x 1x89; 1x 2x89; 1x 3x89; 1x 4x89	
			857/4 Z Spanner 1x 4x89; 1x 6x89; 1x 8x89; 1x 10x89	

Bicycle tool set in practical pouch with 89 mm long bits. Including 816 R Krafftform bit hand-holder with Rapidaptor quick-release chuck and multi-component Krafftform handle for fatigue-free working.



	Code	EAN 4013288		
05004171001	211439			1
			816 R 1x 1/4"x119	
			851/4 Z PH 1x PH 1x89; 1x PH 2x89	
			867/4 Z TORX® 1x TX 10x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
			840/4 Z Hex-Plus 1x 2,0x89; 1x 2,5x89; 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
			K70 1x 50,0x70,0	



Kraftform Kompakt 70 Universal

32-piece set with holder 816 R Kraftform and Rapidaptor quick-release chuck; multi-component Kraftform handle for low-fatigue working. Rapidaptor universal holder with strong permanent magnet that also holds large and heavy screws securely. Together with the 30 bits, the user is equipped for almost every application.

Kraftform Kompakt 70 Universal



Code	EAN			
05057110001	038654			1
		816 R	1x 1/4"x119	
		889/4/1 K	1x 1/4"x50	
		851/1 TZ PH	3x PH 1x25; 3x PH 2x25; 3x PH 3x25	
		855/1 TZ PZ	3x PZ 1x25; 3x PZ 2x25; 3x PZ 3x25	
		867/1 Z TORX® B0	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		800/1 TZ	1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		840/1 Z Hex-Plus	1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

Kraftform Kompakt 71 security



Code	EAN			
05057111001	038661			1
		816 R	1x 1/4"x119	
		889/4/1 K	1x 1/4"x50	
		867/1 Z TORX® B0	1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		840/1 Z Hex-Plus B0	1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		868/1 Z	1x # 0x25; 1x # 1x25; 1x # 2x25; 1x # 3x25	
		871/1 TORQ-SET® Mplus 25 mm	1x 6x25; 1x 8x25; 1x 10x25; 1x 1/4"x25	
		875/1 TRI-WING® 25 mm	1x 1x25; 1x 2x25; 1x 3x25	
		857/1 Z Spanner	1x 4x25; 1x 6x25; 1x 8x25; 1x 10x25	

Kraftform Kompakt 100

52-piece; in surface-protecting, compact textile box which is extremely robust. Low volume and weight for simplified mobility. Compact tool set with 52 screwdriving tools.


1 bit holder Rapidaptor with quick-release chuck; 1 B bit holder Rapidaptor with quick-release chuck for take-up in the power screwdriver or use in the chuck of the power drill; 30 BiTorsion bits with a length of 25 mm for long service life, tough-absorbing (BTZ), for universal use, extra hard (BTH), 12 Impaktor bits with a length of 50 mm for particularly demanding jobs, 8 L-keys with Hex-Plus profile (prevents the rounding of socket head screws) and hexagonal ballpoint on the long arm for working at angles; textile box that is very robust and durable; can be positioned upright for tidy storage on the workshop shelf; additional surface protection thanks to the outer textile material.

- Robust surface-protecting, compact, textile box
- Rapidaptor technology for rapid bit change
- BiTorsion bits in a length of 25 mm for long service life
- Impaktor bits in a length of 50 mm for particularly demanding jobs
- L-keys with Hex-Plus profile (prevents the rounding of hexagon socket screws)

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



Kraftform Kompakt 100



Code	EAN		
05057460001	4013288 179968		1
	813 R	1x 1/4"x90	
	889/4/1 K	1x 1/4"x50	
	851/1 BTZ PH	2x PH 1x25; 4x PH 2x25; 2x PH 3x25	
	851/4 IMP DC	2x PH 2x50; 1x PH 3x50	
	855/1 BTH PZ	2x PZ 1x25; 4x PZ 2x25; 2x PZ 3x25	
	855/4 IMP DC	2x PZ 2x50; 1x PZ 3x50	
	867/1 TORX® BTZ	2x TX 10x25; 2x TX 15x25; 3x TX 20x25; 2x TX 25x25; 2x TX 30x25; 1x TX 40x25	
	867/4 IMP DC	1x TX 25x50; 1x TX 30x50; 1x TX 40x50	
	800/1 BTZ	1x 0,8x5,5x25; 1x 1,0x5,5x25	
	840/4 IMP DC	1x 4,0x50; 1x 5,0x50; 1x 6,0x50	
	950 PKS	1x 1,5x50 ¹⁾ ; 1x 2,0x56; 1x 2,5x63; 1x 3,0x71; 1x 4,0x80; 1x 5,0x90; 1x 6,0x100; 1x 8,0x112	

¹⁾Regular hexagon

Kraftform Kompakt 400

T-handle screwdriver: The ideal handle shape to allow high torque transmission in difficult tightening and loosening situations. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses.

The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided. Special surface treatment of the blades for high corrosion protection and an optimum fit in the screw head.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- With Rapidaptor technology for lightning-fast bit changes
- Bitholders, magnetic, for easier application of the screw
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

Kraftform Kompakt 400



				
Code	EAN			
	4013288			
05057470001	214546			1
			416 R 1x 1/4"x45	
			851/4 Z PH 1x PH 2x89; 1x PH 3x89	
			855/4 Z PZ 1x PZ 2x89; 1x PZ 3x89	
			867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89; 1x TX 40x89	
			840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89; 1x 8,0x89	
			800/4 Z 1x 1,0x5,5x89	

Kraftform Kompakt Stubby 1

Handle/interchangeable blade system for lightning fast replacement of the required blade. Especially small bit-holding Stubby screwdriver handle with short blade for hard to reach areas.

Suitable for the mounting of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1. With strong permanent magnet, which also holds large and heavy screws.

The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working. High-quality BiTorsion bits with a softer BiTorsion zone to prevent twisting of the bit tip under high loads. This significantly increases product life.

Compact, textile box with high robustness, low weight and volume. Suitable for docking with the Wera 2go system.

- Handle/Interchangeable blade system for rapid exchange of the blade
- Stubby bit hand holder: short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Bits with BiTorsion zone to cushion load peaks
- Take it easy tool finder: colour coding according to profile and size

Kraftform Kompakt Stubby 1



			
Code	EAN 4013288		
05057471001	214553		1
			811/1 Stubby 1x 1/4"
			851/1 BTZ PH 1x PH 1x25; 1x PH 2x25
			855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25
			867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25
			840/1 BTZ Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 5,5x25
			800/1 BTZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25

Kraftform Kompakt W 1 Maintenance

Compact tool set with the 35 most important screwdriving tools for maintenance work both indoors as well as outdoors.

Includes VDE holder with 12 VDE blades; 1 Joker double open-end wrench with holding function, limit stop, small return angle and extremely gripping teeth; the incredibly fast 1/4" Zyklop Speed ratchet and accessories; 8 manual and power tool sockets, sizes 5.5-13,

1 universal bit holder; 7 bits in a length of 25 mm; 1 screw gripper for firmly holding screws; 1 voltage tester 247; textile box, very robust and durable; can be positioned upright in the workshop shelf for convenient storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

- Incredibly fast 1/4" Zyklop Speed ratchet with pivoting ratchet head and 5 predefined locking positions
- Manual and power tool sockets (non-impact) with ball-stop groove and knurling at lower end for more grip
- Joker double open-end wrench with holding function, limit stop, small return angle and extremely gripping teeth
- VDE-insulated Kraftform holder and interchangeable blades
- Set in robust textile box

Kraftform Kompakt W 1 Maintenance



Code	EAN		
	4013288		
05135926001	178336		1
		817 VDE 1x 9x102	
		KK 60 i 1x 0,4x2,5x154	
		KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	
		KK 62 iS 1x PH 1x154; 1x PH 2x154	
		KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154	
		KK 67 i TORX® 1x TX 10x154	
		KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		1440 1x 4,5 - 6,0x41,0	
		247 1x 0,5x3,0x70	
		6002 Joker Double 1x 10x13x167	
		8000 A 1x 1/4"x152,0	
		8784 A1 1x 1/4"x1/4"x37,0	
		8794 SA 1x 1/4"x75,0	
		8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		893/4/1 K 1x 1/4"x50	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		867/1 TORX® 1x TX 25x25	

*)Product not available in the USA and Canada.

Kraftform Kompakt W 2 Maintenance



Code	EAN			
05135870001	209542			1
		●	817 VDE 1x 9x102	
		●	KK 60 i 1x 0,4x2,5x154	
		●	KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	
		+	KK 62 iS 1x PH 1x154; 1x PH 2x154	
		✱	KK 67 i TORX® 1x TX 10x154	
		✱	KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		✱	KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154	
			1440 1x 4,5 - 6,0x41,0	
		●	335 1x 0,4x2,5x60 ¹⁾	
			6002 Joker Double 1x 10x13x167	
		□	8000 A 1x 1/4"x152,0	
		●	8784 A1 1x 1/4"x1/4"x37,0	
		□	8794 SA 1x 1/4"x75,0	
		●	8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		●	893/4/1 K 1x 1/4"x50	
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		○	840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	
		✱	867/1 TORX® 1x TX 25x25	

¹⁾without Lasertip

Kraftform Kompakt W Imperial 1 Maintenance



Code	EAN			
05135871001	209559			1
		●	817 VDE 1x 9x102	
		●	KK 60 i 1x 0,4x2,5x154	
		●	KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154	
		+	KK 62 iS 1x PH 1x154; 1x PH 2x154	
		✱	KK 67 i TORX® 1x TX 10x154	
		✱	KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154	
		□	KK 68 iS 1x # 1x154; 1x # 2x154	
		●	335 1x 0,4x2,5x60 ¹⁾	
			1440 1x 4,5 - 6,0x41,0	
			6000 Joker Imperial 1x 1/2"x177	
		□	8000 A 1x 1/4"x152,0	
		●	8790 HMA 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0; 1x 9/16"x23,0	
		●	8784 A1 1x 1/4"x1/4"x37,0	
		□	8794 SA 1x 1/4"x75,0	
		●	893/4/1 K 1x 1/4"x50	
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		○	840/1 Z Hex-Plus 1x 1/8"x25; 1x 9/32"x25; 1x 7/32"x25; 1x 1/4"x25	
		✱	867/1 TORX® 1x TX 25x25	

¹⁾without Lasertip

Kraftform Kompakt H 1 Woodcraft

Compact tool set with the 41 most important screwdriving tools for applications involving wood. Includes the bit ratchet Zyklop Mini with extension and socket adaptor; 8 manual and power tool sockets, sizes 5.5-13, 1 ratchet holder 816 RA with ratcheting function, fine-pitched teeth for small return angle, switchover ring (right, fixed, left), maximum torque 50 Nm and bit take-up with the Rapidaptor technology; 1 universal bit holder; 6 bits in a length of 25 mm; 16 bits of a length of 89 mm; 5 wood twist drill bits with a diameter of 3-8 mm; 1 screw gripper for firmly holding screws; 1 voltage tester 247; textile box, very robust and durable; can be positioned upright in the workshop shelf for convenient storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

- Robust Zyklop Mini ratchet suitable for take-up of bits and sockets
- Torque of over 65 Nm thanks to fine-pitched ratchet mechanism and small return angle of 6°
- Ratcheting screwdriver with Rapidaptor technology for rapid bit change
- High quality wood twist drill bits for drilling soft wood, hard wood and laminated panel material
- Set in robust textile box

Kraftform Kompakt H 1 Woodcraft



Code	EAN		
05135939001	4013288 178350		1
		816 RA 1x 1/4"x142,0	
		8001 A 1x 1/4"x87,0	
		870/1 1x 1/4"x25 ¹⁾	
		8794 SA 1x 1/4"x75,0	
		8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
		893/4/1 K 1x 1/4"x50	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		867/1 TORX® 1x TX 20x25; 1x TX 25x25	
		840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
		800/4 Z 1x 1,0x5,5x89	
		800/1 Z 1x 1,0x5,5x25	
		849 HSS 1x 3,0x70,0; 1x 4,0x74,0; 1x 5,0x85,0; 1x 6,0x95,0; 1x 8,0x110,0	
		247 1x 0,5x3,0x70	
		1441 1x 4,5 - 6,0x41,0	

¹⁾ With friction ball; for manual nut spinner sockets


²⁾ Product not available in the USA and Canada.

Kraftform Kompakt M 1 Metal

Compact tool set with the 39 most important screwdriving tools for jobs on metal. Includes the incredibly fast 1/4" Zyklop Speed ratchet and accessories; 7 manual and power tool sockets, sizes 5.5-13, 1 universal bit holder;

13 bits in a length of 89 mm; 6 metal twist drill bits with diameter of 3-10 mm; 1 screw gripper for firmly holding screws; 1 voltage tester 247; textile box, very robust and durable; can be positioned upright in the workshop shelf for convenient storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

Kraftform Kompakt M 1 Metal



Code	EAN			
05135928001	4013288 178367			1
			8000 A 1x 1/4"x152,0	
			8794 LA 1x 1/4"x150,0	
			8794 A 1x 1/4"x56,0	
			8784 A1 1x 1/4"x1/4"x37,0	
			816 R 1x 1/4"x119	
			8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
			851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
			840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
			867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
			800/4 Z 1x 1,0x5,5x89	
			847 HSS 1x 2,5x36,0; 1x 3,3x39,0; 1x 4,2x41,0; 1x 5,0x44,0; 1x 6,8x51,0; 1x 8,5x59,0	
			848 HSS 1x 3,0x38,0; 1x 4,0x44,0; 1x 5,0x50,0; 1x 6,0x50,0; 1x 8,0x51,0; 1x 10,0x54,0	
			1441 1x 4,5 - 6,0x41,0	
			247 1x 0,5x3,0x70	

***Product not available in the USA and Canada.

Kraftform Kompakt SH 1 PlumbKit

Compact tool set with the 25 most important screwdriving tools for plumbing and heating applications. Includes 2 Joker open-end wrenches, the 1/4" Zyklop ratchet and accessories, 6 x 89 mm bits, 5 multi-component Kraftform Plus screwdrivers and voltage tester. Two Joker combination ratcheting wrenches with special holding plate against slipping/loss of the screw and more torque transfer; 1 Zyklop ratchet 8000 A (1/4") for fast, powerful working; 3 Zyklop sockets 8790 HMA for manual and power tools usage; 1 Zyklop adaptor 8784 A1 for bits; 6 TORX® HF bits 867/4 with holding function for TORX® screws for secure carry without any loss of the screws;

1 voltage tester 247; 2 Kraftform series 100 slotted screwdrivers 160 i and 160 iS for safe work up to 1,000 volts (160 iS with reduced shaft diameter and integrated insulation protection for reaching and actuating low-lying screws and spring elements);

1 Kraftform ChiselDriver 932 A (slotted) with hex blade extending right through the handle and integrated impact cap for screwdriving and simpler chiselling work; 2 nutsetters 395 HO with hollow shaft for the tightening or loosening of screws on long bolts as well as seized screws.

"Take it easy" tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

- Joker combination ratcheting wrench with special holding plate against slipping/loss of the screw
- Zyklop Speed ratchet for fast and powerful working
- Insulated Kraftform VDE slotted screwdriver for safe work at 1,000 volts
- Kraftform ChiselDriver with hex blade extending through handle and integrated impact cap
- Hollow shaft nutspinner for nuts on protruding threaded rods

Kraftform Kompakt SH 1 PlumbKit



Code	EAN			
05135927001	4013288	170132		1
			6000 Joker	
			1x 10x159; 1x 13x177	
			8000 A	
			1x 1/4"x152,0	
			8790 HMA	
			1x 7,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0	
			8784 A1	
			1x 1/4"x1/4"x37,0	
			867/4 TORX® HF	
			1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50	
			851/4 Z PH	
			1x PH 1x89; 1x PH 2x89	
			840/4 Z Hex-Plus	
			1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	
			247	
			1x 0,5x3,0x70	
			160 iS	
			1x 0,6x3,5x100	
			160 i VDE	
			1x 1,0x5,5x125	
			932 A	
			1x 1,2x7,0x125	
			395 H0	
			1x 10,0x90; 1x 13,0x90	

^{*)}Product not available in the USA and Canada.

Kraftform Kompakt SH 2 PlumbKit

- 15 screwdriving tools for sanitary or heating applications in compact and robust Wera textile box
- Joker combination ratcheting wrench with special holding plate against slipping/loss of the screw
- Insulated Kraftform VDE slotted screwdriver for safe work at 1,000 volts
- Kraftform Chiseldriver with hex blade extending through handle and integrated impact cap
- Hollow shaft nutspinner for nuts on protruding threaded rods

Kraftform Kompakt SH 2 PlumbKit



Code	EAN			
05136026001	4013288	204387		1
			395 H0	
			1x 10,0x90; 1x 13,0x90	
			932 A	
			1x 1,2x7,0x125	
			6001 Joker Switch	
			1x 10x159; 1x 13x179	
			950 SPKL HF Multicolour	
			1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172	
			817 VDE	
			1x 9x102	
			KK 62 iS	
			1x PH 1x154; 1x PH 2x154	
			KK 60 iS	
			1x 0,6x3,5x154; 1x 1,0x5,5x154	
			247	
			1x 0,5x3,0x70	
			K240	
			1x 50,0x240,0	

^{*)}Product not available in the USA and Canada.

9100 guitar tool set

Guitar tool set: The set contains all the tools necessary for adjustment and maintenance repair work. Wera stainless steel angle wrench with Hex-Plus profile (sizes: 1.5, 2.0, 2.5, 5.0 and in the inch sizes $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ").

Wera 89 mm long stainless steel bits for hexagon socket screws (sizes: 1.5, 2.0, 2.5), Kraftform handle for $\frac{1}{4}$ " bits, $\frac{1}{4}$ " stainless steel bits for slot (sizes: 1.8x12x41 mm, 0.6x3.5x89 mm, 1.2x8.0x89 mm), Phillips screws (sizes: PH 1x89 mm, PH 2x89 mm) and hexagon socket screws (size: 0.05"x25 mm), Wera adapter for handle ($\frac{1}{4}$ " hex socket of the handle on $\frac{1}{4}$ " square of sockets), Wera Zyklop sockets (sizes 10 and $\frac{1}{2}$ "), string crank with $\frac{1}{4}$ " hex for use in the handle, Knipex string cutter, feeler gauge, input jacker, 2 picks.


9100 guitar tool set



Code	EAN			
05134015001	4013288 211675			1
		815 R	1x $\frac{1}{4}$ "x119	
		3851/4	1x PH 1x89; 1x PH 2x89	
		3800/1 TS	1x 1,8x12,0x41	
		3800/4	1x 0,6x3,5x89; 1x 1,2x8,0x89	
		3840/1 TS	1x 0,05"x25x1"	
		3950 PKL	1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154	
		3950 PKL inch	1x $\frac{1}{8}$ "x123; 1x $\frac{5}{32}$ "x137; 1x $\frac{3}{16}$ "x154	
		870/1	1x $\frac{1}{4}$ "x25 ¹⁾	
		8790 HMA	1x 10,0x23,0	
		8790 HMA Deep	1x $\frac{1}{2}$ "x50,0	
		9103		
		9105		
		9104		
		9001		
		9102		
		9110		
		KNIPLEX 74 01 140		

¹⁾With friction ball; for manual nut spinner sockets

Rapidaptor - the amazing compact multifunction tool




High quality holder for stainless steel bits so as to avoid the formation of extraneous rust. The Rapidaptor quick-release chuck enables rapid bit change without needing any special tools.

Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Suitable for bits with $\frac{1}{4}$ " hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Bit handholder with Rapidaptor quick-release chuck, stainless
- Secure clamping of bits
- Fast bit change
- Free-turning sleeve for guiding the power tool

Kraftform Stainless - stainless steel to prevent rust



3816 R Bit-holding screwdriver with Rapidaptor quick-release chuck, stainless



	EAN								
Code	4013288		mm						
05051465001	127570	1/4"	119						5

813 R Bitholding screwdriver with Rapidaptor quick-release chuck



	EAN								
Code	4013288		mm						
05051272001	103123	1/4"	90						2

816 R Bitholding screwdriver with Rapidaptor quick-release chuck



	EAN								
Code	4013288		mm						
05051462001	099617	1/4"	119						5

816 R SB Bitholding screwdriver with Rapidaptor quick-release chuck



	EAN								
Code	4013288								
05073540001	106032		816 R						1
			1x 1/4"x119						

817 R Bitholding screwdriver with Rapidaptor quick-release chuck

High quality bit holder. The telescopic bayonet blade, which can be lowered into the handle, together with the quick-release chuck allows fast manual work even in confined installation situations. The Rapidaptor quick-release chuck enables rapid bit change without needing any special tools.

The strong permanent magnet holds the bits absolutely securely. Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

- Retractable bayonet blade

817 R Bitholding screwdriver with Rapidaptor quick-release chuck



	EAN								
Code	4013288		mm						
05051482001	103130	1/4"	133						2

817 R SB Bitholding screwdriver with Rapidaptor quick-release chuck



	EAN								
Code	4013288								
05073541001	106025		817 R						1
			1x 1/4"x133						

820/1/6 Combination screwdriver with strong permanent magnet and bits

- Bit holder with integrated bit magazine for 1/4" hexagon head drive
- Ergonomic Kraftform handle with rotatable magazine
- Hexagon blade and stainless sleeve
- Strong permanent magnet holds the bits absolutely securely

820/1/6 Combination screwdriver with strong permanent magnet and bits



Code	EAN		
05051620001	4013288 037541		1
		819/1 Vario 1x 1/4"x120	
		867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

819/1/6 Combination screwdriver with strong permanent magnet and bits



Code	EAN		
05051615001	4013288 037534		1
		819/1 Vario 1x 1/4"x120	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		800/1 Z 1x 0,8x5,5x25; 1x 1,2x6,5x25	

819/1/6 PH Combined Screwdriver with strong permanent magnet and bits



Code	EAN		
05346280001	4013288 122926		1
		819/1 Vario 1x 1/4"x120	
		851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

819/1 Combination screwdriver with strong permanent magnet, without bits



Code	EAN						
05051610001	037527	1/4"	120	110	10,5	4 3/4"	1

392 Bitholding screwdriver with flexible shaft

High quality bit holder with flexible shaft by Wera. Multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Comes with quick-release chuck for rapid bit change and hexagonal anti-roll feature that prevents any rolling away. Suitable for the insertion of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

- Bit holder with flexible shaft and quick-release chuck
- Flexible, circular blade

392 Bitholding screwdriver with flexible shaft



Code	EAN						
05028160001	041418	1/4"	177	98	7"		5

813 Bitholding screwdriver

- Bit holder for bits with 1/4" hexagon drive
- Magnetic

813 Bitholding screwdriver



Code	EAN						
05051274001	4013288 175656	1/4"	78	68			3

812/1 Bitholding screwdriver with strong permanent magnet

- Hexagonal blade, chrome-plated
- Stainless sleeve with strong permanent magnet for secure fit of the bit

812/1 Bitholding screwdriver with strong permanent magnet



	EAN						
Code	4013288		mm	mm	mm		
05051205001	012272	1/4"	120	112	10,5	4 3/4"	2

811/1 Stubby bits hand holder, magnetic

Especially small bit-holding Stubby screwdriver handle with short blade for hard to reach areas. Suitable for the mounting of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1. With strong permanent magnet, which also holds large and heavy screws.

The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Hexagonal anti-roll feature against rolling away
- Magnetic bits hand holder for easier placement of the screws
- For 1/4" bits as per DIN ISO 1173-C 6.3

811/1 Stubby bits hand holder, magnetic



	EAN					
Code	4013288		mm	mm		
05008880001	212375	1/4"	10	54	3/8"	2

810/1 Bitholding screwdriver with retaining ring

- Bit holder with retaining ring for bits with 1/4" hexagon drive

810/1 Bitholding screwdriver with retaining ring



	EAN						
Code	4013288		mm	mm	mm		
05051005001	012258	1/4"	120	112	10,5	4 3/4"	2

Kraftform Kompakt Vario with Ratchet Function

High quality bit holder. Includes a ratchet: fine-toothing with a small return angle, switchover (right, fixed, left), maximum torque of up to 50 Newton metres.

The Rapidaptor quick-release chuck enables rapid bit change without needing any special tools. The strong permanent magnet holds the bits absolutely securely. Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past.

Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

- Ratcheting screwdriver with Rapidaptor technology for rapid bit change
- Ratchet with fine-pitched toothing for a low return angle
- Switchover (right, fixed, left)
- Maximum torque of up to 50 Newton metres
- Multi-component Kraftform handle for fast and ergonomic screwdriving



816 RA Ratchet screwdriver



	EAN			
Code	4013288		mm	
05051461001	156280	1/4"	142,0	1

Kraftform Kompakt 60 RA



Code	EAN		
05051040001	155290		1
		816 RA 1x 1/4"x142,0	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		800/4 Z 1x 1,0x5,5x89	
		840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89	

Kraftform Kompakt 60 RA, imperial



Code	EAN		
05051041001	155306		1
		816 RA 1x 1/4"x142,0	
		851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89	
		867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89	
		800/4 Z 1x 1,0x5,5x89	
		840/4 Z Hex-Plus 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89	
		868/4 Square-Plus 1x # 1x89; 1x # 2x89; 1x # 3x89	

80 RA Vario ratchet screwdriver

Ratchet, fine-pitched toothing for a low return angle, switch-over ring (right, fixed, left), maximum torque of up to 50 Newton meters; 6 mm hexagon take-up.

Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.


- Vario ratcheting screwdriver for Wera 6 mm Vario blades
- Ratchet with fine-pitched toothing for a low return angle
- Switchover ring (right, fixed, left)
- Maximum torque of up to 50 Newton metres
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer

80 RA Vario ratchet screwdriver



Code	EAN	mm	mm				
05002901001	156242	6	115,0				1

Kraftform Kompakt Vario RA SB



Code	EAN		
05073665001	156266		1
		80 RA 1x 6x115,0	
		85 1x PH 1xPH 2x175	
		86 1x PZ 1xPZ 2x175	
		87 1x TX 10xTX 15x175; 1x TX 20xTX 25x175	
		81 1x 0,6x4,0x1,0x6,0x175	
		84 1x 4x5x175 ¹⁾	

¹⁾without ball-end

Kraftform Kompakt Pistol RA

Wera compact tool with multi-component Kraftform pistol handle for high working speeds and particularly ergonomic screwdriving.

Integrated bit magazine in the handle. Includes a ratchet: fine-toothing with a small return angle of only 8°, switchover (right, fixed, left), maximum torque of up to 50 Newton metres; hexagonal blade with 1/4" hexagon socket head take-up and Rapidaptor technology, magnetic. 6 bits PH, PZ and TORX® in a length of 25 mm that fit in holders as per DIN ISO 1173-D 6.3. Comes with a practical holster for belt attachment.


- Fine-toothing for a small return angle of only 8°
- Simple to use switchover ring
- Quick-release chuck with Rapidaptor technology
- Strong permanent magnet for secure fit of bits
- Multi-component Kraftform pistol handle for greater leverage effect

Kraftform Kompakt Pistol RA



Code	EAN			
05051030001	4013288 180360			1
			814 RA 1x 1/4"	
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		+	855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		+	867/1 TORX® 1x TX 20x25; 1x TX 25x25	

Kraftform Kompakt Pistol RA 4



Code	EAN			
05051031001	4013288 187406			1
			814 RA 1x 1/4"	
		+	851/1 BTZ PH 1x PH 1x25; 1x PH 2x25	
		+	855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25	
		+	867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25	
		+	851/4 Z PH 1x PH 1x89; 1x PH 2x89	
		+	855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89	
		+	867/4 Z TORX® 1x TX 20x89; 1x TX 25x89	

Kraftform Kompakt 27 RA

Wera compact tool with multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving. Integrated bit magazine in the handle.

Includes ratchet: fine-pitched for small return angle, switchover ring (right, fixed, left), maximum torque of up to 50 Nm; hexagonal blade with 1/4" hexagon socket take-up, stainless sleeve, strong permanent magnet.

- Kraftform Kompakt with ratchet function for high working speeds
- Kraftform with anti-roll feature, multi-component, integrated magazine
- Fine-pitched teeth for small return angle; switchover ring (right, fixed, left)
- Maximum torque of up to 50 Newton metres
- Hexagon blade with 1/4" hex socket take-up, stainless sleeve, strong permanent magnet

Kraftform Kompakt 27 RA 1 SB



Code	EAN			
05073660001	156051			1
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		+	855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		●	800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Kraftform Kompakt 27 RA 2 SB



Code	EAN			
05073661002	156068			1
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		●	800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		○	868/1 Z 1x # 1x25; 1x # 2x25	

88/1 Vario set

11-piece Vario set with handle and blades. In a practical belt pouch, enabling the tools to be safely and securely stored and to always be at hand. The Kraftform grip on the handle stands for pleasant, ergonomic working and makes blisters and calluses a thing of the past.

Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. The hexagonal non-roll feature prevents any annoying rolling away at the workplace. The integrated hex bolster allows higher torque to be applied with an open-end or ring spanner.

The double blades are out of high quality bit material and are therefore particularly durable. The Wera Black Point tip on the blade offers a perfect fit and optimised corrosion protection.

- Vario set with handle and 10 combination blades
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Chrome-plated hexagonal blade material, 6 mm
- Black Point tip offers a perfect fit with optimised corrosion protection
- In a robust belt pouch

88/1 Vario set



Code	EAN			
05002990001	000675			1
		●	80 1x 6x98	
		+	85 1x PH 1xPH 2x175	
		+	86 1x PZ 1xPZ 2x175	
		+	87 1x TX 10xTX 15x175; 1x TX 20xTX 25x175; 1x TX 30xTX 40x175	
		●	81 1x 0,6x4,0x1,0x6,0x175; 1x 0,8x5,0x1,2x7,0x175	
		○	84 1x 4x4x175; 1x 5x5x175; 1x 6x6x175	

80 Vario handle

- Kraftform handle with 10 mm hex bolster
- Suitable for insertion of 6 mm Vario blades or a Vario adaptor

80 Vario handle



	EAN						
Code	4013288	mm	mm	mm			
05002900001	000460	6	10	98			5

95 Vario T-handle hand holder for Vario blades

T-handle screwdriver: The ideal handle shape to allow high torque transmission in difficult tightening and loosening situations. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses.

The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided. Bit holder for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 in magnetic design for easier placement of the screws.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- Vario T-handle for 6 mm Vario blades and adaptor

95 Vario T-handle hand holder for Vario blades



	EAN						
Code	4013288	mm	mm	mm	mm		
05023400001	208446	6	60	44	100	2 23/64"	2

830 Vario bit holder adaptor

- Vario adaptor blade with quick-release chuck for Vario holder
- Suitable for take-up of bits with 1/4" hexagon head drive
- 1/4" quick-release chuck with strong permanent magnet

830 Vario bit holder adaptor



	EAN						
Code	4013288	mm	mm	mm			
05051835001	012425	1/4"	6	165	6 9/16"		2

91 Vario extension

- Vario extension for Vario blades and adaptor
- Chrome-plated hexagonal material, 6 mm

91 Vario extension



	EAN						
Code	4013288	mm	mm	mm			
05003210001	000804	6	6	175	7"		2

712 Vario socket adaptor

- For sockets

712 Vario socket adaptor



	EAN						
Code	4013288		mm	mm			
05040001001	006165	1/4"	6	175	7"		2

Combination blades

Combination blade for Vario handles. The double-ended blades are made out of high quality bit material and are therefore particularly durable. The Wera Black Point tip offers a perfect fit and optimised corrosion protection.

81 Combination blade for slotted screws



	EAN							
Code	4013288	mm	mm	mm	mm	mm	mm	
05002910001	000477	0,6	4,0	1,0	6,0	6	175	5
05002913001	000484	0,8	5,0	1,2	7,0	6	175	5

82 Combination blade for slotted/Phillips screws



	EAN							
Code	4013288		mm	mm	mm	mm		
05002920001	000491	PH 1	0,6	4,0	6	175	7"	5
05002923001	000507	PH 2	1,0	6,0	6	175	7"	5
05002926001	000514	PH 3	1,2	7,0	6	175	7"	5

83 Combination blade for Phillips/Pozidriv screws



	EAN						
Code	4013288			mm	mm		
05002930001	000521	PH 1	PZ 1	6	175	7"	5
05002933001	000538	PH 2	PZ 2	6	175	7"	5

84 Combination blade for hexagon socket screws



	EAN						
Code	4013288			mm	mm		
05002936001	000545	2,5	2,5	6	175	7"	5
05002938001	000552	3	3	6	175	7"	5
05002940001	000569	4	4	6	175	7"	5
05002943001	000576	5	5	6	175	7"	5
05002948001 ¹⁾	155436	4	5	6	175	7"	5
05002946001	000583	6	6	6	175	7"	5

¹⁾without ball-end

85 Combination blade for Phillips screws



	EAN						
Code	4013288			mm	mm		
05002950001	000590	PH 1	PH 2	6	175	7"	5

86 Combination blade



	EAN						
Code	4013288			mm	mm		
05002960001	000606	PZ 1	PZ 2	6	175	7"	5
05140310001	000613	PZ 2	PZ 3	6	175	7"	5

87 Combination blade for TORX® screws



	EAN						
Code	4013288			mm	mm		
05002966001	000620	TX 6	TX 8	6	175	7"	5
05002968001	000637	TX 7	TX 9	6	175	7"	5
05002970001	000644	TX 10	TX 15	6	175	7"	5
05002973001	000651	TX 20	TX 25	6	175	7"	5
05002976001	000668	TX 30	TX 40	6	175	7"	5

68 Combination blade



	EAN						
Code	4013288			mm	mm		
05002980001	100061	#1	#2	6	175	7"	5

Wera 2go 1 Tool Carrier

The Wera 2go 1 is the super lightweight and mobile tool carrier for all Wera pouches and textile boxes equipped with hook and loop zone on their reverse sides.

The pouches and boxes are easily and securely attached individually to the tool carrier. The hands remain free during transport thanks to the shoulder strap that is included.

- Wera 2go Tool Carrier with hook and loop fastener system
- For the docking of the Wera textile boxes and pouches with hook and loop fastener zones
- Individually configurable for greater mobility
- Hands remain free during Transport
- Includes an adjustable, detachable Shoulder Strap with a wide padded section

Wera 2go 1 Tool Carrier



			
Code	EAN		
05004350001	4013288 187352		 1
		Wera 2go 5 1x 135,0x300,0x270,0	
		Wera 2go 6 1x 38,0x1470,0	

Wera 2go 2 Tool Container

The Wera 2go tool container is the ideal solution for individual and convenient tool transport thanks to its hook and loop fastener system and its compactness. The inner and outer hook and loop fastener zones ensure a maximum in terms of space utilisation. This means that an incredible number of tools can fit in and on the container.

Wera 2go 2 ensures a low weight since only the tools really needed for the job are taken along. The robust and dimensionally stable material protects the tools carried against damage and moisture and enhances the service life of the tool container.

The padded and width-adjustable shoulder strap and the snug fit of the container on the body mean that the container is easy and convenient to carry.

The hands remain free during transport. It comes with a quiver with an individually adjustable hook and loop fastener partition for screwdrivers and other tools.

- Wera 2go tool container with inner and outer hook and loop fastener zones
- Individually configurable for greater mobility
- Ideal also for the docking of Wera textile boxes and pouches equipped with hook and loop fastener zones

Wera 2go 2 Tool Container



			
Code	EAN		
05004351001	4013288 187840		 1
		Wera 2go Container 1x 355,0x330,0x115,0	
		Wera 2go 6 1x 38,0x1470,0	
		Wera 2go 4 1x 165,0x165,0x105,0	

Wera 2go 2 XL Tool Container

The Wera 2go 2 XL Tool Container with extra low-profile compartments, with its hook and loop fastener system and its compactness, is the ideal solution for individual and convenient tool transport. The inner and outer hook and loop fastener zones provide extremely high flexibility and space utilization.

This fits an incredible amount of tools in and on the container. Wera 2go 2 makes for light luggage, because only the essential tools are taken.

The robust and sturdy material protects the enclosed tools from damage and moisture, and increases the service life of the tool container.

The padded and adjustable wide belt and the close-fitting position of the container provide a comfortable fit.

The hands remain free during transport. Including one Wera 2go 4 holder with individually adjustable hook and loop fastener divider for screwdrivers and other tools. Four of these holders can be stowed effortlessly.

- Wera 2go 2 XL Tool Container with extra low-profile compartments for e.g. the Wera 2go 4 Tool Quivers

Wera 2go 2 XL Tool Container



Code		EAN		
05004357001		211491		1
			Wera 2go XL Container	
			1x 455,0x330,0x170,0	
			Wera 2go 6	
			1x 38,0x1470,0	
			Wera 2go 4	
			1x 165,0x165,0x105,0	

Wera 2go 3 Tool Box

- Suitable for docking with the Wera 2go system
- Permanently dimensionally stable thanks to the fabric-lined plastic panels
- High resistance against cuts and stabs
- High protection for transported tools against damage and moisture
- Can be individually equipped

Wera 2go 3 Tool Box



Code		EAN	mm	mm	mm			
05004352001		187369	130,0	325,0	80,0			1

Wera 2go 4 Tool Quiver

- Suitable for docking with the Wera 2go system
- Dimensionally stable Wera 2go tool quiver
- High resistance against cuts and stabs
- Variable hook and loop fastener partition for a division into as many as 5 inner sections
- Large set-down area; handle for carrying and hanging up

Wera 2go 4 Tool Quiver



Code		EAN	mm	mm	mm			
05004353001		187857	165,0	165,0	105,0			1

Wera 2go 5 Tool Carrier

The Wera 2go 5 is the super lightweight and mobile tool carrier for all Wera pouches and textile boxes equipped with Velcro on their reverse sides. The pouches and boxes are easily and securely attached individually to the Wera 2go 5 article.

Wera 2go 5 Tool Carrier



	EAN							
Code	4013288	mm	mm	mm				
05004354001	187383	135,0	300,0	270,0				1

Wera 2go 6 Shoulder Strap

Shoulder strap for the Wera 2go tool transport system. It comes with extra wide, comfortable padding sections and adjustable strap length and is suitable for use with the Wera 2go 1 and 5 articles.

Wera 2go 6 Shoulder Strap



	EAN							
Code	4013288	mm	mm					
05004355001	187390	38,0	1470,0					1

Wera 2go 7 High Tool Box

- Transport box even for long tools such as spirit levels

Wera 2go 7 High Tool Box



	EAN							
Code	4013288	mm	mm	mm				
05004356001	204370	295,0	100,0	100,0				1

Hook and Loop Fastener Strip 1



	EAN			
Code	4013288			
05670446001	189448			1
		K70	1x 50,0x70,0	

Hook and Loop Fastener Strip 2




	EAN			
Code	4013288			
05670447001	189455			1
		K120	1x 50,0x120,0	

Hook and Loop Fastener Strip 3



	EAN			
Code	4013288			
05670448001	189462			1
		K240	1x 50,0x240,0	

Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 IMP DC Impaktor bits



	EAN						
Code	4013288		mm				
05057615001	178695	PH 1	25	1"			10
05057616001	157638	PH 2	25	1"			10
05057617001	157645	PH 3	25	1"			10

851/1 IMP DC SB Impaktor bits




	EAN						
Code	4013288						
05073916001	158369		851/1 IMP DC	1x PH 2x25			5
05073917001	158376		851/1 IMP DC	1x PH 3x25			5

Bit-Box 15 Impaktor PH



	EAN			
Code	4013288			
05057752001	187918		851/1 IMP DC	15x PH 2x25

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for cross-recess screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3851/1 TS bits, stainless




	EAN						
Code	4013288		mm				
05071010001	110985	PH 1	25	1"			10
05071011001	110992	PH 2	25	1"			10
05071012001	111005	PH 3	25	1"			10

3851/1 TS SB bits, stainless



Code	EAN			
	4013288			
05073610001	112132	+	3851/1 TS PH 1x PH 1x25	5
05073611001	112149	+	3851/1 TS PH 1x PH 2x25	5
05073612001	112156	+	3851/1 TS PH 1x PH 3x25	5

BiTorsion system - for longer service life



Smaller impacts are absorbed by the holder

Higher impacts are cushioned in the torsion zone of the bit

No premature wear caused by impacts

851/1 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping. Comes with Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 BDC bits



Code	EAN	+	mm	mm				
	4013288							
05056400001	033970	PH 1	25	1"				10
05056402001	033987	PH 2	25	1"				10
05056404001	033994	PH 3	25	1"				10

851/1 BDC SB bits



Code	EAN			
	4013288			
05073332001	029324	+	851/1 BDC PH 1x PH 1x25	5
05073333001	029331	+	851/1 BDC PH 1x PH 2x25	5
05073334001	029348	+	851/1 BDC PH 1x PH 3x25	5
05073335001	029355	+	851/1 BDC PH 2x PH 2x25	5

851/1 BTH bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. Extra-hard design, 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 BTH bits



Code	EAN	+	mm	mm				
	4013288							
05056410001	034243	PH 1	25	1"				10
05056412001	034250	PH 2	25	1"				10
05056414001	034267	PH 3	25	1"				10



851/1 BTZ bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life. Tough viscous, 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 BTZ bits



	EAN						
Code	4013288		mm				
05056420001	034458	PH 1	25	1"			10
05056422001	034465	PH 2	25	1"			10
05056424001	034472	PH 3	25	1"			10

Bit-Box 20 BTZ PH




Code	EAN			
05057751001	187956	851/1 BTZ PH 20x PH 2x25		10

Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



The diamond coating of the bits ensures a secure fit in the screw, reduces the contact pressure required and lowers the risk of slipping. Profiled version with especially sharp edges which break away the paint when e.g. screw profiles are covered in it and this ensures a dependable transfer of power between the bit and screw. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 ADC bits, aviation

- Profiled version
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out

851/1 ADC bits, aviation



	EAN						
Code	4013288		mm		mm		
05134940001	100887	PH 1	25	1"	4,5		10
05134941001	100894	PH 2	25	1"	6,0		10
05134942001	100900	PH 3	25	1"	-		10

851/1 A bits

Extra-hard design. Profiled version. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 A bits



	EAN						
Code	4013288		mm		mm		
05134919001	099976	PH 1	25	1"	4,5		10
05134920001	099983	PH 2	25	1"	6,0		10
05134921001	099990	PH 3	25	1"	-		10

851/1 AH bits

This industrial version provides optimum torque and enhanced penetration into the head of the screw. 1/4" hexagon over the entire bit length. The diamond coating of the bits ensures a secure fit in the screw, reduces the contact pressure required and lowers the risk of slipping. Extra-hard design; profiled version. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 AH bits



	EAN						
Code	4013288		mm				
05380155001	156174	PH 1	25	1"			10
05380156001	156181	PH 2	25	1"			10
05380157001	156198	PH 3	25	1"			10

851/1 RDC bits

High quality bits for drywall screws. Reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage.

Especially for drywall construction. The diamond coating of the bits ensures a secure fit in the screw, reduces the contact pressure required and lowers the risk of slipping. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 RDC bits



	EAN	+	1"	1"	Ø			
Code	4013288		mm		mm			
05135008001	032904	PH 2	25	1"	4,2			10

851/1 RH bits

Bits with reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 RH bits



	EAN	+	1"	1"	Ø			
Code	4013288		mm		mm			
05380158001	156747	PH 1	25	1"	4,2			10
05346281001	107176	PH 2	25	1"	4,2			10

851/1 RZ bits

Bits for drywall screws. Reduced shaft diameter for low-lying screw connections. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 RZ bits



	EAN	+	1"	1"	Ø			
Code	4013288		mm		mm			
05135009001	032799	PH 2	25	1"	4,2			10

851/1 RZ SB bits



	Code	EAN				
	05135005001	038456	+	851/1 RZ PH	2x PH 2x25	5

Bit-Box 20 RZ PH



	Code	EAN				
	05057753001	187987	+	851/1 RZ PH	20x PH 2x25	10

851/1 TH bits

The Torsion design means that torque peaks can be absorbed. This prevents premature wear and enhances the service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 TH bits



	Code	EAN	+	1"	1"			
	05056605001	013545	PH 1	25	1"			10
	05056610001	013552	PH 2	25	1"			10
	05056625001	013569	PH 3	25	1"			10



851/1 TiN bits

Extra-hard titanium nitride (TiN) coating for withstanding permanent loads such as e.g. in industrial applications.
1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 TiN bits



	EAN		Φ	Φ				
Code	4013288		mm					
05480171001	040985	PH 1	25	1"				10
05480172001	040992	PH 2	25	1"				10
05480173001	041005	PH 3	25	1"				10

851/1 TiN SB bits



Code	EAN							
	4013288							
05073512001	105806	+	851/1 TiN PH	2x PH 1x25				5
05073513001	106513	+	851/1 TiN PH	2x PH 2x25				5
05073514001	105820	+	851/1 TiN PH	2x PH 3x25				5
05073515001	105837	+	851/1 TiN PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25				5

851/1 TZ bits

- Ductile and tough for hard materials
- Torsion design against premature wear

851/1 TZ bits



	EAN		Φ	Φ				
Code	4013288		mm					
05056505001	013606	PH 1	25	1"				10
05056510001	013613	PH 2	25	1"				10
05056525001	013620	PH 3	25	1"				10

851/1 TZ SB bits



Code	EAN							
	4013288							
05073323001	029249	+	851/1 TZ PH	2x PH 1x25				5
05073324001	029256	+	851/1 TZ PH	2x PH 2x25				5
05073325001	029263	+	851/1 TZ PH	2x PH 3x25				5
05073326001	029270	+	851/1 TZ PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25				5

853/1 TZ ACR® bits

Bits with Torsion zone: where kinetic energy is diverted from peak loads. This greatly extends the product service life. Come with rough ribs (anti cam-out feature, ACR).

Tough viscous, for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

853/1 TZ ACR® bits



	EAN		Φ	Φ				
Code	4013288		mm					
05056660001	014399	PH 1	25	1"				10
05056662001	014405	PH 2	25	1"				10
05056664001	014412	PH 3	25	1"				10

851/1 Z bits

- Ductile and tough for hard materials

851/1 Z bits



	EAN		Φ	Φ				
Code	4013288		mm					
05056500001	013323	PH 0	25	1"				10
05072070001	013453	PH 1	25	1"				10
05056507001	013330	PH 1	50	2"				10
05072072001	013460	PH 2	25	1"				10
05056515001	013347	PH 2	32	1 1/4"				10
05056520001	013354	PH 2	50	2"				10
05072074001	013477	PH 3	25	1"				10
05134905001	094858	PH 3	50	2"				10
05056535001	013378	PH 4	32	1 1/4"				10

851/1 Z SB bits



Code	EAN			
	4013288			
05073304001	029058	+	851/1 Z PH 2x PH 1x25	5
05073305001	029065	+	851/1 Z PH 2x PH 2x25	5
05073306001	029072	+	851/1 Z PH 2x PH 3x25	5
05073307001	029089	+	851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	5

851/1 Z DIY bits



Code	EAN			
	4013288			
05072400001	115737	+	851/1 Z PH 10x PH 1x25	1
05072401001	115744	+	851/1 Z PH 10x PH 2x25	1
05072402001	115751	+	851/1 Z PH 10x PH 3x25	1

851/1 Z DIY 100 bits



Code	EAN			
	4013288			
05072440001	138460	+	851/1 Z PH 100x PH 1x25	1
05072441001	138477	+	851/1 Z PH 100x PH 2x25	1

Bit-Box 20 PH



Code	EAN			
	4013288			
05057750001	188014	+	851/1 PH 20x PH 2x25	20

851/1 J bits

Bits optimised for Asian PH screws. Similar to Camera screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 J bits




Code	EAN						
	4013288	+	mm	mm	mm		
05135040001	112569	PH 00	25	1"	2,0		10
05135041001 ¹⁾	112576	PH 0	25	1"	2,5		10
05135042001	111470	PH 1	25	1"	3,0		10

¹⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)



Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 IMP DC Impaktor bits




	EAN	+	mm	mm				
Code	4013288		mm	mm				
05057656001	157652	PH 2	50	2"				5
05057657001	157669	PH 3	50	2"				5

851/4 IMP DC SB Impaktor bits



Code	EAN	+					
05073956001	158482	+	851/4 IMP DC	1x PH 2x50			5
05073957001	158499	+	851/4 IMP DC	1x PH 3x50			5

Kraftform Stainless - stainless steel to prevent rust




High quality bits out of stainless steel for cross-recess screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3851/4 Bits, stainless



	EAN	+	mm	mm				
Code	4013288		mm	mm				
05071081001	115485	PH 1	89	3 1/2"				10
05071082001	115492	PH 2	89	3 1/2"				10
05071083001	115508	PH 3	89	3 1/2"				10

BiTorsion system - for longer service life



851/4 BDC bits

BiTorsion bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping. Comes with Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 BDC bits



	EAN	+	1"	1"				
Code	4013288		mm					
05059530001	034090	PH 1	50	2"				10
05059532001	034106	PH 2	50	2"				10
05059534001	034113	PH 3	50	2"				10

851/4 BTH bits

BiTorsion bits with elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 BTH bits



	EAN	+	1"	1"				
Code	4013288		mm					
05059540001	034304	PH 1	50	2"				10
05059542001	034311	PH 2	50	2"				10
05059544001	034328	PH 3	50	2"				10

851/4 BTZ bits

BiTorsion with elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. Tough viscous for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 BTZ bits




	EAN	+	1"	1"				
Code	4013288		mm					
05059550001	034571	PH 1	50	2"				10
05059552001	034588	PH 2	50	2"				10
05059554001	034595	PH 3	50	2"				10



Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



851/4 ADC bits

High quality Wera bit for Phillips screws. Comes with a sharp-edged profile which breaks away the paint when e.g. screw profiles are covered in it and this ensures a dependable transfer of power between the bit and screw.

The diamond coating ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping. Extra-hard design. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 ADC bits



	EAN	+	mm	mm	mm		
Code	4013288		mm		mm		
05134937001	195708	PH 0	50	2"	3,0		10
05134938001	195715	PH 0	89	3 1/2"	3,0		10
05134939001	195753	PH 0	152	6"	3,0		10
05134950001	100917	PH 1	50	2"	4,5		10
05134943001	195722	PH 1	89	3 1/2"	4,5		10
05134946001	195760	PH 1	152	6"	4,5		10
05134951001	100924	PH 2	50	2"	6,0		10
05134944001	195739	PH 2	89	3 1/2"	6,0		10
05134947001	195777	PH 2	152	6"	6,0		10
05134952001	100931	PH 3	50	2"	-		10
05134945001	195746	PH 3	89	3 1/2"	-		10
05134948001	195784	PH 3	152	6"	-		10

851/4 Harpoon DC bits

High quality Wera bit for Phillips screws, tough, for universal use. Reduced shaft diameter. The diamond coating ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 Harpoon DC bits



	EAN	+	mm	mm	mm		
Code	4013288		mm		mm		
05160916001	189806	PH 2	50	2"	3,8		10
05161010001	189929	PH 2	70	2 3/4"	3,8		10
05161011001	189936	PH 2	152	6"	3,8		10

851/4 RH Reduced tip bits

Bits with reduced shaft diameter for low-lying screw connections, enabling countersinking of screws without any surface damage. Profiled version. Extra-hard. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 RH Reduced tip bits



	EAN	+	mm	mm	mm		
Code	4013288		mm		mm		
05380160001	157058	PH 1	50	2"	4,2		10
05380161001	157065	PH 2	50	2"	4,2		10

851/4 A bits

The sharp-edged profile ensures a dependable transfer of power between the bit and screw by breaking off the paint e.g. when screw profiles are covered in it.

Extra-hard design: 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 A bits



	EAN							
Code	4013288		mm		mm			
05134929001	105165	PH 0	50	2"	3			10
05134906001	105141	PH 0	70	2 3/4"	3			10
05134907001	105172	PH 0	89	3 1/2"	3			10
05134908001	105189	PH 0	152	6"	3			10
05134930001	100009	PH 1	50	2"	4,5			10
05134370001	037831	PH 1	70	2 3/4"	4,5			10
05134372001	037855	PH 1	89	3 1/2"	4,5			10
05134909001	105196	PH 1	152	6"	4,5			10
05134931001	100016	PH 2	50	2"	6			10
05134371001	037848	PH 2	70	2 3/4"	6			10
05134373001	037862	PH 2	89	3 1/2"	6			10
05134910001 ¹⁾	105202	PH 2	152	6"	6			10
05134911001 ²⁾	105219	PH 2	152	6"	6			10
05134932001	100023	PH 3	50	2"	-			10
05134912001	105226	PH 3	50	2"	8			10
05134913001	105233	PH 3	70	2 3/4"	8			10
05134914001	105240	PH 3	89	3 1/2"	8			10
05134915001	105257	PH 3	152	6"	8			10
05160983001	106575	PH 4	50	2"	10			10

¹⁾Length of drive 100 mm

²⁾Length of drive 20 mm

851/4 R Reduced tip bits

High quality bits with reduced shaft diameter for low-lying screw connections, enabling countersinking of screws without any surface damage. Profiled version. Extra-hard. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 R Reduced tip bits



	EAN							
Code	4013288		mm		mm			
05160899001	105547	PH 2	50	2"	3,0			10
05160896001	105554	PH 2	152	6"	3,0			10

851/4 TH bits

High quality bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 TH bits



	EAN							
Code	4013288		mm					
05059855001	013897	PH 1	50	2"				10
05059860001	013903	PH 2	50	2"				10
05059865001	013910	PH 3	50	2"				10

851/4 TZ bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Tough viscous, for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 TZ bits



	EAN							
Code	4013288		mm					
05059805001	013927	PH 1	50	2"				10
05059810001	013934	PH 2	50	2"				10
05059815001	013941	PH 3	50	2"				10

851/4 TZ SB bits



Code	EAN			
	4013288			
05134380001	037947		851/4 TZ PH 2x PH 1x50	3
05134381001	037954		851/4 TZ PH 2x PH 2x50	3
05134382001	037961		851/4 TZ PH 2x PH 3x50	3

851/4 J bits

Bits optimised for Asian PH screws. In particular, for applications with very small dimensions pursuant to the Japanese Camera Industrial Standard.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 J bits



	EAN						
Code	4013288		mm	mm	mm		
05135530001 ¹⁾	113252	PH 00	50	2"	2,0		10
05380200001 ¹⁾	156204	PH 00	89	3 1/2"	2,0		10
05135531001 ²⁾	113269	PH 0	50	2"	2,5		10
05380201001 ²⁾	156211	PH 0	89	3 1/2"	2,5		10
05135532001	113276	PH 1	50	2"	4,5		10
05380202001	156228	PH 1	89	3 1/2"	4,5		10

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

851/4 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 Z bits



	EAN						
Code	4013288		mm	mm	mm		
05059755001	013781	PH 1	70	2 3/4"	4,5		10
05059760001	013798	PH 1	89	3 1/2"	4,5		10
05059765001	031044	PH 1	127	5"	4,5		10
05059766001	031051	PH 1	152	6"	4,5		10
05059770001	013804	PH 2	70	2 3/4"	6,0		10
05059775001	013811	PH 2	89	3 1/2"	6,0		10
05059780001	013828	PH 2	110	4 3/8"	6,0		10
05059785001	030474	PH 2	127	5"	6,0		10
05059786001	031068	PH 2	152	6"	6,0		10
05059790001	013835	PH 3	70	2 3/4"	-		10
05059795001	013842	PH 3	89	3 1/2"	-		10
05059800001	013859	PH 3	110	4 3/8"	-		10
05059802001	031075	PH 3	152	6"	-		10

851/4 Z SB bits



Code	EAN						
	4013288						
05073520001	105875	+	851/4 Z PH	1x PH 1x89			5
05136305001	213839	+	851/4 Z PH	1x PH 1x152			3
05073521001	105882	+	851/4 Z PH	1x PH 2x89			5
05136306001	213846	+	851/4 Z PH	1x PH 2x152			3
05073522001	105899	+	851/4 Z PH	1x PH 3x89			5
05136307001	213853	+	851/4 Z PH	1x PH 3x152			3

853/4 ACR® SL bits with sleeve, magnetized

Bits with rough ribs (anti cam-out feature, ACR) to prevent any slipping out of the screw head, permanently magnetized, thus screws can be held securely on the tip of the bit; with plastic sleeve, protects components from being damaged when screwdriving.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

853/4 ACR® SL bits with sleeve, magnetized



	EAN						
Code	4013288		mm	mm	mm		
05323780001	165190	PH 2	50	2"	5,2		40
05323781001	165206	PH 2	90	3 1/2"	5,2		40
05203913001	163189	PH 2	150	6"	5,2		40
05203914001	163196	PH 2	200	8"	5,2		60

853/4 ACR® bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Come with rough ribs (anti cam-out feature, ACR) to prevent any slipping out of the screw head.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

853/4 ACR® bits



	EAN	+	mm	mm	mm		
Code	4013288		mm	mm	mm		
05346285001	105561	PH 1	50	2"	3,5		10
05346286001	105578	PH 2	50	2"	5,2		10
05346287001	105585	PH 3	50	2"	5,8		10

853/4 Harpoon ACR® bits

Bits with reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage. Come with rough ribs (anti cam-out feature, ACR) to prevent any slipping out of the screw head.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

853/4 Harpoon ACR® bits



	EAN	+	mm	mm	mm		
Code	4013288		mm	mm	mm		
05160901001	105592	PH 2	50	2"	3,3		10
05160895001	105608	PH 2	70	2 3/4"	3,3		10
05160908001	105615	PH 2	152	6"	3,3		10

851/23 double-ended bits for Phillips screws

Double bits for Phillips screws. Ball stop groove 17 mm. Drive: 1/4" hexagon.

851/23 double-ended bits for Phillips screws



	EAN	+	mm	mm			
Code	4013288		mm	mm			
05135705001	110664	PH 2	45	1 25/32"			2
05135706001	110671	PH 2	65	2 9/16"			2

851/2 Z bits

For universal use. 5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

851/2 Z bits



	EAN	+	mm	mm	mm		
Code	4013288		mm	mm	mm		
05057705001	013668	PH 1	32	1 1/4"	4,5		10
05057710001	013675	PH 2	32	1 1/4"	6,0		10
05057715001	013682	PH 3	32	1 1/4"	7,6		10
05057720001	013699	PH 4	32	1 1/4"	-		10
05057725001	013705	PH 4	38	1 1/2"	10,0		10

851/11 Bits

With thread drive M 4.

851/11 Bits



	EAN	+	mm	mm	mm		
Code	4013288		mm	mm	mm		
05065075001	014214	PH 1	33	1 1/4"	5,5		5
05065081001	014245	PH 2	33	1 1/4"	6,0		5

851/12 Bits

Tough viscous for universal use. Thread drive M 5.

851/12 Bits



	EAN	+	mm	mm	mm		
Code	4013288		mm	mm	mm		
05065110001	014252	PH 2	33	1 1/4"	7,0		5
05065112001	014269	PH 2	35	1 3/8"	7,0		5
05065114001	014276	PH 2	44,5	1 3/4"	6,0		5
05065116001	014283	PH 2	50	2"	6,0		5


851/15 Bits

Tough viscous for universal use. Thread drive M 6.

851/15 Bits



	EAN	+	mm	mm	mm		
Code	4013288		mm	mm	mm		
05065150001	014306	PH 2	33	1 1/4"	8,0		5
05065152001	014313	PH 2	35	1 3/8"	8,0		5
05065154001	014320	PH 2	44,5	1 3/4"	8,0		5



851/16 bits

Thread drive #10-32 UNF.

851/16 bits



	EAN						
Code	4013288		mm		mm		
05065197001	014351	PH 2	44,5	1 3/4"	6,0		5

851/9 C J PH bits, halfmoon

With 4 mm halfmoon drive. Optimised for Japanese PH screws. Hard design.

851/9 C J PH bits, halfmoon



	EAN							
Code	4013288		mm		mm	mm		
05134605001 ¹⁾	190444	PH 000	44	1 47/64"	1,5	20	25/32"	10
05134606001 ¹⁾	190451	PH 000	64	2 33/64"	1,5	20	25/32"	10
05135270001 ¹⁾	112729	PH 00	44	1 47/64"	1,8	20	25/32"	10
05135271001 ¹⁾	112736	PH 00	64	2 33/64"	1,8	20	25/32"	10
05135272001 ²⁾	112743	PH 0	44	1 47/64"	1,8	20	25/32"	10
05135273001 ²⁾	112750	PH 0	64	2 33/64"	1,8	20	25/32"	10
05135274001 ²⁾	112767	PH 0	44	1 47/64"	2,0	20	25/32"	10
05135275001 ²⁾	112774	PH 0	64	2 33/64"	2,2	20	25/32"	10
05135278001 ²⁾	168269	PH 0	44	1 47/64"	2,2	20	25/32"	10
05135276001 ¹⁾	112781	PH 1	44	1 47/64"	3,0	20	25/32"	10
05135277001 ¹⁾	112798	PH 1	64	2 33/64"	3,0	20	25/32"	10
05134607001	190468	PH 2	44	1 47/64"	4,0	-		10
05134608001	190475	PH 2	64	2 33/64"	4,0	-		10

¹⁾Optimised for Asian PH screws

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

851/21 J bits

With HIOS 4 mm drive. Optimised for Japanese PH screws. Hard design.

851/21 J bits



	EAN							
Code	4013288		mm		mm			
05135280001 ¹⁾	112804	PH 00	40	1 9/16"	1,8			10
05135281001 ¹⁾	112811	PH 00	60	2 3/8"	1,8			10
05135284001 ²⁾	112828	PH 0	40	1 9/16"	1,8			10
05135285001 ²⁾	112835	PH 0	60	2 3/8"	1,8			10
05135286001 ²⁾	112842	PH 0	40	1 9/16"	2,0			10
05135287001 ²⁾	112859	PH 0	60	2 3/8"	2,0			10
05135288001 ²⁾	112866	PH 0	40	1 9/16"	2,5			10
05135289001 ²⁾	112873	PH 0	60	2 3/8"	2,5			10
05135290001	112880	PH 1	40	1 9/16"	3,0			10
05135291001	112897	PH 1	60	2 3/8"	3,0			10

¹⁾Size 00 modified according to JCIS 00 (Japanese Camera Industrial Standard)

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

851/22 J bits

High quality bits with HIOS 5 mm drive. Optimised for Japanese PH screws. Hard design.

851/22 J bits



	EAN							
Code	4013288		mm		mm	mm		
05135380001 ¹⁾	112903	PH 00	60	2 3/8"	2,0	20	25/32"	10
05135381001 ²⁾	112910	PH 0	60	2 3/8"	2,0	20	25/32"	10
05135382001 ²⁾	112927	PH 0	80	3 1/8"	2,0	20	25/32"	10
05135383001 ²⁾	112934	PH 0	60	2 3/8"	2,5	20	25/32"	10
05135384001 ²⁾	112941	PH 0	80	3 1/8"	2,5	20	25/32"	10
05135385001	112958	PH 1	60	2 3/8"	3,0	20	25/32"	10
05135386001	112965	PH 1	80	3 1/8"	3,0	20	25/32"	10
05135387001	112972	PH 1	100	4"	3,0	20	25/32"	10

¹⁾Size 00 modified according to JCIS 00 (Japanese Camera Industrial Standard)

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

851/25 H bits


Extra-hard with 5/16", square head drive.

851/25 H bits



	EAN							
Code	4013288		mm					
05380380001	157171	PH 1	29	1 3/16"				10
05380381001	157188	PH 2	29	1 3/16"				10
05380382001	157195	PH 3	29	1 3/16"				10
05380383001	157201	PH 4	29	1 3/16"				10

Impaktor system - For an above-average service life



High quality bits for Pozidriv screws. The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 IMP DC Impaktor bits



	EAN						
Code	4013288						
05057620001	178718	PZ 1	25	1"			10
05057621001	157676	PZ 2	25	1"			10
05057622001	157683	PZ 3	25	1"			10

855/1 IMP DC SB Impaktor bits




	EAN						
Code	4013288						
05073921001	158383		855/1 IMP DC	1x PZ 2x25			5
05073922001	158390		855/1 IMP DC	1x PZ 3x25			5

Bit-Box 15 Impaktor PZ



	Code	EAN				
		4013288				
05057763001	187901		855/1 IMP DC	15x PZ 2x25		10

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for Pozidriv screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3855/1 TS bits, stainless




	EAN						
Code	4013288						
05071020001	111012	PZ 1	25	1"			10
05071021001	111029	PZ 2	25	1"			10
05071022001	111036	PZ 3	25	1"			10

3855/1 TS SB bits, stainless



Code	EAN			
05073613001	112101	+	3855/1 TS PZ 1x PZ 1x25	5
05073614001	112118	+	3855/1 TS PZ 1x PZ 2x25	5
05073615001	112125	+	3855/1 TS PZ 1x PZ 3x25	5

BiTorsion system - for longer service life



Smaller impacts are absorbed by the holder

Higher impacts are cushioned in the torsion zone of the bit

No premature wear caused by impacts

855/1 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 BDC bits



Code	EAN		mm				
05056700001	034007	PZ 1	25	1"			10
05056702001	034014	PZ 2	25	1"			10
05056704001	034021	PZ 3	25	1"			10

855/1 BDC SB bits



Code	EAN			
05073336001	029362	+	855/1 BDC PZ 1x PZ 1x25	5
05073337001	029379	+	855/1 BDC PZ 1x PZ 2x25	5
05073338001	029386	+	855/1 BDC PZ 1x PZ 3x25	5
05073339001	029393	+	855/1 BDC PZ 2x PZ 2x25	5

855/1 BTH bits

BiTorsion bits with elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life. This provides the best possible durability together with the matching holder. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 BTH bits



Code	EAN		mm				
05056710001	034274	PZ 1	25	1"			10
05056712001	034281	PZ 2	25	1"			10
05056714001	034298	PZ 3	25	1"			10

Bit-Box 20 BTH PZ



Code	EAN			
05057762001	187963	+	855/1 BTH PZ 20x PZ 2x25	10

855/1 BTZ bits

BiTorsion bits with elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life. Tough, for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 BTZ bits



Code	EAN						
05056720001	034489	PZ 1	25	1"			10
05056722001	034496	PZ 2	25	1"			10
05056724001	034502	PZ 3	25	1"			10

Bit-Box 20 BTZ PZ



Code	EAN			
05057761001	187970	+	855/1 BTZ PZ 20x PZ 2x25	10

855/1 RZ bits

Reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage. Especially for drywall construction and suitable for drywall screws.

855/1 RZ bits



Code	EAN						
05135017001	175311	PZ 1	25	1"	4,2		10
05135003001	096739	PZ 2	25	1"	4,2		10

855/1 TH bits

With Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 TH bits



Code	EAN						
05056910001	014740	PZ 1	25	1"			10
05056915001	014757	PZ 2	25	1"			10
05056925001	014764	PZ 3	25	1"			10



855/1 TH SB bits



Code	EAN			
	4013288			
05073370001	029638	+	855/1 TH PZ 2x PZ 1x25	5
05073371001	029645	+	855/1 TH PZ 2x PZ 2x25	5
05073372001	029652	+	855/1 TH PZ 2x PZ 3x25	5
05073373001	029669	+	855/1 TH PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	5

855/1 TiN bits

With extra-hard titanium nitride (TiN) coating for withstanding permanent loads such as e.g. in industrial applications.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 TiN bits



Code	EAN						
	4013288		mm				
05480221001	041012	PZ 1	25	1"			10
05480222001	041029	PZ 2	25	1"			10
05480223001	041036	PZ 3	25	1"			10

855/1 TiN SB bits



Code	EAN			
	4013288			
05073516001	106445	+	855/1 TiN PZ 2x PZ 1x25	5
05073517001	105844	+	855/1 TiN PZ 2x PZ 2x25	5
05073518001	105851	+	855/1 TiN PZ 2x PZ 3x25	5
05073519001	105868	+	855/1 TiN PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	5

855/1 TZ bits

With Torsion zone to combat premature wear.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 TZ bits



Code	EAN						
	4013288		mm				
05056810001	014801	PZ 1	25	1"			10
05056815001	014818	PZ 2	25	1"			10
05056825001	014825	PZ 3	25	1"			10

856/1 TZ ACR® bits

With Torsion zone: where kinetic energy is diverted from peak loads. This greatly extends the product service life. Come with rough ribs (anti cam-out feature, ACR®).

Tough viscous, for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

856/1 TZ ACR® bits



Code	EAN						
	4013288		mm				
05056937001	015570	PZ 1	25	1"			10
05056938001	015587	PZ 2	25	1"			10
05056939001	015594	PZ 3	25	1"			10

855/1 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 Z bits



	EAN							
Code	4013288		mm					
05056805001	014535	PZ 0	25	1"				10
05072080001	014658	PZ 1	25	1"				10
05056812001	014542	PZ 1	50	2"				10
05072082001	014665	PZ 2	25	1"				10
05056820001	014559	PZ 2	50	2"				10
05072084001	014672	PZ 3	25	1"				10
05056835001	014573	PZ 4	32	1 1/4"				10

855/1 Z SB bits



Code	EAN			
05073308001	029096	+	855/1 Z PZ 2x PZ 1x25	5
05073309001	029102	+	855/1 Z PZ 2x PZ 2x25	5
05073310001	029119	+	855/1 Z PZ 2x PZ 3x25	5
05073380001	029621	+	855/1 Z PZ 1x PZ 4x32	5
05073311001	029126	+	855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	5

855/1 Z DIY bits



Code	EAN			
05072403001	115768	+	855/1 Z PZ 10x PZ 1x25	1
05072404001	115775	+	855/1 Z PZ 10x PZ 2x25	1
05072405001	115782	+	855/1 Z PZ 10x PZ 3x25	1

855/1 Z DIY 100 bits



Code	EAN			
05072443001	138484	+	855/1 Z PZ 100x PZ 1x25	1
05072444001	138491	+	855/1 Z PZ 100x PZ 2x25	1


Bit-Box 20 PZ



Code	EAN			
05057760001	188052	+	855/1 PZ 20x PZ 2x25	20



Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 IMP DC Impaktor bits




	EAN						
Code	4013288		mm				
05057661001	157690	PZ 2	50	2"			5
05057662001	157706	PZ 3	50	2"			5

855/4 IMP DC Impaktor bits SB



Code	EAN			
05073961001	158505		855/4 IMP DC 1x PZ 2x50	5
05073962001	158512		855/4 IMP DC 1x PZ 3x50	5

Kraftform Stainless - stainless steel to prevent rust




High quality bits out of stainless steel which prevents the formation of unsightly extraneous rust. $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3855/4 Bits, stainless



	EAN						
Code	4013288		mm				
05071084001	115515	PZ 1	89	3 1/2"			10
05071085001	115522	PZ 2	89	3 1/2"			10
05071041001	175762	PZ 2	50	2"			10
05071086001	115539	PZ 3	89	3 1/2"			10

BiTorsion system - for longer service life



855/4 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life; $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 BDC bits



	EAN		1"	1"				
Code	4013288		mm					
05059900001	034120	PZ 1	50	2"				10
05059902001	034137	PZ 2	50	2"				10
05059904001	034144	PZ 3	50	2"				10

855/4 BTH bits

Bits with elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. This provides the best possible durability together with the matching holder. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 BTH bits



	EAN		1"	1"				
Code	4013288		mm					
05059910001	034335	PZ 1	50	2"				10
05059912001	034342	PZ 2	50	2"				10
05059914001	034359	PZ 3	50	2"				10

855/4 BTZ bits

BiTorsion bits with elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. Tough viscous for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 BTZ bits




	EAN		1"	1"				
Code	4013288		mm					
05059920001	034601	PZ 1	50	2"				10
05059922001	034618	PZ 2	50	2"				10
05059924001	034625	PZ 3	50	2"				10

855/4 TH bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 TH bits




	EAN		1"	1"				
Code	4013288		mm					
05060055001	015068	PZ 1	50	2"				10
05060060001	015075	PZ 2	50	2"				10
05060065001	015082	PZ 3	50	2"				10

855/4 TZ bits

High quality bits with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life. Tough viscous, for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 TZ bits



	EAN		1"	1"				
Code	4013288		mm					
05060005001	015099	PZ 1	50	2"				10
05060010001	015105	PZ 2	50	2"				10
05060015001	015112	PZ 3	50	2"				10

855/4 TZ SB bits



	EAN							
Code	4013288							
05134384001	037985		855/4 TZ PZ	2x PZ 1x50				3
05134385001	037992		855/4 TZ PZ	2x PZ 2x50				3
05134386001	038005		855/4 TZ PZ	2x PZ 3x50				3



855/4 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 Z bits



	EAN						
Code	4013288		mm		mm		
05060027001	014955	PZ 1	70	2 3/4"	4,5		10
05060029001	014962	PZ 1	89	3 1/2"	4,5		10
05060031001	031426	PZ 1	127	5"	4,5		10
05060030001	031259	PZ 1	152	6"	4,5		10
05060033001	014979	PZ 2	70	2 3/4"	6,0		10
05060035001	014986	PZ 2	89	3 1/2"	6,0		10
05060037001	014993	PZ 2	110	4 3/8"	6,0		10
05060036001	031440	PZ 2	127	5"	6,0		10
05060038001	031297	PZ 2	152	6"	6,0		10
05060041001	015006	PZ 3	70	2 3/4"	-		10
05060043001	015013	PZ 3	89	3 1/2"	-		10
05060045001	015020	PZ 3	110	4 3/8"	-		10
05060047001	031433	PZ 3	152	6"	-		10

855/4 Z SB bits



Code	EAN			
05073523001	105905	+	855/4 Z PZ 1x PZ 1x89	5
05073524001	106452	+	855/4 Z PZ 1x PZ 2x89	5
05073525001	105912	+	855/4 Z PZ 1x PZ 3x89	5
05136308001	213860	+	855/4 Z PZ 1x PZ 1x152	3
05136309001	213877	+	855/4 Z PZ 1x PZ 2x152	3
05136310001	213884	+	855/4 Z PZ 1x PZ 3x152	3

855/2 Z bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

855/2 Z bits



	EAN						
Code	4013288		mm		mm		
05058005001	014863	PZ 1	32	1 1/4"	4,5		10
05058010001	014870	PZ 2	32	1 1/4"	6,0		10
05058015001	014887	PZ 3	32	1 1/4"	7,6		10
05058020001	014894	PZ 4	32	1 1/4"	-		10
05058025001	014900	PZ 4	38	1 1/2"	10,0		10

855/11 Bits

With thread drive M 4.

855/11 Bits



	EAN						
Code	4013288		mm		mm		
05065090001	015396	PZ 1	33	1 1/4"	5,5		5
05065096001	015426	PZ 2	33	1 1/4"	6,0		5

855/12 Bits

With thread drive M 5.

855/12 Bits



	EAN						
Code	4013288		mm		mm		
05065125001	015433	PZ 2	33	1 1/4"	7,0		5
05065127001	015440	PZ 2	35	1 3/8"	7,0		5
05065129001	015457	PZ 2	44,5	1 3/4"	6,0		5

855/15 Bits

With thread drive M 6.

855/15 Bits



	EAN						
Code	4013288		mm		mm		
05065167001	015471	PZ 2	35	1 3/8"	8,0		5
05065169001	015488	PZ 2	44,5	1 3/4"	8,0		5

851/4 PH/S PlusMinus bits

Bits with combination profile Phillips/slotted. In electrical applications screws with mixed geometry (slotted and Phillips cross-recess) are quite common.

Bits having a PlusMinus profile are optimum for addressing these screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 PH/S PlusMinus bits



	EAN						
Code	4013288		mm		mm		
05059720001	102577	# 1	70	2 3/4"	4,5		10
05059721001	102584	# 2	70	2 3/4"	6		10

855/4 PZ/S PlusMinus bits

Bits with combination profile slotted and Pozidriv, particularly for jobs on terminal blocks, fuse boxes, switches and relays.


Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 PZ/S PlusMinus bits



	EAN						
Code	4013288		mm		mm		
05059896001	102591	# 1	70	2 3/4"	4,5		10
05059897001	102607	# 2	70	2 3/4"	6		10

Impaktor system - For an above-average service life



High quality bits for recessed TORX® screws. The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 IMP DC Impaktor TORX® bits



	EAN						
Code	4013288		mm				
05057628001	178688	TX 10	25	1"			10
05057623001	169242	TX 15	25	1"			10
05057624001	163165	TX 20	25	1"			10
05057625001	157447	TX 25	25	1"			10
05057626001	157454	TX 30	25	1"			10
05057627001	157461	TX 40	25	1"			10

867/1 IMP DC SB Impaktor bits




	EAN			
Code	4013288			
05073924001	163240	867/1 IMP DC	1x TX 20x25	5
05073925001	158406	867/1 IMP DC	1x TX 25x25	5
05073926001	158413	867/1 IMP DC	1x TX 30x25	5
05073927001	158420	867/1 IMP DC	1x TX 40x25	5

Bit-Box 15 Impaktor TX



Code	EAN			
05057772001	187871		867/1 IMP DC 15x TX 20x25	10
05057775001	187888		867/1 IMP DC 15x TX 25x25	10
05057776001	187895		867/1 IMP DC 15x TX 30x25	10

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for recessed TORX® screws. Prevent the formation of unsightly extraneous rust.

Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3867/1 TS TORX® bits, stainless




Code	EAN		mm	1"			
05071030001	111043	TX 8	25	1"			10
05071031001	111371	TX 9	25	1"			10
05071032001	111067	TX 10	25	1"			10
05071033001	111074	TX 15	25	1"			10
05071034001	111081	TX 20	25	1"			10
05071035001	111098	TX 25	25	1"			10
05071036001	111104	TX 27	25	1"			10
05071037001	111111	TX 30	25	1"			10
05071038001	111128	TX 40	25	1"			10

3867/1 TS SB TORX® bits, stainless



Code	EAN			
05073620001	117670		3867/1 TS TORX® 1x TX 10x25	5
05073621001	117687		3867/1 TS TORX® 1x TX 15x25	5
05073622001	117694		3867/1 TS TORX® 1x TX 20x25	5
05073623001	117700		3867/1 TS TORX® 1x TX 25x25	5
05073624001	117717		3867/1 TS TORX® 1x TX 27x25	5
05073625001	117724		3867/1 TS TORX® 1x TX 30x25	5
05073626001	117731		3867/1 TS TORX® 1x TX 40x25	5

BiTorsion system - for longer service life



867/1 BDC TORX® bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Come with a Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 BDC TORX® bits



	EAN						
Code	4013288		mm				
05066100001	034038	TX 10	25	1"			10
05066102001	034045	TX 15	25	1"			10
05066104001	034052	TX 20	25	1"			10
05066106001	034069	TX 25	25	1"			10
05342920001	038074	TX 27	25	1"			10
05066108001	034076	TX 30	25	1"			10
05066110001	034083	TX 40	25	1"			10

867/1 BDC SB TORX® bits



Code	EAN			
05134374001	099778	867/1 TORX® BDC 1x TX 10x25		5
05134375001	099785	867/1 TORX® BDC 1x TX 15x25		5
05134376001	099792	867/1 TORX® BDC 1x TX 20x25		5
05134377001	099808	867/1 TORX® BDC 1x TX 25x25		5
05134378001	099822	867/1 TORX® BDC 1x TX 30x25		5
05134379001	099815	867/1 TORX® BDC 1x TX 40x25		5

867/1 BTZ TORX® bits

BiTorsion bits with an elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life. This provides the best possible durability together with the matching holder.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 BTZ TORX® bits




	EAN						
Code	4013288		mm				
05066120001	034519	TX 10	25	1"			10
05066122001	034526	TX 15	25	1"			10
05066124001	034533	TX 20	25	1"			10
05066126001	034540	TX 25	25	1"			10
05066128001	034557	TX 30	25	1"			10
05066130001	034564	TX 40	25	1"			10


Bit-Box 20 BTZ TX



Code	EAN			
05057771001	187932	867/1 TORX® BTZ 20x TX 20x25		10
05057774001	187949	867/1 TORX® BTZ 20x TX 25x25		10



TORX® Tools with holding function



The holding forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 Z TORX® HF bits with holding function



	EAN						
Code	4013288		mm		mm		
05066070001	106797	TX 8	25	1"	2,2		10
05066071001	106803	TX 9	25	1"	2,4		10
05066072001	106810	TX 10	25	1"	2,5		10
05066073001	106827	TX 15	25	1"	3,0		10
05066074001	106834	TX 20	25	1"	3,7		10
05066075001	106841	TX 25	25	1"	4,1		10
05066076001	106858	TX 27	25	1"	4,8		10
05066077001	106865	TX 30	25	1"	5,4		10
05066078001	106872	TX 40	25	1"	6,5		10

867/1 TZ TORX® bits

With a Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 TZ TORX® bits



	EAN						
Code	4013288		mm		mm		
05066300001	015709	TX 5	25	1"	4,2		10
05066301001	015716	TX 6	25	1"	4,2		10
05066302001	015723	TX 7	25	1"	4,2		10
05066303001	015730	TX 8	25	1"	4,2		10
05066304001	015747	TX 9	25	1"	4,2		10
05066305001	015754	TX 10	25	1"	4,2		10
05066308001	015761	TX 15	25	1"	4,2		10
05066310001	015778	TX 20	25	1"	4,8		10
05066312001	015785	TX 25	25	1"	5,5		10
05066313001	015792	TX 27	25	1"	5,5		10
05066315001	015808	TX 30	25	1"	6,0		10
05066320001	015815	TX 40	25	1"	-		10

867/1 TORX® bits



	EAN						
Code	4013288		mm		mm		
05135140001	107114	TX 1	25	1"	1,5		10
05135141001	107121	TX 2	25	1"	1,5		10
05135142001	111456	TX 3	25	1"	2,0		10
05135143001	111463	TX 4	25	1"	2,0		10
05066492001	030405	TX 5	25	1"	3,0		10
05066493001	030412	TX 6	25	1"	3,0		10
05066494001	030429	TX 7	25	1"	3,0		10
05066495001	030436	TX 8	25	1"	3,0		10
05066496001	030443	TX 9	25	1"	3,0		10
05066485001	030320	TX 10	25	1"	4,0		10
05066486001	030337	TX 15	25	1"	4,0		10
05066487001	030344	TX 20	25	1"	5,0		10
05066488001	030351	TX 25	25	1"	5,0		10
05066489001	030368	TX 27	25	1"	6,0		10
05066490001	030375	TX 30	25	1"	6,0		10
05066491001	030382	TX 40	25	1"	-		10
05066325001	031174	TX 45	35	1 3/8"	8,0		10
05066330001	031181	TX 50	35	1 3/8"	9,0		10
05066335001	031167	TX 55	35	1 3/8"	12,0		10

867/1 SB TORX® bits



Code	EAN			
	4013288			
05073313001	029140		867/1 TORX® 2x TX 10x25	5
05073340001	029591		867/1 TORX® 2x TX 15x25	5
05073314001	029157		867/1 TORX® 2x TX 20x25	5
05073315001	029164		867/1 TORX® 2x TX 25x25	5
05073316001	029171		867/1 TORX® 2x TX 30x25	5
05073317001	029188		867/1 TORX® 2x TX 40x25	5
05073346001	125859		867/1 TORX® 1x TX 50x35	5
05073375001	037503		867/1 TORX® 1x TX 10x25 1x TX 15x25 1x TX 20x25	5
05073376001	037510		867/1 TORX® 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	5

867/1 DIY TORX® bits



Code	EAN			
	4013288			
05072406001	115799		867/1 TORX® 10x TX 10x25	1
05072407001	115805		867/1 TORX® 10x TX 15x25	1
05072408001	115812		867/1 TORX® 10x TX 20x25	1
05072409001	115829		867/1 TORX® 10x TX 25x25	1
05072410001	115836		867/1 TORX® 10x TX 27x25	1
05072411001	115843		867/1 TORX® 10x TX 30x25	1
05072412001	115850		867/1 TORX® 10x TX 40x25	1

867/1 TORX® DIY 100



Code	EAN			
	4013288			
05072446001	138507		867/1 TORX® 100x TX 10x25	1
05072447001	138514		867/1 TORX® 100x TX 15x25	1
05072448001	138521		867/1 TORX® 100x TX 20x25	1
05072449001	138538		867/1 TORX® 100x TX 25x25	1
05072450001	138545		867/1 TORX® 100x TX 27x25	1
05072451001	138552		867/1 TORX® 100x TX 30x25	1
05072452001	138569		867/1 TORX® 100x TX 40x25	1

Bit-Box 20 TX



Code	EAN			
	4013288			
05057770001	187994		867/1 TORX® 20x TX 20x25	20
05057773001	188007		867/1 TORX® 20x TX 25x25	20

867/1 Z TORX® Wedge bits

The conical design of the profile means that a wedging effect is generated that holds the TORX® screw securely on the bit.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 Z TORX® Wedge bits



	EAN							
Code	4013288		mm					
05066450001	016027	TX 10	25	1"				10
05066455001	016034	TX 15	25	1"				10
05066460001	016041	TX 20	25	1"				10
05066465001	016058	TX 25	25	1"				10
05066470001	016065	TX 27	25	1"				10
05066475001	016072	TX 30	25	1"				10
05066480001	016089	TX 40	25	1"				10

867/1 ZA TORX® bits with central pin

Come with a pin which, together with the bore hole within the screw, makes it easier to centre the tool.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 ZA TORX® bits with central pin



	EAN							
Code	4013288		mm		mm			
05066080001	107183	TX 10	25	1"	4,0			10
05066081001	107190	TX 15	25	1"	4,0			10
05066082001	107206	TX 20	25	1"	5,0			10
05066083001	107213	TX 25	25	1"	5,0			10
05066084001	107220	TX 30	25	1"	6,0			10
05066085001	107237	TX 40	25	1"	-			10

Impaktor system - For an above-average service life

Impaktor system - for extreme demands

Impaktor holder technology

Particularly high strength
Superior service life
Diamond coating

TriTorsion

Impaktor stainless steel holder

The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.


Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 IMP DC Impaktor TORX® bits




	EAN							
Code	4013288		mm					
05057664001	163172	TX 20	50	2"				5
05057665001	157515	TX 25	50	2"				5
05057666001	157522	TX 30	50	2"				5
05057667001	157539	TX 40	50	2"				5

867/4 IMP DC SB Impaktor bits



Code	EAN						
05073964001	163257		867/4 IMP DC				5
05073965001	158529		1x TX 20x50				
05073966001	158536		867/4 IMP DC				5
05073967001	158543		1x TX 25x50				
			867/4 IMP DC				5
			1x TX 30x50				
			867/4 IMP DC				5
			1x TX 40x50				

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3867/4 TORX®, stainless



	EAN						
Code	4013288		mm				
05134856001	204288	TX 10	89	3 1/2"			10
05134857001	204295	TX 15	89	3 1/2"			10
05071046001	175779	TX 20	50	2"			10
05134858001	204325	TX 20	89	3 1/2"			10
05071047001	175786	TX 25	50	2"			10
05134859001	204301	TX 25	89	3 1/2"			10
05134860001	204318	TX 30	89	3 1/2"			10

867/4 KK TORX® bits

Ballpoint: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling „round the corner“ screwdriving.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 KK TORX® bits



	EAN						
Code	4013288		mm				
05059700001	155979	TX 10	89	3 1/2"			5
05059701001	155986	TX 15	89	3 1/2"			5
05059702001	155993	TX 20	89	3 1/2"			5
05059703001	156006	TX 25	89	3 1/2"			5
05059704001	156013	TX 30	89	3 1/2"			5
05059705001	156020	TX 40	89	3 1/2"			5

TORX® Tools with holding function




The TORX® HF (HF = holding function) specially developed by Wera distinguishes itself through the geometric optimisation of the original TORX® profile.

The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool! 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 TORX® HF bits with holding function



	EAN						
Code	4013288		mm		mm		
05060080001	106889	TX 8	50	2"	3,0		10
05060360001	155573	TX 10	89	3 1/2"	4,0		5
05060081001	106896	TX 10	50	2"	4,0		10
05060361001	155580	TX 15	89	3 1/2"	4,0		5
05060082001	106902	TX 15	50	2"	4,0		10
05060362001	155597	TX 20	89	3 1/2"	4,5		5
05060083001	106919	TX 20	50	2"	4,5		10
05060084001	106926	TX 25	50	2"	6,0		10
05060363001	155603	TX 25	89	3 1/2"	6,0		5
05060085001	106933	TX 27	50	2"	6,0		10
05060364001	155610	TX 27	89	3 1/2"	6,0		5
05060086001	106940	TX 30	50	2"	6,0		10
05060365001	155627	TX 30	89	3 1/2"	6,0		5
05060087001	106957	TX 40	50	2"	-		10
05060366001	155634	TX 40	89	3 1/2"	-		5



867/4 H TORX® bits

Extra-hard. 1/4" hexagon, suitable for
DIN ISO 1173-F 6.3 bit holders.

867/4 H TORX® bits



	EAN						
Code	4013288		mm		mm		
05135170001	093776	TX 5	50	2"	3,0		10
05135171001	096654	TX 5	70	2 3/4"	3,0		10
05135172001	093783	TX 6	50	2"	3,0		10
05135180001	093813	TX 6	70	2 3/4"	3,0		10
05135174001	093790	TX 8	50	2"	3,0		10
05135182001	093820	TX 8	70	2 3/4"	3,0		10
05135176001	093806	TX 10	50	2"	4,0		10
05135184001	093837	TX 10	70	2 3/4"	4,0		10
05135185001	096708	TX 15	50	2"	4,0		10
05135186001	096715	TX 15	70	2 3/4"	4,0		10

867/4 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable
for holders as per DIN ISO 1173-F 6.3.

867/4 Z TORX® bits



	EAN						
Code	4013288		mm		mm		
05135200001	107138	TX 1	50	2"	2,0		10
05135201001	107145	TX 2	50	2"	2,0		10
05135202001	112620	TX 3	50	2"	2,0		10
05135204001	041333	TX 4	50	2"	3,0		10
05135205001	031808	TX 5	50	2"	3,0		10
05308428001	041340	TX 6	50	2"	3,0		10
05134740001	035905	TX 6	70	2 3/4"	3,0		10
05332600001	033895	TX 6	89	3 1/2"	3,0		10
05328448001	038432	TX 6	152	6"	3,0		10
05160830001	113283	TX 7	50	2"	3,0		10
05345047001	128423	TX 7	70	2 3/4"	3,0		10
05060131001	030498	TX 8	50	2"	3,0		10
05060098001	030504	TX 8	70	2 3/4"	3,0		10
05060185001	030511	TX 8	89	3 1/2"	3,0		10
05060195001	030528	TX 8	152	6"	3,0		10
05319835001	128430	TX 9	70	2 3/4"	3,0		10
05060193001	155566	TX 9	89	3 1/2"	3,0		10
05060194001	156945	TX 9	152	6"	3,0		10
05060132001	030535	TX 10	50	2"	4,0		10
05060100001	016171	TX 10	70	2 3/4"	4,0		10
05060186001	030481	TX 10	89	3 1/2"	4,0		10
05060196001	030542	TX 10	152	6"	4,0		10
05060133001	030559	TX 15	50	2"	4,0		10
05060105001	016188	TX 15	70	2 3/4"	4,0		10
05060187001	030566	TX 15	89	3 1/2"	4,0		10
05060197001	030573	TX 15	152	6"	4,0		10
05060134001	030580	TX 20	50	2"	4,5		10
05060110001	016195	TX 20	70	2 3/4"	4,5		10
05060188001	030597	TX 20	89	3 1/2"	4,5		10
05060198001	030603	TX 20	152	6"	4,5		10
05060135001	030610	TX 25	50	2"	6,0		10
05060115001	016201	TX 25	70	2 3/4"	6,0		10
05060189001	030627	TX 25	89	3 1/2"	6,0		10
05060199001	030634	TX 25	152	6"	6,0		10
05060136001	030641	TX 27	50	2"	6,0		10
05060120001	016218	TX 27	70	2 3/4"	6,0		10
05060190001	030658	TX 27	89	3 1/2"	6,0		10
05060200001	030665	TX 27	152	6"	6,0		10
05060137001	030672	TX 30	50	2"	6,0		10
05060125001	016225	TX 30	70	2 3/4"	6,0		10
05060191001	030689	TX 30	89	3 1/2"	6,0		10
05060201001	030696	TX 30	152	6"	6,0		10
05060138001	030702	TX 40	50	2"	-		10
05060130001	016232	TX 40	70	2 3/4"	-		10
05060192001	030719	TX 40	89	3 1/2"	-		10
05060202001	030726	TX 40	152	6"	-		10

867/4 Z SB Bits



Code	EAN			
	4013288			
05073720001	132789		867/4 Z TORX® 2x TX 10x50	3
05073526001	105929		867/4 Z TORX® 1x TX 10x89	5
05136311001	213891		867/4 Z TORX® 1x TX 10x152	3
05073721001	132796		867/4 Z TORX® 2x TX 15x50	3
05073527001	105936		867/4 Z TORX® 1x TX 15x89	5
05136312001	213907		867/4 Z TORX® 1x TX 15x152	3
05073722001	132802		867/4 Z TORX® 2x TX 20x50	3
05073528001	105943		867/4 Z TORX® 1x TX 20x89	5
05136313001	213914		867/4 Z TORX® 1x TX 20x152	3
05073723001	132826		867/4 Z TORX® 2x TX 25x50	3
05073529001	105950		867/4 Z TORX® 1x TX 25x89	5
05136314001	213921		867/4 Z TORX® 1x TX 25x152	3
05073724001	132833		867/4 Z TORX® 2x TX 30x50	3
05073530001	105967		867/4 Z TORX® 1x TX 30x89	5
05136315001	213938		867/4 Z TORX® 1x TX 30x152	3
05073531001	105974		867/4 Z TORX® 1x TX 40x89	5
05136316001	213945		867/4 Z TORX® 1x TX 40x152	3

867/2 Z TORX® bits

5/16" hexagon, suitable for holders as per
DIN ISO 1173-D 8.



Code	EAN						
	4013288						
05066901001	016096	TX 20	35	1 3/8"	4,5		10
05066930001	104427	TX 20	50	2"	4,5		10
05066945001	104472	TX 20	70	2 3/4"	4,5		10
05066935001	104533	TX 20	100	4"	4,5		10
05066900001	016102	TX 25	35	1 3/8"	5,8		10
05066931001	104434	TX 25	50	2"	5,8		10
05066946001	104489	TX 25	70	2 3/4"	5,8		10
05066936001	104540	TX 25	100	4"	5,8		10
05066902001	016119	TX 27	35	1 3/8"	5,8		10
05066932001	104441	TX 27	50	2"	5,8		10
05066937001	104557	TX 27	100	4"	5,8		10
05066905001	016126	TX 30	35	1 3/8"	6,0		10
05066933001	104458	TX 30	50	2"	6,0		10
05066947001	104496	TX 30	70	2 3/4"	6,0		10
05066938001	104564	TX 30	100	4"	6,0		10
05066910001	016133	TX 40	35	1 3/8"	7,0		10
05066934001	104465	TX 40	50	2"	7,0		10
05066948001	104502	TX 40	70	2 3/4"	7,0		10
05066939001	104571	TX 40	100	4"	7,0		10
05066915001	016140	TX 45	35	1 3/8"	-		10
05066940001	103994	TX 45	50	2"	-		10
05066949001	104519	TX 45	70	2 3/4"	-		10
05066942001	104014	TX 45	100	4"	-		10
05066920001	016157	TX 50	35	1 3/8"	-		10
05066941001	104007	TX 50	50	2"	-		10
05066950001	104526	TX 50	70	2 3/4"	-		10
05066943001	104021	TX 50	100	4"	-		10
05066925001	016164	TX 55	35	1 3/8"	12,0		10
05136220001	026477	TX 60	35	1 3/8"	14,0		10

867/11 TORX® bits

Thread drive M 4.



Code	EAN						
	4013288						
05064140001	032911	TX 8	33	1 1/4"	6,0		10
05064144001	032935	TX 10	33	1 1/4"	6,0		10
05064146001	032942	TX 15	33	1 1/4"	6,0		10



867/12 TORX® bits

Thread drive M 5.

867/12 TORX® bits



	EAN						
Code	4013288		mm		mm		
05064148001	032959	TX 10	45	1 3/4"	6,0		10
05064150001	031761	TX 15	45	1 3/4"	6,0		10
05064155001	026484	TX 20	45	1 3/4"	6,0		10
05064160001	026491	TX 25	45	1 3/4"	6,0		10

867/15 TORX® bits

Thread drive M 6.

867/15 TORX® bits



	EAN						
Code	4013288		mm		mm		
05064166001	032966	TX 10	45	1 3/4"	8,0		10
05064168001	032973	TX 15	45	1 3/4"	8,0		10
05064170001	032607	TX 20	45	1 3/4"	8,0		10
05064175001	032980	TX 25	45	1 3/4"	8,0		10
05064180001	032997	TX 30	45	1 3/4"	8,0		10

867/16 TORX® bits

Thread drive #10-32 UNF.

867/16 TORX® bits



	EAN						
Code	4013288		mm		mm		
05064185001	033000	TX 10	45	1 3/4"	6,0		10
05064190001	033017	TX 15	45	1 3/4"	6,0		10
05064200001	032768	TX 20	45	1 3/4"	6,0		10

867/9 C TORX® bits, halfmoon

Drive: 4 mm halfmoon for direct power tool connection.

867/9 C TORX® bits, halfmoon



	EAN						
Code	4013288		mm		mm		
05135220001	112637	TX 1	44	1 47/64"	1,5		10
05135221001	112644	TX 2	44	1 47/64"	1,5		10
05135222001	112651	TX 3	44	1 47/64"	1,7		10
05345352001	113597	TX 4	44	1 47/64"	1,8		10
05345018001	113504	TX 4	64	2 33/64"	2,0		10
05200496001	214881	TX 5	44	1 47/64"	1,6		10
05345351001	113580	TX 5	44	1 47/64"	3,0		10
05345032001	113542	TX 5	64	2 33/64"	2,0		10
05314753001	113375	TX 5	70	2 3/4"	2,0		10
05345350001	113573	TX 6	44	1 47/64"	3,0		10
05345056001	113566	TX 6	64	2 33/64"	2,0		10
05332610001	035868	TX 6	70	2 3/4"	3,0		10
05345035001	113559	TX 7	64	2 33/64"	2,3		10
05345026001	113528	TX 8	44	1 47/64"	3,0		10
05345028001	113535	TX 8	64	2 33/64"	3,0		10
05332609001	035714	TX 8	70	2 3/4"	3,0		10
05332607001	037107	TX 10	70	2 3/4"	3,0		10

867/21 TORX® bits

Drive: HIOS 4 mm.

867/21 TORX® bits



	EAN							
Code	4013288		mm		mm	mm		
05135400001 ¹⁾	112989	TX 1	40	1 9/16"	1,5	20	25/32"	10
05135401001 ¹⁾	112996	TX 2	40	1 9/16"	1,5	20	25/32"	10
05135402001 ¹⁾	113009	TX 3	40	1 9/16"	1,7	20	25/32"	10
05135403001	113016	TX 4	40	1 9/16"	1,8	20	25/32"	10
05135404001	113023	TX 5	40	1 9/16"	2,0	20	25/32"	10
05300412001	214898	TX 5	40	1 9/16"	2,0	20	25/32"	10
05300413001	214904	TX 5	60	2 3/8"	2,0	20	25/32"	10
05300414001	214911	TX 5	150	6"	2,0	20	25/32"	10
05135405001	113030	TX 6	40	1 9/16"	2,0	20	25/32"	10
05300415001	214928	TX 6	40	1 9/16"		20	25/32"	10
05300416001	214935	TX 6	150	6"	2,0	20	25/32"	10
05135406001	113047	TX 7	40	1 9/16"	2,5	20	25/32"	10
05135407001	113054	TX 8	40	1 9/16"	3,0	20	25/32"	10
05300417001	214942	TX 8	40	1 9/16"	3,0	20	25/32"	10
05300418001	214959	TX 8	60	2 3/8"	3,0	20	25/32"	10
05135408001	113061	TX 9	40	1 9/16"	3,0	20	25/32"	10
05135409001	113078	TX 10	40	1 9/16"	3,0	20	25/32"	10

¹⁾ Delivery on request.

867/22 TORX® bits

Drive: HIOS 5 mm.

867/22 TORX® bits



	EAN							
Code	4013288		mm		mm	mm		
05135420001	113085	TX 5	60	2 3/8"	2,0	20	25/32"	10
05135421001	113092	TX 6	60	2 3/8"	2,5	20	25/32"	10
05135422001	113108	TX 7	60	2 3/8"	2,5	20	25/32"	10
05135423001	113115	TX 8	60	2 3/8"	3,0	20	25/32"	10
05135424001	113122	TX 9	60	2 3/8"	3,0	20	25/32"	10
05135425001	113139	TX 10	60	2 3/8"	3,0	20	25/32"	10

867/1 Z TORX® BO bits with bore hole

The bore hole in the bit and the pin in the TORX® BO screw prevent any unauthorised loosening – secure fastening.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 Z TORX® BO bits with bore hole



	EAN							
Code	4013288		mm					
05066497001	015822	TX 7	25	1"				10
05066498001	015839	TX 8	25	1"				10
05066499001	015846	TX 9	25	1"				10
05066500001	015853	TX 10	25	1"				10
05066505001	015860	TX 15	25	1"				10
05066510001	015877	TX 20	25	1"				10
05066515001	015884	TX 25	25	1"				10
05066520001	015891	TX 27	25	1"				10
05066525001	015907	TX 30	25	1"				10
05066530001	015914	TX 40	25	1"				10

3867/4 TORX® BO bits with bore hole, stainless

Wera stainless steel bits prevent the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3867/4 TORX® BO bits with bore hole, stainless



	EAN							
Code	4013288		mm		mm			
05071089001	115546	TX 10	89	3 1/2"	4,0			10
05071090001	115553	TX 15	89	3 1/2"	4,0			10
05071091001	115560	TX 20	89	3 1/2"	4,5			10
05071092001	115577	TX 25	89	3 1/2"	5,5			10
05071094001	115584	TX 30	89	3 1/2"	6,0			10

867/4 Z TORX® BO bits with bore hole

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D F.3.

867/4 Z TORX® BO bits with bore hole



	EAN							
Code	4013288		mm		mm			
05060139001	030733	TX 8	70	2 3/4"	3,0			10
05060048001	094513	TX 8	89	3 1/2"	3,0			10
05060049001	094520	TX 9	89	3 1/2"	3,0			10
05060140001	026897	TX 10	70	2 3/4"	4,0			10
05060050001	094537	TX 10	89	3 1/2"	4,0			5
05060141001	030740	TX 15	70	2 3/4"	4,0			10
05060051001	094544	TX 15	89	3 1/2"	4,0			5
05060142001	026903	TX 20	70	2 3/4"	4,5			10
05060052001	094551	TX 20	89	3 1/2"	4,5			5
05060143001	026910	TX 25	70	2 3/4"	6,0			10
05060053001	094568	TX 25	89	3 1/2"	6,0			10
05060144001	026927	TX 27	70	2 3/4"	6,0			10
05060057001	094643	TX 27	89	3 1/2"	6,0			5
05060145001	026934	TX 30	70	2 3/4"	6,0			10
05060054001	094575	TX 30	89	3 1/2"	6,0			5
05060146001	026941	TX 40	70	2 3/4"	-			10
05060056001	094582	TX 40	89	3 1/2"	-			5



867/1 IP TORX PLUS® bits

High quality bits for recessed TORX PLUS® screws. TORX PLUS® profile: in comparison to normal TORX® profiles, the enlargement of the 6 torque-transferring flanks between the tool and the screw is effected by means of an ellipse-shaped profile design and not a circular one.

This means that the power applied when screwdriving is spread over a larger area. Higher torque is transferred and the service life of the screw and tool is also enhanced. Tough viscous.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 IP TORX PLUS® bits



	EAN							
Code	4013288		mm					
05135120001	112606	1 IP	25	1"				10
05135121001	112613	2 IP	25	1"				10
05160956001	113313	3 IP	25	1"				10
05134695001	103109	4 IP	25	1"				10
05066272001	035684	5 IP	25	1"				10
05066274001	031556	6 IP	25	1"				10
05066276001	031563	7 IP	25	1"				10
05066278001	031570	8 IP	25	1"				10
05066279001	033635	9 IP	25	1"				10
05066280001	031549	10 IP	25	1"				10
05066282001	031587	15 IP	25	1"				10
05066284001	031594	20 IP	25	1"				10
05066286001	031600	25 IP	25	1"				10
05066287001	031617	27 IP	25	1"				10
05066288001	031624	30 IP	25	1"				10
05066290001	031631	40 IP	25	1"				10

867/4 IP TORX PLUS® bits



	EAN							
Code	4013288		mm		mm			
05134664001	112514	1 IP	50	2"	2,0			10
05134665001	112521	2 IP	50	2"	2,0			10
05134668001	106568	3 IP	50	2"	2,0			10
05134691001	103093	4 IP	50	2"	3,0			10
05134678001	098030	5 IP	50	2"	3,0			10
05134680001	037220	6 IP	50	2"	3,0			10
05134667001	095596	6 IP	89	3 1/2"	3,0			10
05134690001	095602	6 IP	152	6"	3,0			10
05134681001	037237	7 IP	50	2"	3,0			10
05134679001	037190	8 IP	50	2"	3,0			10
05134670001	032812	8 IP	89	3 1/2"	3,0			10
05134682001	037244	8 IP	152	6"	3,0			10
05160917001	038951	9 IP	50	2"	3,0			10
05134669001	033871	9 IP	89	3 1/2"	3,0			10
05134683001	037251	10 IP	50	2"	4,0			10
05134684001	037268	10 IP	70	2 3/4"	4,0			10
05134671001	032829	10 IP	89	3 1/2"	4,0			10
05134685001	037275	15 IP	50	2"	4,0			10
05134686001	037282	15 IP	70	2 3/4"	4,0			10
05134672001	032836	15 IP	89	3 1/2"	4,0			10
05134687001	037299	20 IP	50	2"	4,5			10
05134688001	037305	20 IP	70	2 3/4"	4,5			10
05134673001	032843	20 IP	89	3 1/2"	4,5			10
05134674001	032850	25 IP	89	3 1/2"	6,0			10
05134675001	032867	27 IP	89	3 1/2"	6,0			10
05320430001	113382	30 IP	50	2"	6,0			10
05134676001	032874	30 IP	89	3 1/2"	6,0			10
05134677001	032881	40 IP	89	3 1/2"	-			10

867/9 C IP TORX PLUS® bits, halfmoon

Drive: 4 mm halfmoon for direct power tool connection.

867/9 C IP TORX PLUS® bits, halfmoon



	EAN							
Code	4013288		mm		mm	mm		
05135230001	112668	1 IP	44	1 47/64"	1,5	20	25/32"	10
05135231001	112675	2 IP	44	1 47/64"	1,5	20	25/32"	10
05135232001	112682	3 IP	44	1 47/64"	1,7	20	25/32"	10
05326310001	113399	4 IP	44	1 47/64"	2,0	20	25/32"	10
05345019001	113511	4 IP	64	2 33/64"	2,0	20	25/32"	10
05135233001	112699	5 IP	44	1 47/64"	2,0	20	25/32"	10
05332612001	035882	5 IP	70	2 3/4"	3,0	20	25/32"	10
05344900001	113498	6 IP	44	1 47/64"	2,25	20	25/32"	10
05135234001	112705	8 IP	44	1 47/64"	3,0	20	25/32"	10
05332606001	037091	8 IP	70	2 3/4"	3,0	20	25/32"	10
05135235001	112712	10 IP	44	1 47/64"	3,0	20	25/32"	10

867/21 IP TORX PLUS® bits

Drive: HIOS 4 mm.

867/21 IP TORX PLUS® bits



	EAN							
Code	4013288		mm		mm	mm		
05135430001 ¹⁾	113146	1 IP	40	1 9/16"	1,5	20	25/32"	10
05135431001 ¹⁾	113153	2 IP	40	1 9/16"	1,5	20	25/32"	10
05135432001 ¹⁾	113160	3 IP	40	1 9/16"	1,7	20	25/32"	10
05320533001	166197	3 IP	60	2 3/8"	2,0	30	1 3/16"	10
05302402001	113351	4 IP	40	1 9/16"	1,8	20	25/32"	10
05302401001	206060	4 IP	60	2 3/8"	2,0	20	25/32"	10
05302403001	113368	5 IP	40	1 9/16"	2,0	20	25/32"	10
05302400001	113344	6 IP	40	1 9/16"	2,0	20	25/32"	10
05135433001	113177	7 IP	40	1 9/16"	2,5	20	25/32"	10
05135434001	113184	8 IP	40	1 9/16"	3,0	20	25/32"	10
05135435001	113191	9 IP	40	1 9/16"	3,0	20	25/32"	10
05135436001	113207	10 IP	40	1 9/16"	3,0	20	25/32"	10

¹⁾ Delivery on request.

867/22 IP TORX PLUS® bits

Drive: HIOS 5 mm.

867/22 IP TORX PLUS® bits



	EAN							
Code	4013288		mm		mm	mm		
05135440001	113214	5 IP	60	2 3/8"	2,0	20	25/32"	10
05344280001	113429	6 IP	60	2 3/8"	2,5	20	25/32"	10
05135441001	113221	7 IP	60	2 3/8"	2,5	20	25/32"	10
05134500001	112507	8 IP	60	2 3/8"	3,0	20	25/32"	10
05344281001	113436	8 IP	80	3 1/8"	3,0	20	25/32"	10
05135442001	113238	9 IP	60	2 3/8"	3,0	20	25/32"	10
05135443001	113245	10 IP	60	2 3/8"	3,0	20	25/32"	10
05344282001	113443	10 IP	80	3 1/8"	3,0	20	25/32"	10

IPR TORX PLUS®

A 5-flank TORX PLUS® profile with a borehole.

This drive geometry has only five flanks instead of the usual six and a borehole to protect safety screws against unauthorised unfastening. The screws cannot be turned with conventional, widely available tools.

867/1 IPR TORX PLUS® bits with bore hole



	EAN							
Code	4013288		mm					
05134699001	034878	8 IPR	25	1"				10
05134698001	037817	9 IPR	25	1"				10
05134700001	034823	10 IPR	25	1"				10
05134701001	034724	15 IPR	25	1"				10
05134702001	034731	20 IPR	25	1"				10
05134703001	034748	25 IPR	25	1"				10
05134704001	034847	27 IPR	25	1"				10
05134705001	034830	30 IPR	25	1"				10
05134706001	034854	40 IPR	35	1 3/8"				10
05134707001	034861	45 IPR	35	1 3/8"				10

867/4 IPR TORX PLUS® bits with bore hole



	EAN							
Code	4013288		mm		mm			
05134600001 ¹⁾	190390	1 IPR	50	2"	2,0			10
05134601001 ¹⁾	190406	3 IPR	50	2"	2,0			10
05134602001 ¹⁾	190413	5 IPR	50	2"	3,0			10
05134603001 ¹⁾	190420	6 IPR	50	2"	3,0			10
05134604001	190437	8 IPR	50	2"	3,0			10
05160821001	160867	10 IPR	50	2"	4,0			10
05134657001	155665	10 IPR	89	3 1/2"	4,0			10
05134654001	155641	15 IPR	50	2"	4,0			10
05134720001	037206	15 IPR	89	3 1/2"	4,0			10
05204126001	160874	20 IPR	50	2"	4,5			10
05259135001	160881	20 IPR	89	3 1/2"	4,5			10
05134655001	155658	25 IPR	50	2"	6,0			10
05134722001	160904	25 IPR	89	3 1/2"	6,0			10
05134656001	156952	27 IPR	50	2"	6,0			10
05134658001	155672	27 IPR	89	3 1/2"	6,0			10
05134732001	160911	30 IPR	50	2"	6,0			10
05134723001	160935	30 IPR	89	3 1/2"	6,0			10

¹⁾ Without bore hole

867/9 IPR TORX PLUS® bits

Drive: 4 mm halfmoon for direct power tool insertion.

867/9 IPR TORX PLUS® bits



	EAN						
Code	4013288		mm		mm		
05200495001	185181	1 IPR	44	1 47/64"	1,5		5
05060380001	172662	1 IPR	44	1 47/64"	1,8		10
05135226001	190482	1 IPR	64	2 33/64"	1,5		10
05135228001	200983	3 IPR	44	1 47/64"	1,8		10
05135229001	200990	3 IPR	64	2 33/64"	1,8		10

867/21 IPR TORX PLUS® bits

Drive: HIOS 4 mm.

867/21 IPR TORX PLUS® bits



	EAN						
Code	4013288		mm		mm		
05300025001	201003	1 IPR	40	1 37/64"	1,8		10
05300037001	185150	1 IPR	60	2 3/8"	1,8		10

BiTorsion system - for longer service life



Smaller impacts are absorbed by the holder



Higher impacts are cushioned in the torsion zone of the bit



No premature wear caused by impacts

864/1 BTZ SIT bits

High quality bits for ASSY® screws. Come with an elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. This provides the best possible durability together with the matching holder. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

864/1 BTZ SIT bits



	EAN							
Code	4013288		mm					
05066040001	093943	SIT 10	25	1"				10
05066041001	093950	SIT 20	25	1"				10
05066042001	093967	SIT 25	25	1"				10
05066043001	093974	SIT 30	25	1"				10

864/1 Z SIT bits

Ductile and tough for hard materials.

864/1 Z SIT bits




	EAN							
Code	4013288		mm					
05066030001	093912	SIT 10	25	1"				10
05066031001	093905	SIT 20	25	1"				10
05066032001	093929	SIT 25	25	1"				10
05066033001	093936	SIT 30	25	1"				10

Kraftform Stainless - stainless steel to prevent rust

Stainless steel material to prevent extraneous rust

Shop floor-proof thanks to vacuum ice hardening



High quality bits out of stainless steel for slotted screws. Wera stainless steel bits prevent the formation of unsightly extraneous rust. Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone.


This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3800/1 TS bits , stainless



	EAN							
Code	4013288	mm	mm	mm	mm			
05071000001	110947	0,8	5,5	25	1"			10
05071001001	110961	1,0	5,5	25	1"			10
05071002001	110978	1,2	6,5	25	1"			10

BiTorsion system - for longer service life



800/1 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 BDC bits



	EAN							
Code	4013288	mm	mm	mm	mm			
05056172001	033949	0,8	5,5	25	1"			10
05056174001	033956	1,0	5,5	25	1"			10
05056176001	033963	1,2	6,5	25	1"			10

800/1 BTZ bits

Comes with Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. Tough viscous, for universal use; 1/4 inch hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 BTZ bits



	EAN							
Code	4013288	mm	mm	mm	mm			
05056064001	034427	0,8	5,5	25	1"			10
05056066001	034434	1,0	5,5	25	1"			10
05056068001	034441	1,2	6,5	25	1"			10

800/1 TZ bits

Bits with Torsion zone to combat premature wear.

Tough viscous for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 TZ bits



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05056203001	011145	0,5	4,0	25	1"	4,0		10
05056210001	011152	0,6	4,5	25	1"	4,5		10
05056220001	011169	0,8	5,5	25	1"	5,5		10
05056225001	011176	1,0	5,5	25	1"	5,5		10
05056233001	011183	1,2	6,5	25	1"	6,2		10
05056240001	011190	1,6	8,0	25	1"	8,0		10



800/1 Z bits

Tough viscous Wera bits for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 Z bits



	EAN							
Code	4013288	mm	mm	mm		mm		
05056200001	040831	0,5	3,0	25	1"	3,0		10
05056005001	010803	0,5	3,0	39	1 17/32"	3,0		10
05072050001	030467	0,5	4,0	25	1"	4,0		10
05056007001	010810	0,5	4,0	39	1 17/32"	4,0		10
05056010001	010827	0,6	3,5	39	1 17/32"	3,5		10
05072055001	010933	0,6	4,5	25	1"	4,5		10
05056015001	010834	0,6	4,5	39	1 17/32"	4,5		10
05072057001	010940	0,8	5,5	25	1"	5,5		10
05056020001	010841	0,8	4,0	39	1 17/32"	4,0		10
05056025001	010858	0,8	5,5	39	1 17/32"	5,5		10
05072059001	010957	1,0	5,5	25	1"	5,5		10
05056030001	010865	1,0	5,5	39	1 17/32"	5,5		10
05072061001	010964	1,2	6,5	25	1"	6,2		10
05072063001	030450	1,2	8,0	25	1"	8,0		10
05056037001	010872	1,2	6,5	39	1 17/32"	6,5		10
05056040001	010889	1,2	8,0	39	1 17/32"	8,0		10
05072065001	010971	1,6	8,0	25	1"	8,0		10
05056045001	010896	1,6	8,0	39	1 17/32"	8,0		10

800/1 Z Sets SB




Code	EAN							
05073300001	029010							5
05073301001	029027							5
05073302001	029034							5

800/1 Z Set D SB



Code	EAN							
05073303001	029041							5

Kraftform Stainless - stainless steel to prevent rust



High quality stainless steel bits for slotted screws. Made out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3800/4 Bits, stainless



Code	EAN							
05071080001	115669	1,0	5,5	89	3 1/2"			10

800/4 Z bits

Tough viscous Wera bits for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

800/4 Z bits



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05059305001	011480	0,5	3,0	50	2"	3,0	10
05059466001	011497	0,5	3,0	70	2 3/4"	3,0	10
05059307001	011503	0,5	4,0	50	2"	4,0	10
05059310001	011510	0,6	3,5	50	2"	3,5	10
05059472001	011527	0,6	3,5	70	2 3/4"	3,5	10
05059450001	031471	0,6	3,5	152	6"	3,5	10
05059315001	011534	0,6	4,5	50	2"	4,5	10
05059489001	094230	0,6	4,5	89	3 1/2"	4,5	10
05059320001	011541	0,8	4,0	50	2"	4,0	10
05059478001	011558	0,8	4,0	70	2 3/4"	4,0	10
05059480001	011565	0,8	4,0	89	3 1/2"	4,0	10
05059451001	031389	0,8	4,0	152	6"	4,0	10
05059325001	011572	0,8	5,5	50	2"	5,5	10
05059330001	011589	1,0	5,5	50	2"	5,5	10
05059486001	011596	1,0	5,5	70	2 3/4"	5,5	10
05059488001	011602	1,0	5,5	89	3 1/2"	5,5	10
05059452001	031235	1,0	5,5	152	6"	5,5	10
05059335001	035004	1,0	6,0	50	2"	6,0	10
05059337001	011619	1,2	6,5	50	2"	6,2	10
05059492001	011626	1,2	6,5	70	2 3/4"	6,2	10
05059490001	094247	1,2	6,5	89	3 1/2"	6,2	10
05059453001	031488	1,2	6,5	152	6"	6,2	10
05059340001	011633	1,2	8,0	50	2"	8,0	10
05059496001	011640	1,2	8,0	89	3 1/2"	8,0	10
05059345001	011657	1,6	8,0	50	2"	8,0	10
05059500001	011664	1,6	8,0	89	3 1/2"	8,0	10

800/2 Z bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

800/2 Z bits



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05057210001	011244	0,8	5,5	41	1 19/32"	5,5	10
05057213001	011251	1,0	5,5	41	1 19/32"	5,5	10
05057223001	011268	1,2	6,5	41	1 19/32"	6,5	10
05057225001	011275	1,2	8,0	41	1 19/32"	7,8	10
05057230001	011282	1,6	8,0	41	1 19/32"	7,8	10
05057235001	011299	1,6	10,0	41	1 19/32"	7,8	10
05057240001	011305	2,0	12,0	41	1 19/32"	12,0	10
05057250001	011312	2,5	14,0	41	1 19/32"	14,0	10
05057255001	026408	2,5	16,0	41	1 19/32"	16,0	10

800/9 C bits

Hard bits against premature breakage.
Drive: halfmoon, 4 mm.

800/9 C bits



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05135265001	168276	0,23	1,5	44	1 47/64"	1,5	10
05135264001	194770	0,35	2,5	44	1 47/64"	2,5	10
05135266001	168283	0,40	2,0	44	1 47/64"	2,0	10
05135267001	168290	0,50	3,0	44	1 47/64"	3,0	10

807/4 Z bits

Bits with a firmly-mounted guide sleeve for slotted screws.


Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

807/4 Z bits



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05059503001	012210	0,8	4,0	90	3 1/2"	10	5
05059507001	012227	1,0	5,5	90	3 1/2"	11	5
05059515001	012234	1,2	8,0	90	3 1/2"	13	5
05059517001	012241	1,6	8,0	90	3 1/2"	13	5

Impaktor system - For an above-average service life



High quality Impaktor bits for hexagon socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Hex-Plus ensures a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 IMP DC Impaktor bits




	EAN	Ø	l	l				
Code	4013288	mm	mm					
05057603001	178701	3,0	25	1"				10
05057604001	157560	4,0	25	1"				10
05057605001	157423	5,0	25	1"				10
05057606001	157430	6,0	25	1"				10

840/1 IMP DC SB Impaktor bits



Code	EAN			
	4013288			
05073904001	158338	Ø	840/1 IMP DC 1x 4.0x25	5
05073905001	158345	Ø	840/1 IMP DC 1x 5.0x25	5
05073906001	158352	Ø	840/1 IMP DC 1x 6.0x25	5

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for hexagon socket screws. Prevents the formation of unsightly extraneous rust.

The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated.

Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3840/1 TS bits, stainless



	EAN	Ø	Ø	ℓ	ℓ			
Code	4013288	mm		mm	1"			
05071070001	111197	1,5		25	1"			10
05071071001	111203	2,0		25	1"			10
05071072001	111210	2,5		25	1"			10
05071073001	111227	3,0		25	1"			10
05071074001	111234	4,0		25	1"			10
05071075001	111241	5,0		25	1"			10
05071077001	115478	5,5		25	1"			10
05071076001	111258	6,0		25	1"			10
05071060001	115409		3/32"	25	1"			10
05071061001	115416		7/64"	25	1"			10
05071062001	115423		1/8"	25	1"			10
05071063001	115430		9/64"	25	1"			10
05071064001	115447		5/32"	25	1"			10
05071065001	115454		3/16"	25	1"			10
05071066001	115461		1/4"	25	1"			10


BiTorsion system - for longer service life



Smaller impacts are absorbed by the holder



Higher impacts are cushioned in the torsion zone of the bit



No premature wear caused by impacts

BiTorsion with elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. Tough viscous; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 BTZ bits



	EAN	Ø	ℓ	ℓ				
Code	4013288	mm	mm	1"				
05056680001	182418	1,5	25	1"				10
05056681001	182425	2,0	25	1"				10
05056682001	182432	2,5	25	1"				10
05056683001	182449	3,0	25	1"				10
05056684001	182456	4,0	25	1"				10
05056685001	182463	5,0	25	1"				10
05056686001	182470	5,5	25	1"				10
05056687001	182487	6,0	25	1"				10

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



Tough viscous Wera bits for universal use. Hex-Plus offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 Z bits



	EAN						
Code	4013288	mm		mm			
05056303001	012623	1,5		25	1"		10
05056305001	012630	2,0		25	1"		10
05056310001	012647	2,5		25	1"		10
05056315001	012654	3,0		25	1"		10
05056320001	012661	4,0		25	1"		10
05056325001	012678	5,0		25	1"		10
05056330001	012685	6,0		25	1"		10
05056332001	038173	7,0		25	1"		10
05056335001	012692	8,0		25	1"		10
05056340001	012708	10,0		25	1"		10
05135060001	106636		0,05"	25	1"		10
05135070001	040862		1/16"	25	1"		10
05135071001	040879		5/64"	25	1"		10
05135072001	037725		3/32"	25	1"		10
05135078001	036599		7/64"	25	1"		10
05135073001	038067		1/8"	25	1"		10
05135069001	040855		9/64"	25	1"		10
05135074001	036506		5/32"	25	1"		10
05135075001	037930		3/16"	25	1"		10
05135079001	040893		7/32"	25	1"		10
05135076001	040886		1/4"	25	1"		10
05135077001	036360		5/16"	25	1"		10
05135068001	040848		3/8"	25	1"		10

840/1 Z Sets SB



Code	EAN			
	4013288			
05073342001	029607		840/1 Z Hex-Plus 1x 2.0x25; 1x 2.5x25; 1x 3.0x25	5
05073344001	029614		840/1 Z Hex-Plus 1x 4.0x25; 1x 5.0x25; 1x 6.0x25	5

842/1 Z bits

The ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling „round the corner“ screwdriving.


1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

842/1 Z bits



	EAN						
Code	4013288	mm		mm			
05056350001	013156	2,5		25	1"		10
05056352001	013163	3,0		25	1"		10
05056354001	013170	4,0		25	1"		10
05056356001	013187	5,0		25	1"		10
05056358001	013194	6,0		25	1"		10
05380103001	156570		3/32"	25	1"		10
05380104001	156662		7/64"	25	1"		10
05380105001	156679		1/8"	25	1"		10
05380106001	156686		9/64"	25	1"		10
05380107001	156693		5/32"	25	1"		10
05380108001	156709		3/16"	25	1"		10
05380109001	156716		7/32"	25	1"		10
05380110001	156723		1/4"	25	1"		10

Impaktor system - For an above-average service life



High quality Impaktor bits for hexagonal socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Hex-Plus ensures a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

840/4 IMP DC Impaktor bits




	EAN	mm	mm	mm			
Code	4013288	mm	mm	mm			
05057644001	157577	4,0	50	2"			5
05057645001	157492	5,0	50	2"			5
05057646001	157508	6,0	50	2"			5

840/4 IMP DC Impaktor bits SB



Code	EAN			
05073944001	158451	840/4 IMP DC	1x 4.0x50	5
05073945001	158468	840/4 IMP DC	1x 5.0x50	5
05073946001	158475	840/4 IMP DC	1x 6.0x50	5

Kraftform Stainless - stainless steel to prevent rust



Wera stainless steel bits prevent the formation of unsightly extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3840/4 Bits, stainless




	EAN	mm	mm	mm	mm		
Code	4013288	mm	mm	mm	mm		
05071101001	115621	3,0	89	3 1/2"			10
05071102001	115638	4,0	89	3 1/2"			10
05071103001	115645	5,0	89	3 1/2"			10
05071049001	175793	5,5	50	2"			10
05071104001	115652	6,0	89	3 1/2"			10
05071105001	115676		3/32"	89	3 1/2"		10
05071106001	115683		1/8"	89	3 1/2"		10
05071107001	115690		5/32"	89	3 1/2"		10
05071108001	115706		3/16"	89	3 1/2"		10



Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



840/4 Z bits

Tough viscous Wera bits for universal use. Hex-Plus offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

840/4 Z bits



	EAN	mm	mm	mm	mm	mm	
Code	4013288	mm	mm	mm	mm	mm	
05160885001	200976	0,9		50	2"	2,6	10
05059602001	112408	1,5		50	2"	2,0	10
05059603001	034694	2,0		50	2"	4,0	10
05059628001	155450	2,0		89	3 1/2"	4,0	5
05059604001	034700	2,5		50	2"	4,0	10
05059629001	155467	2,5		89	3 1/2"	4,0	5
05059605001	012906	3,0		50	2"	4,0	10
05059630001	094254	3,0		89	3 1/2"	4,0	5
05380033001	156433	3,0		152	6"	4,0	5
05059610001	012913	4,0		50	2"	5,0	10
05059631001	094261	4,0		89	3 1/2"	5,0	5
05059634001	122964	4,0		152	6"	5,0	5
05059615001	012920	5,0		50	2"	6,0	10
05059632001	094278	5,0		89	3 1/2"	6,0	5
05059635001	122971	5,0		152	6"	6,0	5
05059620001	012937	6,0		50	2"	5,0	10
05059633001	094285	6,0		89	3 1/2"	-	5
05059636001	122988	6,0		152	6"	-	5
05059625001	012944	8,0		50	2"	-	10
05059637001	215031	8,0		89	3 1/2"	-	5
05350430001	161406		0,05"	50	2"	2,5	10
05135090001	107053		1/16"	50	2"	2,5	10
05380045001	156730		1/8"	152	6"	4,0	5
05135091001	036414		5/64"	50	2"	3,0	10
05059660001	155474		5/64"	89	3 1/2"	3,0	5
05135092001	036421		3/32"	50	2"	3,0	10
05059661001	155481		3/32"	89	3 1/2"	3,5	5
05135093001	036438		7/64"	50	2"	3,5	10
05059662001	155498		7/64"	89	3 1/2"	4,0	5
05135094001	036445		1/8"	50	2"	4,0	10
05059663001	155504		1/8"	89	3 1/2"	4,0	5
05135095001	036377		9/64"	50	2"	4,5	10
05059664001	155511		9/64"	89	3 1/2"	4,5	5
05380046001	156822		9/64"	152	6"	4,5	5
05135096001	036384		5/32"	50	2"	5,0	10
05059665001	155528		5/32"	89	3 1/2"	5,0	5
05380047001	156839		5/32"	152	6"	5,0	5
05135097001	036391		3/16"	50	2"	6,0	10
05059666001	155535		3/16"	89	3 1/2"	6,0	5
05380048001	156846		3/16"	152	6"	6,0	5
05135098001	036407		7/32"	50	2"	-	10
05059667001	155542		7/32"	89	3 1/2"	-	5
05380049001	156853		7/32"	152	6"	-	5
05135099001	095589		1/4"	50	2"	-	10
05059668001	155559		1/4"	89	3 1/2"	-	5
05380050001	156860		1/4"	152	6"	-	5
05346288001	103895		5/16"	50	2"	-	10

840/4 Z SB bits



Code	EAN			
	4013288			
05136301001	213792	⊙	840/4 Z Hex-Plus 1x 3.0x152	3
05136302001	213808	⊙	840/4 Z Hex-Plus 1x 4.0x152	3
05136303001	213815	⊙	840/4 Z Hex-Plus 1x 5.0x152	3
05136304001	213822	⊙	840/4 Z Hex-Plus 1x 6.0x152	3

842/4 Bits

The ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling „round the corner“ screwdriving. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

842/4 Bits



Code	EAN	⊙	⊙	⊙	⊙	⊙	⊙
	4013288	mm		mm			
05059680001	155931	3,0		89	3 1/2"		5
05059681001	155948	4,0		89	3 1/2"		5
05059682001	155955	5,0		89	3 1/2"		5
05059683001	155962	6,0		89	3 1/2"		5
05380124001	156587		3/32"	89	3 1/2"		5
05380125001	156594		7/64"	89	3 1/2"		5
05380126001	156600		1/8"	89	3 1/2"		5
05380127001	156617		9/64"	89	3 1/2"		5
05380128001	156624		5/32"	89	3 1/2"		5
05380129001	156631		3/16"	89	3 1/2"		5
05380130001	156648		7/32"	89	3 1/2"		5
05380131001	156655		1/4"	89	3 1/2"		5

840/2 Z Bits



Code	EAN	⊙	⊙	⊙	⊙	⊙	⊙
	4013288	mm		mm			
05057505001	012753	3		30	1 3/16"		10
05057510001	012760	4		30	1 3/16"		10
05057550001	104588	4		50	2"		10
05057560001	104649	4		70	2"		10
05057570001	104724	4		100	4"		10
05057515001	012777	5		30	1 3/16"		10
05057551001	104595	5		50	2"		10
05057561001	104656	5		70	2 3/4"		10
05057571001	104731	5		100	4"		10
05057520001	012784	6		30	1 3/16"		10
05057552001	104601	6		50	2"		10
05057562001	104663	6		70	2 3/4"		10
05057572001	104748	6		100	4"		10
05057553001	104618	7		50	2"		10
05057573001	104755	7		100	4"		10
05057525001	012791	8		30	1 3/16"		10
05057554001	104625	8		50	2"		10
05057563001	104670	8		70	2 3/4"		10
05057574001	104762	8		100	4"		10
05057530001	012807	10		30	1 3/16"		10
05057555001	104632	10		50	2"		10
05057575001	104779	10		100	4"		10
05221102001	035776		5/32"	30	1 3/16"		10
05057565001	104687		5/32"	70	2 3/4"		10
05135083001	036001		3/16"	30	1 3/16"		10
05135084001	036018		7/32"	30	1 3/16"		10
05057566001	104694		7/32"	70	2 3/4"		10
05135080001	035974		1/4"	30	1 3/16"		10
05057567001	104700		1/4"	70	2 3/4"		10
05135081001	035981		5/16"	30	1 3/16"		10
05057568001	104717		5/16"	70	2 3/4"		10
05135082001	035998		3/8"	30	1 3/16"		10


840/9 C Bits

Drive: 4 mm halfmoon for direct power tool connection.

840/9 C Bits



Code	EAN	⊙	⊙	⊙	⊙	⊙	⊙
	4013288	mm	mm		mm		
05135268001	168306	1,5	44	1 47/64"	2,6		10
05135269001	168313	2,0	44	1 47/64"	2,6		10



842/9 C Bits

Drive: 4 mm halfmoon for direct power tool connection.

842/9 C Bits



	EAN							
Code	4013288	mm	mm					
05200498001	187482	4,0	44	1 47/64"				10

840/1 Z Tamper-proof Hex-Plus B0 bits

Hexagon socket B0 screws have a protruding pin in their drive profile.

This prevents any unauthorised loosening since the "normal" hex tools cannot move these screws. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 Z Tamper-proof Hex-Plus B0 bits



	EAN							
Code	4013288	mm	mm					
05056341001	038548	2,0	25	1"				10
05056342001	038555	2,5	25	1"				10
05056343001	038562	3,0	25	1"				10
05056344001	038593	4,0	25	1"				10
05056345001	038579	5,0	25	1"				10
05056346001	038586	6,0	25	1"				10

840/4 Z Tamper-proof Hex-Plus B0 bits


1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

840/4 Z Tamper-proof Hex-Plus B0 bits



	EAN							
Code	4013288	mm	mm		mm			
05059640001	094292	2,0	89	3 1/2"	4,0			5
05059641001	094308	2,5	89	3 1/2"	4,0			5
05059642001	094315	3,0	89	3 1/2"	4,0			5
05059643001	094322	4,0	89	3 1/2"	5,0			5
05059644001	094339	5,0	89	3 1/2"	6,0			5
05059645001	094346	6,0	89	3 1/2"	-			5

Impaktor system - For an above-average service life



High quality bits for square socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

868/1 IMP DC Impaktor Square-Plus bits




	EAN							
Code	4013288		mm					
05057631001	157478	# 2	25	1"				10
05057632001	157485	# 3	25	1"				10

868/1 IMP DC SB Impaktor Square-Plus bits



Code	EAN			
05073931001	158437		868/1 IMP DC 1x # 2x25	5
05073932001	158444		868/1 IMP DC 1x # 3x25	5

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for square socket screws. Prevent the formation of unsightly extraneous rust. Come with


Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3868/1 TS Square-Plus bits, stainless



	EAN	□	□	□	□	□	□
Code	4013288		mm				
05071025001	128294	# 2	25	1"			10

BiTorsion system - for longer service life



BiTorsion bits for square socket screws with an elastic Torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. This provides the best possible durability together with the matching holder. Tough viscous for universal use. 1/4 inch hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

868/1 BTZ Square-Plus bits



	EAN	□	□	□	□	□	□
Code	4013288		mm		mm		
05066445001	041241	# 1	25	1"	4,2		10
05066446001	041258	# 2	25	1"	4,2		10
05066447001	041265	# 3	25	1"	5,5		10

868/1 V Square-Plus bits

High quality bits for square socket screws with wedging function.

The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

868/1 V Square-Plus bits



	EAN	□	□	□	□	□	□
Code	4013288		mm		mm		
05340245001	118202	# 1	25	1"	6,1		10
05066394001	113603	# 2	25	1"	6,1		10
05066396001	169228	# 3	25	1"	6,1		10

Bit-Box 20 V Robertson




Code	EAN			
05057790001	188083		868/1 V 20x # 2x25	20

868/1 Z Square-Plus bits



Code	EAN						
05066395001	030214	# 00	25	1"	3,5		10
05066400001	030221	# 0	25	1"	3,5		10
05066405001	030207	# 1	25	1"	4,5		10
05066410001	030238	# 2	25	1"	6,0		10
05066415001	030245	# 3	25	1"	6,0		10
05066420001	030252	# 4	25	1"	8,0		10

Impaktor system - For an above-average service life



High quality bits for square socket screws.
The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

868/4 IMP DC Impaktor Square-Plus bits




Code	EAN						
05057671001	157546	# 2	50	2"			5
05057672001	157553	# 3	50	2"			5

868/4 IMP DC SB Impaktor Square-Plus bits



Code	EAN			
05073971001	158550		868/4 IMP DC 1x # 2x50	5
05073972001	158567		868/4 IMP DC 1x # 3x50	5

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for square socket screws prevent the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3868/4 Square-Plus bits, stainless



	EAN						
Code	4013288		mm		mm		
05071097001	115591	# 1	89	3 1/2"	4,5		10
05071098001	115607	# 2	89	3 1/2"	5,0		10
05071099001	115614	# 3	89	3 1/2"	5,5		10

868/4 BTZ Square-Plus bits



	EAN						
Code	4013288		mm		mm		
05060147001	041272	#1	50	2"	4,2		10
05060148001	041289	#2	50	2"	4,2		10
05060149001	041296	#3	50	2"	5,5		10

868/4 Square-Plus bits



	EAN						
Code	4013288		mm		mm		
05060150001	030269	# 00	50	2"	3,5		10
05060155001	030276	# 0	50	2"	3,5		10
05060160001	030283	# 1	50	2"	4,5		10
05060180001	041043	# 1	70	2 3/4"	4,5		10
05134800001	040930	# 1	89	3 1/2"	4,5		10
05134805001	040923	# 1	152	6"	4,5		10
05060165001	030290	# 2	50	2"	6,0		10
05060182001	041050	# 2	70	2 3/4"	6,0		10
05134801001	040947	# 2	89	3 1/2"	6,0		10
05134806001	040954	# 2	152	6"	6,0		10
05060170001	030306	# 3	50	2"	6,0		10
05060184001	032805	# 3	70	2 3/4"	6,0		10
05134802001	040961	# 3	89	3 1/2"	6,0		10
05134807001	040978	# 3	152	6"	6,0		10
05060175001	030313	# 4	50	2"	8,0		10

868/4 V Square-Plus bits

With wedging function.




	EAN						
Code	4013288		mm		mm		
05060300001	169211	# 1	50	2"	4,5		10
05060297001	169198	# 1	89	3 1/2"	4,5		10
05060301001	113610	# 2	50	2"	6,0		10
05060302001	113627	# 2	70	2 3/4"	6,0		10
05060303001	113634	# 2	89	3 1/2"	6,0		10
05060304001	113641	# 2	152	6"	6,0		10
05060296001	169181	# 3	50	2"	6,0		10
05060298001	169204	# 3	89	3 1/2"	6,0		10

Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



High quality bits with Mplus advantage for more breaking torque and thereby enhanced durability; diamond coating for a secure fit in the screw head.

871/1 DC TORQ-SET® Mplus bits



	EAN							
Code	4013288	mm		mm		mm		
05066638001	099525	4		25	1"	4,7		10
05066640001	033161	6		25	1"	4,7		10
05066642001	033178	8		25	1"	6,0		10
05066644001	033185	10		25	1"	6,0		10
05066646001	033192	--	1/4"	32	1 1/4"	11,0		10

871/1 TORQ-SET® Mplus bits

TORQ-SET® Mplus: The stronger flanks – when compared with the conventional TORQ-SET® profile – result in 70% more breaking torque and thereby enhanced durability whilst at the same time providing a perfect fit in the screw head.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

871/1 TORQ-SET® Mplus bits, 25 mm



	EAN	+	+	1"	1"	Ø		
Code	4013288	mm		mm		mm		
05066618001	093073	0		25	1"	4,7		10
05066619001	041562	1		25	1"	4,7		10
05066620001	033086	2		25	1"	4,7		10
05066622001	033093	3		25	1"	4,7		10
05066624001	033109	4		25	1"	4,7		10
05066626001	033116	5		25	1"	4,7		10
05066628001	033123	6		25	1"	4,7		10
05066630001	033130	8		25	1"	6,0		10
05066632001	033147	10		25	1"	6,0		10
05066633001	037558	--	1/4"	25	1"	6,0		10

871/1 TORQ-SET® Mplus bits, 32 mm



	EAN	+	1"	1"	Ø			
Code	4013288		mm		mm			
05066634001	033154	1/4"	32	1 1/4"	11,0			10
05066635001	093011	5/16"	32	1 1/4"	11,0			10

871/4 DC TORQ-SET® Mplus bits

High quality bits with Mplus advantage for more breaking torque and thereby enhanced durability; diamond coating for a secure fit in the screw head.

871/4 DC TORQ-SET® Mplus bits



	EAN	+	+	1"	1"			
Code	4013288			mm				
05324901001	162984	2		50	2"			10
05066688001	099532	4		50	2"			10
05066690001	033345	6		50	2"			10
05066692001	033352	8		50	2"			10
05066694001	033369	10		50	2"			10
05066696001	033376	--	1/4"	50	2"			10
05344515001	185044	--	5/16"	50	2"			10

871/4 TORQ-SET® Mplus bits



	EAN	+	+	1"	1"			
Code	4013288			mm				
05066660001	033239	2		50	2"			10
05066683001	094469	2		89	3 1/2"			5
05066662001	033246	3		50	2"			10
05066684001	094476	3		89	3 1/2"			5
05066664001	033253	4		50	2"			10
05066685001	094483	4		89	3 1/2"			5
05066666001	033260	5		50	2"			10
05066668001	033277	6		50	2"			10
05066676001	033307	6		70	2 3/4"			5
05066686001	094490	6		89	3 1/2"			10
05066670001	033055	8		50	2"			10
05066678001	033314	8		70	2 3/4"			5
05066687001	094506	8		89	3 1/2"			10
05066672001	033284	10		50	2"			10
05066680001	033321	10		70	2 3/4"			5
05066682001	033338	10		89	3 1/2"			5
05066674001	033291	--	1/4"	50	2"			10
05221110001	035851	--	5/16"	50	2"			10

871/2 TORQ-SET® Mplus bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

871/2 TORQ-SET® Mplus bits



	EAN	+	+	1"	1"			
Code	4013288			mm				
05066650001	033062	8		32	1 1/4"			5
05066652001	033079	10		32	1 1/4"			5
05066654001	033208	--	1/4"	32	1 1/4"			5
05066656001	033215	--	5/16"	32	1 1/4"			5
05066658001	033222	--	3/8"	32	1 1/4"			5

871/6 TORQ-SET® Mplus bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-F 8.

871/6 TORQ-SET® Mplus bits



	EAN	+	+	1"	1"	Ø		
Code	4013288	mm		mm		mm		
05066700001	033383	8		35	1 3/8"	6,0		5
05066702001	033390	10		35	1 3/8"	6,0		5
05066704001	033406	--	1/4"	35	1 3/8"	11,0		5

871/7 TORQ-SET® Mplus bits

$\frac{7}{16}$ " hexagon, suitable for power screwdrivers with a take-up as per DIN ISO 1173-F 11.2.

871/7 TORQ-SET® Mplus bits



	EAN						
Code	4013288		mm		mm		
05066740001	033413	$\frac{1}{4}$ "	35	$1\frac{3}{8}$ "	11,0		5
05066742001	033420	$\frac{5}{16}$ "	35	$1\frac{3}{8}$ "	11,0		5
05066744001	033437	$\frac{3}{8}$ "	35	$1\frac{3}{8}$ "	11,0		5
05066746001	033444	$\frac{7}{16}$ "	35	$1\frac{3}{8}$ "	11,0		5

871/19 TORQ-SET® Mplus bits

Drive: $\frac{5}{8}$ " hexagon.

871/19 TORQ-SET® Mplus bits



	EAN						
Code	4013288		mm				
05066750001	033451	$\frac{1}{2}$ "	40	$1\frac{9}{16}$ "			5
05066752001	033468	$\frac{9}{16}$ "	40	$1\frac{9}{16}$ "			5
05066754001	033475	$\frac{5}{8}$ "	40	$1\frac{9}{16}$ "			5

875/1 TRI-WING® bits, 25 mm

High quality bits for TRI-WING® screws. Tough viscous for universal use. $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

875/1 TRI-WING® bits, 25 mm



	EAN						
Code	4013288		mm		mm		
05066758001	093059	0	25	1"	4,7		10
05066760001	033482	1	25	1"	4,7		10
05066762001	033499	2	25	1"	4,7		10
05066764001	033505	3	25	1"	4,7		10
05066766001	033512	4	25	1"	6,2		10
05066768001	033529	5	25	1"	6,2		10

875/1 TRI-WING® bits, 32 mm



	EAN						
Code	4013288		mm		mm		
05066770001	033536	6	32	$1\frac{1}{4}$ "	11,0		10
05066772001	033543	7	32	$1\frac{1}{4}$ "	11,0		10
05066774001	033550	8	32	$1\frac{1}{4}$ "	12,5		10

875/4 TRI-WING® bits

Tough viscous for universal use. $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

875/4 TRI-WING® bits



	EAN						
Code	4013288		mm				
05066785001	094605	1	89	$3\frac{1}{2}$ "			5
05066786001	094612	2	89	$3\frac{1}{2}$ "			5
05066787001	094629	3	89	$3\frac{1}{2}$ "			5
05066788001	033567	4	50	2"			10
05066788001	094636	4	89	$3\frac{1}{2}$ "			5
05066782001	033574	5	50	2"			10
05066784001	033581	6	50	2"			10

875/6 TRI-WING® bits

Tough viscous for universal use. $\frac{5}{16}$ " hexagon, suitable for holders as per DIN ISO 1173-F 8.

875/6 TRI-WING® bits



	EAN						
Code	4013288		mm		mm		
05066790001	033598	6	35	$1\frac{3}{8}$ "	11,0		5
05066792001	033932	7	35	$1\frac{3}{8}$ "	11,0		5
05066794001	033604	8	35	$1\frac{3}{8}$ "	12,5		5

860/1 XZN Multi-point bits

High quality bits for recessed multi-point screws. Tough viscous for universal use. $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

860/1 XZN Multi-point bits



	EAN						
Code	4013288		mm		mm		
05066150001	034953	M 4	25	1"	4,17		10
05066155001	034960	M 5	25	1"	5,14		10
05066160001	034977	M 6	25	1"	-		10
05066165001	034984	M 8	25	1"	8,0		5
05066170001	034991	M 10	25	1"	10,0		5



860/4 XZN Multi-point bits

Tough viscous for universal use. $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

860/4 XZN Multi-point bits



	EAN						
Code	4013288		mm		mm		
05066175001	034892	M 4	50	2"	4,17		10
05066180001	034908	M 5	50	2"	5,14		10
05066185001	034915	M 6	50	2"	-		10
05066190001	034922	M 8	50	2"	8,0		5
05066195001	034939	M 10	50	2"	10,0		5
05066200001	034946	M 12	50	2"	12,0		5

800/1 HTN Hi-TORQUE bits

With $\frac{1}{4}$ " hexagon drive.

800/1 HTN Hi-TORQUE bits



	EAN						
Code	4013288		mm				
05055950001	102843	1	32	1 $\frac{1}{4}$ "			5
05055951001	102850	2	32	1 $\frac{1}{4}$ "			5
05055952001	102867	3	32	1 $\frac{1}{4}$ "			5
05055953001	102874	4	32	1 $\frac{1}{4}$ "			5

700 A HTS Hi-TORQUE bits

With $\frac{1}{4}$ " square drive.

700 A HTS Hi-TORQUE bits



	EAN						
Code	4013288		mm				
05040030001	102706	0	25	1"			5
05040031001	102836	1	25	1"			5
05040032001	102720	2	25	1"			5
05040033001	102737	3	25	1"			5
05040034001	102744	4	25	1"			5

700 B HTS Hi-TORQUE bits

With $\frac{3}{8}$ " square drive.

700 B HTS Hi-TORQUE bits



	EAN						
Code	4013288		mm				
05040040001	102751	3	25	1"			5
05040041001	102768	4	25	1"			5
05040042001	102775	5	32	1 $\frac{1}{4}$ "			5
05040043001	102782	6	32	1 $\frac{1}{4}$ "			5

700 C HTS Hi-TORQUE bits

Bit for Hi-Torque screws with $\frac{1}{2}$ " inch square drive.

700 C HTS Hi-TORQUE bits



	EAN						
Code	4013288		mm				
05040045001	102799	7	42	1 $\frac{5}{8}$ "			5
05040046001	102805	8	42	1 $\frac{5}{8}$ "			5
05040047001	102812	9	42	1 $\frac{5}{8}$ "			5
05040048001	102829	10	42	1 $\frac{5}{8}$ "			5
05040049001	168412	12	60	2 $\frac{3}{8}$ "			5

872/9 bits for Microstix® screws

With 4 mm halfmoon drive for direct insertion in the power tool.

Form

A

05066850001
05066851001
05066852001
05066853001
05066854001



Form

B

05066855001
05066856001



872/9 bits for Microstix® screws



	EAN		l ⁺	Ø	l ⁺			
Code	4013288		mm	mm	mm			
05066850001 ¹⁾	179272	m	44	2,0	1 47/64"			10
05066855001 ²⁾	206824	m	44	1,8	1 47/64"			10
05066856001 ²⁾	206831	m	64	1,8	2 33/64"			10
05066851001 ¹⁾	179296	00	44	2,0	1 47/64"			10
05066852001 ¹⁾	179302	F	44	2,0	1 47/64"			10
05066853001 ¹⁾	179319	0	44	2,0	1 47/64"			10
05066854001 ¹⁾	179326	1	44	2,0	1 47/64"			10

¹⁾Form A

²⁾Form B

872/21 bits for Microstix® screws

With 4 mm HIOS drive for direct insertion in the power tool.

872/21 bits for Microstix® screws



	EAN		l ⁺	Ø	l ⁺			
Code	4013288		mm	mm	mm			
05066860001	179333	m	40	2,0	1 9/16"			10
05066861001	179340	00	40	2,0	1 9/16"			10
05066862001	179357	F	40	2,0	1 9/16"			10
05066863001	179364	0	40	2,0	1 9/16"			10
05066864001	179371	1	40	2,0	1 9/16"			10

857/1 Z Spanner bits

Bits for spanner screws. Tough viscous for universal use.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

857/1 Z Spanner bits



	EAN		l ⁺	l ⁺	Ø			
Code	4013288		mm	mm	mm			
05057150001	038609	4	25	1"	3,18			10
05057151001	038616	6	25	1"	4,32			10
05057152001	038623	8	25	1"	5,21			10
05057153001	038630	10	25	1"	6,10			10

857/4 Z Spanner bits


Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

857/4 Z Spanner bits



	EAN		l ⁺	l ⁺	Ø			
Code	4013288		mm	mm	mm			
05057160001	094810	4	89	3 1/2"	3,18			5
05057161001	094827	6	89	3 1/2"	4,32			5
05057162001	094834	8	89	3 1/2"	5,21			5
05057163001	094841	10	89	3 1/2"	6,10			5

Kraftform Stainless - stainless steel to prevent rust



High quality nutsetter out of stainless steel for hexagon head screws. Stainless to prevent the risk of extraneous rust. Non-magnetic design with retaining spring. 1/4" hexagon, suitable for holders as per, DIN ISO 1173-F 6.3.

3869/4 Nutsetters, stainless



	EAN						
Code	4013288	mm		mm	mm		
05071222001	118127	7,0		50,0	12,5		5
05071223001	118257	8,0		50,0	14,0		5
05071224001	118141	10,0		50,0	16,0		5
05071225001	118158	13,0		50,0	19,5		5
05071228001	118189		3/8"	50,0	16,0		5

869/4 Nutsetters

Metric nutsetter for hexagon head screws. Non-magnetic design. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

869/4 Nutsetters



	EAN						
Code	4013288	mm		mm	mm		
05060400001	100948	5,5		50,0	11,0		5
05060272001	016546	5,5		65,0	9,5		5
05060401001	100955	6,0		50,0	11,0		5
05060274001	016553	6,0		65,0	11,0		5
05060402001	100962	7,0		50,0	11,0		5
05060276001	016560	7,0		65,0	11,0		5
05060403001	100979	8,0		50,0	12,5		5
05060278001	016577	8,0		65,0	12,5		5
05060404001	100986	9,0		50,0	14,0		5
05060280001	016584	9,0		65,0	14,0		5
05060405001	100993	10,0		50,0	14,0		5
05060282001	016591	10,0		65,0	14,0		5
05060406001	101006	11,0		50,0	16,0		5
05060281001	031327	11,0		65,0	16,0		5
05060407001	101013	12,0		50,0	18,0		5
05060283001	031334	12,0		65,0	17,0		5
05060408001	101020	13,0		50,0	18,0		5
05060284001	016607	13,0		65,0	19,0		5
05060409001	101037		1/4"	50,0	11,0		5
05060286001	016614		1/4"	65,0	11,0		5
05060410001	101044		5/16"	50,0	12,5		5
05060290001	016638		5/16"	65,0	12,5		5
05060411001	101051		3/8"	50,0	14,0		5
05060288001	016621		3/8"	65,0	14,0		5
05060412001	101068		7/16"	50,0	16,0		5

869/4 M Nutsetters, magnetic



	EAN						
Code	4013288	mm		mm	mm		
05060420001	101075	5,5		50,0	11,0		5
05060210001	016652	5,5		65,0	11,0		5
05060421001	101082	6,0		50,0	11,0		5
05060215001	016669	6,0		65,0	11,0		5
05060422001	101099	7,0		50,0	11,0		5
05060220001	016676	7,0		65,0	11,0		5
05060423001	101105	8,0		50,0	12,5		5
05060225001	016683	8,0		65,0	12,5		5
05060424001	101112	9,0		50,0	14,0		5
05060230001	016690	9,0		65,0	14,0		5
05060425001	101129	10,0		50,0	14,0		5
05060235001	016706	10,0		65,0	14,0		5
05060426001	101136	11,0		50,0	16,0		5
05060237001	031501	11,0		65,0	16,0		5
05060427001	101143	12,0		50,0	18,0		5
05060238001	031495	12,0		65,0	17,0		5
05060428001	101150	13,0		50,0	18,0		5
05060240001	016713	13,0		65,0	19,0		5
05060429001	101167		1/4"	50,0	11,0		5
05060255001	016720		1/4"	65,0	11,0		5
05060430001	101174		5/16"	50,0	12,5		5
05060260001	016737		5/16"	65,0	12,5		5
05060431001	101181		3/8"	50,0	14,0		5
05060265001	016744		3/8"	65,0	14,0		5
05060432001	101198		7/16"	50,0	16,0		5

869/4 M SB Nutsetters, magnetic



Code	EAN			
	4013288			
05073500001	105691	●	869/4 M 1x 5.5x50.0	3
05073501001	105707	●	869/4 M 1x 6.0x50.0	3
05073502001	106506	●	869/4 M 1x 7.0x50.0	3
05073503001	105714	●	869/4 M 1x 8.0x50.0	3
05073504001	105721	●	869/4 M 1x 9.0x50.0	3
05073505001	105738	●	869/4 M 1x 10.0x50.0	3
05073506001	105745	●	869/4 M 1x 11.0x50.0	3
05073507001	105752	●	869/4 M 1x 12.0x50.0	3
05073508001	105769	●	869/4 M 1x 13.0x50.0	3
05073509001	105776	●	869/4 M 1x 1/4"x50.0	3
05073510001	105783	●	869/4 M 1x 3/8"x50.0	3

869/4 M Set A SB



Code	EAN			
	4013288			
05073495001	144584	●	869/4 M 1x 7.0x50.0; 1x 8.0x50.0; 1x 10.0x50.0; 1x 12.0x50.0; 1x 13.0x50.0; 1x 1/4"x50.0; 1x 5/16"x50.0; 1x 3/8"x50.0	1

869/9 Nutsetters

Metric nutsetter for hexagon head screws. Non-magnetic design.
With 4 mm halfmoon drive for direct insertion in the power tool.

869/9 Nutsetters



	EAN	⌀	l	l ₁	l ₂	l ₃	l ₄
Code	4013288	mm	mm	mm			
05135224001	190505	2,5	44,0	5,0			10
05135225001	190499	3,0	44,0	5,0			10

879/4 Internal thread insertion tool


Insertion tool with internal thread for hanger bolts and threaded rods. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

879/4 Internal thread insertion tool



	EAN	⌀	l	l ₁	l ₂	l ₃	l ₄
Code	4013288		mm		mm		
05135902001	035042	M6	50,0	2"	8,0		5
05135903001	035059	M8	50,0	2"	12,0		5
05135904001	035066	M10	50,0	2"	12,0		5

Impaktor system - For an above-average service life



Wera Impaktor holder for the absorption of impulse peaks. Particular torsion effect thanks to the double-torsion spring.

The retaining ring ensures an optimum fit of the tool in the holder. The magnet provides for additional fixing of the bit and screw.

The Impaktor stainless holder with retaining ring and magnet meets the extremely dynamic demands by doing without any small, mechanical parts that are often susceptible.

Used mostly for industrial assembly applications such as e.g. with screwdriving robots. Output: suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Drive: 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

897/4 IMP Impaktor holder with retaining ring and magnet



	EAN						
Code	4013288		mm				
05057675001	157805	1/4"	75	3"	1/4"		5

897/4 IMP R Impaktor holder with retaining ring and ring magnet

The Impaktor holder additionally holds long and heavy screws extremely securely with its ring magnet. This enables rapid and dependable positioning of the screw.

Should, situation-related, the magnet not be desired e.g. when working with metal, it can be removed from the screwdriving zone and thereby be neutralised.

Used mostly for manual power tool applications. Output: suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Drive: 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

897/4 IMP R Impaktor holder with retaining ring and ring magnet




	EAN						
Code	4013288		mm				
05057676001	157812	1/4"	75	3"	1/4"		5

897/4 IMP R SB Impaktor holder with retaining ring and ring magnet



	EAN						
Code	4013288						
05073990001	157836			897/4 Impaktor R	1x 1/4"x75		3

Rapidaptor - the amazing compact multifunction tool



Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 (ISO 1173). Stainless design to prevent extraneous rust.

Comes with Rapidaptor technology, which allows bits to be attached without any need to actuate the sleeve. The removal of the bit is simple, just by pushing the sleeve forward – for rapid bit change with just one hand. 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

3888/4/1 K Rapidaptor Universal Bit Holder, stainless




	EAN						
Code	4013288		mm			mm	
05071100001	111487	1/4"	50	2"	1/4"	15,0	5

3888/4/1 K SB Rapidaptor Universal Bit Holder, stainless



Code	EAN						
05073616001	112170			3888/4/1 K	1x 1/4"x50		3

BiTorsion system - for longer service life



Universal holder for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). BiTorsion holders by Wera have a torsion spring that absorbs low peak loads during screwdriving jobs.

The combined use with BiTorsion bits and their torsion zones extends the service life of the tool considerably. BiTorsion holders by Wera can, however, also be used with conventional bits. The Rapidaptor technology allows bits to be attached without any need to actuate the sleeve.

The removal of the bit is simple, just by pushing the sleeve forward. This enables rapid bit change with just one hand. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

897/4 R Rapidaptor BiTorsion Universal Bit Holder



	EAN						
Code	4013288		mm			mm	
05053923001	095633	1/4"	75	3"	1/4"	15,0	5

897/4 R SB Rapidaptor BiTorsion Universal Bit Holder



Code	EAN						
05073420001	099464			897/4 R	1x 1/4"x75		3

889/4/1 K Rapidaptor Universal Bit Holder

Rapidaptor universal holder for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). The Rapidaptor allows bits to be attached without any need to actuate the sleeve.

The removal of the bit is simple, just by pushing the sleeve forward. This enables rapid bit change with just one hand. The strong permanent magnet holds the bits absolutely securely. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

889/4/1 K Rapidaptor Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05052502001	095626	1/4"	50	2"	1/4"	15,0		5

889/4/1 K SB Rapidaptor Universal Bit Holder



Code	EAN							
05073421001	099440						889/4/1 K 1x 1/4"x50	3

889/4/1 Rapidaptor Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05052503001	098016	1/4"	75	3"	1/4"	15,0		5

889/4 R Rapidaptor Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05052504001	101242	1/4"	100	4"	1/4"	15,0		2

888/4/1 K Rapidaptor Universal Bit holder

- Non-magnetic design

888/4/1 K Rapidaptor Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05052500001	095619	1/4"	50	2"	1/4"	15,0		5

887/4 RR Rapidaptor Universal Bit Holder with ring magnet

Rapidaptor universal holder for bits with hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). The floating, free-turning magnetic sleeve securely holds even large and heavy screws. The Rapidaptor allows bits to be attached without any need to actuate the sleeve.

The removal of the bit is simple, just by pushing the sleeve forward. This enables rapid bit change with just one hand. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

887/4 RR Rapidaptor Universal Bit Holder with ring magnet



	EAN							
Code	4013288		mm			mm		
05052490001	104045	1/4"	57	2 1/4"	1/4"	16		5
05160987001	119254	1/4"	89	3 1/2"	1/4"	16		1
05160988001	119261	1/4"	152	6"	1/4"	16		1

887/4 RR SB Rapidaptor Universal Bit Holder with ring magnet



Code	EAN							
05073511001	105790						887/4 RR 1x 1/4"x57	3

797 A/4/1 B BiTorsion Bit Holder

High quality BiTorsion holder by Wera for use with a ratchet or power screwdriver; with 1/4" square drive. The strong magnet holds the bits absolutely securely.

Energy from peak loads is diverted into the BiTorsion zone to considerably reduce the danger of breakage and prolong the service life. Optimum results with the BiTorsion system by using both the holder and bits. Suitable for bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3.

797 A/4/1 B BiTorsion Bit Holder



	EAN							
Code	4013288		mm			mm		
05048681001	038906	1/4"	77	3"	1/4"	14,0		5

797 B/4/1 B BiTorsion Bit Holder

With 3/8" square drive.



	EAN							
Code	4013288		mm			mm		
05048680001	038913	1/4"	82	3 1/4"	3/8"	14,0		5

894/4/1 K Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

Quick-release chuck for rapid bit change. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

894/4/1 K Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053522001	017512	1/4"	51	2"	1/4"	14,3		5

894/4/1 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053520001	017505	1/4"	75	3"	1/4"	14,3		5

894/14/1 Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

Quick-release chuck for rapid bit change.

Drive: SDS plus.

894/14/1 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053560001	017543	1/4"	75	3"	14,3			5

895/4/1 K Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Quick-release chuck for rapid bit change.

The strong permanent magnet holds the bits absolutely securely. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

895/4/1 K Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053872001	035158	1/4"	52	2"	1/4"	14,3		5

895/4/1 K SB Universal Bit Holder



Code	EAN			
05073318001	4013288	029195	895/4/1 K 1x 1/4"x52	3

895/4/1 Universal Bit Holder



Code	EAN						
05053870001	4013288	017574	1/4"	77	3"	1/4"	14,3

895/14/1 Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Quick-release chuck for rapid bit change.

The strong permanent magnet holds the bits absolutely securely.
Drive: SDS plus.

895/14/1 Universal Bit Holder



Code	EAN						
05053920001	4013288	017628	1/4"	81	3 1/8"	14,3	5

898/4 Combination Bit Holder

Combination holder for bits with 4 mm halfmoon drive (Wera series 9) and 4 mm HIOS drive (Wera series 21): quick-release chuck, 1/4" hexagonal drive, suitable for power screwdrivers with a take-up as per DIN ISO 1173-F 6.3.

898/4 Combination Bit Holder



Code	EAN						
05051500001	4013288	184177	50	2"	1/4"	10,0	5

898/9 Combination Bit Holder

Suitable for bits with 4 mm halfmoon drive (Wera series 9) and 4 mm HIOS drive (Wera series 21): with quick-release chuck, 4 mm halfmoon drive.

898/9 Combination Bit Holder



Code	EAN						
05051501001	4013288	184184	50	2"	10,0		5

898/21 Combination Bit Holder

Suitable for bits with 4 mm halfmoon drive (Wera series 9) and 4 mm HIOS drive (Wera series 21): with quick-release chuck, 4 mm HIOS drive.

898/21 Combination Bit Holder




Code	EAN						
05051502001	4013288	184191	50	2"	10,0		5

890/00/0 Universal Bit Holder

Universal holder for 4 mm bits as per DIN ISO 1173-C 4. The retaining ring ensures an optimum fit of the tool in the holder.

3 mm hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-B 3.

890/00/0 Universal Bit Holder



Code	EAN						
05052505001	4013288	017215	4	57	2 1/4"	3	6,3

890/4/1 Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. The retaining ring ensures an optimum fit of the tool in the holder.

1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

890/4/1 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05052575001	017239	1/4"	57	2 1/4"	1/4"	11,1		5

890/6/1 Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

The retaining ring ensures an optimum fit of the tool in the holder.
5/16" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 8.

890/6/1 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05052625001	017253	1/4"	65	2 1/2"	5/16"	11,1		5

890/7/1 Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

The retaining ring ensures an optimum fit of the tool in the holder.
7/16" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 11.2.

890/7/1 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05052655001	017260	1/4"	65	2 1/2"	7/16"	11,1		5

890/7/2 Universal Bit Holder

Universal holder for the take-up of bits with 5/16" hexagon head drive as per DIN ISO 1173-C 8.

The retaining ring ensures an optimum fit of the tool in the holder.
7/16" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 11.2.

890/7/2 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05052725001	017277	5/16"	65	2 1/2"	7/16"	14,3		5

893/4/1 K Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

Stainless sleeve for special corrosion protection. 1/4" hexagon, suitable for power screwdrivers with a take-up as per DIN ISO 1173-F 6.3.

893/4/1 K Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05134480001	017468	1/4"	50	2"	1/4"	10,5		5

893/4/1 K SB Universal Bit Holder



	EAN							
Code	4013288							
05073401001	029133				893/4/1 K			3
					1x 1/4"x50			

899/3/1 Universal Bit Holder

Stainless steel sleeve for very special corrosion protection. The strong permanent magnet holds the bits absolutely securely.

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. 5.5 mm, suitable for power screwdrivers with take-up as per DIN ISO 1173-B 5.5.

899/3/1 Universal Bit Holder



	EAN							
Code	4013288		mm		mm	mm		
05053425001	017659	1/4"	72	2 3/4"	5,5	10,5		5

899/4/1 Universal Bit Holder

Stainless steel sleeve for very special corrosion protection. The retaining ring ensures an optimum fit of the tool in the holder. The strong permanent magnet holds the bits absolutely securely.

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

899/4/1 Universal Bit Holder



	EAN							
Code	4013288	Art.No.		mm			mm	
05053457001	017673	899/4/1 K	1/4"	50	2"	1/4"	10,5	5
05053455001	017666	899/4/1 75	1/4"	75	3"	1/4"	10,5	5
05053459001	036711	899/4/1 100	1/4"	100	4"	1/4"	10,5	5
05053458001	036728	899/4/1 152	1/4"	152	6"	1/4"	10,5	5

899/4/1 SB Universal Bit Holder



Code	EAN							
05347100001	095268	899/4/1 1x 1/4"x50						3
05073357001	029720	899/4/1 1x 1/4"x75						3
05134398001	099907	899/4/1 1x 1/4"x152						3

899/4/1 S Universal Bit Holder with strong retaining ring

The particularly strong retaining ring ensures an optimum fixing of the tool in the holder. The especially strong permanent magnet makes sure that the bits are held absolutely securely.

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

899/4/1 S Universal Bit Holder with strong retaining ring



	EAN							
Code	4013288		mm			mm		
05160976001	105271	1/4"	50	2"	1/4"	10,5		5
05160924001	105264	1/4"	75	3"	1/4"	10,5		5
05160977001	105288	1/4"	100	4"	1/4"	10,5		5
05160979001	105301	1/4"	200	8"	1/4"	10,5		1
05160981001	105325	1/4"	300	12"	1/4"	10,5		1

899/5/1 Universal Bit Holder

Drive: 5/16" hexagonal.

899/5/1 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053460001	017680	1/4"	45	1 3/4"	5/16"	10,5		5

899/8/1 Universal Bit Holder

7 mm, suitable for power screwdrivers with take-up as per DIN ISO 1173-H 7.

899/8/1 Universal Bit Holder



	EAN							
Code	4013288		mm		mm	mm		
05053475001	017697	1/4"	75	3"	7	10,5		5

899/8/1 K Universal Bit Holder



	EAN							
Code	4013288		mm		mm	mm		
05053480001	017703	1/4"	55	2 3/16"	7	10,5		5

899/14/1 Universal Bit Holder

Drive: SDS plus.

899/14/1 Universal Bit Holder



	EAN						
Code	4013288		mm		mm		
05053485001	017710	1/4"	79	3 1/8"	10,5		5

899/14/1 SB Universal Bit Holder



Code	EAN			
05134397001	099891		899/14/1 1x 1/4"x79	3

891/4/1 Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. The retaining ring ensures an optimum fit of the tool in the holder. The strong permanent magnet holds the bits absolutely securely.

The copper-beryllium sleeve is particularly suitable for jobs with very high torque or peak loads and has a high corrosion resistance. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

891/4/1 Universal Bit Holder



	EAN							
Code	4013288		mm			mm		
05053175001	017345	1/4"	75	3"	1/4"	10,5		5

891/8/1 Universal Bit Holder

7 mm, suitable for power screwdrivers with take-up as per DIN ISO 1173-H 7.

891/8/1 Universal Bit Holder



	EAN							
Code	4013288		mm		mm	mm		
05053275001	017390	1/4"	75	3"	7	10,5		5

896/4/1 SB Bit Holder with adjustable depth-control stop

High quality spacer out of aluminium: the screwdriving depth can be infinitely adjusted and allows the flush-mounting of screws.

896/4/1 SB Bit Holder with adjustable depth-control stop



Code	EAN			
05073210001	178725		896/4/1 1x 1/4"x50	1

870/1 Adaptor

Tool shaft for nutsetters. Output: 1/4 square head; drive: 1/4" hexagon.

870/1 Adaptor



	EAN						
Code	4013288		mm				
05136000001 ¹⁾	016997	1/4"	25	1"	1/4"		5

¹⁾With friction ball; for manual nut spinner sockets

870/4 Adaptor

Tool shaft for manual nutsetter inserts; with ball. Output: 1/4" square head; drive 1/4" hexagon.

870/4 Adaptor



	EAN						
Code	4013288		mm				
05311517001 ¹⁾	098214	1/4"	50	2"	1/4"		10

¹⁾With friction ball; for manual nut spinner sockets

870/4 SB



Code	EAN			
05134399001	099914			870/4 A 1x 1/4"x50 ¹⁾

¹⁾With friction ball; for manual nut spinner sockets

870/2 Adaptor

Tool shaft for power tool nutsetter inserts with square head drive.
5/16" hexagon drive.

870/2 Adaptor



	EAN							
Code	4013288		mm					
05136001001 ¹⁾	184245	3/8"	30	1 3/16"	5/16"			5
05136002001 ¹⁾	184269	1/2"	35	1 3/8"	5/16"			5

¹⁾With friction ball; for manual nut spinner sockets

870/4 Adaptor

Tool shaft (adaptor) for power tool sockets with hexagon head drive by Wera.
Drive: 1/4" hexagon.

870/4 Adaptor



	EAN							
Code	4013288		mm					
05050205001 ¹⁾	017055	1/4"	50	2"	1/4"			5
05050210001 ¹⁾	017062	1/4"	100	4"	1/4"			5
05050215001 ¹⁾	017079	3/8"	50	2"	1/4"			5
05050220001 ¹⁾	017086	3/8"	100	4"	1/4"			5

¹⁾With locking pin; for machine-operated nut spinner sockets

870/4/7 Set A SB



Code	EAN			
05073200001	139115			870/4 1x 1/4"x50 ¹⁾ ; 1x 3/8"x50 ¹⁾
				870/7 1x 1/2"x75 ¹⁾

¹⁾With locking pin; for machine-operated nut spinner sockets

870/14 Adaptor

Tool shaft for power tool sockets with square head drive.
Drive: SDS plus.

870/14 Adaptor



	EAN							
Code	4013288		mm					
05050650001 ¹⁾	017208	1/4"	70	2 3/4"				5

¹⁾With locking pin; for machine-operated nut spinner sockets

870/7 Adaptor

Tool shank for power tool sockets; square head output.
7/16" hexagonal, suitable for power screwdrivers with take-up
as per DIN ISO 1173-F 11.2.

870/7 Adaptor



	EAN							
Code	4013288		mm					
05050510001 ¹⁾	017178	1/2"	75	3"	7/16"			5

¹⁾With locking pin; for machine-operated nut spinner sockets

784 A 1/4" Adaptor with quick-release chuck

Adaptor from square to hexagonal. Comes with quick-release chuck for rapid bit change.

Suitable for the attachment of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3. Drive: 1/4" square.

784 A 1/4" Adaptor with quick-release chuck



	EAN							
Code	4013288	Art.No.		mm				
05042750001	008022	784 A/1	1/4"	30	1 3/16"	1/4"		5

784 B 3/8" Adaptor with quick-release chuck



	EAN							
Code	4013288	Art.No.		mm				
05042755001	008039	784 B/1	1/4"	43	1 5/8"	3/8"		5
05042765001	008046	784 B/2	5/16"	50	2"	3/8"		5

784 C 1/2" Adaptor with quick-release chuck



	EAN							
Code	4013288	Art.No.		mm				
05042760001	008053	784 C/1	1/4"	50	2"	1/2"		5
05042768001	008060	784 C/2	5/16"	50	2"	1/2"		5

780 A 1/4" Adaptor

Adaptor from square to hexagonal. Suitable for bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3.

Drive: 1/4" square.

780 A 1/4" Adaptor



	EAN							
Code	4013288	Art.No.		mm				
05042605001	007940	780 A/1	1/4"	25	1"	1/4"		5

780 B 3/8" Adaptor



	EAN							
Code	4013288	Art.No.		mm				
05042655001	007971	780 B/1	1/4"	30	1 3/16"	3/8"		5
05344511001 ¹⁾	113450	780 B/1-S	1/4"	30	1 3/16"	3/8"		5
05042665001	007988	780 B/2	5/16"	30	1 3/16"	3/8"		5
05344512001 ¹⁾	113467	780 B/2-S	5/16"	30	1 3/16"	3/8"		5


¹⁾S = extra strong

780 C 1/2" Adaptor



	EAN							
Code	4013288	Art.No.		mm				
05042705001	007995	780 C/1	1/4"	35	1 3/8"	1/2"		5
05344513001	113474	780 C/1-S	1/4"	35	1 3/8"	1/2"		5
05042715001	008008	780 C/2	5/16"	35	1 3/8"	1/2"		5
05344514001	113481	780 C/2-S	5/16"	35	1 3/8"	1/2"		5

Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances thanks to the best possible utilisation of the material properties and the optimised geometry; particularly suitable for use with customary impact drivers.

The rough diamond-coating of the bits reduces the risk of a slipping out of the screw head thanks to the enhanced frictional resistance.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time.

Bit-Check 30 Impaktor 1



Code	EAN			
05057690001	4013288 156778			1
		897/4 Impaktor R	1x 1/4"x75	
		851/1 IMP DC	2x PH 1x25; 3x PH 2x25; 2x PH 3x25	
		855/1 IMP DC	2x PZ 1x25; 3x PZ 2x25; 2x PZ 3x25	
		867/1 IMP DC	1x TX 10x25; 1x TX 15x25; 2x TX 20x25; 3x TX 25x25; 2x TX 30x25; 2x TX 40x25	
		840/1 IMP DC	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

Bit-Check 30 Impaktor 2



Code	EAN			
05057697001	4013288 203946			1
		897/4 Impaktor	1x 1/4"x75	
		851/1 IMP DC	2x PH 1x25; 3x PH 2x25; 2x PH 3x25	
		855/1 IMP DC	2x PZ 1x25; 3x PZ 2x25; 2x PZ 3x25	
		867/1 IMP DC	1x TX 10x25; 1x TX 15x25; 2x TX 20x25; 3x TX 25x25; 2x TX 30x25; 2x TX 40x25	
		840/1 IMP DC	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

Bit-Check 10 Impaktor 1



Code	EAN			
05057680001	4013288 156785			10
		897/4 Impaktor R	1x 1/4"x75	
		851/1 IMP DC	1x PH 2x25; 1x PH 3x25	
		855/1 IMP DC	1x PZ 2x25; 1x PZ 3x25	
		867/1 IMP DC	1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		840/1 IMP DC	1x 4,0x25; 1x 5,0x25	

Bit-Check 10 Impaktor 1 SB



Code	EAN			
05073980001	158574	897/4 Impaktor R	1x 1/4"x75	1
		851/1 IMP DC	1x PH 2x251x PH 3x25	
		855/1 IMP DC	1x PZ 2x251x PZ 3x25	
		867/1 IMP DC	1x TX 20x251x TX 25x251x TX 30x25	
		840/1 IMP DC	1x 4.0x251x 5.0x25	

Bit-Check 10 Impaktor 2



Code	EAN			
05057682001	156792	897/4 Impaktor R	1x 1/4"x75	10
		851/1 IMP DC	3x PH 2x25; 1x PH 3x25	
		867/1 IMP DC	3x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 10 Impaktor 3



Code	EAN			
05057683001	156761	897/4 Impaktor R	1x 1/4"x75	10
		855/1 IMP DC	3x PZ 2x25; 1x PZ 3x25	
		867/1 IMP DC	3x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 10 Impaktor 4



Code	EAN			
05057417001	180148	897/4 Impaktor	1x 1/4"x75	10
		855/1 IMP DC	3x PZ 2x25; 1x PZ 3x25	
		867/1 IMP DC	2x TX 20x25; 2x TX 25x25; 1x TX 30x25	

Bit-Check 10 PZ Impaktor 1



Code	EAN			
05057684001	157829	897/4 Impaktor R	1x 1/4"x75	10
		855/1 IMP DC	7x PZ 2x25; 2x PZ 3x25	

Bit-Check 10 TX Impaktor 1



Code	EAN			
05057688001	163394	897/4 Impaktor R	1x 1/4"x75	10
		867/1 IMP DC	3x TX 20x25; 3x TX 25x25; 2x TX 30x25; 1x TX 40x25	

Bit-Check 6 Impaktor 1



Code	EAN			
05057695001	4013288 157751			10
		+	851/4 IMP DC 1x PH 2x50; 1x PH 3x50	
		+	855/4 IMP DC 1x PZ 2x50; 1x PZ 3x50	
		+	867/4 IMP DC 1x TX 25x50; 1x TX 30x50	

Bit-Check 6 Impaktor 1 SB



Code	EAN			
05073890001	4013288 158635	+	851/4 IMP DC 1x PH 2x50; 1x PH 3x50	1
		+	855/4 IMP DC 1x PZ 2x50; 1x PZ 3x50	
		+	867/4 IMP DC 1x TX 25x50; 1x TX 30x50	

Bit-Check 6 Impaktor 2



Code	EAN			
05057694001	4013288 190826			10
		+	851/4 IMP DC 1x PH 2x50; 1x PH 3x50	
		+	867/4 IMP DC 1x TX 25x50; 1x TX 30x50	
		+	868/4 IMP DC 1x # 2x50; 1x # 3x50	

Bit-Check 6 PH Impaktor 1



Code	EAN			
05057691001	4013288 157713			20
		+	851/4 IMP DC 4x PH 2x50; 2x PH 3x50	

Bit-Check 6 PZ Impaktor 1




Code	EAN			
05057692001	4013288 157737			20
		+	855/4 IMP DC 4x PZ 2x50; 2x PZ 3x50	

Bit-Check 6 TX Impaktor 1



Code	EAN		
05057693001	4013288 157744		20
			867/4 IMP DC 2x TX 20x50; 2x TX 25x50; 1x TX 30x50; 1x TX 40x50

Kraftform Stainless - stainless steel to prevent rust



Bit-Check that can be positioned upright with high quality bits out of stainless steel. Wera stainless tools are manufactured out of stainless steel, thus preventing the formation of unsightly extraneous rust. The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness.

In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time. The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

Bit-Check 30 Stainless 1



Code	EAN		
05071109001	4013288 115126		1
			3888/4/1 K 1x 1/4"x50
			3851/1 TS PH 1x PH 1x25; 3x PH 2x25; 1x PH 3x25
			3855/1 TS PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25
			3867/1 TS TORX® 2x TX 10x25; 2x TX 15x25; 3x TX 20x25; 3x TX 25x25; 2x TX 30x25; 1x TX 40x25
			3840/1 TS 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 5,5x25

Bit-Check 12 Stainless 1



Code	EAN		
05057425001	4013288 179852		10
			3888/4/1 K 1x 1/4"x50
			3851/1 TS PH 1x PH 1x25; 1x PH 2x25
			3855/1 TS PZ 1x PZ 1x25; 1x PZ 2x25
			3867/1 TS TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25
			3840/1 TS 1x 3,0x25; 1x 4,0x25; 1x 5,0x25



Bit-Check 10 Stainless 1



Code	EAN			
05071110001	111494			10
		3888/4/1 K	1x 1/4"x50	
		3851/1 TS PH	1x PH 2x25	
		3855/1 TS PZ	1x PZ 1x25; 2x PZ 2x25	
		3867/1 TS TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 10 Stainless 1 SB



Code	EAN			
05073630001	112163			1
		3888/4/1 K	1x 1/4"x50	
		3851/1 TS PH	1x PH 2x25	
		3855/1 TS PZ	1x PZ 1x25; 2x PZ 2x25	
		3867/1 TS TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 6 Stainless 1 SB



Code	EAN			
05073634001	164636			1
		3855/4	2x PZ 2x50	
		3867/4 TORX®	1x TX 20x50; 2x TX 25x50	
		3840/4 Hex-Plus	1x 5.5x50	


BiTorsion system - for longer service life



Smaller impacts are absorbed by the holder



Higher impacts are cushioned in the torsion zone of the bit



No premature wear caused by impacts


Bit-Safe 61 BiTorsion 1

Robust textile box with bits and holder, 61-piece. 49 BiTorsion bits for long service life, in diamond-coated design (BDC) for a secure fit in the screw head, tough-absorbing (BTZ), for universal use, extra hard (BTH); 11 bits, tough-absorbing (Z), for universal use. 1 universal holder 889/4/1 K with quick-release chuck for take-up in the power screwdriver or use in the chuck of the power drill.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint. The textile box allows users a high degree of mobility with a minimum space requirement.

The greatly reduced weight of a set makes carrying far more pleasant. Sensitive surfaces are protected when the box is set down – yet the textile box is still very robust. The box and the tools will even survive a fall unscathed.

Bit-Safe 61 BiTorsion 1



Code	EAN			
05057441001	179937			1
		889/4/1 K	1x 1/4"x50	
		851/1 BDC PH	1x PH 1x25; 2x PH 2x25; 1x PH 3x25	
		851/1 BTZ PH	2x PH 1x25; 8x PH 2x25; 1x PH 3x25	
		855/1 BDC PZ	1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25	
		855/1 BTH PZ	2x PZ 1x25; 8x PZ 2x25; 1x PZ 3x25	
		867/1 TORX® BTZ	3x TX 10x25; 2x TX 15x25; 4x TX 20x25; 4x TX 25x25; 2x TX 30x25; 1x TX 40x25	
		800/1 BDC	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		840/1 BTZ Hex-Plus	3x 2,5x25; 3x 3,0x25; 3x 4,0x25; 2x 5,0x25	

Bit-Checks BiTorsion

BiTorsion bits with an elastic torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under high strain. This greatly extends the product service life. Offer the best possible service life with the appropriate holder.

The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time. The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

Bit-Check 30 BiTorsion 1



Code	EAN			
05057430001	179821			1
		889/4/1 K	1x 1/4"x50	
		851/1 BTZ PH	2x PH 1x25; 5x PH 2x25; 2x PH 3x25	
		855/1 BTZ PZ	2x PZ 1x25; 6x PZ 2x25; 2x PZ 3x25	
		867/1 TORX® BTZ	1x TX 10x25; 2x TX 15x25; 2x TX 20x25; 2x TX 25x25; 2x TX 30x25; 1x TX 40x25	

Bit-Check 12 BiTorsion 1



Code	EAN			
05057420001	179869			10
		889/4/1 K	1x 1/4"x50	
		851/1 BTZ PH	1x PH 1x25; 2x PH 2x25	
		855/1 BTZ PZ	1x PZ 1x25; 2x PZ 2x25	
		867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	



Bit-Check 12 BiTorsion 1 SB



Code	EAN			
05136385001	213969		889/4/1 K 1x 1/4"x50	1
			851/1 BTZ PH 1x PH 1x252x PH 2x25	
			855/1 BTZ PZ 1x PZ 1x252x PZ 2x25	
			867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 10 BiTorsion 1



Code	EAN			
05056374001	095688		897/4 R 1x 1/4"x75	10
			851/1 BTZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
			855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
			800/1 BTZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 10 BiTorsion 2



Code	EAN			
05057117001	127761		897/4 R 1x 1/4"x75	10
			851/1 BTZ PH 1x PH 2x25	
			855/1 BTZ PZ 1x PZ 1x25; 2x PZ 2x25	
			867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 10 BiTorsion 3 SB



Code	EAN			
05073418001	128157		897/4 R 1x 1/4"x75	1
			851/1 BTZ PH 1x PH 2x25	
			855/1 BTZ PZ 1x PZ 1x251x PZ 2x251x PZ 3x25	
			867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 10 PZ BiTorsion 1



Code	EAN			
05056368001	4013288 113849			10
		897/4 R 1x 1/4"x75		
		855/1 BTZ PZ 7x PZ 2x25; 2x PZ 3x25		

Bit-Check 10 PZ BiTorsion 2



Code	EAN			
05347153001	4013288 107152			10
		897/4 R 1x 1/4"x75		
		855/1 BTH PZ 1x PZ 1x25; 7x PZ 2x25; 1x PZ 3x25		

Bit-Check 7 PZ BiTorsion 1



Code	EAN			
05340260001	4013288 155177			20
		889/4/1 K 1x 1/4"x50		
		855/1 BTH PZ 1x PZ 1x25; 4x PZ 2x25; 1x PZ 3x25		

Bit-Check 7 PH BiTorsion 1



Code	EAN			
05056291001	4013288 190833			10
		893/4/1 K 1x 1/4"x50		
		851/1 BTH PH 6x PH 2x25		

Bit-Check 6 PH BiTorsion 1




Code	EAN			
05056477001	4013288 190796			10
		851/4 BTH PH 6x PH 2x50		



Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



Bits with tiny diamond particles on the bit tip. This ensures a secure fit in the screw head, reduces the contact pressure required and lowers the risk of slipping.

BiTorsion bits with an elastic torsion zone – where kinetic energy is diverted from peak loads – and softer BiTorsion zone to prevent the bit tip from twisting under high strain. This greatly extends the product service life.

The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

Bit-Check 30 Diamond 1



Code	EAN			
05057431001	179814			1
		889/4/1 K	1x 1/4"x50	
		851/1 BDC PH	2x PH 1x25; 4x PH 2x25; 1x PH 3x25	
		855/1 BDC PZ	2x PZ 1x25; 4x PZ 2x25; 1x PZ 3x25	
		867/1 TORX® BDC	2x TX 10x25; 2x TX 15x25; 3x TX 20x25; 3x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		800/1 BDC	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 12 Diamond 1



Code	EAN			
05057421001	180025			10
		889/4/1 K	1x 1/4"x50	
		851/1 BDC PH	1x PH 1x25; 2x PH 2x25	
		855/1 BDC PZ	1x PZ 1x25; 2x PZ 2x25	
		867/1 TORX® BDC	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 12 Diamond 1 SB



Code	EAN			
05136392001	213976			1
		889/4/1 K	1x 1/4"x50	
		851/1 BDC PH	1x PH 1x252x PH 2x25	
		855/1 BDC PZ	1x PZ 1x252x PZ 2x25	
		867/1 TORX® BDC	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 10 Diamond 1



Code	EAN			
05057116001	4013288	127754		10
			897/4 R 1x 1/4"x75	
			851/1 BDC PH 1x PH 2x25	
			855/1 BDC PZ 1x PZ 1x25; 2x PZ 2x25	
			867/1 TORX® BDC 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 7 Diamond 1



Code	EAN			
05057416001	4013288	179999		10
			889/4/1 K 1x 1/4"x50	
			851/1 BDC PH 1x PH 1x25; 1x PH 2x25	
			855/1 BDC PZ 1x PZ 1x25; 1x PZ 2x25	
			800/1 BDC 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 7 Diamond 1 SB



Code	EAN			
05073419001	4013288	183682		1
			889/4/1 K 1x 1/4"x50	
			851/1 BDC PH 1x PH 1x25; 1x PH 2x25	
			855/1 BDC PZ 1x PZ 1x25; 1x PZ 2x25	
			800/1 BDC 1x 1.0x5.5x25; 1x 1.2x6.5x25	

Bit-Check 7 PZ Diamond 1



Code	EAN			
05057412001	4013288	180001		10
			889/4/1 K 1x 1/4"x50	
			855/1 BDC PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	



Bit-Check 7 PZ Diamond 1 SB



Code	EAN		
05073534001	180940	889/4/1 K 1x 1/4"x50	1
		855/1 BDC PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	

Bit-Check 7 PH Diamond 1



Code	EAN		
05057414001	179920	889/4/1 K 1x 1/4"x50	20
		851/1 BDC PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	

Bit-Check 7 TX Diamond 1



Code	EAN		
05057415001	180018	889/4/1 K 1x 1/4"x50	10
		867/1 TORX® BDC 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 6 PH Diamond 1



Code	EAN		
05057404001	179906	851/4 BDC PH 2x PH 1x50; 3x PH 2x50; 1x PH 3x50	20

Bit-Check 6 PZ Diamond 1



Code	EAN		
05057402001	179913	855/4 BDC PZ 2x PZ 1x50; 3x PZ 2x50; 1x PZ 3x50	20

Textile boxes



Bit-Safe 61 Universal 1

Comprehensive 61-piece bit set in a robust Bit-Safe. Provides a quick overview of the tools available and bits not needed are simply reinserted into the set and do not get lost.

1 universal holder with Rapidaptor technology: allows bits to be attached without any need to actuate the sleeve. The removal of the bit is simple, just by pushing the sleeve forward – for rapid change with just one hand.

The strong permanent magnet holds the bits absolutely securely. Can be inserted in the power screwdriver or for use in the chuck of the electric drill.

Bit-Safe 61 Universal 1



Code	EAN			
05057122001	4013288	100689		1
		889/4/1 K		
		1x 1/4"x50		
		851/1 TZ PH		
		3x PH 1x25; 10x PH 2x25; 2x PH 3x25		
		855/1 TZ PZ		
		3x PZ 1x25; 10x PZ 2x25; 2x PZ 3x25		
		867/1 TZ TORX®		
		2x TX 10x25; 3x TX 15x25; 3x TX 20x25;		
		3x TX 25x25; 3x TX 30x25; 2x TX 40x25		
		800/1 TZ		
		1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25		
		840/1 Z Hex-Plus		
		3x 2,5x25; 3x 3,0x25; 3x 4,0x25; 2x 5,0x25		

Bit-Safe 43 Universal 1

43-piece; robust textile box with bits for universal applications.

1 universal holder 899/4/1 with stainless sleeve, retaining ring and strong permanent magnet for insertion in the power screwdriver or for use in the chuck of the electric drill.

Bit-Safe 43 Universal 1



Code	EAN			
05057450001	4013288	179951		1
		899/4/1		
		1x 1/4"x50		
		851/1 Z PH		
		1x PH 2x25		
		851/4 TZ PH		
		1x PH 1x50; 2x PH 2x50		
		855/1 Z PZ		
		2x PZ 1x25; 5x PZ 2x25; 2x PZ 3x25		
		855/4 TZ PZ		
		1x PZ 1x50; 2x PZ 2x50		
		867/1 TORX®		
		3x TX 10x25; 4x TX 15x25; 4x TX 20x25;		
		4x TX 25x25; 4x TX 30x25; 1x TX 40x25		
		867/4 Z TORX®		
		1x TX 10x50; 1x TX 15x50; 1x TX 20x50;		
		1x TX 25x50; 1x TX 30x50; 1x TX 40x50		



Bit-Check 30 Universal 1

29 bits in a minimum of space; simple removal and reinsertion of the bits. Rapidaptor holder ensures rapid bit change.

Universal bits fitted for diverse applications.

Bit-Check 30 Universal 1



Code	EAN			
05056440001	115096			1
		889/4/1 K	1x 1/4"x50	
		851/1 TZ PH	2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
		855/1 TH PZ	2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	
		867/1 TZ TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		867/1 Z TORX® B0	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		800/1 TZ	1x 1,0x5,5x25	
		840/1 Z Hex-Plus	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25	

Bit-Check 30 TX Universal 1

30-piece. Tough-absorbing bits for universal use. 1 universal holder 899/4/1 K for take-up in the power screwdriver or use in the chuck of the power drill.

Comes with tough viscous TORX® bits for universal use.

Bit-Check 30 TX Universal 1



Code	EAN			
05057908001	163820			10
		899/4/1	1x 1/4"x50	
		867/1 TORX®	3x TX 10x25; 5x TX 15x25; 8x TX 20x25; 7x TX 25x25; 4x TX 30x25; 2x TX 40x25	

Bit-Check 12 Universal 1

- 851/1 A: A bits are particularly hard bits with a sharp-edged profile which e.g. penetrates screw profiles full of paint (such as on fuselage panels) ensuring a dependable transfer of force between the bit and the screw
- Rapidaptor holder for rapid bit change

Bit-Check 12 Universal 1



Code	EAN			
05057428001	190840			10
		888/4/1 K	1x 1/4"x50	
		851/1 A PH	1x PH 1x25; 2x PH 2x25; 1x PH 3x25	
		867/1 TORX®	1x TX 8x25; 1x TX 20x25; 1x TX 25x25	
		868/1 V	1x # 1x25; 2x # 2x25; 1x # 3x25	

Bit-Check 12 Universal 2

- Ring magnet Rapidaptor, holder for holding even longer and heavier screws

Bit-Check 12 Universal 2



Code	EAN			
05057429001	4013288 190857			10
		887/4 RR	1x 1/4"x57	
		851/1 A PH	1x PH 1x25; 2x PH 2x25; 1x PH 3x25	
		800/1 Z	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		868/1 V	1x # 1x25; 2x # 2x25; 1x # 3x25	

Bit-Check 10 Universal 1

- Tough viscous bits for universal use
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 10 Universal 1



Code	EAN			
05056161001	4013288 033772			10
		895/4/1 K	1x 1/4"x52	
		851/1 TZ PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 TZ PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		800/1 TZ	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 10 Universal 2

- Extra-hard bits
- Torsion design against premature wear
- Universal holder with quick-release chuck and strong permanent magnet

Bit-Check 10 Universal 2



Code	EAN			
05134200001	4013288 038821			10
		895/4/1 K	1x 1/4"x52	
		855/1 TH PZ	1x PZ 1x25; 2x PZ 2x25	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 10 Universal 3

- Tough viscous bits for universal use
- Rapidaptor holder for rapid bit change

Bit-Check 10 Universal 3



Code	EAN			
05056375001	4013288 095695			10
		889/4/1 K	1x 1/4"x50	
		851/1 TZ PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 TZ PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		800/1 TZ	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	



Bit-Check 10 Universal 3 SB



Code	EAN			
05073410001	099495	889/4/1 K	1x 1/4"x50	1
		800/1 TZ	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		851/1 TZ PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 TZ PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	

Bit-Check 10 Universal 4

- Tough viscous bits for universal use
- Universal holder with stainless sleeve, retaining ring and strong permanent magnet

Bit-Check 10 Universal 4



Code	EAN			
05056159001	033758	899/4/1	1x 1/4"x50	10
		851/1 TZ PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		855/1 TZ PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		800/1 TZ	1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	

Bit-Check 10 Universal 5 SB

- Tough viscous bits for universal use
- Includes universal holder for the take-up of bits with 1/4" hex head drive

Bit-Check 10 Universal 5 SB



Code	EAN			
05073416001	128164	899/4/1	1x 1/4"x50	1
		851/1 Z PH	1x PH 2x25	
		855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	

Bit-Check 10 PZ Universal 1

- Extra-hard bits
- Torsion design against premature wear
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 10 PZ Universal 1



Code	EAN			
05056163001	033796	895/4/1 K	1x 1/4"x52	10
		855/1 TH PZ	3x PZ 1x25; 3x PZ 2x25; 3x PZ 3x25	

Bit-Check 10 PZ Universal 2

- Extra-hard bits
- Rapidaptor holder for rapid bit change

Bit-Check 10 PZ Universal 2



Code	EAN			
05056376001	4013288 095701			10
		889/4/1 K		
		1x 1/4"x50		
		855/1 TH PZ		
		3x PZ 1x25; 3x PZ 2x25; 3x PZ 3x25		

Bit-Check 10 TX Universal 1

- Tough viscous bits for universal use
- Torsion design against premature wear
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 10 TX Universal 1



Code	EAN			
05056164001	4013288 033802			10
		894/4/1 K		
		1x 1/4"x51		
		867/1 TZ TORX®		
		1x TX 8x25; 1x TX 9x25; 1x TX 10x25;		
		1x TX 15x25; 1x TX 20x25; 1x TX 25x25;		
		1x TX 27x25; 1x TX 30x25; 1x TX 40x25		

Bit-Check 10 TX Universal 2

- Tough viscous bits for universal use
- Rapidaptor holder for rapid bit change

Bit-Check 10 TX Universal 2



Code	EAN			
05057115001	4013288 127747			10
		888/4/1 K		
		1x 1/4"x50		
		867/1 TORX®		
		1x TX 6x25; 1x TX 8x25; 1x TX 9x25;		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25; 1x TX 40x25		

Bit-Check 7 Universal 1

- Tough viscous bits for universal use
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 7 Universal 1



Code	EAN			
05056295001	4013288 038166			20
		893/4/1 K		
		1x 1/4"x50		
		851/1 Z PH		
		1x PH 1x25; 1x PH 2x25		
		855/1 Z PZ		
		1x PZ 1x25; 1x PZ 2x25		
		800/1 Z		
		1x 1,0x5,5x25; 1x 1,2x6,5x25		



Bit-Check 7 Universal 1 SB



Code	EAN			
05073406001	036186		893/4/1 K 1x 1/4"x50	1
			851/1 Z PH 1x PH 1x25; 1x PH 2x25	
			855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
			800/1 Z 1x 1.0x5.5x25; 1x 1.2x6.5x25	

Bit-Check 7 Universal 2

- Tough viscous bits for universal use
- Torsion design against premature wear
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 7 Universal 2



Code	EAN			
05056155001	033710		895/4/1 K 1x 1/4"x52	20
			851/1 TZ PH 1x PH 1x25; 1x PH 2x25	
			855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25	
			800/1 TZ 1x 1.0x5.5x25; 1x 1.2x6.5x25	

Bit-Check 7 Universal 3

- Tough viscous bits for universal use
- Universal holder with stainless sleeve

Bit-Check 7 Universal 3



Code	EAN			
05340322001	039835		893/4/1 K 1x 1/4"x50	20
			851/1 Z PH 1x PH 1x25; 1x PH 2x25	
			800/1 Z 1x 1.0x5.5x25; 1x 1.2x6.5x25	
			868/1 Z 1x # 1x25; 1x # 2x25	

Bit-Check 7 Universal 4



Code	EAN			
05135810001	179265		893/4/1 K 1x 1/4"x50	20
			851/1 Z PH 1x PH 2x25	
			855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
			867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25	

Bit-Check 7 PZ Universal 1



Code	EAN			
05056296001	4013288 038135			20
		893/4/1 K 1x 1/4"x50		
		855/1 Z PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25		

Bit-Check 7 PZ Universal 1 SB



Code	EAN			
05073536001	4013288 105998			1
		893/4/1 K 1x 1/4"x50		
		855/1 Z PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25		

Bit-Check 7 PZ Universal 2

- Extra-hard bits
- Torsion design against premature wear
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 7 PZ Universal 2



Code	EAN			
05056157001	4013288 033734			20
		895/4/1 K 1x 1/4"x52		
		855/1 TH PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25		

Bit-Check 7 TX Universal 1

- Tough viscous bits for universal use
- Universal holder with stainless sleeve and strong permanent magnet



Code	EAN			
05056294001	4013288 041500			20
		893/4/1 K 1x 1/4"x50		
		867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25		

Bit-Check 7 TX Universal 1 SB



Code	EAN			
05073404001	4013288 038111			1
		893/4/1 K 1x 1/4"x50		
		867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25		



Bit-Check 7 TX B0 Universal 1

- Tough viscous bits for universal use
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 7 TX B0 Universal 1



Code	EAN		
05056158001	4013288 033741		20
		894/4/1 K 1x 1/4"x51	
		867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



Bit-Check 7 Hex-Plus 1



Code	EAN		
05056168001	4013288 033840		20
		895/4/1 K 1x 1/4"x52	
		840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

Bit-Check 7 TiN Universal 1

- Titanium nitride coating (TiN) for permanent loads e.g. in industrial applications
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 7 TiN Universal 1



Code	EAN		
05056285001	4013288 111715		20
		893/4/1 K 1x 1/4"x50	
		851/1 TiN PH 1x PH 1x25; 1x PH 2x25	
		855/1 TiN PZ 1x PZ 1x25; 1x PZ 2x25	
		800/1 TiN 1x 0,8x5,5x25; 1x 1,2x6,5x25	

Bit-Check 7 TiN Universal 1 SB



Code	EAN		
05073537001	4013288 106001		1
		893/4/1 K 1x 1/4"x50	
		851/1 TiN PH 1x PH 1x25; 1x PH 2x25	
		855/1 TiN PZ 1x PZ 1x25; 1x PZ 2x25	
		800/1 TiN 1x 0,8x5,5x25; 1x 1,2x6,5x25	

Bit-Check 7 TiN PZ Universal 1 SB



Code	EAN			
05073538001	4013288 106018			1
			893/4/1 K 1x 1/4"x50	
			855/1 TiN PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	

Bit-Check 6 Universal 1

- Tough viscous bits for universal use
- The Torsion design absorbs torque peaks
- Prevents premature breakage of the drive tip

Bit-Check 6 Universal 1



Code	EAN			
05056474001	4013288 156143			20
			851/4 TZ PH 1x PH 1x50; 1x PH 2x50	
			855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
			800/4 Z 1x 1,0x5,5x50; 1x 1,2x6,5x50	

Bit-Check 6 Universal 1 SB



Code	EAN			
05073635001	4013288 155276			1
			851/4 TZ PH 1x PH 1x50; 1x PH 2x50	
			855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
			800/4 Z 1x 1,0x5,5x50; 1x 1,2x6,5x50	

Bit-Check 6 Universal 2



Code	EAN			
05056473001	4013288 156136			20
			851/4 TZ PH 1x PH 2x50	
			855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
			867/4 Z TORX® 1x TX 15x50; 1x TX 20x50; 1x TX 25x50	

Bit-Check 6 Universal 2 SB



Code	EAN			
05073638001	4013288 155245			1
			851/4 TZ PH 1x PH 2x50	
			855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50	
			867/4 Z TORX® 1x TX 15x50; 1x TX 20x50; 1x TX 25x50	

Bit-Check 6 Universal 3

- Tough viscous bits for universal use
- Holding function for Robertson screws

Bit-Check 6 Universal 3



Code	EAN		
05056479001	4013288 190819		10
		+	851/4 A PH 1x PH 1x50; 1x PH 2x50
		✱	867/4 Z TORX® 1x TX 25x50; 1x TX 30x50
		◻	868/4 V 1x # 1x50; 1x # 2x50

Bit-Check 6 TX Universal 1

- Tough viscous bits for universal use

Bit-Check 6 TX Universal 1



Code	EAN		
05056472001	4013288 156112		20
		✱	867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50

Bit-Check 6 TX Universal 1 SB



Code	EAN		
05073637001	4013288 155252	✱	867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50

Bit-Check 6 PZ Universal 1

6 50 mm-long Pozidriv bits tidily arranged in a minimum of space in a practical Bit-Check.

The tough viscous bits are suitable for universal use. Torsion design to combat premature wear.

Bit-Check 6 PZ Universal 1



Code	EAN		
05056471001	4013288 156105	✱	855/4 TZ PZ 2x PZ 1x50; 3x PZ 2x50; 1x PZ 3x50

TORX® Tools with holding function

Clamping force holds TORX® screw tight.



6 50 mm-long TORX® bits tidily arranged in a minimum of space in a practical Bit-Check. The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool.

Bit-Check 6 TX HF 1



	Code	EAN	
	05056476001	4013288 165473	20
		867/4 TORX® HF 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50	

Bit-Check 6 V Universal 1

6 50 mm-long bits tidily arranged in a minimum of space in a practical Bit-Check. Bits for square socket screws with holding function.

The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

Bit-Check 6 V Universal 1



	Code	EAN	
	05056478001	4013288 190802	10
		868/4 V 1x # 1x50; 3x # 2x50; 2x # 3x50	



Textile boxes




Bit-Safe 61 Wood 1

Robust textile box with bits especially for wood applications, 61-piece. 1 universal holder 895/4/1 K with quick-release chuck and strong permanent magnet for take-up in the power screw-driver or use in the chuck of the power drill.

The textile box allows users a high degree of mobility with a minimum space requirement. The greatly reduced weight of a set makes carrying far more pleasant. Sensitive surfaces are protected when the box is set down – yet the textile box is still very robust. The box and the tools will even survive a fall unscathed.

Bit-Safe 61 Wood 1



Code	EAN			
05057442001	179944			1
		895/4/1 K	1x 1/4"x52	
		851/1 Z PH	3x PH 2x25	
		855/1 Z PZ	10x PZ 1x25; 20x PZ 2x25; 5x PZ 3x25	
		867/1 TORX®	3x TX 10x25; 5x TX 15x25; 5x TX 20x25; 5x TX 25x25; 2x TX 30x25; 2x TX 40x25	

Bit-Check 30 Wood 1

- Ring magnet Rapidaptor, holder for holding even longer and heavier screws

Bit-Check 30 Wood 1



Code	EAN			
05057433001	179807			1
		887/4 RR	1x 1/4"x57	
		851/1 TZ PH	2x PH 2x25; 1x PH 3x25	
		855/1 TH PZ	3x PZ 1x25; 6x PZ 2x25; 2x PZ 3x25	
		867/1 TZ TORX®	2x TX 10x25; 2x TX 15x25; 4x TX 20x25; 4x TX 25x25; 2x TX 30x25; 1x TX 40x25	

Bit-Check 30 Wood 2

- Universal holder with stainless sleeve

Bit-Check 30 Wood 2



Code	EAN			
05057432001	179845			10
		899/4/1	1x 1/4"x50	
		851/1 Z PH	1x PH 2x25	
		855/1 Z PZ	2x PZ 1x25; 5x PZ 2x25; 2x PZ 3x25	
		867/1 TORX®	3x TX 10x25; 4x TX 15x25; 4x TX 20x25; 4x TX 25x25; 3x TX 30x25; 1x TX 40x25	

Bit-Check 12 Wood 1

- Ring magnet Rapidaptor, holder for holding even longer and heavier screws

Bit-Check 12 Wood 1



Code	EAN			
05057423001	4013288			10
	179876			
		887/4 RR		
		1x 1/4"x57		
		855/1 TH PZ		
		1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25		
		851/1 TH PH		
		1x PH 2x25		
		867/1 TORX®		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25; 1x TX 40x25		

Bit-Check 12 Wood 1 SB



Code	EAN			
05136390001	4013288			1
	214010			
		887/4 RR		
		1x 1/4"x57		
		851/1 TH PH		
		1x PH 2x25		
		855/1 TH PZ		
		1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25		
		867/1 TORX®		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25; 1x TX 40x25		

Bit-Check 12 Wood 2

- Universal holder with stainless sleeve

Bit-Check 12 Wood 2



Code	EAN			
05057422001	4013288			10
	179890			
		899/4/1		
		1x 1/4"x50		
		851/1 Z PH		
		1x PH 2x25		
		855/1 Z PZ		
		1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25		
		867/1 TORX®		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25; 1x TX 40x25		

Bit-Check 12 Wood 2 SB



Code	EAN			
05136391001	4013288			1
	214027			
		899/4/1		
		1x 1/4"x50		
		851/1 Z PH		
		1x PH 2x25		
		855/1 Z PZ		
		1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25		
		867/1 TORX®		
		1x TX 10x25; 1x TX 15x25; 1x TX 20x25;		
		1x TX 25x25; 1x TX 30x25; 1x TX 40x25		



Bit-Check 12 Wood 3

- V bits for square recess screws
- 851/1 A: A bits are particularly hard bits with a sharp-edged profile which e.g. penetrates screw profiles full of paint (such as on fuselage panels) ensuring a dependable transfer of force between the bit and the screw
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 12 Wood 3



Code	EAN			
05057426001	4013288 190734			10
		●○	893/4/1 K 1x 1/4"x50	
		+	851/1 A PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25	
		✦	867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		○	868/1 V 1x # 2x25; 1x # 3x25	

Bit-Check 12 Wood 4

- 851/1 A: A bits are particularly hard bits with a sharp-edged profile which e.g. penetrates screw profiles full of paint (such as on fuselage panels) ensuring a dependable transfer of force between the bit and the screw
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 12 Wood 4



Code	EAN			
05057427001	4013288 190741			10
		●○	893/4/1 K 1x 1/4"x50	
		+	851/1 A PH 2x PH 1x25; 6x PH 2x25; 3x PH 3x25	

Bit-Check 30 Metal 1

- Tough viscous bits for universal use
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 30 Metal 1



Code	EAN			
05057434001	4013288 179838			10
		●○	899/4/1 1x 1/4"x50	
		+	851/1 Z PH 3x PH 1x25; 3x PH 2x25; 2x PH 3x25	
		✦	855/1 Z PZ 3x PZ 1x25; 3x PZ 2x25; 3x PZ 3x25	
		✦	867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	
		●	800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25	
		○	840/1 Z Hex-Plus 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

Bit-Check 12 Metal 1



Code	EAN			
05057424001	4013288 179883			10
		●○	899/4/1 1x 1/4"x50	
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		✦	855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		✦	867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		○	840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25	

Bit-Check 12 Metal 1 SB



Code	EAN			
	4013288			
05136393001	214003	●○	899/4/1 1x 1/4"x50	1
		+	851/1 Z PH 1x PH 1x25; 1x PH 2x25	
		+	855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25	
		✱	867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		○	840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25	

843 Stepped drill bits, 4-20 mm

9 drill steps increasing by 2 mm for material with a maximum thickness of 4.5 mm. Comes with edge breaker for 1 mm sheet metal. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

843 Stepped drill bits, 4-20 mm



Code	EAN	mm						
	4013288	mm						
05104672001	117632	75,0						1

844 Single Tap Bits

To cut metric threads. The hexagonal shaft ensures very good power transfer. The finely-tuned material elasticity provides for great durability.

Perfect chip removal and a low tilt risk.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

844 Single Tap Bits



Code	EAN	mm	mm	mm				
	4013288	mm	mm	mm				
05104666001	117571	3,0	10,00	33,0	M 3			1
05104667001	117588	4,0	11,00	35,0	M 4			1
05104668001	117595	5,0	12,50	36,0	M 5			1
05104669001	117601	6,0	18,00	40,0	M 6			1
05104670001	117618	8,0	20,00	40,0	M 8			1
05104671001	117625	10,0	20,00	40,0	M 10			1

888/4/1 K Rapidaptor Universal Bit holder

- Non-magnetic design

844/7 Tap Bits Set




Code	EAN							
	4013288							
05104654001	119278	●○	888/4/1 K 1x 1/4"x50					1
		●	844 1x 3,0x33,0; 1x 4,0x35,0; 1x 5,0x36,0; 1x 6,0x40,0; 1x 8,0x40,0; 1x 10,0x40,0					

845 1-flute Countersink Bits

1-flute countersink bit by Wera. For countersinking and deburring. The hexagon shaft ensures very good power transfer, vibration-free and score-free working.

Perfect chip removal and long service life. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

845 1-flute Countersink Bits



	EAN						
Code	4013288	mm	mm	mm			
05104660001	117519	6,30	21,00	32,0	M 3		1
05104661001	117526	8,30	21,00	32,0	M 4		1
05104662001	117533	10,40	21,00	34,0	M 5		1
05104663001	117540	12,40	21,00	36,0	M 6		1
05104664001	117557	16,50	22,00	40,0	M 8		1
05104665001	117564	20,50	22,00	43,0	M 10		1

816 R

Bit holder with Rapidaptor quick-release chuck for bits with 1/4" hexagon drive.

888/4/1 K

Rapidaptor universal holder for bits with 1/4" hexagon drive. Non-magnetic design.

845/8 1-flute Countersink Bits Set



Code	EAN		
05104655001	119285		1
		816 R 1x 1/4"x119	
		888/4/1 K 1x 1/4"x50	
		845 1x 6,30x32,0; 1x 8,30x32,0; 1x 10,40x34,0; 1x 12,40x36,0; 1x 16,50x40,0; 1x 20,50x43,0	

846 3-flute Countersink Bit

3-flute countersink bit for deburring, chamfering and countersinking. A finely-tuned material elasticity provides for great durability.

Perfect chip removal and a low tilt risk ensure pleasant working. Cutting section as per DIN 335-C, 90° with 3 cutters. 1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.

846 3-flute Countersink Bit



	EAN						
Code	4013288	mm	mm	mm			
05104630001	101440	6,30	20,00	31,0	M 3		1
05104631001	101457	8,30	20,00	31,0	M 4		1
05104632001	101464	10,40	20,00	34,0	M 5		1
05104633001	101471	12,40	20,00	35,0	M 6		1
05104634001	101488	16,50	20,00	40,0	M 8		1
05104635001	101495	20,50	20,00	41,0	M 10		1

816 R

Bit holder with Rapidaptor quick-release chuck for bits with 1/4" hexagon drive.

888/4/1 K

Rapidaptor universal holder for bits with 1/4" hexagon drive. Non-magnetic design.

846/8 3-flute Countersink Bits Set



Code	EAN		
05104650001	111678		1
		816 R 1x 1/4"x119	
		888/4/1 K 1x 1/4"x50	
		846 HSS 1x 6,30x31,0; 1x 8,30x31,0; 1x 10,40x34,0; 1x 12,40x35,0; 1x 16,50x40,0; 1x 20,50x41,0	

847 HSS Combined Tap Bits

Combination tapping drill bits for drilling, tapping and deburring. Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability.

The very good centring properties, perfect chip removal and a low tilt risk ensure pleasant working. The hexagonal shaft ensures very good power transfer. Drive: 1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.

847 HSS Combined Tap Bits



	EAN						
Code	4013288	mm	mm	mm			
05104640001	101501	2,5	12,00	36,0	M 3		1
05104641001	101518	3,3	12,00	39,0	M 4		1
05104642001	101525	4,2	12,00	41,0	M 5		1
05104643001	101532	5,0	12,00	44,0	M 6		1
05104644001	101549	6,8	12,00	51,0	M 8		1
05104645001	101556	8,5	12,00	59,0	M 10		1

888/4/1 K Rapidaptor Universal Bit holder

- Non-magnetic design

847/7 Set Combination Drill Bits Set



	EAN						
Code	4013288						
05104651001	111685						1
			888/4/1 K 1x 1/4"x50				
			847 HSS 1x 2,5x36,0; 1x 3,3x39,0; 1x 4,2x41,0; 1x 5,0x44,0; 1x 6,8x51,0; 1x 8,5x59,0				

848 HSS Metal Twist Drill Bits

Metal twist drill bits for precise drilling in metal. Made out of high speed steel (HSS). A finely-tuned material elasticity provides for a long service life. Very good concentricity.

Tough viscous tempered bits ensure a particularly long service life. The hexagonal shaft ensures very good power transfer.

Drive: 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

848 HSS Metal Twist Drill Bits



	EAN							
Code	4013288	mm	mm	mm				
05104610001	101310	3,0	16,00	38,0				1
05104611001	101327	3,1	18,00	40,0				1
05104612001	101334	3,3	18,00	40,0				1
05104613001	101341	4,0	20,00	44,0				1
05104614001	101358	4,1	20,00	44,0				1
05104615001	101365	4,2	20,00	45,0				1
05104616001	101372	5,0	26,00	50,0				1
05104617001	101389	5,1	26,00	50,0				1
05104618001	101396	6,0	26,00	50,0				1
05104619001	101402	6,8	30,00	50,0				1
05104620001	101419	8,0	32,00	51,0				1
05104621001	101426	8,5	33,00	53,0				1
05104622001	101433	10,0	38,00	54,0				1



849 HSS Twist Wood Drill Bits

Wood twist drill bits for precise, splinter-free drilling in soft wood, hard wood and laminated panel material. Made out of high speed steel (HSS).

The hexagonal shaft ensures very good power transfer.
A finely-tuned material elasticity provides for a long service life.
Very good concentricity. 1/4" drive suitable for holders as per DIN ISO 1173-D 6.3.

849 HSS Twist Wood Drill Bits



	EAN							
Code	4013288	mm	mm	mm				
05104600001	101259	3,0	32,00	70,0				1
05104601001	101266	4,0	32,00	74,0				1
05104602001	101273	5,0	43,00	85,0				1
05104603001	101280	6,0	45,00	95,0				1
05104604001	101297	8,0	60,00	110,0				1
05104605001	101303	10,0	70,00	120,0				1

888/4/1 K Rapidaptor Universal Bit holder

- Non-magnetic design

848/851/867/19 Metal Twist Drill Bits and Bits Set



	Code	EAN		
	05104652001	4013288		1
		111654		
			888/4/1 K 1x 1/4"x50	
			851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25	
			848 HSS 1x 3,0x38,0; 1x 4,0x44,0; 1x 4,2x45,0; 1x 5,0x50,0; 1x 6,0x50,0; 1x 8,0x51,0	
			867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

889/4/1 K Rapidaptor Universal Bit Holder

Rapidaptor universal holder for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). The Rapidaptor allows bits to be attached without any need to actuate the sleeve.

The removal of the bit is simple, just by pushing the sleeve forward. This enables rapid bit change with just one hand. The strong permanent magnet holds the bits absolutely securely. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

849/855/867/18 Wood Twist Drill Bits and Bits Set



Code	EAN			
05104653001	111661			1
		889/4/1 K	1x 1/4"x50	
		849 HSS	1x 3,0x70,0; 1x 4,0x74,0; 1x 5,0x85,0; 1x 6,0x95,0; 1x 8,0x110,0	
		855/1 TH PZ	2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25	
		867/1 TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25	

Bit-Check 10 Drywall 1

Bit-Check for drywall construction. High quality spacer out of aluminium; the screwdriving depth can be infinitely adjusted and allows the flush-mounting of screws; 9 drywall bits with modified output shaft, 25 mm in length.

Bit-Check 10 Drywall 1



Code	EAN			
05136011001	178657			1
		896/4/1	1x 1/4"x50	
		851/1 RZ PH	9x PH 2x25	



Series 7400 Kraftform adjustable torque screwdrivers with Rapidaptor quick-release chuck

Variable torque setting option with highest precision. Simple adjustment of the required torque value without any special tools. Easy-to-read scale value; audible click signal. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Series 7400 Kraftform adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074770001 ¹⁾	179012	7430	1/4"	0,10-0,34	0,015	89	142	1
05074772001 ¹⁾	179128	7431	1/4"	0,30-1,00	0,05	89	142	1
05074774001 ¹⁾	179173	7432	1/4"	0,90-1,50	0,05	89	142	1
05074700001	100641	7440	1/4"	0,3-1,2	0,05	105	155	1
05074701001	100658	7441	1/4"	1,2-3,0	0,10	105	155	1

¹⁾With attachable magnifying glass, dramatically improving visibility.

Series 7400 Kraftform pistol grip, adjustable torque screwdrivers (3.0-8.8 Nm) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074702001	101730	7442	1/4"	3,0-6,0	0,25	150	100	1
05074705001	119308	7443	1/4"	4,0-8,8	0,40	150	100	1

Series 7400 Kraftform ESD adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck

- ESD-safe tool thanks to surface resistance of < 10⁹ Ohm

Series 7400 Kraftform ESD adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074780001 ¹⁾	179159	7430 ESD	1/4"	0,10-0,34	0,015	89	142	1
05074782001 ¹⁾	179166	7431 ESD	1/4"	0,30-1,00	0,05	89	142	1
05074784001 ¹⁾	179173	7432 ESD	1/4"	0,90-1,50	0,05	89	142	1
05074730001	106964	7440 ESD	1/4"	0,3-1,2	0,05	105	155	1
05074731001	106971	7441 ESD	1/4"	1,2-3,0	0,10	105	155	1

¹⁾With attachable magnifying glass, dramatically improving visibility.

Series 7400 Kraftform adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		in. lbs.	in. lbs.	mm	mm	
05074710001	102881	7445	1/4"	2,5-11,5	0,5	105	155	1
05074711001	102898	7446	1/4"	11,0-29,0	1,0	105	155	1

Series 7400 Kraftform pistol grip, adjustable torque screwdrivers (25.0-55.0 in. lbs.) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		in. lbs.	in. lbs.	mm	mm	
05074712001	102904	7447	1/4"	25,0-55,0	2,5	150	100	1

Series 7400 Kraftform ESD adjustable torque screwdrivers (2.5-29.0 in.lbs.) with Rapidaptor quick-release chuck

- ESD-safe tool thanks to surface resistance of $< 10^9$ Ohm

Series 7400 Kraftform ESD adjustable torque screwdrivers (2.5-29.0 in.lbs.) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		in. lbs.	in. lbs.	mm	mm	
05074733001	106988	7445 ESD	1/4"	2,5-11,5	0,5	105	155	1
05074734001	106995	7446 ESD	1/4"	11,0-29,0	1,0	105	155	1

Series 7400 Kraftform ESD adjustable torque screwdrivers (0.1-1.0 Nm)

- ESD-safe tool thanks to surface resistance of $< 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive

Series 7400 Kraftform ESD adjustable torque screwdrivers (0.1-1.0 Nm)



	EAN							
Code	4013288	Art.No.	Nm	Nm	mm	mm		
05074786001 ¹⁾	179036	7435 ESD	0,10-0,34	0,015	89	142	5 7/16"	1
05074788001 ¹⁾	179029	7436 ESD	0,30-1,00	0,05	89	142	5 7/16"	1

¹⁾With attachable magnifying glass, dramatically improving visibility.

1430 Kraftform Micro ESD adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck

- ESD-safe tool thanks to surface resistance of $< 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1430 Kraftform Micro ESD adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck



	EAN							
Code	4013288	Art.No.	Nm	Nm	mm			
05074802001 ¹⁾	179043	1430 ESD	0,02-0,06	0,0025	141	5 7/16"		1
05074804001 ¹⁾	179104	1431 ESD	0,05-0,11	0,005	141	5 7/16"		1

¹⁾With attachable magnifying glass, dramatically improving visibility.

7440/41 Kraftform torque screwdriver set 0.3-3.0 Nm

Two torque screwdrivers with variable torque setting option with highest precision. Simple adjustment of the required torque value without any special tools.

Easy-to-read scale value. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Includes bit assortment in a high quality and stable plastic case.

7440/41 Kraftform torque screwdriver set 0.3-3.0 Nm



Code	EAN			
05074738001	4013288 112354			1
		7400	1x 7440, 1/4", 0,3-1,2 Nm; 1x 7441, 1/4", 1,2-3,0 Nm	
		867/1 TZ TORX®	1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		867/1 IP TORX PLUS®	1x 6 IPx25; 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25; 1x 20 IPx25; 1x 25 IPx25; 1x 30 IPx25	
		840/1 Z Hex-Plus	1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

7445/46/47 Kraftform torque screwdriver set 2.5-55.0 in. lbs.



Code	EAN			
05350451001	4013288 167383			1
		7400 inch	1x 7445, 1/4", 2,5-11,5 in. lbs; 1x 7446, 1/4", 11,0-29,0 in. lbs	
		7400 Pistole inch	1x 7447, 25,0-55,0 in. lbs	
		867/1 TZ TORX®	1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		867/1 IP TORX PLUS®	1x 6 IPx25; 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25; 1x 20 IPx25; 1x 25 IPx25; 1x 30 IPx25	

7440/41/42 Kraftform torque screwdriver set 0.3-6.0 Nm




Code	EAN			
05074739001	4013288 113924			1
		7400	1x 7440, 1/4", 0,3-1,2 Nm; 1x 7441, 1/4", 1,2-3,0 Nm	
		7400 Pistole	1x 7442, 3,0-6,0 Nm	
		867/1 TZ TORX®	1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25	
		867/1 IP TORX PLUS®	1x 6 IPx25; 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25; 1x 20 IPx25; 1x 25 IPx25; 1x 30 IPx25	
		840/1 Z Hex-Plus	1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25	

7443/61/9 Assembly set for tyre pressure control systems

9-piece tool set for the proper assembly and disassembly of tyre pressure control systems. Comes with torque technology for controlled screw tightening.

Hand tool with multi-component Kraftform handle for high working speeds and ergonomic working. Two pre-set tools to connect the union nut with the screw and to fasten the sensor component to the valve. An adjustable Kraftform pistol handle for torque values of between 4.0 and 8.8 Nm. Two TX bits with holding function, socket adaptor, two sockets plus a valve dolly (for applications up to 4.5 Nm). Suitable for tyre control, systems from e.g. Schrader®, Alligator®, VDO®.

7443/61/9 Assembly set for tyre pressure control systems



Code	EAN			
05074745001	4013288 168818			1
		●	7400 vor 1x 7461, 1,2 Nm	
		●	7400 Pistole 1x 7443, 4,0-8,8 Nm	
		✱	300 TX 1x TX 10x1,4	
		○	870/1 1x 1/4"x25 ¹⁾	
		●	790 A/50 1x 11,0x50,0; 1x 12,0x50,0	
		✱	867/4 TORX® HF 1x TX 15x50; 1x TX 20x50	
		○	327 1x 32	

¹⁾With friction ball; for manual nut spinner sockets

7443/12 Assembly set for tyre pressure control systems

12-piece tool set for the proper assembly and disassembly of tyre pressure control systems. Comes with torque technology for controlled screw tightening. Hand tool with multi-component Kraftform handle for high working speeds and ergonomic working. Five pre-set tools to connect the union nut with the screw and to fasten the sensor component to the valve. Two pre-set valve insertion tools with 0.25 and 0.45 Nm. An adjustable Kraftform pistol handle for torque values of between 4.0 and 8.8 Nm. Suitable for all customary tyre pressure control systems. Dependable fastening thanks to distinctly coloured marking of the pre-set torque values (Beru/Huf®: TX 10 yellow 1.25 Nm; Schrader®: TX 10 green 1.4 Nm; Cup®/RTS®: TX 20 grey 2.0 Nm). Two TX bits with holding function, socket adaptor, two sockets plus a valve dolly (for applications up to 4.5 Nm). Suitable for tyre control, systems from e.g. Schrader®, Alligator®, VDO®. The pre-set torque screwdriver fixed at 3.3 Nm actuates both the union nut as well as the connecting screw on the sensors of the Alligator system. Additionally included: socket adaptor, two bits, valve dolly (for applications up to 4.5 Nm).

7443/12 Assembly set for tyre pressure control systems



Code	EAN			
05074746001	4013288 178404			1
		●	7400 Pistole 1x 7443, 4,0-8,8 Nm	
		●	7400 vor 1x 7464, 3,3 Nm	
		✱	300 TX 1x TX 10x1,25; 1x TX 10x1,4	
		●	790 A/50 1x 11,0x50,0; 1x 12,0x50,0	
		✱	867/4 TORX® HF 1x TX 15x50; 1x TX 20x50	
		○	870/1 1x 1/4"x25 ¹⁾	
		●	300 V 1x 0,25; 1x 0,45	
		○	327 1x 32	

¹⁾With friction ball; for manual nut spinner sockets

Serie 7400 Kraftform pre-set adjustable torque screwdrivers with Rapidaptor quick-release chuck

Pre-set torque value for all applications where the same, constant torque and repeat accuracy are required. The torque value can be modified within a specific measurement range. Rapidaptor quick-release technology for rapid bit change.

Unlimited torque to loosen seized screws. Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Serie 7400 Kraftform pre-set adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074790001	179395	7450	1/4"	0,1	0,1-0,34	89	133	1
05074790010 ¹⁾	188106	7450	1/4"	0,1	0,1-0,34	89	133	1
05074792001	179203	7451	1/4"	0,3	0,3-1,0	89	133	1
05074792010 ¹⁾	188113	7451	1/4"	0,3	0,3-1,0	89	133	1
05074794001	179197	7452	1/4"	0,9	0,9-1,5	89	133	1
05074794010 ¹⁾	188137	7452	1/4"	0,9	0,9-1,5	89	133	1
05074715001	102911	7460	1/4"	0,3	0,3-1,2	105	155	1
05074715010 ¹⁾	188144	7460	1/4"	0,3	0,3-1,2	105	155	1
05074716001	102928	7461	1/4"	1,2	1,2-3,0	105	155	1
05074716010 ¹⁾	188151	7461	1/4"	1,2	1,2-3,0	105	155	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Serie 7400 Kraftform pistol grip, pre-set adjustable torque screwdrivers (3.0-8.8 Nm) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074717001	102935	7462	1/4"	3,0	3,0-6,0	150	100	1
05074717010 ¹⁾	188168	7462	1/4"	3,0	3,0-6,0	150	100	1
05074728001	156167	7463	1/4"	4,0	4,0-8,8	150	100	1
05074728010 ¹⁾	188199	7463	1/4"	4,0	4,0-8,8	150	100	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Serie 7400 Kraftform ESD pre-set adjustable torque screwdrivers (0.1-1.2 Nm) with Rapidaptor quick-release chuck

- ESD-safe tool thanks to surface resistance of < 10⁹ Ohm

Serie 7400 Kraftform ESD pre-set adjustable torque screwdrivers (0.1-1.2 Nm) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		Nm	Nm	mm	mm	
05074820001	179210	7450 ESD	1/4"	0,1	0,1-0,34	89	133	1
05074820010 ¹⁾	188205	7450 ESD	1/4"	0,1	0,1-0,34	89	133	1
05074822001	179470	7451 ESD	1/4"	0,3	0,3-1,0	89	133	1
05074822010 ¹⁾	188212	7451 ESD	1/4"	0,3	0,3-1,0	89	133	1
05074824001	179227	7452 ESD	1/4"	0,9	0,9-1,5	89	133	1
05074824010 ¹⁾	188229	7452 ESD	1/4"	0,9	0,9-1,5	89	133	1
05074840001	179487	7460 ESD	1/4"	0,3	0,3-1,2	105	155	1
05074840010 ¹⁾	188236	7460 ESD	1/4"	0,3	0,3-1,2	105	133	1
05074842001	179098	7461 ESD	1/4"	1,2	1,2-3,0	105	155	1
05074842010 ¹⁾	188243	7461 ESD	1/4"	1,2	1,2-3,0	105	155	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Serie 7400 Kraftform pre-set adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		in. lbs.	in. lbs.		mm	
05074720001	102942	7465	1/4"	2,5	2,5-11,5	105	155	1
05074720010 ¹⁾	188250	7465	1/4"	2,5	2,5-11,5	105	155	1
05074722001	103116	7466	1/4"	11,0	11,0-29,0	105	155	1
05074722010 ¹⁾	188267	7466	1/4"	11,0	11,0-29,0	105	155	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Series 7400 Kraftform pistol grip, pre-set adjustable torque screwdriver (25.0-55.0 in. lbs.) with Rapidaptor quick-release chuck



	EAN							
Code	4013288	Art.No.		in. lbs.	in. lbs.	mm	mm	
05074721001	102959	7467	1/4"	25,0	25,0-55,0	150	100	1
05074721010 ¹⁾	188274	7467	1/4"	25,0	25,0-55,0	150	100	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Serie 7400 ESD Kraftform pre-set adjustable torque screwdrivers (0.1-1.0 Nm) with quick-release chuck

- ESD-safe tool thanks to surface resistance of $< 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive

Serie 7400 ESD Kraftform pre-set adjustable torque screwdrivers (0.1-1.0 Nm) with quick-release chuck



	EAN							
Code	4013288	Art.No.	Nm	Nm	mm	mm		
05074826001	179067	7455 ESD	0,1	0,1-0,34	89	138	5 1/4"	1
05074826010 ¹⁾	188281	7455 ESD	0,1	0,1-0,34	89	138	5 1/4"	1
05074828001	179050	7456 ESD	0,3	0,3-1,0	89	138	5 1/4"	1
05074828010 ¹⁾	188298	7456 ESD	0,3	0,3-1,0	89	138	5 1/4"	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

1460 Kraftform Micro ESD pre-set adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck

- ESD-safe tool thanks to surface resistance of $< 10^9$ Ohm
- Suitable for the take-up of bits with 4 mm halfmoon drive and 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1460 Kraftform Micro ESD pre-set adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck



	EAN						
Code	4013288	Art.No.	Nm	Nm	mm		
05074800001	168351	1460 ESD	0,035	0,02-0,06	131	5 1/4"	1
05074800010 ¹⁾	188304	1460 ESD	0,035	0,02-0,06	131	5 1/4"	1
05074810001	179463	1461 ESD	0,050	0,05-0,11	131	5 1/4"	1
05074810010 ¹⁾	188311	1461 ESD	0,050	0,05-0,11	131	5 1/4"	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

300 Hex torque-indicator

Torque screwdriver with fixed torque for hexagon socket screws. Tamperproof and with a slim hex blade. Unlimited torque for loosening seized screws.

Multi-component Kraftform handle for pleasant, ergonomic working that prevents blisters and calluses. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Comes with Hex-Plus profile which avoids any rounding of the screw head. The Black Point tip offers high corrosion protection and an exact fit.

300 Hex torque-indicator



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05027910001	096425	2,0	1,4	1,0	4	3,5	65	1
05027911001	096432	2,5	2,0	1,5	4	3,8	65	1
05027912001	096449	3,0	3,0	2,2	4	3,8	65	1

300 Hex torque-indicator, pistol grip



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05027913001	099150	4,0	5,0	3,7 ft.lb.	160	100	65	1

300 TX TORX® torque-indicator

- For recessed TORX® screws



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05027930001	093325	TX 6	0,6	0,4	4	3,5	65	1
05027931001	093332	TX 7	0,9	0,7	4	3,5	65	1
05027932001	093349	TX 8	1,2	0,9	4	3,5	65	1
05027933001	093356	TX 9	1,4	1,0	4	3,5	65	1
05027934001	093370	TX 10	2,0	1,5	4	3,8	65	1
05027935001	093363	TX 15	3,0	2,2	4	3,8	65	1

300 TX TORX® torque-indicator, pistol grip



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05027936001	099143	TX 20	5,0	3,7 ft.lb.	160	100	65	1

300 IP TORX PLUS® torque-indicator

- For TORX PLUS® screws



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05028040001	093387	6 IP	0,6	0,4	4	3,5	65	1
05028041001	093394	7 IP	0,9	0,7	4	3,5	65	1
05028042001	093431	8 IP	1,2	0,9	4	3,5	65	1
05028043001	093400	9 IP	1,4	1,0	4	3,5	65	1
05028044001	093417	10 IP	2,0	1,5	4	3,8	65	1
05028045001	093424	15 IP	3,0	2,2	4	3,8	65	1

300 IP TORX PLUS® torque-indicator, pistol grip



	EAN							
Code	4013288		Nm	ft. lb.	mm	mm	mm	
05028046001	099136	20 IP	5,0	3,7 ft.lb.	160	100	65	1

400 Hex Torque-indicator

Torque indicator with fixed torque for hexagon sockets. Tamper proof. The robust slip clutch guarantees a clearly audible and tactile trigger signal when the set torque value is reached, and it is therefore impossible to apply any further torque.

The loosening torque is significantly higher than the set tightening torque, therefore no additional tools are needed for loosening screw connections.

The shape of the handle fills the whole hand well and the fingers lie in the softly rounded recessed grips. This ensures optimal, ergonomic power transmission.

400 Hex Torque-indicator



	EAN							
Code	4013288		Nm	mm	mm	mm		
05005080001	208835	4,0	4,0	60	48	100	2 3/8"	1
05005081001	208842	5,0	5,0	60	48	100	2 3/8"	1

400 TX Torque-indicator

- For recessed TORX® screws



	EAN							
Code	4013288		Nm	mm	mm	mm		
05005090001	208811	TX 20	4,0	60	48	100	2 3/8"	1
05005091001	208828	TX 25	5,0	60	48	100	2 3/8"	1

Click-Torque A 5 torque wrench with reversible ratchet

Click-Torque wrench in the unmistakable, robust Wera design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default value.

The audible and tactile clicks on reaching the scale values also facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

For right-hand use (clockwise torque-control) and with 45-tooth reversible ratchet mechanism.

- With 1/4" square drive, reversible ratchet, 45 teeth
- Measuring range: 2.5-25 Nm; precise to +/- 4% as per DIN EN ISO 6789-1:2017-07

Click-Torque A 5 torque wrench with reversible ratchet



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075604001	193179	1/4"	2,5-25	0,10	1-18	290	121	1

Click-Torque A 6 torque wrench with reversible ratchet

- With 1/4" hex drive, reversible ratchet, 45 teeth
- Measuring range: 2.5-25 Nm; precise to +/- 4% as per DIN EN ISO 6789-1:2017-07

Click-Torque A 6 torque wrench with reversible ratchet



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075605001	193186	1/4"	2,5-25	0,10	1-18	290	121	1

Click-Torque A 6 Set 1

Click torque wrench in the unmistakable Wera design. Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07.

Easy setting and saving of the default value. The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

Provides clockwise torque-control and 45-tooth ratchet mechanism. The Wera click torque wrench is accompanied with various accessories in a compact set arrangement.

Included are: Click-Torque A 6 1/4" from 2.5 to 25 Nm, 6 sockets with 1/4" drive, 11 Hex-Plus hexagon bits, Phillips head bits and TORX® bits, plus an extension and socket adaptor.

Click-Torque A 6 Set 1



Code	EAN			
05130110001	4013288 205643			1
			Click-Torque A 6 1x 1/4", 2,5-25 Nm	
		+	851/4 TZ PH 1x PH 2x50	
		+	867/4 Z TORX® 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50; 1x TX 40x50	
		○	840/4 Z Hex-Plus 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50	
		○	870/1 1x 1/4"x25 ¹⁾	
		○	8794 SA 1x 1/4"x75,0	
		●	8790 HMA 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0	
			K240 1x 50,0x240,0	

¹⁾With friction ball; for manual nut spinner sockets

Bicycle Set Torque 1

The 16-piece set from the screwdriving tool specialist Wera solves the most important screwdriving problems associated with bicycles, with reliable control of applied torque to protect sensitive components. With a click-torque wrench in the unmistakable Wera design.

Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default values. The audible and tactile snapping on reaching the scale values also facilitates the safe setting of the desired torque values.

The robust release mechanism guarantees a clearly audible and tactile trigger signal when the set torque is reached.

For clockwise torque-control and with a reversible 45-tooth ratchet. The torque wrench is extremely space-saving and supplemented with accessories that are suitable for the torque range and adapted to the most common screwed connections on bicycles; in a robust, surface-friendly textile box.

Included are: Click Torque A 5, 1/4", 2.5 - 25 Nm, 4 sockets with 1/4" drive, 7 Hex Plus hexagon bit sockets and 4 TORX® bit sockets. Sockets and bit sockets with Take it easy tool finder with colour coding by size - for easy and quick location of the required tool.

Bit sockets with holding function for extra comfortable screw-driving without the screw falling off the tool. Incredibly compact arrangement for a lot of tools in a small space.

Textile box with very high robustness and longevity. Additional surface protection through the textile outer material.

Low weight and volume for easier mobility. Bit sockets with all the benefits of Wera bit technology such as fitting accuracy, wear resistance and concentric run-out properties.

Bicycle Set Torque 1



Code	EAN			
05004180001	207685			1
			Click-Torque A 5 1x 1/4", 2,5-25 Nm	
		●	8790 HMA 1x 10,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0; 1x 15,0x23,0	
		✱	8767 A HF 1x TX 10x28,0; 1x TX 20x28,0; 1x TX 25x28,0; 1x TX 30x28,0	
		○	8740 A HF 1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0; 1x 5,0x100,0; 1x 6,0x28,0; 1x 6,0x100,0; 1x 8,0x28,0	

Click-Torque B 1 torque wrench with reversible ratchet

- With 3/8" square drive, reversible ratchet, 45 teeth
- Measuring range: 10-50 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque B 1 torque wrench with reversible ratchet



Code	EAN							
05075610001	193193	3/8"	10-50	0,25	8-36	360	140	1

Click-Torque B 2 torque wrench with reversible ratchet

- With 3/8" square drive, reversible ratchet, 45 teeth
- Measuring range: 20-100 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque B 2 torque wrench with reversible ratchet



Code	EAN							
05075611001	193209	3/8"	20-100	0,5	15-73	405	140	1

Click-Torque C 1 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 10-50 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 1 torque wrench with reversible ratchet



Code	EAN							
05075620001	193216	1/2"	10-50	0,25	8-36	360	140	1

Click-Torque C 2 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 20-100 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 2 torque wrench with reversible ratchet



Code	EAN							
05075621001	193223	1/2"	20-100	0,5	15-73	405	140	1

Click-Torque C 3 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 40-200 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 3 torque wrench with reversible ratchet



Code	EAN		Nm	Nm	lbf. ft.	mm	mm	
05075622001	193230	1/2"	40-200	1,0	30-146	510	140	1

Click-Torque C 3 Set 1

Click torque wrench set in the unmistakable Wera design. Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default values. The audible and tactile snapping on reaching the scale values also facilitates the safe setting of the desired torque values.

The robust release mechanism guarantees a clearly audible and tactile trigger signal when the set torque is reached. For clockwise torque-control and with reversible 45-tooth ratchet.

Torque wrenches and torque-compatible accessories are packed in an extremely space-saving, robust, surface-friendly textile box. Contains: Click Torque C 3, 1/2", 40 - 200 Nm, 4 sockets with 1/2" drive, 7 hex plus hexagon socket and TORX® bit sockets plus extension.

Click-Torque C 3 Set 1



Code	EAN		
05075680001	207609		1
		Click-Torque C 3 1x 1/2", 40-200 Nm	
		8790 HMC 1x 10,0x37,0; 1x 13,0x37,0; 1x 17,0x37,0; 1x 19,0x37,0	
		8767 C HF 1x TX 30x60,0; 1x TX 40x60,0; 1x TX 45x60,0; 1x TX 50x60,0	
		8740 C HF 1x 6,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0	
		8794 SC 1x 1/2"x125,0	

Click-Torque C 4 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 60-300 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 4 torque wrench with reversible ratchet



Code	EAN		Nm	Nm	lbf. ft.	mm	mm	
05075623001	193247	1/2"	60-300	1,0	45-220	595	140	1

Click-Torque C 5 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 80-400 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 5 torque wrench with reversible ratchet



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075624001	193254	1/2"	80-400	1,0	60-295	680	140	1

Click-Torque E 1 torque wrench with reversible ratchet

- With 3/4" square drive, reversible ratchet, 45 teeth
- Measuring range: 200-1000 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque E 1 torque wrench with reversible ratchet



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075630001	193261	3/4"	200-1000	1,0	148-737	1250	140	1

Click-Torque X 1 torque wrench for insert tools

Click-Torque wrench in the unmistakable, robust Wera design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default value.

The audible and tactile clicks on reaching the scale values also facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

For right-hand and left-hand use and with 9x12mm insert square for the insertion of insert tools.

- For 9x12 mm interchangeable insert tools.
- Measuring range: 2.5-25 Nm; precise to +/- 4% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 1 torque wrench for insert tools



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075651001	193773	9x12	2,5-25	0,10	1-18	283	121	1

Click-Torque X 2 torque wrench for insert tools

- For 9x12 mm interchangeable insert tools.
- Measuring range: 10-50 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 2 torque wrench for insert tools



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075652001	193797	9x12	10-50	0,25	8-36	338	140	1

Click-Torque X 3 torque wrench for insert tools

- For 9x12 mm interchangeable insert tools.
- Measuring range: 20-100 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 3 torque wrench for insert tools



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075653001	193780	9x12	20-100	0,5	15-73	372	140	1

Click-Torque X 4 torque wrench for insert tools

- For 14x18 mm interchangeable insert tools
- Measuring range: 40-200 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 4 torque wrench for insert tools



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075654001	193803	14x18	40-200	1,0	30-146	480	140	1

Click-Torque X 5 torque wrench for insert tools

- For 14x18 mm interchangeable insert tools
- Measuring range: 60-300 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 5 torque wrench for insert tools



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075655001	193810	14x18	60-300	1,0	45-220	570	140	1

Click-Torque X 6 torque wrench for insert tools

- For 14x18 mm interchangeable insert tools
- Measuring range: 80-400 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 6 torque wrench for insert tools



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075656001	193827	14x18	80-400	1,0	60-295	655	140	1

Click-Torque XP 1 pre-set adjustable torque wrench for insert tools

Torque wrench with pre-set torque value for all applications where the same torque and repeat accuracy is required. The torque value can be changed within the metered range.

The robust release mechanism guarantees a clearly audible and tactile trigger signal when the set torque value is reached.

Square socket for interchangeable plug-in tools for clockwise and anti-clockwise torque-control.

A presetting which deviates from this value to a desired torque value within the specified metered range is possible on request.

- With square socket (9x12 mm) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Pre-set click torque wrench in unmistakable Wera design
- Measuring range: 2.5-25 Nm; precise to +/- 2% as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 1 pre-set adjustable torque wrench for insert tools



	EAN							
Code	4013288		Nm	Nm	lbf. ft.	mm	mm	
05075670001	206169	9x12	2,5	2,5-25	2-18	217	137	1
05075670010 ¹⁾	206206	9x12	2,5	2,5-25	2-18	217	137	1

¹⁾ Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Click-Torque XP 2 pre-set adjustable torque wrench for insert tools

- With square socket (9x12 mm) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Measuring range: 10-50 Nm; precise to +/- 2% as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 2 pre-set adjustable torque wrench for insert tools



Code	EAN		Nm	Nm	lbf. ft.	mm	mm	
05075671001	206176	9x12	10,0	10-50	8-36	262	137	1
05075671010 ¹⁾	206213	9x12	10,0	10-50	8-36	262	137	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Click-Torque XP 3 pre-set adjustable torque wrench for insert tools

- With square socket (9x12 mm) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Measuring range: 15-100 Nm; precise to +/- 2% as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 3 pre-set adjustable torque wrench for insert tools



Code	EAN		Nm	Nm	lbf. ft.	mm	mm	
05075672001	206183	9x12	15,0	15-100	11-74	332	137	1
05075672010 ¹⁾	207999	9x12	15,0	15-100	11-74	332	137	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Click-Torque XP 4 pre-set adjustable torque wrench for insert tools

- With square socket (14x18) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Measuring range: 20-250 Nm; precise to +/- 2% as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 4 pre-set adjustable torque wrench for insert tools



Code	EAN		Nm	Nm	lbf. ft.	mm	mm	
05075673001	206190	14x18	20,0	20-250	15-184	457	145	1
05075673010 ¹⁾	206220	14x18	20,0	20-250	15-184	457	145	1

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

7770 Open end insert

- Square insert tool 9x12 mm
- For torque wrenches of the Click-Torque X and XP series with 9x12 mm holder
- Application: Hexagon screw heads or nuts
- With safety pin
- The chrome-vanadium steel version makes the plug-in tools suitable for heavy loads

A Form

05078600001
05078601001
05078602001
05078603001
05078604001
05078605001




B Form

05078606001
05078607001
05078608001
05078609001
05078610001
05078611001
05078612001



7770 Open end insert



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05078600001	196101	7	39,0	22,0	22,0	5,0	1
05078601001	196095	8	39,0	22,0	22,0	5,0	1
05078602001	196088	9	39,0	22,0	22,0	5,0	1
05078603001	196071	10	39,0	22,0	22,0	5,0	1
05078604001	196064	11	39,0	22,0	22,0	5,0	1
05078605001	196057	12	39,0	22,0	22,0	5,0	1
05078606001	196040	13	41,0	24,0	30,0	7,0	1
05078607001	196033	14	41,0	24,0	30,0	7,0	1
05078608001	196026	15	41,0	24,0	30,0	7,0	1
05078609001	196019	16	41,0	24,0	30,0	7,0	1
05078610001	196002	17	41,0	24,0	30,0	7,0	1
05078611001	196118	18	41,0	24,0	30,0	7,0	1
05078612001	196125	19	41,0	24,0	30,0	7,0	1

7780 Open end insert

Open end insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

A Form

05078670001



B Form

05078671001
05078672001
05078673001
05078674001
05078675001
05078676001



C Form

05078677001
05078678001
05078679001
05078680001
05078681001



D Form

05078682001
05078683001
05078684001
05078685001
05078686001
05078687001



7780 Open end insert



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05078670001	196729	13	56,0	32,0	30,0	7,0	1
05078671001	196736	14	58,0	33,0	32,0	8,0	1
05078672001	196743	15	58,0	33,0	32,0	8,0	1
05078673001	196750	16	58,0	33,0	32,0	9,0	1
05078674001	196767	17	58,0	33,0	32,0	9,0	1
05078675001	196774	18	58,0	33,0	32,0	9,7	1
05078676001	196781	19	58,0	33,0	32,0	9,7	1
05078677001	196798	21	61,0	36,0	52,0	11,0	1
05078678001	196804	22	61,0	36,0	52,0	11,0	1
05078679001	196811	24	61,0	36,0	52,0	12,0	1
05078680001	196828	26	61,0	36,0	52,0	13,0	1
05078681001	196835	27	61,0	36,0	52,0	13,0	1
05078682001	196842	29	61,0	36,0	52,0	14,0	1
05078683001	196859	30	61,0	36,0	52,0	14,0	1
05078684001	196866	32	61,0	36,0	52,0	14,0	1
05078685001	196873	36	61,0	36,0	52,0	15,0	1
05078686001	196880	38	61,0	36,0	52,0	15,0	1
05078687001	196897	41	61,0	36,0	52,0	15,0	1

7771 Ring spanner insert

Ring spanner insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.



A Form

05078620001
05078621001
05078622001
05078623001
05078624001



B Form

05078625001
05078626001
05078627001
05078628001
05078629001
05078630001
05078631001
05078632001



C Form

05078633001

7771 Ring spanner insert



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05078620001	196163	7	41,0	24,0	22,0	8,0	1
05078621001	196156	8	41,0	24,0	22,0	8,0	1
05078622001	196170	9	41,0	24,0	22,0	8,0	1
05078623001	196187	10	41,0	24,0	22,0	8,0	1
05078624001	196194	11	41,0	24,0	22,0	8,0	1
05078625001	196200	12	44,0	27,0	22,0	11,0	1
05078626001	196217	13	44,0	27,0	22,0	11,0	1
05078627001	196224	14	44,0	27,0	22,0	11,0	1
05078628001	196231	15	44,0	27,0	22,0	11,0	1
05078629001	196248	16	44,0	27,0	22,0	11,0	1
05078630001	196255	17	44,0	27,0	22,0	11,0	1
05078631001	196262	18	44,0	27,0	22,0	11,0	1
05078632001	196279	19	44,0	27,0	22,0	11,0	1
05078633001	196286	21	51,0	34,0	33,0	15,0	1

7781 Ring spanner insert

Ring spanner insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.



A Form

05078690001
05078691001
05078692001



B Form

05078693001
05078694001
05078695001
05078696001
05078697001
05078698001
05078699001



C Form

05078700001
05078701001
05078702001
05078703001
05078704001
05078705001

7781 Ring spanner insert



	EAN						
Code	4013288	mm	mm	mm	mm	mm	
05078690001	196132	13	62,0	37,0	30,0	11,0	1
05078691001	196576	14	62,0	37,0	30,0	11,0	1
05078692001	196583	15	62,0	37,0	30,0	11,0	1
05078693001	196590	16	64,0	39,0	28,0	12,0	1
05078694001	196606	17	64,0	39,0	28,0	12,0	1
05078695001	196620	18	64,0	39,0	28,0	12,0	1
05078696001	196637	19	64,0	39,0	28,0	12,0	1
05078697001	196644	21	64,0	39,0	28,0	12,0	1
05078698001	196613	22	64,0	39,0	28,0	12,0	1
05078699001	196651	24	64,0	39,0	28,0	12,0	1
05078700001	196668	27	81,0	56,0	53,0	21,0	1
05078701001	196675	30	81,0	56,0	53,0	21,0	1
05078702001	196682	32	81,0	56,0	53,0	21,0	1
05078703001	196699	34	81,0	56,0	53,0	21,0	1
05078704001	196705	36	81,0	56,0	53,0	21,0	1
05078705001	196712	41	81,0	56,0	53,0	21,0	1

7772 A Ratchet insert, reversible

Ratchet insert, reversible, for 1/4" square socket wrench inserts and 1/4" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7772 A Ratchet insert, reversible



	EAN						
Code	4013288	mm	mm	mm	mm		
05078635001	196347	1/4"	49,0	32,0	28,0	15,0	1

7772 B Ratchet insert, reversible

Ratchet insert, reversible, for $\frac{3}{8}$ " square socket wrench inserts and $\frac{3}{8}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7772 B Ratchet insert, reversible



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078636001	196446	$\frac{3}{8}$ "	52,0	35,0	35,0	21,0		1

7772 C Ratchet insert, reversible

Ratchet insert, reversible, for $\frac{1}{2}$ " square socket wrench inserts and $\frac{1}{2}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7772 C Ratchet insert, reversible



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078637001	196453	$\frac{1}{2}$ "	58,0	41,0	42,0	23,0		1

7782 C Ratchet insert, reversible

Ratchet insert, reversible, for $\frac{1}{2}$ " square socket wrench inserts and $\frac{1}{2}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7782 C Ratchet insert, reversible



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078707001	196552	$\frac{1}{2}$ "	66,0	41,0	42,0	23,0		1

7782 E Ratchet insert, reversible

Ratchet insert, reversible, for $\frac{3}{4}$ " square socket wrench inserts and $\frac{3}{4}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7782 E Ratchet insert, reversible



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078708001	196569	$\frac{3}{4}$ "	90,0	65,0	65,0	36,0		1

7773 A Square drive insert

Square drive insert, for $\frac{1}{4}$ " square socket wrench inserts and $\frac{1}{4}$ " connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7773 A Square drive insert



	EAN							
Code	4013288		mm	mm				
05078200001	023742	$\frac{1}{4}$ "	44,0	28,0	21,0	14,0		1

7773 B Square drive insert



	EAN							
Code	4013288		mm	mm				
05078205001	023759	$\frac{3}{8}$ "	44,0	28,0	21,0	14,0		1

7773 C Square drive insert



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078210001	023766	1/2"	44,0	28,0	21,0	14,0		1

7783 C Square drive insert

Square drive insert, for 1/2" square socket wrench inserts and 1/2" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7783 C Square drive insert



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078345001	024183	1/2"	65,0	40,0	30,0	18,0		1

7783 E Push-through square insert tool

Square drive insert, for 3/4" square socket wrench inserts and 3/4" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7783 E Push-through square insert tool



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078710001	196460	3/4"	70,0	45,0	40,0	25,0		1

7774/1 Bit adapter insert, 1/4"

Bit adapter insert, 1/4"; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7774/1 Bit adapter insert, 1/4"



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078640001	196316	1/4"	42,0	25,0	22,0	12,5		1

7774/2 Bit adapter insert, 5/16"

Bit adapter insert, 5/16"; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7774/2 Bit adapter insert, 5/16"



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078641001	196309	5/16"	42,0	25,0	22,0	12,5		1

7774/3 Bit adapter insert, 5/16"

Bit adapter insert, 5/16"; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7774/3 Bit adapter insert, 5/16"



	EAN							
Code	4013288		mm	mm	mm	mm	mm	
05078642001	196293	5/16"	58,0	33,0	30,0	13,0		1

7775 Open ring spanner insert

Open ring spanner insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

A Form

05078650001
05078651001
05078652001
05078653001
05078654001
05078655001



B Form

05078656001
05078657001
05078658001



7775 Open ring spanner insert



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05078650001	196330	10	44,0	27,0	22,0	11,0		1
05078651001	196361	11	44,0	27,0	22,0	11,0		1
05078652001	196378	12	44,0	27,0	22,0	11,0		1
05078653001	196385	13	44,0	27,0	22,0	11,0		1
05078654001	196392	14	44,0	27,0	22,0	11,0		1
05078655001	196408	17	44,0	27,0	22,0	11,0		1
05078656001	196415	18	49,0	32,0	33,0	15,0		1
05078657001	196422	19	49,0	32,0	33,0	15,0		1
05078658001	196439	22	49,0	32,0	33,0	15,0		1

7776 External TORX® insert

External TORX® insert; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

A Form

05078660001
05078661001
05078662001
05078663001



B Form

05078664001



7776 External TORX® insert



	EAN							
Code	4013288		mm	mm	mm	mm		
05078660001	195968	TX 6	40,0	23,0	22,0	8,0		1
05078661001	195975	TX 8	40,0	23,0	22,0	8,0		1
05078662001	195982	TX 10	40,0	23,0	22,0	8,0		1
05078663001	195999	TX 12	40,0	23,0	22,0	8,0		1
05078664001	196149	TX 14	45,0	28,0	22,0	11,0		1

7786 External TORX® insert

External TORX® insert; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

A Form
05078714001
05078715001



B Form
05078716001
05078717001



7786 External TORX® insert



	EAN							
Code	4013288		mm	mm	mm	mm		
05078714001	196507	TX 14	37,0	62,0	30,0	11,0		1
05078715001	196514	TX 18	37,0	62,0	30,0	11,0		1
05078716001	196521	TX 20	40,0	65,0	32,0	12,0		1
05078717001	196538	TX 24	40,0	65,0	32,0	12,0		1

7779/1 Adapter insert

Adapter insert for the use of square plug-in tools 14x18 mm in torque wrenches with internal square 9x12 mm; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7779/1 Adapter insert



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05078666001	196323	14x18	9x12	49,0	33,0	32,0		1

7779/2 Adapter insert

Adapter insert for the use of square plug-in tools 9x12 mm in torque wrenches with internal square 14x18 mm; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7779/2 Adapter insert



	EAN							
Code	4013288	mm	mm	mm	mm	mm		
05078667001	196545	9x12	14x18	52,0	27,0	28,0		1

7790/1 Push-fit weld-on adapter



	EAN							
Code	4013288	mm	mm	mm	mm			
05078720001	196354	24,0	8,0	22,0	14,0			1

7790/2 Push-fit weld-on adapter

Push-fit weld-on adapter; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7790/2 Push-fit weld-on adapter




	EAN							
Code	4013288	mm	mm	mm	mm			
05078721001	196477	38,0	13,0	31,0	22,0			1

Click-Torque collar

The collar prevents the handle of the Click-Torque torque wrench from touching the ground. Dirt and damage are avoided when putting down the tool while working.

Also prevents the tool from rolling away, and it serves to fix the Click-Torque torque wrench in the storage/transport box. The collar can be easily attached to the torque wrench tube and is removable.



7762 Click-Torque collar M3

Click-Torque collar as an accessory for Click-Torque Torque wrenches B 1, B 2, C 1, C 2, C 3, C 4, X 2, X 3, X 4, X 5 and XP 6.

7762 Click-Torque collar M3



	EAN							
Code	4013288	mm	mm	mm				
05078709001	211767	55,0	70,0	21,5				1

7761 Click-Torque collar M4

Click-Torque collar as an accessory for Click-Torque Torque wrenches C 5 and X 6.

7761 Click-Torque collar M4



	EAN							
Code	4013288	mm	mm	mm				
05078706001	211750	55,0	68,0	21,5				1

7763 Click-Torque collar M5

Click-Torque collar as an accessory for Click-Torque Torque wrench E 1.

7763 Click-Torque collar M5



	EAN							
Code	4013288	mm	mm	mm				
05078711001	211774	73,0	88,0	27,0				1

2090 Impact driver 90 Nm

High quality impact driver that can loosen rigid connections without the use of power tools simply by the force of the impact. The Wera impact drivers have a particularly high efficiency thanks to their robust, double-curved design.

Impact forces are converted into rotary motion. The use of compressed air equipment becomes unnecessary. For M 4 to M 8 screws. Drive: $\frac{5}{16}$ " hexagon socket.

- To loosen and tighten screws without the use of power tools
- Impact forces are converted into rotary motion
- The double-curved design is particularly efficient
- $\frac{5}{16}$ " hexagon socket take-up

2090 Impact driver 90 Nm



	EAN							
Code	4013288		mm					
05072014001	180926	$\frac{5}{16}$ "	142,0	5 $\frac{19}{32}$ "				1

2090/17 Impact driver set

- 2090 impact driver, 90 Nm with many accessories
- In robust pouch

2090/17 Impact driver set



Code	EAN			
05072017001	179777			1
		2090 90 Nm		
		1x $\frac{5}{16}$ "x142,0		
		851/2 Z PH		
		1x PH 2x32; 1x PH 3x32		
		851/2 PH		
		1x PH 4x32		
		800/2		
		1x 2,0x12,0x41		
		840/2 Z		
		1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30		
		840/2		
		1x 7,0x30		
		867/2 Z TORX®		
		1x TX 30x35; 1x TX 40x35; 1x TX 45x35;		
		1x TX 50x35; 1x TX 55x35		
		870/2		
		1x $\frac{3}{8}$ "x $\frac{5}{16}$ " ¹⁾ ; 1x $\frac{1}{2}$ "x $\frac{5}{16}$ " ¹⁾		

¹⁾With friction ball; for manual nut spinner sockets

100 Soft-faced hammer with Cellidor head sections

Wera soft-face hammers. Double-sided conical design for a secure, inseparable connection between the hammer handle and head. The hammer head is made out of cellidor; the handle out of high quality ash wood. For heavy-duty applications with diverse uses thanks to interchangeable soft-face hammer heads. Suitable for very demanding jobs.

100 Soft-faced hammer with Cellidor head sections



	EAN							
Code	4013288	#	mm	mm	mm			
05000005001	001139	1	23,0	76,0	250,0			2
05000010001	001146	2	28,0	87,0	265,0			2
05000015001	001153	3	33,0	96,0	280,0			2
05000020001	001160	4	36,0	102,0	290,0			2
05000025001	001177	5	41,0	108,0	320,0			2
05000030001	001184	6	51,0	117,0	340,0			2
05000035001	001191	7	61,0	131,0	380,0			2



101 Soft-faced hammer with nylon head sections

The hammer head is made out of nylon. Suitable for sheet metal and renovation work as well as for tent, hall and fair booth construction jobs.

101 Soft-faced hammer with nylon head sections



	EAN						
Code	4013288	#	mm	mm	mm		
05000305001	001351	1	23,0	76,0	250,0		2
05000310001	001368	2	28,0	87,0	265,0		2
05000315001	001375	3	33,0	96,0	280,0		2
05000320001	001382	4	36,0	102,0	290,0		2
05000325001	001399	5	41,0	108,0	320,0		2
05000330001	001405	6	51,0	117,0	340,0		2
05000335001	001412	7	61,0	131,0	380,0		2

102 Soft-faced hammer with urethane head sections

The hammer head is made out of semi-hard urethane. Suitable for car body, engineering and automotive applications.

102 Soft-faced hammer with urethane head sections



	EAN						
Code	4013288	#	mm	mm	mm		
05000505001	001498	1	23,0	76,0	250,0		2
05000510001	001504	2	28,0	87,0	265,0		2
05000515001	001511	3	33,0	96,0	280,0		2
05000520001	001528	4	36,0	102,0	290,0		2
05000525001	001535	5	41,0	108,0	320,0		2
05000530001	001542	6	51,0	117,0	340,0		2
05000535001	001559	7	61,0	131,0	380,0		2

100 S Replacement ashwood handles for hammers 100, 101, 102

Handles for hammers 100, 101, 102 out of best-quality ash wood.

100 S Replacement ashwood handles for hammers 100, 101, 102



	EAN						
Code	4013288	#	mm				
05000205001	001283	1	250,0				1
05000210001	001290	2	265,0				1
05000215001	001306	3	280,0				1
05000220001	001313	4	290,0				1
05000225001	001320	5	320,0				1
05000230001	001337	6	340,0				1
05000235001	001344	7	380,0				1

100 L Replacement head sections out of Cellidor for hammer 100

Interchangeable soft-face heads out of cellidor for demanding repair and maintenance applications.

100 L Replacement head sections out of Cellidor for hammer 100



	EAN						
Code	4013288	#	mm				
05000105001	001214	1	23,0				10
05000110001	001221	2	28,0				10
05000115001	001238	3	33,0				10
05000120001	001245	4	36,0				10
05000125001	001252	5	41,0				10
05000130001	001269	6	51,0				10
05000135001	001276	7	61,0				10

101 L Replacement head sections out of nylon for hammer 101

Interchangeable soft-face heads out of nylon for sheet metal and renovation work as well as for tent, hall and fair booth construction jobs.

101 L Replacement head sections out of nylon for hammer 101



	EAN						
Code	4013288	#	mm				
05000405001	001429	1	23,0				10
05000410001	001436	2	28,0				10
05000415001	001443	3	33,0				10
05000420001	001450	4	36,0				10
05000425001	001467	5	41,0				10
05000430001	001474	6	51,0				10
05000435001	001481	7	61,0				10

102 L Replacement head sections out of urethane for hammer 102

Interchangeable soft-face heads out of semi-hard urethane for car body, engineering and automotive applications.

102 L Replacement head sections out of urethane for hammer 102



	EAN						
Code	4013288	#	mm				
05000605001	001566	1	23,0				10
05000610001	001573	2	28,0				10
05000615001	001580	3	33,0				10
05000620001	001597	4	36,0				10
05000625001	001603	5	41,0				10
05000630001	001610	6	51,0				10
05000635001	001627	7	61,0				10

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 000005 001	301	05 002980 001	182	05 003352 001	88	05 003451 001	66
05 000010 001	301	05 002990 001	180	05 003353 001	88	05 003452 001	66
05 000015 001	301	05 003010 001	83	05 003354 001	88	05 003455 001	66
05 000020 001	301	05 003030 001	101	05 003355 001	88	05 003456 001	66
05 000025 001	301	05 003031 001	101	05 003360 001	85	05 003460 001	68
05 000030 001	301	05 003032 001	101	05 003361 001	85	05 003461 001	68
05 000035 001	301	05 003033 001	101	05 003362 001	85	05 003462 001	68
05 000105 001	302	05 003034 001	101	05 003363 001	85	05 003463 001	68
05 000110 001	302	05 003035 001	101	05 003364 001	85	05 003470 001	62
05 000115 001	302	05 003036 001	101	05 003365 001	85	05 003471 001	59
05 000120 001	302	05 003037 001	101	05 003366 001	85	05 003472 001	63
05 000125 001	302	05 003038 001	101	05 003367 001	85	05 003473 001	63
05 000130 001	302	05 003039 001	101	05 003368 001	85	05 003474 001	62
05 000135 001	302	05 003040 001	101	05 003369 001	85	05 003484 001	62
05 000205 001	302	05 003041 001	101	05 003370 001	85	05 003499 001	82
05 000210 001	302	05 003042 001	101	05 003371 001	85	05 003500 001	78
05 000215 001	302	05 003043 001	101	05 003372 001	85	05 003501 001	82
05 000220 001	302	05 003044 001	101	05 003375 001	86	05 003502 001	82
05 000225 001	302	05 003059 001	99	05 003380 001	87	05 003503 001	82
05 000230 001	302	05 003060 001	99	05 003381 001	87	05 003504 001	82
05 000235 001	302	05 003061 001	99	05 003382 001	87	05 003505 001	82
05 000305 001	302	05 003062 001	99	05 003383 001	87	05 003506 001	82
05 000310 001	302	05 003063 001	99	05 003384 001	87	05 003507 001	82
05 000315 001	302	05 003064 001	99	05 003385 001	87	05 003508 001	82
05 000320 001	302	05 003065 001	99	05 003386 001	87	05 003509 001	82
05 000325 001	302	05 003066 001	99	05 003387 001	87	05 003510 001	82
05 000330 001	302	05 003067 001	99	05 003388 001	87	05 003511 001	82
05 000335 001	302	05 003068 001	99	05 003389 001	87	05 003512 001	82
05 000405 001	302	05 003069 001	99	05 003400 001	65	05 003513 001	82
05 000410 001	302	05 003070 001	99	05 003401 001	65	05 003514 001	82
05 000415 001	302	05 003071 001	99	05 003402 001	65	05 003515 001	82
05 000420 001	302	05 003072 001	99	05 003403 001	65	05 003516 001	82
05 000425 001	302	05 003073 001	99	05 003404 001	65	05 003517 001	82
05 000430 001	302	05 003080 001	101	05 003405 001	65	05 003518 001	82
05 000435 001	302	05 003081 001	101	05 003406 001	65	05 003519 001	82
05 000505 001	302	05 003082 001	101	05 003407 001	65	05 003520 001	82
05 000510 001	302	05 003083 001	101	05 003408 001	65	05 003521 001	82
05 000515 001	302	05 003084 001	101	05 003410 001	65	05 003522 001	82
05 000520 001	302	05 003085 001	101	05 003411 001	65	05 003523 001	82
05 000525 001	302	05 003086 001	101	05 003412 001	65	05 003524 001	89
05 000530 001	302	05 003087 001	101	05 003413 001	66	05 003525 001	89
05 000535 001	302	05 003088 001	101	05 003414 001	66	05 003526 001	89
05 000605 001	302	05 003089 001	101	05 003415 001	67	05 003527 001	89
05 000610 001	302	05 003090 001	101	05 003416 001	67	05 003528 001	89
05 000615 001	302	05 003091 001	101	05 003417 001	67	05 003529 001	90
05 000620 001	302	05 003092 001	101	05 003418 001	67	05 003530 001	89
05 000625 001	302	05 003093 001	101	05 003420 001	68	05 003531 001	88
05 000630 001	302	05 003094 001	101	05 003421 001	68	05 003533 001	76
05 000635 001	302	05 003180 001	102	05 003422 001	68	05 003535 001	77
05 002900 001	181	05 003181 001	102	05 003423 001	68	05 003550 001	93
05 002901 001	178	05 003185 001	100	05 003424 001	68	05 003551 001	96
05 002910 001	182	05 003210 001	181	05 003429 001	67	05 003552 001	96
05 002913 001	182	05 003320 001	88	05 003430 001	67	05 003553 001	96
05 002920 001	182	05 003321 001	88	05 003431 001	67	05 003554 001	96
05 002923 001	182	05 003322 001	88	05 003432 001	67	05 003555 001	96
05 002926 001	182	05 003330 001	87	05 003433 001	67	05 003556 001	96
05 002930 001	182	05 003331 001	87	05 003434 001	67	05 003557 001	96
05 002933 001	182	05 003332 001	87	05 003435 001	67	05 003558 001	96
05 002936 001	182	05 003333 001	87	05 003436 001	67	05 003559 001	96
05 002938 001	182	05 003334 001	87	05 003437 001	67	05 003560 001	96
05 002940 001	182	05 003335 001	87	05 003438 001	67	05 003561 001	96
05 002943 001	182	05 003336 001	87	05 003439 001	67	05 003562 001	96
05 002946 001	182	05 003337 001	87	05 003440 001	66	05 003563 001	96
05 002948 001	182	05 003338 001	87	05 003441 001	66	05 003564 001	96
05 002950 001	182	05 003339 001	87	05 003442 001	66	05 003565 001	96
05 002960 001	182	05 003340 001	87	05 003443 001	66	05 003566 001	96
05 002966 001	182	05 003341 001	87	05 003445 001	66	05 003567 001	96
05 002968 001	182	05 003342 001	87	05 003446 001	66	05 003568 001	96
05 002970 001	182	05 003345 001	88	05 003447 001	67	05 003569 001	96
05 002973 001	182	05 003350 001	88	05 003448 001	67	05 003570 001	96
05 002976 001	182	05 003351 001	88	05 003450 001	66	05 003571 001	96



Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 003572 001	96	05 003670 001	131	05 003837 001	116	05 004203 001	114
05 003573 001	96	05 003675 001	131	05 003838 001	116	05 004210 001	119
05 003574 001	96	05 003684 001	131	05 003840 001	118	05 004211 001	117
05 003575 001	96	05 003685 001	131	05 003841 001	118	05 004212 001	117
05 003576 001	96	05 003690 001	131	05 003842 001	118	05 004310 001	55
05 003577 001	96	05 003692 001	121	05 003843 001	118	05 004313 001	20
05 003578 001	96	05 003695 001	121	05 003844 001	118	05 004350 001	183
05 003579 001	96	05 003696 001	122	05 003845 001	118	05 004351 001	183
05 003580 001	96	05 003697 001	122	05 003850 001	116	05 004352 001	184
05 003581 001	103	05 003717 001	83	05 003851 001	116	05 004353 001	184
05 003582 001	103	05 003718 001	83	05 003852 001	116	05 004354 001	185
05 003583 001	103	05 003719 001	83	05 003853 001	116	05 004355 001	185
05 003584 001	104	05 003720 001	83	05 003854 001	116	05 004356 001	185
05 003585 001	103	05 003721 001	83	05 003855 001	116	05 004357 001	184
05 003590 001	104	05 003722 001	83	05 003856 001	116	05 004500 001	85
05 003591 001	103	05 003723 001	83	05 003857 001	116	05 004501 001	85
05 003592 001	103	05 003724 001	83	05 003858 001	116	05 004502 001	85
05 003594 001	92	05 003725 001	83	05 003880 001	83	05 004503 001	85
05 003596 001	92	05 003726 001	83	05 003881 001	87	05 004504 001	85
05 003600 001	107	05 003727 001	83	05 003882 001	86	05 004505 001	85
05 003601 001	112	05 003728 001	83	05 003883 001	84	05 004506 001	85
05 003602 001	112	05 003729 001	83	05 003884 001	84	05 004507 001	85
05 003603 001	112	05 003730 001	113	05 003890 001	90	05 004508 001	85
05 003604 001	112	05 003731 001	113	05 003891 001	90	05 004509 001	85
05 003605 001	112	05 003732 001	113	05 003892 001	122	05 004510 001	85
05 003606 001	112	05 003733 001	113	05 003893 001	122	05 004511 001	85
05 003607 001	112	05 003734 001	113	05 003970 001	97	05 004512 001	85
05 003608 001	112	05 003735 001	113	05 003971 001	101	05 004525 001	85
05 003609 001	112	05 003736 001	113	05 003972 001	100	05 004530 001	98
05 003610 001	112	05 003737 001	113	05 003973 001	98	05 004531 001	98
05 003611 001	112	05 003738 001	113	05 003974 001	102	05 004532 001	98
05 003612 001	112	05 003739 001	113	05 003980 001	104	05 004533 001	98
05 003613 001	112	05 003740 001	97	05 003981 001	104	05 004534 001	98
05 003614 001	112	05 003741 001	97	05 003982 001	73	05 004535 001	98
05 003615 001	112	05 003742 001	97	05 003990 001	63	05 004536 001	98
05 003616 001	112	05 003743 001	97	05 003995 001	113	05 004537 001	98
05 003617 001	112	05 003744 001	97	05 003996 001	118	05 004538 001	98
05 003618 001	112	05 003745 001	97	05 003997 001	116	05 004539 001	98
05 003619 001	112	05 003746 001	97	05 004003 001	80	05 004540 001	98
05 003620 001	112	05 003747 001	97	05 004004 001	82	05 004541 001	98
05 003621 001	112	05 003748 001	97	05 004016 001	75	05 004542 001	98
05 003622 001	112	05 003749 001	97	05 004017 001	79	05 004543 001	98
05 003623 001	112	05 003750 001	97	05 004018 001	81	05 004544 001	98
05 003624 001	112	05 003751 001	97	05 004019 001	75	05 004545 001	99
05 003625 001	112	05 003752 001	97	05 004020 001	80	05 004550 001	115
05 003626 001	112	05 003753 001	97	05 004021 001	81	05 004551 001	115
05 003627 001	112	05 003755 001	74	05 004033 001	94	05 004552 001	115
05 003628 001	112	05 003756 001	82	05 004034 001	96	05 004553 001	115
05 003629 001	112	05 003760 001	135	05 004046 001	91	05 004554 001	115
05 003630 001	112	05 003765 001	135	05 004047 001	93	05 004555 001	115
05 003631 001	112	05 003780 001	108	05 004048 001	95	05 004556 001	115
05 003632 001	112	05 003781 001	108	05 004049 001	91	05 004557 001	115
05 003633 001	112	05 003785 001	96	05 004050 001	94	05 004558 001	115
05 003634 001	112	05 003793 001	130	05 004051 001	95	05 004559 001	115
05 003635 001	112	05 003820 001	118	05 004063 001	110	05 004560 001	115
05 003636 001	120	05 003821 001	118	05 004064 001	111	05 004561 001	115
05 003637 001	120	05 003822 001	118	05 004076 001	105	05 004562 001	115
05 003638 001	119	05 003823 001	118	05 004077 001	109	05 004563 001	115
05 003639 001	120	05 003824 001	118	05 004078 001	110	05 004565 001	115
05 003640 001	120	05 003825 001	118	05 004079 001	105	05 004570 001	111
05 003641 001	120	05 003826 001	118	05 004080 001	109	05 004571 001	111
05 003642 001	119	05 003827 001	118	05 004081 001	111	05 004572 001	111
05 003643 001	119	05 003828 001	118	05 004090 001	107	05 004573 001	111
05 003645 001	106	05 003829 001	118	05 004095 001	108	05 004574 001	111
05 003647 001	106	05 003830 001	116	05 004170 001	128	05 004575 001	111
05 003660 001	130	05 003831 001	116	05 004171 001	165	05 004576 001	111
05 003665 001	131	05 003832 001	116	05 004172 001	129	05 004577 001	111
05 003666 001	131	05 003833 001	116	05 004173 001	145	05 004578 001	111
05 003667 001	131	05 003834 001	116	05 004180 001	289	05 004580 001	112
05 003668 001	131	05 003835 001	116	05 004201 001	119	05 004590 001	114
05 003669 001	131	05 003836 001	116	05 004202 001	117	05 004591 001	114

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 004592 001	114	05 006135 001	49	05 008055 001	10	05 017405 001	155
05 004595 001	114	05 006140 001	49	05 008060 001	10	05 017410 001	155
05 004650 001	53	05 006145 001	55	05 008061 001	10	05 017415 001	155
05 004655 001	53	05 006147 001	56	05 008705 001	12	05 018005 001	28
05 004660 001	53	05 006148 001	56	05 008706 001	12	05 018010 001	28
05 004665 001	53	05 006150 001	50	05 008710 001	12	05 018015 001	28
05 004670 001	53	05 006152 001	50	05 008712 001	12	05 018020 001	28
05 004675 001	53	05 006153 001	50	05 008715 001	12	05 018025 001	28
05 004780 001	53	05 006154 001	50	05 008720 001	12	05 018030 001	28
05 004781 001	53	05 006156 001	50	05 008723 001	12	05 018035 001	28
05 004782 001	53	05 006158 001	50	05 008725 001	12	05 018040 001	28
05 004783 001	53	05 006159 001	50	05 008730 001	12	05 018251 001	28
05 004784 001	53	05 006160 001	51	05 008735 001	12	05 018260 001	6
05 004900 001	71	05 006162 001	51	05 008740 001	12	05 018262 001	6
05 004901 001	71	05 006163 001	51	05 008750 001	11	05 018264 001	6
05 004902 001	71	05 006164 001	51	05 008751 001	11	05 018266 001	6
05 004903 001	71	05 006165 001	51	05 008752 001	11	05 018268 001	6
05 004920 001	71	05 006166 001	51	05 008753 001	11	05 018270 001	6
05 004921 001	71	05 006168 001	51	05 008840 001	18	05 018272 001	6
05 004922 001	71	05 006169 001	53	05 008841 001	18	05 018274 001	6
05 004923 001	71	05 006170 001	53	05 008842 001	18	05 018282 001	8
05 004924 001	71	05 006172 001	53	05 008843 001	18	05 018283 001	9
05 004925 001	71	05 006174 001	53	05 008844 001	18	05 018287 001	9
05 004930 001	70	05 006176 001	53	05 008850 001	19	05 018300 001	7
05 004940 001	71	05 006177 001	53	05 008851 001	19	05 018301 001	7
05 004941 001	71	05 006178 001	53	05 008852 001	19	05 018302 001	7
05 004942 001	71	05 006179 001	53	05 008853 001	19	05 018350 001	28
05 004950 001	71	05 006181 001	53	05 008854 001	19	05 018352 001	28
05 004951 001	71	05 006182 001	53	05 008855 001	19	05 018354 001	28
05 004952 001	71	05 006183 001	53	05 008856 001	19	05 018355 001	28
05 004953 001	71	05 006184 001	53	05 008857 001	19	05 020012 001	133
05 004954 001	71	05 006186 001	53	05 008858 001	19	05 020013 001	133
05 004955 001	71	05 006190 001	52	05 008859 001	19	05 020022 001	133
05 004956 001	71	05 006191 001	52	05 008860 001	19	05 020064 001	135
05 004957 001	71	05 006380 001	51	05 008861 001	19	05 020065 001	135
05 004958 001	71	05 006381 001	51	05 008862 001	19	05 020066 001	135
05 004959 001	71	05 006440 001	50	05 008863 001	19	05 020067 001	135
05 004960 001	71	05 006441 001	50	05 008864 001	19	05 020068 001	135
05 004961 001	71	05 006442 001	50	05 008870 001	24	05 020069 001	135
05 004962 001	71	05 006450 001	51	05 008871 001	25	05 020070 001	135
05 004963 001	71	05 006451 001	51	05 008872 001	25	05 020071 001	135
05 004964 001	72	05 006455 001	52	05 008876 001	25	05 020072 001	135
05 004965 001	72	05 006456 001	52	05 008880 001	177	05 020073 001	135
05 004966 001	70	05 006460 001	51	05 008881 001	47	05 020074 001	135
05 004970 001	69	05 006461 001	51	05 008900 001	25	05 020075 001	135
05 004980 001	73	05 006465 001	52	05 008901 001	26	05 020076 001	135
05 004981 001	73	05 006466 001	52	05 009305 001	12	05 020077 001	135
05 005080 001	287	05 006470 001	58	05 009310 001	12	05 020078 001	135
05 005081 001	287	05 006480 001	56	05 009312 001	12	05 020079 001	135
05 005090 001	287	05 007355 001	11	05 009313 001	12	05 020080 001	135
05 005091 001	287	05 007610 001	11	05 009315 001	12	05 020081 001	135
05 005300 001	54	05 007620 001	11	05 009317 001	12	05 020082 001	135
05 005305 001	54	05 007621 001	11	05 009319 001	12	05 020090 001	136
05 005310 001	54	05 007635 001	11	05 009320 001	12	05 020091 001	135
05 005315 001	54	05 007640 001	11	05 009325 001	12	05 020092 001	136
05 005320 001	54	05 007670 001	11	05 009340 001	12	05 020093 001	136
05 005325 001	54	05 007671 001	11	05 009341 001	12	05 020100 001	139
05 005330 001	54	05 007672 001	11	05 009342 001	12	05 020101 001	139
05 005335 001	54	05 007673 001	11	05 009343 001	12	05 020102 001	139
05 005340 001	54	05 007674 001	11	05 017005 001	7	05 020129 001	50
05 005655 001	54	05 007675 001	11	05 017010 001	7	05 020131 001	51
05 006100 001	49	05 007676 001	11	05 017015 001	7	05 020132 001	53
05 006105 001	49	05 007677 001	11	05 017020 001	7	05 020133 001	51
05 006110 001	49	05 007680 001	20	05 017040 001	7	05 020134 001	53
05 006115 001	49	05 007681 001	21	05 017041 001	7	05 020200 001	137
05 006116 001	49	05 008006 001	10	05 017050 001	7	05 020201 001	137
05 006120 001	49	05 008007 001	10	05 017052 001	7	05 020202 001	137
05 006121 001	49	05 008008 001	10	05 017054 001	7	05 020203 001	137
05 006125 001	49	05 008009 001	10	05 017056 001	7	05 020204 001	137
05 006126 001	49	05 008015 001	10	05 017205 001	155	05 020205 001	137
05 006130 001	49	05 008027 001	10	05 017305 001	155	05 020206 001	137

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 020207 001	137	05 022058 001	148	05 022670 001	147	05 023130 001	13
05 020208 001	137	05 022060 001	148	05 022671 001	147	05 023305 001	28
05 020209 001	137	05 022062 001	148	05 022672 001	147	05 023307 001	28
05 020210 001	137	05 022063 001	148	05 022673 001	147	05 023309 001	28
05 020211 001	137	05 022064 001	148	05 022674 001	147	05 023330 001	38
05 020212 001	137	05 022066 001	148	05 022675 001	147	05 023332 001	38
05 020213 001	137	05 022067 001	148	05 022676 001	147	05 023334 001	38
05 020214 001	137	05 022068 001	148	05 022677 001	147	05 023338 001	38
05 020215 001	137	05 022070 001	148	05 022678 001	147	05 023339 001	38
05 020216 001	137	05 022071 001	148	05 022680 001	153	05 023340 001	38
05 020217 001	137	05 022072 001	148	05 022681 001	153	05 023342 001	38
05 020218 001	137	05 022073 001	148	05 022682 001	153	05 023343 001	38
05 020230 001	138	05 022074 001	148	05 022683 001	153	05 023344 001	38
05 020231 001	137	05 022076 001	148	05 022684 001	153	05 023346 001	38
05 020240 001	138	05 022078 001	148	05 022685 001	153	05 023347 001	38
05 020241 001	138	05 022079 001	148	05 022686 001	153	05 023348 001	38
05 020260 001	135	05 022080 001	148	05 022687 001	153	05 023350 001	38
05 020261 001	135	05 022081 001	148	05 022688 001	153	05 023351 001	38
05 020262 001	135	05 022082 001	148	05 022689 001	151	05 023352 001	38
05 020263 001	135	05 022086 001	144	05 022700 001	146	05 023353 001	38
05 020264 001	135	05 022087 001	143	05 022701 001	146	05 023354 001	38
05 021005 001	149	05 022089 001	141	05 022702 001	146	05 023355 001	38
05 021010 001	149	05 022095 001	148	05 022703 001	146	05 023356 001	38
05 021015 001	149	05 022096 001	148	05 022704 001	146	05 023357 001	38
05 021020 001	149	05 022101 001	144	05 022705 001	146	05 023358 001	38
05 021025 001	149	05 022120 001	149	05 022706 001	146	05 023359 001	39
05 021030 001	149	05 022121 001	149	05 022708 001	146	05 023360 001	39
05 021035 001	149	05 022122 001	149	05 022709 001	146	05 023361 001	39
05 021040 001	149	05 022123 001	149	05 022710 001	146	05 023362 001	39
05 021045 001	149	05 022124 001	149	05 022711 001	146	05 023363 001	39
05 021050 001	149	05 022125 001	149	05 022712 001	146	05 023364 001	39
05 021055 001	149	05 022130 001	142	05 022713 001	146	05 023365 001	39
05 021060 001	149	05 022171 001	145	05 022714 001	146	05 023366 001	39
05 021065 001	149	05 022181 001	145	05 022715 001	146	05 023367 001	39
05 021070 001	149	05 022200 001	147	05 022716 001	146	05 023368 001	39
05 021075 001	149	05 022201 001	147	05 022717 001	146	05 023369 001	39
05 021080 001	149	05 022202 001	147	05 022718 001	146	05 023370 001	39
05 021085 001	149	05 022203 001	147	05 022720 001	140	05 023371 001	39
05 021090 001	149	05 022204 001	147	05 022721 001	141	05 023372 001	39
05 021095 001	149	05 022205 001	147	05 022728 001	49	05 023373 001	39
05 021100 001	149	05 022210 001	141	05 022729 001	48	05 023374 001	39
05 021105 001	149	05 022534 001	142	05 022730 001	48	05 023375 001	39
05 021110 001	149	05 022600 001	147	05 022731 001	48	05 023376 001	39
05 021406 001	144	05 022602 001	147	05 022732 001	48	05 023377 001	39
05 021600 001	149	05 022604 001	147	05 022733 001	48	05 023378 001	39
05 021605 001	149	05 022606 001	147	05 022734 001	48	05 023379 001	39
05 021610 001	149	05 022608 001	147	05 022740 001	48	05 023380 001	39
05 021615 001	149	05 022610 001	147	05 022741 001	48	05 023381 001	39
05 021620 001	149	05 022612 001	147	05 022745 001	49	05 023382 001	39
05 021625 001	149	05 022614 001	147	05 022795 001	13	05 023383 001	39
05 021630 001	149	05 022616 001	147	05 022800 001	13	05 023384 001	39
05 021632 001	149	05 022630 001	147	05 022805 001	13	05 023385 001	39
05 021635 001	149	05 022631 001	147	05 022810 001	13	05 023386 001	39
05 021640 001	149	05 022632 001	147	05 022815 001	13	05 023387 001	39
05 021645 001	149	05 022633 001	147	05 022820 001	13	05 023389 001	39
05 021728 001	145	05 022634 001	147	05 022825 001	13	05 023391 001	39
05 021737 001	144	05 022635 001	147	05 022830 001	13	05 023393 001	39
05 021909 001	143	05 022636 001	147	05 022835 001	13	05 023400 001	181
05 022040 001	148	05 022637 001	147	05 022905 001	13	05 023404 001	40
05 022041 001	148	05 022638 001	147	05 022910 001	13	05 023450 001	40
05 022042 001	148	05 022639 001	142	05 022915 001	13	05 023451 001	41
05 022043 001	148	05 022660 001	146	05 022920 001	13	05 023452 001	41
05 022044 001	148	05 022661 001	146	05 022925 001	13	05 024001 001	155
05 022045 001	148	05 022662 001	146	05 022930 001	13	05 024002 001	155
05 022046 001	148	05 022663 001	146	05 022935 001	13	05 024003 001	155
05 022047 001	148	05 022664 001	146	05 023105 001	13	05 024004 001	155
05 022048 001	148	05 022665 001	146	05 023107 001	13	05 024005 001	155
05 022050 001	148	05 022666 001	146	05 023110 001	13	05 024008 001	155
05 022052 001	148	05 022667 001	146	05 023115 001	13	05 024010 001	155
05 022054 001	148	05 022668 001	146	05 023120 001	13	05 024012 001	155
05 022056 001	148	05 022669 001	140	05 023125 001	13	05 024013 001	155

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 024015 001	155	05 024472 001	153	05 027952 001	15	05 029410 001	17
05 024020 001	155	05 024473 001	153	05 027954 001	15	05 029415 001	17
05 024100 001	155	05 024474 001	153	05 027956 001	15	05 029420 001	17
05 024105 001	155	05 024475 001	153	05 027958 001	15	05 029425 001	17
05 024160 001	155	05 024476 001	153	05 028000 001	14	05 029430 001	17
05 024161 001	155	05 024477 001	153	05 028001 001	14	05 029435 001	17
05 024162 001	155	05 024478 001	153	05 028002 001	14	05 029440 001	17
05 024163 001	155	05 024479 001	153	05 028003 001	14	05 029445 001	17
05 024164 001	155	05 024480 001	151	05 028004 001	14	05 029450 001	17
05 024165 001	155	05 024481 001	154	05 028005 001	14	05 029460 001	18
05 024166 001	155	05 024482 001	154	05 028008 001	14	05 029461 001	18
05 024167 001	155	05 024483 001	154	05 028010 001	14	05 029462 001	18
05 024168 001	155	05 024484 001	153	05 028012 001	14	05 029463 001	18
05 024170 001	153	05 024485 001	153	05 028013 001	14	05 029464 001	18
05 024171 001	153	05 024486 001	153	05 028015 001	14	05 029465 001	18
05 024172 001	153	05 024487 001	153	05 028020 001	14	05 029466 001	18
05 024173 001	153	05 024488 001	153	05 028025 001	14	05 029501 001	18
05 024174 001	153	05 024489 001	153	05 028029 001	16	05 029502 001	18
05 024175 001	153	05 026350 001	29	05 028030 001	16	05 029503 001	18
05 024176 001	153	05 026351 001	29	05 028031 001	16	05 029504 001	18
05 024177 001	153	05 026352 001	29	05 028032 001	16	05 029505 001	18
05 024178 001	153	05 026353 001	29	05 028033 001	16	05 029506 001	18
05 024179 001	151	05 026354 001	29	05 028034 001	16	05 029507 001	18
05 024199 001	155	05 026360 001	29	05 028035 001	16	05 029510 001	24
05 024200 001	155	05 026361 001	29	05 028036 001	16	05 030080 001	43
05 024202 001	155	05 026363 001	29	05 028037 001	16	05 030081 001	43
05 024204 001	155	05 026372 001	29	05 028038 001	16	05 030082 001	43
05 024206 001	155	05 026373 001	29	05 028040 001	286	05 030083 001	43
05 024208 001	155	05 026374 001	29	05 028041 001	286	05 030084 001	43
05 024210 001	155	05 026382 001	29	05 028042 001	286	05 030099 001	42
05 024242 001	152	05 027101 001	148	05 028043 001	286	05 030100 001	42
05 024244 001	151	05 027102 001	148	05 028044 001	286	05 030101 001	42
05 024335 001	152	05 027103 001	148	05 028045 001	286	05 030102 001	42
05 024350 001	154	05 027104 001	148	05 028046 001	286	05 030103 001	42
05 024351 001	154	05 027105 001	148	05 028048 001	14	05 030104 001	42
05 024352 001	154	05 027106 001	148	05 028049 001	14	05 030105 001	42
05 024353 001	154	05 027107 001	148	05 028050 001	14	05 030106 001	42
05 024354 001	154	05 027108 001	148	05 028051 001	14	05 030107 001	42
05 024355 001	154	05 027109 001	148	05 028052 001	14	05 030108 001	42
05 024356 001	154	05 027110 001	148	05 028053 001	14	05 030110 001	42
05 024357 001	154	05 027111 001	148	05 028054 001	14	05 030111 001	42
05 024358 001	154	05 027201 001	150	05 028055 001	14	05 030112 001	42
05 024400 001	8	05 027202 001	150	05 028056 001	14	05 030115 001	42
05 024401 001	8	05 027203 001	150	05 028059 001	23	05 030116 001	42
05 024402 001	8	05 027204 001	150	05 028062 001	23	05 030117 001	42
05 024403 001	8	05 027205 001	150	05 028070 001	14	05 030118 001	42
05 024404 001	8	05 027206 001	150	05 028071 001	14	05 030119 001	42
05 024405 001	8	05 027207 001	150	05 028072 001	14	05 030120 001	43
05 024410 001	9	05 027208 001	150	05 028073 001	14	05 030121 001	43
05 024450 001	151	05 027209 001	150	05 028074 001	23	05 030122 001	43
05 024451 001	154	05 027210 001	150	05 028116 001	17	05 030135 001	43
05 024452 001	154	05 027211 001	150	05 028118 001	17	05 030150 001	43
05 024453 001	154	05 027212 001	150	05 028120 001	17	05 030151 001	43
05 024454 001	154	05 027213 001	150	05 028122 001	17	05 030158 001	43
05 024455 001	154	05 027214 001	150	05 028124 001	17	05 030159 001	43
05 024456 001	154	05 027215 001	150	05 028126 001	17	05 030160 001	32
05 024457 001	154	05 027405 001	30	05 028130 001	16	05 030170 001	44
05 024458 001	154	05 027455 001	30	05 028132 001	16	05 030180 001	44
05 024459 001	154	05 027456 001	33	05 028134 001	16	05 030181 001	37
05 024460 001	152	05 027910 001	285	05 028136 001	16	05 030400 001	43
05 024461 001	154	05 027911 001	285	05 028148 001	17	05 030401 001	43
05 024462 001	154	05 027912 001	285	05 028150 001	17	05 030402 001	43
05 024463 001	154	05 027913 001	286	05 028152 001	17	05 030403 001	43
05 024464 001	154	05 027930 001	286	05 028160 001	176	05 030404 001	43
05 024465 001	154	05 027931 001	286	05 028205 001	17	05 030405 001	43
05 024466 001	154	05 027932 001	286	05 028210 001	17	05 030406 001	43
05 024467 001	154	05 027933 001	286	05 028215 001	17	05 030410 001	43
05 024468 001	154	05 027934 001	286	05 028220 001	17	05 030411 001	43
05 024469 001	154	05 027935 001	286	05 028225 001	17	05 030412 001	43
05 024470 001	151	05 027936 001	286	05 028230 001	17	05 030413 001	43
05 024471 001	153	05 027950 001	15	05 029405 001	17	05 030414 001	43

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 030415 001	43	05 032001 001	4	05 051023 001	160	05 056068 001	221
05 030416 001	43	05 032002 001	4	05 051024 001	160	05 056155 001	266
05 030417 001	43	05 032003 001	4	05 051025 001	160	05 056157 001	267
05 030418 001	43	05 032004 001	4	05 051030 001	179	05 056158 001	268
05 031400 001	26	05 032005 001	4	05 051031 001	179	05 056159 001	264
05 031401 001	26	05 032006 001	4	05 051040 001	178	05 056161 001	263
05 031402 001	26	05 032007 001	4	05 051041 001	178	05 056163 001	264
05 031403 001	26	05 032020 001	4	05 051042 001	164	05 056164 001	265
05 031405 001	26	05 032021 001	4	05 051043 001	45	05 056168 001	268
05 031406 001	26	05 032022 001	4	05 051045 001	78	05 056172 001	221
05 031408 001	26	05 032023 001	4	05 051205 001	177	05 056174 001	221
05 031409 001	26	05 032030 001	5	05 051272 001	175	05 056176 001	221
05 031411 001	26	05 032031 001	5	05 051273 001	45	05 056200 001	222
05 031412 001	26	05 032032 001	5	05 051274 001	176	05 056203 001	221
05 031413 001	26	05 032033 001	5	05 051276 001	34	05 056210 001	221
05 031416 001	26	05 032050 001	5	05 051461 001	177	05 056220 001	221
05 031420 001	26	05 032051 001	5	05 051462 001	175	05 056225 001	221
05 031421 001	26	05 032052 001	5	05 051464 001	45	05 056233 001	221
05 031422 001	26	05 032053 001	5	05 051465 001	175	05 056240 001	221
05 031424 001	26	05 032054 001	5	05 051482 001	175	05 056285 001	268
05 031425 001	26	05 032055 001	5	05 051500 001	244	05 056291 001	257
05 031426 001	26	05 032056 001	5	05 051501 001	244	05 056294 001	267
05 031427 001	26	05 032057 001	5	05 051502 001	244	05 056295 001	265
05 031440 001	26	05 032058 001	5	05 051610 001	176	05 056296 001	267
05 031441 001	26	05 032060 001	5	05 051615 001	176	05 056303 001	226
05 031442 001	26	05 032061 001	5	05 051620 001	176	05 056305 001	226
05 031444 001	26	05 032063 001	6	05 051835 001	181	05 056310 001	226
05 031445 001	26	05 032070 002	5	05 052490 001	242	05 056315 001	226
05 031447 001	26	05 032071 002	5	05 052500 001	242	05 056320 001	226
05 031460 001	27	05 040001 001	181	05 052502 001	242	05 056325 001	226
05 031461 001	27	05 040030 001	236	05 052503 001	242	05 056330 001	226
05 031463 001	27	05 040031 001	236	05 052504 001	242	05 056332 001	226
05 031466 001	27	05 040032 001	236	05 052505 001	244	05 056335 001	226
05 031500 001	27	05 040033 001	236	05 052575 001	245	05 056340 001	226
05 031501 001	27	05 040034 001	236	05 052625 001	245	05 056341 001	230
05 031502 001	27	05 040040 001	236	05 052655 001	245	05 056342 001	230
05 031503 001	27	05 040041 001	236	05 052725 001	245	05 056343 001	230
05 031504 001	27	05 040042 001	236	05 053175 001	247	05 056344 001	230
05 031505 001	27	05 040043 001	236	05 053275 001	247	05 056345 001	230
05 031506 001	27	05 040045 001	236	05 053425 001	246	05 056346 001	230
05 031507 001	27	05 040046 001	236	05 053455 001	246	05 056350 001	226
05 031508 001	27	05 040047 001	236	05 053457 001	246	05 056352 001	226
05 031509 001	27	05 040048 001	236	05 053458 001	246	05 056354 001	226
05 031510 001	27	05 040049 001	236	05 053459 001	246	05 056356 001	226
05 031511 001	27	05 042605 001	249	05 053460 001	246	05 056358 001	226
05 031512 001	27	05 042655 001	249	05 053475 001	246	05 056368 001	257
05 031551 001	27	05 042665 001	249	05 053480 001	246	05 056374 001	256
05 031552 001	27	05 042705 001	249	05 053485 001	247	05 056375 001	263
05 031553 001	27	05 042715 001	249	05 053520 001	243	05 056376 001	265
05 031554 001	27	05 042750 001	249	05 053522 001	243	05 056400 001	187
05 031575 001	69	05 042755 001	249	05 053560 001	243	05 056402 001	187
05 031576 001	69	05 042760 001	249	05 053870 001	244	05 056404 001	187
05 031580 001	68	05 042765 001	249	05 053872 001	243	05 056410 001	187
05 031581 001	68	05 042768 001	249	05 053920 001	244	05 056412 001	187
05 031582 001	68	05 048680 001	243	05 053923 001	241	05 056414 001	187
05 031583 001	68	05 048681 001	243	05 055950 001	236	05 056420 001	188
05 031584 001	68	05 050005 001	84	05 055951 001	236	05 056422 001	188
05 031585 001	68	05 050205 001	248	05 055952 001	236	05 056424 001	188
05 031587 001	68	05 050210 001	248	05 055953 001	236	05 056440 001	262
05 031588 001	68	05 050215 001	248	05 056005 001	222	05 056471 001	270
05 031589 001	68	05 050220 001	248	05 056007 001	222	05 056472 001	270
05 031600 001	68	05 050510 001	248	05 056010 001	222	05 056473 001	269
05 031601 001	68	05 050650 001	248	05 056015 001	222	05 056474 001	269
05 031602 001	68	05 051005 001	177	05 056020 001	222	05 056476 001	271
05 031603 001	68	05 051010 001	19	05 056025 001	222	05 056477 001	257
05 031604 001	68	05 051011 001	20	05 056030 001	222	05 056478 001	271
05 031605 001	68	05 051013 001	159	05 056037 001	222	05 056479 001	270
05 031610 001	69	05 051016 001	158	05 056040 001	222	05 056490 001	125
05 031611 001	69	05 051017 001	159	05 056045 001	222	05 056491 001	125
05 031613 001	69	05 051019 001	159	05 056064 001	221	05 056500 001	190
05 031615 001	69	05 051021 001	159	05 056066 001	221	05 056505 001	190

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 056507 001	190	05 057415 001	260	05 057626 001	207	05 059320 001	223
05 056510 001	190	05 057416 001	259	05 057627 001	207	05 059325 001	223
05 056515 001	190	05 057417 001	251	05 057628 001	207	05 059330 001	223
05 056520 001	190	05 057418 001	127	05 057631 001	230	05 059335 001	223
05 056525 001	190	05 057420 001	255	05 057632 001	230	05 059337 001	223
05 056535 001	190	05 057421 001	258	05 057644 001	227	05 059340 001	223
05 056605 001	189	05 057422 001	273	05 057645 001	227	05 059345 001	223
05 056610 001	189	05 057423 001	273	05 057646 001	227	05 059450 001	223
05 056625 001	189	05 057424 001	274	05 057656 001	192	05 059451 001	223
05 056653 001	157	05 057425 001	253	05 057657 001	192	05 059452 001	223
05 056656 001	162	05 057426 001	274	05 057661 001	204	05 059453 001	223
05 056660 001	190	05 057427 001	274	05 057662 001	204	05 059466 001	223
05 056662 001	190	05 057428 001	262	05 057664 001	212	05 059472 001	223
05 056664 001	190	05 057429 001	263	05 057665 001	212	05 059478 001	223
05 056680 001	225	05 057430 001	255	05 057666 001	212	05 059480 001	223
05 056681 001	225	05 057431 001	258	05 057667 001	212	05 059486 001	223
05 056682 001	225	05 057432 001	272	05 057671 001	232	05 059488 001	223
05 056683 001	225	05 057433 001	272	05 057672 001	232	05 059489 001	223
05 056684 001	225	05 057434 001	274	05 057675 001	240	05 059490 001	223
05 056685 001	225	05 057441 001	255	05 057676 001	240	05 059492 001	223
05 056686 001	225	05 057442 001	272	05 057680 001	250	05 059496 001	223
05 056687 001	225	05 057450 001	261	05 057682 001	251	05 059500 001	223
05 056700 001	200	05 057460 001	167	05 057683 001	251	05 059503 001	223
05 056702 001	200	05 057470 001	168	05 057684 001	251	05 059507 001	223
05 056704 001	200	05 057471 001	168	05 057688 001	251	05 059515 001	223
05 056710 001	200	05 057472 001	47	05 057690 001	250	05 059517 001	223
05 056712 001	200	05 057480 001	157	05 057691 001	252	05 059530 001	193
05 056714 001	200	05 057481 001	65	05 057692 001	252	05 059532 001	193
05 056720 001	201	05 057482 001	156	05 057693 001	253	05 059534 001	193
05 056722 001	201	05 057483 001	156	05 057694 001	252	05 059540 001	193
05 056724 001	201	05 057484 001	64	05 057695 001	252	05 059542 001	193
05 056805 001	203	05 057485 001	65	05 057697 001	250	05 059544 001	193
05 056810 001	202	05 057505 001	229	05 057705 001	197	05 059550 001	193
05 056812 001	203	05 057510 001	229	05 057710 001	197	05 059552 001	193
05 056815 001	202	05 057515 001	229	05 057715 001	197	05 059554 001	193
05 056820 001	203	05 057520 001	229	05 057720 001	197	05 059602 001	228
05 056825 001	202	05 057525 001	229	05 057725 001	197	05 059603 001	228
05 056835 001	203	05 057530 001	229	05 057750 001	191	05 059604 001	228
05 056910 001	201	05 057550 001	229	05 057751 001	188	05 059605 001	228
05 056915 001	201	05 057551 001	229	05 057752 001	186	05 059610 001	228
05 056925 001	201	05 057552 001	229	05 057753 001	189	05 059615 001	228
05 056937 001	202	05 057553 001	229	05 057760 001	203	05 059620 001	228
05 056938 001	202	05 057554 001	229	05 057761 001	201	05 059625 001	228
05 056939 001	202	05 057555 001	229	05 057762 001	201	05 059628 001	228
05 057110 001	166	05 057560 001	229	05 057763 001	199	05 059629 001	228
05 057111 001	166	05 057561 001	229	05 057770 001	211	05 059630 001	228
05 057115 001	265	05 057562 001	229	05 057771 001	209	05 059631 001	228
05 057116 001	259	05 057563 001	229	05 057772 001	208	05 059632 001	228
05 057117 001	256	05 057565 001	229	05 057773 001	211	05 059633 001	228
05 057122 001	261	05 057566 001	229	05 057774 001	209	05 059634 001	228
05 057150 001	237	05 057567 001	229	05 057775 001	208	05 059635 001	228
05 057151 001	237	05 057568 001	229	05 057776 001	208	05 059636 001	228
05 057152 001	237	05 057570 001	229	05 057790 001	232	05 059637 001	228
05 057153 001	237	05 057571 001	229	05 057908 001	262	05 059640 001	230
05 057160 001	237	05 057572 001	229	05 058005 001	206	05 059641 001	230
05 057161 001	237	05 057573 001	229	05 058010 001	206	05 059642 001	230
05 057162 001	237	05 057574 001	229	05 058015 001	206	05 059643 001	230
05 057163 001	237	05 057575 001	229	05 058020 001	206	05 059644 001	230
05 057210 001	223	05 057603 001	224	05 058025 001	206	05 059645 001	230
05 057213 001	223	05 057604 001	224	05 059030 001	61	05 059660 001	228
05 057223 001	223	05 057605 001	224	05 059291 001	59	05 059661 001	228
05 057225 001	223	05 057606 001	224	05 059293 001	162	05 059662 001	228
05 057230 001	223	05 057615 001	186	05 059294 001	164	05 059663 001	228
05 057235 001	223	05 057616 001	186	05 059295 001	164	05 059664 001	228
05 057240 001	223	05 057617 001	186	05 059297 001	165	05 059665 001	228
05 057250 001	223	05 057620 001	199	05 059298 001	161	05 059666 001	228
05 057255 001	223	05 057621 001	199	05 059299 001	161	05 059667 001	228
05 057402 001	260	05 057622 001	199	05 059305 001	223	05 059668 001	228
05 057404 001	260	05 057623 001	207	05 059307 001	223	05 059680 001	229
05 057412 001	259	05 057624 001	207	05 059310 001	223	05 059681 001	229
05 057414 001	260	05 057625 001	207	05 059315 001	223	05 059682 001	229

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 059683 001	229	05 060084 001	213	05 060274 001	238	05 065096 001	206
05 059700 001	213	05 060085 001	213	05 060276 001	238	05 065110 001	197
05 059701 001	213	05 060086 001	213	05 060278 001	238	05 065112 001	197
05 059702 001	213	05 060087 001	213	05 060280 001	238	05 065114 001	197
05 059703 001	213	05 060098 001	214	05 060281 001	238	05 065116 001	197
05 059704 001	213	05 060100 001	214	05 060282 001	238	05 065125 001	206
05 059705 001	213	05 060105 001	214	05 060283 001	238	05 065127 001	206
05 059720 001	207	05 060110 001	214	05 060284 001	238	05 065129 001	206
05 059721 001	207	05 060115 001	214	05 060286 001	238	05 065150 001	197
05 059755 001	196	05 060120 001	214	05 060288 001	238	05 065152 001	197
05 059760 001	196	05 060125 001	214	05 060290 001	238	05 065154 001	197
05 059765 001	196	05 060130 001	214	05 060296 001	233	05 065167 001	207
05 059766 001	196	05 060131 001	214	05 060297 001	233	05 065169 001	207
05 059770 001	196	05 060132 001	214	05 060298 001	233	05 065197 001	198
05 059775 001	196	05 060133 001	214	05 060300 001	233	05 066030 001	220
05 059780 001	196	05 060134 001	214	05 060301 001	233	05 066031 001	220
05 059785 001	196	05 060135 001	214	05 060302 001	233	05 066032 001	220
05 059786 001	196	05 060136 001	214	05 060303 001	233	05 066033 001	220
05 059790 001	196	05 060137 001	214	05 060304 001	233	05 066040 001	220
05 059795 001	196	05 060138 001	214	05 060360 001	213	05 066041 001	220
05 059800 001	196	05 060139 001	217	05 060361 001	213	05 066042 001	220
05 059802 001	196	05 060140 001	217	05 060362 001	213	05 066043 001	220
05 059805 001	195	05 060141 001	217	05 060363 001	213	05 066070 001	210
05 059810 001	195	05 060142 001	217	05 060364 001	213	05 066071 001	210
05 059815 001	195	05 060143 001	217	05 060365 001	213	05 066072 001	210
05 059855 001	195	05 060144 001	217	05 060366 001	213	05 066073 001	210
05 059860 001	195	05 060145 001	217	05 060380 001	220	05 066074 001	210
05 059865 001	195	05 060146 001	217	05 060400 001	238	05 066075 001	210
05 059896 001	207	05 060147 001	233	05 060401 001	238	05 066076 001	210
05 059897 001	207	05 060148 001	233	05 060402 001	238	05 066077 001	210
05 059900 001	205	05 060149 001	233	05 060403 001	238	05 066078 001	210
05 059902 001	205	05 060150 001	233	05 060404 001	238	05 066080 001	212
05 059904 001	205	05 060155 001	233	05 060405 001	238	05 066081 001	212
05 059910 001	205	05 060160 001	233	05 060406 001	238	05 066082 001	212
05 059912 001	205	05 060165 001	233	05 060407 001	238	05 066083 001	212
05 059914 001	205	05 060170 001	233	05 060408 001	238	05 066084 001	212
05 059920 001	205	05 060175 001	233	05 060409 001	238	05 066085 001	212
05 059922 001	205	05 060180 001	233	05 060410 001	238	05 066100 001	209
05 059924 001	205	05 060182 001	233	05 060411 001	238	05 066102 001	209
05 060005 001	205	05 060184 001	233	05 060412 001	238	05 066104 001	209
05 060010 001	205	05 060185 001	214	05 060420 001	238	05 066106 001	209
05 060015 001	205	05 060186 001	214	05 060421 001	238	05 066108 001	209
05 060027 001	206	05 060187 001	214	05 060422 001	238	05 066110 001	209
05 060029 001	206	05 060188 001	214	05 060423 001	238	05 066120 001	209
05 060030 001	206	05 060189 001	214	05 060424 001	238	05 066122 001	209
05 060031 001	206	05 060190 001	214	05 060425 001	238	05 066124 001	209
05 060033 001	206	05 060191 001	214	05 060426 001	238	05 066126 001	209
05 060035 001	206	05 060192 001	214	05 060427 001	238	05 066128 001	209
05 060036 001	206	05 060193 001	214	05 060428 001	238	05 066130 001	209
05 060037 001	206	05 060194 001	214	05 060429 001	238	05 066150 001	235
05 060038 001	206	05 060195 001	214	05 060430 001	238	05 066155 001	235
05 060041 001	206	05 060196 001	214	05 060431 001	238	05 066160 001	235
05 060043 001	206	05 060197 001	214	05 060432 001	238	05 066165 001	235
05 060045 001	206	05 060198 001	214	05 064140 001	215	05 066170 001	235
05 060047 001	206	05 060199 001	214	05 064144 001	215	05 066175 001	236
05 060048 001	217	05 060200 001	214	05 064146 001	215	05 066180 001	236
05 060049 001	217	05 060201 001	214	05 064148 001	216	05 066185 001	236
05 060050 001	217	05 060202 001	214	05 064150 001	216	05 066190 001	236
05 060051 001	217	05 060210 001	238	05 064155 001	216	05 066195 001	236
05 060052 001	217	05 060215 001	238	05 064160 001	216	05 066200 001	236
05 060053 001	217	05 060220 001	238	05 064166 001	216	05 066272 001	218
05 060054 001	217	05 060225 001	238	05 064168 001	216	05 066274 001	218
05 060055 001	205	05 060230 001	238	05 064170 001	216	05 066276 001	218
05 060056 001	217	05 060235 001	238	05 064175 001	216	05 066278 001	218
05 060057 001	217	05 060237 001	238	05 064180 001	216	05 066279 001	218
05 060060 001	205	05 060238 001	238	05 064185 001	216	05 066280 001	218
05 060065 001	205	05 060240 001	238	05 064190 001	216	05 066282 001	218
05 060080 001	213	05 060255 001	238	05 064200 001	216	05 066284 001	218
05 060081 001	213	05 060260 001	238	05 065075 001	197	05 066286 001	218
05 060082 001	213	05 060265 001	238	05 065081 001	197	05 066287 001	218
05 060083 001	213	05 060272 001	238	05 065090 001	206	05 066288 001	218

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 066290 001	218	05 066644 001	233	05 066901 001	215	05 071086 001	204
05 066300 001	210	05 066646 001	233	05 066902 001	215	05 071089 001	217
05 066301 001	210	05 066650 001	234	05 066905 001	215	05 071090 001	217
05 066302 001	210	05 066652 001	234	05 066910 001	215	05 071091 001	217
05 066303 001	210	05 066654 001	234	05 066915 001	215	05 071092 001	217
05 066304 001	210	05 066656 001	234	05 066920 001	215	05 071094 001	217
05 066305 001	210	05 066658 001	234	05 066925 001	215	05 071097 001	233
05 066308 001	210	05 066660 001	234	05 066930 001	215	05 071098 001	233
05 066310 001	210	05 066662 001	234	05 066931 001	215	05 071099 001	233
05 066312 001	210	05 066664 001	234	05 066932 001	215	05 071100 001	241
05 066313 001	210	05 066666 001	234	05 066933 001	215	05 071101 001	227
05 066315 001	210	05 066668 001	234	05 066934 001	215	05 071102 001	227
05 066320 001	210	05 066670 001	234	05 066935 001	215	05 071103 001	227
05 066325 001	210	05 066672 001	234	05 066936 001	215	05 071104 001	227
05 066330 001	210	05 066674 001	234	05 066937 001	215	05 071105 001	227
05 066335 001	210	05 066676 001	234	05 066938 001	215	05 071106 001	227
05 066394 001	231	05 066678 001	234	05 066939 001	215	05 071107 001	227
05 066395 001	232	05 066680 001	234	05 066940 001	215	05 071108 001	227
05 066396 001	231	05 066682 001	234	05 066941 001	215	05 071109 001	253
05 066400 001	232	05 066683 001	234	05 066942 001	215	05 071110 001	254
05 066405 001	232	05 066684 001	234	05 066943 001	215	05 071116 001	163
05 066410 001	232	05 066685 001	234	05 066945 001	215	05 071117 001	163
05 066415 001	232	05 066686 001	234	05 066946 001	215	05 071222 001	238
05 066420 001	232	05 066687 001	234	05 066947 001	215	05 071223 001	238
05 066445 001	231	05 066688 001	234	05 066948 001	215	05 071224 001	238
05 066446 001	231	05 066690 001	234	05 066949 001	215	05 071225 001	238
05 066447 001	231	05 066692 001	234	05 066950 001	215	05 071228 001	238
05 066450 001	212	05 066694 001	234	05 071000 001	221	05 072014 001	301
05 066455 001	212	05 066696 001	234	05 071001 001	221	05 072017 001	301
05 066460 001	212	05 066700 001	234	05 071002 001	221	05 072050 001	222
05 066465 001	212	05 066702 001	234	05 071010 001	186	05 072055 001	222
05 066470 001	212	05 066704 001	234	05 071011 001	186	05 072057 001	222
05 066475 001	212	05 066740 001	235	05 071012 001	186	05 072059 001	222
05 066480 001	212	05 066742 001	235	05 071020 001	199	05 072061 001	222
05 066485 001	210	05 066744 001	235	05 071021 001	199	05 072063 001	222
05 066486 001	210	05 066746 001	235	05 071022 001	199	05 072065 001	222
05 066487 001	210	05 066750 001	235	05 071025 001	231	05 072070 001	190
05 066488 001	210	05 066752 001	235	05 071030 001	208	05 072072 001	190
05 066489 001	210	05 066754 001	235	05 071031 001	208	05 072074 001	190
05 066490 001	210	05 066758 001	235	05 071032 001	208	05 072080 001	203
05 066491 001	210	05 066760 001	235	05 071033 001	208	05 072082 001	203
05 066492 001	210	05 066762 001	235	05 071034 001	208	05 072084 001	203
05 066493 001	210	05 066764 001	235	05 071035 001	208	05 072400 001	191
05 066494 001	210	05 066766 001	235	05 071036 001	208	05 072401 001	191
05 066495 001	210	05 066768 001	235	05 071037 001	208	05 072402 001	191
05 066496 001	210	05 066770 001	235	05 071038 001	208	05 072403 001	203
05 066497 001	217	05 066772 001	235	05 071041 001	204	05 072404 001	203
05 066498 001	217	05 066774 001	235	05 071046 001	213	05 072405 001	203
05 066499 001	217	05 066780 001	235	05 071047 001	213	05 072406 001	211
05 066500 001	217	05 066782 001	235	05 071049 001	227	05 072407 001	211
05 066505 001	217	05 066784 001	235	05 071060 001	225	05 072408 001	211
05 066510 001	217	05 066785 001	235	05 071061 001	225	05 072409 001	211
05 066515 001	217	05 066786 001	235	05 071062 001	225	05 072410 001	211
05 066520 001	217	05 066787 001	235	05 071063 001	225	05 072411 001	211
05 066525 001	217	05 066788 001	235	05 071064 001	225	05 072412 001	211
05 066530 001	217	05 066790 001	235	05 071065 001	225	05 072440 001	191
05 066618 001	234	05 066792 001	235	05 071066 001	225	05 072441 001	191
05 066619 001	234	05 066794 001	235	05 071070 001	225	05 072443 001	203
05 066620 001	234	05 066850 001	237	05 071071 001	225	05 072444 001	203
05 066622 001	234	05 066851 001	237	05 071072 001	225	05 072446 001	211
05 066624 001	234	05 066852 001	237	05 071073 001	225	05 072447 001	211
05 066626 001	234	05 066853 001	237	05 071074 001	225	05 072448 001	211
05 066628 001	234	05 066854 001	237	05 071075 001	225	05 072449 001	211
05 066630 001	234	05 066855 001	237	05 071076 001	225	05 072450 001	211
05 066632 001	234	05 066856 001	237	05 071077 001	225	05 072451 001	211
05 066633 001	234	05 066860 001	237	05 071080 001	222	05 072452 001	211
05 066634 001	234	05 066861 001	237	05 071081 001	192	05 073200 001	248
05 066635 001	234	05 066862 001	237	05 071082 001	192	05 073210 001	247
05 066638 001	233	05 066863 001	237	05 071083 001	192	05 073220 001	126
05 066640 001	233	05 066864 001	237	05 071084 001	204	05 073230 001	129
05 066642 001	233	05 066900 001	215	05 071085 001	204	05 073240 001	160

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 073241 001	161	05 073406 001	266	05 073640 001	123	05 074738 001	282
05 073260 001	78	05 073410 001	264	05 073645 001	127	05 074739 001	282
05 073261 001	93	05 073416 001	264	05 073660 001	180	05 074745 001	283
05 073262 001	107	05 073418 001	256	05 073661 002	180	05 074746 001	283
05 073268 001	132	05 073419 001	259	05 073665 001	178	05 074750 001	63
05 073270 001	132	05 073420 001	241	05 073670 001	47	05 074752 001	63
05 073271 001	132	05 073421 001	242	05 073671 001	46	05 074757 001	63
05 073272 001	132	05 073495 001	239	05 073675 001	35	05 074770 001	280
05 073273 001	132	05 073500 001	239	05 073676 001	36	05 074772 001	280
05 073274 001	132	05 073501 001	239	05 073677 001	35	05 074774 001	280
05 073275 001	132	05 073502 001	239	05 073680 001	30	05 074780 001	280
05 073276 001	132	05 073503 001	239	05 073681 001	30	05 074782 001	280
05 073277 001	132	05 073504 001	239	05 073720 001	215	05 074784 001	280
05 073278 001	132	05 073505 001	239	05 073721 001	215	05 074786 001	281
05 073279 001	132	05 073506 001	239	05 073722 001	215	05 074788 001	281
05 073280 001	132	05 073507 001	239	05 073723 001	215	05 074790 001	284
05 073281 001	132	05 073508 001	239	05 073724 001	215	05 074790 010	284
05 073282 001	132	05 073509 001	239	05 073890 001	252	05 074792 001	284
05 073283 001	132	05 073510 001	239	05 073904 001	224	05 074792 010	284
05 073284 001	132	05 073511 001	242	05 073905 001	224	05 074794 001	284
05 073285 001	132	05 073512 001	190	05 073906 001	224	05 074794 010	284
05 073286 001	132	05 073513 001	190	05 073916 001	186	05 074800 001	285
05 073287 001	132	05 073514 001	190	05 073917 001	186	05 074800 010	285
05 073290 001	133	05 073515 001	190	05 073921 001	199	05 074802 001	281
05 073295 001	134	05 073516 001	202	05 073922 001	199	05 074804 001	281
05 073300 001	222	05 073517 001	202	05 073924 001	207	05 074810 001	285
05 073301 001	222	05 073518 001	202	05 073925 001	207	05 074810 010	285
05 073302 001	222	05 073519 001	202	05 073926 001	207	05 074820 001	284
05 073303 001	222	05 073520 001	196	05 073927 001	207	05 074820 010	284
05 073304 001	191	05 073521 001	196	05 073931 001	230	05 074822 001	284
05 073305 001	191	05 073522 001	196	05 073932 001	230	05 074822 010	284
05 073306 001	191	05 073523 001	206	05 073944 001	227	05 074824 001	284
05 073307 001	191	05 073524 001	206	05 073945 001	227	05 074824 010	284
05 073308 001	203	05 073525 001	206	05 073946 001	227	05 074826 001	285
05 073309 001	203	05 073526 001	215	05 073956 001	192	05 074826 010	285
05 073310 001	203	05 073527 001	215	05 073957 001	192	05 074828 001	285
05 073311 001	203	05 073528 001	215	05 073961 001	204	05 074828 010	285
05 073313 001	211	05 073529 001	215	05 073962 001	204	05 074840 001	284
05 073314 001	211	05 073530 001	215	05 073964 001	212	05 074840 010	284
05 073315 001	211	05 073531 001	215	05 073965 001	212	05 074842 001	284
05 073316 001	211	05 073534 001	260	05 073966 001	212	05 074842 010	284
05 073317 001	211	05 073536 001	267	05 073967 001	212	05 075604 001	287
05 073318 001	244	05 073537 001	268	05 073971 001	232	05 075605 001	287
05 073323 001	190	05 073538 001	269	05 073972 001	232	05 075610 001	289
05 073324 001	190	05 073540 001	175	05 073980 001	251	05 075611 001	289
05 073325 001	190	05 073541 001	175	05 073990 001	240	05 075620 001	289
05 073326 001	190	05 073544 001	140	05 074700 001	280	05 075621 001	289
05 073332 001	187	05 073593 001	141	05 074701 001	280	05 075622 001	290
05 073333 001	187	05 073594 001	143	05 074702 001	280	05 075623 001	290
05 073334 001	187	05 073596 001	144	05 074705 001	280	05 075624 001	291
05 073335 001	187	05 073598 001	152	05 074710 001	280	05 075630 001	291
05 073336 001	200	05 073599 001	152	05 074711 001	280	05 075651 001	291
05 073337 001	200	05 073610 001	187	05 074712 001	280	05 075652 001	291
05 073338 001	200	05 073611 001	187	05 074715 001	284	05 075653 001	292
05 073339 001	200	05 073612 001	187	05 074715 010	284	05 075654 001	292
05 073340 001	211	05 073613 001	200	05 074716 001	284	05 075655 001	292
05 073342 001	226	05 073614 001	200	05 074716 010	284	05 075656 001	292
05 073344 001	226	05 073615 001	200	05 074717 001	284	05 075670 001	292
05 073346 001	211	05 073616 001	241	05 074717 010	284	05 075670 010	292
05 073357 001	246	05 073620 001	208	05 074720 001	284	05 075671 001	293
05 073370 001	202	05 073621 001	208	05 074720 010	284	05 075671 010	293
05 073371 001	202	05 073622 001	208	05 074721 001	285	05 075672 001	293
05 073372 001	202	05 073623 001	208	05 074721 010	285	05 075672 010	293
05 073373 001	202	05 073624 001	208	05 074722 001	284	05 075673 001	293
05 073375 001	211	05 073625 001	208	05 074722 010	284	05 075673 010	293
05 073376 001	211	05 073626 001	208	05 074728 001	284	05 075680 001	290
05 073380 001	203	05 073630 001	254	05 074728 010	284	05 078200 001	296
05 073391 001	143	05 073634 001	254	05 074730 001	280	05 078205 001	296
05 073401 001	245	05 073635 001	269	05 074731 001	280	05 078210 001	297
05 073403 001	29	05 073637 001	270	05 074733 001	281	05 078345 001	297
05 073404 001	267	05 073638 001	269	05 074734 001	281	05 078600 001	294

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 078601 001	294	05 078695 001	295	05 104603 001	278	05 110050 001	11
05 078602 001	294	05 078696 001	295	05 104604 001	278	05 110051 001	11
05 078603 001	294	05 078697 001	295	05 104605 001	278	05 110052 001	11
05 078604 001	294	05 078698 001	295	05 104610 001	277	05 110053 001	11
05 078605 001	294	05 078699 001	295	05 104611 001	277	05 110054 001	11
05 078606 001	294	05 078700 001	295	05 104612 001	277	05 110055 001	11
05 078607 001	294	05 078701 001	295	05 104613 001	277	05 110104 001	11
05 078608 001	294	05 078702 001	295	05 104614 001	277	05 110105 001	11
05 078609 001	294	05 078703 001	295	05 104615 001	277	05 110150 001	11
05 078610 001	294	05 078704 001	295	05 104616 001	277	05 110151 001	11
05 078611 001	294	05 078705 001	295	05 104617 001	277	05 117680 001	16
05 078612 001	294	05 078706 001	300	05 104618 001	277	05 117681 001	16
05 078620 001	295	05 078707 001	296	05 104619 001	277	05 117682 001	16
05 078621 001	295	05 078708 001	296	05 104620 001	277	05 117683 001	16
05 078622 001	295	05 078709 001	300	05 104621 001	277	05 117684 001	16
05 078623 001	295	05 078710 001	297	05 104622 001	277	05 117685 001	16
05 078624 001	295	05 078711 001	300	05 104630 001	276	05 117686 001	16
05 078625 001	295	05 078714 001	299	05 104631 001	276	05 117687 001	16
05 078626 001	295	05 078715 001	299	05 104632 001	276	05 117691 001	16
05 078627 001	295	05 078716 001	299	05 104633 001	276	05 117990 001	31
05 078628 001	295	05 078717 001	299	05 104634 001	276	05 117991 001	31
05 078629 001	295	05 078720 001	299	05 104635 001	276	05 117992 001	31
05 078630 001	295	05 078721 001	299	05 104640 001	277	05 117993 001	31
05 078631 001	295	05 100000 001	50	05 104641 001	277	05 117994 001	31
05 078632 001	295	05 100001 001	50	05 104642 001	277	05 117995 001	31
05 078633 001	295	05 100002 001	50	05 104643 001	277	05 117997 001	31
05 078635 001	295	05 100003 001	50	05 104644 001	277	05 118000 001	31
05 078636 001	296	05 100004 001	50	05 104645 001	277	05 118002 001	31
05 078637 001	296	05 100011 001	50	05 104650 001	276	05 118003 001	31
05 078640 001	297	05 100012 001	50	05 104651 001	277	05 118004 001	31
05 078641 001	297	05 100015 001	51	05 104652 001	278	05 118005 001	31
05 078642 001	297	05 100016 001	51	05 104653 001	279	05 118006 001	31
05 078650 001	298	05 100019 001	52	05 104654 001	275	05 118007 001	31
05 078651 001	298	05 100020 001	52	05 104655 001	276	05 118008 001	31
05 078652 001	298	05 100021 001	52	05 104660 001	276	05 118010 001	31
05 078653 001	298	05 100022 001	52	05 104661 001	276	05 118012 001	31
05 078654 001	298	05 100024 001	54	05 104662 001	276	05 118014 001	31
05 078655 001	298	05 100025 001	54	05 104663 001	276	05 118017 001	31
05 078656 001	298	05 100026 001	54	05 104664 001	276	05 118019 001	31
05 078657 001	298	05 100030 001	11	05 104665 001	276	05 118020 001	31
05 078658 001	298	05 100031 001	11	05 104666 001	275	05 118022 001	31
05 078660 001	298	05 100042 001	10	05 104667 001	275	05 118023 001	31
05 078661 001	298	05 100043 001	10	05 104668 001	275	05 118024 001	31
05 078662 001	298	05 100044 001	10	05 104669 001	275	05 118026 001	31
05 078663 001	298	05 100050 001	12	05 104670 001	275	05 118030 001	31
05 078664 001	298	05 100051 001	12	05 104671 001	275	05 118032 001	31
05 078666 001	299	05 100052 001	12	05 104672 001	275	05 118035 001	32
05 078667 001	299	05 100055 001	12	05 104900 001	54	05 118036 001	32
05 078670 001	294	05 100056 001	12	05 104901 001	54	05 118037 001	32
05 078671 001	294	05 100057 001	12	05 104902 001	54	05 118039 001	32
05 078672 001	294	05 100060 001	15	05 104903 001	54	05 118040 001	32
05 078673 001	294	05 100061 001	15	05 104904 001	54	05 118042 001	32
05 078674 001	294	05 100062 001	15	05 104905 001	54	05 118044 001	32
05 078675 001	294	05 100063 001	15	05 104906 001	54	05 118046 001	32
05 078676 001	294	05 100064 001	15	05 104907 001	54	05 118048 001	32
05 078677 001	294	05 100070 001	17	05 105622 001	21	05 118050 001	32
05 078678 001	294	05 100071 001	17	05 105630 001	19	05 118052 001	32
05 078679 001	294	05 100072 001	17	05 105631 001	55	05 118054 001	32
05 078680 001	294	05 100075 001	7	05 105650 001	21	05 118060 001	32
05 078681 001	294	05 100076 001	7	05 105656 001	21	05 118062 001	32
05 078682 001	294	05 100077 001	7	05 110000 001	10	05 118064 001	32
05 078683 001	294	05 100080 001	8	05 110001 001	10	05 118066 001	32
05 078684 001	294	05 100081 001	8	05 110002 001	10	05 118068 001	32
05 078685 001	294	05 100082 001	8	05 110003 001	10	05 118070 001	32
05 078686 001	294	05 100085 001	7	05 110004 001	10	05 118072 001	32
05 078687 001	294	05 100086 001	7	05 110005 001	10	05 118074 001	32
05 078690 001	295	05 100087 001	7	05 110006 001	10	05 118075 001	32
05 078691 001	295	05 100100 001	54	05 110007 001	10	05 118076 001	32
05 078692 001	295	05 104600 001	278	05 110008 001	10	05 118078 001	32
05 078693 001	295	05 104601 001	278	05 110010 001	11	05 118080 001	32
05 078694 001	295	05 104602 001	278	05 110011 001	11	05 118082 001	32

Code No. Index

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 118089 001	33	05 134377 001	209	05 134800 001	233	05 135091 001	228
05 118090 001	33	05 134378 001	209	05 134801 001	233	05 135092 001	228
05 118092 001	33	05 134379 001	209	05 134802 001	233	05 135093 001	228
05 118094 001	33	05 134380 001	195	05 134805 001	233	05 135094 001	228
05 118096 001	33	05 134381 001	195	05 134806 001	233	05 135095 001	228
05 118098 001	33	05 134382 001	195	05 134807 001	233	05 135096 001	228
05 118100 001	33	05 134384 001	205	05 134856 001	213	05 135097 001	228
05 118102 001	33	05 134385 001	205	05 134857 001	213	05 135098 001	228
05 118103 001	33	05 134386 001	205	05 134858 001	213	05 135099 001	228
05 118106 001	33	05 134397 001	247	05 134859 001	213	05 135120 001	218
05 118108 001	33	05 134398 001	246	05 134860 001	213	05 135121 001	218
05 118109 001	33	05 134399 001	248	05 134905 001	190	05 135140 001	210
05 118110 001	33	05 134480 001	245	05 134906 001	195	05 135141 001	210
05 118112 001	33	05 134491 001	161	05 134907 001	195	05 135142 001	210
05 118114 001	33	05 134500 001	219	05 134908 001	195	05 135143 001	210
05 118116 001	33	05 134600 001	219	05 134909 001	195	05 135170 001	214
05 118118 001	33	05 134601 001	219	05 134910 001	195	05 135171 001	214
05 118120 001	33	05 134602 001	219	05 134911 001	195	05 135172 001	214
05 118122 001	33	05 134603 001	219	05 134912 001	195	05 135174 001	214
05 118124 001	33	05 134604 001	219	05 134913 001	195	05 135176 001	214
05 118126 001	33	05 134605 001	198	05 134914 001	195	05 135180 001	214
05 118128 001	33	05 134606 001	198	05 134915 001	195	05 135182 001	214
05 118130 001	33	05 134607 001	198	05 134919 001	188	05 135184 001	214
05 118132 001	33	05 134608 001	198	05 134920 001	188	05 135185 001	214
05 118134 001	33	05 134654 001	219	05 134921 001	188	05 135186 001	214
05 118135 001	33	05 134655 001	219	05 134929 001	195	05 135200 001	214
05 118136 001	33	05 134656 001	219	05 134930 001	195	05 135201 001	214
05 118137 001	33	05 134657 001	219	05 134931 001	195	05 135202 001	214
05 118145 001	33	05 134658 001	219	05 134932 001	195	05 135204 001	214
05 118150 001	36	05 134664 001	218	05 134937 001	194	05 135205 001	214
05 118152 001	37	05 134665 001	218	05 134938 001	194	05 135220 001	216
05 118154 001	37	05 134667 001	218	05 134939 001	194	05 135221 001	216
05 118156 001	37	05 134668 001	218	05 134940 001	188	05 135222 001	216
05 118158 001	38	05 134669 001	218	05 134941 001	188	05 135224 001	239
05 118180 001	32	05 134670 001	218	05 134942 001	188	05 135225 001	239
05 118181 001	32	05 134671 001	218	05 134943 001	194	05 135226 001	220
05 118182 001	32	05 134672 001	218	05 134944 001	194	05 135228 001	220
05 118183 001	32	05 134673 001	218	05 134945 001	194	05 135229 001	220
05 118184 001	32	05 134674 001	218	05 134946 001	194	05 135230 001	218
05 118185 001	32	05 134675 001	218	05 134947 001	194	05 135231 001	218
05 118186 001	32	05 134676 001	218	05 134948 001	194	05 135232 001	218
05 130110 001	288	05 134677 001	218	05 134950 001	194	05 135233 001	218
05 133150 001	149	05 134678 001	218	05 134951 001	194	05 135234 001	218
05 133151 001	149	05 134679 001	218	05 134952 001	194	05 135235 001	218
05 133152 001	149	05 134680 001	218	05 135003 001	201	05 135264 001	223
05 133153 001	149	05 134681 001	218	05 135005 001	189	05 135265 001	223
05 133154 001	149	05 134682 001	218	05 135008 001	189	05 135266 001	223
05 133155 001	149	05 134683 001	218	05 135009 001	189	05 135267 001	223
05 133156 001	149	05 134684 001	218	05 135017 001	201	05 135268 001	229
05 133157 001	149	05 134685 001	218	05 135040 001	191	05 135269 001	229
05 133158 001	149	05 134686 001	218	05 135041 001	191	05 135270 001	198
05 133163 001	143	05 134687 001	218	05 135042 001	191	05 135271 001	198
05 133164 001	142	05 134688 001	218	05 135060 001	226	05 135272 001	198
05 133180 001	145	05 134690 001	218	05 135068 001	226	05 135273 001	198
05 133285 001	8	05 134691 001	218	05 135069 001	226	05 135274 001	198
05 133355 001	58	05 134695 001	218	05 135070 001	226	05 135275 001	198
05 133356 001	56	05 134698 001	219	05 135071 001	226	05 135276 001	198
05 133862 001	121	05 134699 001	219	05 135072 001	226	05 135277 001	198
05 134000 001	34	05 134700 001	219	05 135073 001	226	05 135278 001	198
05 134001 001	30	05 134701 001	219	05 135074 001	226	05 135280 001	198
05 134002 001	30	05 134702 001	219	05 135075 001	226	05 135281 001	198
05 134015 001	174	05 134703 001	219	05 135076 001	226	05 135284 001	198
05 134200 001	263	05 134704 001	219	05 135077 001	226	05 135285 001	198
05 134275 001	24	05 134705 001	219	05 135078 001	226	05 135286 001	198
05 134370 001	195	05 134706 001	219	05 135079 001	226	05 135287 001	198
05 134371 001	195	05 134707 001	219	05 135080 001	229	05 135288 001	198
05 134372 001	195	05 134720 001	219	05 135081 001	229	05 135289 001	198
05 134373 001	195	05 134722 001	219	05 135082 001	229	05 135290 001	198
05 134374 001	209	05 134723 001	219	05 135083 001	229	05 135291 001	198
05 134375 001	209	05 134732 001	219	05 135084 001	229	05 135311 001	24
05 134376 001	209	05 134740 001	214	05 135090 001	228	05 135380 001	198

Code No.	Page	Code No.	Page	Code No.	Page	Code No.	Page
05 135381 001	198	05 136309 001	206	05 300416 001	216	05 347777 001	57
05 135382 001	198	05 136310 001	206	05 300417 001	216	05 347778 001	23
05 135383 001	198	05 136311 001	215	05 300418 001	216	05 350430 001	228
05 135384 001	198	05 136312 001	215	05 302400 001	219	05 350451 001	282
05 135385 001	198	05 136313 001	215	05 302401 001	219	05 380033 001	228
05 135386 001	198	05 136314 001	215	05 302402 001	219	05 380045 001	228
05 135387 001	198	05 136315 001	215	05 302403 001	219	05 380046 001	228
05 135400 001	216	05 136316 001	215	05 308428 001	214	05 380047 001	228
05 135401 001	216	05 136385 001	256	05 311517 001	247	05 380048 001	228
05 135402 001	216	05 136390 001	273	05 314753 001	216	05 380049 001	228
05 135403 001	216	05 136391 001	273	05 319835 001	214	05 380050 001	228
05 135404 001	216	05 136392 001	258	05 320430 001	218	05 380103 001	226
05 135405 001	216	05 136393 001	275	05 320533 001	219	05 380104 001	226
05 135406 001	216	05 136400 001	122	05 320540 001	22	05 380105 001	226
05 135407 001	216	05 137810 001	28	05 323780 001	196	05 380106 001	226
05 135408 001	216	05 138070 001	13	05 323781 001	196	05 380107 001	226
05 135409 001	216	05 138250 001	23	05 324901 001	234	05 380108 001	226
05 135420 001	217	05 138257 001	15	05 326310 001	218	05 380109 001	226
05 135421 001	217	05 138258 001	15	05 328448 001	214	05 380110 001	226
05 135422 001	217	05 138259 001	15	05 332600 001	214	05 380124 001	229
05 135423 001	217	05 138260 001	15	05 332606 001	218	05 380125 001	229
05 135424 001	217	05 138261 001	15	05 332607 001	216	05 380126 001	229
05 135425 001	217	05 138262 001	15	05 332609 001	216	05 380127 001	229
05 135430 001	219	05 138263 001	15	05 332610 001	216	05 380128 001	229
05 135431 001	219	05 138264 001	15	05 332612 001	218	05 380129 001	229
05 135432 001	219	05 138265 001	15	05 340245 001	231	05 380130 001	229
05 135433 001	219	05 138266 001	15	05 340260 001	257	05 380131 001	229
05 135434 001	219	05 138268 001	15	05 340322 001	266	05 380155 001	188
05 135435 001	219	05 138269 001	15	05 340330 001	11	05 380156 001	188
05 135436 001	219	05 138270 001	15	05 342920 001	209	05 380157 001	188
05 135440 001	219	05 140310 001	182	05 344280 001	219	05 380158 001	189
05 135441 001	219	05 160785 001	77	05 344281 001	219	05 380160 001	194
05 135442 001	219	05 160821 001	219	05 344282 001	219	05 380161 001	194
05 135443 001	219	05 160830 001	214	05 344511 001	249	05 380200 001	196
05 135530 001	196	05 160885 001	228	05 344512 001	249	05 380201 001	196
05 135531 001	196	05 160895 001	197	05 344513 001	249	05 380202 001	196
05 135532 001	196	05 160896 001	195	05 344514 001	249	05 380380 001	198
05 135705 001	197	05 160899 001	195	05 344515 001	234	05 380381 001	198
05 135706 001	197	05 160901 001	197	05 344900 001	218	05 380382 001	198
05 135810 001	266	05 160908 001	197	05 345018 001	216	05 380383 001	198
05 135870 001	170	05 160916 001	194	05 345019 001	218	05 480171 001	190
05 135871 001	170	05 160917 001	218	05 345026 001	216	05 480172 001	190
05 135902 001	239	05 160924 001	246	05 345028 001	216	05 480173 001	190
05 135903 001	239	05 160956 001	218	05 345032 001	216	05 480221 001	202
05 135904 001	239	05 160976 001	246	05 345035 001	216	05 480222 001	202
05 135906 001	58	05 160977 001	246	05 345047 001	214	05 480223 001	202
05 135918 001	124	05 160979 001	246	05 345056 001	216	05 670446 001	185
05 135926 001	169	05 160981 001	246	05 345280 001	54	05 670447 001	185
05 135927 001	173	05 160983 001	195	05 345281 001	33	05 670448 001	185
05 135928 001	172	05 160987 001	242	05 345282 001	33		
05 135938 001	36	05 160988 001	242	05 345284 001	32		
05 135939 001	171	05 161010 001	194	05 345285 001	32		
05 135942 001	157	05 161011 001	194	05 345290 001	31		
05 135949 001	76	05 200495 001	220	05 345350 001	216		
05 135961 001	57	05 200496 001	216	05 345351 001	216		
05 135973 001	46	05 200498 001	230	05 345352 001	216		
05 136000 001	247	05 200995 001	126	05 346280 001	176		
05 136001 001	248	05 203913 001	196	05 346281 001	189		
05 136002 001	248	05 203914 001	196	05 346285 001	197		
05 136011 001	279	05 204126 001	219	05 346286 001	197		
05 136026 001	173	05 221102 001	229	05 346287 001	197		
05 136027 001	61	05 221110 001	234	05 346288 001	228		
05 136220 001	215	05 223161 001	22	05 346293 001	123		
05 136301 001	229	05 259135 001	219	05 347100 001	246		
05 136302 001	229	05 300004 001	44	05 347106 001	20		
05 136303 001	229	05 300025 001	220	05 347107 001	60		
05 136304 001	229	05 300037 001	220	05 347108 001	60		
05 136305 001	196	05 300412 001	216	05 347153 001	257		
05 136306 001	196	05 300413 001	216	05 347735 002	22		
05 136307 001	196	05 300414 001	216	05 347736 002	22		
05 136308 001	206	05 300415 001	216	05 347743 001	12		

Article No. Index

100	301	165 i PZ VDE SB	51	355 PZ Stubby	19
100 L	302	165 i PZ/S VDE	52	355 SK PZ	12
100 S	302	165 i PZ/S VDE SB	52	367 K TORX®	15
101	302	165 iS PZ/S VDE	52	367 TORX®	14
101 L	302	165 iS PZ/S VDE # 1 + 2	58	367 TORX® SB	15
102	302	165 iS VDE	51	367/6 TORX®	23
102 L	302	165 iSS VDE PZ/S	53	367 TORX® BO	15
1013 Kraftform Micro	34	167 i TORX® VDE	53	367/6 TORX® BO	23
1013 Kraftform Micro ESD	44	167 i/6	56	367 TORX® HF	14
1160 i VDE	68	168 i VDE	53	367/4 TORX® HF	23
1160 i/7 VDE	69	168 i VDE SB	54	367/6 TORX® HF	23
1160 i/1165 i/7 VDE	69	190 i VDE	54	367/7 TORX® HF	22
1162 i PH VDE	68	247	54	367 TORX® Stubby	19
1165 i PZ VDE	69	247 SB	54	367 TORX PLUS®	16
1267 A TORX®	29	2035 Micro	31	368	16
1267 A TORX PLUS®	29	2035/6 A Micro	36	368 SB	17
1267 B TORX®	29	2035/6 B Micro	37	368 Stubby	19
1267 B TORX PLUS®	29	2050 PH Micro	31	371 TORQ-SET® Mplus	16
1334	26	2050/6 PH Micro	37	375 TRI-WING®	17
1334/6	27	2052 Micro	33	378 B	11
1334/1355/6	27	2052/6 Micro	37	391	17
1335	26	2054 Micro	32	391/3	24
1335/1350/1355/6	27	2055 PZ Micro	31	392	176
1350 PH	26	2067 TORX® Micro	32	395	17
1355 PZ	27	2067 TORX® HF Micro	32	395 HO	18
1367 TORX®	27	2067 TORX® BO Micro	32	395 HO/3	24
1367/6 TORX®	27	2067/6 TORX® BO Micro	37	395 HO/7 SM	24
1427	30	2067 TORX PLUS® IPR Micro	32	3160 i VDE	48
1428	30	2069 Micro	33	3160 i/7 Rack	49
1429	33	2069/6 Micro	38	3162 i VDE	48
1430 ESD	281	2072 Micro	33	3165 i PZ VDE	48
1440/1442	30	2090	301	3165 i/6 Rack	49
1441	30	2090/17	301	3334	4
1460 Micro ESD	285	300 Hex	285	3334/6	5
1550 PH ESD Micro	42	300 Hex Pistol	286	3334/3350/3355/6	6
1550/6 PH ESD Micro	44	300 IP	286	3334/3355/6	5
1555 PZ ESD Micro	42	300 IP Pistol	286	3335	4
1567 TORX® ESD Micro	43	300 TX	286	3350 PH	4
1567 TORX® HF ESD Micro	43	300 TX Pistol	286	3355 PZ	5
1567 TORX PLUS® IPR ESD Micro	43	300/7 Mix 1	25	3367 TX	5
1569 ESD Micro	43	300/7 Mix 2	26	3368	5
1572 ESD Micro	43	334	11	3800/1 TS	221
1578 A ESD Micro	42	334 SB	11	3800/4	222
1578 A/6 ESD Micro	44	334/6	21	3816 R	175
160 i VDE	49	334/355/6 Rack	21	3840/1 Hex-Plus	225
160 i VDE SB	50	334/368/6	23	3840/4 Hex-Plus	227
160 i/6 Rack	55	334 SK	11	3851/1 TS PH	186
160 i/7 Rack	56	334 SK/6	20	3851/1 TS PH SB	187
160 i/162 i/167 i/9	58	334/355 SK/6	21	3851/4	192
160 i/165 i/7 Rack	56	335	10	3855/1 TS PZ	199
160 i/168 i/6 Rack	57	335 SB	10	3855/1 TS PZ SB	200
160 iS VDE	50	335 Stubby	18	3855/4	204
160 iS/7	56	335/350/355/3	22	3867/1 TS TORX®	208
160 iSS VDE	50	335/350/355/4	22	3867/1 TS TORX® SB	208
160 iSS/7	57	335/350/355/6	21	3867/4 TORX®	213
162 i PH VDE	50	335/350/367/7	22	3867/4 TORX® BO	217
162 i PH VDE SB	50	350 PH	12	3868/1 TS	231
162 i PH/S VDE	51	350 PH SB	12	3868/4	233
162 i PH/S VDE SB	52	350 PH Stubby	19	3869/4	238
162 iS VDE	51	350 SK PH	11	3888/4/1 K	241
162 iSS	51	352	13	3888/4/1 K SB	241
162 iS PH/S VDE	52	354 Hex-Plus	13	3950 PKL	146
164 i VDE	53	355 PZ	12	3950 PKL Imperial	146
165 i PZ VDE	51	355 PZ SB	12	3950 SPKL Multicolour	146

3950/9 Hex-Plus Imperial Stainless 1	141	7400 Imperial, pre-set	284	813	176
3950/9 Hex-Plus Multicolour		7400 Imperial, Pistol	280	813 R	175
Stainless 1	140	7400 Imperial, Pistol, pre-set	285	813 R ESD	45
3950/9 Hex-Plus Stainless 1	140	7400 Pistol	280	816 R	175
3950/9 Hex-Plus Stainless 1 SB	140	7400 pre-set	284	816 R ESD	45
3967 SXL HF TORX® Multicolour	153	7400 pre-set, Pistol	284	816 R SB	175
3967/9 TX SXL Multicolour HF		7400 VDE	63	816 RA	177
Stainless 1	151	7440/41	282	817 R	175
400 Hex	287	7440/41/42	282	817 R SB	175
400 i Hex	73	7443/12	283	817 VDE	63
400 TX	287	7443/61/9	283	819/1 Vario	176
416 R	40	7445/46/47	282	819/1/6	176
454	38	7761	300	819/1/6 PH	176
454 HF	38	7762	300	820/1/6	176
454 Imperial	38	7763	300	826 T Kraftform Turbo	157
454 Imperial HF	39	7770	294	827 T i Kraftform Turbo	65
454/7 HF Set 1	40	7771	295	830	181
454/10 HF Set Imperial 1	41	7772 A	295	840/1 BTZ Hex-Plus	225
467 TORX® HF	39	7772 B	296	840/1 Impaktor DC	224
467/7 TORX® Set 1	41	7772 C	296	840/1 IMP DC SB	224
495	39	7773 A	296	840/1 Z Hex-Plus	226
68	182	7773 B	296	840/1 Z Set SB	226
6000 Joker	132	7773 C	297	840/2 Z	229
6000 Joker Imperial	132	7774/1	297	840/4 Impaktor DC	227
6000 Joker 4 Set 1	133	7774/2	297	840/4 IMP DC SB	227
6000 Joker 4 Imperial Set 1	134	7774/3	297	840/4 Z Hex-Plus	228
6000 Joker 8 Imperial Set 1	133	7775	298	840/4 Z Hex-Plus SB	229
6000 Joker 11 Set 1	133	7776	298	840/1 Z Hex-Plus B0	230
6000/6002 Joker 6 Set 1	133	7779/1	299	840/4 Z Hex-Plus B0	230
6001 Joker Switch	135	7779/2	299	840/9 C	229
6001 Joker Switch Imperial	135	7780	294	842/1 Z	226
6001 Joker Switch 4 Set 1	136	7781	295	842/4	229
6001 Joker Switch 4 Imperial Set 1	136	7782 C	296	842/9 C	230
6001 Joker Switch 8 Imperial Set 1	136	7782 E	296	843	275
6001 Joker Switch 11 Set 1	135	7783 C	297	844	275
6002 Joker Double	135	7783 E	297	844/7	275
6003 Joker	137	7786	299	845	276
6003 Joker Imperial	137	7790/1	299	845/8	276
6003 Joker 5 Set 1	138	7790/2	299	846 HSS	276
6003 Joker 5 Imperial Set 1	138	80	181	846/8	276
6003 Joker 8 Imperial Set 1	138	80 RA	178	847 HSS	277
6003 Joker 11 Set 1	137	81	182	847/7 HSS	277
6004 Joker L	139	82	182	848 HSS	277
6004 Joker S	139	83	182	848/851/867/19	278
6004 Joker XXL	139	84	182	849 HSS	278
700 A HTS	236	85	182	849/855/867/18	279
700 B HTS	236	86	182	851/1 A PH	188
700 C HTS	236	87	182	851/1 ADC PH	188
712	181	88/1	180	851/1 AH	188
780 A	249	800/1 BDC	221	851/1 BDC PH	187
780 B	249	800/1 BTZ	221	851/1 BDC PH SB	187
780 C	249	800/1 HTN	236	851/1 BTH PH	187
784 A/1	249	800/1 TZ	221	851/1 BTZ PH	188
784 B	249	800/1 Z	222	851/1 Impaktor DC	186
784 C	249	800/1 Z Set	222	851/1 IMP DC SB	186
797 A/4/1 B	243	800/1 Z Set D	222	851/1 J	191
797 B/4/1 B	243	800/2 Z	223	851/1 RDC PH	189
7400	280	800/4 Z	223	851/1 RH PH	189
7400 ESD	280	800/9 C	223	851/1 RZ PH	189
7400 ESD Halfmoon	281	807/4 Z	223	851/1 RZ PH SB	189
7400 ESD Imperial	281	810/1 Vario	177	851/1 TH PH	189
7400 ESD, pre-set	284	811/1 ESD Stubby	47	851/1 TiN PH	190
7400 ESD, pre-set, Halfmoon	285	811/1 Stubby	177	851/1 TiN PH SB	190
7400 Imperial	280	812/1 Vario	177	851/1 TZ PH	190

Article No. Index

851/1 TZ PH SB	190	855/11 PZ	206	870/1	247
851/1 Z PH	190	855/12 PZ	206	870/2	248
851/1 Z PH DIY	191	855/15 PZ	207	870/4	248
851/1 Z PH DIY 100	191	856/1 TZ ACR® PZ	202	870/4 A	247
851/1 Z PH SB	191	857/1 Z	237	870/4 SB	248
851/2 Z PH	197	857/4 Z	237	870/4/7 Set A SB	248
851/4 A PH	195	860/1 XZN	235	870/7	248
851/4 ADC PH	194	860/4 XZN	236	870/14	248
851/4 BDC PH	193	864/1 BTZ	220	871/1 DC TORQ-SET® Mplus	233
851/4 BTH PH	193	864/1 Z	220	871/1 TORQ-SET® Mplus 25 mm	234
851/4 BTZ PH	193	867/1 Impaktor DC	207	871/1 TORQ-SET® Mplus 32 mm	234
851/4 Harpoon DC	194	867/1 IMP DC SB	207	871/2 TORQ-SET® Mplus	234
851/4 Impaktor DC	192	867/1 TORX®	210	871/4 DC TORQ-SET® Mplus	234
851/4 IMP DC SB	192	867/1 TORX® DIY	211	871/4 TORQ-SET® Mplus	234
851/4 J	196	867/1 TORX® DIY 100	211	871/6 TORQ-SET® Mplus	234
851/4 PH/S	207	867/1 TORX® SB	211	871/7 TORQ-SET® Mplus	235
851/4 R PH	195	867/1 TORX® BDC	209	871/19 TORQ-SET® Mplus	235
851/4 RH	194	867/1 TORX® BDC SB	209	872/9	237
851/4 TH PH	195	867/1 TORX® BTZ	209	872/21	237
851/4 TZ PH	195	867/1 TZ TORX®	210	875/1 TRI-WING® 25 mm	235
851/4 TZ PH SB	195	867/1 Z TORX® HF	210	875/1 TRI-WING® 32 mm	235
851/4 Z PH	196	867/1 Z TORX® W	212	875/4 TRI-WING®	235
851/4 Z PH SB	196	867/1 ZA TORX®	212	875/6 TRI-WING®	235
851/9 C	198	867/2 Z TORX®	215	879/4	239
851/11 PH	197	867/4 TORX® Impaktor DC	212	887/4 RR	242
851/12 PH	197	867/4 TORX® IMP DC SB	212	887/4 RR SB	242
851/15 PH	197	867/4 H TORX®	214	888/4/1 K	242
851/16 PH	198	867/4 TORX® HF	213	889/4 R	242
851/21 J	198	867/4 TORX® KK	213	889/4/1	242
851/22	198	867/4 Z TORX® SB	215	889/4/1 K	242
851/23 PH	197	867/4 Z TORX®	214	889/4/1 K SB	242
851/25 H	198	867/9 C TORX®	215	890/00/0	244
853/1 TZ ACR® PH	190	867/11 TORX®	216	890/4/1	245
853/4 ACR®	197	867/12 TORX®	216	890/6/1	245
853/4 ACR® Harpoon	197	867/15 TORX®	216	890/7/1	245
853/4 ACR® SL	196	867/16 TORX®	216	890/7/2	245
855/1 BDC PZ	200	867/21 TORX®	217	891/4/1	247
855/1 BDC PZ SB	200	867/22 TORX®	217	891/8/1	247
855/1 BTH PZ	200	867/1 Z TORX® BO	217	893/4/1 K	245
855/1 BTZ PZ	201	867/4 Z TORX® BO	218	893/4/1 K SB	245
855/1 Impaktor DC	199	867/1 IP TORX PLUS®	218	894/4/1	243
855/1 IMP DC SB	199	867/4 IP TORX PLUS®	218	894/4/1 K	243
855/1 RZ PZ	201	867/9 C IP TORX PLUS®	218	894/14/1	243
855/1 TH PZ	201	867/21 IP TORX PLUS®	219	895/4/1	244
855/1 TH PZ SB	202	867/22 IP TORX PLUS®	219	895/4/1 K	243
855/1 TIN PZ	202	867/1 IPR TORX PLUS®	219	895/4/1 K SB	244
855/1 TIN PZ SB	202	867/4 IPR TORX PLUS®	219	895/14/1	244
855/1 TZ PZ	202	867/9 IPR TORX PLUS®	220	896/4/1 SB	247
855/1 Z PZ	203	867/21 IPR TORX PLUS®	220	897/4 IMP R	240
855/1 Z PZ DIY	203	868/1 BTZ	231	897/4 Impaktor	240
855/1 Z PZ DIY 100	203	868/1 Impaktor DC	230	897/4 Impaktor R	240
855/1 Z PZ SB	203	868/1 IMP DC SB	230	897/4 R	241
855/2 Z PZ	206	868/1 V	231	897/4 R SB	241
855/4 BDC PZ	205	868/1 Z	232	898/4	244
855/4 BTH PZ	205	868/4	233	898/9	244
855/4 BTZ PZ	205	868/4 BTZ	233	898/21	244
855/4 Impaktor DC	204	868/4 Impaktor DC	232	899/3/1	246
855/4 IMP DC SB	204	868/4 IMP DC SB	232	899/4/1	246
855/4 PZ/S	207	868/4 V	233	899/4/1 SB	246
855/4 TH PZ	205	869/4	238	899/4/1 S	246
855/4 TZ PZ	205	869/4 M	238	899/5/1	246
855/4 TZ PZ SB	205	869/4 M SB	239	899/8/1	246
855/4 Z PZ	206	869/4 M SB Set A	239	899/8/1 K	246
855/4 Z PZ SB	206	869/9	239	899/14/1	247

899/14/1 SB	247	8760 B VDE XZN	71	930 A	28
8000 A	78	8767 A HF	85	930/935/6	28
8000 A SB	78	8767 A HF 1	86	930/955/6	28
8000 B	93	8767 B HF	99	932 A	6
8000 B SB	93	8767 B HF 1	100	932 A SB	7
8000 C	107	8767 B VDE HF	71	932 AS	7
8000 C SB	107	8767 C HF	116	932/6	8
8000 E	122	8767 C HF 1	117	932 S/6	9
8001 A SB	129	8767 C HF 2	117	932/918/6	9
8002 C All Inclusive Set	121	8767 C HF 3	117	935 SPH	28
8002 C Set	121	8780 C	121	950	149
8003 A	80	8781 C	122	950 BM	150
8003 B	94	8782 C	122	950 L	149
8003 C	110	8784 A1	90	950 L HF	149
8004 A	82	8784 B1	104	950 PKL	148
8004 B	96	8784 C2	120	950 PKL BM	148
8004 C	111	8789 A	89	950 PKL Imperial	148
8005 Zyklus Mini 2	130	8789 B	103	950 PKLS	148
8006 C	108	8789 C	120	950 PKS	149
8006 SC 1	107	8790 B VDE	71	950 SPKL HF Multicolour	147
8007 B VDE	70	8790 C HF 1	114	950 SPKL Imperial	147
8008 A Zyklus Mini 3	130	8790 C Impaktor	111	950 SPKL Multicolour	147
8100 SA All-In	74	8790 C Wheel Impaktor	114	950 SPKS Multicolour	147
8100 SA 2	76	8790 FA	131	950/7 Hex-Plus 1	145
8100 SA 4	77	8790 HMA	82	950/7 Hex-Plus Magnet 1	144
8100 SA 6	75	8790 HMA Deep	85	950/7 Hex-Plus Multicolour Magnet 1	142
8100 SA 7	79	8790 HMA HF	83	950/9 Hex-Plus 1	143
8100 SA 8	81	8790 HMB	96	950/9 Hex-Plus 1 SB	143
8100 SA 9	75	8790 HMB Deep	98	950/9 Hex-Plus 2	143
8100 SA 10	80	8790 HMB HF	97	950/9 Hex-Plus 3	143
8100 SA 11	81	8790 HMC	112	950/9 Hex-Plus 4	143
8100 SA 12 HF	82	8790 HMC Deep	115	950/9 Hex-Plus 5	144
8100 SA/SC 2	77	8790 HMC HF	113	950/9 Hex-Plus 6	144
8100 SB 2	92	8794 A	89	950/9 Hex-Plus 6 SB	144
8100 SB 4	92	8794 B	104	950/9 Hex-Plus 7	144
8100 SB 6	91	8794 C	120	950/9 Hex-Plus Imperial 1	145
8100 SB 7	93	8794 LA	89	950/9 Hex-Plus Imperial 1 SB	145
8100 SB 8	95	8794 LB	103	950/9 Hex-Plus Multicolour 1	141
8100 SB 9	91	8794 LB VDE	72	950/9 Hex-Plus Multicolour 1 SB	141
8100 SB 10	94	8794 LC	119	950/9 Hex-Plus Multicolour 2	142
8100 SB 11	95	8794 SA	89	950/9 Hex-Plus Multicolour HF 1	141
8100 SB HF 1	96	8794 SB	103	950/9 Hex-Plus Multicolour Imperial 1	142
8100 SB VDE 1	69	8794 SB VDE	72	950/13 Hex-Plus Imperial 1	145
8100 SC 2	106	8794 SC	120	950/9 L Hex-Plus HF 1	142
8100 SC 4	106	8795 A	89	955 SPZ	28
8100 SC 6	105	8795 B	103	967 L TORX® HF	155
8100 SC 7	109	8795 C	120	967 PKL TORX®	155
8100 SC 8	110	8796 LA	88	967 PKXL TORX®	154
8100 SC 9	105	8796 LB	103	967 SL TORX® HF	153
8100 SC 10	109	8796 LC	119	967 SPKXL TORX® Multicolour	153
8100 SC 11	111	8796 SA	89	967 SXL TORX® Multicolour	154
8740 A	87	8796 SB	103	967 SXL HF TORX® Multicolour	153
8700 A FL	88	8796 SC	119	967 TORX®	155
8740 A HF	87	8797 C	108	967 XL TORX®	154
8740 A HF 1	88	91	181	967 XL HF TORX®	154
8740 B HF	101	95 Vario	181	967/9 TX 1	152
8740 B HF 1	102	917 SPH	7	967/9 TX 1 SB	152
8740 B HF Imperial 1	102	917 SPH SB	7	967/9 TX HF 1	151
8740 B VDE HF	71	917 SPHS	7	967/9 TX Multicolour HF 1	151
8740 C HF	118	918 SPZ	7	967/9 TX XL 1	152
8740 C HF 1	119	918 SPZ SB	8	967/9 TX XL HF 1	151
8740 C HF 2	119	919 PH	155	967/9 TX XL Multicolour 1	151
8751 A	88	919 PZ	155	967/9 TX XL Multicolour HF 1	151
8755 A	88	920 A	155	967 SPKL TORX® BO Multicolour	154

Article No. Index

967/9 TX B0 Multicolour 1	152	Bit-Check 6 Universal 2 SB	269	Bit-Check 12 Wood 2	273
967/9 TX B0 Multicolour 1 SB	152	Bit-Check 6 Universal 3	270	Bit-Check 12 Wood 2 SB	273
977 TORX®	8	Bit-Check 6 V Universal 1	271	Bit-Check 12 Wood 3	274
977/6 TORX®	9	Bit-Check 7 Diamond 1	259	Bit-Check 12 Wood 4	274
9100	174	Bit-Check 7 Diamond 1 SB	259	Bit-Check 30 BiTorsion 1	255
Belt A 0/8	90	Bit-Check 7 Hex-Plus 1	268	Bit-Check 30 Diamond 1	258
Belt A 0/9	90	Bit-Check 7 PH BiTorsion 1	257	Bit-Check 30 Impaktor 1	250
Belt A 1	83	Bit-Check 7 PH Diamond 1	260	Bit-Check 30 Impaktor 2	250
Belt A 2	87	Bit-Check 7 PZ BiTorsion 1	257	Bit-Check 30 Metal 1	274
Belt A 3	86	Bit-Check 7 PZ Diamond 1	259	Bit-Check 30 Stainless 1	253
Belt A 4	84	Bit-Check 7 PZ Diamond 1 SB	260	Bit-Check 30 TX Universal 1	262
Belt A Deep 1	85	Bit-Check 7 PZ Universal 1	267	Bit-Check 30 Universal 1	262
Belt A Imperial 1	84	Bit-Check 7 PZ Universal 1 SB	267	Bit-Check 30 Wood 1	272
Belt B 0/8	104	Bit-Check 7 PZ Universal 2	267	Bit-Check 30 Wood 2	272
Belt B 0/9	104	Bit-Check 7 TiN PZ Universal 1 SB	269	Bit-Check 30 Zyklus Mini 1	123
Belt B 1	97	Bit-Check 7 TiN Universal 1	268	Bit-Check 30 Zyklus Mini 2	123
Belt B 2	101	Bit-Check 7 TiN Universal 1 SB	268	Bit-Safe 43 Universal 1	261
Belt B 3	100	Bit-Check 7 TX B0 Universal 1	268	Bit-Safe 61 BiTorsion 1	255
Belt B 4	98	Bit-Check 7 TX Diamond 1	260	Bit-Safe 61 Universal 1	261
Belt B Deep 1	99	Bit-Check 7 TX Universal 1	267	Bit-Safe 61 Wood 1	272
Belt B Imperial 1	102	Bit-Check 7 TX Universal 1 SB	267	Click-Torque A 5	287
Belt B VDE 0/10	73	Bit-Check 7 Universal 1	265	Click-Torque A 6	287
Belt B VDE 1	70	Bit-Check 7 Universal 1 SB	266	Click-Torque A 6 Set 1	288
Belt C 0/6	122	Bit-Check 7 Universal 2	266	Click-Torque B 1	289
Belt C 1	113	Bit-Check 7 Universal 3	266	Click-Torque B 2	289
Belt C 2	118	Bit-Check 7 Universal 4	266	Click-Torque C 1	289
Belt C 3	116	Bit-Check 10 BiTorsion 1	256	Click-Torque C 2	289
Belt C Deep 1	115	Bit-Check 10 BiTorsion 2	256	Click-Torque C 3	290
Belt C Impaktor 0/9	122	Bit-Check 10 BiTorsion 3 SB	256	Click-Torque C 3 Set 1	290
Belt C Impaktor 1	112	Bit-Check 10 Diamond 1	259	Click-Torque C 4	290
Bicycle Set 1	128	Bit-Check 10 Drywall 1	279	Click-Torque C 5	291
Bicycle Set 2	165	Bit-Check 10 Impaktor 1 SB	251	Click-Torque E 1	291
Bicycle Set 3	129	Bit-Check 10 Impaktor 2	251	Click-Torque X 1	291
Bicycle Set 4	145	Bit-Check 10 Impaktor 3	251	Click-Torque X 2	291
Bicycle Set Torque 1	289	Bit-Check 10 Impaktor 4	251	Click-Torque X 3	292
Bit-Box 15 Impaktor PH	186	Bit-Check 10 PZ BiTorsion 1	257	Click-Torque X 4	292
Bit-Box 15 Impaktor PZ	199	Bit-Check 10 PZ BiTorsion 2	257	Click-Torque X 5	292
Bit-Box 15 Impaktor TX	208	Bit-Check 10 PZ Impaktor 1	251	Click-Torque X 6	292
Bit-Box 20 BTH PZ	201	Bit-Check 10 PZ Universal 1	264	Click-Torque XP 1	292
Bit-Box 20 BTZ PH	188	Bit-Check 10 PZ Universal 2	265	Click-Torque XP 2	293
Bit-Box 20 BTZ PZ	201	Bit-Check 10 Stainless 1	254	Click-Torque XP 3	293
Bit-Box 20 BTZ TX	209	Bit-Check 10 Stainless 1 SB	254	Click-Torque XP 4	293
Bit-Box 20 PH	191	Bit-Check 10 TX Impaktor 1	251	K 70	185
Bit-Box 20 PZ	203	Bit-Check 10 TX Universal 1	265	K 120	185
Bit-Box 20 RZ PH	189	Bit-Check 10 TX Universal 2	265	K 240	185
Bit-Box 20 TX	211	Bit-Check 10 Universal 1	263	Kraftform 2go 100	55
Bit-Box 20 V Robertson	232	Bit-Check 10 Universal 2	263	Kraftform 2go 300	20
Bit-Check 6 Impaktor 1	252	Bit-Check 10 Universal 3	263	Kraftform Big Pack 100 VDE	55
Bit-Check 6 Impaktor 1 SB	252	Bit-Check 10 Universal 3 SB	264	Kraftform Big Pack 300	19
Bit-Check 6 Impaktor 2	252	Bit-Check 10 Universal 4	264	Kraftform Big Pack 900	8
Bit-Check 6 PH BiTorsion 1	257	Bit-Check 10 Universal 5 SB	264	Kraftform Kompakt 10	157
Bit-Check 6 PH Diamond 1	260	Bit-Check 10 Zyklus Mini 1	127	Kraftform Kompakt 100	167
Bit-Check 6 PH Impaktor 1	252	Bit-Check 10 Zyklus Mini BiTorsion 1	127	Kraftform Kompakt 12	157
Bit-Check 6 PZ Diamond 1	260	Bit-Check 12 BiTorsion 1	255	Kraftform Kompakt 20	159
Bit-Check 6 PZ Impaktor 1	252	Bit-Check 12 BiTorsion 1 SB	256	Kraftform Kompakt 20 A	159
Bit-Check 6 PZ Universal 1	270	Bit-Check 12 Diamond 1	258	Kraftform Kompakt 20 Tool Finder 1	158
Bit-Check 6 Stainless 1 SB	254	Bit-Check 12 Diamond 1 SB	258	Kraftform Kompakt 20 Tool Finder 2	159
Bit-Check 6 TX HF 1	271	Bit-Check 12 Metal 1	274	Kraftform Kompakt 20 Tool Finder 3	159
Bit-Check 6 TX Impaktor 1	253	Bit-Check 12 Metal 1 SB	275	Kraftform Kompakt 22	160
Bit-Check 6 TX Universal 1	270	Bit-Check 12 Stainless 1	253	Kraftform Kompakt 25	160
Bit-Check 6 TX Universal 1 SB	270	Bit-Check 12 Universal 1	262	Kraftform Kompakt 26	160
Bit-Check 6 Universal 1	269	Bit-Check 12 Universal 2	263	Kraftform Kompakt 27 RA 1 SB	180
Bit-Check 6 Universal 1 SB	269	Bit-Check 12 Wood 1	273	Kraftform Kompakt 27 RA 2 SB	180
Bit-Check 6 Universal 2	269	Bit-Check 12 Wood 1 SB	273	Kraftform Kompakt 28	161

Kraftform Kompakt 28 Imperial 1	161	Kraftform Kompakt Turbo 1	156	Kraftform Kompakt W 2	170
Kraftform Kompakt 28 SB	160	Kraftform Kompakt Turbo i 1	64	Kraftform Kompakt W Imperial 1	170
Kraftform Kompakt 40	161	Kraftform Kompakt Turbo i Imperial 1	65	Kraftform Kompakt Zyklus	78
Kraftform Kompakt 400	168	Kraftform Kompakt Turbo Imperial 1	156	Kraftform Kompakt Zyklus Mini 2	124
Kraftform Kompakt 41	161	Kraftform Kompakt Vario RA	178	Kraftform Kompakt Zyklus MS1	
Kraftform Kompakt 50	162	Kraftform Kompakt VDE 15 Torque		Metal/Speed 1/4"	76
Kraftform Kompakt 60	164	1,2-3,0 Nm extra slim 1	59	Kraftform Micro 12 Electronics 1	35
Kraftform Kompakt 60 ESD	45	Kraftform Kompakt VDE 16 extra slim 1	62	Kraftform Micro 12 Universal 1	35
Kraftform Kompakt 60 Imperial	164	Kraftform Kompakt VDE 16 Torque		Kraftform Micro Big Pack 1	34
Kraftform Kompakt 60 KK	164	1,2-3,0 Nm extra slim 1	58	Kraftform XXL	19
Kraftform Kompakt 60 RA	178	Kraftform Kompakt VDE 16 Universal 1	62	Kraftform XXL 2	20
Kraftform Kompakt 60 RA Imperial	178	Kraftform Kompakt VDE 17 extra slim 1	61	Kraftform XXL 3	20
Kraftform Kompakt 60 Stainless	163	Kraftform Kompakt VDE 17 Universal 1	61	ME 1	84
Kraftform Kompakt 60 Stainless Imperial	163	Kraftform Kompakt VDE 18 Imperial 1	60	Rack Kraftform	30
Kraftform Kompakt 60 Torque	162	Kraftform Kompakt VDE 18 Universal 1	59	Rack Kraftform Micro	30
Kraftform Kompakt 62	165	Kraftform Kompakt VDE 18 Universal 2	60	Stubby Set 1	24
Kraftform Kompakt 70 Allround	166	Kraftform Kompakt VDE 60 i	65	Stubby Set 2	25
Kraftform Kompakt 71 Security	166	Kraftform Kompakt VDE 60 iS	65	Stubby Set 3	25
Kraftform Kompakt 96 VK 6,3	68	Kraftform Kompakt VDE 62 i	65	Stubby Set TX 1	25
Kraftform Kompakt 97 VK 8,1	68	Kraftform Kompakt VDE 62 i PH/S	66	Tool-Check 1 SB	126
Kraftform Kompakt 98 DK	68	Kraftform Kompakt VDE 62 iS	66	Tool-Check Automotive 1	126
Kraftform Kompakt 99 FL	68	Kraftform Kompakt VDE 62 iS PH/S	66	Tool-Check PLUS	125
Kraftform Kompakt H 1	171	Kraftform Kompakt VDE 64 i	68	Tool-Check PLUS Imperial	125
Kraftform Kompakt M 1	172	Kraftform Kompakt VDE 65 i	66	Wera 2go 1	183
Kraftform Kompakt Micro 11 Electronics 1	36	Kraftform Kompakt VDE 65 i PZ/S	66	Wera 2go 2	183
Kraftform Kompakt Micro 11 ESD 1	47	Kraftform Kompakt VDE 65 iS	66	Wera 2go 2 XL	184
Kraftform Kompakt Micro 11 Universal 1	36	Kraftform Kompakt VDE 65 iS PZ/S	67	Wera 2go 3	184
Kraftform Kompakt Micro 20 ESD 1	46	Kraftform Kompakt VDE 67 i TORX®	67	Wera 2go 4	184
Kraftform Kompakt Micro 21 ESD 1	46	Kraftform Kompakt VDE 67 iS TORX®	67	Wera 2go 5	185
Kraftform Kompakt Pistol RA	179	Kraftform Kompakt VDE 68 i	67	Wera 2go 6	185
Kraftform Kompakt Pistol RA 4	179	Kraftform Kompakt VDE 68 iS	67	Wera 2go 7	185
Kraftform Kompakt SH 1	173	Kraftform Kompakt VDE 7 Imperial 1	63	Wera Star	29
Kraftform Kompakt SH 2	173	Kraftform Kompakt VDE 7 Universal 1	62	Wheel Impaktor C Set 1	114
Kraftform Kompakt Stubby 1	168	Kraftform Kompakt VDE 7 Universal 2	63	Zyklus Hybrid Set	108
Kraftform Kompakt Stubby ESD 1	47	Kraftform Kompakt W 1	169		



Wera Werkzeuge GmbH
Korzerter Straße 21-25
42349 Wuppertal



+49 / (0)202 / 40 45 - 0

Fax: +49 / (0)202 / 40 45 - 276

E-Mail: info@wera.de



WERA TOOLS IBERICA S.L.
C./Mogoda, 1-5 (Edificio Nodus)

Pno. Ind. Can Salvatella

E - 08210 Barberà del Vallès / Barcelona



+34/93/72 91 - 240

Fax: +34/93/22 97 - 241

E - Mail: ventas@weraspain.com



Wera Tools Finland Oy
Karhumaentie 3
01530 Vantaa



+358 45 206 9556

E-Mail: ahokas@wera.de



Wera Outillages S.A.S.
13, rue Ampère
F - 67500 Haguenau



+33 9 72 61 16 52

E - Mail: info@wera-outillages.fr



Wera Tools (UK) Ltd.
Railway View
Clay Cross
Chesterfield
S45 9FR



+44 (0)1246 / 27 77 56

Fax: +44 (0)1246 / 27 33 35

E-Mail: queries@wera-tools.co.uk



Wera Tools Inc.
4129 Harvester Rd, Unit H
Burlington, Ontario
Canada, L7L 5M3



1-800-267-55 41

E-Mail: info@weratools.com



Wera Tools Inc.
4129 Harvester Rd, Unit H
Burlington, Ontario
Canada, L7L 5M3



1-800-267-55 41

E-Mail: info@weratools.com



NL - Centrale regio
Gerard Kluck



+31 / 65 28 52 622

E-Mail: kluck@wera.de

NL - Noord
Frederik Koning



+31 / 615 26 36 97

E-Mail: koning@wera.de

NL - Zuid
Wouter Steijvers



+31 / 65 28 50 162

E-Mail: steijvers@wera.de



Wera Tools Inc.
4129 Harvester Rd, Unit H
Burlington, Ontario
Canada, L7L 5M3



1-800-267-55 41

E-Mail: info@weratools.com



Wera Tools Japan G.K



+81 70 4813 1142

E - Mail: frank.yang@wera.de

Imprint

Subject to technical modifications!

Any reprinting – even only excerpts – shall only be permissible with the prior written consent of the company Wera Werkzeuge GmbH.

Edition: EN 2020

Printed in Germany

Trademarks used:

ACR	Phillips Screw Company
ASSY	Adolf Würth GmbH & Co. KG
AW	Adolf Würth GmbH & Co. KG
HIOS	Totsu, Katsuyuki
Microstix	OSG System Products Co. Ltd.
Phillips Recess	Phillips Screw Company
Pozidriv	registered trademark for Phillips Screw Company in Canada, Mexico and in the USA; for Trifast plc in the UK
PZ	registered trademark for Phillips Screw Company in Canada, Mexico and in the USA
PZ1, PZ2, PZ3	registered trademark in the USA for Phillips Screw Company
Robertson	British Robertson S.L.U.
SDS plus	Robert Bosch GmbH
SIT	Adolf Würth GmbH & Co. KG
SPAX	SPAX International GmbH & Co. KG
T-STAR plus	SPAX International GmbH & Co. KG
TORQ-SET	Phillips Screw Company
TORX	Acument Intellectual Properties, LLC, Troy, Mich., US
TORX PLUS	Acument Intellectual Properties, LLC, Troy, Mich., US
TRI-WING	Phillips Screw Company

We reserve the right to modify without prior notification any details stated in this catalogue regarding product features, versions and designs.

No liability for printing errors or mistakes shall be assumed.



Contact us

All regions (except for North America, UK and Republic of Ireland)

Wera Werkzeuge GmbH · Germany Phone: +49 (0) 202 / 40 45-0
Korzerter Straße 21-25 Fax: +49 (0) 202 / 40 45 276
D-42349 Wuppertal E-Mail: info@wera.de

Internet:
www.wera.de

North America


Wera Tools Inc. Phone: 1-800-267-55 41
4129 Harvester Rd, Unit H E-Mail: info@weratools.com
Burlington, Ontario
Canada, L7L 5M3

Internet:
www.weratools.com

UK & Republic of Ireland

Wera Tools (UK) Ltd. Phone: +44 (0)1246 / 27 77 56
Railway View Fax: +44 (0)1246 / 27 33 35
Clay Cross E-Mail: queries@wera-tools.co.uk
Chesterfield
S45 9FR

Internet:
www.wera-tools.co.uk



EN 05 501174 020 – 0052570 - 01