

## 300 Hex torque-indicator, pistol grip, 4

### Series Torque-indicators



|                        |                 |                               |              |
|------------------------|-----------------|-------------------------------|--------------|
| <b>EAN:</b>            | 4013288099150   | <b>Size:</b>                  | 218x81x51 mm |
| <b>Part number:</b>    | 05027913001     | <b>Weight:</b>                | 219 g        |
| <b>Article number:</b> | 300 Hex Pistole | <b>Country of origin:</b>     | CZ           |
|                        |                 | <b>Customs tariff number:</b> | 82054000     |

- Torque-indicator with pre-set and tamperproof torque value
- Distinct audible and perceivable excess load signal when the pre-set torque value is reached
- Non-adjustable and tamperproof
- Unlimited torque for loosening seized screws
- Multi-component Kraftform pistol handle for fast and ergonomic screwdriving

Wera torque screwdriver with fixed torque for hexagon socket screws. Tamperproof and with a slim hex blade. Unlimited torque for loosening seized screws. Multi-component Kraftform handle for pleasant, ergonomic working that prevents blisters and calluses. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

#### Web link

[https://products.wera.de/en/torque\\_tools\\_series\\_torque-indicators\\_300\\_hex\\_pistole.html](https://products.wera.de/en/torque_tools_series_torque-indicators_300_hex_pistole.html)

Wera - 300 Hex Pistole  
05027913001 - 4013288099150


Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# 300 Hex torque-indicator, pistol grip, 4

## Series Torque-indicators



### Torque-indicators




Wera torque-indicators have been factory pre-set to values recommended by leading carbide tool manufacturers. These tightening values relate specifically to the size of the TORX®, TORX PLUS® or hexagon socket screw. Torque indicators ensure safe and easy loosening of screw connections. Precision :  $\pm 10\%$

### Tamperproof




Non-adjustable and tamperproof.

### For difficult-to-access places



Slim 4 mm hexagon blades to reach screws in difficult-to-access places.

### Excess-load signal



Distinctly audible and noticeable excess-load signal when the pre-set torque is reached

### Hex-Plus



Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

### Pistol handle



Multi-component Kraftform pistol handle for fast and ergonomic screwdriving

### Web link

[https://products.wera.de/en/torque\\_tools\\_series\\_torque-indicators\\_300\\_hex\\_pistole.html](https://products.wera.de/en/torque_tools_series_torque-indicators_300_hex_pistole.html)

Wera - 300 Hex Pistole  
05027913001 - 4013288099150

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# 300 Hex torque-indicator, pistol grip, 4

Series Torque-indicators



Further versions in this product family:

|             |  |  |  |  |  |  |  |
|-------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|             |                                                                                   | mm                                                                                | mm                                                                                | mm                                                                                | inch                                                                                | mm                                                                                  | inch                                                                                |
| 05027913001 | 4.0                                                                               | 160                                                                               | 100                                                                               | 65                                                                                | 2 9/16                                                                              | 25                                                                                  | 1                                                                                   |

## Web link

[https://products.wera.de/en/torque\\_tools\\_series\\_torque-indicators\\_300\\_hex\\_pistole.html](https://products.wera.de/en/torque_tools_series_torque-indicators_300_hex_pistole.html)

Wera - 300 Hex Pistole  
05027913001 - 4013288099150

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)