Bit Sets for Special Applications

















EAN: 4013288111661 Size: 140x115x45 mm

Part number: 05104653001 Weight: 298 g Article number: 849/855/867/18 Country of origin: CZ

> **Customs tariff** 82079030

number:

- Ideal for mobile repair and assembly work
- Rapidaptor holder for rapid bit change
- 1/4" drive suitable for power screwdrivers
- Rapidaptor universal holder, wood twist drill bits and bits with 1/4" drive
- In practical and robust belt pouch

18-piece wood twist drill bit and bit set. High quality, metal twist drill bits for precise, splinter-free drilling in soft wood, hard wood and laminated panel material. Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability. Very good concentricity. The hexagonal shaft ensures very good power transfer. The Rapidaptor universal holder ensures rapid bit change without any extra tools. Drive: 1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.

849/855/867/18 Wood Twist Drill Bits and Bits Set, 18 pieces

Bit Sets for Special Applications



Set contents:



889/4/1 K

05052502001 1 x 1/4" x 50 mm



867/1 TORX®

 05066485001
 1 x TX 10 x 25 mm

 05066486001
 1 x TX 15 x 25 mm

 05066487001
 1 x TX 20 x 25 mm

 05066488001
 1 x TX 25 x 25 mm

 05066490001
 1 x TX 30 x 25 mm

 05066491001
 1 x TX 40 x 25 mm

Twist drill bits for wood applications



Twist drill bits — for wood applications • 1/4" drive suitable for holders as per DIN 3126-D 6.3 (ISO 1173) • Hexagon shaft for very high torque transfer • HSS = high speed steel • Finely adjusted material elasticity for long service life • Excellent concentricity • Tough-absorbing tempered bits for particularly long service life

Rapidaptor holder



Rapid bit change without needing any additional tools. One-hand operation with a freely spinning sleeve for simplified guidance of the tool.

Magnetic



Bitholders, magnetic, for easier application of the screw.

TH-Bits



TH-Bits are hard bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.

Bit Sets for Special Applications



Chuck-all

The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Rapid-in and self-lock



The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

Rapid-out



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

Single-hand function



Every function of the Rapidator quick-release chuck, such as inserting or releasing bits, can be carried out with one hand. This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.