

www.exmweb.com

ELECTRICAL ENCLOSURES AND MODULAR CABINETS

19



EXM MANUFACTURING LTD.
Since 1975






Splitter Boxes & Troughs EEMAC/NEMA 1

The **1100 B** splitter boxes are designed for 600 V (max.) service of 3 to 4 wires, in ordinary locations. They are made of high quality 14 GA or 16 GA steel. They have mounting holes in the back, knockouts, bracket hinges and a provision for padlocking.

The phenolic insulated splitter blocks are factory installed. The 225, 400 and 600 lugs have removable tops, which allows wires to be put into place easily. Enclosures are finished with ANSI/ASA 61 smooth gray heat fused powder paint, electrostatically applied on a pretreated base. Inner panel is galvanized (other colors available).

CSA Certified
NEMA/EEMAC 1 / IP30
Refer to p.796 to validate choice of substrate for the application



Data subject to change without notice.


CATALOG NUMBER		MAX AMP. CU-AL	MAIN LUGS		BRANCH LUGS		DIMENSIONS			SHIP WGHT LBS.
3 WIRES	4 WIRES		QTY	WIRES	QTY	WIRES	A	B	C	
1100 B73	1100 B74	70	1	2-14	3	2-14	10	10	4	8
1100 B103	1100 B104	125	1	2/0-14	3	2/0-14	12	12	4	11
1100 B203	1100 B204	225	1	300MCM-6	3	2/0-14	18	12	5	16
1100 B403	1100 B404	400	1	600MCM-2	3	600MCM-2	22	20	6	34
1100 B603	1100 B604	600	2	600MCM-2	2	600MCM-2	26	25	7	49

CATALOG NUMBER		MAX AMP. CU-AL	MAIN LUGS		BRANCH LUGS		DIMENSIONS			SHIP WGHT LBS.
3 WIRES	4 WIRES		QTY	WIRES	QTY	WIRES	A	B	C	
1100 T273	1100 T274	70	1	2-14	6	2-14	24	5.750	4	12
1100 T373	1100 T374	70	1	2-14	6	2-14	36	6	4	15
1100 T473	1100 T474	70	1	2-14	6	2-14	48	6	4	20
1100 T2103	1100 T2104	125	1	1/0-14	6	2-14	24	6	4	12
1100 T3103	1100 T3104	125	1	1/0-14	6	2-14	36	6	4	15
1100 T4103	1100 T4104	125	1	1/0-14	6	2-14	48	6	4	20
1100 T5103	1100 T5104	125	1	1/0-14	6	2-14	60	6	4	24
1100 T6103	1100 T6104	125	1	1/0-14	6	2-14	72	6	4	28
1100 T2203	-----	225	1	300MCM-6	6	2/0-14	24	8.250	5	19
1100 T3203	1100 T3204	225	1	300MCM-6	6	2/0-14	36	8	5	26
1100 T4203	1100 T4204	225	1	300MCM-6	6	2/0-14	48	8	5	32
1100 T5203	1100 T5204	225	1	300MCM-6	6	2/0-14	60	8	5	40
1100 T6203	1100 T6204	225	1	300MCM-6	6	2/0-14	72	8	5	46
1100 T3403	-----	400	2	250MCM-1/0*	6	4/0-14	36	9.750	6	34
1100 T4403	1100 T4404	400	2	250MCM-1/0*	6	4/0-14	48	10	6	42
1100 T5403	1100 T5404	400	2	250MCM-1/0*	6	4/0-14	60	10	6	50
1100 T6403	1100 T6404	400	2	250MCM-1/0*	6	4/0-14	72	10	6	59
1100 T4603	1100 T4604	600	4	250MCM-1/0†	6	4/0-14	48	10	6	42
1100 T5603	1100 T5604	600	4	250MCM-1/0†	6	4/0-14	60	10	6	50
1100 T6603	1100 T6604	600	4	250MCM-1/0†	6	4/0-14	72	10	6	59

* OR 1 x 600MCM-2

† OR 2 x 600MCM-2

For 4 wire systems, add 1 lb to weight.





**870, Michele-Bohec Blvd.
Blainville (Quebec) J7C 5E2**

Tel.: (450) 979-4373

Fax: (450) 979-4626



**6010, Edwards Blvd.
Mississauga (Ontario) L5T 2W3**

Tel.: (905) 812-8065



**153, Northboro Road, Suite 9
Southborough (MA) 01772**

Tel.: (508) 624-8440

Fax: (866) 499-7490



**Building 21, No. 6, Maqiao Road
Changshu City, Jiangsu Prov.,
215513**

Tel.: +86 512 52190353 #702



**2450, Meadowpine Blvd.
Mississauga (Ontario) L5N 7X5**

Tel.: (905) 812-8065

Fax: (905) 812-9158



**5650, Stratum Drive
Fort Worth (TX) 76137**

Tel.: (817) 306-6166

Fax: (866) 324-4541



**18 Rong An Jie, Wuzhong Qu
Suzhou City, Jiangsu Prov.,
31.317749, 120.720074**

Tel.: +86 512 52190353 #702

EXM toll free numbers:

Tel.: 1 (800) 363-2423

Fax: 1 (800) 594-9595

www.exmweb.com

email: info@exmweb.com



EXM MANUFACTURING LTD.

Since 1975