



# **ALTREK**

**BATHTUBS AND SHOWERS**

STRONG, SLEEK, DEPENDABLE & BUILT TO LAST



GELCOAT BATHTUBS & SHOWERS

PRODUCT CATALOGUE  
WINTER 2019

## MISSION STATEMENT

To manufacture top quality fibreglass bathware products that surpass customer expectations and provide homeowners with durability, beauty and value that will last a LIFETIME.



**100% Canadian for over 30 years!**

## ALTREK'S STORY

### Since 1986

Altrek Industries is a family-owned and operated fibreglass bathtub and shower manufacturer in Okotoks, Alberta, Canada. Our bathtubs and showers are made with a gelcoat surface and reinforced with heavy-duty fibreglass, providing a sanitary, uninterrupted, smooth surface. Additional reinforcing and contouring provides our products with supplementary strength and durability. Only the highest quality materials are used in the manufacturing of our products.

One of Altrek's highest priorities is our customer service. We strive to maintain optimal relations with our clients and we offer them a personalized experience. We wouldn't be where we are today without our loyal customers and their referrals.

We pride ourselves on the efficiency of our manufacturing department due to our highly skilled fibreglass technicians. Products are able to go through the entire production line and be ready to be shipped within a couple of days. Altrek products are distributed throughout Alberta, Saskatchewan, Manitoba, and Eastern British Columbia by our plumbing wholesalers.

Innovation is our goal in this ever-evolving marketplace. We are continually expanding our product-line to meet the diverse and ever-expanding needs of our customers. Currently, our product offering consists of over 70 gelcoat fibreglass models of tub and wall units, skirted tubs, drop-in tubs, corner bathtubs, jetted tubs, showers, shower bases, shower roof caps, and barrier-free showers. You are sure to find the perfect product to fit your needs.



STRONG, SLEEK, DEPENDABLE & BUILT TO LAST

136 Fisher Street, Okotoks, Alberta, Canada T1S 1A9

Phone: 403-938-2448 • Fax: 403-938-6563 • Email: [sales@altrekproducts.com](mailto:sales@altrekproducts.com)

[www.altrekproducts.com](http://www.altrekproducts.com)

*#askforaltrek*



ITEM	PAGE
Warranty & Policies	5
Miscellaneous Items	6
New Products	7
Gelcoat Skirted Bathtubs	8
Gelcoat Drop-in Bathtubs	10
Gelcoat Corner Bathtubs	14
Gelcoat Bathtubs with Walls	15
Gelcoat Showers	20
Gelcoat Barrier-Free Showers	27
Gelcoat Shower Bases	28
Gelcoat Roof Caps	32
Splits & Knockdowns	34
Altрек Whirlpool & Air Systems	35

## **Terms**

2% - 15th of the month following – net 30 days. Prices do not include GST.

## **Projects**

Special Project pricing is available upon request. Please contact our Sales Manager.

## **Shipping Policy**

Altрек will prepay shipping within Calgary city limits for orders of twelve (12) items or more. For orders of twenty (20) items or more, we will prepay outside Calgary city limits. Orders shipping north of Edmonton will have to be quoted. Please contact our Sales Manager.

## **Return Policy**

Returns are subject to a 30% restocking charge and inspection. They must be shipped prepaid to Altрек Industries. Special orders, colours, jetted items and products over 6 MONTHS OLD are not eligible for credit. Debit Notes are not to be issued by clients without Altрек's authorization and Altрек has provided the exact dollar value of the refund.

## **Custom Color Policy**

Our standard color is white. Bone, biscuit and linen are an additional cost. Colors have been matched to fixture manufacturer's standards. However, we will not assume responsibility for the degree of accuracy, as light and type of finish may vary. Our end product is a durable, high-gloss gelcoat finish.

## **Repair & Warranty Policy**

It is our mission to provide our wholesalers and customers with the highest quality of products, making it critical that we are made aware of any shortcomings in our products so we may adjust our manufacturing process, if it is so required, and so we can ensure that the repairs are completed with the highest quality. Altрек does not cover repair charges if the repairs are not completed or approved by Altрек. For repair and warranty work, send in a copy of the invoice and a complete description of the issue.

## **Limited Warranty**

All Altрек products are subject to an industry competitive limited warranty. Altрек Industries Ltd. offers a five (5) year warranty from date of sale to the original owner on our products. This warranty does not cover materials and component parts manufactured by others (such as pumps, jets, pipes and fittings), which are subject to warranties offered by their original manufacturers. Altрек Industries Ltd. warrants to the purchaser that each Altрек product will be at anytime of sale, free from defect in material and workmanship.

Under no circumstances will Altрек Industries Ltd. assume liability for consequential damages or labor charges resulting there from. This warranty is non-transferable and shall be void if the unit is removed from its place of initial installation or is not installed in accordance with the manufacturer's instructions. Further, this warranty does not apply if the unit has been subject to an accident, abuse, misuse, damage caused by flood, fire, or act of God, or if the unit or the plumbing fixtures used in connection with it are not installed in compliance with local codes. Any modifications or alterations to a unit, without prior authorization from Altрек Industries Ltd. or the installation of therapy jets by anyone other than Altрек, will void all warranties.

Altрек cannot assume responsibility for code compliance in your specific region. Please check specifications and other information with the appropriate authorities before ordering. Altрек reserves the right to discontinue or make changes to product dimensions at any time.

## **Plumbing Info**

Products will not require special fittings. Most makes of tub and shower faucets are compatible. Extended waste and overflows may be required on certain bathtubs. All tubs are predrilled for 2" drains and 2½" overflows. All shower stalls and bases are predrilled for 3¼" drains.

## Jetting Options

<b>AJ-4 Jet System</b>	¾ HP motor, 2 air controls & 1 air push button
<b>AJ-6 Jet System</b>	¾ HP motor, 2 air controls & 1 air push button
<b>AJ-8 Jet System</b>	¾ HP motor, 2 air controls & 1 air push button
<b>AJ-Inline Heater</b>	Inline heater for jetting
<b>AJ-Air System</b>	12 pin hole air jets in bottom floor of tub
<b>Standard Jetting Includes:</b> <b>Note:</b> Jetting is a custom option and all orders take approximately one (1) week to complete. Please provide details in writing on the location of all jets.	2 air controls ¾ HP Motor c/w integral air switch button installed *Please specify pump and jet locations

## Miscellaneous Items

<b>AM-Access Large</b>	Gelcoat access panel large (55¾" x 14")
<b>AM-Access Small</b>	Gelcoat access panel small (18" x 12")
<b>AM-Acrylic Grab Bar</b>	Acrylic Grab Bar (each)
<b>AM-Air Switch</b>	Air Push Button Switch for Whirlpool Tub
<b>AM-BFS Seat (White Padded)</b>	White Padded Fold Up Seat for BFS Shower
<b>AM-Chrome Bar</b>	Chrome Grab Bar (each)
<b>AM-Flange</b>	Flange kit
<b>AM-Grab Bar 24</b>	Stainless Steel 24" Grab Bar
<b>AM-Grab Bar 36</b>	Stainless Steel 36" Grab Bar
<b>AM-Grab Bar L</b>	Stainless Steel "L" Shaped Grab Bar
<b>AM-Non Standard Colour</b>	Bone, Biscuit & Linen
<b>AM-Protective Tape</b>	Protective tape applied to unit



## INTRODUCING THE NEW AF-MONACO SERIES BY ALTREK

The new Monaco Series by Altrek has a unique look that is perfect for a contemporary bathroom. These units feature a deep tub with clean lines and a full length 3½" soap ledge to store your toiletries. Contractors will love the NEW simplified wall-to-tub installation design of the Split Series, which makes installation of the two or four pieces achievable in tight spaces. With additional features such as 80" height, adjustable legs for tub leveling and above floor rough-in, these split units are ideal for renovations and basement developments. As with all our product, the gel-coat finish offers a high gloss, durable, easy to maintain, mold and mildew resistant surface. These units also have a textured non-slip bottom.

### AF-MONACO 30/32 BATHTUB

The AF-Monaco Bathtub has a unique look that is perfect for contemporary bathrooms. This deep tub offers comfort with a 25° backrest and adjustable legs for easy leveling.

*For more details, see page 8.*



### AF-MONACO 32 SPLIT L/R

The AF-Monaco Split is a 2-piece renovator model. Using the AF-Monaco bathtub, we designed a unique wall set with a full length 3½" soap ledge to store your toiletries.

*For more details, see page 17.*



### AF-MONACO 30"/32" 4 PIECE SPLIT

The AF-Monaco 4-piece split is perfect for any renovation. Contractors will love the new simplified wall to tub installation. This is achieved with a dowel system on the back and sidewall panels, allowing for easy connection. This unit is shipped as one complete unit.

*For more details, see page 18.*



## AF-Little Dipper L/R

59 ½" x 32"

Skirted Bathtubs





<b>A</b>	59 ½"
<b>B</b>	32"
<b>C</b>	23 ¼"
<b>D</b>	15"
<b>E</b>	8"
<b>F</b> Overflow to Drain	15 ¼"

### Inner Tub Dimensions

<b>Top (L x W)</b>	52 x 26 ¼"
<b>Bottom (L x W)</b>	43 ½ x 18 ½"
<b>Volume</b>	198 L

Above Floor Model



## AF-Monaco 30 L/R

59 ¾" x 30"

NEW  
PRODUCT





<b>A</b>	59 ¾"
<b>B</b>	30 "
<b>C</b>	21"
<b>D</b>	15 ¾"
<b>E</b>	8"
<b>F</b> Overflow to Drain	17 ½"

### Inner Tub Dimensions

<b>Top (L x W)</b>	54½ x 23¼"
<b>Bottom (L x W)</b>	46 x 19¼"
<b>Volume</b>	181.7 L

Above Floor Model



## AF-Monaco 32 L/R

59 ¾" x 32 ½"

NEW  
PRODUCT





<b>A</b>	59 ¾"
<b>B</b>	32 ½"
<b>C</b>	24"
<b>D</b>	15 ¾"
<b>E</b>	10"
<b>F</b> Overflow to Drain	17 ½"

### Inner Tub Dimensions

<b>Top (L x W)</b>	51 ½ x 23 ¾"
<b>Bottom (L x W)</b>	41 x 20 ½"
<b>Volume</b>	181.7 L

Above Floor Model






## AF-Naturelle L/R

59 ¾" x 34"



<b>A</b>	59 ¾"
<b>B</b>	34"
<b>C</b>	23 ½"
<b>D</b>	16 ¼"
<b>E</b>	9"
<b>F</b> Overflow to Drain	17 ½"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	53 x 28"
<b>Bottom (L x W)</b>	40 x 19"
<b>Volume</b>	216 L

*Above Floor Model*




## AF-Nechako L/R

65 ½" x 33"



<b>A</b>	65 ½"
<b>B</b>	33"
<b>C</b>	20 ¼"
<b>D</b>	16"
<b>E</b>	10"
<b>F</b> Overflow to Drain	16"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	61 x 28"
<b>Bottom (L x W)</b>	47 x 18"
<b>Volume</b>	216 L

*Above Floor Model*




## AF-Spoiler L/R

72" x 37"



<b>A</b>	72"
<b>B</b>	37"
<b>C</b>	23"
<b>D</b>	18 ½"
<b>E</b>	8 ¾"
<b>F</b> Overflow to Drain	16 ¼"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	65 x 28"
<b>Bottom (L x W)</b>	50 ½ x 18"
<b>Volume</b>	252 L

*Above Floor Model*



## AF-Chateau L/R

72 ¼" x 43"





<b>A</b>	72 ¼"
<b>B</b>	43"
<b>C</b>	23 ¼"
<b>D</b>	21"
<b>E</b>	10"
<b>F</b> Overflow to Drain	15 ¾"

### Inner Tub Dimensions

<b>Top (L x W)</b>	62 ½ x 37 ½"
<b>Bottom (L x W)</b>	48 x 29"
<b>Volume</b>	270 L

*Above Floor Model*



## AT-Little Dipper

59 ¾" x 32"


Drop-in Bathtubs



<b>A</b>	59 ¾"
<b>B</b>	32"
<b>C</b>	17 ½"
<b>D</b>	16"
<b>E</b>	8 ½"
<b>F</b> Overflow to Drain	14 ¼"

### Inner Tub Dimensions

<b>Top (L x W)</b>	53 x 26 ¼"
<b>Bottom (L x W)</b>	43 ½ x 18 ½"
<b>Volume</b>	198 L



## AT-Naturelle


59 ¾" x 33 ¾"



<b>A</b>	59 ¾"
<b>B</b>	33 ¾"
<b>C</b>	19 ¾"
<b>D</b>	17"
<b>E</b>	9"
<b>F</b> Overflow to Drain	17"

### Inner Tub Dimensions

<b>Top (L x W)</b>	52 ½ x 28"
<b>Bottom (L x W)</b>	39 x 19"
<b>Volume</b>	216 L



## AT-Vogue


59" x 40 3/4"



<b>A</b>	59"
<b>B</b>	40 3/4"
<b>C</b>	15 3/4"
<b>D</b>	20 1/2"
<b>E</b>	8"
<b>F</b> Overflow to Drain	12 1/4"

### Inner Tub Dimensions

<b>Top (L x W)</b>	52 x 31"
<b>Bottom (L x W)</b>	42 x 28"
<b>Volume</b>	162 L



## AT-Baby Villa



60" x 41 1/4"



<b>A</b>	60"
<b>B</b>	41 1/4"
<b>C</b>	19"
<b>D</b>	21"
<b>E</b>	8"
<b>F</b> Overflow to Drain	16"

### Inner Tub Dimensions

<b>Top (L x W)</b>	53 x 32"
<b>Bottom (L x W)</b>	45 x 23"
<b>Volume</b>	216 L



## AT-Double Tub


59 3/4" x 47 3/4"



<b>A</b>	59 3/4"
<b>B</b>	47 3/4"
<b>C</b>	21 1/4"
<b>D</b>	23 7/8"
<b>E</b>	7 1/4"
<b>F</b> Overflow to Drain	18"

### Inner Tub Dimensions

<b>Top (L x W)</b>	55 x 39 1/2"
<b>Bottom (L x W)</b>	42 x 35"
<b>Volume</b>	432 L



## AT-Nechako



64 ¾" x 31 ¼"



<b>A</b>	64 ¾"
<b>B</b>	31 ¼"
<b>C</b>	17 ½"
<b>D</b>	15 ¾"
<b>E</b>	10"
<b>F</b> Overflow to Drain	14"

### Inner Tub Dimensions

<b>Top (L x W)</b>	60 x 26 ½"
<b>Bottom (L x W)</b>	43 x 17"
<b>Volume</b>	216 L



## AT-Lakeisha


66 ½" x 35 ¾"



<b>A</b>	66 ½"
<b>B</b>	35 ¾"
<b>C</b>	19"
<b>D</b>	12"
<b>E</b>	33 ¼"
<b>F</b> Overflow to Drain	18"

### Inner Tub Dimensions

<b>Top (L x W)</b>	61 x 31"
<b>Bottom (L x W)</b>	41 x 21"
<b>Volume</b>	265 L



## AT-Big Dipper


72" x 35 ¾"



<b>A</b>	72"
<b>B</b>	35 ¾"
<b>C</b>	19 ¼"
<b>D</b>	18"
<b>E</b>	10 ½"
<b>F</b> Overflow to Drain	16"

### Inner Tub Dimensions

<b>Top (L x W)</b>	61 ½ x 28"
<b>Bottom (L x W)</b>	47 x 18 ½"
<b>Volume</b>	252L



## AT-Villa



72" x 41 1/2"



<b>A</b>	72"
<b>B</b>	41 1/2"
<b>C</b>	19"
<b>D</b>	20 3/4"
<b>E</b>	10 1/2"
<b>F</b> Overflow to Drain	15 3/4"

### Inner Tub Dimensions

<b>Top (L x W)</b>	61 x 31"
<b>Bottom (L x W)</b>	53 x 24"
<b>Volume</b>	288 L



## AT-Chateau


72" x 42"



<b>A</b>	72"
<b>B</b>	42"
<b>C</b>	19"
<b>D</b>	21"
<b>E</b>	9 1/2"
<b>F</b> Overflow to Drain	15 3/4"

### Inner Tub Dimensions

<b>Top (L x W)</b>	60 x 32 1/2"
<b>Bottom (L x W)</b>	48 x 29"
<b>Volume</b>	270 L



## AT-Austin



71 3/4" x 47 3/4"



<b>A</b>	71 3/4"
<b>B</b>	47 3/4"
<b>C</b>	21 3/4"
<b>D</b>	12 1/4"
<b>E</b>	10"
<b>F</b> Overflow to Drain	15 1/2"

### Inner Tub Dimensions

<b>Top (L x W)</b>	60 x 39 1/2"
<b>Bottom (L x W)</b>	50 x 36"
<b>Volume</b>	396 L



## AT-Monarch



74 ½" x 35"



<b>A</b>	74 ½"
<b>B</b>	35"
<b>C</b>	20"
<b>D</b>	12 ¾"
<b>E</b>	37 ¼"
<b>F</b> Overflow to Drain	14 ½"

### Inner Tub Dimensions

<b>Top (L x W)</b>	66 x 28"
<b>Bottom (L x W)</b>	42 x 17"
<b>Volume</b>	216 L



## AT-Poseidon I



74 ½" x 44 ½"



<b>A</b>	74 ¾"
<b>B</b>	44 ½"
<b>C</b>	17 ½"
<b>D</b>	12 ½"
<b>E</b>	37 3/8"
<b>F</b> Overflow to Drain	14 ¼"

### Inner Tub Dimensions

<b>Top (L x W)</b>	67 ½ x 35"
<b>Bottom (L x W)</b>	46 x 28"
<b>Volume</b>	342 L



## AT-Zeta


58 ½" x 58 ½"



<b>A</b>	58 ½"
<b>B</b>	61"
<b>C</b>	19 ¼"
<b>D</b>	11 ½"
<b>E</b>	41 ½"
<b>F</b> Overflow to Drain	15"

### Inner Tub Dimensions


<b>Top (L x W)</b>	58 X 30 ½"
<b>Bottom (L x W)</b>	43 X 26"
<b>Volume</b>	252 L



## AT-Titanic 60" x 60"



<b>A</b>	60"
<b>B</b>	58 1/4"
<b>C</b>	19 3/4"
<b>D</b>	11 1/2"
<b>E</b>	42 1/4"
<b>F</b> Overflow to Drain	16 1/4"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	63 3/4 x 44"
<b>Bottom (L x W)</b>	49 x 38 1/2"
<b>Volume</b>	378 L




## AF-Christine 59 1/4" x 59 1/4"



<b>A</b>	59 1/4"
<b>B</b>	62"
<b>C</b>	18 1/4"
<b>D</b>	11"
<b>E</b>	41 3/4"
<b>F</b> Overflow to Drain	17 3/4"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	60 x 30"
<b>Bottom (L x W)</b>	44 x 27"
<b>Volume</b>	280 L

*Above Floor Model*




## AF- 6030 Split L/R 59 3/4" x 30"



<b>A</b>	59 3/4"
<b>B</b>	30 3/4"
<b>C</b>	72 1/2"
<b>D</b>	14 1/2"
<b>E</b>	10 1/2"
<b>F</b> Overflow to Drain	14"
<b>G</b>	18 1/2"
<b>H</b> Walls	52"
<b>Door Opening</b>	54"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	52 x 25"
<b>Bottom (L x W)</b>	43 x 18 1/2"
<b>Volume</b>	198 L

*Above Floor Model*






## AF-Triplicity L/R 3 Piece 59 ¾" x 30 ¾"



<b>A</b>	59 ¾"
<b>B</b>	30 ¾"
<b>C</b>	72 ½"
<b>D</b>	14 ½"
<b>E</b>	10 ½"
<b>F</b> Overflow to Drain	14"
<b>G</b>	18 ½"
<b>H</b> Walls	52"
<b>Door Opening</b>	54"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	52 x 25"
<b>Bottom (L x W)</b>	43 x 18 ½"
<b>Volume</b>	198 L

*Above Floor Model*




## AT-Plaza L/R 59 ¾" x 31"



<b>A</b>	59 ¾"
<b>B</b>	31"
<b>C</b>	72"
<b>D</b>	14 ½"
<b>E</b>	7 ¼"
<b>F</b> Overflow to Drain	10 ½"
<b>G</b>	14"
<b>Door Opening</b>	54"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	54" x 21"
<b>Bottom (L x W)</b>	47 x 18 ¾"

\*includes 2 acrylic grab bars




## AT-6032 L/R 59 ¾" x 32"



<b>A</b>	60"
<b>B</b>	32"
<b>C</b>	78 ¼"
<b>D</b>	12 ½"
<b>E</b>	6"
<b>F</b> Overflow to Drain	15"
<b>G</b>	18"
<b>Door Opening</b>	58"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	58 x 24"
<b>Bottom (L x W)</b>	45 x 19"
<b>Volume</b>	234 L

*Roof Cap Available*




For information on jetting options, please refer to page 6.  
All product measurements are to the outside of nailing flange. Measurements plus (+) or minus (-) ¼".  
Altрек reserves the right to discontinue or make changes to product dimensions at any time.  
Standard colour is WHITE. Additional charge for Bone, Biscuit & Linen.

## AT-6032 Split L/R 59 3/4" x 32"



<b>A</b>	59 3/4"
<b>B</b>	32"
<b>C</b>	78"
<b>D</b>	13"
<b>E</b>	6 1/2"
<b>F</b> Overflow to Drain	15"
<b>G</b>	18"
<b>H</b> Walls	54"
<b>Door Opening</b>	58"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	58 x 24"
<b>Bottom (L x W)</b>	45 x 19"
<b>Volume</b>	234 L
<i>Roof Cap Available</i>	




## AF-Chinook L/R 59 3/4" x 32"

NEW  
PRODUCT



<b>A</b>	59 3/4"
<b>B</b>	32 "
<b>C</b>	78 "
<b>D</b>	15 "
<b>E</b>	8 "
<b>F</b> Overflow to Drain	14"
<b>G</b>	19"
<b>Door Opening</b>	54 "
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	53 3/4" x 21 3/4"
<b>Bottom (L x W)</b>	42 x 17 1/2"
<b>Volume</b>	187 L
<i>Above Floor Model</i>	




## AF-Monaco 32 Split L/R 59 3/4" x 32 1/2"

NEW  
PRODUCT



<b>A</b>	59 3/4"
<b>B</b>	32 1/2"
<b>C</b>	80"
<b>D</b>	15 3/4"
<b>E</b>	10"
<b>F</b> Overflow to Drain	17 1/2"
<b>G</b>	23"
<b>H</b> Walls	57"
<b>Door Opening</b>	57 1/2"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	51 1/4 x 23 3/4"
<b>Bottom (L x W)</b>	41 x 19 1/4"
<b>Volume</b>	181 L
<i>Above Floor Model</i>	



## AF-Monaco 30 4 Pc Split L/R


59 ¾" x 30"

NEW  
PRODUCT



<b>A</b>	59 ¾"
<b>B</b>	30"
<b>C</b>	78"
<b>D</b>	15 ¾"
<b>E</b>	10"
<b>F</b> Overflow to Drain	17 ½"
<b>G</b>	21"
<b>H</b> Walls	57"
Door Opening	57 ½"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	51 ¼ x 23 ¾"
<b>Bottom (L x W)</b>	41 x 19 ¼"
<b>Volume</b>	181 L

Above Floor Model



## AF-Monaco 32 4 Pc Split L/R


59 ¾" x 32 ½"

NEW  
PRODUCT



<b>A</b>	59 ¾"
<b>B</b>	32 ½"
<b>C</b>	80"
<b>D</b>	15 ¾"
<b>E</b>	10"
<b>F</b> Overflow to Drain	17 ½"
<b>G</b>	23"
<b>H</b> Walls	57"
Door Opening	57 ½"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	51 ¼ x 23 ¾"
<b>Bottom (L x W)</b>	41 x 19 ¼"
<b>Volume</b>	181 L

Above Floor Model




## AF-6032 L/R

59 ¾" x 32"



<b>A</b>	59 ¾"
<b>B</b>	32"
<b>C</b>	72 ¾"
<b>D</b>	15 ½"
<b>E</b>	6"
<b>F</b> Overflow to Drain	15"
<b>G</b>	20 ½"
<b>Door Opening</b>	58"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	57 ½ x 24"
<b>Bottom (L x W)</b>	44 x 19"
<b>Volume</b>	234 L

Above Floor Model



For information on jetting options, please refer to page 6.  
All product measurements are to the outside of nailing flange. Measurements plus (+) or minus (-) ¼".  
Altрек reserves the right to discontinue or make changes to product dimensions at any time.  
Standard colour is WHITE. Additional charge for Bone, Biscuit & Linen.


## AF-GL6032 L/R

59 ¾" x 32"



<b>A</b>	59 ¾"
<b>B</b>	32"
<b>C</b>	78 ¼"
<b>D</b>	15 ¾"
<b>E</b>	10"
<b>F</b> Overflow to Drain	15"
<b>G</b>	20"
<b>Door Opening</b>	54"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	53 ½ x 22 ¼"
<b>Bottom (L x W)</b>	44 x 18 ½"
<b>Volume</b>	187 L

*Above Floor Model*



## AF-GL6034 L/R


59 ¾" x 33 ¼"

NEW  
DESIGN



<b>A</b>	59 ¾"
<b>B</b>	33 ¼"
<b>C</b>	77 ½"
<b>D</b>	16 ½"
<b>E</b>	7"
<b>F</b> Overflow to Drain	12"
<b>G</b>	20"
<b>Door Opening</b>	53 ¾"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	55 x 23"
<b>Bottom (L x W)</b>	47 x 20"
<b>Volume</b>	180 L

*Above Floor Model*




## AT-Starship

59 ¾" x 35 ½"



<b>A</b>	59 ¾"
<b>B</b>	35 ½"
<b>C</b>	75 ¾"
<b>D</b>	9"
<b>E</b>	29 7/8"
<b>F</b> Overflow to Drain	15 ¾"
<b>G</b>	18"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	55 x 33"
<b>Bottom (L x W)</b>	41 ½ x 28"
<b>Volume</b>	234 L




## AF-Kassandra L/R

60" x 41 1/2"



<b>A</b>	60"
<b>B</b>	41 1/2"
<b>C</b>	78 1/4"
<b>D</b>	19 1/2"
<b>E</b>	8"
<b>F</b> Overflow to Drain	15 1/2"
<b>G</b>	20 3/4"
<b>Door Opening</b>	56"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	53 x 32"
<b>Bottom (L x W)</b>	45 x 23"
<b>Volume</b>	234 L

*Above Floor Model*




## AF-6634 L/R

65 3/4" x 34 3/4"



<b>A</b>	65 3/4"
<b>B</b>	34 3/4"
<b>C</b>	75 1/2"
<b>D</b>	16"
<b>E</b>	9"
<b>F</b> Overflow to Drain	15"
<b>G</b>	22"
<b>Door Opening</b>	60"
<b>Inner Tub Dimensions</b>	
<b>Top (L x W)</b>	60 x 23 3/4"
<b>Bottom (L x W)</b>	46 x 19"
<b>Volume</b>	252 L

*Above Floor Model*




## AS-2930

Showers



<b>A</b>	29"
<b>B</b>	30"
<b>C</b>	80"
<b>D</b>	13 1/2"
<b>E</b>	5 1/2"
<b>Door Opening</b>	27 1/4"




## AS-3232

Roof Cap Available



<b>A</b>	31 1/2"
<b>B</b>	31 1/2"
<b>C</b>	77 3/4"
<b>D</b>	16 1/2"
<b>E</b>	5"
<b>Door Opening</b>	29 3/4"

Roof Cap Available




## AS-3232 Split

Roof Cap Available



<b>A</b>	31 3/4"
<b>B</b>	31 3/4"
<b>C</b>	77 1/2"
<b>D</b>	15 3/4"
<b>E</b>	5"
<b>F</b>	7"
<b>Door Opening</b>	30"


Roof Cap Available



## AS-32 DT




<b>A</b>	33"
<b>B</b>	32 1/4"
<b>C</b>	77 1/2"
<b>D</b>	17"
<b>E</b>	5"
<b>Door Opening</b>	30 1/4"



## AS-32 DT Split




<b>A</b>	33"
<b>B</b>	33"
<b>C</b>	78"
<b>D</b>	17"
<b>E</b>	5"
<b>F</b>	9"
<b>Door Opening</b>	30 ½ x 30 ½"



## AS-3630



<b>A</b>	35 ½"
<b>B</b>	29 ¾"
<b>C</b>	77 ½"
<b>D</b>	15"
<b>E</b>	3 ½"
<b>Door Opening</b>	31"




## AS-3636

Roof Cap Available



<b>A</b>	35 ¾"
<b>B</b>	35 ¾"
<b>C</b>	78"
<b>D</b>	18"
<b>E</b>	5"
<b>Door Opening</b>	34"

*Roof Cap Available*






## AS-3636 Split

Roof Cap Available



<b>A</b>	35 ¾"
<b>B</b>	35 ¾"
<b>C</b>	78"
<b>D</b>	18"
<b>E</b>	5 ¼"
<b>F</b> Overflow to Drain	9"
<b>Door Opening</b>	33 ¾"


Roof Cap Available



## AS-36 DT




<b>A</b>	36 ¾"
<b>B</b>	36"
<b>C</b>	78"
<b>D</b>	17"
<b>E</b>	5 ½"
<b>Door Opening</b>	34 ¼ x 34 ¼"



## AS-36 DT Split




<b>A</b>	36 ½"
<b>B</b>	36"
<b>C</b>	78 ¾"
<b>D</b>	17"
<b>E</b>	5 ½"
<b>F</b>	6 ½"
<b>Door Opening</b>	33 ½ x 33 ½"



## AS-36 Neo




<b>A</b>	36 ½"
<b>B</b>	18"
<b>C</b>	76 ½"
<b>D</b>	14 ½"
<b>E</b>	24 ¼"
<b>F</b> Overflow to Drain	5"
<b>Door Opening</b>	16 ½ x 23 ½ x 16 ½



## AS-36 Neo Split




<b>A</b>	37"
<b>B</b>	18"
<b>C</b>	79 ¼"
<b>D</b>	16 ¼"
<b>E</b>	25 ¼"
<b>F</b>	5 ½"
<b>Door Opening</b>	16 x 24 ¾ x 16"



## AS-38 Neo





<b>A</b>	38 ½"
<b>B</b>	19 ¼"
<b>C</b>	80 ½"
<b>D</b>	17 ¼"
<b>E</b>	26"
<b>F</b>	6 ¼"
<b>Door Opening</b>	16 ¾ x 24 ¾ x 16 ¾"



## AS-4234



<b>A</b>	42"
<b>B</b>	34 1/4"
<b>C</b>	74"
<b>D</b>	16 1/2"
<b>E</b>	6"
<b>Door Opening</b>	38 3/4"





## AS-4836 L/R Seat

Roof Cap Available



<b>A</b>	47 3/4"
<b>B</b>	35 3/4"
<b>C</b>	78"
<b>D</b>	18"
<b>E</b>	5 3/4"
<b>Door Opening</b>	45 3/4"

*Roof Cap Available*





## AS-4836 Split R Seat

Roof Cap Available



<b>A</b>	47 1/2"
<b>B</b>	36"
<b>C</b>	78 1/4"
<b>D</b>	18"
<b>E</b>	6"
<b>F</b>	9 1/2"
<b>Door Opening</b>	45 1/2"


*Roof Cap Available*



## AS-GL4836 L/R



<b>A</b>	47 7/8"
<b>B</b>	36"
<b>C</b>	76"
<b>D</b>	17 1/2"
<b>E</b>	5 1/4"
<b>Door Opening</b>	42 1/4"




## AS-Princess ED L/R

59 3/4" x 30 3/4"



<b>A</b>	59 3/4"
<b>B</b>	30 3/4"
<b>C</b>	77"
<b>D</b>	14"
<b>E</b>	9"
<b>F Threshold</b>	7 3/4"
<b>G Height to seat</b>	18 3/4"
<b>Door Opening</b>	57"

*Above Floor Model*




## AS-Princess Split L/R

59 3/4" x 30 3/4"



<b>A</b>	59 3/4"
<b>B</b>	30 3/4"
<b>C</b>	77 1/2"
<b>D</b>	14"
<b>E</b>	9"
<b>F Threshold</b>	8 1/4"
<b>G Seat</b>	20"
<b>H Walls</b>	54 3/4"
<b>Door Opening</b>	57 1/4 X 68 1/4"

*Above Floor Model*




For information on jetting options, please refer to page 6.  
All product measurements are to the outside of nailing flange. Measurements plus (+) or minus (-) 1/4".  
Altрек reserves the right to discontinue or make changes to product dimensions at any time.  
Standard colour is WHITE. Additional charge for Bone, Biscuit & Linen.

## AS-6034 ED L/R

60" x 34 3/4"



<b>A</b>	60"
<b>B</b>	34 3/4"
<b>C</b>	78 1/4"
<b>D</b>	19"
<b>E</b>	9 1/4"
<b>F</b> Threshold	6"
<b>Door Opening</b>	57 1/2"



## AS-6035


Roof Cap Available

60" x 35 1/2"



<b>A</b>	60"
<b>B</b>	35 1/2"
<b>C</b>	78 3/4"
<b>D</b>	15 1/2"
<b>E</b>	30"
<b>F</b>	5 1/2"
<b>Door Opening</b>	55 1/2"

*Roof Cap Available*




## AS-6036 L/R 1.75" Barrier-Free Shower



<b>A</b>	60"
<b>B</b>	36 3/4"
<b>C</b>	78 1/2"
<b>D</b>	18 3/4"
<b>E</b>	30"
<b>F</b>	1 3/4"
<b>Door Opening</b>	57"

*Barrier-Free Shower*

With fold-up seat & L-shaped stainless steel grab bar. Floor Access Required



For information on jetting options, please refer to page 6.  
All product measurements are to the outside of nailing flange. Measurements plus (+) or minus (-) 1/4".  
Altrek reserves the right to discontinue or make changes to product dimensions at any time.  
Standard colour is WHITE. Additional charge for Bone, Biscuit & Linen.


## AS-6036 Split L/R 1.75" Barrier-Free Shower



<b>A</b>	60"
<b>B</b>	36 ¾"
<b>C</b>	78 ½"
<b>D</b>	18 ¾"
<b>E</b>	30"
<b>F</b>	1 ¾"
<b>G</b>	28"
<b>H</b>	50"
<b>I</b>	46"
<b>Door Opening</b>	57"

### Barrier-Free Shower

With fold-up seat & L-shaped stainless steel grab bar. Floor Access Required



## AS-6336 L/R 1.75" Barrier-Free Shower


NEW  
PRODUCT



<b>A</b>	63 ½"
<b>B</b>	37"
<b>C</b>	78 ¼"
<b>D</b>	17 ½"
<b>E</b>	31 ¾"
<b>F</b>	1 ¾"
<b>Door Opening</b>	60 ½"

### Barrier-Free Shower

With fold-up seat & L-shaped stainless steel grab bar. Floor Access Required




## AB-32 Base

Shower Bases




<b>A</b>	31 ¼"
<b>B</b>	32 ½"
<b>C</b>	15"
<b>D</b>	15 ½"
<b>Height of Base</b>	
<b>Flange</b>	6"
<b>Threshold</b>	5"



## AB-36 Base




<b>A</b>	35 1/2"
<b>B</b>	35 3/4"
<b>C</b>	18"
<b>D</b>	18"
<b>Height of Base</b>	
<b>Flange</b>	6 1/4"
<b>Threshold</b>	5 1/4"



## AB-36 DT Base




<b>A</b>	35 3/4"
<b>B</b>	35 3/4"
<b>C</b>	18"
<b>D</b>	18"
<b>Height of Base</b>	
<b>Flange</b>	6 1/2"
<b>Threshold</b>	5 1/2"



## AB-36 Neo Base



<b>A</b>	37"
<b>B</b>	37"
<b>C</b>	17"
<b>D</b>	17 3/4"
<b>E</b>	25"
<b>Height of Base</b>	
<b>Flange</b>	6"
<b>Threshold</b>	5"






## AB-42 Base




<b>A</b>	41 ½"
<b>B</b>	42 ½"
<b>C</b>	20 ¾"
<b>D</b>	20 ¾"
<b>Height of Base</b>	
<b>Flange</b>	6"
<b>Threshold</b>	5"



## AB-48 Base



<b>A</b>	47 5/8"
<b>B</b>	34"
<b>C</b>	16 ¼"
<b>D</b>	24"
<b>Height of Base</b>	
<b>Flange</b>	5 ½"
<b>Threshold</b>	4 ½"




## AB-Princess L/R Base

59 ¾" x 31"




<b>A</b>	59 ¾"
<b>B</b>	28"
<b>C</b>	23 ¼"
<b>D</b>	14"
<b>E</b>	9"
<b>F (Threshold)</b>	7 ¾"
<b>G (Seat)</b>	18 ½"



## AB-6032 Base




<b>A</b>	59 5/8"
<b>B</b>	32 1/2"
<b>C</b>	16"
<b>D</b>	30"
<b>Height of Base</b>	
<b>Flange</b>	6 1/2"
<b>Threshold</b>	5 1/2"



## AB-6032 ED L/R Base



<b>A</b>	59 3/4"
<b>B</b>	32"
<b>C</b>	15"
<b>D</b>	9"
<b>Height of Base</b>	
<b>Flange</b>	1"
<b>Threshold</b>	3 3/4"



## AB-6034 Base



<b>A</b>	59 1/2"
<b>B</b>	34 3/4"
<b>C</b>	16 3/4"
<b>D</b>	30"
<b>Height of Base</b>	
<b>Flange</b>	6"
<b>Threshold</b>	5"




## AC-32 Roof Cap

FITS AS-3232 or AS3232 Split Models

Roof Caps



<b>A</b>	32"
<b>B</b>	32"
<b>C</b>	8"




## AC-36 Roof Cap

FITS AS-3636 or AS-3636 Split Models



<b>A</b>	35 3/4"
<b>B</b>	35"
<b>C</b>	8 1/2"




## AC-48 Roof Cap

FITS AS-4836 or AS-4836 Split Models



<b>A</b>	47 3/4"
<b>B</b>	36"
<b>C</b>	7"




**AC-6032 Roof Cap**

FITS AT-6032L/R or AT-6032 SPLIT L/R Models



<b>A</b>	60"
<b>B</b>	32"
<b>C</b>	8"




**AC-6035 Roof Cap**


FITS AS-6035



<b>A</b>	59 3/4"
<b>B</b>	34 1/2"
<b>C</b>	9"



## SPLITS AND KNOCKDOWNS



Altrek's SPLIT models are ideal for renovations and basement developments. Our industry leading design makes Altrek's split/knockdown units a great choice for today's renovation contractors.

The split unit comes as two separate pieces. Each piece of an Altrek split unit is engineered and created from a separate mold. This ensures that both pieces will fit together and provide smooth, sleek lines for a clean looking finish. It is recommended that a bead of silicone is applied between the two seams prior to being bolted together in order to achieve a perfect leak-proof seal.

With Altrek, you can be assured that each tub and shower is handmade and inspected before it leaves our factory, to guarantee the highest quality product for installation every time.



STRONG, SLEEK, DEPENDABLE & BUILT TO LAST

## What's in a Name?

Our products are more than just comforting because our products are backed the Altrek name. Altrek is a company with over 30 years of experience with a reputation of customer service excellence. It's all in our name!

## The Basic Principle

Each bath is a non-conductive, non-corrosive, fully-integrated system. Every part is specifically designed and engineered for its function within that system. We control every step of the manufacturing process so you can have complete confidence in the end result.

Every Altrek whirlpool system is designed for the ultimate in whirlpool bathing. That includes the contours of the bath, and the position, installation and design of jets.

Our jets are fully adjustable. You can control the pressure of the incoming water and select the jet direction you prefer. And with our air control, you may adjust the mixture of air and water. Your massage can be soothing, stimulating and anywhere in between.

## The Secret

You get a unique massage from the whirlpool inlets. The secret is in the venturi design. Air is drawn into the venturi chamber, where it is mixed evenly with the water. This mixture is forced through the inlets and rushed into your bath in a broad spiral pattern. What you feel is thousands of bubbles bouncing and bursting against your skin. Pure pleasure!

## Standard Whirlpool Jetting

Includes:

- 2 Silent Air controls
- Ultra-Quiet  $\frac{3}{4}$  HP motor
- 4, 6 or 8 Jet Systems
- Color-matching jet fittings
- On/off Air Switch

**Note:** Jetting is a custom option and all orders take approximately one (1) week to complete. Please provide details in writing on the location of all jets.

## The Ultra Air System

Available on all drop-in tubs and select skirted tubs. Hydrotherapy enters a whole new era with the unique Ultra Air System. Engineered with hygiene as a first priority, this self-draining air injected bubbler system provides maximum therapeutic benefits, while maintaining an atmosphere of absolute cleanliness. The Air System provides you with a gentle, overall massage. The massage effect is obtained by injecting warm air through the air jets and into the bathwater.

### Features:

- 1 HP hot air blower
- Self-draining air jets (1/8" flush holes on the bottom of the tub: no jets are visible.)
- Electronic touch pad control to adjust speed and pulsation: 3 settings.



STRONG, SLEEK, DEPENDABLE & BUILT TO LAST



136 Fisher Street, Okotoks, Alberta, Canada T1S 1A9  
Telephone: 403-938-2448 • Fax: 403-938-6563 • Email: [sales@altrekproducts.com](mailto:sales@altrekproducts.com)

[www.altrekproducts.com](http://www.altrekproducts.com)