



LIST PRICE BOOK

January 2, 2020



Value Added Freight Programs

Part of the Amtrol Advantage™

Amtrol has a variety of unique and flexible freight programs designed to fit the way you do business. From a low \$3,500 Full Freight Allowed (FFA) policy, to our Pallet Freight and Quick Ship (QS) programs, ordering from Amtrol has never been easier.

\$3,500 Full Freight Allowed (FFA): Any Mix of Products

- Any order attaining \$3,500 Net qualifies for FFA shipment.
- Combine Residential and Commercial products.
- Program applies to Wholesale customers for models in the US List Price Book.
- AK, HI destinations receive freight to the nearest port within the 48 contiguous states.
- Requests for partial shipments below \$3,500 are subject to prepay and add.

Pallet Freight Program: Ships in Three Days

- Full pallet quantities of Therm-X-Trol® ST-5 (75 ea.) and ST-12 (48 ea.), Therm-X-Span® T-5 (75 ea.) and T-12 (48 ea.) and Extrol® EX-15 (75 ea.) and EX-30 (48 ea.).
- Orders received by 12:00 PM EST ship FFA in three business days within the 48 contiguous states.



Quick Ship (QS) Program: Ships Next Day

- Select Well-X-Trol®, Therm-X-Trol, Therm-X-Span, Extrol, Fill-Trol®, BoilerMate® and HydroMax® models listed with QS next to the lead time will ship within one business day (no need to call to check inventory).
- Add 3% to order net and specify Quick Ship service.

Terms and Conditions

- All pricing and information contained within the Amtrol 2020 List Price Book is subject to Amtrol's Terms and Conditions. To access a complete copy of the Terms and Conditions, please visit www.amtrol.com.

Standard Leadtimes: Orders May Ship Early Unless Specified

- Standard leadtime is in working days.
- \$35,000 orders and above require a minimum 10-day standard leadtime.
- Longest model standard leadtime applies to entire order.
- Larger orders may be subject to longer leadtimes

All dimensions and weights listed are approximate.



Contents

RESIDENTIAL PRODUCTS

Air Purgers, Vents & Valves.....	13
AIR PURGERS.....	13
AIR VENTS.....	13
MIXING VALVES.....	13
TANK SERVICE CHECK VALVE.....	13
Expansion Tanks - Hydronic.....	12-13
EX MODELS: EXTROL® INLINE BOILER SYSTEM EXPANSION TANKS, 7-Year Warranty ..	2
EX PACKAGES: EXTROL COMBINATION KITS, 7-Year Warranty.....	12
FT MODELS: FILL-TROL® TANKS AND AUTOMATIC FILL VALVES, 7-Year Warranty.....	12
FT PACKAGES: FILL-TROL COMBINATION KITS, 7-Year Warranty.....	12
SX MODELS: EXTROL VERTICAL BOILER SYSTEM EXPANSION TANKS, 1-Year Warranty	12
RX MODELS: RADIANT EXTROL® HEATING SYSTEM EXPANSION TANKS, 7-Year Warranty	13
SE MODELS: CLOSED-LOOP SOLAR EXTROL® EXPANSION TANKS, 7-Year Warranty ..	13
Expansion Tanks - Water Heater	10
ST MODELS: THERM-X-TROL® INLINE THERMAL EXPANSION TANKS, 7-Year Warranty	10
ST MODELS: THERM-X-TROL VERTICAL THERMAL EXPANSION TANKS.....	10
T MODELS: THERM-X-SPAN® INLINE THERMAL EXPANSION TANKS, 1-Year Warranty	10
Hot Water Makers®.....	14-15
BOILERMATE® INDIRECT-FIRED WATER HEATERS	14
HOT WATER MAKER REPLACEMENT PARTS.....	14
HYDROMAX® INDIRECT-FIRED WATER HEATERS	14
PREMIER HOT WATER STORAGE TANKS.....	15
PREMIER™ INDIRECT-FIRED WATER HEATERS.....	15
Pressure Boosters	9
Reverse Osmosis Storage Tanks	7
RO MODELS: REVERSE OSMOSIS STORAGE TANKS.....	7
Water Hammer Arrestors.....	10
WATER HAMMER ARRESTORS (SHOCK SUPPRESSORS).....	10
Tube Straps & Hangers.....	11
Water Hammer Arrestors.....	10
WATER HAMMER ARRESTORS (SHOCK SUPPRESSORS).....	10
Well Tank Controls & Accessories	8
DIGITAL PRESSURE CONTROL	8
DURABASE® TANK SPACER	8
PUMP MOUNTING STAND	8
TOUCH-UP PAINT	8
Well Tanks, 125 PSI, 5-Year Warranty.....	6-7
CH MODELS: CHAMPION® VERTICAL STAND, DARK BLUE.....	6
WF MODELS: WEL-FLO® VERTICAL STAND, LIGHT GRAY.....	6
PL MODELS: PRO-LINE® VERTICAL STAND, TAN.....	7
Well-X1® System Well Tank & Digital Control.....	6
WX1 MODELS: READY-TO-RUN WITH GUARDIAN CP® DIGITAL PRESSURE CONTROL ..	6
Well-X-Trol® Well Tanks, 150 PSI, 7-Year Warranty.....	4-6
WX MODELS: VERTICAL STAND	4
WX MODELS: VERTICAL STAND WITH PRO ACCESS®	4
WX MODELS: HORIZONTAL WITH PUMP STAND	5
WX MODELS: INLINE.....	5
WX MODELS: VERTICAL WITH DURABASE® COMPOSITE STAND.....	5
WX MODELS: UNDERGROUND WITH SPECIAL UG COATING	6

Letters A-K denote product categories.

Prices and contents are subject to change without notice.

Visit www.amtrol.com to download the most current version of the List Price Book.

COMMERCIAL PRODUCTS

Air & Dirt Separators & Inline Air Purgers.....	22
AIR & DIRT SEPARATORS, ASME.....	22
INLINE AIR PURGERS.....	22
Air Separators	20
TANGENTIAL AIR SEPARATORS, LESS STRAINER, ASME	20
Air Separators & Purgers	21
TANGENTIAL AIR SEPARATORS, WITH STRAINER, ASME.....	21
Air Vents & Plain Steel Tanks.....	23
AC MODELS: PLAIN STEEL COMPRESSION TANKS, ASME.....	23
HIGH CAPACITY AIR VENT.....	23
Chilled Water Buffer Tanks.....	24
CWBT MODELS: CHILLED WATER BUFFER TANKS, ASME.....	24
Commercial Accessories.....	34
REPLACEMENT BLADDERS.....	34
Extrol® Bladder Tanks.....	18-19
L MODELS: FULL ACCEPTANCE BLADDER, TOP CONNECTION, ASME.....	18
LBC MODELS: PARTIAL ACCEPTANCE BLADDER, BOTTOM CONNECTION, ASME	19
Extrol® Diaphragm Tanks	16-17
AX MODELS: DEEP DRAWN DIAPHRAGM TYPE, ASME	16
AX MODELS: HEAD & SHELL DIAPHRAGM TYPE, ASME.....	16
AX-V MODELS: DEEP DRAWN DIAPHRAGM TYPE, ASME.....	17
AX-V MODELS: HEAD & SHELL DIAPHRAGM TYPE, ASME	17
Fire Protection Products.....	32
FPT MODELS: FIRE-X-TROL SPRINKLER SYSTEM EXPANSION TANKS, 175 PSI, AMSE 32	
SPT MODELS: SURGE-TROL SPRINKLER SYSTEM SURGE SUPPRESSORS, 275 PSI, ASME	32
Hot Water Buffer Tanks	25
HWBT MODELS: HOT WATER BUFFER TANKS, ASME	25
HP SERIES BOOSTER SYSTEM REPLACEMENT PARTS.....	9
RP MODELS: AMTROL PRESSURISER® CITY WATER PRESSURE BOOSTER SYSTEMS.....	9
Shock Suppressors & Commercial Accessories	33
D MODELS: DIATROL® SHOCK SUPPRESSORS, 250 PSI, ASME	33
Therm-X-Trol® Bladder Tanks	27-28
ST-C Models: Full Acceptance Bladder, ASME	27
ST-CL Models: Partial Acceptance Bladder, ASME	28
Therm-X-Trol® Diaphragm Tanks.....	26
ST MODELS: DEEP DRAWN, DIAPHRAGM TYPE, ASME.....	26
ST MODELS: HEAD & SHELL, DIAPHRAGM TYPE, ASME.....	26
Well-X-Trol® Bladder Tanks.....	30-31
WX-C Models: Full Acceptance Bladder, ASME.....	30
WX-CL Models: Partial Acceptance Bladder, ASME.....	31
Well-X-Trol® Diaphragm Tanks	29
WX-C MODELS: DEEP DRAWN, DIAPHRAGM TYPE, ASME.....	29
WX-C MODELS: HEAD & SHELL, DIAPHRAGM TYPE, ASME.....	29
Index	35-37
Commercial Part Number Cross Reference Chart	38-43
Frequently Used Part Numbers	44-45
Quick Sizing	46
Warranty	47




WX MODELS: VERTICAL STAND

A


Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
WX-201	BLUE	399579	14	0.81	15	15	25	25	644411	5	\$416.00
WX-202	BLUE	399585	20	0.57	15	15	32	32	644442	5 QS	\$512.00
WX-202XL	BLUE	399598	26	0.44	15	15	39	39	644503	5	\$540.00
WX-203	BLUE	399607	32	0.35	15	15	47	47	644572	5 QS	\$873.00
WX-205	BLUE	399616	34	1.00	22	22	30	57	644657	5 QS	\$955.00
WX-250	BLUE	399625	44	0.77	22	22	36	65	644718	5 QS	\$1,107.00
WX-251	BLUE	399635	62	0.55	22	22	47	87	644770	5 QS	\$1,309.00
WX-255	BLUE	399646	81	0.41	22	22	57	109	644862	5 QS	\$1,407.00
WX-302	BLUE (SHORT)	399655	86	0.54	26	26	47	106	644947	5 QS	\$1,554.00
WX-350	BLUE	399664	119	0.39	26	26	62	146	645005	5 QS	\$2,213.00
WX-201-T	TAN	399584	14	0.81	15	15	25	25	645081	5	\$416.00
WX-202-T	TAN	399596	20	0.57	15	15	32	32	644459	5	\$512.00
WX-202XL-T	TAN	399606	26	0.44	15	15	39	39	644510	5	\$540.00
WX-203-T	TAN	399615	32	0.35	15	15	47	47	644589	5	\$873.00
WX-205-T	TAN	399624	34	1.00	22	22	30	57	644664	5	\$955.00
WX-250-T	TAN	399633	44	0.77	22	22	36	65	644725	5	\$1,107.00
WX-251-T	TAN	399643	62	0.55	22	22	47	87	644787	5	\$1,309.00
WX-255-T	TAN	399654	81	0.41	22	22	57	109	644879	5	\$1,407.00
WX-302-T	TAN	399663	86	0.54	26	26	47	106	644954	5	\$1,554.00
WX-350-T	TAN	399672	119	0.39	26	26	62	146	645012	5	\$2,213.00
WX-201-G	GRAY	399583	14	0.81	15	15	25	25	650634	5	\$416.00
WX-202-G	GRAY	399590	20	0.57	15	15	32	32	646132	5	\$512.00
WX-202XL-G	GRAY	399602	26	0.44	15	15	39	39	646149	5	\$540.00
WX-203-G	GRAY	399611	32	0.35	15	15	47	47	646156	5	\$873.00
WX-205-G	GRAY	399620	34	1.00	22	22	30	57	646163	5	\$955.00
WX-250-G	GRAY	399629	44	0.77	22	22	36	65	646170	5	\$1,107.00
WX-251-G	GRAY	399639	62	0.55	22	22	47	87	646187	5	\$1,309.00
WX-255-G	GRAY	399650	81	0.41	22	22	57	109	646194	5	\$1,407.00
WX-302-G	GRAY	399659	86	0.54	26	26	47	106	646200	5	\$1,554.00
WX-350-G	GRAY	399668	119	0.39	26	26	62	146	646217	5	\$2,213.00

WX MODELS: VERTICAL STAND WITH PRO ACCESS®

A


	WX-202PA	BLUE	399592	20	0.57	15	15	32	33	644473	5	\$562.00
	WX-202XLP	BLUE	399603	26	0.44	15	15	39	40	644541	5	\$590.00
	WX-203PA	BLUE	399612	32	0.35	15	15	47	48	644602	5	\$923.00
	WX-205PA	BLUE	399621	34	1.00	22	22	30	59	644688	5	\$1,045.00
	WX-250PA	BLUE	399630	44	0.77	22	22	36	67	644749	5	\$1,197.00
	WX-251PA	BLUE	399640	62	0.55	22	22	47	88	644800	5	\$1,399.00
	WX-255PA	BLUE	399651	81	0.41	22	22	57	111	644893	5	\$1,497.00
	WX-302PA	BLUE	399660	86	0.54	26	26	47	108	644978	5	\$1,644.00
	WX-350PA	BLUE	399669	119	0.39	26	26	62	148	645036	5	\$2,303.00
	WX-202PA-T	TAN	399594	20	0.57	15	15	32	33	644480	5	\$562.00
	WX-202XLP-T	TAN	399605	26	0.44	15	15	39	40	644558	5	\$590.00
	WX-203PA-T	TAN	399614	32	0.35	15	15	47	48	644619	5	\$923.00
	WX-205PA-T	TAN	399623	34	1.00	22	22	30	59	644695	5	\$1,045.00
	WX-250PA-T	TAN	399632	44	0.77	22	22	36	67	644756	5	\$1,197.00
	WX-251PA-T	TAN	399642	62	0.55	22	22	47	88	644817	5	\$1,399.00
	WX-255PA-T	TAN	399653	81	0.41	22	22	57	111	644909	5	\$1,497.00
	WX-302PA-T	TAN	399662	86	0.54	26	26	47	108	644985	5	\$1,644.00
	WX-350PA-T	TAN	400808	119	0.39	26	26	62	148	645043	5	\$2,303.00
	WX-202PA-G	GRAY	399593	20	0.57	15	15	32	33	646224	5	\$562.00
	WX-202XLP-G	GRAY	399604	26	0.44	15	15	39	40	646231	5	\$590.00
	WX-203PA-G	GRAY	399613	32	0.35	15	15	47	48	646248	5	\$923.00
	WX-205PA-G	GRAY	399622	34	1.00	22	22	30	59	646255	5	\$1,045.00
	WX-250PA-G	GRAY	399631	44	0.77	22	22	36	67	646262	5	\$1,197.00
	WX-251PA-G	GRAY	399641	62	0.55	22	22	47	88	646279	5	\$1,399.00
	WX-255PA-G	GRAY	399652	81	0.41	22	22	57	111	646286	5	\$1,497.00
	WX-302PA-G	GRAY	399661	86	0.54	26	26	47	108	646293	5	\$1,644.00
	WX-350PA-G	GRAY	399670	119	0.39	26	26	62	148	646309	5	\$2,303.00

WX MODELS: VERTICAL WITH DURABASE® COMPOSITE STAND

A



Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
WX-201D	BLUE	399580	14	0.81	15	15	25	25	645159	5	\$416.00
WX-202D	BLUE	399587	20	0.57	15	15	32	32	645173	5	\$512.00
WX-202XLD	BLUE	399599	26	0.44	15	15	39	39	645210	5	\$540.00
WX-203D	BLUE	399608	32	0.35	15	15	47	47	645241	5	\$873.00
WX-205D	BLUE	399617	34	1.00	22	22	30	57	645289	5	\$955.00
WX-250D	BLUE	399626	44	0.77	22	22	36	65	645319	5	\$1,107.00
WX-251D	BLUE	399636	62	0.55	22	22	47	87	645340	5	\$1,309.00
WX-255D	BLUE	399647	81	0.41	22	22	57	109	645371	5	\$1,407.00
WX-302D	BLUE	399656	86	0.54	26	26	47	106	645418	5	\$1,554.00
WX-350D	BLUE	399665	119	0.39	26	26	62	146	645449	5	\$2,213.00
WX-201D-T	TAN	399582	14	0.81	15	15	25	25	645166	5	\$416.00
WX-202D-T	TAN	399589	20	0.57	15	15	32	32	645197	5	\$512.00
WX-202XLD-T	TAN	N/A	26	0.44	15	15	39	39	645227	5	\$540.00
WX-203D-T	TAN	399610	32	0.35	15	15	47	47	645258	5	\$873.00
WX-205D-T	TAN	399619	34	1.00	22	22	30	57	645296	5	\$955.00
WX-250D-T	TAN	399628	44	0.77	22	22	36	65	645326	5	\$1,107.00
WX-251D-T	TAN	399638	62	0.55	22	22	47	87	645357	5	\$1,309.00
WX-255D-T	TAN	399649	81	0.41	22	22	57	109	645388	5	\$1,407.00
WX-302D-T	TAN	399658	86	0.54	26	26	47	106	645425	5	\$1,554.00
WX-350D-T	TAN	399667	119	0.39	26	26	62	146	645456	5	\$2,213.00
WX-201D-G	GRAY	399581	14	0.81	15	15	25	25	648686	5	\$416.00
WX-202D-G	GRAY	399588	20	0.57	15	15	32	32	648693	5	\$512.00
WX-202XLD-G	GRAY	399600	26	0.44	15	15	39	39	648709	5	\$540.00
WX-203D-G	GRAY	399609	32	0.35	15	15	47	47	648716	5	\$873.00
WX-205D-G	GRAY	399618	34	1.00	22	22	30	57	648723	5	\$955.00
WX-250D-G	GRAY	399627	44	0.77	22	22	36	65	648730	5	\$1,107.00
WX-251D-G	GRAY	399637	62	0.55	22	22	47	87	648747	5	\$1,309.00
WX-255D-G	GRAY	399648	81	0.41	22	22	57	109	648754	5	\$1,407.00
WX-302D-G	GRAY	399657	86	0.54	26	26	47	106	648761	5	\$1,554.00
WX-350D-G	GRAY	399666	119	0.39	26	26	62	146	648778	5	\$2,213.00

WX MODELS: INLINE

A

**QUICK
SHIP
ELIGIBLE**

WX-101	BLUE	399557	2.0	0.45	8	8	13	5	644053	5 QS	\$131.00
WX-102	BLUE	399559	4.4	0.55	11	11	15	9	644084	5 QS	\$180.00
WX-103	BLUE	399565	7.6	0.43	11	11	22	15	644114	5 QS	\$293.00
WX-104	BLUE	399568	10.3	1.00	15	15	18	20	644145	5	\$326.00
WX-200	BLUE	399575	14.0	0.81	15	15	22	22	644169	5	\$345.00


WX MODELS: HORIZONTAL WITH PUMP STAND

A


WX-102PS	BLUE	399561	4.4	0.55	15	11	12	13	644190	5	\$272.00
WX-110PS	BLUE	399571	7.4	0.56	23	11	12	18	649102	5	\$357.00
WX-200PS	BLUE	399577	14.0	0.81	22	15	16	29	644268	5	\$622.00
WX-202PS	BLUE	399595	20.0	0.57	30	15	16	35	649119	5	\$779.00
WX-202H	BLUE*	399591	20.0	0.57	30	15	16	33	644299	5	\$548.00

*W/O PUMP STAND


WX MODELS: UNDERGROUND WITH SPECIAL UG COATING

A


Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
WX-200UG		399578	14	0.81	15	15	23	22	644312	10	\$529.00
WX-202UG		399597	20	0.57	15	15	30	30	644336	10	\$763.00
WX-250UG		399634	44	0.77	22	22	33	60	644367	10	\$1,479.00
WX-251UG		399644	62	0.55	22	22	44	83	644381	10	\$1,758.00

Well-X1® System Well Tank & Digital Control

WX1 MODELS: READY-TO-RUN WITH GUARDIAN CP® DIGITAL PRESSURE CONTROL

A


WX1-250D	BLUE	399572	44	0.77	22	22	44	80	650238	10	\$1,726.00
WX1-251D	BLUE	399573	62	0.55	22	22	55	103	650221	10	\$1,929.00
WX1-302D	BLUE	399574	86	0.54	26	26	55	134	650214	10	\$2,175.00




Pallet Quantity: WX-101: 75, WX-102: 48, WX-103: 32, WX-104 & WX-200: 18
 WX-102-PS: 32, WX-105-PS: 72, WX-110PS: 32, WX-200-PS: 18. WX-202PS: 18
 WX-200UG & WX-202UG: 18, WX-250UG & WX-251UG: 4
 WX-201 and WX-202: 18, WX-202XL & WX-203: 9, WX-205 through WX-350: 4

Connection: Stainless Steel: WX-101 through WX-103, WX-102PS through WX-110PS: 3/4" NPTM, WX-104, WX-200, WX-200PS, WX-202PS and WX-202H: 1" NPTM, WX-200UG, WX-202UG and WX-201 through WX-203: 1" NPTF, WX-205 through WX-350, WX250UG and WX-251UG: 1-1/4" NPTF

Factory Precharge: All WX and WX1 Models: 38 PSI
Working Pressure: All WX and WX1 Models: 150 PSI
Warranty: All WX Models: 7-Year Limited; WX1: 7-Year Limited (Tank), 2-Year Limited (Control).


Well Tanks, 125 PSI, 5-Year Warranty

CH MODELS: CHAMPION® VERTICAL STAND, DARK BLUE

A


Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
CH-14	CH3001	399346	14	0.81	15	15	25	22	530295	10	\$380.00
CH-20	CH4202	399348	20	0.57	15	15	32	28	529329	10	\$495.00
CH-26	CH6000	399351	26	0.44	15	15	39	34	550798	10	\$525.00
CH-32	CH8003	399352	32	0.35	15	15	47	40	530318	10	\$847.00
CH-34	CH8205	399355	34	1.00	22	22	30	50	530332	10	\$928.00
CH-44	CH10050	399332	44	0.77	22	22	36	57	530257	10	\$1,072.00
CH-62	CH12051	399335	62	0.55	22	22	47	75	530264	10	\$1,264.00
CH-81	CH17255	399340	81	0.41	22	22	57	92	550705	10	\$1,360.00
CH-86	CH17002	399336	86	0.54	26	26	47	99	530271	10	\$1,504.00
CH-119	CH22050	399343	119	0.39	26	26	62	133	530288	10	\$2,143.00


WF MODELS: WEL-FLO® VERTICAL STAND, LIGHT GRAY

A


WF-14	WF45	399495	14	0.81	15	15	25	22	406736	10	\$380.00
WF-20	WF60	399497	20	0.57	15	15	32	28	406767	10	\$495.00
WF-26	WF80	399499	26	0.44	15	15	39	34	550828	10	\$525.00
WF-32	WF100	399479	32	0.35	15	15	47	40	406620	10	\$847.00
WF-34	WF110	399481	34	1.00	22	22	30	50	406637	10	\$928.00
WF-44	WF140	399483	44	0.77	22	22	36	57	406651	10	\$1,072.00
WF-62	WF200	399485	62	0.55	22	22	47	75	406675	10	\$1,264.00
WF-81	WF255	399489	81	0.41	22	22	57	92	550675	10	\$1,360.00
WF-86	WF260	399491	86	0.54	26	26	47	99	406699	10	\$1,504.00
WF-119	WF360	399493	119	0.39	26	26	62	133	406705	10	\$2,143.00

PL MODELS: PRO-LINE® VERTICAL STAND, TAN

A

Model Number	Part Number	Volume (Gal)	Max Acceptance Factor	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
				L	W	H				
	PL-14	399325	14	0.81	15	15	25	22	409935	\$380.00
	PL-20	399326	20	0.57	15	15	32	28	409942	\$495.00
	PL-26	399328	26	0.44	15	15	39	34	550804	\$525.00
	PL-32	399329	32	0.35	15	15	47	40	409959	\$847.00
	PL-34	399330	34	1.00	22	22	30	50	400024	\$928.00
	PL-44	399319	44	0.77	22	22	36	57	399984	\$1,072.00
	PL-62	399320	62	0.55	22	22	47	75	399991	\$1,264.00
	PL-81	399323	81	0.41	22	22	57	92	550712	\$1,360.00
	PL-86	399321 (SHORT)	86	0.54	26	26	47	99	660008	\$1,504.00
	PL-119	399324	119	0.39	26	26	62	133	400017	\$2,143.00





Pallet Quantity: 14 & 20 Gal: 18, 26 & 32 Gal: 9, 34 through 119 Gal: 4
Connection: Stainless Steel: 14 through 32 Gal: 1" NPTF, 34 through 119 Gal: 1-1/4" NPTF
Factory Precharge: All CH, WF & PL Models: 38 PSI
Working Pressure: CH, WF & PL: 125 PSI
Warranty: All CH, WF & PL Models: 5-Year Limited


Reverse Osmosis Storage Tanks

RO MODELS: REVERSE OSMOSIS STORAGE TANKS

A

Model Number	Color	Part Number	PSI	Other	Total Volume (Gal)	Connection Size (In)	Shipping Weight (Lbs)	UPC 642031	Standard Leadtime* (Days)	List Price (USD)
	RO-2	BLUE 390471	5 PSI	PLASTIC STAND	2	1/4	5	122490	10	\$204.00
	RO-4	BLUE 390757	5 PSI	PLASTIC STAND	4	1/4	9	462862	10	\$278.00
	RO-4	WHITE 390758	5 PSI	PLASTIC STAND	4	1/4	9	462879	10	\$278.00
	RO-4	WHITE 390759	5 PSI	BUMP BASE	4	1/4	9	527165	10	\$278.00
	RO-4	BLUE 390760	5 PSI	BUMP BASE	4	1/4	9	528179	10	\$278.00
	RO-10	BLUE 398933	5 PSI	PLASTIC STAND	10	3/4	20	129116	10	\$529.00
	RO-14	BLUE 398935	15 PSI	SHORT STAND	14	3/4	24	129710	10	\$566.00
	RO-14	BLUE 398937	15 PSI	STEEL STAND	14	1/4	24	391490	10	\$566.00
	RO-20PA	BLUE 398955	15 PSI	PRO ACCESS® CONN	20	3/4	32	563026	10	\$684.00
	RO-20	BLUE 398948	15 PSI	STEEL STAND	20	3/4	32	130716	10	\$638.00
	RO-34PA	BLUE 391340	15 PSI	PRO ACCESS CONN	34	1-1/4	61	563033	10	\$1,280.00
	RO-34	BLUE 391372	15 PSI	STEEL STAND	34	1-1/4	61	138293	10	\$1,197.00
	RO-44PA	BLUE 391341	15 PSI	PRO ACCESS CONN	44	1-1/4	86	563040	10	\$1,384.00
	RO-44	BLUE 391374	15 PSI	STEEL STAND	44	1-1/4	86	138422	10	\$1,281.00
	RO-86PA	BLUE 391579	15 PSI	PRO ACCESS CONN	86	1-1/4	123	563057	10	\$2,073.00
	RO-86	BLUE 391575	15 PSI	STEEL STAND	86	1-1/4	123	139931	10	\$1,943.00
	RO-119PA	BLUE 391617	15 PSI	PRO ACCESS CONN	119	1-1/4	166	563064	10	\$2,954.00

*Order quantities over 100 each require a 30 day lead time



Pallet Quantity: RO-2: 75, RO-3: 60, RO-4: 48, RO-10 through 20: 18, RO-34 through 119: 4
Connection: Stainless Steel
Warranty: 5-Year Limited


DIGITAL PRESSURE CONTROL

Part Number	Description	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
		L	W	H				
	398987 GUARDIAN CP®	4	8	4	2	639889	1	\$273.00
	391218 EXTERNAL GROUNDING KIT	2	2	2	1	638748	5	\$91.20

DURABASE® TANK SPACER

	397529 FITS AMTROL 15" STEEL STAND MODELS	16	16	6	2	648433	5	\$30.90
	397530 FITS AMTROL 22" & 26" STEEL STAND MODELS	23	23	7	3	648440	5	\$40.10

PUMP MOUNTING STAND

	398096 UNIVERSAL VERTICAL TANKS	8	10	3	3	049708018405	5	\$61.30
--	---------------------------------	---	----	---	---	--------------	---	---------


TOUCH-UP PAINT

390457	WELL-X-TROL® BLUE 4.5 OZ SPRAY	2	2	4	1	121486	5	\$33.70
--------	--------------------------------	---	---	---	---	--------	---	---------

Warranty: Guardian CP: 2-Year Limited, All Well Tank Accessories: 1-Year Limited

RP MODELS: AMTROL PRESSURISER® CITY WATER PRESSURE BOOSTER SYSTEMS

D



Part Number	Model Number/ Description	Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
			L	W	H				
392907	RP-10HP / 10 GPM SYSTEM	14	17	17	30	50	574732	10	\$1,781.00
392908	RP-15HP / 15 GPM SYSTEM	20	17	17	38	55	574886	10	\$1,911.00
392906	RP-25HP / 25 GPM SYSTEM	34	22	22	39	90	499295	10	\$2,805.00

HP SERIES BOOSTER SYSTEM REPLACEMENT PARTS

I

392917	245-59 / PUMP RP-10HP	23	593467	1	\$1,319.00
392918	245-60 / PUMP RP-15HP	23	593474	1	\$1,319.00
392919	245-61 / PUMP RP-25HP	23	593481	1	\$1,319.00
392915	2201R37 / TANK RP-10, 14 Gal	25	618634	1	\$901.00
392916	2201R39 / TANK RP-15, 20 Gal	33	618658	1	\$935.00
392914	2201R28 / TANK RP-25, 34 Gal	61	618719	1	\$1,234.00
399919	2201N002 / SHAFT SEAL KIT - All Models	1	447371	1	\$43.90
399920	2201N003 / IMPELLER RP-10	1	447418	1	\$147.00
399921	2201N020 / IMPELLER RP-15	1	447425	1	\$126.00
399922	2201N021 / IMPELLER RP-25	1	447432	1	\$137.00
392912	2201N006 / O-RING REBUILD KIT - All Models	1	447401	1	\$108.00
392913	2201N010 / PUMP VENTURI - All Models	1	466655	1	\$96.50
399923	2201N022 / PUMP GUIDE VANE - All Models	1	447449	1	\$83.40
389815	113-3 / GUARDIAN CP® UPGRADE KIT	2	645654	1	\$501.00
398987	146-832 / GUARDIAN CP DIGITAL PRESSURE CONTROL	2	639899	1	\$273.00



Pallet Quantity:
Connection:
Warranty:

RP-10HP through RP-25HP: 4
Stainless Steel: RP-10HP through RP-25HP: 1-1/4" NPTF In, 1" NPTF Out
RP-10HP through RP-25HP: 2-Year Limited, Guardian CP: 2-Year Limited, All Replacement Parts: 1 Year Limited

ST MODELS: THERM-X-TROL® INLINE THERMAL EXPANSION TANKS, 7-Year Warranty

B


Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
ST-1	MATTE TAN	398917	—	—	3.4	3.4	4	1	679932	10	\$30.70
ST-5	HIGH-GLOSS TAN	390570	2.0	0.9	8	8	13	5	395665	5 QS	\$87.30
ST-12	HIGH-GLOSS TAN	390748	4.4	3.2	11	11	15	9	395672	5 QS	\$116.00



ST MODELS: THERM-X-TROL VERTICAL THERMAL EXPANSION TANKS

B

ST-25V	TAN	390935	10.3	10.3	15	15	19	23	395689	5 QS	\$356.00
ST-30V	TAN	390936	14.0	11.3	15	15	24	25	395696	5	\$436.00
ST-42V	TAN	391061	20.0	11.4	15	15	32	33	395702	5	\$520.00
ST-60V	TAN	391429	34.0	34.0	22	22	30	61	395719	5	\$671.00
ST-80V	TAN	391430	44.0	33.9	22	22	36	69	395726	5	\$922.00
ST-180V	TAN	391479	62.0	34.1	22	22	47	92	395733	5	\$1,110.00
ST-200V	TAN	391503	81.0	33.2	22	22	56	103	633552	5	\$1,172.00
ST-210V	TAN	391607	86.0	46.4	26	26	47	123	395740	5	\$1,261.00



T MODELS: THERM-X-SPAN® INLINE THERMAL EXPANSION TANKS, 1-Year Warranty

B

T-5	LIGHT PRIMER TAN	390517	2.0	0.9	8	8	13	5	548498	5 QS	\$48.90
T-12	LIGHT PRIMER TAN	390654	4.4	3.2	11	11	15	9	560889	5 QS	\$62.20




Water Hammer Arrestors

WATER HAMMER ARRESTORS (SHOCK SUPPRESSORS)

K

Model Number	Description	Part Number	Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
				L	W	H				
537-1	DIATROL #537	394640	0.8	6	6	9	3	202932	10	\$160.00
541-1	DIATROL #541	394645	1.0	6	6	12	5	203564	10	\$238.00



Pallet Quantity: ST-5 & T-5: 75, ST-8: 60, ST-12 & T-12: 48

ST-25V, 30V & 42V: 18, ST-60V through ST-210V: 4


Connection: ST-1: 1/2" NPTM w/Stainless Steel Waterway; Stainless Steel: ST-5 through ST-12 & T-5 through T-12: 3/4" NPTM, ST-25V through ST-42V: 3/4" NPTF, ST-60V through ST-210V: 1-1/4" NPTF, Mini-Trol: 1/2" NPTM
Diatrol: Stainless Steel NPTM; 537: 3/4"; 541: 1"

Warranty: ST-1 through ST-12: 7-Year Limited, ST-25V through ST-210V: 1-Year Limited, T-5 & T-12: 1-Year Limited, Mini-Trol & Diatrol: 5-Year Limited

Maximum Operating Temp: ST-1: 140°F Intermittent; ST-5 through ST-210V: 200°F; Therm-X-Span and Diatrol: 200°F; Mini-Trol: 180°F Intermittent.

Maximum Working Pressure: 150 PSI

TUBE HANGERS: 601 SERIES



Model Number	Description	Part Number	Case Qty		Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
601-1	1/2" DIAMETER	394656	10		1	208897	5	\$26.00
601-2	3/4" DIAMETER	394657	10	Sold in full	1	208934	5	\$32.70
601-3	1" DIAMETER	394658	10	case quantities	1	208941	5	\$37.40
601-4	1-1/4" DIAMETER	394659	10	only	1	208958	5	\$44.30

NATICK STRAP HANGERS: 603 SERIES, 6" LENGTH



603-1	1/2" DIAMETER	394670	25	Sold in full	2	209474	5	\$55.70
603-3	3/4" DIAMETER	394672	25	case quantities	2	209641	5	\$56.30
603-5	1" DIAMETER	394674	25	only	3	209726	5	\$56.60

NATICK STRAP HANGERS: 603 SERIES, 12" LENGTH



603-2	1/2" DIAMETER	394671	25	Sold in full	3	209542	5	\$69.30
603-4	3/4" DIAMETER	394673	25	case quantities	4	209719	5	\$69.70
603-6	1" DIAMETER	394675	25	only	4	209825	5	\$70.40

GLIDE CLIPS: 604 SERIES




604-1	1/2" DIAMETER	394678	10	Sold in full	1	210234	5	\$28.50
604-2	3/4" DIAMETER	394679	10	case quantities	1	210241	5	\$30.70
604-3	1" DIAMETER	394680	10	only	1	210258	5	\$38.40

VAN HANGERS: 606 SERIES



606-2	1/2" DIAMETER	394682	20	Sold in full	2	210494	5	\$44.30
606-3	3/4" DIAMETER	394683	20	case quantities	2	210500	5	\$47.40
606-4	1" DIAMETER	394684	20	only	2	210517	5	\$52.00

TUBE STRAPS: 608 SERIES



608-4	1/2" DIAMETER	394685	100	Sold in full	2	210760	5	\$26.90
608-6	3/4" DIAMETER	394686	50	case quantities	1	210777	5	\$18.00
608-7	1" DIAMETER	394687	50	only	2	210784	5	\$19.20


Hardware: Strap Hangers, Glide Clips & Tube Straps include copper-clad nails.
Tube Hangers & Van Hangers include copper-clad wood screws.

Warranty: 1-Year Limited

EX MODELS: EXTROL® INLINE BOILER SYSTEM EXPANSION TANKS, 7-YEAR WARRANTY

B

Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
EX-15	MODEL #15	389695	2.0	1.0	8	8	13	5	112743	5 QS	\$66.30
EX-30	MODEL #30	389710	4.4	2.5	11	11	15	9	113061	5 QS	\$81.50
EX-60	MODEL #60	389732	7.4	2.5	11	11	23	14	113221	5 QS	\$150.00
EX-90	MODEL #90	389802	14.0	11.3	15	15	21	23	115287	5 QS	\$249.00



SX MODELS: EXTROL VERTICAL BOILER SYSTEM EXPANSION TANKS, 1-YEAR WARRANTY

B


SX-30V	STAND MODEL	390310	14	11.3	15	15	24	25	118967	5 QS	\$315.00
SX-40V	STAND MODEL	390317	20	11.3	15	15	32	33	119896	5	\$336.00
SX-60V	STAND MODEL	390321	32	11.3	15	15	48	43	119902	5 QS	\$471.00
SX-90V	STAND MODEL	390297	44	34.0	22	22	36	69	118714	5 QS	\$859.00
SX-110V	STAND MODEL	390298	62	34.0	22	22	47	92	118721	5	\$1,010.00
SX-130V	STAND MODEL	391502	81	34.0	22	22	56	103	633583	5	\$1,043.00
SX-160V	STAND MODEL	390299	86	46.0	26	26	47	123	118738	5	\$1,074.00



EX PACKAGES: EXTROL COMBINATION KITS, 7-YEAR WARRANTY

B


EX-1500-100	EX-15 WITH 1" PURGER & VENT	389744	2.0	1.0	8	8	15	10	113382	5	\$116.00
EX-1500-125	EX-15 WITH 1-1/4" PURGER & VENT	389747	2.0	1.0	8	8	15	10	113412	5	\$116.00
EX-3000-100	EX-30 WITH 1" PURGER & VENT	389751	4.4	2.5	11	11	19	14	113504	5	\$131.00
EX-3000-125	EX-30 WITH 1-1/4" PURGER & VENT	389752	4.4	2.5	11	11	19	14	113528	5	\$131.00



FT MODELS: FILL-TROL® TANKS AND AUTOMATIC FILL VALVES, 7-YEAR WARRANTY

B


FT-109	FILL-TROL TANK & VALVE	389767	2.0	1.0	8	8	15	6	114198	5 QS	\$123.00
FT-110	FILL-TROL TANK & VALVE	389780	4.4	2.5	11	11	17	10	114525	5 QS	\$142.00
FT-111	FILL-TROL TANK & VALVE	389789	7.4	2.5	11	11	25	15	114914	5	\$216.00
FT-112	FILL-TROL TANK & VALVE	389803	14.0	11.3	15	15	23	24	115300	5	\$285.00
FT-15	FILL-TROL TANK ONLY	389769	2.0	1.0	8	8	13	5	114310	5	\$81.30
FT-30	FILL-TROL TANK ONLY	389778	4.4	2.5	11	11	15	9	114488	5	\$98.30
FT-109-15	FILL-TROL VALVE ONLY	389770	-	-	-	-	-	1	370143	5	\$62.10



FT PACKAGES: FILL-TROL COMBINATION KITS, 7-YEAR WARRANTY

B


FT-109-100	FT-109 WITH 1" PURGER & VENT	389774	2.0	1.0	8	8	19	10	114433	5	\$167.00
FT-109-125	FT-109 WITH 1-1/4" PURGER & VENT	389768	2.0	1.0	8	8	19	10	114204	5	\$167.00
FT-110-100	FT-110 WITH 1" PURGER & VENT	389782	4.4	2.5	11	11	23	14	114600	5	\$185.00
FT-110-125	FT-110 WITH 1-1/4" PURGER & VENT	389781	4.4	2.5	11	11	23	14	114532	5	\$185.00
FT-111-125	FT-111 WITH 1-1/4" PURGER & VENT	389790	7.4	2.5	11	11	31	18	114938	5	\$258.00



RX MODELS: RADIANT EXTROL® HEATING SYSTEM EXPANSION TANKS, 7-YEAR WARRANTY

B


Model Number	Description	Part Number	Volume (Gal)	Max Acceptance Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
					L	W	H				
RX-15	INLINE MOUNTING	390512	2.0	0.9	8	8	13	5	413291	10	\$91.50
RX-30	INLINE MOUNTING	390647	4.4	3.2	11	11	15	9	413307	10	\$112.00
RX-60	VERTICAL STAND	390859	10.3	10.3	15	15	19	23	600035	10	\$253.00



SE MODELS: CLOSED-LOOP SOLAR EXTROL® EXPANSION TANKS, 7-YEAR WARRANTY

B

SE-15	INLINE MOUNTING	389741	2.0	1.0	8	8	13	5	633880	10	\$72.40
SE-30	INLINE MOUNTING	389742	4.4	2.5	11	11	15	9	633897	10	\$88.60
SE-60	INLINE MOUNTING	389743	7.4	2.5	11	11	23	14	633903	10	\$199.00



Pallet Quantity: EX-15: 75, EX-30: 48, EX-60: 32, EX-90: 18, Combination Packages: Same as base model
SX-30V & SX-40V: 18, SX-60V: 9, SX-90V through SX-110V: 4, RX-15: 75, RX-30: 48, RX-60: 18
SE-15: 75, SE-30: 48, SE-60: 32

Connection: Steel: EX-15 through EX-90: 1/2" NPTM, SX-30V through SX-60V: 1" NPTF, SX-90V through SX-160V: 1-1/4" NPTF, SE-15 through SE-60: 1/2" NPTM
Brass: FT Models: 1/2" NPTF
Stainless Steel: RX-15 through RX-30: 1/2" NPTM, RX-60: 3/4" NPTF

Warranty: EX, FT, RX & SE Models: 7-Year Limited, SX Models: 1-Year Limited

Maximum Operating Temp: Extrol, Fill-Trol: 240° F; Radiant Extrol: 200° F, Solar Extrol: Intermittant 250° F, Continuous 225° F

Maximum Working Pressure: 100 PSI

Air Purgers, Vents & Valves

AIR VENTS

C

Model Number	Description	Part Number	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
			L	W	H				
700-QC	FLOAT VENT, 1/8" QUICK-CHANGE	394697	2	2	4	0.5	591982	5	\$15.90
701-C	FLOAT VENT, 1/4" CONNECTION	394698	2	2	4	0.5	389473	5	\$15.90
700-C	FLOAT VENT, 1/8" CONNECTION	394695	2	2	4	0.5	389466	5	\$14.40



AIR PURGERS

C


443-1	CAST AIR PURGER 1"	393989	6	3	4	4	193117	5	\$29.80
444-1	CAST AIR PURGER 1-1/4"	399678	6	3	4	4	193148	5	\$29.80
445-1	CAST AIR PURGER 1-1/2"	393993	8	4	5	9	193186	5	\$68.00
446-1	CAST AIR PURGER 2"	393994	8	4	5	10	193223	5	\$75.30
447-1	CAST AIR PURGER 2-1/2"	393995	10	5	6	19	193254	5	\$170.00
448-1	CAST AIR PURGER 3"	393996	10	5	6	20	193261	5	\$211.00



TANK SERVICE CHECK VALVE

C

140-470	SERVICE CHECK, 1/2" QUICK CHANGE	399673	1	1	1	0.1	603487	5	\$15.40
---------	----------------------------------	--------	---	---	---	-----	--------	---	---------



MIXING VALVES

C

420-1	1/2" DOMESTIC WATER 110-170F	393986	2	2	4	1	190819	5	\$103.00
421-1	3/4" DOMESTIC WATER 110-170F	393988	2	2	4	1	190888	5	\$113.00
420-6	REPLACEMENT CARTRIDGE	393987	-	-	-	1	190826	5	\$31.30



Case Qty: Air Vents: 24, 443 & 444 Purgers:12

Purging Vent Tpnng: 443 through 445: 1/8" NPT, 446: 1/2" NPT, 447 & 448: 3/4" NPT

Purging Exp Tpnng: 443 through 448: 1/2" NPT

Warranty: 1-Year Limited


HYDROMAX® INDIRECT-FIRED WATER HEATERS

G

Model Number	Part Number	Coil	Control	Color	Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
						L	W	H				
 QUICK SHIP ELIGIBLE HM MODELS	HM-41Z	399265	140MBH TOP	MECHANICAL	BLACK	41	22	22	55	124	653000	5 QS \$1,820.00
	HM-41ZDW	399267	140MBH TOP	MECHANICAL DBL WALL	BLACK	41	22	22	55	134	659842	5 \$2,447.00
	HM-41L	399264	140MBH TOP	ENER-G-NET™	BLACK	41	22	22	55	124	654168	5 \$1,945.00
	HM-41LDW	399266	140MBH TOP	ENER-G-NET DBL WALL	BLACK	41	22	22	55	134	659859	5 \$2,572.00
	HM-80Z	399263	140MBH TOP	MECHANICAL	BLACK	80	26	26	62	180	654007	5 \$2,459.00
	HM-80ZDW	399269	140MBH TOP	MECHANICAL DBL WALL	BLACK	80	26	26	62	190	659835	5 \$3,086.00
	HM-80L	399262	140MBH TOP	ENER-G-NET	BLACK	80	26	26	62	180	654199	5 \$2,586.00
	HM-80LDW	399268	140MBH TOP	ENER-G-NET DBL WALL	BLACK	80	26	26	62	190	659828	5 \$3,214.00

BOILERMATE® INDIRECT-FIRED WATER HEATERS

G

 QUICK SHIP ELIGIBLE CH MODELS	CH-41Z-B	399087	100MBH TOP	MECHANICAL	BLUE	41	22	22	48	124	632951	10 QS \$1,650.00
	CH-41Z-R	399082	100MBH TOP	MECHANICAL	RED	41	22	22	48	124	632937	10 \$1,650.00
	CH-41Z-G	399085	100MBH TOP	MECHANICAL	GRAY	41	22	22	48	124	630733	10 \$1,650.00
	CH-41ZDW-B	399081	100MBH TOP DBL WALL	MECHANICAL	BLUE	41	22	22	48	134	646040	10 \$2,070.00
	CH-41ZDW-R	407732	100MBH TOP DBL WALL	MECHANICAL	RED	41	22	22	48	134	646033	10 \$2,070.00
	CH-41ZDW-G	399080	100MBH TOP DBL WALL	MECHANICAL	GRAY	41	22	22	48	134	646026	10 \$2,070.00
	CH-41ZCT-B	399092	100MBH TOP	CONSTANT TEMP	BLUE	41	22	22	51	127	637376	15 \$2,129.00
	CH-41ZCT-R	399090	100MBH TOP	CONSTANT TEMP	RED	41	22	22	51	127	638243	15 \$2,129.00
	CH-41ZCT-G	399091	100MBH TOP	CONSTANT TEMP	GRAY	41	22	22	51	127	638236	15 \$2,129.00
	CH-80Z-B	399078	100MBH TOP	MECHANICAL	BLUE	80	26	26	49	180	636324	10 \$2,353.00
	CH-80Z-R	399076	100MBH TOP	MECHANICAL	RED	80	26	26	49	180	636300	10 \$2,353.00
	CH-80Z-G	399077	100MBH TOP	MECHANICAL	GRAY	80	26	26	49	180	635969	10 \$2,353.00
	CH-80ZDW-B	399075	100MBH TOP DBL WALL	MECHANICAL	BLUE	80	26	26	49	190	646071	10 \$2,946.00
	CH-80ZDW-R	399073	100MBH TOP DBL WALL	MECHANICAL	RED	80	26	26	49	190	646057	10 \$2,946.00
	CH-80ZDW-G	399074	100MBH TOP DBL WALL	MECHANICAL	GRAY	80	26	26	49	190	646064	10 \$2,946.00

HOT WATER MAKER REPLACEMENT PARTS

I

CONTROLS

393232	AQUASTAT: RESIDENTIAL 150F, ALL EXC WH-10	MECHANICAL	390028	1	\$146.00
393513	AQUASTAT: COMMERCIAL 180F, ALL EXC WH-10	MECHANICAL	519658	1	\$197.00
399930	AQUASTAT: 150F, WH-10	MECHANICAL	343475	1	\$146.00
396411	DIGITAL CONTROL REPLACEMENT & UPGRADE, WH, TD & WHS	DIGITAL	654144	1	\$354.00
396413	ENER-G-NET DIGITAL CONTROL ONLY	DIGITAL	654069	1	\$349.00
393281	DIGITAL TEMPERATURE SENSOR ONLY (THERMISTOR)	DIGITAL	432650	1	\$45.60
393290	AQUASTAT RETROFIT KIT, WH	MECHANICAL	466846	1	\$294.00
393314	AQUASTAT RETROFIT KIT W/RELAY, WH	MECHANICAL	611888	1	\$336.00
393514	AQUASTAT RETROFIT KIT, WHS	MECHANICAL	519726	1	\$294.00
393557	AQUASTAT RETROFIT KIT W/RELAY, WHS	MECHANICAL	611857	1	\$336.00
393332	UNIVERSAL 10K DIGITAL TEMP SENSOR KIT	DIGITAL	651044	1	\$47.80

HEAT EXCHANGER COILS



393037	WH MODELS (ALL EXCEPT WH-7C)	534095	1	\$1,277.00
393038	WH-7C & WHS-C COMMERCIAL MODELS	534101	1	\$1,542.00
393039	WH-DW DBL-WALL MODELS (EXCEPT WH-7C)	534118	1	\$2,140.00
393040	WH-7CDW & WHS-CDW COM. DBL. WALL MDLS	534125	1	\$2,727.00
393200	CH-41 MODELS	641762	1	\$902.00
393169	CH-80 MODELS	659934	1	\$944.00
N / A	CH-80 DW DOUBLE-WALL MODELS	686954	1	\$1,808.00
393570	WHS MODELS (EXCEPT C & DW)	534378	1	\$1,302.00
393571	WHS-DW RESIDENTIAL MODELS	534385	1	\$2,165.00
393572	WHS-DW COMMERCIAL MODELS	534392	1	\$2,820.00
393465	HM-41 MODELS	659958	1	\$1,151.00
393448	HM-80 MODELS	659941	1	\$1,201.00
N / A	HM-80 DW DOUBLE-WALL MODELS	686947	1	\$2,064.00

MISC PARTS

393070	AQUASTAT DRY WELL	166357	1	\$70.00
392923	HEAT EXCHANGER COIL GASKET, 8 BOLT	160768	1	\$9.10
392922	WH TOP OUTLET O-RING	160690	1	\$1.20
393053	WH TOP OUTLET UNION TEE PACKAGE	164438	1	\$93.70
393199	DIP TUBE, CH-41	673503	1	\$13.80
393168	DIP TUBE, CH-80	677389	1	\$17.20
N / A	DRAIN VALVE ASSEMBLY, ALL CH & HM	671271	1	\$85.90
393107	T&P RELIEF VALVE, RESIDENTIAL	643896	1	\$41.20
393381	TOP COVER HALF, HM-41 & HM-80	677372	1	\$44.40
N / A	HEAT TRAP, ALL HM	677365	1	\$28.00
N / A	T&P BLOWDOWN TUBE: HM-41	677341	1	\$49.80
N / A	T&P BLOWDOWN TUBE: HM-80	677358	1	\$50.00


PREMIER™ INDIRECT-FIRED WATER HEATERS

G

	Model Number	Part Number	Coil	Control	Material	Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
							L	W	H				
	WH-7C	398874	240MBH BOTTOM	DIGITAL	180F Poly	41	22	22	48	144	557414	10	\$3,276
	WH-7ZC	399164	240MBH BOTTOM	MECHANICAL	180F Poly	41	22	22	48	144	582072	10	\$3,138
	WH-7CDW	398873	240MBH BOTTOM DBL WALL	DIGITAL	180F Poly	41	22	22	48	154	557407	10	\$3,959
	WHS-60Z	399220	140MBH BOTTOM	MECHANICAL	Stainless	60	26	26	54	160	557506	10	\$3,100
	WHS-60L	399218	140MBH BOTTOM	DIGITAL	Stainless	60	26	26	54	160	557483	10	\$3,250
	WHS-60ZDW	399221	140MBH BOTTOM DBL WALL	MECHANICAL	Stainless	60	26	26	54	170	557513	10	\$3,400
	WHS-60LDW	399219	140MBH BOTTOM DBL WALL	DIGITAL	Stainless	60	26	26	54	170	557490	10	\$3,550
	WHS-60ZC	399234	240MBH BOTTOM	MECHANICAL	Stainless	60	26	26	54	170	575753	10	\$3,450
	WHS-60ZCDW	399222	240MBH BOTTOM DBL WALL	MECHANICAL	Stainless	60	26	26	54	170	557520	10	\$3,900
	WHS-80Z	399225	140MBH BOTTOM	MECHANICAL	Stainless	80	26	26	66	170	557551	10	\$3,300
	WHS-80L	399223	140MBH BOTTOM	DIGITAL	Stainless	80	26	26	66	170	557537	10	\$3,450
	WHS-80ZDW	399226	140MBH BOTTOM DBL WALL	MECHANICAL	Stainless	80	26	26	66	180	557568	10	\$3,600
	WHS-80LDW	399224	140MBH BOTTOM DBL WALL	DIGITAL	Stainless	80	26	26	66	180	557544	10	\$3,750
	WHS-80ZC	399233	240MBH BOTTOM	MECHANICAL	Stainless	80	26	26	66	180	575777	10	\$3,650
	WHS-80ZCDW	399227	240MBH BOTTOM DBL WALL	MECHANICAL	Stainless	80	26	26	66	180	557575	10	\$4,100
	DC-80	399235	DUAL HEAT EXCHANGERS	MECHANICAL	Stainless	80	26	26	66	190	584151	10	\$4,400
	DC-80DW	399236	DUAL DBL WALL EXCHANGERS	MECHANICAL	Stainless	80	26	26	66	200	584182	10	\$4,850
	WHS-120Z	399230	140MBH BOTTOM	MECHANICAL	Stainless	120	30	30	71	200	557605	10	\$4,500
	WHS-120L	399228	140MBH BOTTOM	DIGITAL	Stainless	120	30	30	71	200	557599	10	\$4,650
	WHS-120ZC	399232	240MBH BOTTOM	MECHANICAL	Stainless	120	30	30	71	200	575791	10	\$4,850
	WHS-120ZCDW	399231	240MBH BOTTOM DBL WALL	MECHANICAL	Stainless	120	30	30	71	210	557612	10	\$5,300
	DC-120	399237	DUAL HEAT EXCHANGERS	MECHANICAL	Stainless	120	30	30	71	220	584212	10	\$5,600
	DC-120DW	399238	DUAL DBL WALL EXCHANGERS	MECHANICAL	Stainless	120	30	30	71	230	584243	10	\$6,050

PREMIER HOT WATER STORAGE TANKS

G

	Model Number	Part Number	Volume (Gal)	Shipping Dimensions (In)			Shipping Weight (Lbs)	UPC 642031	Standard Leadtime (Days)	List Price (USD)
				L	W	H				
	S-80	399195	80	26	26	66	156	552426	10	\$2,400.00
	S-120	393520	120	30	30	71	196	552433	10	\$3,600.00

S MODELS


Pallet Quantity:

All Models: 4

Warranty:

HM Models: 7-Years with Limited Lifetime upgrade option in carton

CH & WH Models: 6-Years with Limited Lifetime upgrade option in carton

WHS, DC & S Models: 10-Year Limited (Residential), 5-Year Limited (Commercial)

Hardware:

All models include T&P relief and drain valves

- For use in non-potable closed hydronic and chilled water systems.
- Fixed diaphragm construction.
- Available in Horizontal and Vertical configurations.
- Deep Drawn models are lighter, stronger and more compact than traditional head and shell construction.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 240° F.


AX-80-125SGR

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

AX-80 (Horizontal) 125 PSI Rating with Sight Glass & Restraints

AX MODELS: DEEP DRAWN DIAPHRAGM TYPE, ASME

J



TECHNICAL DATA


Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Length (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-10-DD	6.4	3.2	12	18	9	10	NA	NA	NA
AX-15-DD	8.6	3.2	12	22	22	24	NA	NA	NA
AX-20-DD	16.5	11.3	15	25	44	46	NA	NA	NA
AX-40-DD	23.0	11.3	15	33	64	66	NA	NA	NA

PRICING: DEEP DRAWN DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-10-DD	416836 / \$1,735	401797 / \$1,908	NA	NA	NA
AX-15-DD	416837 / \$1,817	401798 / \$1,999	NA	NA	NA
AX-20-DD	416839 / \$1,847	401803 / \$2,030	NA	NA	NA
AX-40-DD	416841 / \$2,596	416070 / \$2,853	NA	NA	NA

AX MODELS: HEAD & SHELL DIAPHRAGM TYPE, ASME

J



TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Length (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15	8.0	2.4	12	19	NA	NA	48	55	59
AX-20	10.9	2.4	12	26	NA	NA	60	69	74
AX-40	21.7	11.3	16	29	NA	NA	96	111	118
AX-60	33.6	11.3	16	43	96	120	125	144	154
AX-80	44.4	22.6	24	29	153	160	200	230	245
AX-100	55.7	22.6	24	33	174	180	227	261	279
AX-120	68.0	34.0	24	41	204	245	266	306	327
AX-144	77.0	34.0	24	46	218	250	285	327	350
AX-180	90.0	34.0	24	54	232	265	301	348	372
AX-200	110.0	34.0	24	64	269	320	350	404	430
AX-240	132.0	46.0	30	51	401	403	522	602	642
AX-260	159.0	56.0	30	62	455	460	572	683	728
AX-280	211.0	84.0	30	80	580	600	755	870	930

PRICING: HEAD & SHELL DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15	NA	NA	411429 / \$2,103	390134 / \$2,313	\$2,547
AX-20	NA	NA	\$2,137	\$2,351	\$2,588
AX-40	NA	NA	409432 / \$3,005	\$3,306	\$3,635
AX-60	389860 / \$2,728	390010 / \$3,002	117-554 / \$3,303	\$3,633	\$3,998
AX-80	390178 / \$3,462	410087 / \$3,810	\$4,190	\$4,609	\$5,070
AX-100	389895 / \$3,581	416216 / \$3,938	\$4,333	\$4,767	\$5,240
AX-120	389926 / \$3,780	390020 / \$4,159	117-553 / \$4,460	\$5,030	\$5,510
AX-144	389932 / \$4,129	\$4,541	\$4,997	\$5,500	\$6,040
AX-180	389938 / \$4,361	390024 / \$4,796	\$5,270	\$5,800	\$6,390
AX-200	389944 / \$4,658	390027 / \$5,120	389995 / \$5,640	\$6,200	\$6,810
AX-240	389967 / \$5,330	390030 / \$5,860	\$6,450	\$7,110	\$7,810
AX-260	389974 / \$7,300	\$8,020	\$8,820	\$9,710	\$10,675
AX-280	389978 / \$8,860	\$9,740	390147 / \$9,980	\$11,775	\$12,975

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$381
Restraints (Saddles) (R): AX-15 & 20: \$169, AX-40 & 60: \$259, AX-80 through 200: \$391, AX-240 through 280: \$521

Standard Leadtime: AX-10-DD and AX-15-DD 125 PSI: Up to 5 units - 5 Days; Over 5 units - 10 Days
 All other models 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days
Connection: Malleable Iron: AX-15 through AX-60: 1/2", AX-10-DD through AX-40-DD: 3/4", AX-80 through AX-240: 1", AX-260 & AX-280: 1-1/4", AX-10-DD through AX-40-DD: NPTM, Center, AX-15 through AX-100: NPTF, Center, AX-120 through AX-240: NPTM, Center, AX-260 & AX-280: NPTM, Offset
Factory Precharge: All models: 12 PSI
Warranty: 1-Year Limited

APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Fixed diaphragm construction.
- Available in Horizontal and Vertical configurations.
- Deep Drawn models are lighter, stronger and more compact than traditional head and shell construction.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 240° F.

Extrol® Diaphragm Tanks

How to Order: Specify Model & Options


AX-120V-150

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

AX-120V (Vertical) 150 PSI Rating (No Sight Glass and Restraints)

AX-V MODELS: DEEP DRAWN DIAPHRAGM TYPE, ASME

J



AX-15V-DD THROUGH AX-40V-DD

TECHNICAL DATA


Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15V-DD	8.6	3.2	12	22	24	26	NA	NA	NA
AX-20V-DD	16.5	11.3	15	25	46	48	NA	NA	NA
AX-40V-DD	23.0	11.3	15	33	66	68	NA	NA	NA

PRICING: DEEP DRAWN DIAPHRAGM TYPE, ASME MODELS


Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15V-DD	416838 / \$1,818	401799 / \$2,000	NA	NA	NA
AX-20V-DD	416840 / \$1,847	415253 / \$2,030	NA	NA	NA
AX-40V-DD	416842 / \$2,596	401804 / \$2,853	NA	NA	NA

AX-V MODELS: HEAD & SHELL DIAPHRAGM TYPE, ASME


J



AX-15V THROUGH AX-100V



AX-120V THROUGH AX-240V



AX-260V & AX-280V

TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15V	8.0	2.4	12	20	NA	NA	49	59	62
AX-20V	10.9	2.4	12	27	NA	NA	61	71	75
AX-40V	21.7	11.3	16	30	NA	NA	99	114	122
AX-60V	33.6	11.3	16	45	98	103	127	147	157
AX-80V	44.4	22.6	24	29	155	167	201	233	248
AX-100V	55.7	22.6	24	34	176	187	229	264	282
AX-120V	68.0	34.0	24	47	214	255	278	321	342
AX-144V	77.0	34.0	24	52	230	267	299	345	368
AX-180V	90.0	34.0	24	60	271	275	352	407	434
AX-200V	110.0	34.0	24	66	290	358	377	435	464
AX-240V	132.0	46.0	30	58	401	403	521	602	642
AX-260V	159.0	56.0	30	65	460	467	598	690	736
AX-280V	211.0	84.0	30	82	590	605	767	885	945

PRICING: HEAD & SHELL DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
AX-15V	NA	NA	389999 / \$2,104	390081 / \$2,314	390107 / \$2,548
AX-20V	NA	NA	389997 / \$2,137	390097 / \$2,351	\$2,588
AX-40V	NA	NA	389998 / \$3,005	390146 / \$3,306	390137 / \$3,635
AX-60V	389861 / \$2,728	390012 / \$3,002	389869 / \$3,303	390112 / \$3,633	\$3,998
AX-80V	390179 / \$3,482	390016 / \$3,830	390109 / \$4,213	413401 / \$4,634	\$5,100
AX-100V	389900 / \$3,589	390019 / \$3,946	\$4,342	\$4,776	390080 / \$5,260
AX-120V	389927 / \$4,312	390021 / \$4,746	390133 / \$5,220	\$5,730	\$6,330
AX-144V	389933 / \$4,595	390023 / \$5,060	\$5,560	389905 / \$6,130	390110 / \$6,740
AX-180V	389939 / \$5,220	390026 / \$5,730	390091 / \$6,330	\$6,940	\$7,640
AX-200V	389945 / \$5,340	390029 / \$5,880	400764 / \$6,460	\$7,120	\$7,820
AX-240V	389955 / \$6,150	390031 / \$6,750	\$7,420	\$8,160	409488 / \$8,990
AX-260V	389975 / \$7,420	390034 / \$8,160	\$9,000	417542 / \$9,890	\$10,875
AX-280V	389979 / \$9,160	390037 / \$10,075	390101 / \$11,075	420524 / \$12,175	\$13,400

Additional Options: Add to Base Model List Price

Sight Glass (SG): \$381

Seismic Restraints (R): \$268

Standard Leadtime: AX-15V-DD 125 PSI: Up to 5 units - 5 Days; Over 5 units - 10 Days

All other models 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days

Malleable Iron: AX-15V through AX-60V: 1/2", AX-15V-DD through AX-40V-DD: 3/4"

AX-80V through AX-240V: 1", AX-260V & AX-280V: 1-1/4"

AX-15V-DD through AX-40V-DD: NPTM, Center, AX-15V through AX-100V: NPTF, Center

AX-120V through AX-240V: NPTF, Bottom, AX-260V & AX-280V: NPTM, Offset

All models: 12 PSI

1-Year Limited

Factory Precharge:

Warranty:

www.amtrol.com

APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Replaceable bladder construction.
- Available in Full Acceptance versions.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options

800-L-175SGR


- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

800-L 175 PSI Rating with Sight Glass & Restraints

L MODELS: FULL ACCEPTANCE BLADDER, TOP CONNECTION, ASME

J

TECHNICAL DATA



Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
200-L	53	53	24	38	190	205	250	290	297
300-L	80	80	24	52	230	292	320	385	372
400-L	106	106	24	66	275	343	375	465	595
500-L	132	132	24	79	311	372	435	545	750
600-L	158	158	30	64	439	510	595	720	810
800-L	211	211	30	82	543	565	620	905	950
1000-L	264	264	36	74	609	750	750	1,015	1,065
1200-L	317	317	36	86	700	860	860	1,175	1,235
1400-L	370	370	36	98	783	970	970	1,335	1,400
1600-L	422	422	48	69	1,106	1,425	1,615	1,916	2,015
2000-L	528	528	48	84	1,284	1,675	2,386	2,410	2,651
2500-L	660	660	48	101	1,544	1,945	2,411	2,585	2,715
3000-L	792	792	48	118	1,719	2,225	2,500	2,950	3,100
3500-L	925	925	54	111	2,187	2,375	2,620	3,660	3,780
4000-L	1,057	1,057	54	125	2,352	2,640	3,000	4,080	4,285
5000-L	1,321	1,321	60	128	2,450	3,740	4,100	4,200	5,200
7500-L	1,980	1,980	72	127	4,000	4,300	4,500	5,550	6,750
10000-L	2,640	2,640	72	159	4,900	5,300	5,500	6,800	11,000
15000-L	3,963	3,963	72	233	6,000	7,600	7,900	9,800	12,500

200-L THROUGH 15000-L

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
200-L	392691 / \$5,650	390045 / \$6,560	392690 / \$7,470	392689 / \$8,600	191-42 / \$9,880
300-L	392746 / \$6,040	390046 / \$6,960	392747 / \$8,000	409501 / \$9,190	392759 / \$10,575
400-L	392772 / \$6,430	390047 / \$7,390	392773 / \$8,510	408366 / \$9,780	193-41 / \$11,250
500-L	392800 / \$6,750	390048 / \$7,750	392799 / \$8,920	408367 / \$10,250	194-37 / \$11,800
600-L	391797 / \$9,510	390049 / \$10,950	414110 / \$12,600	174-23 / \$14,500	194-39 / \$16,650
800-L	391828 / \$10,325	390050 / \$11,875	391829 / \$13,700	391830 / \$15,725	391834 / \$18,100
1000-L	391854 / \$11,875	390051 / \$13,725	391855 / \$15,775	176-23 / \$18,125	415236 / \$20,825
1200-L	391874 / \$12,700	390052 / \$14,575	177-22 / \$16,800	391873 / \$19,300	177-33 / \$22,200
1400-L	391888 / \$13,575	390053 / \$15,600	391889 / \$17,950	391890 / \$20,625	178-34 / \$23,725
1600-L	391913 / \$19,525	390054 / \$22,500	179-22 / \$25,850	391915 / \$29,700	179-34 / \$34,200
2000-L	391969 / \$21,200	390055 / \$24,350	391970 / \$27,975	182-23 / \$32,200	392004 / \$37,050
2500-L	391976 / \$24,425	390056 / \$28,200	180-40 / \$32,350	391985 / \$37,200	180-76 / \$42,750
3000-L	391977 / \$31,075	390057 / \$35,650	180-39 / \$41,050	391986 / \$47,200	418904 / \$54,250
3500-L	392643 / \$37,675	390058 / \$43,325	180-41 / \$49,825	391987 / \$57,300	180-78 / \$66,000
4000-L	392646 / \$43,825	400946 / \$51,650	180-42 / \$57,900	180-46 / \$66,700	418905 / \$76,700
5000-L	392651 / \$57,850	117-940 / \$66,600	391997 / \$76,450	189-7 / \$87,950	180-129 / \$101,200
7500-L	392649 / \$102,100	390015 / \$117,500	180-55 / \$134,900	392660 / \$155,300	392007 / \$178,600
10000-L	180-137 / \$117,100	117-941 / \$134,500	180-57 / \$154,800	180-58 / \$178,000	392008 / \$204,600
15000-L	392644 / \$155,500	117-475 / \$178,700	391995 / \$205,600	180-60 / \$236,400	180-83 / \$271,800


Additional Options: Add to Base Model List Price
Sight Glass (SG): \$381
Seismic Restraints (R): \$268

Standard Leadtime: 200-L through 4000-L: 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days
 5000-L: 125,150 & 175 PSI: 30 Days, 250 & 300 PSI: 60 Days,
 7500-L through 15000-L: All pressures: 60 Days
Connection (NPTF): Malleable Iron: 200-L through 500-L: 1", 600-L through 2000-L: 1-1/2",
 2500-L through 5000-L: 2", 7500-L through 15000-L: 3"
Factory Precharge: All models: 12 PSI
Warranty: 1-Year Limited

APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Replaceable bladder construction.
- Available in Partial Acceptance versions.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 240° F.


How to Order: Specify Model & Options



LBC MODELS: PARTIAL ACCEPTANCE BLADDER, BOTTOM CONNECTION, ASME

J

TECHNICAL DATA



Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
35-LBC	10	10	10	37	67	76	80	94	100
50-LBC	13	11	12	37	76	78	91	106	114
85-LBC	22	11	16	35	92	95	110	129	138
100-LBC	26	11	16	39	99	102	119	138	150
130-LBC	34	27	20	35	135	140	162	189	202
165-LBC	44	27	20	40	149	153	178	214	225
200-LBC	53	27	24	41	195	205	234	273	293
300-LBC	80	27	24	56	233	254	280	326	350
400-LBC	106	53	24	69	274	308	329	383	411
500-LBC	132	53	24	83	310	352	372	434	465
600-LBC	158	53	30	67	438	442	525	613	657

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
35-LBC	391655 / \$4,031	391645 / \$4,634	420170 / \$5,330	\$6,150	\$7,040
50-LBC	391685 / \$4,075	391675 / \$4,684	\$5,270	391682 / \$6,200	\$7,130
85-LBC	391715 / \$4,131	391705 / \$4,751	\$5,460	\$6,290	\$7,240
100-LBC	391732 / \$4,193	391728 / \$4,822	415770 / \$5,540	\$6,380	\$7,340
130-LBC	391746 / \$4,250	390038 / \$4,887	\$5,620	\$6,460	\$7,430
165-LBC	391760 / \$4,355	390039 / \$5,010	390120 / \$5,770	\$6,620	\$7,620
200-LBC	392697 / \$4,426	390040 / \$5,090	\$5,850	\$6,740	\$7,740
300-LBC	392752 / \$4,568	401106 / \$5,260	\$6,040	\$6,960	\$8,000
400-LBC	392778 / \$5,380	390042 / \$6,190	117-03 / \$7,130	\$8,180	\$9,410
500-LBC	392804 / \$5,800	390043 / \$6,660	\$7,680	\$8,820	\$10,150
600-LBC	391802 / \$7,240	390044 / \$8,330	\$9,580	\$11,025	\$12,700

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$381
Seismic Restraints (R): \$268

Standard Leadtime: 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days
Connection (NPTF): Malleable Iron: All LBC Models: 1"
Factory Precharge: All models: 12 PSI
Warranty: 1-Year Limited

35-LBC THROUGH 600-LBC

APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Constructed to ASME Section VIII, Division 1.

How to Order: Specify Model & Options

6-ASL-125

Step 1: Select Base Model Number


Step 2: Choose Pressure Rating

6-Inch Air Separator Less Strainer, 125 PSI Rating

TANGENTIAL AIR SEPARATORS, LESS STRAINER, ASME


J

TECHNICAL DATA



Base Model Number	Connection Size (In)	A Width (In)	B Height (In)	Shipping Weight (Lbs)				
				125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
1-ASL	1	7	12	14	15	N/A	N/A	N/A
2-ASL	2	18	23	41	43	59	65	74
2 1/2-ASL	2-1/2	18	23	50	54	70	80	90
3-ASL	3	18	24	56	60	80	90	100
4-ASL	4	23	25	66	79	92	105	118
5-ASL	5	26	40	175	195	266	280	315
6-ASL	6	28	45	190	210	330	350	400
8-ASL	8	34	57	350	400	490	560	630
10-ASL	10	42	63	700	750	950	1,120	1,260
12-ASL	12	48	82	912	990	1,200	1,460	1,640
14-ASL	14	58	102	1,853	2,150	2,800	2,965	3,335
16-ASL	16	66	104	2,610	3,600	4,060	4,175	4,700
18-ASL	18	66	114	2,900	4,000	4,600	5,100	5,400
20-ASL	20	72	110	4,560	5,800	6,500	7,300	8,200
22-ASL	22	72	126	5,320	6,000	7,000	8,500	9,575
24-ASL	24	84	147	6,175	7,000	8,500	9,880	11,000

PRICING: ASME MODELS



Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
1-ASL	394020 / \$1,402	394022 / \$1,546	N/A	N/A	N/A
2-ASL	394035 / \$1,590	394032 / \$1,746	420402 / \$2,223	394034 / \$2,539	417958 / \$2,855
2 1/2-ASL	394051 / \$1,800	394046 / \$1,979	\$2,515	394049 / \$2,879	491-16 / \$3,234
3-ASL	394083 / \$2,172	394071 / \$2,388	394075 / \$3,044	492-32 / \$3,474	492-28 / \$3,915
4-ASL	394087 / \$2,532	394106 / \$2,784	493-33 / \$3,549	394100 / \$4,054	394108 / \$4,561
5-ASL	394113 / \$2,999	394126 / \$3,300	394124 / \$4,195	494-17 / \$4,801	\$5,400
6-ASL	394155 / \$3,671	394149 / \$4,038	495-21 / \$5,100	495-17 / \$5,870	\$6,620
8-ASL	394186 / \$4,971	394176 / \$5,470	394170 / \$6,960	394169 / \$7,940	394178 / \$8,950
10-ASL	394212 / \$8,600	394201 / \$9,460	497-27 / \$12,050	417525 / \$13,750	497-21 / \$15,500
12-ASL	394244 / \$9,920	394238 / \$10,925	413581 / \$13,875	392704 / \$15,875	392702 / \$17,825
14-ASL	394315 / \$16,900	394308 / \$18,550	\$23,650	499-66 / \$27,000	\$30,425
16-ASL	394288 / \$21,350	394309 / \$23,475	\$29,850	\$34,125	394389 / \$38,475
18-ASL	400789 / \$32,225	394310 / \$35,475	\$45,100	\$51,550	\$58,000
20-ASL	394290 / \$42,375	499-49 / \$46,625	\$59,350	\$67,850	\$76,300
22-ASL	499-55 / \$49,175	499-31 / \$54,100	\$68,850	\$78,600	\$88,400
24-ASL	394287 / \$56,450	499-50 / \$62,050	\$79,050	\$90,300	\$101,500

Additional Options:

Standard Leadtime:

Connection:

Warranty:

Grooved Pipe Connectors (G): Available on models 2-ASL through 14-ASL. Consult factory for pricing.

1-ASL through 12-ASL 125 & 150 PSI: 20 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days,

14-ASL through 18-ASL: 30 Days, 20-ASL through 24-ASL: 60 Days.

Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).

125, 150, and 175 PSI: 150# flanges; 250 and 300 PSI: 300# flanges.

1-Year Limited

APPLICATIONS & ORDERING

- For use in non-potable closed hydronic and chilled water systems.
- Choose from Tangential (vortex) or Inline (air scoop) styles.
- Constructed to ASME Section VIII, Division 1.

How to Order: Specify Model & Options

6-AS-125

Step 1: Select Base Model Number



Step 2: Choose Pressure Rating

6-Inch Air Separator With Strainer, 125 PSI Rating

TANGENTIAL AIR SEPARATORS, WITH STRAINER, ASME

J

TECHNICAL DATA



Base Model Number	Connection Size (In)	A Width (In)	B Height (In)	Shipping Weight (Lbs)				
				125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
2-AS	2	18	23	45	47	63	72	81
2 1/2-AS	2-1/2	18	23	54	58	75	86	97
3-AS	3	18	24	60	64	84	96	108
4-AS	4	23	25	70	83	98	112	126
5-AS	5	26	40	200	220	280	320	360
6-AS	6	28	45	249	261	348	398	448
8-AS	8	34	57	375	445	525	600	675
10-AS	10	42	63	750	800	1,050	1,200	1,350
12-AS	12	48	82	950	1,060	1,330	1,520	1,710
14-AS	14	58	102	2,200	2,500	3,080	3,520	3,960
16-AS	16	66	104	3,000	3,900	4,200	4,800	5,400
18-AS	18	66	114	3,500	4,700	4,900	5,600	6,300
20-AS	20	72	110	5,000	6,100	7,000	8,000	9,000
22-AS	22	72	126	5,500	6,600	7,700	8,800	9,900
24-AS	24	84	147	7,000	8,400	9,800	11,200	12,600

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
2-AS	398301 / \$1,781	394031 / \$2,046	490-27 / \$2,490	\$2,843	\$3,208
2 1/2-AS	394052 / \$1,969	394045 / \$2,264	491-17 / \$2,753	\$3,146	\$3,539
3-AS	394084 / \$2,639	394070 / \$3,032	394074 / \$3,689	394073 / \$4,219	410882 / \$4,749
4-AS	394088 / \$2,855	394105 / \$3,284	400948 / \$3,993	493-30 / \$4,574	\$5,140
5-AS	394114 / \$3,830	394125 / \$4,407	\$5,360	\$6,130	494-16 / \$6,900
6-AS	394156 / \$4,751	394148 / \$5,460	394142 / \$6,660	495-31 / \$7,610	\$8,550
8-AS	394187 / \$6,130	394175 / \$7,060	394171 / \$8,590	496-10 / \$9,810	496-36 / \$11,025
10-AS	394213 / \$10,450	394200 / \$12,025	394204 / \$14,625	497-20 / \$16,700	497-23 / \$18,825
12-AS	394245 / \$12,650	394237 / \$15,600	394240 / \$17,750	191-44 / \$20,275	498-23 / \$22,775
14-AS	394320 / \$21,100	394303 / \$24,250	499-69 / \$29,525	499-71 / \$33,750	499-74 / \$37,950
16-AS	394282 / \$26,150	394304 / \$30,025	394318 / \$36,575	502-2 / \$41,800	502-1 / \$47,050
18-AS	394296 / \$40,250	394305 / \$46,275	503-3 / \$56,400	503-1 / \$64,400	499-73 / \$72,400
20-AS	499-29 / \$52,950	394306 / \$60,900	504-2 / \$74,150	499-70 / \$84,750	499-72 / \$95,300
22-AS	499-35 / \$76,050	499-54 / \$87,600	\$106,600	\$121,800	\$137,200
24-AS	499-40 / \$86,550	499-45 / \$99,550	\$121,300	\$138,600	\$155,800

Additional Options:

Standard Leadtime:

Connection:

Warranty:

Grooved Pipe Connectors (G): Available on models 2-AS through 14-AS. Consult factory for pricing.

2-AS through 12-AS; 125 & 150 PSI: 20 Days, 175 PSI, 30 Days, 250 & 300 PSI: 40 Days,

14-AS through 18-AS: 30 Days, 20-AS through 24-AS: 60 Days.

Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).

125, 150, and 175 PSI: 150# flanges; 250 and 300 PSI: 300# flanges.

1-Year Limited

APPLICATIONS & ORDERING

- For use in closed, non-potable water systems.
- Eliminates entrained air and separates debris associated with start-up and maintenance of any hydronic system.
- Magnetic Separator option removes ferrous particles; includes dry well for ease of maintenance.
- Constructed to ASME Section VIII, Division 1.

How to Order: Specify Model & Options

4-ADS-125-M


Step 1: Select Base Model Number
Step 2: Choose Pressure Rating
Step 3: Magnetic Separator Option

4-inch Air & Dirt Separator, 125 PSI Rating with Magnetic Separator

AIR & DIRT SEPARATORS, ASME

J

TECHNICAL DATA



2-ADS THROUGH 12-ADS

Base Model Number	Connection Size (in)	A Width (in)	B Height (in)	Shipping Weight (Lbs)	
				125 PSI	150 PSI
2-ADS	2	15	23	60	65
3-ADS	3	20	29	92	97
4-ADS	4	21	29	102	110
5-ADS	5	28	42	144	154
6-ADS	6	28	42	149	159
8-ADS	8	34	49	258	270
10-ADS	10	38	64	384	395
12-ADS	12	43	75	533	550

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)	
	125 PSI	150 PSI
2-ADS	394539 / \$2,688	394540 / \$2,825
3-ADS	394541 / \$5,030	394545 / \$5,290
4-ADS	394542 / \$5,480	394547 / \$5,760
5-ADS	394543 / \$7,710	394549 / \$8,120
6-ADS	394544 / \$9,460	394550 / \$9,950
8-ADS	394546 / \$19,475	394551 / \$20,500
10-ADS	394548 / \$29,850	411423 / \$31,425
12-ADS	411428 / \$40,400	394559 / \$42,525


Additional Options: Grooved Pipe Connectors (G): Available on models 2-ADS through 12-ADS.
Magnetic Upgrade (M): 2-ADS through 4-ADS: \$746, 5-ADS through 12-ADS: \$1,019
Grooved Connections (G): Consult factory for pricing.

Standard Leadtime: 2-ADS through 12-ADS: 30 Days. Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).
Connection: 125 and 150 PSI: 150# flanges.
Warranty: 1-Year Limited.

INLINE AIR PURGERS

J

- Eliminate air in closed hydronic or chilled water systems.




Model Number	Connection Size (in)	Shipping Weight (Lbs)		Part No. / List Price (USD)	
		125 PSI	150 PSI	125 PSI	150 PSI
449*	4	56	NA	393997 / \$637	NA
461*	5	NA	60	NA	393998 / \$2,358
462*	6	NA	65	NA	393999 / \$2,545
463*	8	NA	113	NA	394000 / \$3,406
464*	10	NA	174	NA	394001 / \$5,400
465*	12	NA	330	NA	394002 / \$6,460
466*	14	NA	500	NA	394004 / \$10,300
467	16	NA	231	NA	394006 / \$11,725 *150 PSI ANSI Flanges
468	18	NA	573	NA	394009 / \$13,525

Standard Leadtime: 449 through 465: 10 Days, 466 through 468: 30 Days.
Warranty: 1-Year Limited

Air Vents & Plain Steel Tanks

HIGH CAPACITY AIR VENT

J


Model Number	Part No. / Description	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)	List Price (USD)
747	390014 / High Capacity Vent	4	10	8	\$1,160
Repair Kit	390060 / Repair Kit & Gasket Assy			1	\$192

For venting air from closed hydronic or chilled water systems.


Standard Leadtime: Vent and Repair Kit: 10 Days

Warranty: 1-Year Limited

AC MODELS: PLAIN STEEL COMPRESSION TANKS, ASME

J

PRICING: ASME MODELS



AC12-15 THROUGH AC36-505

Model Number	Volume (Gal)	A-Diameter (In)	B-Length (In)	Shipping Weight (Lbs)		Part No. / List Price (USD)	
				125 PSIG	150 PSIG	125 PSIG	150 PSIG
AC12-15	15	12	33	NA	44	NA	392213 / \$1,086
AC12-24	24	12	51	NA	62	NA	392214 / \$1,142
AC14-30	30	14	48	NA	72	NA	392215 / \$1,390
AC14-40	40	14	63	NA	92	NA	392216 / \$1,616
AC16-60	60	16	72	NA	120	NA	392217 / \$1,882
AC20-80	80	20	63	136	NA	392218 / \$1,887	NA
AC20-100	100	20	78	168	NA	392219 / \$2,818	NA
AC24-120	120	24	65	218	NA	392220 / \$3,520	NA
AC24-135	135	24	72	238	NA	392221 / \$3,629	NA
AC30-175	175	30	62	338	NA	392222 / \$5,420	NA
AC30-220	220	30	77	368	NA	400774 / \$6,360	NA
AC30-240	240	30	84	394	NA	183-8025 / \$6,480	NA
AC30-305	305	30	106	486	NA	392225 / \$6,790	NA
AC36-400	400	36	93	645	NA	183-8028 / \$7,070	NA
AC36-505	505	36	120	810	NA	392227 / \$7,750	NA

Maximum Operating Temperature: 450° F

For use in closed hydronic and chilled water systems.

Standard Leadtime: AC12-15 through AC30-305: 20 days. AC36-400 and AC36-505: 30 days.

Working Pressure: AC12-15 through AC16-60: 150 PSI. AC20-80 through AC36-505: 125 PSI.

Warranty: 1-Year Limited

APPLICATIONS & ORDERING

- For use in non-potable closed chilled water systems.
- Available with 3" to 12" connections.
- Constructed to ASME Section VIII, Division 1.

How to Order: Specify Model & Options

CWBT500-6-125 R


- Step 1: Select Base Model Number
 Step 2: Specify Sensor Ports
 Step 3: Specify Restraint Option (or leave blank)

CWBT500-6 125 PSI Rating with Restraints

CWBT MODELS: CHILLED WATER BUFFER TANKS, ASME

J

TECHNICAL DATA



CWBT120 THROUGH
CWBT1040

Base Model Number	Volume (Gal)	A Width (In)	B Height (In)	Connection Size (In)	Shipping Weight (Lbs)	
					125 PSI	150 PSI
CWBT120-3	120	33	56	3	294	323
CWBT120-4	120	33	56	4	315	347
CWBT120-6	120	33	56	6	333	366
CWBT200-3	200	39	63	3	527	580
CWBT200-4	200	39	63	4	547	602
CWBT200-6	200	39	63	6	566	623
CWBT300-4	300	45	80	4	753	828
CWBT300-6	300	45	80	6	772	849
CWBT300-8	300	45	80	8	801	881
CWBT500-6	500	51	99	6	1,366	1,503
CWBT500-8	500	51	99	8	1,395	1,535
CWBT500-10	500	51	99	10	1,490	1,639
CWBT850-6	850	64	115	6	2,707	2,978
CWBT850-8	850	64	115	8	2,736	3,010
CWBT850-10	850	64	115	10	2,771	3,048
CWBT1040-8	1040	70	108	8	3,136	3,450
CWBT1040-10	1040	70	108	10	3,171	3,488
CWBT1040-12	1040	70	108	12	3,283	3,611

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)	
	125 PSI	150 PSI
CWBT120-3	394402 / \$5,400	394448 / \$6,470
CWBT120-4	394403 / \$5,670	394439 / \$6,810
CWBT120-6	411257 / \$6,180	517-49 / \$7,410
CWBT200-3	394405 / \$7,070	394457 / \$8,480
CWBT200-4	394406 / \$7,430	407429 / \$8,940
CWBT200-6	394407 / \$8,140	400949 / \$9,780
CWBT300-4	394408 / \$8,890	412541 / \$10,675
CWBT300-6	394409 / \$9,330	\$11,200
CWBT300-8	517-09 / \$10,225	394447 / \$12,275
CWBT500-6	394411 / \$17,175	394454 / \$20,625
CWBT500-8	394422 / \$18,025	\$21,625
CWBT500-10	517-12 / \$19,775	\$23,725
CWBT850-6	394433 / \$25,600	394445 / \$30,750
CWBT850-8	394434 / \$26,925	\$32,350
CWBT850-10	394435 / \$29,475	\$35,375
CWBT1040-8	394436 / \$34,025	\$40,875
CWBT1040-10	517-17 / \$35,700	\$42,850
CWBT1040-12	517-18 / \$39,125	\$47,000

Additional Options: Add to Base Model List Price
Seismic Restraints (R): \$268
Sensor Ports (SP): \$381
Grooved Pipe Connectors (G): Consult factory for pricing.

Standard Leadtime: CWBT120-3 through CWBT300-8: 20 Days; CWBT500-6 through CWBT1040-12: 40 Days; Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).
Connection: 125 and 150 PSI: 150# flanges.
Warranty: 1-Year Limited

APPLICATIONS & ORDERING

- For use in non-potable closed heating systems.
- Available with 2" to 4" connections.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 450° F.

How to Order: Specify Model & Options

HWBT120-2-125SPR


Step 1: Select Base Model Number
Step 2: Specify Sensor Ports
Step 3: Specify Restraint Option (or leave blank)

HWBT120-2 125 PSI Rating with Sensor Ports and Restraints

HWBT MODELS: HOT WATER BUFFER TANKS, ASME


J

TECHNICAL DATA



Base Model Number	Volume (Gal)	A Width (In)	B Height (In)	Primary Connection Size (In)	Secondary Connection Size (In)	Shipping Weight (Lbs)	
						125 PSI	150 PSI
HWBT120-2	120	33	56	2	2	254	279
HWBT120-3	120	33	56	3	3	268	295
HWBT200-2	200	39	63	2	2	475	523
HWBT200-3	200	39	63	3	3	490	539
HWBT300-2	300	45	80	2	2	668	735
HWBT300-3	300	45	80	3	3	683	751
HWBT120-2/2	120	33	56	2	2	267	294
HWBT120-2/3	120	33	56	2	3	282	310
HWBT120-3/3	120	33	56	3	3	297	327
HWBT120-4/4	120	33	56	4	4	338	372
HWBT200-2/2	200	39	63	2	2	489	538
HWBT200-2/3	200	39	63	2	3	503	553
HWBT200-3/3	200	39	63	3	3	518	570
HWBT200-4/4	200	39	63	4	4	560	617
HWBT300-2/2	300	45	80	2	2	682	750
HWBT300-2/3	300	45	80	2	3	696	766
HWBT300-3/3	300	45	80	3	3	711	782
HWBT300-4/4	300	45	80	4	4	753	828

PRICING: ASME MODELS



Base Model Number	Part No. / List Price (USD)	
	125 PSI	150 PSI
HWBT120-2	394575 / \$4,548	419766 / \$5,460
HWBT120-3	394576 / \$4,837	\$5,810
HWBT200-2	394583 / \$6,100	\$7,330
HWBT200-3	394584 / \$6,320	394591 / \$7,590
HWBT300-2	527-301 / \$8,120	\$9,750
HWBT300-3	527-302 / \$8,410	\$10,100
HWBT120-2/2	394577 / \$6,020	\$7,220
HWBT120-2/3	394578 / \$6,270	\$7,530
HWBT120-3/3	394579 / \$6,530	\$7,830
HWBT120-4/4	394580 / \$6,790	\$8,130
HWBT200-2/2	394585 / \$7,510	413981 / \$9,010
HWBT200-2/3	527-204 / \$7,760	\$9,310
HWBT200-3/3	394587 / \$8,020	394590 / \$9,620
HWBT200-4/4	394588 / \$8,260	\$9,920
HWBT300-2/2	527-303 / \$9,600	\$11,500
HWBT300-2/3	413773 / \$9,840	\$11,825
HWBT300-3/3	413990 / \$10,100	394604 / \$12,100
HWBT300-4/4	394600 / \$10,450	416831 / \$12,525

Additional Options: Add to Base Model List Price
Seismic Restraints (R): \$268
Sensor Ports (SP): \$381
Grooved Pipe Connectors (G): Consult factory for pricing.

Standard Leadtime: All Models 10 days.
Add 10 days to Standard Leadtime for Grooved Pipe Connectors (G).
Connection: 125 and 150 PSI: 150# flanges.
Warranty: 1-Year Limited

APPLICATIONS & ORDERING

- For use in potable hot water systems.
- Antimicrobial/ASHRAE 188 Anti-Legionella Liner.
- Fixed diaphragm construction.
- Deep Drawn models are lighter, stronger and more compact than traditional head and shell construction.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 200° F.
- Patented Turbulator.

How to Order: Specify Model & Options

ST-80VC-150SGR

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

ST-80VC 150 PSI Rating with Sight Glass & Restraints

ST MODELS: DEEP DRAWN, DIAPHRAGM TYPE, ASME


J

TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Height (In)	Shipping Weight (Lbs)			
					150 PSI	175 PSI	250 PSI	300 PSI
ST-5C-DD	2.0	0.9	8	14	10	12	NA	NA
ST-12C-DD	6.4	3.2	12	18	26	28	NA	NA
ST-20VC-DD	8.6	3.2	12	22	36	38	NA	NA
ST-30VC-DD	16.6	11.3	15	25	48	NA	NA	NA
ST-42VC-DD	23.2	11.3	15	33	68	NA	NA	NA

PRICING: DEEP DRAWN, DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)			
	150 PSI	175 PSI	250 PSI	300 PSI
ST-5C-DD	390414 / \$1,980	390413 / \$2,177	NA	NA
ST-12C-DD	390602 / \$2,586	390601 / \$2,843	NA	NA
ST-20VC-DD	390603 / \$2,688	401796 / \$2,957	NA	NA
ST-30VC-DD	401681 / \$3,035	NA	NA	NA
ST-42VC-DD	401800 / \$3,242	NA	NA	NA



ST MODELS: HEAD & SHELL, DIAPHRAGM TYPE, ASME

J

TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A-Diameter (In)	B-Height (In)	Shipping Weight (Lbs)			
					150 PSI	175 PSI	250 PSI	300 PSI
ST-5C	2.1	0.9	10	10	NA	NA	25	30
ST-12C	6.4	3.2	12	14	NA	NA	42	50
ST-20VC	8.0	3.2	12	19	NA	NA	50	62
ST-30VC	14.0	9.0	16	19	NA	64	96	108
ST-42VC	18.0	11.0	16	24	NA	75	101	112
ST-60VC	25.0	11.0	16	32	85	113	125	139
ST-70VC	34.0	11.0	16	45	99	122	136	151
ST-80VC	53.0	35.0	24	37	224	296	305	340
ST-120VC	68.0	35.0	24	44	266	340	375	400
ST-180VC	77.0	35.0	24	49	285	360	380	420
ST-210VC	90.0	35.0	24	57	319	380	405	440

PRICING: HEAD & SHELL, DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)			
	150 PSI	175 PSI	250 PSI	300 PSI
ST-5C	NA	NA	390525 / \$2,511	390516 / \$2,763
ST-12C	NA	NA	390651 / \$3,281	390652 / \$3,609
ST-20VC	NA	NA	390779 / \$3,412	390784 / \$3,753
ST-30VC	NA	391274 / \$3,501	390847 / \$3,850	390852 / \$4,234
ST-42VC	NA	391275 / \$3,740	390960 / \$4,114	\$4,525
ST-60VC	391243 / \$3,947	391255 / \$4,343	403070 / \$4,777	146-811 / \$5,260
ST-70VC	391251 / \$4,077	391271 / \$4,485	391273 / \$4,933	401860 / \$5,420
ST-80VC	391323 / \$5,820	391355 / \$6,410	391337 / \$7,050	391347 / \$7,770
ST-120VC	391331 / \$6,110	147-240 / \$6,740	391357 / \$7,400	391348 / \$8,140
ST-180VC	391441 / \$6,370	391457 / \$7,020	391459 / \$7,720	\$8,500
ST-210VC	391442 / \$6,690	391458 / \$7,370	391460 / \$8,100	401266 / \$8,910

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$381
Seismic Restraints (R): \$268

Standard Leadtime:

ST-5C-DD, ST-12C-DD and ST-20VC-DD 150 PSI: Up to 5 units – 5 Days; Over 5 units – 10 Days.

Connection:

All other ST models 150 PSI: 10 Days, 175 PSI: 20 Days, 250 PSI: 30 Days, 300 PSI: 40 Days

Factory Precharge:

Stainless Steel: DD ST-5C, ST-12C, ST-20VC, ST-30VC and ST-42VC: 3/4" NPTM

Warranty:

Non-DD ST-5C, ST-12C, ST-20VC, ST-30VC and ST-42VC: 3/4" NPTF


ST-60VC and ST-70VC: 3/4" NPTF, ST-80VC through ST-210VC: 1 1/4" NPTF

All models: 55 PSI


1-Year Limited

www.amtrol.com

REV-A Effective January 2, 2020



ST-80VC THROUGH ST-210VC



APPLICATIONS & ORDERING

- For use in potable hot water systems.
- Replaceable bladder construction.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options

ST-448C-125SGR


- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

ST-448C 125 PSI Rating with Sight Glass & Restraints

ST-C MODELS: FULL ACCEPTANCE BLADDER, ASME

J

TECHNICAL DATA



Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
ST-447C	53	53	24	45	236	262	290	370	425
ST-448C	80	80	24	59	274	340	430	492	540
ST-449C	106	106	24	73	320	360	450	510	560
ST-450C	132	132	24	87	354	400	460	570	632
ST-451C	158	158	30	73	494	587	680	815	895
ST-452C	211	211	30	91	593	625	699	1,005	1,107
ST-453C	264	264	36	86	667	760	845	1,100	1,205
ST-454C	317	317	36	98	762	850	960	1,265	1,400
ST-455C	370	370	36	110	842	935	1,065	1,350	1,490
ST-456C	422	422	48	82	1,152	1,423	1,650	1,660	1,830
ST-457C	528	528	48	97	1,335	1,505	1,875	2,230	2,455

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
ST-447C	392172 / \$7,870	392195 / \$8,660	417979 / \$9,960	392199 / \$11,450	\$13,175
ST-448C	392173 / \$9,140	392196 / \$10,050	392246 / \$11,050	401268 / \$12,200	\$13,400
ST-449C	392174 / \$10,650	392197 / \$11,725	392247 / \$12,900	392185 / \$14,200	183-127 / \$15,575
ST-450C	392180 / \$12,150	392198 / \$13,375	417675 / \$14,700	392138 / \$16,150	392139 / \$17,750
ST-451C	392307 / \$13,500	392324 / \$14,875	413774 / \$16,350	409433 / \$17,975	392333 / \$19,750
ST-452C	392360 / \$14,850	392373 / \$16,325	185-39 / \$17,975	392362 / \$19,725	\$21,725
ST-453C	392418 / \$17,500	392432 / \$19,200	403073 / \$21,150	\$23,250	\$25,550
ST-454C	181-38 / \$18,000	392036 / \$19,775	181-39 / \$21,800	413074 / \$23,950	\$26,325
ST-455C	392054 / \$19,525	392060 / \$21,450	\$23,625	\$26,000	\$28,550
ST-456C	408015 / \$25,625	392502 / \$28,250	\$31,075	412377 / \$34,200	\$37,550
ST-457C	392547 / \$27,400	390312 / \$30,175	\$34,475	188-99 / \$36,525	\$40,125

ST-447C THROUGH ST-457C

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$381
Seismic Restraints (R): \$268

Standard Leadtime: 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 & 300 PSI: 40 Days
Connection (NPTF): Bronze: ST-447C through ST-452C: 2", ST-453C through ST-457C: 3"
Factory Precharge: All models: 25 PSI
Warranty: 1-Year Limited



APPLICATIONS & ORDERING

- For use in potable hot water systems.
- Replaceable diaphragm construction.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options

ST-100CL-150SGR


- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

ST-100CL 150 PSI Rating with Sight Glass & Restraints

ST-CL MODELS: PARTIAL ACCEPTANCE BLADDER, ASME

J

TECHNICAL DATA



Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)
ST-35LCL	10	10	10	37	76
ST-50LCL	13	11	12	37	78
ST-85LCL	22	11	16	35	95
ST-100LCL	26	11	16	39	102
ST-130LCL	34	27	20	35	134
ST-165LCL	44	27	20	40	153
ST-200LCL	53	27	24	41	205
ST-300LCL	80	27	24	56	254
ST-400LCL	106	53	24	69	308
ST-500LCL	132	53	24	83	352
ST-600LCL	158	53	30	67	442

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD) 150 PSI
ST-35CL	391656 / \$5,370
ST-50CL	391686 / \$5,440
ST-85CL	391716 / \$5,580
ST-100CL	391733 / \$5,640
ST-130CL	391747 / \$5,930
ST-165CL	391761 / \$6,140
ST-200CL	392698 / \$6,340
ST-300CL	392753 / \$6,570
ST-400CL	392779 / \$7,610
ST-500CL	392805 / \$7,900
ST-600CL	391804 / \$9,700

Additional Options:	Add to Base Model List Price
Sight Glass (SG):	\$381
Seismic Restraints (R):	\$268

Standard Leadtime:	All models 10 Days
Connection (NPTF):	Stainless Steel: All Models: 1"
Factory Precharge:	All models: 25 PSI
Warranty:	1-Year Limited



APPLICATIONS & ORDERING

- For use in water well and booster pump applications.
- Antimicrobial/ASHRAE 188 Anti-Legionella Liner.
- Fixed diaphragm construction.
- Deep Drawn models are lighter, stronger and more compact than traditional head and shell construction.
- Constructed to ASME Section VIII, Division 1.
- Maximum Operating Temperature: 200° F.
- Patented Turbulator.


How to Order: Specify Model & Options

WX-403C-125SGR

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Specify Restraint Option (or leave blank)

WX-403C (ASME) 125 PSI Rating with Sight Glass & Restraints

WX-C MODELS: DEEP DRAWN, DIAPHRAGM TYPE, ASME




TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)		
					125 PSI	150 PSI	175 PSI
WX-101C-DD	2.0	0.9	8	14	10	10	12
WX-102C-DD	6.4	3.2	12	18	26	26	28
WX-103C-DD	8.6	3.2	12	22	36	36	38

PRICING: DEEP DRAWN, DIAPHRAGM TYPE, ASME MODELS

Base Model Number	Part No. / List Price (USD)		
	125 PSI	150 PSI	175 PSI
WX-101C-DD	423666 / \$ 1,890	\$ 2,050	\$ 2,200
WX-102C-DD	423667 / \$ 2,500	\$ 2,610	\$ 2,930
WX-103C-DD	423668 / \$ 2,600	\$ 2,710	\$ 3,020

WX-C MODELS: HEAD & SHELL, DIAPHRAGM TYPE, ASME



TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
WX-401C	18	11	16	31	77	96	110	126	133
WX-402C	25	11	16	40	93	113	125	145	160
WX-403C	34	11	16	49	115	120	145	183	200
WX-404C	68	34	24	48	227	232	313	411	432
WX-405C	90	34	24	59	252	255	384	433	460
WX-406C	110	34	24	70	286	335	402	475	500
WX-407C	132	46	30	57	436	450	510	570	625

PRICING: HEAD & SHELL, DIAPHRAGM TYPE, ASME

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
WX-401C	390996 / \$3,074	390964 / \$3,383	390950 / \$3,721	390997 / \$4,094	390998 / \$4,502
WX-402C	391124 / \$3,527	391079 / \$3,879	391122 / \$4,267	391126 / \$4,694	391081 / \$5,160
WX-403C	391253 / \$3,841	391257 / \$4,227	391245 / \$4,650	391246 / \$5,120	391768 / \$5,620
WX-404C	391378 / \$5,700	391344 / \$6,260	391320 / \$6,900	391319 / \$7,600	391770 / \$8,350
WX-405C	391513 / \$5,960	391492 / \$6,570	391511 / \$7,210	391510 / \$7,940	391772 / \$8,740
WX-406C	391484 / \$6,250	391493 / \$6,890	391489 / \$7,590	391497 / \$8,330	149-169 / \$9,180
WX-407C	391485 / \$7,060	391494 / \$7,790	391496 / \$8,560	391490 / \$9,420	391507 / \$10,350

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$381
Seismic Restraints (R): \$268

Standard Leadtime: 125 & 150 PSI: 10 days, 175 PSI: 20 days, 250 & 300 PSI: 30 days,
Connection (NPTF): Malleable Iron: WX-101C-DD through WX-103C-DD: 3/4", WX-401C through WX-403C: 1", WX-404C through WX-407C: 1-1/4"
Factory Precharge: All models: 25 PSI
Warranty: 1-Year Limited




APPLICATIONS & ORDERING

- For use in water well and booster pump applications.
- Replaceable bladder design.
- Maximum Operating Temperature: 240° F.

How to Order: Specify Model & Options

WX-448C-175SGR

- Step 1: Select Base Model Number
 Step 2: Choose Pressure Rating
 Step 3: Specify Sight Glass Option (or leave blank)
 Step 4: Restraint Option (or leave blank)




WX-448C (ASME) 175 PSI Rating with Sight Glass & Restraints

WX-C MODELS: FULL ACCEPTANCE BLADDER, ASME

J

TECHNICAL DATA



Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)				
					125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
WX-447C	53	53	24	45	263	289	368	420	462
WX-448C	80	80	24	59	315	338	430	492	540
WX-449C	106	106	24	73	319	350	440	507	557
WX-450C	132	132	24	87	351	392	454	570	627
WX-451C	158	158	30	73	493	587	680	813	894
WX-452C	211	211	30	91	602	627	694	1,007	1,107
WX-453C	264	264	36	86	676	752	846	1,095	1,204
WX-454C	317	317	36	98	762	840	959	1,264	1,390
WX-455C	370	370	36	110	843	930	1,060	1,350	1,485
WX-456C	422	422	48	82	1,154	1,418	1,655	1,700	1,826
WX-457C	528	528	48	97	1,331	1,500	1,870	2,231	2,450
WX-458C	660	660	60	84	1,450	1,740	2,030	2,320	2,750
WX-459C	792	792	60	99	2,169	2,385	3,036	3,470	3,690
WX-460C	925	925	60	107	2,300	2,530	3,220	3,680	3,910
WX-461C	1,056	1,056	60	121	2,638	2,900	3,695	4,220	4,485
WX-462C	1,320	1,320	72	108	3,500	3,850	4,900	5,600	5,950
WX-463C	1,980	1,980	72	140	4,100	4,510	5,740	6,560	6,970

PRICING: ASME MODELS

Base Model Number	Part No. / List Price (USD)				
	125 PSI	150 PSI	175 PSI	250 PSI	300 PSI
WX-447C	392152 / \$8,680	392191 / \$9,540	392165 / \$10,500	392156 / \$11,575	392126 / \$12,675
WX-448C	392153 / \$8,730	392192 / \$9,600	392170 / \$10,550	392157 / \$11,625	392120 / \$12,775
WX-449C	392151 / \$9,080	392193 / \$10,000	407471 / \$10,975	392158 / \$12,075	410876 / \$13,300
WX-450C	392154 / \$9,450	392194 / \$10,400	392101 / \$11,400	392159 / \$12,575	392181 / \$13,825
WX-451C	392306 / \$11,750	392325 / \$12,975	392309 / \$14,275	392310 / \$15,725	392329 / \$17,250
WX-452C	392359 / \$13,000	392374 / \$14,325	392363 / \$15,750	392364 / \$17,325	185-56 / \$19,050
WX-453C	392417 / \$15,875	392433 / \$17,425	392420 / \$19,150	402640 / \$21,125	\$23,225
WX-454C	392029 / \$16,900	392037 / \$18,550	392032 / \$20,375	392033 / \$22,450	\$24,725
WX-455C	392053 / \$17,925	392061 / \$19,675	419862 / \$21,650	182-42 / \$23,775	\$26,175
WX-456C	392494 / \$22,725	392501 / \$25,025	187-41 / \$27,500	392498 / \$30,275	187-64 / \$33,300
WX-457C	392546 / \$24,775	392558 / \$27,250	419557 / \$30,000	188-42 / \$32,950	188-68 / \$36,300
WX-458C	392561 / \$28,275	392570 / \$31,150	\$33,800	\$37,650	392541 / \$44,850
WX-459C	392562 / \$33,100	392588 / \$36,375	\$40,000	188-94 / \$44,000	*
WX-460C	392563 / \$40,150	\$44,175	\$48,625	\$53,500	*
WX-461C	392564 / \$44,550	188-91 / \$48,975	\$53,850	\$59,300	*
WX-462C	392565 / \$66,850	\$73,450	\$80,900	*	*
WX-463C	392587 / \$117,900	*	*	*	*

* Consult Amtrol Customer Service for List Price and Lead Times.

WX 447C THROUGH WX-463C




- Standard Leadtime:** WX-447C through WX-457C, 125 & 150 PSI: 10 Days, 175 PSI: 30 Days, 250 PSI: 40 Days, 300 PSI: 50 Days. WX-458C through WX-463C, All pressures: 50 Days.
- Connection (NPTF):** Malleable Iron: WX-447C through WX-452C: 2", WX-453C through WX-457C: 3", WX-458C through WX-463C: 4"
- Factory Precharge:** All models: 25 PSI
- Warranty:** 1-Year Limited

- Additional Options:** Add to Base Model List Price
- Sight Glass (SG):** \$381
- Seismic Restraints (R):** \$268

TECHNICAL DATA

Base Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Shipping Weight (Lbs)
WX-35CL	10	10	10	37	69
WX-50CL	13	11	12	37	76
WX-85CL	22	11	16	35	92
WX-100CL	26	11	16	39	98
WX-130CL	34	27	20	35	136
WX-165CL	44	27	20	40	146
WX-200CL	53	27	24	41	198
WX-300CL	80	27	24	56	236
WX-400CL	106	53	24	69	282
WX-500CL	132	53	24	83	316
WX-600CL	158	53	30	67	450



WX-35CL THROUGH WX-600CL

PRICING: ASME MODELS




Base Model Number	Part No. / List Price (USD) 125 PSI
WX-35CL	407286 / \$5,390
WX-50CL	408763 / \$5,470
WX-85CL	167-7 / \$5,610
WX-100CL	418391 / \$5,660
WX-130CL	408539 / \$5,900
WX-165CL	391763 / \$5,970
WX-200CL	392700 / \$6,180
WX-300CL	392755 / \$6,460
WX-400CL	392781 / \$7,560
WX-500CL	392807 / \$7,810
WX-600CL	391806 / \$9,900

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$381
Seismic Restraints (R): \$268

Standard Leadtime: All models 10 Days
Connection (NPTF): Malleable Iron: WX-35CL through WX-100CL: 1-1/4", WX-130CL through WX-300CL: 1-1/2", WX-400CL through WX-600CL: 2"
Factory Precharge: All models: 25 PSI
Warranty: 1-Year Limited



FPT MODELS: FIRE-X-TROL SPRINKLER SYSTEM EXPANSION TANKS, 175 PSI, AMSE

F

FPT-5C THROUGH FPT-12C

FPT-20VC THROUGH FPT-70VC

FPT-80VC THROUGH FPT-210VC

TECHNICAL DATA

Model Number	Volume (Gal)	Max Acceptance Volume (Gal)	A Diameter (In)	B Height (In)	Sys. Conn. (In) St. Steel NPTF	Shipping Weight (Lbs)
FPT-5C	2.1	0.9	10	10	3/4	21
FPT-12C	6.4	3.2	12	16	3/4	36
FPT-20VC	8.0	3.2	12	20	3/4	52
FPT-30VC	14.0	9.0	16	19	3/4	97
FPT-42VC	17.5	11.0	16	24	3/4	116
FPT-60VC	25.0	11.0	16	33	3/4	154
FPT-70VC	34.0	11.0	16	42	3/4	197
FPT-80VC	53.0	35.0	24	36	1 1/4	251
FPT-120VC	66.0	35.0	24	44	1 1/4	281
FPT-180VC	77.0	35.0	24	49	1 1/4	353
FPT-210VC	90.0	35.0	24	56	1 1/4	382

PRICING: ASME MODELS

Model Number	Part No. / List Price (USD)
	175 PSI
FPT-5C	390522 / \$2,290
FPT-12C	390660 / \$2,959
FPT-20VC	390781 / \$3,960
FPT-30VC	390855 / \$4,544
FPT-42VC	390965 / \$5,830
FPT-60VC	391259 / \$8,120
FPT-70VC	391260 / \$11,050
FPT-80VC	391345 / \$11,925
FPT-120VC	391346 / \$12,600
FPT-180VC	391450 / \$13,275
FPT-210VC	391451 / \$15,875

Seismic Restraints (R); Sight Glass (SG) Available on Models FPT-20VC through FPT-210VC
Operating Temperature Range: -20° F to 200° F

SPT MODELS: SURGE-TROL SPRINKLER SYSTEM SURGE SUPPRESSORS, 275 PSI, ASME

F

TECHNICAL DATA


Model Number	Volume (Gal)	A Diameter (In)	B Height (In)	Sys. Conn. (In)	Shipping Weight (Lbs)
SPT-1	10	16	31	2	200
SPT-3	25	16	49	3	273
SPT-7	53	24	49	4	390
SPT-11	80	24	63	4	505
SPT-14	106	24	77	4	618
SPT-18	132	24	91	4	731
SPT-21	158	30	75	4	950
SPT-28	211	30	93	4	1,125
SPT-35	264	36	85	6	1,520
SPT-42	317	36	97	6	1,720
SPT-50	370	36	110	6	1,900
SPT-56	422	48	86	8	2,300
SPT-70	528	48	100	8	2,700

PRICING: ASME MODELS


Model Number	Part No. / List Price (USD)
	275 PSI
SPT-1	392871 / \$17,650
SPT-3	392872 / \$24,650
SPT-7	392844 / \$26,750
SPT-11	392849 / \$26,950
SPT-14	392857 / \$27,625
SPT-18	392862 / \$27,950
SPT-21	392864 / \$37,825
SPT-28	392865 / \$41,850

Model Number	Part No. / List Price (USD)
	275 PSI
SPT-35	392866 / \$54,050
SPT-42	392867 / \$57,200
SPT-50	392868 / \$60,400
SPT-56	407356 / \$69,900
SPT-70	392870 / \$73,350

Seismic Restraints (R) Standard; Sight Glass (SG) Optional
Maximum Operating Temperature: 240° F


SPT-1 THROUGH SPT-70

SPT-1 Through SPT-3 FM Only



D-7 THROUGH D-70

For Water Hammer Reduction in Potable Cold or Hot Water Systems.



TECHNICAL DATA

Model Number	Volume (Gal)	A Diameter (In)	B Height (In)	Sys. Conn. (In)	Shipping Weight (Lbs)
D-7	53	24	49	4	390
D-11	80	24	63	4	505
D-14	106	24	77	4	618
D-18	132	24	91	4	731
D-21	158	30	75	4	950
D-28	211	30	93	4	1,125
D-35	264	36	85	6	1,520
D-42	317	36	97	6	1,720
D-50	370	36	110	6	1,900
D-56	422	48	86	8	2,300
D-70	528	48	100	8	2,700

PRICING: ASME MODELS

Model Number	Part No. / List Price (USD) 250 PSI
D-7	392166 / \$18,450
D-11	392164 / \$18,700
D-14	392168 / \$19,225
D-18	392167 / \$19,725
D-21	184-52 / \$29,925
D-28	417010 / \$33,300
D-35	409864 / \$46,575
D-42	392429 / \$49,900
D-50	409072 / \$53,250
D-56	187-53 / \$63,200
D-70	400947 / \$66,600

Seismic Restraints (R) Standard & Sight Glass (SG) Optional
Maximum Operating Temperature: 200° F

Additional Options: Add to Base Model List Price
Sight Glass (SG): \$381

Standard Leadtime: FPT Models: 30 Days
SPT-1 through SPT-28: 40 Days
SPT-35 through SPT-70: 60 Days
D Models: 60 Days
Connection: 250 PSI: 150# Flange; 275 PSI: 300# Flange
Warranty: 1-Year Limited

EXTROL® REPLACEMENT BLADDERS

Model Number	Part No.	Application	Shipping Weight (Lbs)	Standard Lead Time	List Price (USD)
191-3	392694	200-L	15	10 days	\$2,699
192-3	392750	300-L	20	10 days	\$2,850
193-3	392775	400-L	25	10 days	\$2,991
194-3	392803	500-L	30	10 days	\$3,090
174-16	391796	600-L	33	10 days	\$3,197
175-15	391827	800-L	35	10 days	\$3,302
176-15	391853	1000-L	37	10 days	\$4,058
177-15	391872	1200-L	43	10 days	\$4,208
178-15	391887	1400-L	52	10 days	\$4,692
179-15	391912	1600-L	55	10 days	\$4,918
180-15	391967	2000-L	63	10 days	\$5,010
180-35	391978	2500-L	71	10 days	\$5,370
180-36	391979	3000-L	82	10 days	\$6,280
180-37	391980	3500-L	102	10 days	\$8,560
180-38	391981	4000-L	109	10 days	\$10,550
180-48	391990	5000-L	128	10 days	\$12,450
180-90	392013	7500-L	155	40 days	\$13,875
180-91	417843	10000-L	225	40 days	\$18,975
180-92	392015	15000-L	310	40 days	\$31,575
10-0001	389674	35-100LBC	13	10 days	\$1,161
10-0002	389675	130-300LBC	19	10 days	\$1,572
10-0003	389676	400-600LBC	33	10 days	\$2,224

THERM-X-TROL® & WELL-X-TROL® REPLACEMENT BLADDERS

Model Number	Part No.	Application	Shipping Weight (Lbs)	Standard Lead Time	List Price (USD)
183-10	392100	WX & ST-447	16	10 days	\$3,095
183-11	392115	WX & ST 448	21	10 days	\$3,192
183-12	392124	WX & ST-449	26	10 days	\$3,260
183-13	392134	WX & ST-450	31	10 days	\$3,273
184-27	392304	WX & ST-451/421	26	10 days	\$3,398
185-22	392357	WX & ST-452/422	32	10 days	\$3,511
186-23	392415	WX & ST-453/423	37	10 days	\$4,453
181-21	392027	WX & ST-454/424	42	10 days	\$4,505
182-21	392051	WX & ST-455	48	10 days	\$5,060
187-21	392492	WX & ST-456/426	52	10 days	\$5,200
188-21	392544	WX & ST-457/427	62	10 days	\$5,380
188-80		WX458	71	40 days	\$6,830
188-81	392572	WX459	82	40 days	\$7,180
188-82	392573	WX460	102	40 days	\$9,660
188-83	392574	WX461	109	40 days	\$10,375
188-84	410451	WX462	128	40 days	\$11,900
188-85		WX463	150	40 days	\$16,575
10-0004		ST35-100CL	13	10 days	\$3,605
10-0005		ST130-300CL	19	10 days	\$4,762
10-0006	389679	ST400-600CL	33	10 days	\$5,670
10-0007		WX35-100CL	13	10 days	\$3,605
10-0008		WX130-300CL	19	10 days	\$4,762
10-0009	389682	WX400-600CL	33	10 days	\$5,670

DIATROL® & SURGE-TROL® REPLACEMENT BLADDERS

Model Number	Part No.	Application	Shipping Weight (Lbs)	Standard Leadtime	List Price (USD)
217-0039		SPT-1	10	10 days	\$2,596
217-0040		SPT-3	12	10 days	\$2,680
183-77	392206	D & SPT-7	15	10 days	\$2,861
183-72	392201	D & SPT-11	20	10 days	\$3,020
183-73	392202	D & SPT-14	25	10 days	\$3,172
183-74	392203	D & SPT-18	30	10 days	\$3,273
183-75		D & SPT-21	33	40 days	\$3,398
183-76		D & SPT-28	35	40 days	\$3,511
181-56		D & SPT-35	37	40 days	\$4,453
181-57		D & SPT-42	43	40 days	\$4,505
181-58		D & SPT-50	52	40 days	\$5,060
187-59		D & SPT-56	55	40 days	\$5,200
187-60	392504	D & SPT-70	63	40 days	\$5,610

Warranty:

1-Year Limited


 Certified to
NSF International 61
BLADDER ONLY

 Certified to
NSF International 61
BLADDER ONLY


Index

1-ASL.....	20	175-15.....	34	443-1.....	13	2500-L.....	18
2 1/2-AS.....	21	176-15.....	34	444-1.....	13	3000-L.....	18
2 1/2-ASL.....	20	177-15.....	34	445-1.....	13	3500-L.....	18
2-ADS.....	22	178-15.....	34	446-1.....	13	4000-L.....	18
2-AS.....	21	179-15.....	34	447-1.....	13	5000-L.....	18
2-ASL.....	20	180-15.....	34	448-1.....	13	7500-L.....	18
3-ADS.....	22	180-35.....	34	449.....	22	10000-L.....	18
3-AS.....	21	180-36.....	34	461.....	22	15000-L.....	18
3-ASL.....	20	180-37.....	34	462.....	22	390457.....	8
4-ADS.....	22	180-38.....	34	463.....	22	391218.....	8
4-AS.....	21	180-48.....	34	464.....	22	392922.....	14
4-ASL.....	20	180-90.....	34	465.....	22	392923.....	14
5-ADS.....	22	180-91.....	34	466.....	22	393037.....	14
5-AS.....	21	180-92.....	34	467.....	22	393038.....	14
5-ASL.....	20	181-21.....	34	468.....	22	393039.....	14
6-ADS.....	22	181-56.....	34	500-L.....	18	393040.....	14
6-AS.....	21	181-57.....	34	500-LBC.....	19	393053.....	14
6-ASL.....	20	181-58.....	34	537-1.....	10	393070.....	14
8-ADS.....	22	182-21.....	34	541-1.....	10	393107.....	14
8-AS.....	21	183-10.....	34	600-L.....	18	393168.....	14
8-ASL.....	20	183-11.....	34	600-LBC.....	19	393169.....	14
10-0001.....	34	183-12.....	34	601-1.....	11	393199.....	14
10-0002.....	34	183-13.....	34	601-2.....	11	393200.....	14
10-0003.....	34	183-72.....	34	601-3.....	11	393232.....	14
10-0004.....	34	183-73.....	34	601-4.....	11	393281.....	14
10-0005.....	34	183-74.....	34	603-1.....	11	393290.....	14
10-0006.....	34	183-75.....	34	603-2.....	11	393314.....	14
10-0007.....	34	183-76.....	34	603-3.....	11	393332.....	14
10-0008.....	34	183-77.....	34	603-4.....	11	393381.....	14
10-0009.....	34	184-27.....	34	603-5.....	11	393448.....	14
10-ADS.....	22	185-22.....	34	603-6.....	11	393465.....	14
10-AS.....	21	186-23.....	34	604-1.....	11	393513.....	14
10-ASL.....	20	187-21.....	34	604-2.....	11	393514.....	14
12-ADS.....	22	187-59.....	34	604-3.....	11	393557.....	14
12-AS.....	21	187-60.....	34	606-2.....	11	393570.....	14
12-ASL.....	20	188-21.....	34	606-3.....	11	393571.....	14
14-AS.....	21	188-80.....	34	606-4.....	11	393572.....	14
14-ASL.....	20	188-81.....	34	608-4.....	11	396411.....	14
16-AS.....	21	188-82.....	34	608-6.....	11	396413.....	14
16-ASL.....	20	188-83.....	34	608-7.....	11	397529.....	8
18-AS.....	21	188-84.....	34	700-C.....	13	397530.....	8
18-ASL.....	20	188-85.....	34	700-QC.....	13	398096.....	8
20-AS.....	21	191-3.....	34	701-C.....	13	398987.....	8
20-ASL.....	20	192-3.....	34	747.....	23	399930.....	14
22-AS.....	21	193-3.....	34	800-L.....	18	AC12-15.....	23
22-ASL.....	20	194-3.....	34	1000-L.....	18	AC12-24.....	23
24-AS.....	21	200-L.....	18	1200-L.....	18	AC14-30.....	23
24-ASL.....	20	200-LBC.....	19	1400-L.....	18	AC14-40.....	23
35-LBC.....	19	217-0039.....	34	1600-L.....	18	AC16-60.....	23
50-LBC.....	19	217-0040.....	34	2000-L.....	18	AC20-80.....	23
85-LBC.....	19	245-59.....	9	2201N002.....	9	AC20-100.....	23
100-LBC.....	19	245-60.....	9	2201N003.....	9	AC24-120.....	23
113-3.....	9	245-61.....	9	2201N006.....	9	AC24-135.....	23
130-LBC.....	19	300-L.....	18	2201N010.....	9	AC30-175.....	23
140-470.....	13	300-LBC.....	19	2201N020.....	9	AC30-220.....	23
146-832.....	9	400-L.....	18	2201N021.....	9	AC30-240.....	23
165-LBC.....	19	400-LBC.....	19	2201N022.....	9	AC30-305.....	23
174-16.....	34	420-1.....	13	2201R28.....	9	AC36-400.....	23
		420-6.....	13	2201R37.....	9	AC36-505.....	23
		421-1.....	13	2201R39.....	9	AX-10-DD.....	16

AX-15.....	16
AX-15-DD.....	16
AX-15V.....	17
AX-15V-DD.....	17
AX-20.....	16
AX-20-DD.....	16
AX-20V.....	17
AX-20V-DD.....	17
AX-40.....	16
AX-40-DD.....	16
AX-40V.....	17
AX-40V-DD.....	17
AX-60.....	16
AX-60V.....	17
AX-80.....	16
AX-80V.....	17
AX-100.....	16
AX-100V.....	17
AX-120.....	16
AX-120V.....	17
AX-144.....	16
AX-144V.....	17
AX-180.....	16
AX-180V.....	17
AX-200.....	16
AX-200V.....	17
AX-240.....	16
AX-240V.....	17
AX-260.....	16
AX-260V.....	17
AX-280.....	16
AX-280V.....	17
CH-14.....	6
CH-20.....	6
CH-26.....	6
CH-32.....	6
CH-34.....	6
CH-41Z-B.....	14
CH-41ZCT-B.....	14
CH-41ZCT-G.....	14
CH-41ZCT-R.....	14
CH-41ZDW-B.....	14
CH-41ZDW-G.....	14
CH-41ZDW-R.....	14
CH-41Z-G.....	14
CH-41Z-R.....	14
CH-44.....	6
CH-62.....	6
CH-80Z-B.....	14
CH-80ZDW-B.....	14
CH-80ZDW-G.....	14
CH-80ZDW-R.....	14
CH-80Z-G.....	14
CH-80Z-R.....	14
CH-81.....	6
CH-86.....	6
CH-119.....	6
CWBT120-3.....	24
CWBT120-4.....	24
CWBT120-6.....	24

CWBT200-3.....	24
CWBT200-4.....	24
CWBT200-6.....	24
CWBT300-4.....	24
CWBT300-6.....	24
CWBT300-8.....	24
CWBT500-6.....	24
CWBT500-8.....	24
CWBT500-10.....	24
CWBT850-6.....	24
CWBT850-8.....	24
CWBT850-10.....	24
CWBT1040-8.....	24
CWBT1040-10.....	24
CWBT1040-12.....	24
D-7.....	33
D-11.....	33
D-14.....	33
D-18.....	33
D-21.....	33
D-28.....	33
D-35.....	33
D-42.....	33
D-50.....	33
D-56.....	33
D-70.....	33
DC-80.....	15
DC-80DW.....	15
DC-120.....	15
DC-120DW.....	15
EX-15.....	12
EX-30.....	12
EX-60.....	12
EX-90.....	12
EX-1500-100.....	12
EX-1500-125.....	12
EX-3000-100.....	12
EX-3000-125.....	12
FPT-5C.....	32
FPT-12C.....	32
FPT-20VC.....	32
FPT-30VC.....	32
FPT-42VC.....	32
FPT-60VC.....	32
FPT-70VC.....	32
FPT-80VC.....	32
FPT-120VC.....	32
FPT-180VC.....	32
FPT-210VC.....	32
FT-15.....	12
FT-30.....	12
FT-109.....	12
FT-109-15.....	12
FT-109-100.....	12
FT-109-125.....	12
FT-110.....	12
FT-110-100.....	12
FT-110-125.....	12
FT-111.....	12
FT-111-125.....	12

FT-112.....	12
HM-41L.....	14
HM-41LDW.....	14
HM-41Z.....	14
HM-41ZDW.....	14
HM-80L.....	14
HM-80LDW.....	14
HM-80Z.....	14
HM-80ZDW.....	14
HWBT120-2.....	25
HWBT120-2/2.....	25
HWBT120-2/3.....	25
HWBT120-3.....	25
HWBT120-3/3.....	25
HWBT120-4/4.....	25
HWBT200-2.....	25
HWBT200-2/2.....	25
HWBT200-2/3.....	25
HWBT200-3.....	25
HWBT200-3/3.....	25
HWBT200-4/4.....	25
HWBT300-2.....	25
HWBT300-2/2.....	25
HWBT300-2/3.....	25
HWBT300-3.....	25
HWBT300-3/3.....	25
HWBT300-4/4.....	25
PL-14.....	7
PL-20.....	7
PL-26.....	7
PL-32.....	7
PL-34.....	7
PL-44.....	7
PL-62.....	7
PL-81.....	7
PL-86.....	7
PL-119.....	7
Repair Kit.....	23
RO-2.....	7
RO-4.....	7
RO-10.....	7
RO-14.....	7
RO-20.....	7
RO-20PA.....	7
RO-34.....	7
RO-34PA.....	7
RO-44.....	7
RO-44PA.....	7
RO-86.....	7
RO-86PA.....	7
RO-119PA.....	7
RP-10HP.....	9
RP-15HP.....	9
RP-25HP.....	9
RX-15.....	13
RX-30.....	13
RX-60.....	13
S-80.....	15
S-120.....	15
SE-15.....	13

SE-30.....	13
SE-60.....	13
SPT-1.....	32
SPT-3.....	32
SPT-7.....	32
SPT-11.....	32
SPT-14.....	32
SPT-18.....	32
SPT-21.....	32
SPT-28.....	32
SPT-35.....	32
SPT-42.....	32
SPT-50.....	32
SPT-56.....	32
SPT-70.....	32
ST-1.....	10
ST-5.....	10
ST-5C.....	26
ST-5C-DD.....	26
ST-12.....	10
ST-12C.....	26
ST-12C-DD.....	26
ST-20VC.....	26
ST-20VC-DD.....	26
ST-25V.....	10
ST-30V.....	10
ST-30VC.....	26
ST-30VC-DD.....	26
ST-35LCL.....	28
ST-42V.....	10
ST-42VC.....	26
ST-42VC-DD.....	26
ST-50LCL.....	28
ST-60V.....	10
ST-60VC.....	26
ST-70VC.....	26
ST-80V.....	10
ST-80VC.....	26
ST-85LCL.....	28
ST-100LCL.....	28
ST-120VC.....	26
ST-130LCL.....	28
ST-165LCL.....	28
ST-180V.....	10
ST-180VC.....	26
ST-200LCL.....	28
ST-200V.....	10
ST-210V.....	10
ST-210VC.....	26
ST-300LCL.....	28
ST-400LCL.....	28
ST-447C.....	27
ST-448C.....	27
ST-449C.....	27
ST-450C.....	27
ST-451C.....	27
ST-452C.....	27
ST-453C.....	27
ST-454C.....	27
ST-455C.....	27



ST-456C.....	27	WX-200	5	WX-251D	5	WX-462C	30
ST-457C.....	27	WX-200LCL	31	WX-251D-G	5	WX-463C	30
ST-500LCL.....	28	WX-200PS	5	WX-251D-T.....	5	WX-500LCL	31
ST-600LCL.....	28	WX-200UG.....	6	WX-251-G.....	4	WX-600LCL	31
SX-30V.....	12	WX-201	4	WX-251PA	4		
SX-40V.....	12	WX-201D	5	WX-251PA-G.....	4		
SX-60V.....	12	WX-201D-G	5	WX-251PA-T	4		
SX-90V.....	12	WX-201D-T.....	5	WX-251-T	4		
SX-110V	12	WX-201-G.....	4	WX-251UG.....	6		
SX-130V	12	WX-201-T	4	WX-255	4		
SX-160V	12	WX-202	4	WX-255D	5		
T-5	10	WX-202D	5	WX-255D-G	5		
T-12	10	WX-202D-G	5	WX-255D-T.....	5		
WF-14.....	6	WX-202D-T.....	5	WX-255-G.....	4		
WF-20.....	6	WX-202-G.....	4	WX-255PA	4		
WF-26.....	6	WX-202H	5	WX-255PA-G.....	4		
WF-32.....	6	WX-202PA	4	WX-255PA-T	4		
WF-34.....	6	WX-202PA-G.....	4	WX-255-T	4		
WF-44.....	6	WX-202PA-T	4	WX-300LCL	31		
WF-62.....	6	WX-202PS	5	WX-302	4		
WF-81.....	6	WX-202-T	4	WX-302D	5		
WF-86.....	6	WX-202UG.....	6	WX-302D-G	5		
WF-119.....	6	WX-202XL	4	WX-302D-T.....	5		
WH-7C	15	WX-202XLD	5	WX-302-G.....	4		
WH-7CDW.....	15	WX-202XLD-G	5	WX-302PA	4		
WH-7ZC	15	WX-202XLD-T	5	WX-302PA-G.....	4		
WHS-60L	15	WX-202XL-G.....	4	WX-302PA-T	4		
WHS-60LDW.....	15	WX-202XLPA	4	WX-302-T	4		
WHS-60Z	15	WX-202XLPA-G	4	WX-350	4		
WHS-60ZC.....	15	WX-202XLPA-T.....	4	WX-350D	5		
WHS-60ZCDW	15	WX-202XL-T	4	WX-350D-G	5		
WHS-60ZDW	15	WX-203	4	WX-350D-T.....	5		
WHS-80L	15	WX-203D	5	WX-350-G.....	4		
WHS-80LDW.....	15	WX-203D-G	5	WX-350PA	4		
WHS-80Z	15	WX-203D-T.....	5	WX-350PA-G.....	4		
WHS-80ZC.....	15	WX-203-G.....	4	WX-350PA-T.....	4		
WHS-80ZCDW	15	WX-203PA	4	WX-350-T	4		
WHS-80ZDW	15	WX-203PA-G.....	4	WX-400LCL	31		
WHS-120L	15	WX-203PA-T	4	WX-401C	29		
WHS-120Z	15	WX-203-T	4	WX-402C	29		
WHS-120ZC.....	15	WX-205	4	WX-403C	29		
WHS-120ZCDW	15	WX-205D	5	WX-404C	29		
WX1-250D	6	WX-205D-G	5	WX-405C	29		
WX1-251D	6	WX-205D-T.....	5	WX-406C	29		
WX1-302D	6	WX-205-G.....	4	WX-407C	29		
WX-35LCL	31	WX-205PA	4	WX-447C	30		
WX-50LCL	31	WX-205PA-G.....	4	WX-448C	30		
WX-85LCL	31	WX-205PA-T.....	4	WX-449C	30		
WX-100LCL	31	WX-205-T	4	WX-450C	30		
WX-101	5	WX-250	4	WX-451C	30		
WX-101C-DD.....	29	WX-250D	5	WX-452C	30		
WX-102	5	WX-250D-G	5	WX-453C	30		
WX-102C-DD.....	29	WX-250D-T.....	5	WX-454C	30		
WX-102PS	5	WX-250-G.....	4	WX-455C	30		
WX-103	5	WX-250PA	4	WX-456C	30		
WX-103C-DD.....	29	WX-250PA-G.....	4	WX-457C	30		
WX-104	5	WX-250PA-T	4	WX-458C	30		
WX-110PS	5	WX-250-T	4	WX-459C	30		
WX-130LCL	31	WX-250UG.....	6	WX-460C	30		
WX-165LCL	31	WX-251	4	WX-461C	30		

Prior PART NO

PART NO

AX MODELS: HORIZONTAL DIAPHRAGM TYPE, (ASME) 125 PSI W/OUT SADDLES

117-0015	389849
117-0020	389852
117-0040	389857
117-0060	389860
117-80	390178
117-100	389895
117-120	389926
117-144	389932
117-180	389938
117-200	389944
117-408	389967
117-420	389974
117-430	389978

AX MODELS: HORIZONTAL DIAPHRAGM TYPE, (ASME) 150 PSI W/OUT SADDLES

117-459	390001
117-462	390004
117-465	390007
117-468	390010
117-525	N / A
117-476	N / A
117-481	390020
117-484	N / A
117-487	390024
117-490	390027
117-493	390030
117-496	N / A
117-499	N / A

AX MODELS: HORIZONTAL DIAPHRAGM TYPE, (ASME) 175 PSI W/OUT SADDLES

117-556	N / A
117-554	N / A
117-553	N / A
117-449	389995
117-638	390147

AX MODELS: HORIZONTAL DIAPHRAGM TYPE, (ASME) 250 PSI W/OUT SADDLES

117-622	390134
---------	--------

AX-V MODELS: VERTICAL DIAPHRAGM TYPE, (ASME) 125 PSI

117-401	389959
117-402	389960
117-403	389961
117-0062	389861
117-81	390179
117-101	389900
117-121	389927
117-145	389933
117-181	389939
117-201	389945
117-281	389955
117-421	389975
117-431	389979

AX-V MODELS: VERTICAL DIAPHRAGM TYPE, (ASME) 150 PSI

117-461	390003
117-464	390006
117-467	390009
117-470	390012
117-474	390016
117-479	390019
117-483	390021
117-486	390023
117-489	390026
117-492	390029
117-495	390031
117-498	390034
117-501	390037

AX-V MODELS: VERTICAL DIAPHRAGM TYPE, (ASME) 175 PSI

117-454	389999
117-452	389997
117-453	389998
117-0559	389869
117-588	390109
117-620	390133
117-565	390091
117-585	400764
117-580	390101

AX-V MODELS: VERTICAL DIAPHRAGM TYPE, (ASME) 250 PSI

117-551	390081
117-573	390097
117-637	390146
117-591	390112
117-569	N / A
117-558	N / A
117-593	N / A
117-102	389905
117-557	N / A

AX-V MODELS: VERTICAL DIAPHRAGM TYPE, (ASME) 300 PSI

117-572	N / A
117-586	390107
117-625	390137
117-550	390080
117-589	390110
117-598	N / A

L MODELS: FULL ACCEPTANCE BLADDER, TOP CONNECTION, (ASME) 125 PSI

191-2	392691
192-2	392746
193-2	392772
194-2	392800
174-2	391797
175-2	391828
176-2	391854
177-2	391874
178-2	391888
179-2	391913

L MODELS: 125 PSI (continued)

180-2	391969
180-33	391976
180-34	391977
189-1	392643
189-2	392646
189-3	392651
189-24	392649
180-137	N / A
189-10	392644

L MODELS: FULL ACCEPTANCE BLADDER, TOP CONNECTION, (ASME) 150 PSI

117-509	390045
117-510	390046
117-511	390047
117-512	390048
117-513	390049
117-514	390050
117-515	390051
117-516	390052
117-517	390053
117-518	390054
117-519	390055
117-520	390056
117-521	390057
117-522	390058
117-523	400946
117-940	N / A
117-473	390015
117-941	N / A
117-475	N / A

L MODELS: FULL ACCEPTANCE BLADDER, TOP CONNECTION, (ASME) 175 PSI

191-19	392690
192-20	392747
193-20	392773
194-19	392799
174-22	N / A
175-22	391829
176-22	391855
177-22	N / A
178-22	391889
179-22	N / A
180-22	391970
180-40	N / A
180-39	N / A
180-41	N / A
180-42	N / A
180-65	391997
180-55	N / A
180-57	N / A
180-59	391995



Commercial Part Number Cross Reference Chart

L MODELS: FULL ACCEPTANCE BLADDER, TOP CONNECTION, (ASME) 250 PSI

191-18.....	392689
192-19.....	N / A
193-19.....	408366
194-18.....	408367
174-23.....	N / A
175-23.....	391830
176-23.....	N / A
177-16.....	391873
178-23.....	391890
179-23.....	391915
180-23.....	N / A
180-43.....	391985
180-44.....	391986
180-45.....	391987
180-46.....	N / A
189-7.....	N / A
189-42.....	392660
180-58.....	N / A
180-60.....	N / A

L MODELS: FULL ACCEPTANCE BLADDER, TOP CONNECTION, (ASME) 300 PSI

191-42.....	N / A
192-39.....	392759
193-41.....	N / A
194-37.....	N / A
194-39.....	N / A
175-37.....	391834
176-35.....	N / A
177-33.....	N / A
178-34.....	N / A
179-34.....	N / A
180-74.....	392004
180-76.....	N / A
180-64.....	N / A
180-78.....	N / A
180-79.....	N / A
180-129.....	N / A
180-81.....	392007
180-82.....	392008
180-83.....	N / A

LBC MODELS: PARTIAL ACCEPTANCE BLADDER, BOTTOM CONNECTION, (ASME) 125 PSI

165-5.....	391655
166-5.....	391685
167-4.....	391715
168-4.....	391732
169-4.....	391746
171-15.....	391760
191-33.....	392697
192-31.....	392752
193-32.....	392778
194-32.....	392804
174-36.....	391802

LBC MODELS: PARTIAL ACCEPTANCE BLADDER, BOTTOM CONNECTION, (ASME) 150 PSI

165-10.....	391645
166-10.....	391675
167-10.....	391705
168-10.....	391728
117-502.....	390038
117-503.....	390039
117-504.....	390040
117-505.....	401106
117-506.....	390042
117-507.....	390043
117-508.....	390044

LBC MODELS: PARTIAL ACCEPTANCE BLADDER, BOTTOM CONNECTION, (ASME) 175 PSI

117-601.....	390120
117-103.....	N / A

LBC MODELS: PARTIAL ACCEPTANCE BLADDER, BOTTOM CONNECTION, (ASME) 250 PSI

166-18.....	391682
-------------	--------

LBC MODELS: PARTIAL ACCEPTANCE BLADDER, BOTTOM CONNECTION, (ASME) 300 PSI

166-1.....	N / A
167-18.....	N / A

TANGENTIAL AIR SEPARATORS LESS STRAINER (ASME) 125 PSI

489-1.....	394020
490-6.....	394035
491-6.....	394051
492F0006.....	394083
493-0006.....	394087
494-0006.....	394113
495-6.....	394155
496-6.....	394186
497-6.....	394212
498-6.....	394244
499-6.....	394315
499-24.....	394288
499-15.....	400789
499-27.....	394290
499-55.....	N / A
499-19.....	394287

TANGENTIAL AIR SEPARATORS LESS STRAINER (ASME) 150 PSI

489-5.....	394022
490-26.....	394032
491-15.....	394046
492-27.....	394071
493-29.....	394106
494-23.....	394126
495-28.....	394149
496-26.....	394176
497-18.....	394201
498-19.....	394238
499-46.....	394308
499-47.....	394309
499-48.....	394310
499-49.....	N / A
499-31.....	N / A
499-50.....	N / A

TANGENTIAL AIR SEPARATORS LESS STRAINER (ASME) 175 PSI

492-31.....	394075
493-33.....	N / A
494-21.....	394124
495-21.....	N / A
496-18.....	394170
497-27.....	N / A

TANGENTIAL AIR SEPARATORS LESS STRAINER (ASME) 250 PSI

490-28.....	394034
491-18.....	394049
492-32.....	N / A
493-10.....	394100
494-17.....	N / A
495-17.....	N / A
496-14.....	394169
497-28.....	N / A
191-40.....	392704
499-66.....	N / A

TANGENTIAL AIR SEPARATORS LESS STRAINER (ASME) 300 PSI

491-16.....	N / A
492-28.....	N / A
493-31.....	394108
496-29.....	394178
497-21.....	N / A
191-38.....	392702
502-4.....	394389

TANGENTIAL AIR SEPARATORS WITH STRAINER (ASME) 125 PSI

490-7.....	398301
491-7.....	394052
492F0007.....	394084
493-0007.....	394088
494-0007.....	394114
495-7.....	394156
496-7.....	394187
497-7.....	394213
498-7.....	394245
499-7.....	394320
499-10.....	394282
499-33.....	394296
499-29.....	N / A
499-35.....	N / A
499-40.....	N / A

TANGENTIAL AIR SEPARATORS WITH STRAINER (ASME) 150 PSI

490-25.....	394031
491-14.....	394045
492-26.....	394070
493-28.....	394105
494-22.....	394125
495-27.....	394148
496-25.....	394175
497-17.....	394200
498-18.....	394237
499-41.....	394303
499-42.....	394304
499-43.....	394305
499-44.....	394306
499-54.....	N / A
499-45.....	N / A

TANGENTIAL AIR SEPARATORS WITH STRAINER (ASME) 175 PSI

490-27.....	N / A
491-17.....	N / A
492-30.....	394074
493-32.....	400948
495-20.....	394142
496-20.....	394171
497-22.....	394204
498-21.....	394240
499-69.....	N / A
499-68.....	394318
503-03.....	N / A

TANGENTIAL AIR SEPARATORS WITH STRAINER (ASME) 250 PSI

492-29.....	394073
493-30.....	N / A
495-31.....	N / A
496-10.....	N / A
497-20.....	N / A
191-44.....	N / A
499-71.....	N / A
502-2.....	N / A
503-1.....	N / A
499-70.....	N / A

TANGENTIAL AIR SEPARATORS WITH STRAINER (ASME) 300 PSI

492-33.....	N / A
494-16.....	N / A
496-36.....	N / A
497-23.....	N / A
498-23.....	N / A
499-74.....	N / A
502-1.....	N / A
499-73.....	N / A
499-72.....	N / A

AIR & DIRT SEPARATORS (ASME) 125 PSI

523-01.....	394539
523-03.....	394541
523-04.....	394542
523-05.....	394543
523-06.....	394544
523-08.....	394546
523-10.....	394548
523-20.....	N / A

AIR & DIRT SEPARATORS (ASME) 150 PSI

523-02.....	394540
523-07.....	394545
523-09.....	394547
523-11.....	394549
523-12.....	394550
523-13.....	394551
523-14.....	N / A
523-21.....	394559

INLINE AIR PURGERS

449-1.....	393997
461-1.....	393998
462-1.....	393999
463-1.....	394000
464-1.....	394001
465-1.....	394002
466-1.....	394004
467-1.....	394006
468-1.....	394009

HIGH CAPACITY AIR VENT

117-472.....	390014
117-524.....	390060

AC MODELS: PLAIN STEEL COMPRESSION TANKS, (ASME)

183-8014.....	392213
183-8015.....	392214
183-8016.....	392215
183-8017.....	392216
183-8018.....	392217
183-8019.....	392218
183-8020.....	392219
183-8021.....	392220
183-8022.....	392221
183-8023.....	392222
183-8024.....	400774
183-8025.....	N / A
183-8026.....	392225
183-8028.....	N / A
183-8029.....	392227

CWBT MODELS: CHILLED WATER BUFFER TANKS (ASME) 125 PSI

517-01.....	394402
517-02.....	394403
517-03.....	N / A
517-04.....	394405
517-05.....	394406
517-06.....	394407
517-07.....	394408
517-08.....	394409
517-09.....	N / A
517-10.....	394411
517-11.....	394422
517-12.....	N / A
517-13.....	394433
517-14.....	394434
517-15.....	394435
517-16.....	394436
517-17.....	N / A
517-18.....	N / A

CWBT MODELS: CHILLED WATER BUFFER TANKS (ASME) 150 PSI

517-28.....	394448
517-19.....	394439
517-49.....	N / A
517-38.....	394457
517-31.....	407429
517-21.....	400949
517-27.....	394447
517-34.....	394454
517-25.....	394445



Commercial Part Number Cross Reference Chart

HWBT MODELS: HOT WATER BUFFER TANKS (ASME) 125 PSI

527-101	394575
527-102	394576
527-201	394583
527-202	394584
527-301	N / A
527-302	N / A
527-103	394577
527-104	394578
527-105	394579
527-106	394580
527-203	394585
527-204	N / A
527-205	394587
527-206	394588
527-303	N / A
527-304	N / A
527-305	N / A
527-306	394600

HWBT MODELS: HOT WATER BUFFER TANKS (ASME) 150 PSI

527-209	394591
527-208	394590
527-310	394604

ST MODELS: DIAPHRAGM TYPE, (ASME) 150 PSI

140-004	390414
141-008	390602
141-009	390603
143-218	401681
144-0148	401800
146-751	391243
146-790	391251
147-139	391323
147-199	391331
148-109	391441
148-110	391442

ST MODELS: DIAPHRAGM TYPE, (ASME) 175 PSI

140-002	390413
141-007	390601
141-010	401796
146-830	391274
146-831	391275
146-804	391255
146-827	391271
147-239	391355
147-240	N / A
148-168	391457
148-169	391458

ST MODELS: DIAPHRAGM TYPE, (ASME) 250 PSI

140-751	390525
141-354	390651
142-181	390779
143-349	390847
144-245	390960
146-828	403070
146-829	391273
147-216	391337
147-241	391357
148-170	391459
148-171	391460

ST MODELS: DIAPHRAGM TYPE, (ASME) 300 PSI

140-732	390516
141-355	390652
142-186	390784
143-368	390852
146-811	N / A
146-835	401860
147-231	391347
147-232	391348

ST MODELS FULL-ACCEPTANCE REPLACEABLE BLADDER (ASME) 125 PSI

183-48	392172
183-49	392173
183-50	392174
183-51	392180
184-38	392307
185-38	392360
186-38	392418
181-38	N / A
182-38	392054
187-38	408015
188-38	392547

ST MODELS FULL-ACCEPTANCE REPLACEABLE BLADDER (ASME) 150 PSI

183-66	392195
183-67	392196
183-68	392197
183-69	392198
184-69	392324
185-60	392373
186-60	392432
181-53	392036
182-56	392060
187-58	392502
118-68	390312

ST MODELS FULL-ACCEPTANCE REPLACEABLE BLADDER (ASME) 175 PSI

183-88	392246
183-93	392247
184-73	N / A
185-39	N / A
186-39	403073
181-39	N / A

ST MODELS FULL-ACCEPTANCE REPLACEABLE BLADDER (ASME) 250 PSI

183-70	392199
183-147	401268
183-56	392185
183-134	392138
184-40	N / A
185-40	392362
187-40	N / A
188-99	N / A

ST MODELS FULL-ACCEPTANCE REPLACE- ABLE BLADDER (ASME) 300 PSI

183-127	N / A
183-135	392139
184-79	392333

ST-CL MODELS: PARTIAL ACCEPTANCE BLADDER (ASME) 150 PSI

165-6	391656
166-6	391686
167-5	391716
168-5	391733
169-5	391747
171-16	391761
191-34	392698
192-32	392753
193-33	392779
194-33	392805
174-38	391804

WX MODELS DIAPHRAGM TYPE (ASME) 125 PSI

144-80.....	390996
145-80.....	391124
146-80.....	391253
147-80.....	391378
149-80.....	391513
149-138.....	391484
149-139.....	391485

WX MODELS DIAPHRAGM TYPE (ASME) 150 PSI

144-258.....	390964
145-1000.....	391079
146-807.....	391257
147-228.....	391344
149-155.....	391492
149-156.....	391493
149-157.....	391494

WX MODELS DIAPHRAGM TYPE (ASME) 175 PSI

144-160.....	390950
145-70.....	391122
146-760.....	391245
147-129.....	391320
149-41.....	391511
149-144.....	391489
149-159.....	391496

WX MODELS DIAPHRAGM TYPE (ASME) 250 PSI

144-82.....	390997
145-95.....	391126
146-768.....	391246
147-125.....	391319
149-40.....	391510
149-160.....	391497
149-146.....	391490

WX MODELS DIAPHRAGM TYPE (ASME) 300 PSI

144-83.....	390998
145-1003.....	391081
172-01.....	391768
173-01.....	391770
173-03.....	391772
149-169.....	N / A
149-170.....	391507

WX MODELS: REPLACEABLE BLADDER (ASME) 125 PSI

183-18.....	392152
183-19.....	392153
183-17.....	392151
183-20.....	392154
184-35.....	392306
185-35.....	392359
186-35.....	392417
181-35.....	392029
182-35.....	392053
187-35.....	392494
188-35.....	392546
188-70.....	392561
188-71.....	392562
188-72.....	392563
188-73.....	392564
188-74.....	392565
188-96.....	392587

WX MODELS: REPLACEABLE BLADDER (ASME) 150 PSI

183-62.....	392191
183-63.....	392192
183-64.....	392193
183-65.....	392194
184-70.....	392325
185-61.....	392374
186-62.....	392433
181-55.....	392037
182-58.....	392061
187-56.....	392501
188-66.....	392558
188-79.....	392570
188-97.....	392588
188-91.....	N / A

WX MODELS: REPLACEABLE BLADDER (ASME) 175 PSI

183-38.....	392165
183-46.....	392170
183-23.....	407471
183-100.....	392101
184-41.....	392309
185-41.....	392363
186-41.....	392420
181-41.....	392032
182-41.....	N / A
187-41.....	N / A
188-41.....	N / A

WX MODELS: REPLACEABLE BLADDER (ASME) 250 PSI

183-25.....	392156
183-26.....	392157
183-27.....	392158
183-28.....	392159
184-42.....	392310
185-42.....	392364
186-42.....	402640
181-42.....	392033
182-42.....	N / A
187-42.....	392498
188-42.....	N / A
188-94.....	N / A

WX MODELS: REPLACEABLE BLADDER (ASME) 300 PSI

183-122.....	392126
183-116.....	392120
183-99.....	N / A
183-52.....	392181
184-74.....	392329
185-56.....	N / A
187-64.....	N / A
188-68.....	N / A

WX-CL MODELS: PARTIAL ACCEPTANCE BLADDER, (ASME) 125 PSI

165-8.....	407286
166-8.....	408763
167-7.....	N / A
168-8.....	N / A
169-8.....	408539
171-18.....	391763
191-36.....	392700
192-34.....	392755
193-35.....	392781
194-35.....	392807
174-40.....	391806

FPT MODELS: FIRE-X-TROL SPRINKLER SYSTEM EXPANSION TANKS, (ASME) 175 PSI

140-757.....	390528
140-746.....	390522
141-370.....	390660
142-183.....	390781
143-373.....	390855
144-259.....	390965
146-809.....	391259
146-810.....	391260
147-229.....	391345
147-230.....	391346
148-161.....	391450
148-162.....	391451



Commercial Part Number Cross Reference Chart

SPT MODELS: SURGE-TROL SPRINKLER SYSTEM SURGE SUPPRESSORS, 275 PSI

217-012	392871
217-013	392872
217-001	392844
217-002	392849
217-003	392857
217-004	392862
217-005	392864
217-006	392865
217-007	392866
217-008	392867
217-009	392868
217-010	407356
217-011	392870

D MODELS: DIATROL SHOCK SUPPRESSORS, 250 PSI

183-39	392166
183-37	392164
183-44	392168
183-42	392167
184-52	N / A
184-57	N / A
186-47	N / A
186-57	392429
186-56	409072
187-53	N / A
188-50	400947

REPLACEMENT BLADDERS ~ EXTROL

191-3	392694
192-3	392750
193-3	392775
194-3	392803
174-16	391796
175-15	391827
176-15	391853
177-15	391872
178-15	391887
179-15	391912
180-15	391967
180-35	391978
180-36	391979
180-37	391980
180-38	391981
180-48	391990
180-90	392013
180-91	N / A
180-92	392015
10-0001	389674
10-0002	389675
10-0003	389676

REPLACEMENT BLADDERS ~ THERM-X-TROL & WELL-X-TROL

183-10	392100
183-11	392115
183-12	392124
183-13	392134
184-27	392304
185-22	392357
186-23	392415
181-21	392027
182-21	392051
187-21	392492
188-21	392544
188-80	N / A
188-81	392572
188-82	392573
188-83	392574
188-84	N / A
188-85	N / A
10-0004	N / A
10-0005	N / A
10-0006	389679
10-0007	N / A
10-0008	N / A
10-0009	389682

REPLACEMENT BLADDERS ~ DIATROL & SURGE-TROL

217-0039	N / A
217-0040	N / A
183-77	392206
183-72	392201
183-73	392202
183-74	392203
183-75	N / A
183-76	N / A
181-56	N / A
181-57	N / A
181-58	N / A
187-59	N / A
187-60	392504

AX Models: Horizontal Diaphragm Type, ASME

Base Model	Part No.	Seismic Restraints	Part No.	Sight Glass	Part No.	Sight Glass & Restraints	Part No.
AX15-125	389849	AX15-125R	389850	AX15-125SG	389853	AX15-125SGR	117-235
AX20-125	389852	AX20-125R	389854	AX20-125SG	414410	AX20-125SGR	420393
AX40-125	389857	AX40-125R	389858	AX40-125SG	418199	AX40-125SGR	389982
AX60-125	389860	AX60-125R	389862	AX60-125SG	389863	AX60-125SGR	389864
AX80-125	390178	AX80-125R	390187	AX80-125SG	117-87	AX80-125SGR	390192
AX100-125	389895	AX100-125R	389917	AX100-125SG	117-107	AX100-125SGR	389924
AX120-125	389926	AX120-125R	389928	AX120-125SG	117-128	AX120-125SGR	117-143
AX144-125	389932	AX144-125R	389935	AX144-125SG	389936	AX144-125SGR	117-155
AX180-125	389938	AX180-125R	389940	AX180-125SG	389941	AX180-125SGR	117-190
AX200-125	389944	AX200-125R	389946	AX200-125SG	418367	AX200-125SGR	409121
AX240-125	389967	AX240-125R	389968	AX240-125SG	117-411	AX240-125SGR	N/A
AX260-125	389974	AX260-125R	389976	AX260-125SG	117-423	AX260-125SGR	117-617
AX280-125	389978	AX280-125R	389980	AX280-125SG	117-433	AX280-125SGR	N/A

AX-V Models: Vertical Diaphragm Type, ASME

Base Model	Part No.	Seismic Restraints	Part No.	Sight Glass	Part No.	Sight Glass & Restraints	Part No.
AX15V-125	389959	AX15V-125R	389985	AX15V-125SG	389966	AX15V-125SGR	390067
AX20V-125	389960	AX20V-125R	389952	AX20V-125SG	389965	AX20V-125SGR	N/A
AX40V-125	389961	AX40V-125R	389972	AX40V-125SG	389964	AX40V-125SGR	389973
AX60V-125	389861	AX60V-125R	389957	AX60V-125SG	389865	AX60V-125SGR	390100
AX80V-125	390179	AX80V-125R	389953	AX80V-125SG	390202	AX80V-125SGR	389954
AX100V-125	389900	AX100V-125R	390184	AX100V-125SG	389925	AX100V-125SGR	390223
AX120V-125	389927	AX120V-125R	389956	AX120V-125SG	389930	AX120V-125SGR	390089
AX144V-125	389933	AX144V-125R	408709	AX144V-125SG	389934	AX144V-125SGR	N/A
AX180V-125	389939	AX180V-125R	389963	AX180V-125SG	389943	AX180V-125SGR	390125
AX200V-125	389945	AX200V-125R	389958	AX200V-125SG	389948	AX200V-125SGR	390090
AX240V-125	389955	AX240V-125R	390194	AX240V-125SG	389970	AX240V-125SGR	419046
AX260V-125	389975	AX260V-125R	389986	AX260V-125SG	117-442	AX260V-125SGR	390098
AX280V-125	389979	AX280V-125R	389987	AX280V-125SG	117-437	AX280V-125SGR	117-577

L Models: Full Acceptance Bladder, Top Connection, ASME

Base Model	Part No.	Seismic Restraints	Part No.	Sight Glass	Part No.	Sight Glass & Restraints	Part No.
200L-125	392691	200L-125R	392712	200L-125SG	392688	200L-125SGR	392713
300L-125	392746	300L-125R	392749	300L-125SG	392744	300L-125SGR	392751
400L-125	392772	400L-125R	392776	400L-125SG	392770	400L-125SGR	392788
500L-125	392800	500L-125R	392814	500L-125SG	392797	500L-125SGR	392813
600L-125	391797	600L-125R	391801	600L-125SG	391811	600L-125SGR	407496
800L-125	391828	800L-125R	391832	800L-125SG	391839	800L-125SGR	391833
1000L-125	391854	1000L-125R	391858	1000L-125SG	391864	1000L-125SGR	391861
1200L-125	391874	1200L-125R	391878	1200L-125SG	420333	1200L-125SGR	177-24
1400L-125	391888	1400L-125R	391892	1400L-125SG	178-8	1400L-125SGR	391894
1600L-125	391913	1600L-125R	391916	1600L-125SG	179-7	1600L-125SGR	391918
2000L-125	391969	2000L-125R	410883	2000L-125SG	180-7	2000L-125SGR	391968
2500L-125	391976	2500L-125R	180-47	2500L-125SG	N/A	2500L-125SGR	391963
3000L-125	391977	3000L-125R	180-54	3000L-125SG	392011	3000L-125SGR	180-132
3500L-125	392643	3500L-125R	417201	3500L-125SG	392645	3500L-125SGR	392661
4000L-125	392646	4000L-125R	392650	4000L-125SG	189-36	4000L-125SGR	418312
5000L-125	392651	5000L-125R	N/A	5000L-125SG	N/A	5000L-125SGR	392659

LBC Models: Partial Acceptance Bladder, Bottom Connection, ASME

Base Model	Part No.	Seismic Restraints	Part No.	Sight Glass	Part No.	Sight Glass & Restraints	Part No.
35LBC-125	391655	35LBC-125R	391647	35LBC-125SG	391646	35LBC-125SGR	391649
50LBC-125	391685	50LBC-125R	391677	50LBC-125SG	166-11	50LBC-125SGR	391679
85LBC-125	391715	85LBC-125R	391706	85LBC-125SG	N/A	85LBC-125SGR	391707
100LBC-125	391732	100LBC-125R	391735	100LBC-125SG	391729	100LBC-125SGR	N/A
130LBC-125	391746	130LBC-125R	391749	130LBC-125SG	408762	130LBC-125SGR	400773
165LBC-125	391760	165LBC-125R	417983	165LBC-125SG	N/A	165LBC-125SGR	417618
200LBC-125	392697	200LBC-125R	392705	200LBC-125SG	191-39	200LBC-125SGR	191-45
300LBC-125	392752	300LBC-125R	192-37	300LBC-125SG	392758	300LBC-125SGR	N/A
400LBC-125	392778	400LBC-125R	392783	400LBC-125SG	193-40	400LBC-125SGR	392791
500LBC-125	392804	500LBC-125R	N/A	500LBC-125SG	N/A	500LBC-125SGR	392811
600LBC-125	391802	600LBC-125R	174-42	600LBC-125SG	N/A	600LBC-125SGR	N/A

ST Models: Diaphragm Type, ASME

Base Model	Part No.	Seismic Restraints	Part No.	Sight Glass	Part No.	Sight Glass & Restraints	Part No.
ST20VC-150-DD	390603	ST20VC-150R	418363	ST20VC-150SG	142-134	ST20VC-150SGR	N/A
ST30VC-150-DD	401681	ST30VC-150R	418364	ST30VC-150SG	390837	ST30VC-150SGR	390867
ST42VC-150-DD	401800	ST42VC-150R	418366	ST42VC-150SG	390951	ST42VC-150SGR	N/A
ST60VC-150	391243	ST60VC-150R	391252	ST60VC-150SG	410768	ST60VC-150SGR	410427
ST70VC-150	391251	ST70VC-150R	391268	ST70VC-150SG	411849	ST70VC-150SGR	391714
ST80VC-150	391323	ST80VC-150R	391332	ST80VC-150SG	391324	ST80VC-150SGR	391330
ST120VC-150	391331	ST120VC-150R	391339	ST120VC-150SG	413064	ST120VC-150SGR	391369
ST180VC-150	391441	ST180VC-150R	391447	ST180VC-150SG	148-120	ST180VC-150SGR	419331
ST210VC-150	391442	ST210VC-150R	148-166	ST210VC-150SG	148-116	ST210VC-150SGR	N/A

WELL-X-TROL® Quick Sizing

Pump Discharge Rate (Approx. GPM)	OPERATING PRESSURE					
	30/50 PSIG		40/60 PSIG		50/70 PSIG	
	ESP I	ESP II	ESP I	ESP II	ESP I	ESP II
5	WX-202	WX-205	WX-202	WX-205	WX-202	WX-250
7	WX-202XL	WX-250	WX-203	WX-251	WX-203	WX-251
10	WX-205	WX-251	WX-205	WX-255	WX-250	WX-302
12	WX-250	WX-255	WX-250	WX-255	WX-251	WX-350
15	WX-250	WX-302	WX-251	WX-350	WX-251	WX-350
20	WX-251	WX-350	WX-255	WX-255 (2)	WX-302	WX-302 (2)
25	WX-255	WX-255 (2)	WX-302	WX-302 (2)	WX-350	WX-350 (2)
30	WX-302	WX-302 (2)	WX-350	WX-350 (2)	WX-350	WX-302 (3)
35	WX-350	WX-350 (2)	WX-350	WX-350 (2)	WX-255 (2)	WX-350 (3)
40	WX-350	WX-350 (2)	WX-255 (2)	WX-302 (3)	WX-302 (2)	WX-350 (3)

ESP I - Effective Sizing Protection I: The tank selection is based on approximately one minute running time. This is recommended for pumps up to 3/4 hp.
ESP II - Effective Sizing Protection II: The tank selection is based on approximately two minutes running time. This is recommended for pumps 3/4 hp or larger.

THERM-X-TROL® Quick Sizing

Maximum Temperature Setting 140°F				Maximum Temperature Setting 160°F				Maximum Temperature Setting 180°F			
Water Heater Size (gals.)	Static Supply Pressure (psig)			Water Heater Size (gals.)	Static Supply Pressure (psig)			Water Heater Size (gals.)	Static Supply Pressure (psig)		
	40	60	80		40	60	80		40	60	80
Tankless & POU up to 2 gal.	ST-1	ST-1	ST-1	40	ST-5	ST-5	ST-12	40	ST-12	ST-12	ST-12
40	ST-5	ST-5	ST-5	50	ST-5	ST-12	ST-12	50	ST-12	ST-12	ST-12
50	ST-5	ST-5	ST-12	60	ST-12	ST-12	ST-12	60	ST-12	ST-12	ST-25V
60	ST-5	ST-12	ST-12	80	ST-12	ST-12	ST-25V	80	ST-12	ST-25V	ST-25V
80	ST-12	ST-12	ST-12	120	ST-12	ST-25V	ST-25V	120	ST-25V	ST-25V	ST-25V
120	ST-12	ST-12	ST-25V								

Sizing based on: 40°F incoming water temperature; 150 psi T&P safety relief valve; Precharge equal to static supply pressure (ST-5 and above). ST-1 for Tankless and Point-Of-Use (POU) Heaters up to 2 gallons.
For larger applications: Visit amtrol.com, download the AMTROL App or contact Technical Support at 401.535.1216.

EXTROL® Quick Sizing

Boiler	Type of Radiation			
Net Output in 1000'S of BTU/Hr.	Finned Baseboard or Radiant Panels	Convectors or Unit Heaters	Radiators Cast Iron	Baseboard Cast Iron
MBH	Use Model	Use Model	Use Model	Use Model
25	EX-15	EX-15	EX-15	EX-15
50	EX-15	EX-15	EX-30	EX-30
75	EX-30	EX-30	EX-30	EX-60
100	EX-30	EX-30	EX-60	EX-60
125	EX-30	EX-60	EX-60	EX-90
150	EX-30	EX-60	EX-90	EX-90
175	EX-60	EX-60	SX Series	SX Series
200	EX-60	EX-60	SX Series	SX Series
250	EX-60	EX-90	SX Series	SX Series
300	EX-90	SX Series	SX Series	SX Series

Sizing based on: 12 psig Fill; 30 psig Relief Valve; 200°F Average Temperature.
For sizing with fluids other than water: Visit amtrol.com, download the AMTROL App or contact Technical Support at 401-535-1216.




PRODUCT	MODELS	DURATION (from date of purchase)
WATER SYSTEMS		
Well-X-Trol® Residential Well Tanks	WX	Seven (7) Year Limited Warranty
Well-X1® Constant Pressure System	WX1	Seven (7) Year Limited Warranty (Tank) Two (2) Year Limited Warranty (Control)
CH, WF & PL Well Tanks	All	Five (5) Year Limited Warranty
Guardian CP® Digital Control	DC2	Two (2) Year Limited Warranty
Reverse Osmosis (RO) Tanks	RO	Five (5) Year Limited Warranty
Amtrol Pressuriser®	RP	Two (2) Year Limited Warranty
PLUMBING & HEATING		
Extrol® Expansion Tanks	EX, RX & SE SX	Seven (7) Year Limited Warranty* One (1) Year Limited Warranty
Fill-Trol® Expansion Tanks	FT	Seven (7) Year Limited Warranty
Thermal Expansion Tanks	ST-1 through ST-12 ST-25V through ST-210V T	Seven (7) Year Limited Warranty* One (1) Year Limited Warranty One (1) Year Limited Warranty
Diatrol®	All	Five (5) Year Limited Warranty (Residential)
HOT WATER MAKERS®		
BoilerMate® Hot Water Makers	CH	Six (6) Year Limited Warranty on Heat Exchanger and Tank Assembly Only. Limited Lifetime Upgrade Option Available. See Literature for Upgrade Information.
HYDROMAX® Hot Water Makers	HM	Seven (7) Year Limited Warranty on Heat Exchanger and Tank Assembly Only. Limited Lifetime Upgrade Option Available. See Literature for Upgrade Information.
Ener-G-Net™ Control		Two (2) Year Limited Warranty
Premier™ Hot Water Makers	WH-7, WHS, DC & S	Five (5) Year Limited Warranty in Commercial Applications. Ten (10) Year Limited Warranty in Residential Applications on Heat Exchanger and Tank Assembly Only.
ALL OTHER		
All Other Products, Components and Parts	If not specified above including Hot Water Maker components and parts other than the Heat Exchanger and Tank Assembly.	One (1) Year Limited Warranty

For detailed warranty information, please visit www.amtrol.com

All dimensions and weights listed are approximate.

*Units manufactured January 1, 2019 or later.



MADE IN USA

Committed to American Workers



MAKERS OF BETTER

Worthington Industries, Inc.
1400 Division Road, West Warwick, RI USA 02893
T: 800.426.8765 www.amtrol.com