

AQUA FLO® Filters & Cartridges



The Aqua Flo range of filters and replacement cartridges improves water quality in the home, farm or business. Requiring no special tools, Aqua Flo filters are easily installed and cartridge replacement is simple and worry-free.



Water Filters

26003 WIM14 Disposable Water Filter

This replacement filter for ice makers, water dispensers and the WF Water Filter System contains the finest coconut shell based granular activated carbon. Ideal for the improvement of unpleasant tastes and odors.

Cartridge Type:.....Taste and odor
Cartridge Construction:Granular activated carbon
Polypropylene casing
Cartridge Temperature:32 - 125°F (0 - 52°C)
Dimensions:.....2-1/4" x 8"
Recom. Flow Rate:0.1 - 0.5 USGPM
Micron Rating:.....N/A

Note: This is a replacement cartridge for the WF14 Filtration System.



26004 WWF Faucet Water Filter

This compact unit attaches to your faucet and features an easy to change carbon cartridge. It improves your water's taste and odor while removing sediment. This filter features a built-in bypass for your convenience.

Cartridge Type:.....Taste and odor
Cartridge Construction:Granular activated carbon
Polypropylene casing
Cartridge Temperature:32 - 125°F (0 - 52°C)
Dimensions:2-3/4" W x 5-3/4" L x 4" H
Recom. Flow Rate:0.1 - 0.5 USGPM
Micron Rating:.....N/A

Single packing only



26001 WVIH34 Deluxe Water Filter

Available without individual cartons, fittings
and accessories - 26036 WVIH34

Available without individual cartons, fittings and accessories - 26041 WCT34

Cartridge Type:.....Taste and odor
Cartridge Construction:Granular activated carbon
Polypropylene casing
Cartridge Temperature:32 - 125°F (0 - 52°C)
Cartridge Dimensions:.....2-1/4" x 8"
Recom. Flow Rate:0.1 - 0.5 USGPM
Micron Rating:.....N/A



Aqua Flo replacement cartridges will fit most makes of filters with nominal 10" housings. They are available in single packs, twin packs and bulk.

26006 WC10 Superior Taste and Odor Removal

The WC10 cartridge contains coconut shell based activated carbon. Coconut shell carbon has been proven highly effective for the removal of tastes and odors. A nominal 20 micron post filter is included to reduce the passage of carbon fines and suspended particles.

Cartridge Type:..... Upflow taste/odor/chemical
 Cartridge Construction: ... - Granular activated carbon
 - Polystyrene casing and end caps
 Cartridge Temperature: ... 32 - 125°F (0 - 52°C)
 Dimensions:..... 2-7/8" x 9-3/4"
 Recom. Flow Rate: 2.5 USGPM
 Micron Rating:..... N/A

Twin Pack - 26012 TWC10

Case of 24 - 26081 WCB10



26008 WS10 Sediment Removal

Effective, yet economical WS10 cartridges remove sediment as small as 20 microns. Pleated, corrugated construction provides increased surface area, strength and extended cartridge life. An outer sheath protects against pulsation. Fused end caps form a seal and prevent water bypassing the filter medium.

Cartridge Type:..... Pleated corrugated cellulose
 Cartridge Construction: ... - Resin impregnated cellulose
 - Vinyl plastisol end caps
 - Polypropylene core
 - Polyethylene outer sheath
 Cartridge Temperature: ... 32 - 145°F (0 - 63°C)
 Dimensions:..... 2-5/8" x 9-3/4"
 Recom. Flow Rate: 12 USGPM
 Micron Rating:..... Nominal 20

Twin Pack - 26013 TWS10

Case of 24 - 15500143 WSB10



26009 WT10 Taste, Odor and Sediment Removal

A carbon impregnated cellulose filter medium provides dual purpose capability. In addition to removing fine sediment particles, this cartridge reduces unpleasant tastes and odors found in tap water.

Cartridge Type:..... Powdered carbon/cellulose
 Cartridge Construction: ... - Powdered activated carbon impregnated cellulose
 - Vinyl plastisol end caps
 - Polypropylene core
 - Cellulose/polyester reinforcement backing
 - Polyethylene outer sheath
 Cartridge Temperature: ... 32 - 125°F (0 - 52°C)
 Dimensions:..... 2-1/2" x 9-3/4"
 Recom. Flow Rate: 8 USGPM
 Micron Rating:..... Nominal 5

Twin Pack - 26014 TWT10

Case of 24 - 15500243 WTB10





Accessories



26007 Sump Wrench (new style)

Wrench with six notches. Fits Aqua Flo sumps manufactured since January 1993.

92289 Sump Wrench (old style)

Wrench with four notches. Fits Aqua Flo sumps manufactured prior to 1993.



26023 Mounting Bracket

Convenient bracket with eight screws for mounting on the WC34 filter.



26049 Aqua Flo Sump & O-Ring

26022 O-Ring

Buna O-ring seals filter sump and head.

Cartridge Selection Guide

Problem	Solution
Cloudy or rusty water	WS10, WSW30
Water with fine sediment or turbidity	WSW05
Unpleasant taste, odor and cloudiness or rust color	WC10, WIM14
Unpleasant taste and odor	WT10, WFFRC

WARNING: Do not use on drinking water supplies which are microbiologically unsafe or of unknown quality without first adequately disinfecting the water.
NOTE: All dimensions and micron ratings are nominal.
 The manufacturer reserves the right to make product improvements which may deviate from the specifications and descriptions stated herein, without obligation to change previously manufactured products or to note the change.

