



NO-LEAD CURB STOPS AND METER VALVES



CAMBRIDGE BRASS INC.

140 Orion Place, Cambridge, Ontario, N1R 5V1, Canada
www.cambridgebrass.com

© 2014 Cambridge Brass Inc. DECEMBER2014 CAMB2014



NO-LEAD CURB STOPS & METER VALVES

TABLE OF CONTENTS

GLOSSARY OF ABBREVIATIONS	1
GENERAL INSTALLATION INSTRUCTIONS	2
PART NUMBERING SHEET	5
BALL STYLE CURB STOP	6
WHEEL HANDLE SHUTOFF VALVES	12
BALL STYLE CURB STOP - DRAINING	13
BALL STYLE CURB STOP - DRAINING WITH CHECK VALVE	18
BALL STYLE REDUCED PORT	19
BALL STYLE - OPEN RIGHT	22
BALL STYLE - OPEN RIGHT DRAINING	24
BALL STYLE - DOUBLE CURB STOPS	26
INVERTED KEY STYLE CURB STOP	27
INVERTED KEY STYLE CURB STOP - DRAINING	28
BALL STYLE ANGLE METER VALVES - FULL PORT	29
BALL STYLE STRAIGHT METER VALVES - FULL PORT	32
BALL STYLE ANGLE METER VALVES - REDUCED PORT	36
BALL STYLE STRAIGHT METER VALVES - REDUCED PORT	38
PLUG STYLE ANGLE METER VALVES	41
METER BRANCH ASSEMBLIES - REDUCED PORT	42
METER BRANCH ASSEMBLIES - ANGEL PLUG VALVES	43
DOUBLE CURB STOP - PLUG VALVES	44

*For additional information, please contact your customer service representative at
Cambridge Brass.*

*Phone: (800)-265-6638 (CDN) * (800) 724-3906 (US) * www.cambridgebrass.com*

NO-LEAD CURB STOPS & METER VALVES

Glossary of Abbreviations

MIP = MALE IRON PIPE THREAD IPS SIZE = I.D. CONTROLLED POLYETHYLENE PIPE
 FIP = FEMALE IRON PIPE THREAD PVC SIZE = POLY VINYL CHLORIDE PIPE
 FCFT = FEMALE COPPER FLARE
 THREAD

All fittings in this section are made of no lead material. To define a no lead part number "NL" is added after series number.

3/4" & 1" Size CTS compression fittings are all inter-changeable.

KITEC/Q-LINE connection is available on all 3/4" & 1" size CTS compression fittings.

For fittings less assembly nut add "LN" to end of part number.

			OUTSIDE DIAMETER						
			1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"
Poly Tubing	SDR9	CTS SIZE	.621/.629		.871/.879	1.120/1.130	1.370/1.380	1.619/1.631	2.119/2.131
Copper Tube	Type K or L		.622/.628		.872/.878	1.121/1.129	1.371/1.379	1.621/1.630	2.120/2.130
PVC	SCH 40, 80 & 120		.836/.844		1.046/1.054	1.310/1.320	1.655/1.665	1.894/1.906	2.369/2.381
GALV	STEEL PIPE		.836/.844		1.046/1.054	1.310/1.320	1.655/1.665	1.894/1.906	2.369/2.381
KITEC\Q-LINE PIPE					.984/.996	1.260/1.272			
Poly Tubing	SIDR 9/11/17	IPS SIZE			1.046/1.054	1.310/1.320	1.655/1.665	1.894/1.906	2.369/2.381
Lead Pipe	Strong	S or A	.783/813	1.004/1.034	1.141/1.171	1.413/1.443	1.655/1.685	1.969/1.999	2.488/2.518
	Extra Strong	XS or AA	.861/891	1.067/1.097	1.197/1.227	1.477/1.507	1.750/1.780	2.061/2.091	2.736/2.766
	Double Extra Strong	XXS or AAA	.977/1.027	1.122/1.152	1.321/1.351	1.581/1.611	1.874/1.904	2.257/2.287	2.993/3.023

NO-LEAD CURB STOPS & METER VALVES


GENERAL PRECAUTION INSTALLATION INSTRUCTIONS

- 1) Handle valves and fittings carefully, do not drop, protect exposed thread.
- 2) Do not interchange parts with other manufacturer.
- 3) Avoid loose fittings wrenches.
- 4) AWWA and taper pipe threads require a sealant.
- 5) Use stainless steel inserts in plastic tubing
- 6) Piping must be cut square, clean, round and smooth. Do Not Use A Hacksaw
- 7) Connection type is identified on the end on the nut.
- 8) Always pressure test for leaks before backfilling.

CB Style Compression

For use on Type “K” Copper or SDR-9


Available in
3/4” & 2” Size Only



Haystite Style Compression

For use on Type “K” Copper or SDR-9

Available in
3/4” & 1” Size Only




Typical installation instructions are hand tight plus 1 1/2” turns to achieve maximum compression

NO-LEAD CURB STOPS & METER VALVES

Copper Flare Connection

For use on Type "K" Copper


Available in
3/4" & 2" Size Only



Campak Style Compression

For use on Type "K" Copper or SDR-9

Available in
1/2" thru 2" Size
(1 1/4" size not available)




Typical installation instructions are hand tight plus 1 1/2" turns to achieve maximum compression

NO-LEAD CURB STOPS & METER VALVES

Kitec Style Compression


For use with Kitec or Q-Line Pipe

Available in
3/4" & 1" Size Only



PEP and PVC Style Compression


Available in
3/4" thru 2" Size



Typical installation instructions are hand tight plus 1 1/2" turns to achieve maximum compression

NO-LEAD CURB STOPS & METER VALVES

PART NUMBERING SHEET (CURB STOPS & METER VALVES)



7

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP

CAMPAK X CAMPAK



PART NUMBER	INLET CAMPAK	OUTLET CAMPAK	WT. EACH	BOX QTY.
202NL-B1B1	1/2"	1/2"	2.5	5
202NL-B2B2	5/8"	5/8"	2.5	10
202NL-B3B3	3/4"	3/4"	2.5	10
202NL-B4B4	1"	1"	3.7	5
202NL-B5B5	1 1/4"	1 1/4"	9.8	2
202NL-B6B6	1 1/2"	1 1/2"	9.8	2
202NL-B7B7	2"	2"	14.0	1

CAMPAK X FIP



PART NUMBER	INLET CAMPAK	OUTLET FIP	WT. EACH	BOX QTY.
202NL-B2F3	5/8"	3/4"	2.0	10
202NL-B3F3	3/4"	3/4"	2.1	10
202NL-B4F4	1"	1"	6.3	6
202NL-B6F6	1 1/2"	1 1/2"	10.6	2
202NL-B7F7	2"	2"	13.9	2

COPPER FLARE X COPPER FLARE



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
202NL-C3C3	3/4"	3/4"	2.7	8
202NL-C4C4	1"	1"	4.0	5
202NL-C5C5	1 1/4"	1 1/4"	10.7	2
202NL-C6C6	1 1/2"	1 1/2"	12.0	2
202NL-C7C7	2"	2"	18.5	1

COPPER FLARE X FIP



PART NUMBER	INLET COPPER FLARE	OUTLET FIP	WT. EACH	BOX QTY.
202NL-C3F1	3/4"	1/2"	2.0	10
202NL-C3F3	3/4"	3/4"	2.1	10
202NL-C4F4	1"	1"	6.1	6
202NL-C5F5	1 1/4"	1 1/4"	8.1	2
202NL-C6F6	1 1/2"	1 1/2"	9.7	2
202NL-C7F7	2"	2"	12.3	1

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP

FIP X FIP



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
202NL-F1F1	1/2"	1/2"	1.1	20
202NL-F3F3	3/4"	3/4"	1.7	12
202NL-F4F4	1"	1"	2.6	10
202NL-F5F5	1 1/4"	1 1/4"	6.8	2
202NL-F6F6	1 1/2"	1 1/2"	6.6	2
202NL-F7F7	2"	2"	9.2	2

GRIP JOINT X GRIP JOINT



PART NUMBER	INLET GRIP JOINT	OUTLET GRIP JOINT	WT. EACH	BOX QTY.
202NL-GJ3GJ3	3/4"	3/4"	2.5	10
202NL-GJ4GJ4	1"	1"	2.7	5

CB COMPRESSION X FIP



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
202NL-H2F3	5/8"	3/4"	2.0	10
202NL-H3F3	3/4"	3/4"	2.1	10
202NL-H4F4	1"	1"	3.1	6
202NL-H5F5	1 1/4"	1 1/4"	8.2	2
202NL-H6F6	1 1/2"	1 1/2"	7.8	2
202NL-H7F7	2"	2"	10.7	2

CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
202NL-H1H1	1/2"	1/2"	2.0	10
202NL-H2H2	5/8"	5/8"	2.3	10
202NL-H3H3	3/4"	3/4"	2.5	10
202NL-H4H4	1"	1"	3.9	5
202NL-H5H5	1 1/4"	1 1/4"	9.8	2
202NL-H6H6	1 1/2"	1 1/2"	9.3	2
202NL-H7H7	2"	2"	12.5	2

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP

CB X CB COMPRESSION INSULATED



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
202NL-H3HI3	3/4"	3/4"	3.5	5
202NL-H4HI4	1"	1"	5.8	5

CB COMPRESSION INSULATED X FIP



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
202NL-HI3F3	3/4"	3/4"	3.3	5
202NL-HI4F4	1"	1"	5.6	5
202NL-HI6F6	1 1/2"	1 1/2"	13.8	2
202NL-HI7F7	2"	2"	19.0	2

CB X CB COMPRESSION ELECTRICAL CONNECTION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION ELEC.	WT. EACH	BOX QTY.
202NL-H3HE3	3/4"	3/4"	2.7	10
202NL-H4HE4	1"	1"	4.0	5
202NL-H6HE6	1 1/2"	1 1/2"	12.0	2
202NL-H7HE7	2"	2"	13.5	2

HAYSTITE X HAYSTITE COMPRESSION



PART NUMBER	INLET HAYSTITE	OUTLET HAYSTITE	WT. EACH	BOX QTY.
202NL-J3J3	3/4"	3/4"	3.8	10
202NL-J4J4	1"	1"	6.8	4

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP

HAYSTITE COMPRESSION X FIP



PART NUMBER	INLET HAYSTITE COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
202NL-J3F3	3/4"	3/4"	3.1	10
202NL-J4F4	1"	1"	6.3	6

KITEC X FIP



PART NUMBER	INLET KITEC	OUTLET FIP	WT. EACH	BOX QTY.
202NL-K3F3	3/4"	3/4"	2.2	10
202NL-K4F4	1"	1"	6.3	8

KITEC ELECTRICAL TAIL (BOTH ENDS)



PART NUMBER	INLET KITEC ELEC.	OUTLET KITEC ELEC.	WT. EACH	BOX QTY.
202NL-KE3KE3	3/4"	3/4"	2.9	8
202NL-KE4KE4	1"	1"	4.3	5

KITEC ELECTRICAL TAIL X CB COMPRESSION



PART NUMBER	INLET KITEC ELEC.	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
202NL-KE3H3	3/4"	3/4"	2.8	10
202NL-KE4H4	1"	1"	4.2	5

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP

KITEC X CB COMPRESSION



PART NUMBER	INLET KITEC	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
202NL-K3H3	3/4"	3/4"	2.6	10
202NL-K4H4	1"	1"	4.0	5

KITEC X KITEC




PART NUMBER	INLET KITEC	OUTLET KITEC	WT. EACH	BOX QTY.
202NL-K3K3	3/4"	3/4"	2.7	8
202NL-K4K4	1"	1"	4.2	5

PEP COMPRESSION (PE SIDR 7) X PEP COMPRESSION (PE SIDR7)



PART NUMBER	INLET PEP	OUTLET PEP	WT. EACH	BOX QTY.
202NL-PE3PE3	3/4"	3/4"	2.5	6
202NL-PE4PE4	1"	1"	4.3	5
202NL-PE5PE5	1 1/4"	1 1/4"	7.6	2
202NL-PE6PE6	1 1/2"	1 1/2"	13	2
202NL-PE7PE7	2"	2"	12	1

PEP COMPRESSION (PE SIDR 7) X FIP



PART NUMBER	INLET PEP	OUTLET FIP	WT. EACH	BOX QTY.
202NL-PE3F3	3/4"	3/4"	1.9	6
202NL-PE4F4	1"	1"	3.0	5
202NL-PE5F5	1 1/4"	1 1/4"	6.0	2
202NL-PE6F6	1 1/2"	1 1/2"	6.0	2
202NL-PE7F7	2"	2"	9.6	2

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP

PVC COMPRESSION (IPS) X FIP



PART NUMBER	INLET PVC (IPS)	OUTLET FIP	WT. EACH	BOX QTY.
202NL-PJ3F3	3/4"	3/4"	1.9	6
202NL-PJ4F4	1"	1"	3.0	5
202NL-PJ5F5	1 1/4"	1 1/4"	6.0	2
202NL-PJ6F6	1 1/2"	1 1/2"	6.0	2
202NL-PJ7F7	2"	2"	9.6	2

PVC COMPRESSION (IPS) X PVC COMPRESSION (IPS)



PART NUMBER	INLET PVC (IPS)	OUTLET PVC (IPS)	WT. EACH	BOX QTY.
202NL-PJ3PJ3	3/4"	3/4"	2.5	6
202NL-PJ4PJ4	1"	1"	4.3	5
202NL-PJ5PJ5	1 1/4"	1 1/4"	7.6	2
202NL-PJ6PJ6	1 1/2"	1 1/2"	13	2
202NL-PJ7PJ7	2"	2"	12	1

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

WHEEL HANDLE SHUTOFF VALVES

CB COMPRESSION X FIP



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
CB COMPRESSION X FIP 32NL-H3F3	3/4"	3/4"	1.1	10

CAMPAK X FIP



PART NUMBER	INLET CAMPAK	OUTLET FIP	WT. EACH	BOX QTY.
CAMPAK X FIP 32NL-B3F3	3/4"	3/4"	1.3	10

KITEC X FIP



PART NUMBER	INLET KITEC	OUTLET FIP	WT. EACH	BOX QTY.
KITEC X FIP 32NL-K3F3	3/4"	3/4"	1.2	10

COPPER FLARE X FIP



PART NUMBER	INLET COPPER FLARE	OUTLET FIP	WT. EACH	BOX QTY.
32NL-C3F3	3/4"	3/4"	1.1	10

COPPER FLARE X SOLDER



PART NUMBER	INLET COPPER FLARE	OUTLET SOLDER	WT. EACH	BOX QTY.
32NL-C3S3	3/4"	3/4"	1.2	10

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP-DRAINING

CAMPAK X CAMPAK



PART NUMBER	INLET CAMPAK	OUTLET CAMPAK	WT. EACH	BOX QTY.
203NL-B3B3	3/4"	3/4"	3.8	8
203NL-B4B4	1"	1"	6.8	5
203NL-B6B6	1 1/2"	1 1/2"	12.0	2
203NL-B7B7	2"	2"	17.0	1

CAMPAK X FIP



PART NUMBER	INLET CAMPAK	OUTLET FIP	WT. EACH	BOX QTY.
203NL-B3F3	3/4"	3/4"	3.1	10
203NL-B4F4	1"	1"	6.3	6
203NL-B6F6	1 1/2"	1 1/2"	10.8	2
203NL-B7F7	2"	2"	13.9	2

COPPER FLARE X COPPER FLARE



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
203NL-C3C3	3/4"	3/4"	2.3	8
203NL-C4C4	1"	1"	3.9	5
203NL-C5C5	1 1/4"	1 1/4"	11.5	2
203NL-C6C6	1 1/2"	1 1/2"	12.0	2
203NL-C7C7	2"	2"	18.3	2

COPPER FLARE X FIP



PART NUMBER	INLET COPPER FLARE	OUTLET FIP	WT. EACH	BOX QTY.
203NL-C3F1	3/4"	1/2"	1.9	10
203NL-C3F3	3/4"	3/4"	2.1	10
203NL-C4F4	1"	1"	3.8	6
203NL-C5F5	1 1/4"	1 1/4"	8.1	2
203NL-C6F6	1 1/2"	1 1/2"	11.5	2
203NL-C7F7	2"	2"	17.5	1

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

* FOR CHECK VALVE ON CURB STOPS WITH DRAIN 203NL SERIES ADD "W" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP-DRAINING

FIP X FIP



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
203NL-F3F3	3/4"	3/4"	1.7	12
203NL-F4F4	1"	1"	2.5	10
203NL-F5F5	1 1/4"	1 1/4"	6.8	2
203NL-F6F6	1 1/2"	1 1/2"	6.5	2
203NL-F7F7	2"	2"	9.2	2

GRIP JOINT X GRIP JOINT



PART NUMBER	INLET GRIPJOINT	OUTLET GRIPJOINT	WT. EACH	BOX QTY.
203NL-GJ3GJ3	3/4"	3/4"	2.5	10
203NL-GJ4GJ4	1"	1"	2.7	5

CB COMPRESSION X FIP



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
203NL-H3F3	3/4"	3/4"	2.0	10
203NL-H4F4	1"	1"	3.0	6
203NL-H5F5	1 1/4"	1 1/4"	10.8	2
203NL-H6F6	1 1/2"	1 1/2"	7.8	2
203NL-H7F7	2"	2"	10.8	2

CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
203NL-H3H3	3/4"	3/4"	2.4	10
203NL-H4H4	1"	1"	3.8	5
203NL-H5H5	1 1/4"	1 1/4"	10.6	2
203NL-H6H6	1 1/2"	1 1/2"	9.3	2
203NL-H7H7	2"	2"	12.3	2

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

* FOR CHECK VALVE ON CURB STOPS WITH DRAIN 203NL SERIES ADD "W" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP-DRAINING

CB X CB COMPRESSION ELEC. CONNECTION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB ELEC. COMPRESSION	WT. EACH	BOX QTY.
203NL-H3HE3	3/4"	3/4"	3.2	10
203NL-H4HE4	1"	1"	4.0	5
203NL-H6HE6	1 1/2"	1 1/2"	12	2
203NL-H7HE7	2"	2"	17	2

HAYSTITE X HAYSTITE



PART NUMBER	INLET HAYSTITE	OUTLET HAYSTITE	WT. EACH	BOX QTY.
203NL-J3J3	3/4"	3/4"	3.8	10
203NL-J4J4	1"	1"	6.8	4

HAYSTITE X FIP



PART NUMBER	INLET HAYSTITE	OUTLET FIP	WT. EACH	BOX QTY.
203NL-J3F3	3/4"	3/4"	3.1	10
203NL-J4F4	1"	1"	6.3	6

KITEC X FIP



PART NUMBER	INLET KITEC	OUTLET FIP	WT. EACH	BOX QTY.
203NL-K3F3	3/4"	3/4"	3.1	10
203NL-K4F4	1"	1"	6.3	6

KITEC X CB COMPRESSION



PART NUMBER	INLET KITEC	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
203NL-K3H3	3/4"	3/4"	2.6	10
203NL-K4H4	1"	1"	4.4	5

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

* FOR CHECK VALVE ON CURB STOPS WITH DRAIN 203NL SERIES ADD "W" TO END OF PART NUMBER



NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP-DRAINING

KITEC X KITEC



PART NUMBER	INLET KITEC	OUTLET KITEC	WT. EACH	BOX QTY.
203NL-K3K3	3/4"	3/4"	2.7	8
203NL-K4K4	1"	1"	4.2	5

PEP COMPRESSION X PEP COMPRESSION (PE SIDR 7)



PART NUMBER	INLET PEP	OUTLET PEP	WT. EACH	BOX QTY.
203NL-PE3PE3	3/4"	3/4"	2.7	6
203NL-PE4PE4	1"	1"	4.5	5
203NL-PE6PE6	1 1/2"	1 1/2"	13.2	2
203NL-PE7PE7	2"	2"	12.4	1

PEP COMPRESSION (PE SIDR 7) X FIP



PART NUMBER	INLET PEP	OUTLET FIP	WT. EACH	BOX QTY.
203NL-PE3F3	3/4"	3/4"	1.9	6
203NL-PE4F4	1"	1"	3.0	5
203NL-PE6F6	1 1/2"	1 1/2"	6.0	2
203NL-PE7F7	2"	2"	9.6	2

PVC COMPRESSION X PVC COMPRESSION (IPS)



PART NUMBER	INLET PVC	OUTLET PVC	WT. EACH	BOX QTY.
203NL-PJ3PJ3	3/4"	3/4"	2.7	6
203NL-PJ4PJ4	1"	1"	4.5	5
203NL-PJ5PJ5	1 1/4"	1 1/4"	11.1	2
203NL-PJ6PJ6	1 1/2"	1 1/2"	13.2	2
203NL-PJ7PJ7	2"	2"	12.4	1

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

* FOR CHECK VALVE ON CURB STOPS WITH DRAIN 203NL SERIES ADD "W" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP-DRAINING

PVC COMPRESSION (IPS) X FIP



PART NUMBER	INLET PVC	OUTLET FIP	WT. EACH	BOX QTY.
203NL-PJ3F3	3/4"	3/4"	1.9	6
203NL-PJ4F4	1"	1"	3.0	5
203NL-PJ6F6	1 1/2"	1 1/2"	6.0	2
203NL-PJ7F7	2"	2"	9.6	2

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

* FOR CHECK VALVE ON CURB STOPS WITH DRAIN 203NL SERIES ADD "W" TO END OF PART NUMBER

NO-LEAD CURBSTOPS & METER VALVES

BALL STYLE CURB STOP-DRAINING WITH CHECK VALVE

CAMPAK X CAMPAK



PART NUMBER	INLET CAMPAK	OUTLET CAMPAK	WT. EACH	BOX QTY.
203NL-B3B3W	3/4"	3/4"	3.8	8
203NL-B4B4W	1"	1"	6.8	5
203NL-B6B6W	1 1/2"	1 1/2"	12.0	2
203NL-B7B7W	2"	2"	17.0	1

COPPER FLARE X COPPER FLARE



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
203NL-C3C3W	3/4"	3/4"	2.8	8
203NL-C4C4W	1"	1"	3.9	8
203NL-C6C6W	1 1/2"	1 1/2"	12.5	2
203NL-C7C7W	2"	2"	18.8	2

FIP X FIP



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
203NL-F3F3W	3/4"	3/4"	2.1	8
203NL-F4F4W	1"	1"	2.9	8
203NL-F6F6W	1 1/2"	1 1/2"	6.9	2
203NL-F7F7W	2"	2"	9.7	2

CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
203NL-H3H3W	3/4"	3/4"	2.6	10
203NL-H4H4W	1"	1"	3.8	6
203NL-H6H6W	1 1/2"	1 1/2"	8.6	2
203NL-H7H7W	2"	2"	11.5	1

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE REDUCED PORT

STRAIGHT CURB STOP - LESS LOCKWING

CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
204NL-H1H1	1/2"	1/2"	1.2	10
204NL-H3H3	3/4"	3/4"	2.0	10
204NL-H4H4	1"	1"	3.0	6
204NL-H5H5	1 1/4"	1 1/4"	9.6	5

HAYSTITE X HAYSTITE



PART NUMBER	INLET HAYSTITE	OUTLET HAYSTITE	WT. EACH	BOX QTY.
204NL-J3J3	3/4"	3/4"	1.9	10

GRIP JOINT X GRIP JOINT



PART NUMBER	INLET GRIPJOINT	OUTLET GRIPJOINT	WT. EACH	BOX QTY.
204NL-GJ3GJ3	3/4"	3/4"	1.9	10

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE REDUCED PORT

COPPER FLARE X COPPER FLARE



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
204NL-C3C3	3/4"	3/4"	1.9	8

COPPER FLARE X FIP



PART NUMBER	INLET COPPER FLARE	OUTLET FIP	WT. EACH	BOX QTY.
204NL-C3F3	3/4"	3/4"	1.6	10

CAMPAK X FIP



PART NUMBER	INLET CAMPAK	OUTLET FIP	WT. EACH	BOX QTY.
204NL-B3F3	3/4"	3/4"	1.7	10

CB COMPRESSION X FIP



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
204NL-H3F3	3/4"	3/4"	1.6	10

HAYSTITE X FIP



PART NUMBER	INLET HAYSTITE	OUTLET FIP	WT. EACH	BOX QTY.
204NL-J3F3	3/4"	3/4"	1.7	10

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE REDUCED PORT

FIP X FIP



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
204NL-F3F3	3/4"	3/4"	1.2	20

Inserts are required for optimum performance when using flexible tubing.

* FOR FULL ROTATION ADD "R" TO END OF PART NUMBER

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP - OPEN RIGHT

CAMPAK X CAMPAK



PART NUMBER	INLET CAMPAK	OUTLET CAMPAK	WT. EACH	BOX QTY.
252NL-B3B3	3/4"	3/4"	2.5	8
252NL-B4B4	1"	1"	3.7	5
252NL-B6B6	1 1/2"	1 1/2"	9.8	2
252NL-B7B7	2"	2"	14.0	1

CAMPAK X FIP



PART NUMBER	INLET CAMPAK	OUTLET FIP	WT. EACH	BOX QTY.
252NL-B3F3	3/4"	3/4"	2.1	10
252NL-B4F4	1"	1"	6.3	6
252NL-B6F6	1 1/2"	1 1/2"	10.6	2
252NL-B7F7	2"	2"	13.9	2

COPPER FLARE X COPPER FLARE



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
252NL-C3C3	3/4"	3/4"	2.7	8
252NL-C4C4	1"	1"	4.0	5
252NL-C6C6	1 1/2"	1 1/2"	11.6	2
252NL-C7C7	2"	2"	18.0	1

COPPER FLARE X FIP



PART NUMBER	INLET COPPER FLARE	OUTLET FIP	WT. EACH	BOX QTY.
252NL-C3F3	3/4"	3/4"	2.1	10
252NL-C4F4	1"	1"	6.1	6

FIP X FIP



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
252NL-F3F3	3/4"	3/4"	1.8	12
252NL-F4F4	1"	1"	2.5	10
252NL-F5F5	1 1/4"	1 1/4"	6.0	2
252NL-F6F6	1 1/2"	1 1/2"	6.5	2
252NL-F7F7	2"	2"	9.3	2

Inserts are required for optimum performance when using flexible tubing.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP - OPEN RIGHT

CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
252NL-H3H3	3/4"	3/4"	2.3	10
252NL-H4H4	1"	1"	3.2	5
252NL-H5H5	1 1/4"	1 1/4"	9.8	2
252NL-H6H6	1 1/2"	1 1/2"	9.8	2
252NL-H7H7	2"	2"	12.0	2

CB COMPRESSION X FIP



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
252NL-H3F3	3/4"	3/4"	2.1	10
252NL-H4F4	1"	1"	3.1	6
252NL-H6F6	1 1/2"	1 1/2"	7.8	2
252NL-H7F7	2"	2"	10.7	2

KITEC X KITEC



PART NUMBER	INLET KITEC	OUTLET KITEC	WT. EACH	BOX QTY.
252NL-K3K3	3/4"	3/4"	2.7	8
252NL-K4K4	1"	1"	4.2	5

KITEC X FIP



PART NUMBER	INLET KITEC	OUTLET FIP	WT. EACH	BOX QTY.
252NL-K3F3	3/4"	3/4"	2.2	10
252NL-K4F4	1"	1"	6.3	8

Inserts are required for optimum performance when using flexible tubing.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP - OPEN RIGHT DRAINING

CAMPAK X CAMPAK



PART NUMBER	INLET CAMPAK	OUTLET CAMPAK	WT. EACH	BOX QTY.
253NL-B3B3	3/4	3/4	3.8	8
253NL-B4B4	1"	1"	6.8	5
253NL-B6B6	1 1/2"	1 1/2"	12.0	2
253NL-B7B7	2"	2"	17.0	1

CAMPAK X FIP



PART NUMBER	INLET CAMPAK	OUTLET FIP	WT. EACH	BOX QTY.
253NL-B3F3	3/4	3/4	3.1	10
253NL-B4F4	1"	1"	6.3	6
253NL-B6F6	1 1/2"	1 1/2"	10.8	2
253NL-B7F7	2"	2"	13.9	2

COPPER FLARE X COPPER FLARE



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
253NL-C3C3	3/4	3/4	2.3	8
253NL-C4C4	1"	1"	3.9	5
253NL-C6C6	1 1/2"	1 1/2"	12.1	2
253NL-C7C7	2"	2"	18.3	1

COPPER FLARE X FIP



PART NUMBER	INLET COPPER FLARE	OUTLET FIP	WT. EACH	BOX QTY.
253NL-C3F3	3/4"	3/4"	2.1	10
253NL-C4F4	1"	1"	5.3	6

FIP X FIP



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
253NL-F3F3	3/4	3/4	1.7	12
253NL-F4F4	1"	1"	2.5	10
253NL-F6F6	1 1/2"	1 1/2"	6.5	2
253NL-F7F7	2"	2"	9.2	2

Inserts are required for optimum performance when using flexible tubing.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP - OPEN RIGHT DRAINING

CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
253NL-H3H3	3/4	3/4	2.4	10
253NL-H4H4	1"	1"	3.8	5
253NL-H6H6	1 1/2"	1 1/2"	9.3	2
253NL-H7H7	2"	2"	12.3	2

CB COMPRESSION X FIP



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
253NL-H3F3	3/4	3/4	2.0	10
253NL-H4F4	1"	1"	3.0	6
253NL-H6F6	1 1/2"	1 1/2"	7.8	2
253NL-H7F7	2"	2"	10.8	2

KITEC X KITEC



PART NUMBER	INLET KITEC	OUTLET KITEC	WT. EACH	BOX QTY.
253NL-K3K3	3/4"	3/4"	2.7	8
253NL-K4K4	1"	1"	4.2	5

KITEC X FIP



PART NUMBER	INLET KITEC	OUTLET FIP	WT. EACH	BOX QTY.
253NL-K3F3	3/4"	3/4"	3.1	10
253NL-K4F4	1"	1"	6.3	6

Inserts are required for optimum performance when using flexible tubing.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE CURB STOP - DOUBLE CURBSTOPS

CB X CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
272NL-H3H3	3/4"	3/4"	3/4"	6.0	5
272NL-H4H3	1"	3/4"	3/4"	7.9	5

CB COMPRESSION X FIP



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
272NL-H3F3	3/4"	3/4"	3/4"	5.8	5

BALL STYLE CURB STOP - DOUBLE CURB STOPS DRAINING

CB X CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
273NL-H3H3	3/4"	3/4"	3/4"	7.6	5
273NL-H4H3	1"	3/4"	3/4"	7.9	5

Inserts are required for optimum performance when using flexible tubing.
For full rotation add R to end of part number.

NO-LEAD CURB STOPS & METER VALVES

INVERTED KEY STYLE CURB STOP

CAMPAK X CAMPAK



PART NUMBER	INLET CAMPAK	OUTLET CAMPAK	WT. EACH	BOX QTY.
290NL-B1B1	1/2"	1/2"	2.5	5
290NL-B3B3	3/4"	3/4"	3.3	6

COPPER FLARE X COPPER FLARE



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
290NL-C1C1	1/2"	1/2"	2.2	5
290NL-C2C2	5/8"	5/8"	3.5	5
290NL-C3C3	3/4"	3/4"	3.1	6

FIP X FIP



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
290NL-F1F1	1/2"	1/2"	2.5	6
290NL-F3F3	3/4"	3/4"	2.3	6

CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
290NL-H1H1	1/2"	1/2"	2.5	5
290NL-H3H3	3/4"	3/4"	3.1	6

CB X CB COMPRESSION ELECTRICAL CONNECTION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION ELEC.	WT. EACH	BOX QTY.
290NL-H3HE3	3/4"	3/4"	3.5	6

Inserts are required for optimum performance when using flexible tubing.
For full rotation add R to end of part number.

NO-LEAD CURB STOPS & METER VALVES

INVERTED KEY STYLE CURB STOP - DRAINING

CAMPAK X CAMPAK



PART NUMBER	INLET CAMPAK	OUTLET CAMPAK	WT. EACH	BOX QTY.
293NL-B3B3	3/4"	3/4"	3.2	6

COPPER FLARE X COPPER FLARE



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
293NL-C1C1	1/2"	1/2"	3.4	5
293NL-C2C2	5/8"	5/8"	3.4	5
293NL-C3C3	3/4"	3/4"	3.1	6

FIP X FIP



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
293NL-F1F1	1/2"	1/2"	2.5	6
293NL-F3F3	3/4"	3/4"	2.3	6

CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
293NL-H3H3	3/4"	3/4"	3.2	6

CB X CB COMPRESSION ELECTRICAL CONNECTION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION ELEC.	WT. EACH	BOX QTY.
293NL-H3HE3	3/4"	3/4"	3.5	6

Inserts are required for optimum performance when using flexible tubing.
For full rotation add R to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE ANGLE METER VALVES - FULL PORT

CAMPAK X FIP



PART NUMBER	INLET CAMPAK	OUTLET FIP	WT. EACH	BOX QTY.
210NL-B3F3	3/4"	3/4"	2.0	6
210NL-B4F3	1"	3/4"	2.5	6
210NL-B4F4	1"	1"	3.0	8

CAMPAK X METER CONNECTION



PART NUMBER	INLET CAMPAK	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
210NL-B3T3	3/4"	3/4"	2.4	8
210NL-B4T3	1"	3/4"	2.7	6
210NL-B4T4	1"	1"	3.5	5
210NL-B6MF6	1 1/2"	1 1/2"	10.0	1
210NL-B7MF7	2"	2"	13.3	1

COPPER FLARE X FIP



PART NUMBER	INLET COPPER FLARE	OUTLET FIP	WT. EACH	BOX QTY.
210NL-C3F3	3/4"	3/4"	2.5	10
210NL-C4F3	1"	3/4"	2.8	6
210NL-C4F4	1"	1"	3.1	6

COPPER FLARE X METER CONNECTION



PART NUMBER	INLET COPPER FLARE	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
210NL-C3T3	3/4"	3/4"	2.5	8
210NL-C4T3	1"	3/4"	2.9	6
210NL-C4T4	1"	1"	3.6	4
210NL-C6MF6	1 1/2"	1 1/2"	11.1	1
210NL-C7MF7	2"	2"	16.2	1

FIP X FIP



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
210NL-F3F3	3/4"	3/4"	1.7	10
210NL-F4F3	1"	3/4"	2.1	6
210NL-F4F4	1"	1"	2.8	10

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE ANGLE METER VALVES - FULL PORT

FIP X METER CONNECTION



PART NUMBER	INLET FIP	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
210NL-F3T3	3/4"	3/4"	2.0	10
210NL-F4T3	1"	3/4"	2.4	6
210NL-F4T4	1"	1"	3.1	5
210NL-F6MF6	1 1/2"	1 1/2"	8.5	1
210NL-F7MF7	2"	2"	11.0	1

GRIP JOINT X METER CONNECTION



PART NUMBER	INLET GRIP JOINT	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
210NL-GJ3T3	3/4"	3/4"	2.3	10
210NL-GJ4T3	1"	3/4"	2.9	6
210NL-GJ4T4	1"	1"	3.7	5

CB COMPRESSION X FIP



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
210NL-H3F3	3/4"	3/4"	2.1	6
210NL-H4F3	1"	3/4"	2.3	6
210NL-H4F4	1"	1"	3.0	8

CB COMPRESSION X METER CONNECTION



PART NUMBER	INLET CB COMPRESSION	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
210NL-H3T3	3/4"	3/4"	2.4	8
210NL-H4T3	1"	3/4"	2.8	6
210NL-H4T4	1"	1"	3.6	6
210NL-H6MF6	1 1/2"	1 1/2"	9.7	1
210NL-H7MF7	2"	2"	12.4	1

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE ANGLE METER VALVES - FULL PORT

KITEC X FIP



PART NUMBER	INLET KITEC	OUTLET FIP	WT. EACH	BOX QTY.
210NL-K3F3	3/4"	3/4"	2.0	6
210NL-K4F4	1"	1"	3.0	5

KITEC X METER CONNECTION



PART NUMBER	INLET KITEC	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
210NL-K3T3	3/4"	3/4"	2.3	8
210NL-K4T3	1"	3/4"	2.9	6
210NL-K4T4	1"	1"	3.7	4

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE STRAIGHT METER VALVES - FULL PORT

CAMPAK X CAMPAK WITH LOCKWING



PART NUMBER	INLET CAMPAK	OUTLET CAMPAK	WT. EACH	BOX QTY.
212NL-B3B3	3/4"	3/4"	2.5	8
212NL-B4B4	1"	1"	3.6	5
212NL-B6B6	1 1/2"	1 1/2"	7.6	2
212NL-B7B7	2"	2"	13.9	1

CAMPAK X FIP WITH LOCKWING



PART NUMBER	INLET CAMPAK	OUTLET FIP	WT. EACH	BOX QTY.
212NL-B3F3	3/4"	3/4"	2.1	10
212NL-B4F3	1"	3/4"	2.4	8
212NL-B4F4	1"	1"	2.9	8
212NL-B6F6	1 1/2"	1 1/2"	8.0	2
212NL-B7F7	2"	2"	11.1	2

CAMPAK X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET CAMPAK	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
212NL-B3T3	3/4"	3/4"	2.5	6
212NL-B4T3	1"	3/4"	2.8	6
212NL-B4T4	1"	1"	3.4	5
212NL-B6MF6	1 1/2"	1 1/2"	10.0	2
212NL-B7MF7	2"	2"	13.5	1

COPPER FLARE X FIP WITH LOCKWING



PART NUMBER	INLET COPER FLARE	OUTLET FIP	WT. EACH	BOX QTY.
212NL-C3F3	3/4"	3/4"	2.1	10
212NL-C4F3	1"	3/4"	2.4	6
212NL-C4F4	1"	1"	3.1	6

ALL METER VALVES COME STARDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE STRAIGHT METER VALVES - FULL PORT

COPPER FLARE X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET COPPER FLARE	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
212NL-C3T3	3/4"	3/4"	2.5	6
212NL-C4T3	1"	3/4"	2.8	4
212NL-C4T4	1"	1"	6.3	4

FIP X FIP WITH LOCKWING



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
212NL-F3F3	3/4"	3/4"	1.8	10
212NL-F4F3	1"	3/4"	2.0	10
212NL-F4F4	1"	1"	2.4	10
212NL-F5F5	1 1/4"	1 1/4"	6.7	2
212NL-F6F6	1 1/2"	1 1/2"	6.3	2
212NL-F7F7	2"	2"	9.1	2

FIP X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET FIP	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
212NL-F3T3	3/4"	3/4"	2.1	10
212NL-F4T3	1"	3/4"	2.3	8
212NL-F4T4	1"	1"	3.0	6
212NL-F6MF6	1 1/2"	1 1/2"	8.2	2
212NL-F7MF7	2"	2"	11.2	1

GRIP JOINT X FIP WITH LOCKWING



PART NUMBER	INLET GRIP JOINT	OUTLET FIP	WT. EACH	BOX QTY.
212NL-GJ3F3	3/4"	3/4"	2.1	10
212NL-GJ4F3	1"	3/4"	2.5	8
212NL-GJ4F4	1"	1"	2.9	8

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE STRAIGHT METER VALVES - FULL PORT

GRIP JOINT X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET GRIP JOINT	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
212NL-GJ3T3	3/4"	3/4"	2.4	6
212NL-GJ4T3	1"	3/4"	2.8	6
212NL-GJ4T4	1"	1"	3.5	5

CB COMPRESSION X FIP WITH LOCKWING



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	WT. EACH	BOX QTY.
212NL-H3F3	3/4"	3/4"	2.1	10
212NL-H4F3	1"	3/4"	2.5	8
212NL-H4F4	1"	1"	2.9	8
212NL-H5F5	1 1/4"	1 1/4"	6.9	2
212NL-H6F6	1 1/2"	1 1/2"	7.5	2
212NL-H7F7	2"	2"	10.5	2

CB X CB COMPRESSION WITH LOCKWING



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
212NL-H3H3	3/4"	3/4"	2.5	10
212NL-H4H3	1"	3/4"	2.7	6
212NL-H4H4	1"	1"	3.0	4
212NL-H5H5	1 1/4"	1 1/4"	7.6	2
212NL-H6H6	1 1/2"	1 1/2"	8.9	2
212NL-H7H7	2"	2"	12.4	2

CB COMPRESSION X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET CB COMPRESSION	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
212NL-H3T3	3/4"	3/4"	2.4	10
212NL-H4T3	1"	3/4"	2.8	6
212NL-H4T4	1"	1"	3.5	6
212NL-H6MF6	1 1/2"	1 1/2"	10.1	2
212NL-H7MF7	2"	2"	13.0	1

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE STRAIGHT METER VALVES - FULL PORT

KITEC X FIP WITH LOCKWING



PART NUMBER	INLET KITEC	OUTLET FIP	WT. EACH	BOX QTY.
212NL-K3F3	3/4"	3/4"	3.1	6
212NL-K4F3	1"	3/4"	2.5	6
212NL-K4F4	1"	1"	6.3	6

KITEC X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET KITEC	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
212NL-K3T3	3/4"	3/4"	3.8	6
212NL-K4T3	1"	3/4"	2.9	6
212NL-K4T4	1"	1"	3.7	6

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE ANGLE METER VALVES - REDUCED PORT

COMPRESSION X FIP WITH LOCKWING



PART NUMBER	INLET	OUTLET	WT. EACH	BOX QTY.
CAMPAK X FIP				
214NL-B3F3	3/4"	3/4"	1.8	10
214NL-B4F4	1"	1"	2.1	6
CB COMPRESSION X FIP				
214NL-H3F3	3/4"	3/4"	1.6	10
214NL-H4F4	1"	1"	2.0	6
HAYSTITE X FIP				
214NL-J3F3	3/4"	3/4"	1.8	10
214NL-J4F4	1"	1"	2.1	6
GRIP JOINT X FIP				
214NL-GJ3F3	3/4"	3/4"	1.8	10
214NL-GJ4F4	1"	1"	2.1	6

COMPRESSION X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET	OUTLET	WT. EACH	BOX QTY.
CAMPAK X MTN				
214NL-B3T3	3/4"	3/4"	1.9	10
CB COMPRESSION X MTN				
214NL-H3T3	3/4"	3/4"	1.9	10
HAYSTITE X MTN				
214NL-J3T3	3/4"	3/4"	1.9	10
GRIP JOINT X MTN				
214NL-GJ3T3	3/4"	3/4"	1.8	10

COPPER FLARE X FIP WITH LOCKWING



PART NUMBER	INLET COPPER FLARE	OUTLET FIP	WT. EACH	BOX QTY.
214NL-C3F3	3/4"	3/4"	1.7	10

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE ANGLE METER VALVES - REDUCED PORT

COPPER FLARE X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET COPPER FLARE	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
214NL-C3T3	3/4"	3/4"	1.9	10

FIP X FIP WITH LOCKWING



PART NUMBER	INLET FIP	OUTLET FIP	WT. EACH	BOX QTY.
214NL-F3F3	3/4"	3/4"	1.2	10

FIP X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET FIP	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
214NL-F3T1	3/4"	5/8"	1.2	15
214NL-F3T3	3/4"	3/4"	1.5	15
214NL-F4T4	1"	1"	2.4	8

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE STRAIGHT METER VALVES - REDUCED PORT

CAMPAK X FIP WITH LOCKWING



PART NUMBER	INLET CAMPAK	OUTLET FIP	LAY LENGTH	WT. EACH LBS	BOX QTY.
224NL-B3F3	3/4"	3/4"	3.26"	1.6	10
224NL-B3F3S3530	3/4"	3/4"	3.53"	1.7	10
224NL-B3F3S4080	3/4"	3/4"	4.08"	1.7	10
224NL-B3F3S4330	3/4"	3/4"	4.33"	1.7	10
224NL-B4F4	1"	1"	3.67"	2.9	8

COPPER FLARE X FIP WITH LOCKWING



PART NUMBER	INLET COPPER FLARE	OUTLET FIP	LAY LENGTH	WT. EACH	BOX QTY.
224NL-C3F3	3/4"	3/4"	3.57"	1.7	10
224NL-C3F3S4330	3/4"	3/4"	4.33"	1.7	10

FIP X FIP WITH LOCKWING



PART NUMBER	INLET FIP	OUTLET FIP	LAY LENGTH	WT. EACH LBS	BOX QTY.
224NL-F1F1	1/2"	1/2"	2.54"	1.0	20
224NL-F3F3	3/4"	3/4"	2.99"	1.3	15
224NL-F3F3S3470	3/4"	3/4"	3.47"	1.4	15
224NL-B3F3S3750	3/4"	3/4"	3.75"	1.6	15
224NL-F4F4	1"	1"	3.63"	2.4	10

CB COMPRESSION X FIP WITH LOCKWING



PART NUMBER	INLET CB COMPRESSION	OUTLET FIP	LAY LENGTH	WT. EACH LBS	BOX QTY.
224NL-H3F3	3/4"	3/4"	3.26"	1.5	10
224NL-H3F3S3530	3/4"	3/4"	3.53"	1.7	10
224NL-H3F3S4080	3/4"	3/4"	4.08"	1.7	10
224NL-H3F3S4330	3/4"	3/4"	4.33"	1.7	10
224NL-H4F4	1"	1"	3.67"	2.9	8

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE STRAIGHT METER VALVES - REDUCED PORT

COMPRESSION X COMPRESSION WITH LOCKWING



PART NUMBER	INLET	OUTLET	WT. EACH	BOX QTY.
CAMPAK X CAMPAK				
224NL-B3B3	3/4"	3/4"	2.0	10
CB X CB COMPRESSION				
224NL-H3H3	3/4"	3/4"	1.9	10
HAYSTITE X HAYSTITE				
224NL-J3J3	3/4"	3/4"	2.0	10
GRIP JOINT X GRIP JOINT				
224NL-GJ3GJ3	3/4"	3/4"	2.0	10

COPPER FLARE X COPPER FLARE WITH LOCKWING



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
224NL-C3C3	3/4"	3/4"	1.9	8

COMPRESSION X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET	OUTLET	WT. EACH	BOX QTY.
CAMPAK X MTN				
224NL-B3T3	3/4"	3/4"	1.8	10
CB COMPRESSION X MTN				
224NL-H3T3	3/4"	3/4"	1.8	10
HAYSTITE X MTN				
224NL-J3T3	3/4"	3/4"	1.8	10
GRIP JOINT X MTN				
214NL-GJ3T3	3/4"	3/4"	1.8	10

COPPER FLARE X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET COPPER FLARE	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
224NL-C3T3	3/4"	3/4"	1.8	10

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

BALL STYLE STRAIGHT METER VALVES - REDUCED PORT

FIP X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET FIP	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
224NL-F3T3	3/4"	3/4"	1.5	10
224NL-F3T3S4330	3/4"	3/4"	1.6	10

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

PLUG STYLE ANGLE METER VALVES

CAMPAK X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET CAMPAK	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
292NL-B3T3	3/4"	3/4"	1.5	12
292NL-B4T3	1"	3/4"	1.8	10
292NL-B4T4	1"	1"	2.3	8

COPPER FLARE X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET COPPER FLARE	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
292NL-C3T3	3/4"	3/4"	1.5	10
292NL-C4T3	1"	3/4"	1.5	10
292NL-C4T4	1"	1"	2.5	8

FIP X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET FIP	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
292NL-F3T3	3/4"	3/4"	1.2	16
292NL-F4T3	1"	3/4"	1.8	10
292NL-F4T4	1"	1"	2.0	8

GRIP JOINT X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET GRIP JOINT	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
292NL-GJ3T3	3/4"	3/4"	1.4	12
292NL-GJ4T3	1"	3/4"	2.2	8
292NL-GJ4T4	1"	1"	2.5	8

CB COMPRESSION X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET CB COMPRESSION	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
292NL-H3T3	3/4"	3/4"	1.5	12
292NL-H4T3	1"	3/4"	1.9	10
292NL-H4T4	1"	1"	2.4	8

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

METER BRANCH ASSEMBLIES - REDUCED PORT

ANGLE METER BRANCH ASSEMBLIES

COMPRESSION X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET	OUTLET	WT. EACH	BOX QTY.
CB COMPRESSION X MTN				
234NL-H4T3	1"	3/4"	6.4	5
234NL-H4T36500	1"	3/4"	6.4	5
234NL-H4T37500	1"	3/4"	6.4	5
CAMPAK X MTN				
234NL-B4T3	1"	3/4"	6.4	5
234NL-B4T36500	1"	3/4"	6.4	5
234NL-B4T37500	1"	3/4"	6.4	5
GRIP JOINT X MTN				
234NL-GJ4T3	1"	3/4"	6.4	5
234NL-GJ4T36500	1"	3/4"	6.4	5
234NL-GJ4T37500	1"	3/4"	6.4	5

STRAIGHT METER BRANCH ASSEMBLIES

COMPRESSION X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET	OUTLET	WT. EACH	BOX QTY.
CB COMPRESSION X MTN				
274NL-H4T3	1"	3/4"	6.4	5
274NL-H4T36500	1"	3/4"	6.4	5
274NL-H4T37500	1"	3/4"	6.4	5
CAMPAK X MTN				
274NL-B4T3	1"	3/4"	6.4	5
274NL-B4T36500	1"	3/4"	6.4	5
274NL-B4T37500	1"	3/4"	6.4	5
GRIP JOINT X MTN				
274NL-GJ4T3	1"	3/4"	6.4	5
274NL-GJ4T36500	1"	3/4"	6.4	5
274NL-GJ4T37500	1"	3/4"	6.4	5

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

METER BRANCH ASSEMBLIES - ANGLE PLUG VALVES

ANGLE METER BRANCH ASSEMBLIES

CAMPAK X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET CAMPAK	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
281NL-B3T37500	3/4"	3/4"	5.0	5
281NL-B4T37500	1"	3/4"	5.2	5
281NL-H3T37500	3/4"	3/4"	5.0	5
281NL-H4T37500	1"	3/4"	5.2	5

COPPER FLARE X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET COPPER FLARE	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
281NL-C4T37500	1"	3/4"	5.3	5

FIP X METER CONNECTION WITH LOCKWING



PART NUMBER	INLET FIP	OUTLET METER CONNECTION	WT. EACH	BOX QTY.
281NL-F4T36500	1"	3/4"	4.5	5

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

NO-LEAD CURB STOPS & METER VALVES

DOUBLE CURB STOP - PLUG VALVES

INVERTED KEY DOUBLE CURB STOP

CB X CB COMPRESSION



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
282NL-H2H1	5/8"	1/2"	6.9	2
282NL-H3H3	3/4"	3/4"	7.6	2
282NL-H4H3	1"	3/4"	8.7	2

CB X CB COMPRESSION WITH DRAIN



PART NUMBER	INLET CB COMPRESSION	OUTLET CB COMPRESSION	WT. EACH	BOX QTY.
283NL-H2H1	5/8"	1/2"	6.9	2
283NL-H3H3	3/4"	3/4"	7.6	2
283NL-H4H3	1"	3/4"	8.7	2

COPPER FLARE X COPPER FLARE



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
282NL-C2C1	5/8"	1/2"	6.0	1
282NL-C3C1	3/4"	1/2"	8.4	2
282NL-C3C2	3/4"	5/8"	7.5	2
282NL-C3C3	3/4"	3/4"	7.7	2
282NL-C4C3	1"	3/4"	7.8	1

COPPER FLARE X COPPER FLARE WITH DRAIN



PART NUMBER	INLET COPPER FLARE	OUTLET COPPER FLARE	WT. EACH	BOX QTY.
283NL-C2C1	5/8"	1/2"	6.0	1
283NL-C3C1	3/4"	1/2"	8.4	2
283NL-C3C2	3/4"	5/8"	7.5	2
283NL-C3C3	3/4"	3/4"	7.7	2
283NL-C4C3	1"	3/4"	7.8	1

ALL METER VALVES COME STANDARD WITH LOCKWING.

Inserts are required for optimum performance when using flexible tubing.

For full rotation add R to the end of part number. For handle add H to end of part number.

CAMBRIDGE BRASS LIFETIME WARRANTY

Cambridge Brass, Inc., 140 Orion Place, Cambridge, Ontario warrants to the installing purchaser that products manufactured by Cambridge Brass are free from defects in material and/or workmanship for the lifetime of the product.*

Effective with products produced March 1st, 2005 or thereafter Cambridge Brass will, at its option, repair or replace any part which proves to be defective in material and/or workmanship during the warranty period under approved installation, water and service conditions and use.

If Cambridge Brass concludes that the returned part was manufactured by Cambridge Brass and is, in fact, defective, then Cambridge brass will honor the warranty stated herein. LABOUR CHARGES AND/OR DAMAGED INCURRED IN INSTALLATION, REPAIR OR REPLACEMENT AS WELL AS CONSEQUENTIAL, SPECIAL, INDIRECT OR PUNITIVE DAMAGES CONNECTED THEREWITH ARE EXCLUDED AND WILL NOT BE PAID BY CAMBRIDGE BRASS.

This warranty is void in the event of any damage to the product due to uses other than those for which the product has been designed & promoted, abuse, neglect, accident, improper installation , any use other than the instructions furnished by Cambridge Brass or use of replacement parts other than genuine Cambridge parts.

The Lifetime Warranty terms described herein do not apply to plug (key) style valves or to any moving plastic parts such as check valves.



Cambridge Brass does warrant these parts for 5 years per the other terms of this Lifetime warranty.

This is the complete and exclusive warranty made by Cambridge Brass. Cambridge Brass does not make any other warranty of any kind, including any implied warranties.

*assumes a 40 year product life span.



CAMBRIDGE BRASS INC.

WATERWORKS BRASS MANUFACTURERS

140 Orion Place, Cambridge, Ontario, N1R 5V1, Canada
www.cambridgebrass.com

Phone: 519-621-5520 Canada Toll Free: 1-800-265-6638

U.S. Toll Free: 1-800-724-3906 Fax: 519-621-8038

© 2014 Cambridge Brass Inc. DECEMBER 2014 CAMB2014