

BC Hydro Service Product Selection Tool

Start by selecting the type of service you are looking to install



100A 120/240V
1Ø

200A 120/240V
1Ø

400A 120/240V
1Ø

600A 120/240V
1Ø

100A 120/208V
3Ø

200A 120/208V
3Ø

400A 120/208V
3Ø

600A 120/208V
3Ø

800A 120/208V
3Ø

1200A 120/208V
3Ø

1600A 120/208V
3Ø

100A 347/600V
3Ø

200A 347/600V
3Ø

400A 347/600V
3Ø

600A 347/600V
3Ø

800A 347/600V
3Ø

1200A 347/600V
3Ø

1600A 347/600V
3Ø

100A 120/240V 1Ø

Indoor Products

Indoor Package Part Number: **BCHP-0100-1-240**

Includes:

- **BCHL-G-200** (Incoming Wireway and Splitter)
- **BCHBRK-S-0100-1-240** (400A Enclosed Breaker, 22kA @ 240V)

Outdoor Products

Free Standing Metering Pedestal: **BCHPED-0100-1-240**

Wall Mount Service Entrance Enclosure: **BCHSE-0100-1-240**

Freestanding Service Entrance Kiosk: **BCHK-0100-1-240**

← BACK

100A 120/208V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0100-3-208**

Includes:

- **BCHL-G-200** (Incoming Wireway and Splitter)
- **BCHBRK-S-0100-3-208** (400A Enclosed Breaker, 45kA @ 208V)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0100-3-208**

Freestanding Service Entrance Kiosk: **BCHK-0100-3-208**

← BACK

100A 347/600V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0100-3-600**

Includes:

- **BCHL-G-200** (Incoming Wireway and Splitter)
- **BCHBRK-S-0100-3-600** (200A Enclosed Breaker, 45kA @ 600V)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0100-3-600**

Freestanding Service Entrance Kiosk: **BCHK-0100-3-600**

BACK

200A 120/240V 1Ø

Indoor Products

Indoor Package Part Number: **BCHP-0200-1-240**

Includes:

- **BCHL-G-200** (Incoming Wireway and Splitter)
- **BCHBRK-S-0200-1-240** (400A Enclosed Breaker, 22kA @ 240V)

Outdoor Products

Free Standing Metering Pedestal: **BCHPED-0200-1-240**

Wall Mount Service Entrance Enclosure: **BCHSE-0200-1-240**

Freestanding Service Entrance Kiosk: **BCHK-0200-1-240**

BACK

200A 120/208V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0200-3-208**

Includes:

- **BCHL-G-200** (Incoming Wireway and Splitter)
- **BCHBRK-S-0200-3-208** (400A Enclosed Breaker, 45kA @ 208V)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0200-3-208**

Freestanding Service Entrance Kiosk: **BCHK-0200-3-208**

BACK

200A 347/600V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0200-3-600**

Includes:

- **BCHL-G-200** (Incoming Wireway and Splitter)
- **BCHBRK-S-0200-3-600** (200A Enclosed Breaker, 45kA @ 600V)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0200-3-600**

Freestanding Service Entrance Kiosk: **BCHK-0200-3-600**

BACK

400A 120/240V 1Ø

Indoor Products

Indoor Package Part Number: **BCHP-0400-1-240**

Includes:

- **BCHL-G-400** (Incoming Wireway and Splitter)
- **CT-G-301608** (CT Cabinet)
- **BCHBRK-S-0400-1-240** (400A Enclosed Breaker, 22kA @ 240V)
- **PAD-T-600** (Isolated Neutral)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0400-1-240**

Freestanding Service Entrance Kiosk: **BCHK-0400-1-240**

BACK

400A 120/208V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0400-3-208**

Includes:

- **BCHL-G-400** (Incoming Wireway and Splitter)
- **CT-G-421816** (CT Cabinet)
- **BCHBRK-S-0400-3-208** (400A Enclosed Breaker, 45kA @ 208V)
- **PAD-T-600** (Isolated Neutral)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0400-3-208**

Freestanding Service Entrance Kiosk: **BCHK-0400-3-208**

BACK

400A 347/600V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0400-3-600**

Includes:

- **BCHL-G-400** (Incoming Wireway and Splitter)
- **CT-G-421816** (CT/PT Cabinet)
- **BCHBRK-S-0400-3-600** (400A Enclosed Breaker, 45kA @ 600V)
- **PAD-T-600** (Isolated Neutral)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0400-3-600**

Freestanding Service Entrance Kiosk: **BCHK-0400-3-600**

BACK

600A 120/240V 1Ø

Indoor Products

Indoor Package Part Number: **BCHP-0600-1-240**

Includes:

- **BCHL-G-600** (Incoming Wireway and Splitter)
- **CT-G-421816** (CT Cabinet)
- **BCHBRK-S-0600-1-240** (600A Enclosed Breaker, 22kA @ 240V)
- **PAD-T-600** (Isolated Neutral)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0600-1-240**

Freestanding Service Entrance Kiosk: **BCHK-0600-1-240**

BACK

600A 120/208V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0600-3-208**

Includes:

- **BCHL-G-600** (Incoming Wireway and Splitter)
- **CT-G-421816** (CT Cabinet)
- **BCHBRK-S-0600-3-208** (600A Enclosed Breaker, 45kA @ 208V)
- **PAD-T-600** (Isolated Neutral)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0600-3-208**

Freestanding Service Entrance Kiosk: **BCHK-0600-3-208**

BACK

600A 347/600V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0600-3-600**

Includes:

- **BCHL-G-600** (Incoming Wireway and Splitter)
- **CT-G-421816** (CT/PT Cabinet)
- **BCHBRK-S-0600-3-600** (600A Enclosed Breaker, 45kA @ 600V)
- **PAD-T-600** (Isolated Neutral)

Outdoor Products

Wall Mount Service Entrance Enclosure: **BCHSE-0600-3-600**

Freestanding Service Entrance Kiosk: **BCHK-0600-3-600**

BACK

800A 120/208V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0800-3-208**

Includes:

- **BCHL-G-800** (Incoming Wireway and Splitter)
- **CT-G-421816** (CT Cabinet)
- **BCHBRK-S-0800-3-208** (800A Enclosed Breaker, 45kA @ 208V)
- **PAD-T-600** (Isolated Neutral)

Outdoor Products

Freestanding Service Entrance Kiosk: **BCHK-0800-3-208**

BACK

800A 347/600V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-0800-3-600**

Includes:

- **BCHL-G-800** (Incoming Wireway and Splitter)
- **CT-G-421816** (CT/PT Cabinet)
- **BCHBRK-S-0800-3-600** (800A Enclosed Breaker, 45kA @ 600V)
- **PAD-T-600** (Isolated Neutral)

Outdoor Products

Freestanding Service Entrance Kiosk: **BCHK-0800-3-600**

BACK

1200A 120/208V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-1200-3-208**

Includes:

- **BCHL-G-1200** (Incoming Wireway and Splitter)
- **CTBU-G-1200** (Bussed CT Cabinet w/ Isolated Neutral)
- **BCHBRK-S-1200-3-208** (1200A Enclosed Breaker, 45kA @ 208V)

Outdoor Products

Freestanding Service Entrance Kiosk: **BCHK-1200-3-208**

BACK

1200A 347/600V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-1200-3-600**

Includes:

- **BCHL-G-1200** (Incoming Wireway and Splitter)
- **CTBU-G-1200** (Bussed CT/PT Cabinet w/ Isolated Neutral)
- **BCHBRK-S-1200-3-600** (1200A Enclosed Breaker, 45kA @ 600V)

Outdoor Products

Freestanding Service Entrance Kiosk: **BCHK-1200-3-600**

BACK

1600A 120/208V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-1600-3-208**

Includes:

- **BCHL-G-1600** (Incoming Wireway and Splitter)
- **CTBU-G-1600** (Bussed CT Cabinet w/ Isolated Neutral)
- **BCHBRK-S-1600-3-208** (1600A Enclosed Breaker, 45kA @ 208V)

Outdoor Products

Freestanding Service Entrance Kiosk: **BCHK-1600-3-208**

BACK

1600A 347/600V 3Ø

Indoor Products

Indoor Package Part Number: **BCHP-1600-3-600**

Includes:

- **BCHL-G-1600** (Incoming Wireway and Splitter)
- **CTBU-G-1600** (Bussed CT/PT Cabinet w/ Isolated Neutral)
- **BCHBRK-S-1600-3-600** (1600A Enclosed Breaker, 45kA @ 600V)

Outdoor Products

Freestanding Service Entrance Kiosk: **BCHK-1600-3-600**


BACK

This Product is Under Development

Please check back soon or consult your Code Electric sales representative for a made to order solution

604-540-0011


sales@codeelectric.com



CT- CURRENT TRANSFORMER CABINETS - STEEL GALVANIZED - CSA 1

CT cabinets are used with instrument rated meters, to meter single and three-phase services greater than 200 amps. CT/PT are supplied by Hydro

- 12/14 Ga Galvanize Steel
- Sealing provision
- Screw cover
- Back panel
- Indoor application
- 4 internal mounting holes
- Grounding provisions
- CSA Certified type 1
- Used by BC Hydro
- Isolated neutral- option



BC Hydro Use		
CAT No:	Single Phase Service	Three Phase Service
CT-G-301608	Up to 400 Amps	-----
CT-G-421816	425 Amps and above	up to 600 Amps
CT-G-423624	N/A	601-1000 Amps

CAT No:	H	W	D	A (Back Panel Length)	B (Back Panel Width)	LBS. For Steel
CT-G-301608	30	16.5	8	23	14.5	47
CT-G-302010	30	20	10	23	17	61
CT-G-303010	30	30	10	23	27	85
CT-G-421809	42	18	9.5	36	16.5	75
CT-G-421816	42	18	16	36	16.5	91
CT-G-423624	42	36	24	36	34.5	206

BC HYDRO / FORTIS



CT-CURRENT TRANSFORMER CABINET- STEEL GALVANIZED - CSA 1(1200A/1600A)



This CT is used when a 1200A - 1600A, 30 service is being installed but switch gear is not being used. It includes the busing and provisions required for BC Hydro's CT, PT and meter tie in. Designed to separate BC Hydro and Customer Access.

Designed and built to comply with the latest BC Hydro distribution standards and therefore acceptable by BC Hydro for connection to the BC Hydro distribution system.

Options include:

- Indoor rated galvanized steel enclosure
- Back-pan
- 1200A/1600A rated copper bus punched to install CTs
- Bracket for PT mounting
- BC Hydro sealing provisions
- inner barrier
- Custom sizes
- Custom material
- Custom layout (subject to approval)
- Special inspection
- Made to order

***CTs and PTs are not included, they are shown for reference. They are provided by BC Hydro.**



BC HYDRO / FORTIS

**For custom options, contact your sales representative.*

CATNo:	H	W	D
CTBU-G-1200	72	36	24
CTBU-G-1600	72	46	24




REV 17/07/23

Tel: 604-540-0011

BC HYDRO - "L" BOX - CSA 1


The BC Hydro "L" boxes are used as entrance wireway and bussed service connection. Our two-piece design eliminates the confusion of specifying left or right configurations.

Manufactured from galvanized steel for indoor applications.



BOTTOM ENTRY	A	B	C	E	F	G
BCHL-G-200	78	30	18	12	60	15
BCHL-G-400	82	36	20	12	62	18
BCHL-G-600	82	36	20	12	62	18
BCHL-G-800	92 1/2	48	30	12	62 1/2	18
BCHL-G-1200	92	48	30	18	62 1/2	24

*BCHL-G-800 and BCHL-G-1200 require 1/2" extra space for cable clamps. See BCHL-G-800 alternative options for more details.



Reference only- call sales for updated information

Custom Service Main Bottom Entry

To: BCH Distribution Standard

ES54 S2-01.05 R8

Material: Galvanized Steel

Rating: Indoor

Date: October 2018

Alternate Entry:			
TOP ENTRY	Height	Width	Depth
BCHT-G-0200	66	31 1/2	20
BCHT-G-0400 + 0600	82	31 1/2	20
BCHT-G-0800	90	31 1/2	20
BCHT-G-1200 + 1600	90	31 1/2	20
REAR ENTRY			
BCHR-G-0200	66	20	31 1/2
BCHR-G-0400 + 0600	82	20	31 1/2
BCHR-G-0800	90	20	31 1/2
BCHR-G-1200 + 1600	90	20	31 1/2
SIDE ENTRY			
BCHS-G-0200	66	31 1/2	20
BCHS-G-0400 + 0600	82	31 1/2	20
BCHS-G-0800	90	31 1/2	20
BCHS-G-1200 + 1600	90	31 1/2	20
CABLE CLAMP KIT			
BCHCA-0200			
BCHCA-0400			
BCHCA-0600			
BCHCA-0800			
BCHCA-1200			
ADDITIONAL ITEMS			
PAD-G-4824	4/225 amp/4wire		
PAD-G-4844	4/400 amp/4wire		
PAD-G-4864	4/600 amp/4 wire		
CT-G-301608	single phase less than 400 amps		
CT-G-421816	single phase 400 amps and over 3 phase up to 600 amps		
CT-G-423624	601 - 1000 amp		

*Standard recommended boxes: Top, Rear, and Side Entry Pull Boxes.
To be used in addition to the BCHL-G-200, 400, 600, 800 and 1200 amp.




BC HYDRO - SERVICE ENTRANCE ENCLOSURE (100-200AMP) - CSA 3R

Wall mounted CSA 3R service entry enclosure built to BC Hydro distribution standards. Used in conjunction with appropriate meter base as a complete BC Hydro secondary service solution for both temporary or permanent connections. Fully wired and bussed for ease of installation. Custom designs available. Designed and built to comply with the latest BC Hydro distribution standards and therefore acceptable by BC Hydro for connection to the BC Hydro distribution system.

RATINGS: CSA Certified 3R Enclosure; Assembly Certified Under SPE-1000

- Wall-mount design
 - Ground bar included
 - Weatherproof
- Service entrance rated
 - Hinged door - pad-lockable
 - Lockable breaker access door



CATNo:	MAIN BREAKER	PHASE	VOLTAGE	SIZES
BCHSE-S-0100-240	100A	1	22kA @ 240V	36 x 36 x 12
BCHSE-S-0100-208	100A	3	45kA @ 208V	36 x 36 x 12
BCHSE-S-0100-600	100A	3	45kA @ 600V	36 x 36 x 12
BCHSE-S-0200-240	200A	1	22kA @ 600V	36 x 36 x 12
BCHSE-S-0200-208	200A	3	45kA @ 208V	36 x 36 x 12
BCHSE-S-0200-600	200A	3	45kA @ 600V	36 x 36 x 12

BC HYDRO / FORTIS




BC HYDRO - SERVICE ENTRANCE ENCLOSURE (400-600 AMP) - CSA 3R

Wall mounted CSA 3R service entry enclosure built to BC Hydro distribution standards. Used in conjunction with appropriate meter base as a complete BC Hydro secondary service solution for both temporary or permanent connections. Fully wired and bussed for ease of installation. Custom designs available.
Designed and built to comply with the latest BC Hydro distribution standards and therefore acceptable by BC Hydro for connection to the BC Hydro distribution system.

RATINGS: CSA Certified 3R Enclosure; Assembly Certified Under SPE-1000

- Wall-mount design
 - Ground bar included
 - Weatherproof
- Service entrance rated
 - Hinged pad-lockable door
 - Lockable breaker access door
 - Bussed CT section for 400 & 600 amp



CATNo:	MAIN BREAKER	PHASE	VOLTAGE	SIZES
BCHSE-S-0400-1-240	400A	1	22kA @120/240	36 x 48 x 18
BCHSE-S-0400-3-208	400A	3	45kA @ 120/208	36 x 48 x 18
BCHSE-S-0400-3-600	400A	3	45kA @ 347/600	36 x 48 x 18
BCHSE-S-0600-1-240	600A	1	22kA @120/240	36 x 48 x 18
BCHSE-S-0600-3-208	600A	3	45kA @ 120/208	36 x 48 x 18
BCHSE-S-0600-3-600	600A	3	45kA @ 347/600	36 x 48 x 18

*For custom options, speak with your sales representative.

BC HYDRO / FORTIS



BC HYDRO - 200A-600A DISTRIBUTION & METERING KIOSK - CSA 3R


Distribution and metering kiosk built to BC Hydro's distribution requirements. Used when the service is too large to be permitted within the building or when the service is too large to fit within the building's electrical room. Complete standalone freestanding unit, fully bussted and wired for ease of installation. Designed to require no additional wiring to CT's once installed. Certified for use as service entrance.

CSA Certified 3R Enclosure; Assembly Certified Under SPE-1000

- Welded CSA construction
- Built from marine grade aluminum
- Designed for Pad Mount Applications
- Stainless Steel 3 - Point Handle
- Lockable breaker access door
- CT/PT compartment (where applicable)
- Outgoing terminals
- Dead front interior with BC Hydro sealing provisions
- Externally mounted Meter Base

Options available:

- Custom size enclosures
- Custom color powder coating
- Light fixture
- Heater
- Fan
- Convenience Receptacle
- Interior Mounted Meter Base c/w Viewing Window
- Insulation



CAT No:	MAIN BREAKER	PHASE	VOLTAGE	SIZES
BCHK-0200-1-240	200A	1	22kA @ 120/240V	75 x 50 x 14
BCHK-0200-3-208	200A	3	45kA @ 120/208V	75 x 50 x 14
BCHK-0200-3-600	200A	3	45kA @ 347/600V	75 x 50 x 14
BCHK-0400-1-240	400A	1	22kA @ 120/240V	75 x 50 x 14
BCHK-0400-3-208	400A	3	45kA @ 120/208V	75 x 50 x 14
BCHK-0400-3-600	400A	3	45kA @ 347/600V	75 x 50 x 14
BCHK-0600-1-240	600A	1	22kA @ 120/240V	75 x 50 x 14
BCHK-0600-3-208	600A	3	45kA @ 120/208V	75 x 50 x 14
BCHK-0600-3-600	600A	3	45kA @ 347/600V	75 x 50 x 14

*For custom options, speak with your sales representative.
 ***Kiosk size to be confirmed at time of order

BC HYDRO / FORTIS

BACK

BC HYDRO - 800A-1600A DISTRIBUTION & METERING KIOSK - CSA 3R


Distribution and metering kiosk built to BC Hydro’s distribution requirements. Used when the service is too large to be permitted within the building or when the service is too large to fit within the building’s electrical room. Complete standalone freestanding unit, fully bussed and wired for ease of installation. Designed to require no additional wiring to CTs once installed. Certified for use as service entrance.

CSA Certified 3R Enclosure & acceptable to BC Hydro for standard ES54 S2-01.04

- Welded CSA construction
- Built from marine grade aluminum
- Designed for Pad Mount Applications
- Stainless Steel 3 - Point Handle
- Lockable breaker access door
- CT/PT compartment (where applicable)
- Outgoing terminals
- Dead front interior with BC Hydro sealing provisions
- Externally mounted Meter Base

Options available:

- Custom size enclosures
- Custom color powder coating
- Light fixture
- Heater
- Fan
- Convenience Receptacle
- Interior Mounted Meter Base c/w Viewing Window
- Insulation



BC HYDRO / FORTIS

CAT No:	MAIN BREAKER	PHASE	VOLTAGE	SIZES
BCHK-0800-3-208	800A	3	45kA @120/208V	80 x 50 x 14
BCHK-0800-3-600	800A	3	45kA @347/600V	80 x 50 x 14
BCHK-1200-3-208	1200A	3	45kA @120/208V	86 x 56 x 15
BCHK-1200-3-600	1200A	3	45kA @347/600V	86 x 56 x 15
BCHK-1600-3-208	1600A	3	45kA @120/208V	86 x 75 x 24
BCHK-1600-3-600	1600A	3	45kA @347/600V	86 x 75 x 24

**For custom options, speak with your sales representative.
***kiosk size to be confirmed at time of order*



BC HYDRO - 100A-800A Service Entrance Breaker Boxes - CSA 1



Designed as a replacement in a secondary service for a fused disconnect to meet the requirements set out by BC Hydro in ES54 S0-04 R1. Includes the box, breaker and isolated neutral as a certified assembly. Certified for use as service entrance.

CSA Certified Enclosure; Assembly Certified Under SPE-1000

- Padlockable Hinged Cover
- Breaker Lockout provision
- Isolated Neutral
- Powder Coated Steel Construction
- Thermal Magnetic Trip Breaker, Sized For Voltage for BC Hydro Service

Options available:

- Custom size enclosures
- Custom color powder coating
- 3R, 4 or 4X Rated Enclosure
- Various Breaker Options
- Brand matched breaker



CAT No:	MAIN BREAKER	PHASE	VOLTAGE	SIZES
BCHBRK-0100-1-240	100A	1	22kA @ 120/240V	24 x 8.5 x 6
BCHBRK-0100-3-208	100A	3	45kA @ 120/208V	24 x 8.5 x 6
BCHBRK-0100-3-600	100A	3	45kA @ 347/600V	35 x 14 x 7
BCHBRK-0200-1-240	200A	1	22kA @ 120/240V	24 x 8.5 x 6
BCHBRK-0200-3-208	200A	3	45kA @ 120/208V	24 x 8.5 x 6
BCHBRK-0200-3-600	200A	3	45kA @ 347/600V	35 x 14 x 7
BCHBRK-0400-1-240	400A	1	22kA @ 120/240V	35 x 14 x 7
BCHBRK-0400-3-208	400A	3	45kA @ 120/208V	35 x 14 x 7
BCHBRK-0400-3-600	400A	3	45kA @ 347/600V	35 x 14 x 7
BCHBRK-0600-3-600	600A	3	45kA @ 347/600V	35 x 14 x 7
BCHBRK-0600-1-240	600A	1	22kA @ 120/240V	35 x 14 x 7
BCHBRK-0600-3-208	600A	3	45kA @ 120/208V	35 x 14 x 7
BCHBRK-0800-3-208	800A	3	45kA @ 120/208	40 x 12 x 16
BCHBRK-0800-3-600	800A	3	45kA @ 347/600V	40 x 12 x 16

*For custom options, speak with your sales representative.

BC HYDRO / FORTIS



REV 07/17/23


codeelectric.com

ELECTRIC PRODUCTS LTD

Tel: 604-540-0011

Distribution package built to BC Hydro’s distribution requirements. Used for services that are installed into an electrical room. The package includes the incoming wire way and splitter (L Box), Enclosed Breaker with Isolated Neutral and CT/PT Cabinet with Isolated Neutral. Meter Base sold separately through your electrical wholesaler.

Breaker Box Certified Under SPE-1000



Example of 600A Service Installation

CAT No:	L Box	CT Cabinet	Enclosed Breaker	Isolated Neutral
BCHP-0400-1-240	BCHL-G-400	CT-G-301608	BCHBRK-S-0400-1-240	PAD-T-600
BCHP-0400-3-208	BCHL-G-400	CT-G-421816	BCHBRK-S-0400-3-208	PAD-T-600
BCHP-0400-3-600	BCHL-G-400	CT-G-421816	BCHBRK-S-0400-3-600	PAD-T-600
BCHP-0600-1-240	BCHL-G-600	CT-G-421816	BCHBRK-S-0600-1-240	PAD-T-600
BCHP-0600-3-208	BCHL-G-600	CT-G-421816	BCHBRK-S-0600-3-208	PAD-T-600
BCHP-0600-3-600	BCHL-G-600	CT-G-421816	BCHBRK-S-0600-3-600	PAD-T-600
BCHP-0800-3-208	BCHL-G-800	CT-G-423624	BCHBRK-S-0800-3-208	PAD-T-800
BCHP-0800-3-600	BCHL-G-800	CT-G-423624	BCHBRK-S-0800-3-600	PAD-T-800

BC HYDRO / FORTIS

