



Tool Division



PRODUCT CATALOG



TABLE OF CONTENTS

PRODUCT	PAGE #
ACCESSORY TOOLS	2
AIR TOOLS	3
DRILL CHUCKS	3
DRILL BITS	4
DYN-O-TIE INSTALLATION TOOL	4
HAMMERS	4
HOLE CUTTER & REPLACEMENT BITS	5
HVAC TOOLS	5-6
KNIVES & REPLACEMENT BLADES	7
MAGNETIC MATERIALS HANDLER	7
PLIERS	7
RIVET GUN	7
SNIPS, SHEARS, SCISSORS & SNIP ACCESSORIES	8-9
TAPES & RULES	10
TOOL STARTER KIT	11
WIRE CUTTERS	11
WRENCHES	11

ACCESSORY TOOLS

Duct Stretcher - Offset

Used to pull duct together from either direction with a single hand. The offset design eliminates knuckle contact with the duct. Adjustable wheels allow for varying distances. It has a non-slip handle grip.



Item #	Description	L x W inches x inches	Shelf Pack Wt. lb.	Shelf Pack
818140	ODS15	15 x 1/2	2.50	1

Circular Steel Gage

A circular gage is made of heavy steel and is used for determining steel thickness from 0 through 36 gage. Manufactured with 300 series Stainless Steel. It comes with it's own protective storage case.



Item #	Description	Diameter inches	Shelf Pack Wt. lb.	Shelf Pack
818015	323W	3-3/8	0.18	1

Edge Scribe

The stainless steel edge scribe provides a simple and easy marking of metal sheets. An attached magnet helps keep the tool within reach. It marks dimensions of 1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", and 1".



Item #	Description	Shelf Pack Wt. lb.	Shelf Pack
10015	DDX Stainless Steel Magnetic Edge Scribe	1.5	20

AIR TOOLS

Duro Gun & Accessories

The Duro Air Gun is a multi-function pneumatic tool. When used with an assortment of specialized chisels, it takes the pain out of closing Pittsburgh locks, Locking hollow vane to rail, and setting rod locks & D-Studs into conduit to the perfect depth. The Duro Air Gun (DAG) is sold without a tip and utilizes 90 PSI.

Item #	Description	Shelf Pack Wt. lb.	Shelf Pack
13113	DAG Duro Air Gun	TBD	1
13116	PT Pittsburgh Locking Tool	TBD	1
13117	VLT Vane Locking Tool	TBD	1
13118	DST D-Stud Insertion Tool	TBD	1
13119	DLT Dyn-O-Loc Insertion Tool	TBD	1



Dyna-Hammer

The Super Dyna-Hammer puts an end to manual hammering with the toughest tool in the industry. Radius fittings and straight line duct get powerfully knocked down at approximately 20 feet per minute on 14 to 30 gauge metal. Fully rebuildable. The Dyna-Hammer features an ergonomic, multi-stage trigger throttle, for better control during use. Included multi-directional air hose swivel prevents hose restriction during operation. Both tools are manufactured of 100% high grade tool steel for durability and trouble-free years of use.

Item #	Description	Shelf Pack Wt. lb.	Shelf Pack
13263	SPDH Super Dyna-Hammer	TBD	1
13063	PDH Dyna-Hammer	TBD	1



DRILL CHUCKS

Drill Screw™ Chucks

Duro Dyne chucks are made of hardened steel and utilize a permanent magnet to keep screws firmly in place. The hex shank is designed to fit most drill motors and screw "guns". DCL-14 is utilized with screws having a 1/4" head. DCL-516 is utilized with screws having a 5/16" head.

Item#	Description	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack (Minimum)
16018	DC14	1-3/4	1	10
16019	DC516	1-3/4	1	10
16008	DCL14	2-5/8	1.50	10
16009	DCL516	2-5/8	1.50	10
16015	DCXL14	6	1.00	1
16016	DCXL516	6	1.00	1

Bulk Pack

16021	DC14B	1-3/4	15	100
16022	DC516B	1-3/4	15	100
16012	DCL14B	2-5/8	13-3/4	100
16013	DCL516B	2-5/8	15	100
16024	DCXL14B	6	22	100
16025	DCXL516B	6	22	100



Yellow Drill Screw™ Chucks

Item#	Description	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack (Minimum)
16026	YDC14	1-3/4	TBD	10
16027	YDC516	1-3/4	TBD	10
16032	YDC38	1-3/4	TBD	10
16028	YDCL14	2-5/8	TBD	10
16029	YDCL516	2-5/8	TBD	10
16033	YDCL38	2-5/8	TBD	10
16030	YDCXL14	6	TBD	1
16031	YDCXL516	6	TBD	1
16034	YDCXL38	6	TBD	1

DRILL BITS

Super T Bits

Duro Dyne Drill Bits have a 135° split point which starts and cuts quickly without walking. Specially hardened high vanadium steel makes the bit harder and longer lasting than many others on the market. A heavy web makes the bit more flexible to minimize breakage.

Item #	Description	Size	Decimal Size	Overall Length in inches +/- 1/8	Shelf Pack Wt. lb.	Shelf Pack (minimum)
24004	TD-1/8	1/8	.1250	1-7/8	.25	10
24005	TD-30	#30	.1285	1-15/16	.25	10
24010	TD-3/16	3/16	.1875	2-3/16	.25	10
24012	TD-7/32	7/32	.2187	2-3/8	.25	10
24013	TD-1/4	1/4	.2500	2-1/2	.25	10
24014	TD-9/32	9/32	.2812	2-11/16	.25	10
24020	TDB-1/8	1/8	.1250	1-7/8	1	100
24021	TDB-30	#30	.1285	1-15/16	1	100
24028	TDB-7/32	7/32	.2187	2-3/8	1	100
24029	TDB-1/4	1/4	.2500	2-1/2	1	100
24030	TDB-9/32	9/32	.2812	2-11/16	1	100



DYN-O-TIE INSTALLATION TOOL

This DIT-3 gun is commonly used to install most makes of nylon duct ties. For nylon ties, tighten the tie with the gun until the proper tension is reached and then squeeze the secondary handle to clip off the excess tie material.

Item#	Description	Overall Length inches	Shelf Pack
7343	DIT-3	1	1



HAMMERS

Steel Tinner's Hammer

It is available in one convenient weight. This 18 ounce hammer is made of one piece polished solid steel with an industrial strength rubber grip fastened securely in place.

Item#	Description	Head Wt. oz.	Overall Length Inches	Shelf Pack Wt. lb.	Face	Shelf Pack
838396	DDTH18 - Rubber Grip	18	11-3/4	1.90	Polished	1



Double Headed Hammer

16 ounce Double Headed Hammer with 2 powerful magnets embedded in its head, easily keeps fasteners in place. Ergonomic, comfort grip is slip-resistant. Works great with Duro Dyne standard Bangers & Duro Dyne proprietary Tripod Bangers.

Item#	Description	Head Wt. oz.	Handle Length Inches	Shelf Pack Wt. lb.	Face	Shelf Pack
27064	RBH2	16	13	TBD	Magnetic	1



Wood Mallet

Item#	Description	Head Wt. oz.	Overall Length Inches	Shelf Pack Wt. lb.	Face	Shelf Pack
818262	DM16 - Wood Mallet	16	11-3/4	1.90	Polished	1




HOLE CUTTER

Hole Cutter

The hole cutter will cut holes in light gage metal, aluminum, plastics and Formica up to a maximum hole diameter of 12". It has an easy read scale from 2" to 12".

Item#	Description	Minimum Diameter inches	Maximum Diameter inches	Shelf Pack Wt. lb.	Shelf Pack
818269	TCH12	2	12	1	1



Hole Cutter Replacement Parts

The replacement bit is a three fluted cutting bit. This mill style bit is designed to cut from the side. The bit comes with the drill attachment rod and a safety cap.

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack
818264	TCH12RB Replacement Bit	2 oz.	6
818129	DDHC12P Pivot Pin for Hole Cutter	2 oz.	6
818130	DDHC12N Pivot Pin Nut for Hole Cutter	2 oz.	6



HVAC TOOLS

Magnetic Drift Pin Ratchet Tool

The 9" long Magnetic Drift Pin Ratchet tool end allows you to align two corners in a flange connection with ease. The 9/16" reversible ratchet allows for easy tightening and loosening of standard 3/8" nuts & bolts commonly used in flange connections. The Magnetic Wrench Insert holds the wrench in a fixed position to the nut or bolt to prevent slippage.

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack
13289	MDPR916 Magnetic Drift Pin Ratchet Tool	TBD	1
13107	MWI916 Magnetic Wrench Insert	TBD	1



Pittsburgh Lock Opening Tool

The Magnetic Pittsburgh Lock Opening Tool is used to open a longitudinal seam used in the fabrication of sheet metal ductwork. Strong magnet secures tool to ductwork.

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack
10058	MPOTSA	TBD	1



Cleat Tools

The lightweight Universal Magnetic Cleat Tool pulls the ductwork tight while installing the cleat on all size duct connections. The magnet keeps the cleat in place during installation & the end of the tool aids in removing the cleat from duct. The Deluxe Cleat Tool pulls the ductwork tight while installing the cleat on duct connections over 48".

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack
13124	UMCT2 Universal Magnetic Cleat Tool	TBD	1
21051	DCTDOM Deluxe Cleat Tool	1	1



Vane Dimpler

The Vane Dimpler replaces tack welding, chiseling, or other awkward and time consuming methods. It can be used on the vane before or after placement on the rail. Either way, its locked tight!

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack
21062	DOM6	1	1



Crimper Tool

The Dyn-O-Mate Crimper installs the TDC or TDF corner and crimps the edge over to hold the corner in place.

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack
21072	DOMCRMP	2	1



5-Blade Hand Crimper

An ideal tool for joining sheet metal pipes of the same size. The pipes can be corrugated, round or square. It is great for repairs in the field. It has a matte black finish with red plastisol grips. It is a compound action tool for crimping up to 22 and 24 gage.

Item#	Description	Throat Depth inches	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack
822006	WC5S	1-1/4	9-1/4	3.00	3



Hand Notcher

The notcher has high leverage compound action handles for fast and easy cutting. It produces a true 30° V-shaped cut in sheet metal. The tool features clean notching without slippage. It has a matte black finish with red plastisol grips.

Item#	Description	Jaw Depth inches	Cutting Angle	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack
822010	WHN1	13/16	30°	8-1/2	3.00	3



Hand Seamer

The seamer has high leverage compound action handles for easy metal bending and flattening. It produces a permanent tight fitting seam. The jaw has 1/4" incremental depth marks. The tool has a matte black finish with red plastisol grips. It is recommended for use on steel up to 18 gage.

Item#	Description	Jaw Depth inches	Jaw Width Inches	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack
822014	WS3	1/4 – 1-1/4	3-1/4	8-3/4	4.31	3



Offset Hand Seamer

The seamer has high leverage, offset, compound action handles for easy metal bending and flattening. It produces a permanent tight fitting seam. The jaw has 1/4" incremental depth marks. The tool has a matte black finish with red plastisol grips. It is recommended for use on steel up to 18 gage.

Item#	Description	Jaw Depth inches	Overall Jaw Width Inches	Length inches	Shelf Pack Wt. lb.	Shelf Pack
822021	WS4	1/4 – 1-1/4	3-1/4	8-3/4	8.63	3



KNIVES & REPLACEMENT BLADES

SAK6 - 6in Stainless Steel Knife with Sheath

Stainless steel knife with one edge of the blade serrated while the opposite edge is smooth. Super sharp point ideal for cutting a wide variety of insulations, including but not limited to: fiberglass, cotton, and rubber!

Item#	Description	Dimensions inches	Shelf Pack Wt. lb.	Shelf Pack
818267	SAK6 - 6in Stainless Steel Knife with Sheath	TBD	TBD	1



WK8V Knife - Retractable Blade

A popular all purpose retractable knife for home, professional and industrial use. The easy run slide can use all Wiss RWK replacement blades. It has four blade positions including retracted.

Item#	Description	Shelf Pack	Case Qty.	Skid
823001	WK8V	12	48	1728



RWK14 Replacement Blade - Rapid-Change™ Heavy Duty .025" Carded, Wrapped, Bulk, Dispenser

This is the most popular heavy duty blade for industrial, professional and home applications. It also fits the WK-8 knife.

Item#	Description	Shelf Pack	Case Qty.	6 Case Qty.
823038	RWK14V - Blade - Carded	20 Cards - (100 Blades)	400 Cards - (2000 Blades)	2400 Cards - (12,000 Blades)
823041	RWK14D - Blades in dispenser	Dispenser - (100 Blades)	20 Dispensers - (2000 Blades)	120 Dispensers (12,000 Blades)



MAGNETIC MATERIALS HANDLER

This lightweight magnetic materials handler, with five pounds of holding power, has a "T" handle release. It is designed for easy one-hand operation.

Item#	Description	Dimensions inches	Shelf Pack Wt. lb.	Shelf Pack
22003	Mighty Mag	9 x 5 x 2	2.48	1



LOCKING PLIER

Locking Seamer

Item#	Description	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack
818322	DDL8	8	1.15	1



RIVET GUN

Designed for 1/8", 5/32", 3/16" diameter rivets. The pin from installed rivets is released through the front of the tool. The tool is made of cast aluminum alloy with plastic handle grips for comfort.

Item#	Description	Approx. Ctn. Dim. in. x in. x in.	Shelf Pack Wt. lb.	Shelf Pack
22110	DDPR6 for Rivet dia. 1/8", 5/32", 3/16"	9 x 5 x 2	2	1



Metalmaster® Compound Action Snips

The non-slip serrated jaws of Wiss Metalmaster snips are made of tough, wear-resistant molybdenum steel to provide the durability demanded by the compound lever action and to withstand the severe strain of cutting heavy stock or tight curves. The handles are formed of special high strength steel and have a margin of strength far above the amount of hand pressure that can be applied.

Item#	Description	Overall Length inches	Length of cut inches	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
820001	M1R - cuts left from tight curves to straight-red grips	9-3/4	1-3/8	18 Gage Steel - 0.049"	5.25	6
820004	M2R - cuts right from tight curves to straight-red grips	9-3/4	1-3/8	18 Gage Steel - 0.049"	5.25	6
820007	M3R - cuts straight (or wide curves left or right in light stock). For most metal cutting requirements of the home craftsman. - yellow grips	9-3/4	1-1/2	18 Gage Steel - 0.049"	5.25	6



Metalmaster® Special Series Snips

Metalmaster special series snips utilize a hardening process designed for unusual industrial requirements such as cutting today's space age metals, like inconel, stainless steel and titanium.

Item#	Description	Overall Length inches	Length of cut inches	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
820014	M1R-S1 - Cuts left - Blue Grips	9-3/4	1-3/8	18 Gage Steel - 0.049"	84	6
820015	M2R-S1 - Cuts right - Blue Grips	9-3/4	1-3/8	18 Gage Steel - 0.049"	84	6



Metalmaster® Compound Action Bulldog Snip

This snip is designed for notching or trimming extra heavy stock.

Item#	Description	Overall Length inches	Length of cut inches	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
820018	M5R - Red Grips curves to straight-red grips	9-1/4	7/8	18 Gage Steel - 0.65"	4.38	6



Metalmaster® Offset Snips

Offset blades keep the material being cut away from hands and allow straight or circle cuts to be made easily. The handles are color coded for easy blade identification; red grips circle left, green grips circle right.

Item#	Description	Overall Length inches	Length of cut inches	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
820010	M6R - Red Grips circle left	9-1/4	1-1/4	18 Gage Steel - 0.049"	5.25	6
820011	M7R - Green Grips circle right	9-1/4	1-1/4	18 Gage Steel - 0.049"	5.25	6



HVAC Compound Action Pipe & Duct Snip

The cutting jaws are formed of high carbon tool steel. The handles are formed of special high strength steel and have a margin of strength far above the amount of hand power that can be applied. Widely used in the HVAC industry as a pipe and duct snip & is popular for cutting many rigid non-metallic sheet materials such as fiberglass panels, decorative plastic kitchen laminates*, synthetic shingles, flooring materials and more. It features a patented ball-bearing jaw action that automatically adjusts the blade clearance for squarer, cleaner cuts. It cuts a 11/64" wide strip and curls it away from the operator's hands. *When cutting laminates, the finished surface should be on the side of the center blade to avoid excessive cracking.



Item#	Description	Overall Length inches	Length of cut inches	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
822018	M4R	9-1/4	9/16	20 Gage Steel - 0.035"	2.31	6

Bulldog Pattern Snip

Bulldog snip provide greater cutting power for notching, nibbling and chopping heavy stock. Cushion grip red handles provide comfort and better grip.



Item#	Description	Overall Length inches	Length of cut inches	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
821019	W5N	16-1/2	2-1/2	16 Gage Steel - 0.065"	3.63	1

Duckbill Combination Pattern Snip

Duckbill pattern snip feature the advantage of cutting moderately tight curves to the left or right in light stock as well as cutting straight. The Duckbill snip is very popular with both home craftsman and professional artisans for light duty metal cutting because of its great versatility. Cushion grip red handles provide comfort and better grip.



Item#	Description	Overall Length inches	Length of cut inches	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
821010	V19N	13	3	21 Gage Steel	13.44	6

Straight Pattern Snips

Straight pattern snips are primarily for straight cuts although they can cut wide curves when trimming light gage stock. The inside face of the blade is flat which tends to guide the tool along a straight cut. Cushion grip red handles provide comfort and better grip.



Item#	Description	Overall Length inches	Length of cut inches	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
821016	W7N	14-1/2	4	18 Gage Steel - 0.065"	3.63	1

Heavy Duty Industrial Shears - INLAID® Blades

The black handled snip has hot drop-forged and polished blades with the patented SET-EASY® pivot.




Item#	Description	Overall Length inches	Length of Cut inches	Shelf Pack Wt. lb.	Shelf Pack
824069	W22N	12-1/4	6-1/8	6.75	6

TAPES & RULES

Red End® Folding Wood Rule

The rule is white and marked on both sides, both edges to 1/16ths. 16 inch stud centers are marked in red. The 066 is regular outside reading. The 066F is inside reading, keeping the measurement close to work.


Item#	Description	W x L inches x feet	Shelf Pack Wt. lb.	Shelf Pack
812010	066F	5/8 x 6	1.64	6



Red End® - Two Way® Folding Wood Rule

This rule is for measuring left to right and right to left. Flat, inside markings lie close to the work. It is marked both sides, both edges in feet, inches and 1/16ths.

Item#	Description	W x L inches x feet	Shelf Pack Wt. lb.	Shelf Pack
812016	966	5/8 x 6	1.70	6



700 Series Magnetic End Hook

The magnetic end hook is a time saver for HVAC installers, framers and all contractors where metal beams or nails are used. It is great for one-man operations. Powerful, dual magnets hold the tip firmly in position and can also serve as a pick-up tool. It has a non-slip molded rubber grip and the steel reinforced end hook along with the clear coated blade ensure long life.

Item#	Description	W x L inches x feet	Blade Style	Shelf Pack Wt. lb.	Shelf Pack
810171	L725MAG	1 x 25	A5	8.72	8



Series 1000 Power Tapes

Tapes have an improved high-visibility blaze orange label and a black ergonomic grip case made of high impact plastic. The top-positioned toggle lock provides sure control and a rubber shock absorber cushions the easy to read blade return. The tapes have a removable belt clip and a virtually unbreakable end hook.

Item#	Description	W x L inches x feet	Blade Style	Shelf Pack Wt. lb.	Shelf Pack
810162	HV1312	3/4 x 12	A2	2.4	6
810163	HV1316	3/4 x 16	A2	2.9	6



TOOL STARTER KIT

Tool Starter Kit

This starter set includes all of the hand tools necessary for both the sheet metal craftsman as well as the apprentice.

Item#	Description	L x W x H in. x in. x in.	Shelf Pack Wt. lb.	Shelf Pack
818320	TKS1 - Hand Tool Starter Kit	12-1/2x12-1/2x16-1/2	24.8	1
Includes:				
820001	M1R - Wiss Metalmaster Aviation Snips - Cuts left - 18 gage capacity			1
820004	M2R - Wiss Metalmaster Aviation Snips - Cuts right - 18 gage capacity			1
820007	M3R - Wiss Metalmaster Snips - Cuts Straight - 18 gage capacity			1
820018	M5R - Wiss Metalmaster Snips - Bulldog - for notching or trimming - 16 gage capacity			1
822018	M4R - Wiss Metalmaster Aviation Snips - for pipe & duct, & non-metallic sheet material - 20 gage capacity			1
822002	WC3S - Wiss 3-Blade Crimper			1
822010	WHN1 - Wiss Notcher			1
822014	WS3 - Wiss Hand Seamer			1
823001	WK8V - Wiss Retractable Blade (4 positions)			1
823038	RWK14V - Wiss Heavy Duty (.025") Replacement Blades - Pkg. of 5			1
10015	SSES - Duro Dyne stainless steel magnetic edge scribe			1
838396	DDTH18 - 18 oz. Tinner's Hammer			1
16008	DCL14 - Duro Dyne hex shank Drill Chuck - 2-5/8" long - for 1/4" hex head screws			1
216009	DCL516 - Duro Dyne hex shank Drill Chuck - 2-5/8" long - for 5/16" hex head screws			2



Included free with purchase:

- Shop Apron
- (100) pack of screws - HH Pro-Points
- (100) pack of screws - HH Sabers
- Bucket & Bucket Wrap

WIRE CUTTERS

Pocket Wire Rope Cable Cutter

This top quality pocket-size cutter is perfectly designed to cut up to 1/8" wire rope, cable, piano wire or aircraft cable. It has plastisol handles and exposed metal surfaces are coated with a rust preventative finish. The spring action shear-cut blades automatically open when handle pressure is removed.

Item#	Description	Weight lb.	Overall Length inches	Cable cap inches
818263	DTWRCL - 8.5" Wire Cutter	1	7-1/2	WC6-CL23
30344	DTWRC12 - Hand Held Wire Rope Cutter for WC8-CL25 ONLY	3	19	WC8-CL25




WRENCHES

Hex Key Sets & Ratchet Wrench

The 9 pc. fold up key set contains two types of wrenches; the six smaller sizes, (5/64, 3/32, 7/64, 1/8, 9/64 and 5/32, have chamfered ends, while the three larger sizes, (3/16, 7/32, and 1/4), are ball points. The ball points allow angled entry up to 25°. All hex keys are manufactured from industrial quality hardened steel. This sturdy unit is designed with a strong, but lightweight, high visibility, ergonomically designed hardened plastic case for comfort and longevity. The 12 piece L-wrench design is packaged in a key case that will lock the wrenches in place. Simply slip wrenches into their individually marked slots and twist to lock them securely in place. The sizes range from .050 to 5/16". The short side of the L-wrench is designed with a chamfered end while the long side has a ball point for those hard to reach places. The ball points allow entry up to 25°. All wrenches are manufactured from hardened steel.

Item#	Description	Socket Size inches	Shelf Pack Wt. lb.	Shelf Pack
818100	FKS9	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4	8 oz.	1
818102	BLX12	.050 - 5/16	9 oz.	1
881021	RS2H	Reversible Ratchet Wrench 4-in-1 (3/16, 1/4, 5/16, 3/8 sq)	9 oz.	1



Please Visit Our Website
www.durodyne.com
for the most current product information.



Duro Dyne Corporate Headquarters, Bay Shore, NY
631-249-9000 • Fax: 631-249-8346
Duro Dyne Midwest • Duro Dyne West • Duro Dyne Canada
www.durodyne.com • E-mail: durodyne@durodyne.com



© Duro Dyne Corp.
Printed in USA 9/25/19
BB000011