



Plumbing and Heating Catalog

Table of Contents

Aluminum Stack Caps.....	47
Aluminum Stacks.....	47
Attic Vents • Square • Soldered • Galvanized	12
Birdscreen • Galvanized.....	49
Brass Tail Piece	7
Bristle Brushes	49
Butyl Gasket (Sealant Tape)	49
Catch Basin Trapping Hood	7
Chimney Liner Cap Assembly • 5" Extension.....	46
Chimney Liner Cap Assembly	47
Chimney Liner Extensions • 2-Ply • With Coupler	47
Chimney Liner Kits	46
Chimney Liners	
• 2-Ply	46
• 2-Ply • Carton.....	46
China Caps • Galvanized	13
Collars • With Flange	9
Concentric Increases.....	38
Draft Hood Connector Increases • DHCI	20
Drain Pans	
• 2" High • c/w PVC fitting	6
• Equipment.....	6
• Spun round • 1" High • Bottom hole only	5
• Spun round • 1" High • Bottom mount • 1-1/2" Tail piece included.....	5
• Spun round • 2" High • Bottom hole only	5
• Spun round • 2" High • c/w PVC fitting	5
• Spun round • 2" High • Side hole only.....	5
• Spun round • 2" High • Side stub.....	5
• Square • 2" High • 1-1/2" Tail Piece Included • Bottom Stub	6
• Square • 2" High • 1-1/2" Tail Piece Included • Side Stub - Left	6
• Square • 2" High • 1-1/2" Tail Piece Included • Side Stub - Right.....	6
• Square • 2" High • Bottom Hole Only	6
• Square • 2" High • No Hole.....	6
• With Opening.....	6
Dryer Exhaust Duct Elbows	49
Dryer Vent Hoods	48

ECCO-Flex Ducting • 1-Ply.....	45
ECCO Polypropylene Vent™ — Flex	
Bird Guards.....	44
B-Vent Retrofit Flex Caps	42
Chimney Bend • Concentric to Flex	43
Chimney Bend • Single Pipe to Flex	43
Chimney Bend • Twin Pipe to Flex	43
Couplers	43
Female Adapters • Flex to Rigid.....	43
Flex Pipes	42
Flex Puller Tools.....	44
Flex Relining Kits.....	42
Gasket Lubricant	44
Male Adapters • Rigid to Flex	43
Replacement Flex Gaskets • Viton	44
Spacing Brackets • Flex Pipe	44
ECCO Polypropylene Vent™ — Rigid	
Adapter Clamps • Concentric.....	38
Adapter Clamps • Single Wall	38
Adjustable Pipe • 2" and 3" Diameter.....	34
Adjustable Pipe • 4" Diameter.....	34
Appliance Adapters • Female PVC.....	38
Appliance Adapters • Stainless Steel.....	38
Cascade Extension Kits.....	39
Cascade Starter Kits.....	39
Chimney Caps with Pipe Length • 2" – 4"	36
Chimney Caps with Pipe Length • 5" – 8"	36
Concentric Terminations • 2" – 3"	39
Concentric Terminations • 4"	39
Concentric Terminations • Adjustable Roof Flashings • 5/12 – 12/12 (25° – 45°).....	42
Concentric Terminations • Exhaust Offset for Horizontal Terminations.....	40
Concentric Terminations • Flat/Low Pitch Adjustable Flashings • Flat • 5/12 (0° – 25°).....	42
Concentric Terminations • Flat Roof Flashings.....	41
Concentric Terminations • Horizontal (Wall) Terminations.....	39
Concentric Terminations • Horizontal (Wall) Termination Guards	40
Concentric Terminations • Horizontal (Wall) Termination Kit.....	41

Table of Contents

ECCO Polypropylene Vent™ — Rigid (cont'd)

Concentric Terminations • Vertical (Roof)	
2" / 4" and 3" / 5"	40
4" / 6"	40
Concentric Terminations • Vertical (Roof)	
Termination Extensions	41
Concentric Terminations • Vertical Termination Kit	41
Concentric Terminations • Wall Plate for	
Horizontal Terminations	40
Concentric Terminations • Wall Plates	40
Concentric to Single Wall Twin-Pipe Adapters	
2" – 3"	37
4"	37
Condensate Drains • 2" and 3" Diameter	35
Condensate Drains • 4" Diameter	35
Elbows • 45 Degree • 2" and 3" and 4 – 8"	33
Elbows • 45 Degree • UV (Black)	33
Elbows • 87 Degree • 2" and 3" and 4 – 8"	32
Elbows • 87 Degree • Inspection	33
Elbows • 87 Degree • UV (Black)	33
Increases • 2" – 3" and 3" – 4"	35
Increases • 4" – 5", 5" – 6", and 6" – 8"	35
Locking Clamps • 2" - 4" Diameter	34
Locking Clamps • 5" - 8" Diameter	34
Locking Clamps • Galvanized	34
Non-Return Valves	39
Pipe Lengths • 2" and 3" Diameter	32
Pipe Lengths • 4" - 8" Diameter	32
Pipe Lengths • UV (Black)	32
Reducers • 3" – 2" and 4" – 3"	36
Reducers • 5" – 4" and 8" – 6"	36
Replacement Rigid Gaskets • EPDM	36
Single Wall to Concentric Twin-Pipe	
Adapters • 2" – 3"	38
Single Wall to Concentric Twin-Pipe	
Adapters • 4"	38
Single Wall Vertical Terminations	37
Spacing Brackets • Rigid Pipe	37
Support Brackets	34
Support Elbows with Bracket	36
Tees with Cap	35
Test Ports • 2" and 3" Diameter	34
Test Ports • 4" Diameter	34
Twin Pipe Wall Termination Kits	37
Wire Spring Guards	37

E-Flash48

Flashings

• Adjustable • Pipe Size • 1/12-7/12	9
• Adjustable • Pipe Size • 8/12-12/12	9

Flex Couplers.....45

Lint Traps

• 180° no Flange	8
• 180° with Flange	8
• Slimline (Patented)	8

Metal Stem Vents.....12

Model E/R Type B Gas Vent – 3" - 8"

Adapters • A-Vent to B-Vent	22
Adapters • B-Vent to B-Vent Adapters • BA	22
Adapters • B-Vent • HCA	22
Adapters • Female • B-Vent • FMA	22
Adapters • Female • B-Vent • FMSA	22
Adapters • Male • B-Vent • MA	22
Adapters • Male • B-Vent • MSA	22
Attic Insulation Shields • AIS	16
B-Vent to Flex Connectors • BF	21
B-Vent to Single Wall Connectors • BSW	21
Butyl Gasket (Sealant Tape)	23
Draft Hood Connectors • DHC	20
Draft Hood Connectors • With Hem • DHCH	20
Elbows • 45 Degree • 45EL • 2 Piece	17
Elbows • 45 Degree • 45EL • 3 Piece	17
Elbows • 90 Degree • 90EL	18
Elbows • Direct Connect • 90 Degree	18
Finishing Collars • FC	23
Firestop Spacers • FS	17
Flashings • Adjustable • 1/12-7/12 • AF	14
Flashings • Adjustable • 1/12-7/12 • AFR • Soldered	15
Flashings • Adjustable • 8/12-12/12 • AFR • Soldered	15
Flashings • Adjustable • 8/12-12/12 • AFS	15
Flashings • Adjustable • Pipe Size • 1/12-7/12 • Soldered	8
Flashings • Flat • FF	15
Flashings • Flat • Hot Welded • B-Vent	16
Flashings • Flat • Pipe Size • Hot Welded	16
Gas Vent Connectors • Flexible • FGVC	14
Increases • Double Wall • INC	21
Rain Caps • RC	16
Storm Collars • SC	16
Storm Collars • Spun • SSC	16
Support Plates • SP	17

Table of Contents

Model E/R Type B Gas Vent – 3" - 8" (cont'd)

Support Rings • SR.....	17
Tees • Double Wall • DWT.....	18
Tees • Double Wall • DWT Taper.....	18
Tees • Single Wall • Aluminum • SWTA.....	19
Tees • Single Wall Base • Aluminum • SWBTA.....	20
Tees • Single Wall Base • Galvanized • SWBT.....	19
Tees • Single Wall • Galvanized • SWT.....	19
Tee Caps • Spun • TC.....	18
Type B Gas Vent Kits Less Draft Hood Connector.....	24
Type B Gas Vent Kits with Draft Hood Connector.....	23
Type B Gas Vent Kits with Single Wall Base Tee.....	24
Type B Oval Gas Vent and Fittings • 4" and 5".....	25
Vent Pipe • Adjustable • VPA.....	14
Vent Pipe • Adjustable with Clamp • VPAC.....	14
Vent Pipe • VP.....	13
Wall Bands • WB.....	23
Wall Thimbles • Round Pipe.....	23
Wyes • Swivel • Doublewall • DWW.....	21


Model E/R Type B Gas Vent – 10" - 30"

Double Wall Wyes • DWW.....	30
Draft Hood Connectors • DHC.....	31
Elbows • 45 Degree • 45EL.....	29
Elbows • 90 Degree • 90EL.....	29
Firestop Spacers • FS.....	28
Flashings • Adjustable • 1/12-7/12 • AF.....	27
Flashings • Adjustable • 1/12-7/12 • ARF • Soldered.....	27
Flashings • Flat • FF.....	27
Increases • Double Wall • INC.....	31
Rain Caps • RC.....	27
Spun Tee Caps • TC.....	30
Storm Collars • SC 10" – 24".....	28
Storm Collars • SC 26" – 30".....	28
Support Assembly • SA.....	29
Support Plates • SP.....	28
Support Rings • SR.....	29
Tees • Double Wall • DWT.....	30
Single Wall • SWT.....	30
Vent Pipe • VP.....	26
Vent Pipe • Adjustable • VPA.....	26
Wall Bands • WB.....	31

Mult-E Strap.....	48
No-Caulk Flashings.....	48
NPT Pipe Nipple Caddy.....	7
Plastic Roof Cap Stem Vents • BVDS.....	12
Plastic Roof Vents • AF-50.....	12
Plastic Stack Caps.....	47
Plugs/Tee Caps • Spun.....	45
PVC Fitting • PVC Drain Pan Fitting.....	7
Roof Flashings • I.P.S. Adjustable.....	9
Roof Jacks.....	
• All Pitch.....	10
• All Pitch • 8 × 8.....	10
• EC144.....	10
• Mobile Home • 8 × 8.....	10
• Round.....	11
• Round • All Pitch.....	10
• Round Top • Soldered • 8 × 8.....	10
• Square Top • Soldered • 8 × 8 • 26 Gauge.....	10
Roof Vents • Built Up.....	12
Side Wall Vents • 1/4" Birdscreen.....	47
Storm Collars.....	
• Pipe Size.....	9
Stranko Boxes.....	7
The Dryerbox®.....	48
Thimbles.....	7
Thimbles • Wall.....	7
TPE Collar • No-Caulk Collar.....	48
Wall Caps.....	
• Spring Loaded Damper • Galvanized.....	8
• With Damper.....	49
Water Tank Stands.....	7

Drain Pans

- Spun Round • 1" High • Bottom Mount
- 1-1/2" Tail Piece Included




Item#	Size (")	A (")	Ctn/Qty	Wt/100
138800	22	21-7/8	12	250
138900	24	23-7/8	10	300
139000	26	25-7/8	6	350
139002	31	30-1/2	*	770

*Product shipped individually.

Drain Pans (cont'd)


- Spun Round • 2" High • Side hole only



Item#	Size (")	A (")	Ctn/Qty	Wt/100
138822	22	21-1/2	*	425
138922	24	23-3/4	*	493
139021	26	25-1/2	*	566
139026	28	27-1/2	*	646
139007	31	30-1/2	*	815

*Product shipped individually.


- Spun Round • 1" High • Bottom Hole Only



Item#	Size (")	A (")	Ctn/Qty	Wt/100
138801	22	21-7/8	*	230
138901	24	23-7/8	*	320
139001	26	25-7/8	*	350
138790	20	19-7/8	*	305
139024	28	27-7/8	*	567
139005	31	30-1/2	*	664

*Product shipped individually.


- Spun Round • 2" High • Bottom Hole Only



Item#	Size (")	A (")	B (")	Ctn/Qty	Wt/100
138820	22	21-1/2	2	*	426
138920	24	23-3/4	2	*	494
139022	26	25-1/2	2	*	703
139027	27-28	27-28	2	*	646

*Product shipped individually.


- Spun Round • 2" High • Side Stub



Item#	Size (")	A (")	Ctn/Qty	Wt/100
138821	22	21-1/2	*	425
138921	24	23-3/4	*	493
139003	26	25-1/2	*	703
139025	28	27-1/2	*	646
139004	31	30-1/2	*	815

*Product shipped individually.

- Spun Round • 2" High • c/w PVC Fitting




Item#	Size (")	A (")	Ctn/Qty	Wt/100
138791	20	19-1/2	*	305
138823	22	21-1/2	*	425
138830	24	23-3/4	*	600
138930	26	25-1/2	*	703
138998	28	27-1/2	*	441
138999	31	30-1/2	*	527

*Product shipped individually.

Drain Pans (cont'd)


- 2" High • c/w PVC Fitting



Item#	Size (")	A (")	Ctn/Qty	Wt/100
139045	25 x 39	21-7/8	*	807

*Product shipped individually.


- Square • 2" High • 1-1/2" Tail Piece Included • Bottom Stub



Item#	Size (")	A (")	Ctn/Qty	Wt/100
138902	24 x 24	24	*	700
138923	26 x 26	26	*	703

*Product shipped individually.


- Square • 2" High • 1-1/2" Tail Piece Included • Side Stub - Left



Item#	Size (")	A (")	Ctn/Qty	Wt/100
138903	24 x 24	24	*	700
138924	26 x 26	26	*	703

*Product shipped individually.

- Square • 2" High • 1-1/2" Tail Piece Included • Side Stub - Right




Item#	Size (")	A (")	Ctn/Qty	Wt/100
138905	24 x 24	24	*	700
138925	26 x 26	26	*	703

*Product shipped individually.

Drain Pans (cont'd)


- Square • 2" High • No Hole



Item#	Size (")	A (")	Ctn/Qty	Wt/100
138904	24	24	*	425
138997	26	26	*	567

*Product shipped individually.


- Square • 2" High • Bottom Hole Only



Item#	Size (")	A (")	Ctn/Qty	Wt/100
138996	26	26	*	567

*Product shipped individually.


- With Opening



Item#	Size (")	A (")	B (")	Opening C (")	Opening D (")	GA	Ctn/Qty	Wt/100
139040	25 x 30	25	30	21	20	26	*	475

*Product shipped individually.

- Equipment



Item#	Size (")	A (")	B (")	GA	Ctn/Qty	Wt/100
139030	30 x 63	30	63	26	*	1495

*Product shipped individually.

PVC Fitting



- PVC Drain Pan Fitting



Item#	Diameter (")	Ctn/Qty	Wt/100
798106	1-1/50	*	5

*Product shipped individually.

Catch Basin Trapping Hood



Item#	A (")	B (")
139364	4	11
139366	6	13
139368	8	14
139370	10	16
139372	12	18

*Product shipped individually.


Brass Tail Piece



Item#	Size (")	A (")	Ctn/Qty	Wt/100
798100	1-1/2 x 2-5/8	1-1/2	25	12

*Product shipped individually.



Water Tank Stands



Item#	Size (")	A (")	Ctn/Qty	Wt/100
139010	24	23-7/8	*	1600
139012	26	25-7/8	*	1800



*Product shipped individually.

NPT Pipe Nipple Caddy



Item#	Size (")	Ctn/Qty	Wt/100
139301	1/2	4	500
139303	3/4	3	555
139305	1	3	650



Stranko Boxes



Item#	Description	A (")	Ctn/Qty	Wt/100
139309	9" Round	9	10	204


Thimbles

- Wall



Item#	Size (")	A (")	Ctn/Qty	Wt/100
137294	4	4-3/4	10	365


Thimbles



Item#	Size (")	A (")	Ctn/Qty	Wt/100
137400	4	5-1/8	10	50
137500	5	6-1/8	10	60
137600	6	7-1/8	10	80
137800	8	9-1/8	6	100

Lint Traps


- 180° no Flange



Item#	Size (")	A (")	Ctn/Qty	Wt/100
139700	4 - 5	5	15	240
139701	4 - 4	4	15	235

Lint Traps


- 180° with Flange



Item#	Size (")	Ctn/Qty	Wt/100
599703	4 - 4	1	235

Lint Traps


- Slim Line (Patented)



Item#	Size (")	A (")	B (")	Ctn/Qty	Wt/100
599704	4 - 5 x 28-1/2	28-1/2	5	2	600
599706	4 - 5 x 30-1/2	30-1/2	5	2	610
599707	4 - 4 x 30-1/2	30-1/2	4	2	610

Wall Caps


- Spring Loaded Damper • Galvanized



Item#	Size (")	A (")	B (")	C (")	D (")	Ctn/Qty	Wt/100
051094	4	4	9	6-3/4	6-5/6	20	97
051095	5	5	9	8-5/8	7-11/16	20	135
051096	6	6	9	8-5/8	7-11/16	20	144
051097	7	7	9	9-7/8	9-1/8	10	168
051098	8	8	9	10-7/8	10-1/4	10	234
051099	10	10	9	13	12-1/4	5	422
051100	12	12	9-1/2	15	14-1/4	2	675

Flashings

- Adjustable • Pipe Size • 1/12-7/12 • Soldered




Item#	Size (")	A (")	B (")	Ctn/Qty	Wt/100
131409	10	10-1/2	24	*	480
131414	12	12-1/2	26	*	480
131419	14	14-1/2	28	*	490

*Product shipped individually.

Flashings (cont'd)


- Adjustable • Pipe Size • 1/12-7/12



Item#	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
131503	3	3-1/4	7	4	15	*	160
131504	4	4-1/4	8	4	16	*	180
131505	5	5-1/4	9	4	1	*	200
131506	6	6-1/4	10	4	18	*	230
131507	7	7-1/4	11-1/2	4	19-1/2	*	275
131508	8	8-1/4	12-1/2	4	20-1/2	*	300
131510	10	10-1/4	14-1/2	4-1/2	22-1/2	*	410

*Product shipped individually.

- Adjustable • Pipe Size • 8/12-12/12




Item#	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
131523	3	3	9-1/2	4	17-1/2	*	142
131524	4	4	10-1/2	4	18-1/2	*	164
131525	5	5	12-1/2	4	20-1/2	*	186
131526	6	6	13-1/2	4	21-1/2	*	211
131527	7	7	15	4	23	*	246
131528	8	8	16	4	24	*	273
131529	9	9	19	4	27	*	300
131530	10	10	20	4-1/2	28	*	341

*Product shipped individually.

Roof Flashings

- I.P.S. Adjustable



Item#	Size (")	Color	A (")	Ctn/Qty	Wt/100
131201	1-1/2	Galvanized	1-1/2	10	210
131202	2-1/2	Galvanized	2-1/2	10	220
131203	3-1/2	Galvanized	3-1/2	10	230

Storm Collars

- Pipe Size




Item#	Size (")	A (")	Ctn/Qty	Wt/100
131412	10	10	*	46
131417	12	12	*	50
131422	14	14	*	60

*Product shipped individually.

Collars


- With Flange



Item#	Size (")	A (")	B (")	C (")	Ctn/Qty	Wt/100
134866	6 × 3	6	3	2	20	90
134868	8 × 3	8	3	2	20	120
134870	10 × 3	10	3	2	20	160
134872	12 × 3	12	3	2	20	210


Roof Jacks

• All Pitch




Item#	Description	A (")	B (")	C (")	D (")	E (")	Ctn/ Qty	Wt/ 100
130200	6" x 6"	5	8	13	15	7	10	201
130209	6" x 6" - Soldered	5	8	13	15	7	10	180

• All Pitch • 8 x 8





Item#	Size (")	A (")	B (")	C (")	D (")	E (")	F (")	Ctn/ Qty	Wt/ 100
130100	8 x 8	8	9	7-1/2	15	17	8-1/2	10	298

• Round • All Pitch



Item#	Size (")	A (")	B (")	Ctn/Qty	Wt/100
131034	3 - 4	4	12	15	250
131056	5 - 6	6	15	8	380
131078	7 - 8	8	18	5	460


• Square Top • Soldered • 8 x 8 • 26 Gauge



Item#	Size (")	A (")	B (")	C (")	D (")	E (")	Ctn/ Qty	Wt/ 100
130108	8 x 8	8	8	16	16	7	10	270


Roof Jacks (cont'd)

• Mobile Home • 8 x 8




Item#	Size (")	A (")	B (")	C (")	D (")	E (")	F (")	Ctn/ Qty	Wt/ 100
131010	8 x 8	8	9	7-1/2	15	17	10	6	345

• Round Top • Soldered • 8 x 8



Item#	Size (")	A (")	B (")	C (")	D (")	E (")	Ctn/ Qty	Wt/ 100
130109	8 x 8	8	8	15	15-5/8	8	10	270

• EC144




Item#	Description	Ctn/Qty	Wt/100
130600	Galvanized	*	1075
130602	Brown	*	1075
130604	Black	*	1075
130605	Charcoal	*	1075

*Product shipped individually.

Note: Free Area = 100 Sq. In.

Roof Jacks (cont'd)


• Round



Item#	Description	Color	A (")	B (")	C (")	D (")	Ctn/Qty	Wt/100
130250	6" with Damper	Galvanized	6	4-1/4	14	7-1/2	10	190
130309	6" Soldered	Galvanized	6	4-1/4	14	7-1/2	10	190
130303	6" – 12" High	Galvanized	6	12	14	15-1/2	10	200
130307	6" – 12" High Soldered	Galvanized	6	12	14	15-1/2	10	240
130308	6" – 12" High with Damper Soldered	Galvanized	6	12	14	15-1/2	10	245
130330	6" – 12" High	Brown	6	12	13-1/2	15-1/2	10	240
130331	6" – 12" High	Black	6	12	13-1/2	15-1/2	10	240
130332	6" – 12" High	Charcoal	6	12	13-1/2	15-1/2	10	240
130305	6" – 12" High 4/12P	Galvanized	6	11-1/2	14	14-7/8	10	200
130260	6" with Damper and Screen	Galvanized	6	4-1/4	14	7-1/2	10	195
130259	6" with Damper Soldered	Galvanized	6	4-1/4	14	7-1/2	10	195
130311	6" Round	Brown	6	4-1/4	14	7-1/2	10	140
130313	6" Round	Black	6	4-1/4	14	7-1/2	10	140
130314	6" Round	Charcoal	6	4-1/4	14	7-1/2	10	140
130315	6" Round	Grey	6	4-1/4	14	7-1/2	10	140
130301	6" Round – Flared Base	Galvanized	6	4-1/4	14	7-1/2	10	190
130302	6" Round – 8" High	Galvanized	6	8	13-1/2	11	10	210
130316	6" with Damper	Brown	6	4-1/4	14	7-1/2	10	190
130318	6" with Damper	Black	6	4-1/4	14	7-1/2	10	190
130320	6" with Damper	Charcoal	6	4-1/4	14	7-1/2	10	190
130322	6" with Damper	Grey	6	4-1/4	14	7-1/2	10	190
130336	6" – 12" High with Damper	Brown	6	4-1/4	13-1/2	15-1/2	10	245
130337	6" – 12" High with Damper	Black	6	4-1/4	13-1/2	15-1/2	10	245
130338	6" – 12" High with Damper	Charcoal	6	4-1/4	13-1/2	15-1/2	10	245
130500	8" – All Pitch	Galvanized	7-3/4	4-3/4	15	8-7/8	10	230
130509	8" Soldered	Galvanized	7-3/4	4-3/4	15	8-7/8	10	260
130501	8" Round	Brown	7-3/4	4-3/4	15	8-7/8	10	190
130502	8" Round	Black	7-3/4	4-3/4	15	8-7/8	10	190
130503	8" Round	Charcoal	7-3/4	4-3/4	15	8-7/8	10	190
130505	8" Round	Grey	7-3/4	4-3/4	15	8-7/8	10	190
130550	8" with Damper	Galvanized	7-3/4	4-3/4	15	8-7/8	10	235
130551	8" with Damper	Brown	7-3/4	4-3/4	15	8-7/8	10	200
130552	8" with Damper	Black	7-3/4	4-3/4	15	8-7/8	10	200
130553	8" with Damper	Charcoal	7-3/4	4-3/4	15	8-7/8	10	200
130555	8" with Damper	Grey	7-3/4	4-3/4	15	8-7/8	10	200

Roof Vents

• Built Up




Item#	Size (")	Color	A (")	B (")	Ctn/ Qty	Wt/ 100
130569	5 × 14	Galvanized	5	14	*	620
130560	6 × 6	Galvanized	6	6	*	420
130562	8 × 8	Galvanized	8	8	*	540
130566	12 × 12	Galvanized	12	12	*	780

*Product shipped individually.

Attic Vents


• Square • Soldered • Galvanized



Item#	Size (")	Ctn/Qty	Wt/100
130596	14 × 12	*	990

*Product shipped individually.

Metal Stem Vents




Item#	Size (")	Color	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
130070	4	Black	6	6-1/2	12-1/4	1	170
130071	4	Brown	6	6-1/2	12-1/4	1	170
130072	4	Grey	6	6-1/2	12-1/4	1	170
130073	4	Wood Grey	6	6-1/2	12-1/4	1	170
130075	6	Black	8	8-1/2	14-1/4	1	280
130076	6	Brown	8	8-1/2	14-1/4	1	280
130077	6	Grey	8	8-1/2	14-1/4	1	280
130078	6	Wood Grey	8	8-1/2	14-1/4	1	280
130080	8	Black	10	10-1/2	16-1/4	1	390
130081	8	Brown	10	10-1/2	16-1/4	1	390
130082	8	Grey	10	10-1/2	16-1/4	1	390
130083	8	Wood Grey	10	10-1/2	16-1/4	1	390

Note: Pipe extends 5" below the base.

Plastic Roof Cap Stem Vents


• BVDS



Item#	Size (")	Color	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
681410	4	Black	4	11	12-1/2	5	4	150
681411	4	Brown	4	11	12-1/2	5	4	150
681412	4	Dark Brown	4	11	12-1/2	5	4	150
681413	4	Grey	4	11	12-1/2	5	4	150
681414	4	Wood Grey	4	11	12-1/2	5	4	150
681416	5	Black	5	13	14-3/4	4-3/4	4	165
681417	5	Brown	5	13	14-3/4	4-3/4	4	165
681418	5	Dark Brown	5	13	14-3/4	4-3/4	4	165
681419	5	Grey	5	13	14-3/4	4-3/4	4	165
681420	5	Wood Grey	5	13	14-3/4	4-3/4	4	165
681421	6	Black	6	13	14-3/4	4-1/2	4	175
681423	6	Dark Brown	6	13	14-3/4	4-1/2	4	175
681424	6	Grey	6	13	14-3/4	4-1/2	4	175
681425	6	Wood Grey	6	13	14-3/4	4-1/2	4	175

Plastic Roof Vents

• AF-50




Item#	Color	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
681402	Dark Brown	17-3/4	14-3/4	4	12	208
681403	Brown	17-3/4	14-3/4	4	12	208
681404	Grey	17-3/4	14-3/4	4	12	208
681405	Black	17-3/4	14-3/4	4	12	208
681406	Wood Grey	17-3/4	14-3/4	4	12	208

Note: Not available in all areas.


Model E/R Type B Gas Vent — 3" – 8"

• China Caps • Galvanized



Item#	Size (")	A (")	B (")	C (")	Ctn/Qty	Wt/100
134300	3	3	7-3/4	5-3/4	20	75
134400	4	4	7-3/4	6	20	85
134500	5	5	9	6	20	120
134600	6	6	10-1/4	6	20	145
134700	7	7	12-1/4	6	10	186
134800	8	8	12-1/4	6	10	190
134810	10	10	15-1/2	6	5	280
134812	12	12	17-3/4	6-1/2	5	300
134814	14	14	19-3/4	7	5	320

• Vent Pipe • VP



Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200301	360VP	3	3-1/2	58-3/8	8	475
200401	460VP	4	4-1/2	58-3/8	6	600
210501	560VP	5	5-1/2	58-3/8	6	700
210601	660VP	6	6-1/2	58-3/8	6	900
220701	760VP	7	7-1/2	58-3/8	3	1008
220801	860VP	8	8-1/2	58-3/8	3	1100

Note: Dimension C is installed length. Nominal length is 60".

Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200350	348VP	3	3-1/2	46-3/8	4	375
200450	448VP	4	4-1/2	46-3/8	6	500
210550	548VP	5	5-1/2	46-3/8	6	600
210650	648VP	6	6-1/2	46-3/8	6	675
220750	748VP	7	7-1/2	46-3/8	4	775
220850	848VP	8	8-1/2	46-3/8	4	900

Note: Dimension C is installed length. Nominal length is 48".

• Vent Pipe • VP (cont'd)

Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200302	336VP	3	3-1/2	34-3/8	4	275
200402	436VP	4	4-1/2	34-3/8	6	375
210502	536VP	5	5-1/2	34-3/8	6	450
210602	636VP	6	6-1/2	34-3/8	6	525
220702	736VP	7	7-1/2	34-3/8	4	600
220802	836VP	8	8-1/2	34-3/8	4	700

Note: Dimension C is installed length. Nominal length is 36".

Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200352	324VP	3	3-1/2	22-3/8	8	200
200452	424VP	4	4-1/2	22-3/8	6	250
210552	524VP	5	5-1/2	22-3/8	6	300
210652	624VP	6	6-1/2	22-3/8	6	350
220752	724VP	7	7-1/2	22-3/8	8	400
220852	824VP	8	8-1/2	22-3/8	8	450

Note: Dimension C is installed length. Nominal length is 24".

Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200303	318VP	3	3-1/2	16-3/8	8	150
200403	418VP	4	4-1/2	16-3/8	8	200
210503	518VP	5	5-1/2	16-3/8	8	225
210603	618VP	6	6-1/2	16-3/8	8	275
220703	718VP	7	7-1/2	16-3/8	8	325
220803	818VP	8	8-1/2	16-3/8	8	350

Note: Dimension C is installed length. Nominal length is 18".

Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200304	312VP	3	3-1/2	10-3/8	12	100
200404	412VP	4	4-1/2	10-3/8	12	125
210504	512VP	5	5-1/2	10-3/8	12	150
210604	612VP	6	6-1/2	10-3/8	12	200
220704	712VP	7	7-1/2	10-3/8	12	225
220804	812VP	8	8-1/2	10-3/8	12	250

Note: Dimension C is installed length. Nominal length is 12".


Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200356	306VP	3	3-1/2	4-3/8	10	50
200456	406VP	4	4-1/2	4-3/8	10	80
210556	506VP	5	5-1/2	4-3/8	10	80
210656	606VP	6	6-1/2	4-3/8	10	100
220756	706VP	7	7-1/2	4-3/8	8	125
220856	806VP	8	8-1/2	4-3/8	8	125

Note: Dimension C is installed length. Nominal length is 6".

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 3" – 8" (cont'd)

- Vent Pipe • Adjustable • VPA




Item#	Model	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
200305	312VPA	3	3-5/8	12	12	100
200405	412VPA	4	4-5/8	12	12	125
210505	512VPA	5	5-5/8	12	12	150
210605	612VPA	6	6-5/8	12	12	200
220705	712VPA	7	7-5/8	12	12	225
220805	812VPA	8	8-5/8	12	12	250

Note: 12" lengths adjust from 4" to 10". Includes sheet metal screws.

Item#	Model	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
200326	318VPA	3	3-5/8	18	8	150
200426	418VPA	4	4-5/8	18	8	200
210526	518VPA	5	5-5/8	18	8	225
210626	618VPA	6	6-5/8	18	8	275
220726	718VPA	7	7-5/8	18	8	325
220826	818VPA	8	8-5/8	18	8	350

Note: 18" lengths adjust from 4" to 16". Includes sheet metal screws.


- Vent Pipe • Adjustable with Clamp • VPAC



Item#	Model	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
200396	312VPAC	3	3-5/8	12	12	100
200496	412VPAC	4	4-5/8	12	12	125
210596	512VPAC	5	5-5/8	12	12	150
210696	612VPAC	6	6-5/8	12	12	200
220796	712VPAC	7	7-5/8	12	12	225
220896	812VPAC	8	8-5/8	12	12	250


Item#	Model	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
200397	318VPAC	3	3-5/8	18	8	150
200497	418VPAC	4	4-5/8	18	8	200
210597	518VPAC	5	5-5/8	18	8	225
210697	618VPAC	6	6-5/8	18	8	275
220797	718VPAC	7	7-5/8	18	8	325
220897	818VPAC	8	8-5/8	18	8	350

Gas Vent Connectors • Flexible • FGVC



Item#	Model	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
200392	3" x 24"	3	3-1/2	24	25	130
200393	3" x 36"	3	3-1/2	36	16	230
200394	3" x 48"	3	3-1/2	48	16	290
200395	3" x 60"	3	3-1/2	60	16	345
200492	4" x 24"	4	4-1/2	24	16	220
200493	4" x 36"	4	4-1/2	36	9	300
200494	4" x 48"	4	4-1/2	48	9	365
200495	4" x 60"	4	4-1/2	60	9	445
210592	5" x 24"	5	5-1/2	24	11	260
210593	5" x 36"	5	5-1/2	36	9	345
210594	5" x 48"	5	5-1/2	48	9	435
210595	5" x 60"	5	5-1/2	60	9	510

- Flashings • Adjustable • 1/12-7/12 • AF




Item#	Model	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
200308	3AF	3	15 x 15	3-5/8	7	4	10	160
200408	4AF	4	16 x 16	4-5/8	8	4	10	180
210508	5AF	5	17 x 17	5-5/8	9	4	10	200
210608	6AF	6	18 x 18	6-5/8	10	4	10	230
220708	7AF	7	19-1/2 x 19-1/2	7-5/8	11-1/2	4	10	275
220808	8AF	8	20-1/2 x 20-1/2	8-5/8	12-1/2	4	10	300

Note: Soldered roof flashings available upon request.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 3" – 8" (cont'd)



• Flashings • Adjustable • 8/12-12/12 • AFS • Soldered



Item#	Model	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
200328	3AFS	3	18 × 18	3-5/8	9-3/8	4	10	250
200428	4AFS	4	19-1/2 × 19-1/2	4-5/8	10-5/8	4	10	260
210528	5AFS	5	20-3/4 × 20-3/4	5-5/8	12	4	10	300
210628	6AFS	6	21-3/8 × 21-3/8	6-5/8	13-3/8	4	10	340
220728	7AFS	7	23 × 23	7-5/8	15	4	5	400
220828	8AFS	8	24-3/8 × 24-3/8	8-5/8	16-3/8	4	5	440

Note: Soldered roof flashings available upon request.



• Flashings • Adjustable • 8/12-12/12 • AFR • Soldered



Item#	Model	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
200370	3ARF	3	18 × 18	3-5/8	9-3/8	4	10	250
200470	4ARF	4	19-1/2 × 19-1/2	4-5/8	10-5/8	4	10	260
210570	5ARF	5	20-3/4 × 20-3/4	5-5/8	12	4	10	300
210670	6ARF	6	21-3/8 × 21-3/8	6-5/8	13-3/8	4	10	340
220770	7ARF	7	23 × 23	7-5/8	15	4	5	400
220870	8ARF	8	24-3/8 × 24-3/8	8-5/8	16-3/8	4	5	580


Note: All seams are soldered.

• Flashings • Flat • FF



Item#	Model	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
200369	3ARF	3	15 × 15	3-5/8	7	10	10	160
200469	4ARF	4	16 × 16	4-5/8	8	10	10	180
210569	5ARF	5	17 × 17	5-5/8	9	10	10	200
210669	6ARF	6	18 × 18	6-5/8	10	10	10	230
220769	7ARF	7	19-1/2 × 19-1/2	7-5/8	11-1/2	8	5	275
220869	8ARF	8	20-1/2 × 20-1/2	8-5/8	12-1/2	8	5	300

Note: All seams are soldered.




Item#	Model	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
200309	3FF	3	16 × 16	3-5/8	8	10	10	300
200409	4FF	4	16 × 16	4-5/8	8	10	10	320
210509	5FF	5	18 × 18	5-5/8	10	10	10	360
210609	6FF	6	18 × 18	6-5/8	10	10	10	360
220709	7FF	7	20 × 20	7-5/8	12	10	5	420
220809	8FF	8	20 × 20	8-5/8	12	10	5	420

Note: All seams are soldered.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 3" – 8"


• Flashings • Flat • Hot Welded • B-Vent



Item#	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
131362	4	14	4-5/8	6	10	*	206
131364	5	15	5-5/8	7	10	*	237
131366	6	16	6-5/8	8	10	*	268
131368	7	17	7-5/8	9	10	*	300
131370	8	18	8-5/8	10	10	*	332

*Product shipped individually.


• Flashings • Flat • Pipe Size • Hot Welded



Item#	Size (")	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
131382	10	20	10-1/2	12	*	400
131383	12	22	12-1/2	14	*	520


*Product shipped individually.

• Rain Caps • RC




Item#	Model	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
200306	3RC	3	8	6-1/8	10	40
200406	4RC	4	9-3/8	6-1/8	16	90
210506	5RC	5	10-3/4	7	16	100
210606	6RC	6	12-3/8	7	8	120
220706	7RC	7	14	7-3/4	8	140
220806	8RC	8	15-5/8	7-3/4	6	160

• Storm Collars • SC




Item#	Model	Size (")	A (")	B (")	Pcs/ Bndl	Wt/ 100
200307	3SC	3	6-1/4	3-1/2	10	20
200407	4SC	4	7-1/4	4-1/2	10	26
210507	5SC	5	8-1/4	5-1/2	10	27
210607	6SC	6	9-1/4	6-1/2	10	30
220707	7SC	7	10-1/4	7-1/2	8	34
220807	8SC	8	11-1/4	8-1/2	8	38

• Spun • SSC



Item#	Model	Size (")	A (")	B (")	Ctn/ Qty	Wt/ 100
200390	3SSC	3	6-3/4	3-1/2	50	14
200490	4SSC	4	7-3/4	4-1/2	50	18
210590	5SSC	5	8-3/4	5-1/2	50	22
210690	6SSC	6	9-3/4	6-1/2	50	26
220790	7SSC	7	10-3/4	7-1/2	50	36
220890	8SSC	8	11-3/4	8-1/2	50	44

• Attic Insulation Shields • AIS





Item#	Model	A (")	B (")	Ctn/Qty	Wt/ 100
200316	3AIS	3-5/8	5-3/4	1	335
200416	4AIS	4-5/8	6-3/4	1	365
210516	5AIS	5-5/8	7-3/4	1	395
210616	6AIS	6-5/8	8-3/4	1	425
220716	7AIS	7-5/8	9-3/4	1	455
220816	8AIS	8-5/8	10-3/4	1	485

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 3" – 8" (cont'd)


• Firestop Spacers • FS



Item #	Model #	Size (")	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
200310	3FS	3	5-5/8 × 5-5/8	3-5/8	13	20	100
200410	4FS	4	6-5/8 × 6-5/8	4-5/8	13	20	100
210510	5FS	5	7-5/8 × 7-5/8	5-5/8	13	20	95
210610	6FS	6	8-5/8 × 8-5/8	6-5/8	13	20	90
220710	7FS	7	9-5/8 × 9-5/8	7-5/8	13	16	75
220810	8FS	8	10-5/8 × 10-5/8	8-5/8	13	5	75

Note: Firestop Spacers are required above and below each floor and ceiling level penetrated by the vent.


• Support Plates • SP



Item #	Model #	Size (")	A (")	B (")	C (")	D (")	E (")	Ctn/ Qty	Wt/ 100
200317	3SP	3	5-5/8 × 5-5/8	3-5/8	13	17	4	10	210
200417	4SP	4	6-5/8 × 6-5/8	4-5/8	13	17	4	10	200
210517	5SP	5	7-5/8 × 7-5/8	5-5/8	13	17	4	10	200
210617	6SP	6	8-5/8 × 8-5/8	6-5/8	13	17	4	10	200
220717	7SP	7	9-5/8 × 9-5/8	7-5/8	13	17	4	8	200
220817	8SP	8	10-5/8 × 10-5/8	8-5/8	13	17	4	8	150

Note: Support Plate and Support Ring required for every 30 feet of vent height.


• Support Rings • SR



Item #	Model #	Size (")	A (")	Ctn/ Qty	Wt/ 100
200318	3SR	3	3-1/2	20	25
200418	4SR	4	4-1/2	20	30
210518	5SR	5	5-1/2	20	40
210618	6SR	6	6-1/2	20	50
220718	7SR	7	7-1/2	16	50
220818	8SR	8	8-1/2	16	50

Note: Support Plate and Support Ring required for every 30 feet of vent height. Includes sheet metal Screws and Assembly Bolt for installation.


• Elbows • 45 Degree • 45EL • 2 Piece



Item #	Model #	A (")	B (")	C (")	D (")	E (")	F (")	G (")	Ctn/ Qty	Wt/ 100
220713	745EL	7	7-1/2	3	4-1/4	3-3/8	5	11-7/8	12	175
220813	845EL	8	8-1/2	3-1/4	4-1/2	3-3/8	5-1/2	12-5/8	12	200

Note: Adjustable 0 deg. to 45 deg. Two piece construction. Dimension G is installed length.

• Elbows • 45 Degree • 45EL • 3 Piece




Item #	Model #	A (")	B (")	C (")	D (")	E (")	F (")	G (")	Ctn/ Qty	Wt/ 100
200313	345EL	3	3-1/2	3	3-7/8	3-1/8	6-1/4	9-5/8	12	65
200413	445EL	4	4-1/2	3	4-1/4	3-1/8	6-1/4	10-3/4	10	100
210513	545EL	5	5-1/2	3-1/4	4-5/8	3-1/4	6-3/4	11-3/4	10	100
210613	645EL	6	6-1/2	3-1/2	5	3-1/4	7-3/8	12-1/2	10	125

Note: Adjustable 0 deg. to 60 deg. Two piece construction. Dimension G is installed length.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 3" – 8"


• Elbows • 90 Degree • 90EL



Item#	Model	A (")	B (")	C (")	D (")	E (")	F (")	Ctn/ Qty	Wt/ 100
200314	390EL	3	3-1/2	5-1/4	4-1/4	2	7-3/8	8	100
200414	490EL	4	4-1/2	6	4-5/8	2-1/4	8-5/8	10	125
210514	590EL	5	5-1/2	6-5/8	5	2-1/2	9-3/8	8	175
210614	690EL	6	6-1/2	6-5/8	5	2-3/4	9-3/4	8	200
220714	790EL	7	7-1/2	7-1/2	7-1/2	3	11-1/4	8	275
220814	890EL	8	8-1/2	8-1/4	6-5/8	3	11-3/4	6	300

Note: Adjustable 0 deg. to 90 deg. Dimension F is installed length.


• Elbows • Direct Connect • 90 Degree



Item#	Model	A (")	B (")	C (")	D (")	E (")	F (")	Ctn/ Qty	Wt/ 100
200380	3DCE	3	3-1/2	5-1/4	4-1/4	2	7-3/8	8	100
200480	4DCE	4	4-1/2	6	4-5/8	2-1/4	8-5/8	10	125

Note: Inner Liner flared to directly connect to appliance.


• Tees • Double Wall • DWT Taper



Item#	Model	A (")	B (")	C (")	D (")	E (")	F (")	Ctn/ Qty	Wt/ 100
210542	5DWT43	5	4-1/2	3	4-1/4	4-1/2	9-7/8	8	190
210543	5DWT44	5	4-1/2	4	4-1/4	4-1/2	9-7/8	8	190
210643	6DWT54	6	5-1/2	4	4-1/4	5	11	8	215

Note: Dimension F is installed length.


• Tees • Double Wall • DWT



Item#	Model	A (")	B (")	C (")	D (")	E (")	F (")	Ctn/ Qty	Wt/ 100
200312	3DWT	3	3-1/2	3	3	2-3/4	7-1/8	6	100
200412	4DWT	4	4-1/2	4	3-1/2	3-1/4	8-1/8	6	200
210512	5DWT	5	5-1/2	5	4	3-3/4	9-1/8	8	200
210545	5DWT3	5	5-1/2	3	4	2-3/4	7-1/8	8	200
210544	5DWT4	5	5-1/2	4	4	3-1/4	8-1/8	6	200
210612	6DWT	6	6-1/2	6	4-1/2	4-1/4	10-1/8	6	250
210642	6DWT63	6	6-1/2	3	4-1/2	2-3/4	7-1/8	6	250
210644	6DWT4	6	6-1/2	4	4-1/2	3-1/4	8-1/8	6	250
210645	6DWT5	6	6-1/2	5	4-1/2	3-3/4	9-1/8	6	275
220712	7DWT	7	7-1/2	7	5	4-3/4	11-1/8	6	300
220774	7DWT4	7	7-1/2	4	5	3-1/4	8-1/8	6	300
220743	7DWT5	7	7-1/2	5	5	3-3/4	9-1/8	6	260
220742	7DWT6	7	7-1/2	6	5	4-1/4	10-1/8	6	300
220812	8DWT	8	8-1/2	8	5-1/2	5-1/4	12-1/8	6	400

Note: Dimension F is installed length. Tee Cap not included.

• Tee Caps • Spun • TC




Item#	Model	A (")	Ctn/Qty	Wt/100
570326	3TC	3	20	20
570426	4TC	4	20	26
570526	5TC	5	20	35
570626	6TC	6	20	46
570726	7TC	7	20	60
570826	8TC	8	20	72

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.


Model E/R Type B Gas Vent — 3" – 8" (cont'd)

• Tees • Single Wall • Galvanized • SWT



Item#	Model	A (")	B (")	C (")	D (")	E (")	F (")	Ctn/ Qty	Wt/ 100
200311	3SWT	3	3-1/2	3	4	6	12	10	110
200411	4SWT	4	4-1/2	4	5	6	12	10	150


• Tees • Single Wall • Aluminum • SWTA



Item#	Model	A (")	B (")	C (")	D (")	E (")	F (")	Ctn/ Qty	Wt/ 100
200330	3SWTA	3	3-1/2	3	3-1/2	5	10	10	40
200430	4SWTA	4	4-1/2	4	4-3/4	5	10	10	50
210530	5SWTA	5	5-1/2	5	5-1/2	5	10	10	100
210630	6SWTA	6	6-1/2	6	5-3/4	5-1/2	11	10	100
220730	7SWTA	7	7-1/2	7	6-1/4	6	12	10	130
220830	8SWTA	8	8-1/2	8	7	6-1/2	13	8	175

Note: Factory Tee Cap attached to bottom of Tee.

• Tees • Single Wall Base • Galvanized • SWBT




Item#	Model	A (")	B (")	C (")	D (")	E (")	F (")	G (")	H (")	CTN/QT	WT/100
200422	4SWT43	4	4-1/2	15-3/8	4-1/4	7	5	3	4	10	180
210522	5SWT43	5	5-1/2	15-3/8	4-1/4	7	5-1/2	3	4	10	230
210524	5SWT44	5	5-1/2	15-3/8	4-1/4	7	5-1/2	4	4	10	200
210511	5SWT53	5	5-1/2	15-3/8	4-1/4	7	5-1/2	3	5	10	240
210523	5SWT54	5	5-1/2	15-3/8	4-1/4	7	5-1/2	4	5	10	240
210525	5SWT55	5	5-1/2	15-3/8	4-1/4	7	5-1/2	5	5	10	240
210625	6SWT44	6	6-1/2	15-3/8	4-1/4	7	6	4	4	10	230
210622	6SWT53	6	6-1/2	15-3/8	4-1/4	7	6	3	5	10	250
210624	6SWT54	6	6-1/2	15-3/8	4-1/4	7	6	4	5	10	275
210621	6SWT55	6	6-1/2	15-3/8	4-1/4	7	6	5	5	10	251
210611	6SWT63	6	6-1/2	15-3/8	4-1/4	7	6	3	6	10	250
210623	6SWT64	6	6-1/2	15-3/8	4-1/4	7	6	4	6	10	250
210620	6SWT65	6	6-1/2	15-3/8	4-1/4	7	6	5	6	10	250
210627	6SWT66	6	6-1/2	15-3/8	4-1/4	7	6	6	6	10	250
220722	7SWT53	7	7-1/2	15-3/8	4-1/4	7	6-1/2	3	5	10	300
220720	7SWT55	7	7-1/2	15-3/8	4-1/4	7	6-1/2	5	5	10	300
220723	7SWT63	7	7-1/2	15-3/8	4-1/4	7	6-1/2	3	6	10	300
220725	7SWT64	7	7-1/2	15-3/8	4-1/4	7	6-1/2	4	6	10	300
220711	7SWT73	7	7-1/2	15-3/8	4-1/4	7	6-1/2	3	7	10	300
220724	7SWT74	7	7-1/2	15-3/8	4-1/4	7	6-1/2	4	7	10	300
220721	7SWT75	7	7-1/2	15-3/8	4-1/4	7	6-1/2	5	7	10	300
220811	8SWT83	8	8-1/2	17-5/8	6	7-1/2	7	3	8	8	375
220824	8SWT84	8	8-1/2	17-5/8	6	7-1/2	7	4	8	8	375

Note: Swivel Joint allows a full 360 deg. rotation between top and bottom of tee. Factory installed Tee Cap attached to bottom of Tee.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 3" – 8" (cont'd)



• Tees • Single Wall Base • Aluminum • SWBTA



Item#	Model	A (")	B (")	C (")	D (")	E (")	F (")	G (")	H (")	Ctn/Qty	Wt/100
210584	5SWT43A	5	5-1/2	15-3/8	4-1/4	7	5-1/2	3	4	10	160
210583	5SWT44A	5	5-1/2	15-3/8	4-1/4	7	5-1/2	4	4	10	160
210582	5SWT53A	5	5-1/2	15-3/8	4-1/4	7	5-1/2	3	5	10	104
210581	5SWT54A	5	5-1/2	15-3/8	4-1/4	7	5-1/2	4	5	10	160
210687	6SWT44A	6	6-1/2	15-3/8	4-1/4	7	6	4	4	10	270
210686	6SWT53A	6	6-1/2	15-3/8	4-1/4	7	6	3	5	10	170
210685	6SWT54A	6	6-1/2	15-3/8	4-1/4	7	6	4	5	10	170
210683	6SWT63A	6	6-1/2	15-3/8	4-1/4	7	6	3	6	10	108
210682	6SWT64A	6	6-1/2	15-3/8	4-1/4	7	6	4	6	10	170
220786	7SWT64A	7	7-1/2	15-3/8	4-1/4	7	6-1/2	4	6	10	200
220783	7SWT74A	7	7-1/2	15-3/8	4-1/4	7	6-1/2	4	7	10	200

• Draft Hood Connectors • With Hem • DHCH


• Draft Hood Connectors • DHC



Item#	Model	A (")	B (")	Ctn/Qty	Wt/ 100
200372	3DHCH	3	3-1/2	10	40
200472	4DHCH	4	4-1/2	10	45
210572	5DHCH	5	5-1/2	10	50
210672	6DHCH	6	6-1/2	10	55
220772	7DHCH	7	7-1/2	8	60
220872	8DHCH	8	8-1/2	8	65

Item#	Model	A (")	B (")	C (")	D (")	Ctn/Qty	Wt/ 100
200315	3DHC	3	3-1/2	8-1/2	5-1/2	10	40
200415	4DHC	4	4-1/2	8-1/2	5-1/2	10	50
210515	5DHC	5	5-1/2	8-1/2	5-1/2	10	70
210615	6DHC	6	6-1/2	8-1/2	5-1/2	10	80
220715	7DHC	7	7-1/2	8-1/2	5-1/2	8	100
220815	8DHC	8	8-1/2	8-1/2	5-1/2	8	100

• Draft Hood Connector Increases • DHCI




Item#	Model	A (")	B (")	Ctn/Qty	Wt/100
200471	3DHCI	4-1/2	3.10	25	55

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 3" – 8" (cont'd)


• Wyes • Swivel • Doublewall • DWW



Item#	Model	A (")	B (")	C (")	D (")	E (")	F (")	Ctn/Qty	Wt/100
200434	4DWW33	4	3-1/2	3	4-11/16	6-3/4	11-1/8	6	200
200433	4DWW43	4	4-1/2	3	4-11/16	6-3/4	11-1/8	6	200
200431	4DWW44	4	4-1/2	4	5-3/16	6-3/4	11-1/8	6	200
210536	5DWW33	5	3-1/2	3	5-3/8	7-1/2	11-11/16	6	225
210535	5DWW43	5	4-1/2	3	5-3/8	7-1/2	11-11/16	6	225
210534	5DWW44	5	4-1/2	4	5-7/8	7-1/2	11-11/16	6	225
210533	5DWW53	5	5-1/2	3	5-3/8	7-1/2	11-11/16	6	225
210532	5DWW54	5	5-1/2	4	5-7/8	7-1/2	11-11/16	6	225
210531	5DWW55	5	5-1/2	5	6-3/8	7-1/2	12-3/16	6	225
210638	6DWW44	6	4-1/2	4	6-5/8	7-1/2	10-15/16	6	275
210637	6DWW53	6	5-1/2	3	6-1/8	7-1/2	10-15/16	6	275
210636	6DWW54	6	5-1/2	4	6-5/8	7-1/2	10-15/16	6	275
210634	6DWW63	6	6-1/2	3	6-1/8	7-1/2	10-15/16	4	275
210633	6DWW64	6	6-1/2	4	6-5/8	7-1/2	10-15/16	6	275
210632	6DWW65	6	6-1/2	5	7-1/8	8-1/4	12-3/8	4	275
210631	6DWW66	6	6-1/2	6	7-5/8	9	13-7/8	4	275
220734	7DWW74	7	7-1/2	4	9	9	12-7/16	6	270
220733	7DWW75	7	7-1/2	5	9-1/2	9	12-7/16	6	280
220732	7DWW76	7	7-1/2	6	8-3/8	9-1/2	13-7/8	4	290
220731	7DWW77	7	7-1/2	7	8-7/8	10	14-15/16	4	350
220831	8DWW88	8	8-1/2	8	9-7/8	11-1/2	17-1/8	4	450


Note: Stub dimension B and C may vary according to customer requirements. If an Increasing Wye is required, use a standard Wye and an Increaser.

• B-Vent to Single Wall Connectors • BSW



Item#	Model	A (")	B (")	Ctn/Qty	Wt/100
200363	3BSW	3	3-1/2	10	40
200463	4BSW	4	4-1/2	10	50
210563	5BSW	5	5-1/2	10	70
210663	6BSW	6	6-1/2	10	90


• B-Vent to Flex Connectors • BF



Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200362	3BF	3	3-5/8	9	10	120
200462	4BF	4	4-5/8	9	10	140
210562	5BF	5	5-5/8	9	10	160
210662	6BF	6	6-5/8	9	10	180
220762	7BF	7	7-5/8	9	5	280
220862	8BF	8	8-5/8	9	5	320

Note: Includes Sheet Metal Screws for installation.

• Increasers • Double Wall • INC




Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200358	304INC	3	4	2-1/4	10	50
200359	305INC	3	5	2-1/4	10	60
200458	405INC	4	5	2-1/4	10	70
200459	406INC	4	6	2-1/4	10	85
200460	407INC	4	7	2-1/4	10	72
200461	408INC	4	8	2-1/4	10	80
210558	506INC	5	6	2-1/4	10	90
210559	507INC	5	7	2-1/4	10	108
210561	508INC	5	8	2-1/4	10	80
210658	607INC	6	7	2-1/4	10	110
210659	608INC	6	8	2-1/4	10	118
210660	610INC	6	10	2-1/4	10	100
220758	708INC	7	8	2-1/4	10	125
220858	810INC	8	10	2-1/4	10	120

Note: Includes Sheet Metal Screws for installation.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 3" – 8" (cont'd)


• Adapters • B-Vent to B-Vent • BA



Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200364	3BA	3	2-3/4	6-1/2	10	50
200464	4BA	4	3	6-1/2	10	60
210564	5BA	5	3	6-1/2	10	70
210664	6BA	6	3	6-1/2	10	80
220764	7BA	7	3	6-1/2	10	90
220864	8BA	8	3	6-1/2	10	100


Note: Includes Sheet Metal Screws for installation.

• Adapters • Female • B-Vent • FMSA




Item#	Model	A (")	B (")	Ctn/Qty	Wt/100
200373	3FMSA	3-5/8	3	25	65
200473	4FMSA	4-5/8	4	25	70
210573	5FMSA	5-5/8	5	10	75
210673	6FMSA	6-5/8	6	10	80
220773	7FMSA	7-5/8	7	8	85
220873	8FMSA	8-5/8	8	8	90

• Adapters • Female • B-Vent • FMA




Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
200365	3FMA	3	3-5/8	3-3/8	10	70
200465	4FMA	4	4-5/8	4-3/8	10	85
210565	5FMA	5	5-5/8	5-3/8	10	100
210665	6FMA	6	6-5/8	6-3/8	10	115
220765	7FMA	7	7-5/8	7-3/8	8	100
210865	8FMA	8	8-5/8	8-3/8	8	110

• Adapters • Male • B-Vent • MA




Item#	Model	A (")	B (")	Ctn/Qty	Wt/100
200366	3MA	3	3-5/8	10	70
200466	4MA	4	4-5/8	10	85
210566	5MA	5	5-5/8	10	100
210666	6MA	6	6-5/8	10	115

• Adapters • Male • B-Vent • MSA




Item#	Model	A (")	B (")	Ctn/Qty	Wt/100
200375	3MSA	3-5/8	3	25	65
200475	4MSA	4-5/8	4	25	70
210575	5MSA	5-5/8	5	10	75
210675	6MSA	6-5/8	6	10	80
220775	7MSA	7-5/8	7	8	85
220875	8MSA	8-5/8	8	8	90

• Adapters • B-Vent • HCA



Item#	Model	A (")	B (")	Ctn/Qty	Wt/100
200477	4HCA	4	4-1/2	25	70

• Adapters • A-Vent to B-Vent





Item#	Size (")	A (")	Ctn/Qty	Wt/100
139074	4	4-5/8	50	110
139075	5	5-5/8	50	110
139076	6	6-5/8	50	110

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.


Model E/R Type B Gas Vent — 3" – 8" (cont'd)

• Wall Bands • WB



Item#	Model	A (")	B (")	Ctn/Qty	Wt/100
200319	3WB	3-1/2	3-1/8	20	35
200419	4WB	4-5/16	3-5/8	20	33
210519	5WB	5-5/16	4-1/8	20	38
210619	6WB	6-5/16	4-5/8	20	44
220719	7WB	7-1/2	4-1/4	20	51
220819	8WB	8-1/2	5-3/4	20	58

• Finishing Collars • FC



Item#	Model	Size (")	A (")	B (")	Ctn/Qty	Wt/100
200389	3FC	3	3-5/8	8-1/2	50	30
200489	4FC	4	4-5/8	9-1/2	50	34
210589	5FC	5	5-5/8	10-1/2	50	40
210689	6FC	6	6-5/8	11-1/2	50	44
220789	7FC	7	7-5/8	12-1/2	50	50
220889	8FC	8	8-5/8	13-1/2	50	56

• Wall Thimbles • Round Pipe



Item#	Model	Size (")	Ctn/ Qty	Wt/ 100
614153	3RWT	3	12	133
614154	4RWT	4	12	133
614155	5RWT	5	12	150
614156	6RWT	6	12	167
614157	7RWT	7	*	200
614158	8RWT	8	*	200

*Product shipped individually.







We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

• Type B Gas Vent Kits with Draft Hood Connector

Kit includes:

- 1 – Rain Cap
- 1 – Storm Collar
- 1 – Adjustable Flashing

- 1 – Support Plate
- 1 – Support Ring
- 1 – Draft Hood Connector



Item#	Model	Ctn/ Qty	Wt/ 100
200346	3GVK	1	500
200446	4GVK	1	600
210546	5GVK	1	700
210646	6GVK	1	800
220746	7GVK	1	900
220846	8GVK	1	1000

• Butyl Gasket (Sealant Tape)



Item #	Description	Ctn/Qty	Wt/100
704930	3/4" × 3/16" × 25'	5	250

Model E/R Type B Gas Vent — 3" – 8" (cont'd)

• Type B Gas Vent Kits with Single Wall Base Tee


Kit includes:

- 1 – Rain Cap
- 1 – Storm Collar
- 1 – Adjustable Flashing
- 1 – Support Plate
- 1 – Support Ring
- 1 – Single Wall Base Tee

• Type B Gas Vent Kits Less Draft Hood Connector

Kit includes:

- 1 – Rain Cap
- 1 – Storm Collar
- 1 – Adjustable Flashing
- 1 – Support Plate
- 1 – Support Ring




Item#	Model	Ctn/Qty	Wt/100
200347	3GVK-T	1	570
200447	4GVK-T	1	640
210547	5GVK-T	1	770
210647	6GVK-T	1	860
220747	7GVK-T	1	980
220847	8GVK-T	1	1080

Item#	Model	Ctn/Qty	Wt/100
200449	4GVK	1	490
210549	5GVK	1	530
210649	6GVK	1	605

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 3" – 8" (cont'd)

• Type B Oval Gas Vent and Fittings



• 4"

Item#	Model	Description	Ctn/ Qty	Wt/ 100
614002	4OV5	4" × 5 ft. Oval Gas Vent	6	717
614004	4OV4	4" × 4 ft. Oval Gas Vent	6	600
614006	4OV3	4" × 3 ft. Oval Gas Vent	6	450
614008	4OV2	4" × 2 ft. Oval Gas Vent	6	300
614010	4OV18	4" × 18" Oval Gas Vent	6	233
614012	4OV12	4" × 12" Oval Gas Vent	6	150
614014	4OV6	4" × 6" Oval Gas Vent	6	83
614016	4OV12A	4" × 12" Oval Gas Vent Adj. Length	6	150
614018	4OVSL	4" × 45° Elbow – Standard	6	133
614020	4OVFL	4" × 45° Elbow – Flat	6	133
614036	4OVWVT	4" Wall Vent Tee	6	–
614022	4OV-RD	4" Oval to Round Adapter	6	100
614024	4RD-OV	4" Round to Oval Adapter	6	100
614031	4OVFS	4" Firestop Spacers 2" × 4"	25 pairs	148
614032	4OVFS6	4" Firestop Spacers 2" × 6"	*	–
614026	4OVAC	4" Oval White Cap	24	–
614030	4OVF	4" Oval Flashing	12	–
614028	4OVSC	4" Oval Storm Collar	24	–

*Product shipped individually.

• 5"


Item#	Model	Description	Ctn/ Qty	Wt/ 100
614102	5OV5	5" × 5 ft. Oval Gas Vent	4	1025
614104	5OV4	5" × 4 ft. Oval Gas Vent	4	850
614106	5OV3	5" × 3 ft. Oval Gas Vent	6	616
614108	5OV2	5" × 2 ft. Oval Gas Vent	6	400
614110	5OV18	5" × 18" Oval Gas Vent	6	333
614112	5OV12	5" × 12" Oval Gas Vent	6	217
614114	5OV6	5" × 6" Oval Gas Vent	6	117
614116	5OV12A	5" × 12" Oval Gas Vent Adj. Length	6	217
614118	5OVSL	5" × 45° Elbow – Standard	6	117
614120	5OVFL	5" × 45° Elbow – Flat	6	167
614134	5OVT	5" Oval Wall Tee	6	–
614122	5OV-RD	5" Oval to Round Adapter	6	167
614124	5RD-OV	5" Round to Oval Adapter	6	167
614132	5OVFS6	5" Firestop Spacers 2" × 6"	*	–
614126	5OVAC	5" Oval White Cap	12	–
614130	5OVF	5" Oval Flashing	12	–
614128	5OVSC	5" Oval Storm Collar	*	–

*Product shipped individually.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 10" – 30"

• Vent Pipe • VP



Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
231001	1060VP	10	12	59	*	1608

*Product shipped individually.

Note: Dimension C is installed length. Nominal length is 60".

Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
231002	1036VP	10	12	35	*	1024
231202	1236VP	12	14	35	*	1198
241402	1436VP	14	16	35	*	1370
241602	1636VP	16	18	35	*	1544
251802	1836VP	18	20	35	*	1718
252002	2036VP	20	22	35	*	1942
262202	2236VP	22	24	35	*	2121
262402	2436VP	24	26	35	*	2299
272602	2636VP	26	28	35	*	3274
272802	2836VP	28	30	35	*	3509
283002	3036VP	30	32	35	*	3746

*Product shipped individually.

Note: Dimension C is installed length. Nominal length is 36".

Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
231052	1024VP	10	12	23	*	732
231252	1224VP	12	14	23	*	856
241452	1424VP	14	16	23	*	980
241652	1624VP	16	18	23	*	1105
251852	1824VP	18	20	23	*	1229
252052	2024VP	20	22	23	*	1387
262252	2224VP	22	24	23	*	1515
262452	2424VP	24	26	23	*	1643
272652	2624VP	26	28	23	*	2296
272852	2824VP	28	30	23	*	2461
283052	3024VP	30	32	23	*	2628

*Product shipped individually.

Note: Dimension C is installed length. Nominal length is 24".

• Vent Pipe • VP (cont'd)

Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
231003	1018VP	10	12	17	*	586
231203	1218VP	12	14	17	*	685
241403	1418VP	14	16	17	*	784
241603	1618VP	16	18	17	*	885
251803	1818VP	18	20	17	*	985
252003	2018VP	20	22	17	*	1110
262203	2218VP	22	24	17	*	1212
262403	2418VP	24	26	17	*	1314
272603	2618VP	26	28	17	*	1807
272803	2818VP	28	30	17	*	1938
283003	3018VP	30	32	17	*	2069

*Product shipped individually.


Note: Dimension C is installed length. Nominal length is 18".

Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
231004	1012VP	10	12	11	*	439
231204	1212VP	12	14	11	*	514
241404	1412VP	14	16	11	*	589
241604	1612VP	16	18	11	*	665
251804	1812VP	18	20	11	*	741
252004	2012VP	20	22	11	*	832
262204	2212VP	22	24	11	*	910
262404	2412VP	24	26	11	*	986

*Product shipped individually.

Note: Dimension C is installed length. Nominal length is 12".

• Vent Pipe • Adjustable • VPA



Item#	Model	A (")	B (")	C (")	Ctn/Qty	Wt/100
231026	1018VPA	10	12-1/4	18	*	623
231226	1218VPA	12	14-1/4	18	*	731
241426	1418VPA	14	16-1/4	18	*	839
241626	1618VPA	16	18-1/4	18	*	948
251826	1818VPA	18	20-1/4	18	*	1057
252026	2018VPA	20	22-1/4	18	*	1165
262226	2218VPA	22	24-1/4	18	*	1276
262426	2418VPA	24	26-1/4	18	*	1381
272626	2618VPA	26	28-1/4	18	*	1870
272826	2818VPA	28	30-1/4	18	*	2006
283026	3018VPA	30	32-1/4	18	*	2141


*Product shipped individually.

Note: Adjusts from 3-1/2" to 16"

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 10" – 30" (cont'd)


• Flashings • Adjustable • 1/12-7/12 • AF



Item#	Model	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
231008	10AF	10	25 × 25	12-1/4	16-1/2	4	*	461
231208	12AF	12	27 × 27	14-1/4	18-7/8	4	*	528
241408	14AF	14	30 × 30	16-1/4	21-1/8	4	*	635
241608	16AF	16	32 × 32	18-1/4	23-1/2	4	*	707
251808	18AF	18	34 × 34	20-1/4	26	4	*	785
252008	20AF	20	36 × 36	22-3/8	28-1/4	4	*	865
262208	22AF	22	39 × 39	24-3/8	30-5/8	4	*	997
262408	24AF	24	41 × 41	26-3/8	32-7/8	4	*	1086

*Product shipped individually.

• Flashings • Adjustable • 1/12-7/12 • ARF • Soldered





Item#	Model	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
231069	10ARF	25 × 25	12-1/4	16-1/2	4	*	461
231269	12ARF	27 × 27	14-1/4	18-7/8	4	*	528
—	14ARF	30 × 30	16-1/4	21-1/8	4	*	635
—	16ARF	32 × 32	18-1/4	23-1/2	4	*	707
—	18ARF	34 × 34	20-1/4	26	4	*	785
—	20ARF	36 × 36	22-3/8	28-1/4	4	*	865
—	22ARF	39 × 39	24-3/8	30-5/8	4	*	997
—	24ARF	41 × 41	26-3/8	32-7/8	4	*	1086

*Product shipped individually.

• Rain Caps • RC



• Flashings • Flat • FF



Item#	Model	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
231009	10FF	10	22 × 22	12-1/4	14	10	*	481
231209	12FF	12	24 × 24	14-1/4	16	10	*	551
241409	14FF	14	26 × 26	16-1/4	18	10	*	627
241609	16FF	16	28 × 28	18-1/4	20	10	*	699
251809	18FF	18	30 × 30	20-1/4	22	10	*	772
252009	20FF	20	32 × 32	22-1/4	24	10	*	847
262209	22FF	22	34 × 34	24-1/4	26	10	*	921
262409	24FF	24	36 × 36	26-1/4	28	10	*	998
272609	26FF	26	38 × 38	28-3/8	30	10	*	1205
272809	28FF	28	40 × 40	30-3/8	32	10	*	1293
283009	30FF	30	42 × 42	32-3/8	34	10	*	1383

*Product shipped individually.

Note: All seams are soldered.




Item#	Model	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
231006	10RC	10	8-5/8	20	*	300
231206	12RC	12	8-5/8	22	*	340
241406	14RC	14	11-1/8	27-1/2	*	349
241606	16RC	16	11-3/8	29-1/2	*	389
251806	18RC	18	13-1/4	34-1/2	*	494
252006	20RC	20	13-1/2	36-1/2	*	578
262206	22RC	22	16	41-1/2	*	733
262406	24RC	24	16-3/8	43-1/4	*	790
272606	26RC	26	17-7/8	48-1/4	*	1045
272806	28RC	28	18-1/4	50-1/4	*	1113
283006	30RC	30	18-1/2	52-1/4	*	1183

*Product shipped individually.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.


Model E/R Type B Gas Vent — 10" – 30" (cont'd)

• Storm Collars • SC 10"-24"



Item#	Model	Size (")	A (")	B (")	Pcs/ Bndl	Wt/ 100
231007	10SC	10	14-3/4	12	10	55
231207	12SC	12	16-3/4	14	10	62
241407	14SC	14	20-1/4	16	10	114
241607	16SC	16	22-1/4	18	10	125
251807	18SC	18	24-1/4	20	10	137
252007	20SC	20	26-1/4	22	10	148
262207	22SC	22	28-1/4	24	10	159
262407	24SC	24	30-1/4	26	10	171

• Storm Collars • SC 26"-30"





Item#	Model	Size (")	A (")	B (")	Pcs/ Bndl	Wt/ 100
272607	26SC	26	32-1/4	28	*	253
272807	28SC	28	34-1/4	30	*	268
283007	30SC	30	36-1/4	32	*	283

*Product shipped individually.

Note: Includes hardware for installation.

• Firestop Spacers • FS





Item#	Model	Size (")	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
231010	10FS	10	18	12-1/8	14-1/8 × 14-1/8	*	154
231210	12FS	12	20	14-1/8	16-1/8 × 16-1/8	*	176
241410	14FS	14	22	16-1/8	18-1/8 × 18-1/8	*	199
241610	16FS	16	24	18-1/8	20-1/8 × 20-1/8	*	223
251810	18FS	18	26	20-1/8	22-1/8 × 22-1/8	*	248
252010	20FS	20	28	22-1/8	24-1/8 × 24-1/8	*	275
262210	22FS	22	30	24-1/8	26-1/8 × 26-1/8	*	302
262410	24FS	24	32	26-1/8	28-1/8 × 28-1/8	*	330
272610	26FS	26	34	28-1/8	30-1/8 × 30-1/8	*	392
272810	28FS	28	36	30-1/8	32-1/8 × 32-1/8	*	422
283010	30FS	30	38	32-1/8	34-1/8 × 34-1/8	*	454

*Product shipped individually.

Note: Firestop Spacers are required above and below each floor and ceiling level penetrated by the vent.

• Support Plates • SP



Item#	Model	Size (")	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
231017	10SP	10	18	12-1/4	14-1/4 × 14-1/4	4	14	250
231217	12SP	12	20	14-1/4	16-1/4 × 16-1/4	4-1/2	14	302
241417	14SP	14	22	16-1/4	18-1/4 × 18-1/4	5	*	356
241617	16SP	16	24	18-1/4	20-1/4 × 20-1/4	4-1/2	*	412
251817	18SP	18	26	20-1/4	22-1/4 × 22-1/4	5	*	469
252017	20SP	20	28	22-1/4	24-1/4 × 24-1/4	4-1/2	*	527
262217	22SP	22	30	24-1/4	26-1/4 × 26-1/4	5	*	588
262417	24SP	24	32	26-1/4	28-1/4 × 28-1/4	5	*	650


*Product shipped individually.

Note: Support Plate and Support Ring required for every 30 feet of vent height.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 10" – 30" (cont'd)


• Support Rings • SR



Item#	Model	Size (")	A (")	B (")	Ctn/ Qty	Wt/ 100
231018	10SR	10	2	12	14	66
231218	12SR	12	2	14	14	76
241418	14SR	14	2-1/4	16	5/Bndl	104
241618	16SR	16	2-1/4	18	5/Bndl	115
251818	18SR	18	2-1/4	20	5/Bndl	127
252018	20SR	20	2-1/4	22	5/Bndl	138
262218	22SR	22	2-1/4	24	5/Bndl	149
262418	24SR	24	2-1/4	26	5/Bndl	160

Note: Support Plate and Support Ring required for every 30 feet of vent height. Includes Sheet Metal Screws and Assembly Bolt for installation.


• Elbows • 45 Degree • 45EL



Item#	Model	A (")	B (")	C (")	D (")	E (")	Ctn/ Qty	Wt/ 100
231013	1045EL	10	12	5	3-7/8	3-1/2	*	447
231213	1245EL	12	14	5-3/8	4-1/4	3-1/2	*	552
241413	1445EL	14	16	5-7/8	4-5/8	3-1/2	*	667
241613	1645EL	16	18	6-1/4	5-1/8	3-1/2	*	795
251813	1845EL	18	20	6-5/8	5-1/2	3-1/2	*	925
252013	2045EL	20	22	7	5-7/8	3-1/2	*	1063
262213	2245EL	22	24	7-1/2	6-3/8	3-1/2	*	1219
262413	2445EL	24	26	7-7/8	6-3/4	3-1/2	*	1372
272613	2645EL	26	28	8-3/8	7-1/8	3-1/2	*	1971
272813	2845EL	28	30	8-3/4	7-5/8	3-1/2	*	2199
283013	3045EL	30	32	9-1/8	8	3-1/2	*	2446

*Product shipped individually.

• Support Assembly • SA




Item#	Model	Size (")	A (")	B (")	Ctn/ Qty	Wt/ 100
272616	26SA	26	34	28	*	440
272816	28SA	28	34	30	*	452
283016	30SA	30	34	32	*	463

*Product shipped individually.

Note: Support Assembly required for every 30 feet of vent height. Includes Sheet Metal Screws and Assembly Bolt for installation.

• Elbows • 90 Degree • 90EL



Item#	Model	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
231014	1090EL	10	12	10-3/4	11-1/4	*	736
231214	1290EL	12	14	11-1/4	11-3/4	*	898


*Product shipped individually.

Note: For sizes 14" to 24" use two 45 degree elbows to make 90 degrees.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 10" – 30" (cont'd)

• Tees • Double Wall • DWT




Item#	Model	A (")	B (")	C (")	D (")	E (")	Ctn/ Qty	Wt/ 100
231012	10DWT	10	12	18	9	9	*	697
231212	12DWT	12	14	20	10	10	*	869
241412	14DWT	14	16	22	11	11	*	1057
241612	16DWT	16	18	24	12	12	*	1267
251812	18DWT	18	20	26	13	13	*	1486
252012	20DWT	20	22	28	14	14	*	1697
262212	22DWT	22	24	30	15	15	*	1951
262412	24DWT	24	26	32	16	16	*	2203
272612	26DWT	26	28	34	17	17	*	3475
272812	28DWT	28	30	36	18	18	*	3886
283012	30DWT	30	32	38	19	19	*	4326

*Product shipped individually.

Note: Dimension 'A' may vary according to customer requirements.
Dimension 'C' varies with Dimension 'A'. Factory installed Tee Cap attached to bottom of Tee.

• Tees • Single Wall • SWT




Item#	Model	A (")	B (")	C (")	D (")	E (")	Ctn/ Qty	Wt/ 100
231011	10SWT	10	12	16	8	8	*	656
231211	12SWT	12	14	18	9	9	*	852
241411	14SWT	14	16	20	10	10	*	1070
241611	16SWT	16	18	22	11	11	*	1729
251811	18SWT	18	20	24	12	12	*	2066
252011	20SWT	20	22	26	13	13	*	2427
262211	22SWT	22	24	28	14	14	*	2826
262411	24SWT	24	26	30	15	15	*	3256
–	26SWT	26	28	32	16	16	–	–
–	28SWT	28	30	34	17	17	–	–
–	30SWT	30	32	36	18	18	–	–

*Product shipped individually.

Note: Dimension 'A' may vary according to customer requirements.
Dimension 'C' varies with Dimension 'A'. Factory installed Tee Cap attached to bottom of Tee.


• Spun Tee Caps • TC



Item#	Model	A (")	Ctn/ Qty	Wt/ 100
571026	10TC	10	20	101
571226	12TC	12	10	140
571426	14TC	14	10	184
571626	16TC	16	10	226
571826	18TC	18	10	270
572026	20TC	20	*	313
572226	22TC	22	*	370
572426	24TC	24	*	435
572626	26TC	26	*	490
572826	28TC	28	*	580
573026	30TC	30	*	655

*Product shipped individually.

• Double Wall Wyes • DWW



Item#	Model	A (")	B (")	C (")	Ctn/ Qty	Wt/ 100
231031	10DWW	10	12	23	*	958
–	12DWW	12	14	25-7/8	*	1228
–	14DWW	14	16	28-5/8	*	1529
–	16DWW	16	18	31-1/2	*	1862
–	18DWW	18	20	34-3/8	*	2227
–	20DWW	20	22	37-1/8	*	2619
–	22DWW	22	24	40	*	3043
–	24DWW	24	26	42-3/4	*	3498
–	26DWW	26	28	45-5/8	*	5413
–	28DWW	28	30	48-1/2	*	6129
–	30DWW	30	32	51-1/4	*	6902


*Product shipped individually.

Note: Dimension 'A' may vary according to customer requirements.
Dimension C is installed length and varies with Dimension 'A'. Tee Cap not included.

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

Model E/R Type B Gas Vent — 10" – 30" (cont'd)


• Draft Hood Connectors • DHC



Item#	Model	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
231015	10DHC	10	12	3-3/4	2-1/2	*	184
231215	12DHC	12	14	3-3/4	2-1/2	*	216
241415	14DHC	14	16	3-3/4	2-1/2	*	248
241615	16DHC	16	18	3-3/4	2-1/2	*	281
251815	18DHC	18	20	3-3/4	2-1/2	*	314
252015	20DHC	20	22	3-3/4	2-1/2	*	347
262215	22DHC	22	24	3-3/4	2-1/2	*	380
262415	24DHC	24	26	3-3/4	2-1/2	*	412
272615	26DHC	26	28	3-3/4	2-1/2	*	446
272815	28DHC	28	30	3-3/4	2-1/2	*	478
283015	30DHC	30	32	3-3/4	2-1/2	*	511

*Product shipped individually.

• Increases • Double Wall • INC




Item#	Model	A (")	B (")	C (")	D (")	Ctn/ Qty	Wt/ 100
231058	1012INC	10	12	8	4-5/8	*	422
231258	1214INC	12	14	10	4-5/8	*	490
241458	1416INC	14	16	12	4-5/8	*	558
—	1618INC	16	18	14	4-5/8	*	627
—	1820INC	18	20	16	4-5/8	*	695
—	2022INC	20	22	18	4-5/8	*	762
—	2224INC	22	24	20	4-5/8	*	830
—	2426INC	24	26	22	4-5/8	*	898
—	2628INC	26	28	24	4-5/8	*	966
—	2830INC	28	30	26	4-5/8	*	1034
—	30INC	—	—	—	—	—	—

*Product shipped individually.

Note: Dimensions C and D may vary according to customer requirements.

• Wall Bands • WB




Item#	Model	A (")	B (")	Ctn/Qty	Wt/100
231019	10WB	12	8	20	69
231219	12WB	14	9	20	80

We have custom capabilities to manufacture any sizes you may require. Contact factory for special sizes and configurations not listed.

ECCO Polypropylene Vent™ — Rigid

• Pipe Lengths


Rigid Polypropylene pipe length with integrated gasket. The male end of the pipe can be cut to shorten length if required.



2" and 3" Diameter

Pipes are non-UV resistant white polypropylene.

Item#	Model	A" (mm)	B (")	C (")	Ctn/Qty
190200	272PPP	2 (60)	72	69.75	6
190203	236PPP	2 (60)	36	33.75	6
190204	224PPP	2 (60)	24	21.75	6
190206	212PPP	2 (60)	12	9.75	12
190300	372PPP	3 (80)	72	69.75	4
190303	336PPP	3 (80)	36	33.75	4
190304	324PPP	3 (80)	24	21.75	8
190306	312PPP	3 (80)	12	9.75	12




4" – 8" Diameter

Pipes are non-UV resistant grey polypropylene.

Item#	Model	A" (mm)	B (")	C (")	Ctn/Qty
190400	472PPP	4 (110)	72	69.5	4
190403	436PPP	4 (110)	36	33.5	4
190404	424PPP	4 (110)	24	21.5	4
190406	412PPP	4 (110)	12	9.5	6
190500	572PPP	5 (125)	77	69.5	4
190503	536PPP	5 (125)	36	33.5	4
190504	524PPP	5 (125)	24	21.5	6
190600	672PPP	6 (160)	72	69.5	4
190603	636PPP	6 (160)	36	33.5	4
190604	624PPP	6 (160)	24	21.5	6
190800	872PPP	8 (200)	72	69.5	4
190803	836PPP	8 (200)	36	33.5	4
190804	824PPP	8 (200)	24	21.5	4

• Pipe Lengths • UV (Black)


UV resistant Rigid Polypropylene pipe length with integrated gasket. The male end of the pipe can be cut to shorten length if required. UV resistant pipe must always be used when the venting system could be subject to UV exposure.



Item#	Model	A" (mm)	B (")	C (")	Ctn/Qty
190205	224PPPB	2 (60)	24	22.75	6
190207	212PPPB	2 (60)	12	9.75	12
190305	324PPPB	3 (80)	24	22.75	8
190307	312PPPB	3 (80)	12	9.75	12

• Elbows • 87 Degree


Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system.



2" and 3" Diameter

Elbows are non-UV resistant white polypropylene.

Item#	Model	A" (mm)	Ctn/Qty
190211	287PEL	2 (60)	12
190311	387PEL	3 (80)	12



4" – 8" Diameter

Elbows are non-UV resistant grey polypropylene.

Item#	Model	A" (mm)	Ctn/Qty
190411	487PEL	4 (110)	6
190511	587PEL	5 (125)	4
190611	687PEL	6 (160)	4
190811	887PEL	8 (200)	4

*Contact your factory representative for further dimensional information.

ECCO Polypropylene Vent™ — Rigid (cont'd)

• Elbows • 87 Degree • UV (Black)

UV Resistant Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system. UV resistant elbows must always be used when the venting system could be subject to UV exposure.



Item#	Model	A" (mm)	Ctn/Qty
190212	287PELB	2 (60)	12
190312	387PELB	3 (80)	12

• Elbows • 87 Degree • Inspection

Used to change direction of venting system, and can also be used by a technician as an inspection port. 4" inspection elbows are UV resistant grey polypropylene.




Item#	Model	A" (mm)	Ctn/Qty
190431	487PIEL	4 (110)	*

*Product shipped individually.

• Elbows • 45 Degree


Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system.



2" and 3" Diameter

Elbows are non-UV resistant white polypropylene.

Item#	Model	A" (mm)	Ctn/Qty
190213	245PEL	2 (60)	12
190313	345PEL	3 (80)	12



4" – 8" Diameter

Elbows are non-UV resistant grey polypropylene.

Item#	Model	A" (mm)	Ctn/Qty
190413	445PEL	4 (110)	6
190513	545PEL	5 (125)	4
190613	645PEL	6 (160)	4
190813	845PEL	8 (200)	4

• Elbows • 45 Degree • UV (Black)

UV Resistant Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system. UV resistant elbows must always be used when the venting system could be subject to UV exposure..




Item#	Model	A" (mm)	Ctn/Qty
190214	245PELB	2 (60)	12
190314	345PELB	3 (80)	12

*Contact your factory representative for further dimensional information.

ECCO Polypropylene Vent™ — Rigid (cont'd)


• Locking Clamps • Galvanized

This innovative clamp/bracket combo not only secures joints together, but also doubles as a support bracket. The locking clamp also allows for up to 3/8" (10 mm) of thermal expansion at each joint, which is required for safe installation of polypropylene venting systems. A locking clamp is required at each joint to secure connections between pipes and fittings.



2" - 4" Diameter

Item#	Model	A (")	Ctn/Qty
190220	2PPLC	2	15
190320	3PPLC	3	12
190420	4PPLC	4	12



5" - 8" Diameter

Item#	Model	A (")	Ctn/Qty
190520	5PPLC	5	12
190620	6PPLC	6	6
190820	8PPLC	8	6

• Support Brackets

Used to support single wall venting systems in vertical or horizontal configurations.

Maximum Support spacing:

Vertical: 78"

Horizontal: $\text{Ø}2" = 19" / \text{Ø}3" - \text{Ø}8" = 39"$




Applicable Vent Diameters (")					
Item#	Model	A" (mm)	Single Wall	Concentric	Ctn/Qty
190221	2PPB	2.38 (60)	2	—	12
190291	24PCB	3.94 (100)	—	2/4	12
190321	3PPB	3.15 (80)	3	—	12
190421	4PPB	4.33 (110)	4	—	12
190521	5PPB	4.90 (125)	5	3/5	12
190621	6PPB	6.30 (160)	6	4/6	6
190821	8PPB	7.88 (200)	8	—	6

*Contact your factory representative for further dimensional information.

• Adjustable Pipe


Used to complete an installation when a standard length can't be used. An extended female socket depth allows for a variable installed length.



2" and 3" Diameter

Adjustable Pipes are non-UV resistant white polypropylene.

Item#	Model	A" (mm)	Ctn/Qty
190222	2PPADJ	2 (60)	6
190322	3PPADJ	3 (80)	6




4" Diameter

Adjustable Pipes are non-UV resistant grey polypropylene.

Item#	Model	A" (mm)	Ctn/Qty
190422	4PPADJ	4 (110)	6

• Test Ports

Installed directly on to the appliance flue connection. Allows for a technician to measure flue gases, and monitor appliance performance.



2" and 3" Diameter


Test Ports are non-UV resistant white polypropylene.

Item#	Model	A" (mm)	B (")	C (")	Ctn/Qty
190223	2PPTP	2 (60)	7	4.75	6
190323	3PPTP	3 (80)	7	4.75	6

4" Diameter

Test Ports are non-UV resistant grey polypropylene.


Item#	Model	A" (mm)	B (")	C (")	Ctn/Qty
190423	4PPTP	4 (110)	8.5	6	4



ECCO Polypropylene Vent™ — Rigid (cont'd)

• Condensate Drains


Used to drain condensate from the venting system.



2" and 3" Diameter

Condensate drains are non-UV resistant white polypropylene, and may be installed vertically or horizontally.

Item#	Model	A" (mm)	B" (")	C" (")	Ctn/Qty
190224	2PPCD	2 (60)	6	4.75	6
190324	3PPCD	3 (80)	6	4.75	6




4" Diameter

Condensate drains are UV resistant grey polypropylene, and may only be installed horizontally.

Item#	Model	A" (mm)	B" (")	C" (")	Ctn/Qty
190424	4PPCD	4 (110)	8.5	6	6

• Tees with Cap

Used to change direction or venting system, and can also be used by a technician as an inspection port.



Item#	Model	A" (mm)	B" (")	Ctn/Qty
190225	2PPT	2 (60)	9.5	6
190325	3PPT	3 (80)	9.5	6

• Increasesers

Used to increase vent system diameter. See appliance installation instructions.



2" – 3" and 3" – 4"

Increasesers are made of non-UV resistant polypropylene.

Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190226	203PINC	2 (60)	3 (80)	6
190326	304PINC	3 (80)	4 (110)	6



4" – 5", 5" – 6", and 6" – 8"

Increasesers are made from UV resistant grey polypropylene.


Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190426	405PINC	4 (110)	5 (125)	4
190526	506PINC	5 (125)	6 (160)	1
190626	608PINC	6 (160)	8 (200)	1

*Contact your factory representative for further dimensional information.

ECCO Polypropylene Vent™ — Rigid (cont'd)

• Reducers

Used to reduce the vent system diameter. See appliance installation instructions.



3" – 2" and 4" – 3"

Reducers are made of non-UV resistant polypropylene.

Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190227	302PRED	3 (60)	2 (60)	6
190327	403PRED	4 (110)	3 (80)	6




5" – 4" and 8" – 6"

Reducers are made from UV resistant grey polypropylene.

Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190427	504PRED	5 (125)	4 (110)	4
190627	806PRED	8 (200)	6 (160)	1

• Support Elbows with Bracket

Used at base of chimney to support rigid or flex vent pipe used to reline an existing chimney or flue. Comes with an adjustable steel support bracket.




Item#	Model	A" (mm)	Ctn/Qty
190247	2PPELCS	2 (60)	*
190347	3PPELCS	3 (80)	*
190447	4PPELCS	4 (110)	*

*Product shipped individually.

• Chimney Caps with Pipe Length

Used to terminate a polypropylene venting system installed into a masonry chimney. The cap is designed to suit direct vent configurations. The existing masonry flue can be utilized as a pipe for supply air.




2" – 4"

Chimney Caps are made of UV resistant black polypropylene. Comes with removable top.

Item#	Model	A" (mm)	Ctn/Qty
190229	2PPCC	2 (60)	*
190329	3PPCC	3 (80)	*
190429	4PPCC	4 (110)	*

*Product shipped individually.



5" – 8"


Chimney Caps are made of galvanized steel and are powder coated black. Comes with removable top.

Item#	Model	A" (mm)	B" (")	Ctn/Qty
190529	5PPCC	5 (125)	14	*
190629	6PPCC	6 (160)	14	*
190829	8PPCC	8 (200)	19	*

*Product shipped individually.

• Replacement Rigid Gaskets • EPDM

Used to replace a missing or damaged gasket for rigid pipe lengths and components.



Item#	Model	Pipe Size" (mm)	Ctn/Qty
190230	2PPGR	2 (60)	*
190330	3PPGR	3 (80)	*
190430	4PPGR	4 (110)	*


*Product shipped individually.

*Contact your factory representative for further dimensional information.

ECCO Polypropylene Vent™ — Rigid (cont'd)

• Spacing Brackets • Rigid Pipe


Used as a spacer to self-center the rigid pipe in a flue or chase.



Item#	Model	Pipe Size (")	Ctn/Qty
190232	2PPS	2	2
190332	3PPS	3	2
190432	4PPS	4	2

• Wire Spring Guards

Replaces gasket at the female end of any rigid pipe or fitting, preventing the entry of birds or rodents. Made of stainless steel.




Item#	Model	Pipe Size (")	Ctn/Qty
190234	2PPWG	2	24
190334	3PPWG	3	24

• Twin Pipe Wall Termination Kits

Used to terminate two single wall rigid pipes through an exterior wall. This kit does not include UV pipe lengths to provide the ability to use various lengths depending on the installation application. Additional UV pipe lengths and elbows can be added outside the building to extend or redirect intake and exhaust as needed. Separate plates allow for the termination kit to be configured to satisfy installation and code requirements.

Kit Includes

- (2) Exterior Wall Plates (black)
- (2) Interior Wall Plates (white)
- (2) Wire Bird/Rodent Guards




Item#	Model	Pipe Size (")	Ctn/Qty
190233	2PPWTK	2	*
190333	3PPWTK	3	*

*Product shipped individually.

**Black UV Polypropylene Pipe Lengths not included.

• Single Wall Vertical Terminations

Used to terminate a single wall polypropylene venting system through the roof. Made of galvanized steel and powder coated black. Comes with installation bracket.




Item#	Model	A" (mm)	Ctn/Qty
190528	5PPVT	5 (125)	*
190628	6PPVT	6 (160)	*
190828	8PPVT	8 (200)	*

*Product shipped individually.

• Concentric to Single Wall Twin-Pipe Adapters


Used to adapt concentric venting to a single wall twin-pipe configuration.



2" - 3"

Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190910	24022AD	2/4 (60/100)	2 (60)	*
190920	35033AD	3/5 (80/125)	3 (80)	*

*Product shipped individually.



4"


Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190930	46044AD	4/6 (110/160)	4 (110)	*

*Product shipped individually.

ECCO Polypropylene Vent™ — Rigid (cont'd)

• Single Wall to Concentric Twin-Pipe Adapters


Used to adapt a single wall twin-pipe configuration to concentric venting.



2" – 3"

Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190911	22024AD	2 (60)	2/4 (60/100)	*
190921	33035AD	3 (80)	3/5 (80/125)	*

*Product shipped individually.




4"

Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190931	44046AD	4 (110)	4/6 (110/160)	*

*Product shipped individually.

• Appliance Adapters • Stainless Steel

Used to connect ECCO Polypropylene Vent™ to an appliance outlet with an integrated gasket and clamp.



Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190912	2PPSSAD	2 (60)	2.50 (64)	6
190922	3PPSSAD	3 (80)	3.50 (89)	6
190932	4PPSSAD	4 (110)	4.50 (114)	4


• Appliance Adapters • Female PVC

Used to connect ECCO Polypropylene Vent™ to an appliance outlet with an integrated gasket and clamp.



Item#	Model	A" (mm)	PVC Size	Ctn/Qty
190913	2PPPVC	2 (60)	2" PVC	6
190923	3PPPVC	3 (80)	3" PVC	6

• Adapter Clamps



Single Wall

Used to secure single wall pipe and fittings to each other, or to an appliance/appliance adapter.

Item#	Model	A" (mm)	B" (mm)	C" (mm)	Ctn/Qty
190218	2PPAC	2 (60)	2 (60)	4 (100)	12
190318	3PPAC	3 (80)	3 (80)	4 (100)	12
190418	4PPAC	4 (110)	4 (110)	4 (100)	12


Concentric

Used to secure single wall pipe and fittings to a concentric termination or a concentric adapter.

Item#	Model	A" (mm)	B" (mm)	C" (mm)	Ctn/Qty
190219	24PPAC	4 (110)	2 (60)	8 (200)	12
190319	35PPAC	5 (125)	3 (80)	8 (200)	12
190419	46PPAC	6 (160)	4 (110)	8 (200)	12

• Concentric Increases

Used to increase concentric vent system diameter.




Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190485	46CI	4/6 (110/150)	4/6 (110/160)	*

*Product shipped individually.

ECCO Polypropylene Vent™ — Rigid (cont'd)

• Non-Return Valves

Prevents back-flow of flue gases into non-operating appliances in a common vented cascade system.



Item#	Model	A" (mm)	Ctn/Qty
190952	3PPNRV	3 (80)	*
190953	4PPNRV	4 (110)	*


*Product shipped individually.

• Cascade Starter Kits

Contains necessary fittings and components for a cascade system; individual extensions are available when additional appliances need to be connected. Cascade Kit components are made from UV resistant grey polypropylene.

Kit Includes:

- (2) 45° Wye Branch Trunks
- (1) Inspection End Cap with Drain
- (2) Locking Clamps
- (1) Siphon
- (1) Hose



Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190940	304CK	3 (80)	4 (110)	*
190942	305CK	3 (80)	5 (125)	*
190944	405CK	4 (110)	5 (125)	*
190946	306CK	3 (80)	6 (160)	*
190948	406CK	4 (110)	6 (160)	*
190950	408CK	4 (110)	8 (200)	*


*Product shipped individually.

• Cascade Extension Kits

Used to add an additional appliance to the cascade system. Cascade Kit components are made from UV resistant grey polypropylene.

Kit Includes:

- (1) 45° Wye Branch Trunk
- (1) Locking Clamp




Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190941	304EK	3 (80)	4 (110)	*
190943	305EK	3 (80)	5 (125)	*
190945	405EK	4 (110)	5 (125)	*
190947	306EK	3 (80)	6 (160)	*
190949	406EK	4 (110)	6 (160)	*
190951	408EK	4 (110)	8 (200)	*

*Product shipped individually.


• Concentric Terminations • Horizontal (Wall) Terminations

Used to terminate a polypropylene vent system horizontally through a wall. Designed for direct venting applications, and comes with wall seals. Can be cut to desired length. Exhaust nozzle is UV-resistant grey polypropylene, and is removable if offset kit is required.



Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190288	24CWT	2 (60)	4 (100)	*
190388	35CWT	3 (80)	5 (125)	*

*Product shipped individually.



Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190488	46CWT	4 (110)	6 (160)	*

*Product shipped individually.

ECCO Polypropylene Vent™ — Rigid (cont'd)

• Concentric Terminations • Exhaust Offset for Horizontal Terminations


Used to offset or relocate exhaust discharge location in travelled areas, or to comply with codes. Installs on to concentric horizontal termination.



Item#	Model	For Concentric Termination Size (")	Ctn/Qty
190289	2PPOB	2/4	*
190389	3PPOB	3/5	*

*Product shipped individually.

• Concentric Terminations • Wall Plate for Horizontal Terminations




Item#	Model	A" (mm)	B" (")	C" (")	Ctn/Qty
190290	24CWTP	4 (100)	17	6.625	*
190390	35CWTP	5 (125)	17	8	*
190490	46CWTP	6 (160)	17	9	*

*Product shipped individually.

• Concentric Terminations • Wall Plates

Used to trim concentric venting when it passes through a wall.




Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190292	24CWP	4 (100)	6.625	15
190392	35CWP	5 (125)	9	12
190492	46CWP	6 (160)	9	6

*Product shipped individually.

• Concentric Terminations • Horizontal (wall) Termination Guards

Mounts to exterior of building to protect horizontal termination from birds, rodents, and damage. Required by some codes.




Item#	Model	A (")	For Concentric Termination Size (")	Ctn/Qty
190293	24CSSWG	7 × 7	2/4	*
190393	35CSSWG	8 × 8	3/5	*
190493	46CSSWG	9 × 9	4/6	*

*Product shipped individually.

• Concentric Terminations • Vertical (Roof) Terminations

Used to terminate a polypropylene vent system vertically through a flat or sloped roof. Designed for direct venting applications, and comes with a mounting bracket.



2"/4" and 3"/5"


Terminations are made of UV-resistant black polypropylene.

Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190295	24CVT	2 (60)	4 (100)	*
190395	35CVT	3 (80)	5 (125)	*

*Product shipped individually.

4"/6"

Terminations are made of galvanized steel and powder coated black.




Item#	Model	A" (mm)	B" (mm)	Ctn/Qty
190495	46CVT	4 (110)	6 (160)	*

*Product shipped individually.

ECCO Polypropylene Vent™ — Rigid (cont'd)

• Concentric Terminations • Vertical (Roof) Termination Extensions

Used to increase height of a concentric vertical termination above the roof line if required. Inner pipe is concentric venting pipe, and outer is a black powder coated extension sleeve made of galvanized steel. Additional support may be required.



Item#	Model	A" (mm)	B" (mm)	C (")	For Concentric Termination Size (")	Ctn/Qty
190296	2440VTE	2 (60)	4 (100)	40	2/4	*
190297	2420VTE	2 (60)	4 (100)	20	2/4	*
190396	3540VTE	3 (80)	5 (125)	40	3/5	*
190397	3520VTE	3 (80)	5 (125)	20	3/5	*


*Product shipped individually.

• Concentric Terminations • Horizontal (Wall) Termination Kit

Includes components to complete a concentric horizontal installation.

Kit Includes:

- (1) Horizontal (Wall) Concentric termination
- (1) Twin Pipe to concentric adapter



Item#	Model	For Concentric Termination Size (")	Ctn/Qty
190283	24CHTK	2/4	*
190383	35CHTK	3/5	*
190483	46CHTK	4/6	*


*Product shipped individually.

• Concentric Terminations • Vertical Termination Kit

Includes components to complete a concentric vertical installation.

Kit Includes:

- (1) Vertical (roof) Concentric termination
- (1) Twin Pipe to concentric adapter




Item#	Model	For Concentric Termination Size (")	Ctn/Qty
190284	24CVTK	2/4	*
190384	35CVTK	3/5	*
190484	46CVTK	4/6	*

*Product shipped individually.

• Concentric Terminations • Flat Roof Flashings

Used when a vertical termination passes through a flat roof. No storm collar required.




Item#	Model	A (")	B (")	For Concentric Termination Size (")	Ctn/Qty
190294	CFF	5.3	15	2/4 and 3/5	*
190494	46CFF	6.9	17	4/6	*
190594	5PPFF	6	15	5	*
190694	6PPFF	7	17	6	*
190894	8PPFF	9	19	8	*

*Product shipped individually.

ECCO Polypropylene Vent™ — Rigid (cont'd)

• Concentric Terminations • Adjustable Roof Flashings • 5/12 – 12/12 (25° – 45°)


Used when a vertical termination passes through a sloped roof, no storm collar required. Flashing material is trimable asphalt and is flexible to conform to any style of roofing material.



Item#	Model	A (")	For Concentric Termination Size (")	Ctn/ Qty
190298	CARF	5.3	2/4 and 3/5	*
190498	46CARF	6.9	4/6	*

*Product shipped individually.

• Concentric Terminations • Flat/Low Pitch Adjustable Flashings • Flat • 5/12 (0° – 25°)



Item#	Model	A (")	For Concentric Termination Size (")	Ctn/ Qty
190299	CFAF	5.3	2/4 and 3/5	*

*Product shipped individually.


ECCO Polypropylene Vent™ — Flex (cont'd)

• Flex Relining Kits

Used when a masonry chimney is relined with flexible polypropylene vent. The cap is designed to suit direct vent configurations. The existing masonry flue can be utilized as a pipe for supply air. Flex available separately.

Kit Includes:

- (1) Chimney Cap
- (5) Flex Spacers
- (1) Support Elbow and Bracket
- (1) Male Adapter
- (1) UV Pipe with Flex Connection
- Installation Hardware




Item#	Model	Flex Size" (mm)	Ctn/Qty
190236	2PPFK	2 (60)	*
190336	3PPFK	3 (80)	*
190436	4PPFK	4 (110)	*

*Product shipped individually.

• Flex Pipes

Used to reline existing masonry or factory built venting systems. Comes in various length coils, and can be cut to any desirable length, or coupled together.




Item#	Model	Flex Size" (mm)	A (")	B (")	Ctn/ Qty
190237	240PPF	2 (60)	2.3	40	*
190238	280PPF	2 (60)	2.3	80	*
190337	340PPF	3 (80)	3.3	40	*
190338	380PPF	3 (80)	3.3	80	*
190437	448PPF	4 (110)	4.3	48	*
190438	480PPF	4 (110)	4.3	80	*

*Product shipped individually.

ECCO Polypropylene Vent™ — Flex

• B-Vent Retrofit Flex Caps

Used to terminate a flex system when retrofitting existing B-Vent or other existing round flue with polypropylene flex. The existing round venting, or factory built chimney can be utilized as a chase. In most cases, the existing roof penetration and flashing can be re-purposed.



Item#	Model	Flex Size" (mm)	B-Vent Diameters (")	Ctn/ Qty
190235	2PPFBVC	2	5, 6, 8	*
190335	3PPFBVC	3	5, 6, 8	*


*Product shipped individually.

*Contact your factory representative for further dimensional information.

ECCO Polypropylene Vent™ — Flex (cont'd)

• Female Adapters • Flex to Rigid

Used to adapt flex into rigid pipe. Comes with Support Plate for top of chimney.




Item#	Model	Flex Size" (mm)	Ctn/Qty
190241	2PPFFA	2 (60)	*
190341	3PPFFA	3 (80)	*
190441	4PPFFA	4 (110)	*

*Product shipped individually.

• Couplers

Used to join two lengths of flex pipe together to form a longer length.




Item#	Model	Flex Size" (mm)	B (")	Ctn/Qty
190242	2PPFC	2 (60)	7.3	*
190342	3PPFC	3 (80)	7.3	*
190442	4PPFC	4 (110)	7.3	*

*Product shipped individually.

• Male Adapters • Rigid to Flex


Used to adapt rigid pipe to flex. Typically used to connect rigid pipe to flex at the bottom of a chimney.



Item#	Model	Flex Size" (mm)	A (")	B (")	Ctn/Qty
190244	2PPFRM	2 (60)	2 (60)	4.8	6
190344	3PPFRM	3 (80)	3 (80)	4.8	6
190444	4PPFRM	4 (110)	4 (110)	4.8	6

• Chimney Bend • Single Pipe to Flex

Used to connect a single rigid pipe to flex pipe installed in a masonry chimney or chase. An adjustable depth flex bend with integrated flex coupling allows for easy connection of flex pipe.




Item#	Model	A (")	Flex Size" (mm)	Ctn/Qty
190917	202FCB	2 (60)	2	*
190927	303FCB	3 (80)	3	*

*Product shipped individually.

• Chimney Bend • Twin Pipe to Flex

Used to connect a twin pipe rigid system to flex pipe installed in a masonry chimney or chase. An adjustable depth flex bend with integrated flex coupling allows for easy connection of flex pipe. The intake collar allows supply air to be drawn from the existing chase or chimney.




Item#	Model	A (")	Flex Size" (mm)	Ctn/Qty
190915	3302FCB	3 (80)	2	*
190925	3303FCB	3 (80)	3	*

*Product shipped individually.

• Chimney Bend • Concentric to Flex

Used to connect a concentric system or adapter to flex pipe installed in a masonry chimney or chase. An adjustable depth flex bend with integrated flex coupling allows for easy connection of flex pipe. This configuration allows supply air to be drawn from the existing flue or chase.




Item#	Model	A (")	Flex Size" (mm)	Ctn/Qty
190916	2402FCB	2 (60)	2	*
190926	3503FCB	3 (80)	3	*

*Product shipped individually.

ECCO Polypropylene Vent™ — Rigid (cont'd)

• Bird Guards


Installs into rigid or flex chimney cap pipe to prevent entry of birds, rodents and debris.



Item#	Model	Chimney Cap Size" (mm)	Ctn/Qty
190245	2PPSSG	2 (60)	6
190345	3PPSSG	3 (80)	6
190445	4PPSSG	4 (110)	6

• Spacing Brackets • Flex Pipe

Used as a spacer to self-center the flex in a flue or chase.



Item#	Model	Flex Size" (mm)	Ctn/Qty
190246	2PPFS	2	12
190346	3PPFS	3	12
190446	4PPFS	4	12

• Flex Puller Tools

Used to install flex into an existing chimney or flue. Flex pipe sold separately.




Item#	Model	Flex Size" (mm)	Ctn/Qty
190243	2PPFP	2 (60)	*
190343	3PPFP	3 (80)	*
190443	4PPFP	4 (110)	*

**Product shipped individually.*

• Replacement Flex Gaskets • Viton

Used to replace a missing or damaged gasket in flex components.



Item#	Model	Flex Size" (mm)	Ctn/Qty
190255	2PPGF	2 (60)	*
190355	3PPGF	3 (80)	*
190455	4PPGF	4 (110)	*

**Product shipped individually.*

• Gasket Lubricant

Special chloride-free lubricant, recommended for all joints with a gasket. Applied to gaskets to ease assembly of pipes and components.



Item#	Model	Ctn/Qty
190900	PPGL	*

**Product shipped individually.*

Plugs/Tee Caps

- Spun





Item#	Size (")	A (")	Ctn/Qty	Wt/100
570326	3	3	20	20
570426	4	4	20	26
570526	5	5	20	35
570626	6	6	20	46
570726	7	7	20	60
570826	8	8	20	72
570926	9	9	20	85
571026	10	10	20	101
571126	11	11	10	110
571226	12	12	10	140
571326	13	13	10	160
571426	14	14	10	184
571526	15	15	10	200
571626	16	16	10	226
571726	17	17	10	250
571826	18	18	10	270
572026	20	20	*	313
572226	22	22	*	370
572426	24	24	*	435
572626	26	26	*	490
572826	28	28	*	580
573026	30	30	*	655

*Product shipped individually.

Note: Large end to fit over spiral pipe, + 1/8" (Cap). Small end to fit in spiral pipe, - 1/8" (Plug). Other sizes available upon request.

Ecco-Flex Ducting

- 1-Ply




Item#	Size (")	A (")	B (")	Ctn/Qty	Wt/100
300703	3	3	120	350	13
300704	4	4	120	200	16
300705	5	5	120	130	21
300706	6	6	120	90	24
300707	7	7	120	60	32
300708	8	8	120	50	34
300709	9	9	120	*	36
300710	10	10	120	*	39
300712	12	12	120	*	46
300714	14	13-15/16	120	*	52
300716	16	15-15/16	120	*	64
300718	18	17-7/8	120	*	72
300720	20	19-7/8	120	*	78
300722	22	21-7/8	120	*	86
300724	24	23-7/8	120	*	94
300744	4	4	240		16

*Product shipped individually.

Note: For shipping purposes and to prevent damage 3" to 8" sizes are compressed to a 4 ft. length and 9" to 24" are compressed to a 5 ft. length.


Flex Couplers



Item#	Size (")	A (")	Ctn/Qty	Wt/100
300963	3	3	10	11
300964	4	4	10	15
300965	5	5	10	20
300966	6	6	10	24
300967	7	7	10	27
300968	8	8	10	31

Chimney Liners

• 2-Ply





Item#	Size (")	A (")	B (")	Ctn/Qty	Wt/100
300907	7" x 25'	7	25	*	52
300908	8" x 25'	8	25	*	60
300937	7" x 35'	7	35	*	52
300938	8" x 35'	8	35	*	60
300953	3" x 50'	3	50	*	20
300954	4" x 50'	4	50	*	28
300955	5" x 50'	5	50	*	36
300956	6" x 50'	6	50	*	44
300957	7" x 50'	7	50	*	52
300958	8" x 50'	8	50	*	60

*Product shipped individually.

Chimney Liners

• 2-Ply • Carton




Item#	Size (")	A (")	B (")	Ctn/Qty	Wt/100
300990	3" x 25'	3	25	1	530
300991	4" x 25'	4	25	1	730
300992	5" x 25'	5	25	1	930
300993	6" x 25'	6	25	1	1130
300996	3" x 35'	3	35	1	730
300997	4" x 35'	4	35	1	1010
300998	5" x 35'	5	35	1	1290
300999	6" x 35'	6	35	1	1570



Chimney Liner Kits

Includes:


- (1) Rain Cap
- (1) Support Plate
- (1) Mortar Sleeve
- (1) 2-Ply Chimney Liner



Rain Cap



Support Plate



Mortar Sleeve





2-Ply Chimney Liner

Item#	Size (")	Ctn/Qty	Wt/100
301043	3" x 25'	1	1100
301044	4" x 25'	1	1350
301045	5" x 25'	1	1575
301046	6" x 25'	1	1750
301053	3" x 35'	1	1500
301054	4" x 35'	1	1850
301055	5" x 35'	1	2175
301056	6" x 35'	1	2525
301057	7" x 35'	1	2875
301058	8" x 35'	1	3225

Chimney Liner Cap Assembly

• 5" Extension




Item#	Size (")	A (")	Ctn/Qty	Wt/100
301023	3	3	*	400
301024	4	4	*	400
301025	5	5	*	400
301026	6	6	*	500
301027	7	7	*	500
301028	8	8	*	500

*Product shipped individually.

Note: Base – Galvanized / Cap – Aluminum


Chimney Liner Cap Assembly



Item#	Size (")	A (")	B (")	C (")	D (")	Ctn/Qty	Wt/100
301003	3	3	8	6-1/8	4	*	285
301004	4	4	9-3/8	6-1/8	4	*	309
301005	5	5	10-3/4	7	4-1/2	*	323
301006	6	6	12-3/8	7	4-1/2	*	345
301007	7	7	14	7-3/4	5	*	368
301008	8	8	15-5/8	7-3/4	5	*	392

*Product shipped individually.

Aluminum Stack Caps





Item#	Size (")	A (")	B (")	Ctn/Qty	Wt/100
379810	1-1/4	1-1/4	2	*	35
379811	1-1/2	1-1/2	2-1/2	*	40
379812	2	2	2-3/4	*	50
379813	3	3	3-3/4	*	65
379814	4	4	5	*	82

*Product shipped individually.


Chimney Liner Extensions

- 2-Ply • With Coupler



Item#	Size (")	A (")	Pcs/Ctn	Wt/100
301063	3" x 10'	3	35	220
301064	4" x 10'	4	20	295
301065	5" x 10'	5	13	375
301066	6" x 10'	6	9	440

Plastic Stack Caps




Item#	Size (")	A (")	B (")	Ctn/Qty	Wt/100
680030	1-1/2	1-1/2	2-1/2	*	100
680032	2	2	2-3/4	*	150
680034	3	3	3-3/4	*	200

*Product shipped individually.


Side Wall Vents

- 1/4" Birdscreen



Item#	Size (")	A (")	B (")	C (")	D (")	E (")	Ctn/Qty	Wt/100
050775	3	3	9	6-3/4	6-5/16	1/4	20	85
050800	4	4	9	6-3/4	6-5/16	1/4	20	105
050900	5	5	9	8-5/8	7-11/16	1/4	20	140
051000	6	6	9	8-5/8	7-11/16	1/4	20	160
051050	7	7	9	9-7/8	9-1/8	1/4	10	200
051080	8	8	9	10-7/8	10-1/4	1/4	10	260
051090	10	10	9	13	12-1/4	1/4	5	480
051091	12	12	9-1/2	15	14-1/4	1/4	2	360


Aluminum Stacks



Item#	Size (")	A (")	B (")	C (")	Ctn/Qty	Wt/100
379800	1-1/4	1-7/8	10	12	*	105
379801	1-1/2	2-3/8	10	12	*	110
379802	2	2-5/8	11	12	*	115
379803	3	3-5/8	12	12	*	125
379804	4	4-7/8	12	12	*	135

*Product shipped individually.

Dryer Vent Hoods




Item#	Size (")	A (")	B (")	C (")	Ctn/Qty	Wt/100
310100	3	3	6-3/4	6-5/16	20	48
310200	4	4	6-3/4	6-5/16	20	59
310300	5	5	8-5/8	7-11/16	20	60

The Dryerbox®

Dryer Vent Hose Receptacle

- Doubles as a gas connection receptacle
 - Meets code requirements as a clean-out
- See www.dryerbox.com for more information.



Item#	Model	Size (")	Exhaust Direction	Ctn/Qty	Wt/100
683010	425	2 x 6	Upward	5	460
683012	350	2 x 4	Upward	6	460
683014	4D	2 x 6	Downward	5	460
683016	3D	2 x 4	Downward	6	460
683018	480	2 x 6	Upward/Downward	6	460

TPE Collar

- No-Caulk Collar

Item#	Size (")	Wt/100
681713	1-1/2	25
681714	2	25
681715	3	25
681716	4	25

No-Caulk Flashings



Item#	Size (")	Color
681700	1-1/2	Galvanized
681701	2	Galvanized
681702	3	Galvanized
681703	4	Galvanized
681705	4 in 1	Galvanized
681706	3 - 4	Galvanized
681707	4 in 1	Brown
681708	4 in 1	Black
681709	4 in 1	Grey
681710	3 - 4	Brown
681711	3 - 4	Black
681712	3 - 4	Grey

E-Flash



Item#	Model	Color	Ctn/Qty	Wt/100
680040	EFL-BK	Black	25	300

Mult-E Strap

- Hundreds of uses
- Easy to bend
- Wavy edge allows easier cutting to desired lengths; also allows ease of overlapping and twisting in any configuration.



Item#	Model	Description	Gauge	Ctn/Qty	Wt/100
682910	MS3425G	3/4" x 25 ft. - Galvanized	24	10	145
682911	MS3450G	3/4" x 50 ft. - Galvanized	24	10	290
682912	MS34100G	3/4" x 100 ft. - Galvanized	24	5	581
682914	MS1225G	1/2" x 25 ft. - Galvanized	24	10	103
682922	MS3425S	3/4" x 25 ft. - Steel	24	10	180
682926	MS3425P	3/4" x 25 ft. - PVC Coated Steel	24	10	150
682920	MS1225S	1/2" x 25 ft. - Steel	22	10	126

Birdscreen


- Galvanized



Item#	Description	Sq. Ft.	Ctn/ Qty	Wt/ 100
706195	1/2" x 1/2" x 36" x 100 ft.	300	*	170
706191	1/2" x 1/2" x 48" x 100 ft.	400	*	170
706197	1/4" x 1/4" x 36" x 100 ft.	300	*	200
706193	1/4" x 1/4" x 48" x 100 ft.	400	*	200
706200	3/4" x 3/4" x 48" x 100 ft.	400	*	260
706202	1" x 1" x 48" x 100 ft.	400	*	250

*Sold per full roll only.


Butyl Gasket (Sealant Tape)



Item#	Description	Ctn/ Qty	Wt/ 100
704930	3/4" x 3/16" x 25' Butyl Gasket	5	250

Wall Caps

- With Damper



Item#	Model	Description	Ctn/ Qty	Wt/ 100
681730	7393-5"	3-1/4" x 10" – Galvanized – 5" Extension	10	220
681731	7393-10"	3-1/4" x 10" – Galvanized – 10" Extension	10	250

Bristle Brushes


- Disposable
- Pure bristles
- Natural wooden handle



Item#	Description	Ctn/ Qty	Wt/ 100
705168	1" Bristle – Disposable Brush	12	3
705169	1-1/2" Bristle – Disposable Brush	12	4
705170	2" Bristle – Disposable Brush	12	6
705171	3" Bristle – Disposable Brush	12	7


Dryer Exhaust Duct Elbows

- 2-piece construction
 - Fastening tabs for hook and twist assembly
 - Notch for exact snaplock pipe fit
 - Secondary securing accomplished with pre-drilled screw holes
- See www.dryer-ell.com for more information.




Item#	Model	Description	Radius (")	Length (")	Ctn/ Qty	Wt/ 100
683008	LT45	DRYER-ELL 45° Turn, 4" Diameter	10"	9	12	12
683009	LT90	DRYER-ELL 90° Turn, 4" Diameter	10"	18	12	18

NOTES



NOTES





3 Great Locations to Serve You

Langley



19860 Fraser Highway,
Langley, BC V3A 4C9
Phone: 604-530-4151
Fax: 604-530-1133
Toll Free: 1-877-955-4805

Calgary



#21 – 11150 38th Street SE,
Calgary, AB T2C 2Z6
Phone: 403-720-0895
Fax: 403-720-0897
Toll Free: 1-877-955-4815

Kent



20001 87th Ave S, Bldg E,
Kent, WA 98031
Phone: 253-872-3721
Fax: 253-872-3724
Toll Free: 1-800-207-6859

Since 1960, ECCO Manufacturing™ has established itself as one of the largest manufacturers and suppliers of sheet metal products in North America.

Our products are distributed through factory authorized distributors in Canada, the USA, and Internationally. With approximately half a million square feet of manufacturing and distribution facilities located in Langley, British Columbia; Calgary, Alberta; and Kent, Washington; ECCO Manufacturing™ is fully committed to "The Pursuit of Excellence".

Contact your **ECCO Manufacturing™** Sales Representative for more information.

www.eccomfg.com

**Engineered
Craftsmanship**
Since 1960