






CODE	ND	L1	L2	L	H
27NCEM32	1" => 32 mm	1.42	1.83	2.52	3.70
27NCEM40	1" 1/4 => 40 mm	1.65	2.13	2.95	4.33
27NCEM50	1" 1/2 => 50 mm	1.89	2.46	3.31	5.06
27NCEM63	2" => 63 mm	2.13	2.76	3.98	5.81
27NCEM75	2" 1/2 => 75 mm	2.36	3.19	4.45	6.65
27NCEM90	3" => 90 mm	2.76	3.88	5.71	8.17
27NCEM110	4" => 110 mm	3.17	4.51	6.36	9.49
27NCEM125	5" => 125 mm	3.46	4.84	7.09	10.31

NIRON



ITEM: **NCEM**

C:\Vault_TemplDisegn\ISchede Tecniche\Niron Grey inches\Electrofusion Fittings\NI10162.dwg

DESC: ELECTROFUSION 45° ELBOW
SDR 11






DRAWING No:
NI10162

SHEET OF	REV.
1 3	-8

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389



CODE	ND	L1	L2	L	H
27NCEM160	6" => 160 mm	3.39	5.28	8.33	11.69
27NCEM200	8" => 200 mm	3.90	6.57	9.86	14.49

NIRON



ITEM: **NCEM**

C:\Vault_Templ\Disegni\Schede Tecniche\Niron Grey inches\Electrofusion Fittings\NI10162.dwg

DESC: ELECTROFUSION 45° ELBOW
SDR 11




DRAWING No:
NI10162

SHEET OF
2 3


REV.
-8

www.nupiamericas.com - info@nupiamericas.com

All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389



CODE	ND	L1	L2	L	H
27NCEM250	10" => 250 mm	4.92	12.74	11.81	25.91



	ITEM: NCEM	DESC: ELECTROFUSION 45° ELBOW SDR11		DRAWING No	
				NI10162	
C:\Vault_Temp\Disegn\Schede Tecniche\Niron Grey inches\Electrofusion Fittings\NI10162.dwg				SHEET OF	REV
				3 3	-8
www.nupiamericas.com - info@nupiamericas.com		All dimensions have to be considered in inches with 5% tolerance if not otherwise mentioned excluding values as per standard ASTM F2389			