



TYPE A



TYPE B



CODE	TYPE	Weight lbs/pc	Volume ft^3/pc	ND1	ND2	S	L1	L	H	Max Hole
27NCOL16020	A	0.8	0.2084	6" => 160 mm	1/2" => 20 mm	0.12	2.56	5.51	3.94	0.63
27NCOL16025	A	0.974	0.2084	6" => 160 mm	3/4" => 25 mm	0.12	2.56	5.51	3.94	0.63
27NCOL16032	A	0.98	0.2084	6" => 160 mm	1" => 32 mm	0.12	2.56	5.51	3.94	0.89
27NCOL20032	A	0.99	0.2771	8" => 200 mm	1" => 32 mm	0.12	2.56	5.51	3.94	0.89
27NCOL25032	A	1.014	0.3764	10" => 250 mm	1" => 32 mm	0.12	2.56	5.51	3.94	0.89
27NCOL31532	A	1.051	0.5276	12" => 315 mm	1" => 32 mm	0.12	2.56	5.51	3.94	0.89
27NCOL9040	A	0.996	0.1109	3" => 90 mm	1 1/4" => 40 mm	0.15	2.56	5.51	3.94	1.18
27NCOL11040	A	1.004	0.1358	3 1/2" => 110 mm	1 1/4" => 40 mm	0.15	2.56	5.51	3.94	1.18
27NCOL12540	A	1.02	0.156	4" => 125 mm	1 1/4" => 40 mm	0.15	2.56	5.51	3.94	1.18
27NCOL16040	A	1.04	0.2084	6" => 160 mm	1 1/4" => 40 mm	0.15	2.56	5.51	3.94	1.18
27NCOL20040	A	1.06	0.2771	8" => 200 mm	1 1/4" => 40 mm	0.15	2.56	5.51	3.94	1.18
27NCOL25040	A	1.08	0.3764	10" => 250 mm	1 1/4" => 40 mm	0.15	2.56	5.51	3.94	1.18
27NCOL31540	A	1.005	0.5276	12" => 315 mm	1 1/4" => 40 mm	0.15	2.56	5.51	3.94	1.18

NIRON



ITEM:

NCOL

DESC: BRANCH SADDLE WITH BELT

C:\Vault_Temp\Disegni\Schede Tecniche\Niron Grey inches\Electrofusion Fittings\NI10281.dwg




DRAWING No:

NI10281


SHEET OF REV.

1 3 -5

TYPE A



TYPE B



CODE	TYPE	Weight lbs/pc	Volume ft ³ /pc	ND1	ND2	S	L1	L	H	Max Hole
27NCOL9050	A	1.05	0.1109	3" => 90 mm	1 1/2" => 50 mm	0.18	2.56	5.51	3.94	1.5
27NCOL11050	A	1.051	0.1358	3 1/2" => 110 mm	1 1/2" => 50 mm	0.18	2.56	5.51	3.94	1.5
27NCOL12550	A	1.06	0.156	4" => 125 mm	1 1/2" => 50 mm	0.18	2.56	5.51	3.94	1.5
27NCOL16050	A	1.07	0.2084	6" => 160 mm	1 1/2" => 50 mm	0.18	2.56	5.51	3.94	1.5
27NCOL20050	A	1.073	0.2771	8" => 200 mm	1 1/2" => 50 mm	0.18	2.56	5.51	3.94	1.5
27NCOL25050	A	1.091	0.3764	10" => 250 mm	1 1/2" => 50 mm	0.18	2.56	5.51	3.94	1.5
27NCOL31550	A	1.124	0.5276	12" => 315 mm	1 1/2" => 50 mm	0.18	2.56	5.51	3.94	1.5
27NCOL16063	A	1.168	0.2084	6" => 160 mm	2" => 63 mm	0.23	2.56	5.51	3.94	1.73
27NCOL20063	A	1.139	0.2771	8" => 200 mm	2" => 63 mm	0.23	2.56	5.51	3.94	1.73
27NCOL25063	A	1.157	0.3764	10" => 250 mm	2" => 63 mm	0.23	2.56	5.51	3.94	1.73
27NCOL31563	A	2.935	0.5276	12" => 315 mm	2" => 63 mm	0.23	2.56	5.51	3.94	1.73
27NCOL11075	A	1.988	0.18	3 1/2" => 110 mm	2 1/2" => 75 mm	0.27	3.54	6.69	4.72	2.32
27NCOL12575	A	1.998	0.2057	4" => 125 mm	2 1/2" => 75 mm	0.27	3.54	6.69	4.72	2.32
27NCOL16075	A	2.006	0.2719	6" => 160 mm	2 1/2" => 75 mm	0.27	3.54	6.69	4.72	2.32
27NCOL20075	A	2.021	0.3583	8" => 200 mm	2 1/2" => 75 mm	0.27	3.54	6.69	4.72	2.32
27NCOL25075	A	2.1	0.4825	10" => 250 mm	2 1/2" => 75 mm	0.27	3.54	6.69	4.72	2.32
27NCOL31575	A	2.2	0.6708	12" => 315 mm	2 1/2" => 75 mm	0.27	3.54	6.69	4.72	2.32

NIRON®


ITEM:

NCOL

C:\Vault_Temp\Disegni\Schede Tecniche\Niron Grey inches\Electrofusion Fittings\NI10281.dwg

DESC: BRANCH SADDLE WITH BELT






DRAWING No:

NI10281




SHEET OF REV.

2 3 -5

TYPE A



TYPE B



CODE	TYPE	Weight lbs/pc	Volume ft ³ /pc	ND1	ND2	S	L1	L	H	Max Hole
27NCOL9090	B	2.19	0.156	3" => 90 mm	3" => 90 mm	0.32	3.94	6.69	5.16	2.76
27NCOL11090	A	2.16	0.18	3 1/2" => 110 mm	3" => 90 mm	0.32	3.54	6.69	4.72	2.76
27NCOL12590	A	2.147	0.2057	4" => 125 mm	3" => 90 mm	0.32	3.54	6.69	4.72	2.76
27NCOL16090	A	2.307	0.2719	6" => 160 mm	3" => 90 mm	0.32	3.54	6.69	4.72	2.76
27NCOL20090	A	2.204	0.3583	8" => 200 mm	3" => 90 mm	0.32	3.54	6.69	4.72	2.76
27NCOL25090	A	3.263	0.583	10" => 250 mm	3" => 90 mm	0.32	3.86	7.87	5.12	2.76
27NCOL31590	A	3.288	0.8074	12" => 315 mm	3" => 90 mm	0.32	3.86	7.87	5.12	2.76
27NCOL110110	B	2.61	0.2025	3 1/2" => 110 mm	3 1/2" => 110 mm	0.39	3.74	6.85	5.63	2.76
27NCOL160110	A	3.105	0.3313	6" => 160 mm	3 1/2" => 110 mm	0.39	3.86	7.87	5.12	3.43
27NCOL200110	A	3.059	0.4347	8" => 200 mm	3 1/2" => 110 mm	0.39	3.86	7.87	5.12	3.43
27NCOL250110	A	3.527	0.583	10" => 250 mm	3 1/2" => 110 mm	0.39	3.86	7.87	5.12	3.43
27NCOL315110	A	3.512	0.8074	12" => 315 mm	3 1/2" => 110 mm	0.39	3.86	7.87	5.12	3.43
27NCOL200125	A	3.49	0.4347	8" => 200 mm	4" => 125 mm	0.45	3.86	7.87	5.12	3.94
27NCOL250125	A	3.88	0.583	10" => 250 mm	4" => 125 mm	0.45	3.86	7.87	5.12	3.94
27NCOL315125	A	3.895	0.8074	12" => 315 mm	4" => 125 mm	0.45	3.86	7.87	5.12	3.94

NIRON®


ITEM:

NCOL

 C:\Vault_Temp\Disegni\Schede Tecniche\Niron Grey inches\Electrofusion
 Fittings\NI10281.dwg

DESC: BRANCH SADDLE WITH BELT



DRAWING No:

NI10281

SHEET OF REV.

3 3 -5