

Fireplaces

MODEL LEDFP-50 | LEDFP-60 | LEDFP-72

ORTECH

Product Specification Sheet




HIGHLIGHTS

- Vent located at the front
- Available in Black and White Colour Trims
- High quality log-set, crystals and pebbles for fuel bed
- With two levels of heating adjustment, low / high heat
- Multiple 10 colours and HD+ LED for realistic flame effect
- With the option of wall mount or built-in design and multiple heater and flame settings
- 50" (LEDFP-50) / 60" (LEDFP-60) / 72" (LEDFP-72) wall mounted, built-in electric fireplaces
- Ideal for both new construction or renovations and operates with remote or touch control button

SPECIFICATIONS

Model	LEDFP-50	LEDFP-60	LEDFP-72
Wattage	High — 1500W / Low — 750W (2 levels of heating)		
Voltage	110-120V AC		
Material	Logs / Crystals		
Installation	Wall mounted and built-in		
Timer	0.5-8 hours		
Control Mode	Touch Panel / Remote Control		
Flame Colours	Multiple 10 colours LED lights for flame		
Flame Brightness	5 levels		
Overheat Protection	Yes		
Heating Area	215 ft²		

DIMENSIONS



Fireplaces

MODEL LEDFP-50 | LEDFP-60 | LEDFP-72



Product Specification Sheet

DIFFERENT COLOUR DISPLAYS



Reference	QTY.	Remarks	Project:
			Location:
			Architect:
			Engineer:
			Contractor:
			Submitted by:
			Date:

ORTECH reserves the right to modify at any time, without notice, any or all of our product's features, designs, components and specifications to meet market changes.