## **LED Under Cabinet Strip Lights**

## MODEL SLS-B3300-6 | SLS-B3300-12 | SLS-B3300-24 | SLS-B3300-36 | SLS-B3300-48





- 12V DC LED Under Cabinet Strip Lights made of durable extruded aluminum frame with frosted milky photocell lens
- Ideal for home, office, garage, ceiling, kitchen, under cabinet, supermarket, parking lot, school, hospital, basement, workshop and more
- Powered by LED integrated strip that maintains uniform intensity with 70% lumens at 50000 hours average lifetime
- Sleek and easy to hide, the light is perfect choice for all your task lighting applications
- Dimmable with TRIAC / ELV and incandescent dimmers
- · Link up to 10 fixtures and no shadow linking connector
- Easy installation metal mounting clips with screws
- 6 lengths to choose from, ranging from 6" to 48"

## **SPECIFICATIONS**

Model	SLS-B3300-6	SLS-B3300-12	SLS-B3300-24	SLS-B3300-36	SLS-B3300-48	
Wattage	2W	3W	6W	9W	12W	
Voltage	12V DC					
Lumens	90 lmn	200 lmn	400 lmn	600 lmn	800 lmn	
Beam Angle	110°					
Lifetime	50000 hours					
CRI	80					
Dimmable	Yes					
Rating	Non-IC Rated, Indoor use, for Damp location					
Grade of Protection	IP 20					
Applications	Home / Office / Garage / Ceiling / Kitchen / Under Cabinet / Supermarket / Parking lot / School / Hospital, etc.					
Colour Temp.	3000K (Warm White) / 5000K (Cool White)					
Operating Temp.	-20°C ~ +40°C					
Warranty	5 years					



DIMMAB

## LED Under Cabinet Strip Lights



Product Specification Sheet

CRTECH

DIMENSIONS

29/32" SLS-B3300-6 5-63/64" (23mm) (152mm) 5-63/64" (23mm) 5-63/64" (23mm) 5-76/64" (23mm) 5-76/64" (2	00-12 29/32" SLS-B3300-24 (23mm)	Topping Screw • Overhead Mounting Clip • Installation (Metal Mounting Clips)
24-1/64" (610mm) E 		(Metal Mounting Clips) 29/32" SLS-B3300-36 (23mm) 29/32" SLS-B3300-48
	7-63/64" I219mm) Accessories (sold separately)	(23mm)
		SLS-CONNECTOR kable extension wire with male & ale connectors for SLS strip lights
	Accessories (Included)	
Power feed		Mounting Clips Kit Metal clips with two PB topping screws

Reference	QTY.	Remarks	Project:
			Location:
			Architect:
			Engineer:
			Contractor:
			Submitted by:
			Date:

ORTECH reserves the right to modify at any time, without notice, any or all of our product's features, designs, components and specifications to meet market changes.