

EXPORT PRODUCT CATALOG Flexible Gas Piping Systems for Commercial, Industrial and Residential



Table of Contents

Introduction	3
Flexible Gas Tubing	4
AutoSnap®	5
AutoSnap® Tee Fittings & AutoFlare® Fittings and Accessories	6
AutoFlare® Tee Fittings	7
Accessories	9
TracPipe® PS II Underground Gas Piping	11
Warranty	12

TracPipe® # CounterStrike® Flexible Gas Piping by OmegaFlex.

Improve your bottom line by taking advantage of TracPipe® CounterStrike® industry-leading flow capacities.

1.800.671.8622
sales@tracpipe.com
www.tracpipe.ca

Four Decades of Performance

Since 1975, OmegaFlex® has led the piping industry with its high-quality construction and commitment to exceed the industry's product and safety standards.

- With over 200 patents and counting, the Company's philosophy is not to wait for mandates, but to lead the industry by introducing the best products.
- In 1999, OmegaFlex was the first CSST manufacturer to mandate the bonding of its yellow-jacketed TracPipe® in its installation guide.
- In 2004, the Company developed CounterStrike®, which contains all of the innovative features of TracPipe® plus a built-in solution to lightning damage that eliminates the need for additional bonding.
- In 2011, OmegaFlex became the only CSST manufacturer to transition from its highly successful yellow CSST product "TracPipe®" and now only sells its innovative black-jacket product "CounterStrike®" throughout the US market.
- In 2012, OmegaFlex is a sponsor of NSF-UC San Diego's earthquake testing program. The flexibility of CounterStrike® withstood the worst seismic activity simulated without any failures, leaks or damage. Meanwhile black iron pipe, which was installed next to CounterStrike®, fractured in the same test.

• In 2014, OmegaFlex introduced the AutoSnap® fitting for CounterStrike® that is so easy to use you can even keep your gloves on, just twist, snap, tighten and you're done!

TracPipe® and CounterStrike® are also:

- Listed by CSA to the national consensus standard ANSI LC-1/CSA 6.26-2016 for CSST. CounterStrike® also meets the performance requirements in the Standard for arc resistant conductive jackets.
- Compliant with CSA B149.1-2015 or the National Gas and Propane Installation Code including Canadian Electrical Code requirements for bonding and grounding of gas piping systems.
- Compliant with the fuel gas codes in all 10 provinces.
- Listed by Underwriters Laboratories (UL) for 1, 2 and 4 hour through penetration fire stop systems without removal of the protective jacket.
- CounterStrike® has also been evaluated for lightning resistance (ER-0227) by the International Association of Plumbing and Mechanical Officials (IAPMO) Uniform Evaluation Service which is accredited by Standards Council of Canada.



Flexible Gas Piping CSST

TracPipe® Flexible Gas Tubing





Corrugated Stainless Steel 300 Series with Polyethylene Jacket

Plywood Reels for Packaging

Description	Part Number	Size	Reel Length	Lb/Reel
TracPipe 3/8"	FGP-SS4-375-250	3/8"	250 ft/reel	29
TracPipe 3/8"	FGP-SS4-375-100	3/8"	100 ft/reel	13
TracPipe 1/2	FGP-SS4-500-500	1/2"	500 ft/reel	78
TracPipe 1/2"	FGP-SS4-500-250	1/2"	250 ft/reel	40
TracPipe 1/2"	FGP-SS4-500-100	1/2"	100 ft/reel	18
TracPipe 1/2"	FGP-SS4-500-50	1/2"	50 ft/reel	11
TracPipe 3/4"	FGP-SS4-750-250	3/4"	250 ft/reel	59
TracPipe 3/4"	FGP-SS4-750-100	3/4"	100 ft/reel	24
TracPipe 3/4"	FGP-SS4-750-50	3/4"	50 ft/reel	14
TracPipe 1"	FGP-SS4-100-180	1"	180 ft/reel	56
TracPipe 1"	FGP-SS4-100-100	1"	100 ft/reel	32
TracPipe 1"	FGP-SS4-100-50	1"	50 ft/reel	17
TracPipe 11/4"	FGP-SS4-125-250	11/4"	250 ft/reel	117
TracPipe 11/4"	FGP-SS4-125-150	11/4"	150 ft/reel	71
TracPipe 1½"	FGP-SS4-150-250	11/2"	250 ft/reel	141
TracPipe 1½"	FGP-SS4-150-150	11/2"	150 ft/reel	80
TracPipe 2"	FGP-SS4-200-150	2"	150 ft/reel	128

The Lightning Problem is Solved!

After ten years, over 125 million feet have been installed in homes across America, making CounterStrike® CSST the *only* field-proven product in its class!

- CounterStrike[®] has been shown to be up to 400 times more resistant to the damaging effects of electrical arcing energy than yellow CSST.
- Uses the NEW AutoSnap® fittings that do not require disassembly/ reassembly!
- The most complete range of CSST sizes (3/8"-2") available.
- There are no additional bonding requirements for CounterStrike[®] imposed by the manufacturer's installation instructions.
- Lays straighter and pulls easier, dramatically decreasing installation times (and saving you time and money in the process).
- Unlike competitive brands, CounterStrike^{*} is non-annealed making it more crush resistant, and easier to cut.



- Superior lightning protection compared to bonded yellow CSST!

CounterStrike® Flexible Gas Tubing





Corrugated Stainless Steel 300 Series with Black Conductive Jacket

Plywood Reels for Packaging

- · · · · · · · · · · · · · · · · · · ·				
Description	Part Number	Size	Reel Length	Lb/Reel
CounterStrike 3/8"	FGP-CS-375-250	3/8"	250 ft/reel	37
CounterStrike 3/8"	FGP-CS-375-100	3/8"	100 ft/reel	17
CounterStrike 1/2"	FGP-CS-500-500	1/2"	500 ft/reel	98
CounterStrike 1/2"	FGP-CS-500-250	1/2"	250 ft/reel	52
CounterStrike 1/2"	FGP-CS-500-100	1/2"	100 ft/reel	24
CounterStrike 1/2"	FGP-CS-500-50	1/2"	50 ft/reel	14
CounterStrike 3/4"	FGP-CS-750-250	3/4"	250 ft/reel	70
CounterStrike 3/4"	FGP-CS-750-100	3/4"	100 ft/reel	31
CounterStrike 3/4"	FGP-CS-750-50	3/4"	50 ft/reel	18
CounterStrike 1"	FGP-CS-100-180	1"	180 ft/reel	70
CounterStrike 1"	FGP-CS-100-100	1"	100 ft/reel	40
CounterStrike 1"	FGP-CS-100-50	1"	50 ft/reel	22
CounterStrike 11/4"	FGP-CS-125-250	11/4"	250 ft/reel	129
CounterStrike 11/4"	FGP-CS-125-150	11/4"	150 ft/reel	78
CounterStrike 1½"	FGP-CS-150-250	11/2"	250 ft/reel	182
CounterStrike 1½"	FGP-CS-150-150	11/2"	150 ft/reel	103
CounterStrike 2"	FGP-CS-200-150	2"	150 ft/reel	137

Note: Other lengths available. Consult factory for price and lead time.

AutoSnap® Fittings

Lightning Fast Connections from OmegaFlex®

The new patent pending AutoSnap® fittings are the only CSST fittings that do not require any disassembly or reassembly of the fitting to the TracPipe®CounterStrike® CSST.

This greatly reduces installation difficulty and time as there are no small loose gaskets, O-rings, or retainer rings to contend with in a dark and/or cold work place environment!

AutoSnap is CSA listed and features a metal to metal cup seal without any exposed stainless steel pipe behind the new fitting.

Reduced torque value and reusability all make for an optimum installer friendly fitting!

AutoSnap® Fittings

Straight Fitting Brass



Fitting Sizes 11/4", 11/2" and 2" are sold individually

Split Rings Brass



Reducing Fitting Brass



Brass



Wallbox with Valve

Brass



Flange Fitting Brass and Stainless Steel Plate



	I	T	l	
Description	Part Number	Size	Pkg. Qty	Lb.
AutoSnap Straight 3/8"	FGP-SFST-375N	3/8"-3/8" NPT	24/box	.2
AutoSnap 3/8" (1/2" NPT)	FGP-SFST-375	3/8"	24/box	.3
AutoSnap 1/2"	FGP-SFST-500	1/2"	24/box	.4
AutoSnap 3/4"	FGP-SFST-750	3/4"	16/box	.5
AutoSnap 1"	FGP-SFST-1000	1"	16/box	.7
AutoSnap 11/4"	FGP-SFST-1250	11/4"	6/box	.9
AutoSnap 11/2"	FGP-SFST-1500	1½"	4/box	1.3
AutoSnap 2"	FGP-SFST-2000	2"	4/box	2.2
Spare Snap Rings	FGP-SRING-375	3/8"	5/pack	.04
Spare Snap Rings	FGP-SRING-500	1/2"	5/pack	.06
Spare Snap Rings	FGP-SRING-750	3/4"	5/pack	.08
Spare Snap Rings	FGP-SRING-1000	1"	5/pack	.17
Spare Snap Rings	FGP-SRING-1250	11/4"	2/pack	.8
Spare Snap Rings	FGP-SRING-1500	11/2"	2/pack	1.4
Spare Snap Rings	FGP-SRING-2000	2"	2/pack	1.8
AutoSnap Reducing 1/2"	FGP-SRST500-750	1/2"-3/4" NPT	24/box	0.4
AutoSnap Reducing 3/4"	FGP-SRST750-500	3/4"-1/2" NPT	16/box	0.5
AutoSnap Reducing 1"	FGP-SRST1000-750	1"-3/4" NPT	16/box	0.8
AutoSnap Female Straight 3/8"	FGP-SFSTF-375	3/8"-1/2" NPT	24/box	0.25
AutoSnap Female Straight 1/2"	FGP-SFSTF-500	1/2"	24/box	0.29
AutoSnap Female Straight 3/4"	FGP-SFSTF-750	3/4"	16/box	0.43
AutoSnap Female Straight 1"	FGP-SFSTF-1000	1"	16/box	0.78
AutoSnap Coupling 3/8"	FGP-SCPLG-375	3/8"	24/box	0.3
AutoSnap Coupling 1/2"	FGP-SCPLG-500	1/2"	24/box	0.5
AutoSnap Coupling 3/4"	FGP-SCPLG-750	3/4"	16/box	0.7
AutoSnap Coupling 1"	FGP-SCPLG-1000	1"	16/box	0.9
AutoSnap Coupling 11/4"	FGP-SCPLG-1250	11/4"	6/box	2.0
AutoSnap Coupling 11/2"	FGP-SCPLG-1500	11/2"	4/box	3.3
AutoSnap Coupling 2"	FGP-SCPLG-2000	2"	4/box	5.5
AutoSnap Metal Wallbox w/valve 1/2"	FGP-SWBTM-500	1/2"	24/box	2.3
AutoSnap Metal Wallbox w/valve 3/4"	FGP-SWBTM-750	3/4"	24/box	2.8
AutoSnap Flange Fitting 3/8"	FGP-SRFG-375	3/8"	12/box	0.3
AutoSnap Flange Fitting 1/2"	FGP-SRFG-500	1/2"	12/box	0.5
AutoSnap Flange Fitting 3/4"	FGP-SRFG-750	3/4"	8/box	0.7
AutoSnap Flange Fitting 1"	FGP-SRFG-1000	1"	8/box	0.9
AutoSnap Flange Fitting 11/4"	FGP-SRFG-1250	11/4"	4/box	2.0

AutoSnap® Tee Fittings

AutoSnap® Tee Fittings

Tee Fitting Brass





Reducer Tee Fitting Brass



AutoSnap Tee - Female 1/2"	FGP-ST500-500	1/2" Female	14/box	0.8
AutoSnap Tee - Female 1/2"	FGP-ST750-500	3/4"-1/2" Female	10/box	1.1
AutoSnap Tee - Female 3/4"	FGP-ST750-750	3/4" Female	10/box	1
AutoSnap Tee - Female 1"	FGP-ST1000-1000	1" Female	6/box	2
TracPipeCounterStrike / All Out	lets			
AutoSnap Tee - All outlets 1/2"	FGP-STF500-T500	1/2" X 1/2"	14/box	0.9
AutoSnap Tee - All outlets 3/4"	FGP-STF750-T750	3/4" X 3/4"	12/box	1.1
AutoSnap Tee - All outlets 1"	FGP-STF1000-T1000	1" X 1"	6/box	2.2
AutoSnap Tee Reducer	FGP-SRT-501	1/2" X 3/8" X 3/8"	14/box	0.8
AutoSnap Tee Reducer	FGP-SRT-751	3/4" X 1/2" X 3/8"	12/box	1
AutoSnap Tee Reducer	FGP-SRT-752	3/4" X 1/2" X 1/2"	12/box	1
AutoSnap Tee Reducer	FGP-SRT-1001	1" X 3/4" X 1/2"	6/box	2
AutoSnap Tee Reducer	FGP-SRT-1002	1" X 3/4" X 3/4"	6/box	2
AutoSnap Tee Reducer	FGP-STF750-T500	3/4" X 3/4" X 1/2"	12/box	1.1
AutoSnap Tee Reducer	FGP-STF1000-T750	1" X 1" X 3/4"	6/box	2.1
AutoSnap Tee Reducer	FGP-STF1000-T500	1" X 1" X 1/2"	6/box	2.1

FGP-ST500-750

1/2"-3/4" male

12/box

0.9

AutoFlare® Fittings and Accessories

Self-Flaring Fitting

AutoFlare® is the self-piloting fitting that attaches TracPipe®CounterStrike® to traditional gas fittings and appliances. No special tools or additional parts required.

TracPipeCounterStrike By NPT

AutoSnap Tee - Male 3/4"

AutoFlare® Fittings and Accessories

Straight Mechanical Fitting Brass



Reducing Fitting Brass



Fitting Sizes 11/4", 11/2" and 2" are sold individually

Split Rings Brass



Female Straight Fitting Brass



Description	Part Number	Size	Pkg. Qty	Lb.
			+	
AutoFlare Straight 3/8"	FGP-FST-375N	3/8"(3/8"NPT)	24/box	.3
AutoFlare Straight 3/8"	FGP-FST-375	3/8"(1/2"NPT)	24/box	.4
AutoFlare Straight 1/2"	FGP-FST-500	1/2"	24/box	.4
AutoFlare Reducing 1/2"	FGP-RST500-750	1/2"-3/4"NPT	24/box	.4
AutoFlare Straight 3/4"	FGP-FST-750	3/4"	16/box	.5
AutoFlare Reducing 3/4"	FGP-RST750-500	3/4"-1/2"NPT	16/box	.5
AutoFlare Straight 1"	FGP-FST-1000	1"	16/box	.7
AutoFlare Reducing 1"	FGP-RST1000-750	1"-3/4"NPT	16/box	.7
AutoFlare Straight 11/4"	FGP-FST-1250	11/4"	6/box	1.5
AutoFlare Straight 11/2"	FGP-FST-1500	1½"	4/box	2.1
AutoFlare Straight 2"	FGP-FST-2000	2"	4/box	3.5
Spare Split Rings	FGP-RING-375	3/8"	10/pack	.06
Spare Split Rings	FGP-RING-500	1/2"	10/pack	.06
Spare Split Rings	FGP-RING-750	3/4"	10/pack	.06
Spare Split Rings	FGP-RING-1000	1"	10/pack	.06
Spare Split Rings	FGP-RING-1250	11/4"	4/pack	.06
Spare Split Rings	FGP-RING-1500	1½"	4/pack	.2
Spare Split Rings	FGP-RING-2000	2"	4/pack	.3
AutoFlare Female Straight 3/8"	FGP-FSTF-375	3/8"-1/2"NPT	24/box	.25
AutoFlare Female Straight 1/2"	FGP-FSTF-500	1/2"	24/box	.33
AutoFlare Female Straight 3/4"	FGP-FSTF-750	3/4"	16/box	.49
AutoFlare Female Straight 1"	FGP-FSTF-1000	1"	16/box	.61

AutoFlare® Fittings and Accessories continued

Coupling Insert Brass



Flange Mount Fittings Brass



Flange Mount Fittings





Termination Mount Brass and Stainless Steel



Coupling 3/8"	FGP-CPLG-375	3/8"	24/box	.3
Coupling 1/2"	FGP-CPLG-500	1/2"	24/box	.5
Coupling 3/4"	FGP-CPLG-750	3/4"	16/box	.7
Coupling 1"	FGP-CPLG-1000	1"	16/box	.9
Coupling 11/4"	FGP-CPLG-1250	11/4"	6/box	2.0
Coupling 1½"	FGP-CPLG-1500	1½"	4/box	3.3
Coupling 2"	FGP-CPLG-2000	2"	4/box	5.5
AutoFlare Flange Fitting 3/8"	FGP-BFF-375	3/8"	12/box	.7
AutoFlare Flange Fitting 1/2"	FGP-BFF-500	1/2"	12/box	.7
AutoFlare Flange Fitting 3/4"	FGP-BFF-750	3/4"	8/box	1.3
AutoFlare Flange Fitting 1"	FGP-BFF-1000	1"	8/box	1.5
AutoFlare Flange Fitting 11/4"	FGP-BFF-1250	11/4"	4/box	2.6
AutoFlare Flange L Bracket	FGP-TERM-BRAC	All	1 each	.3
90° Flange Fitting 3/8"	FGP-ELLB-375	3/8"	8/box	1.1
90° Flange Fitting 1/2"	FGP-ELLB-500	1/2"	8/box	1.0
90° Flange Valve 3/8"	FGP-BF90V-375	3/8"	6/box	1.2
90° Flange Valve 1/2"	FGP-BF90V-500	1/2"	6/box	1.2
90° Flange Valve 3/4	FGP-BF90V-750	3/4"	6/box	1.7
Termination Mount 3/8"	FGP-TM-375	3/8"	12/box	.9
Termination Mount 1/2"	FGP-TM-500	1/2"	12/box	1
Termination Mount 3/4"	FGP-TM-750	3/4"	8/box	1.1
Termination Mount 3/4" x 1/2"	FGP-TM-750-500	3/4" x 1/2"	12/box	1.1
Termination Mount 1"	FGP-TM-1000	1"	8/box	1.3
90° Termination Mount 3/8"	FGP-90TM-375	3/8"	8/box	1.2
90° Termination Mount 1/2"	FGP-90TM-500	1/2"	8/box	1.2
90° Termination Valve 3/8"	FGP-TM90V-375	3/8"	12/box	1.3
90° Termination Valve 1/2"	FGP-TM90V-500	1/2"	12/box	1.3
90° Termination Valve 3/4"	FGP-TM90V-750	3/4"	12/box	1.7

AutoFlare® Tee Fittings

AutoFlare® Tee Fittings

Tee Fitting Brass



Description

Tee Fitting Brass



Reducer Tee Fitting Brass



CounterStrike by NPT				
Tee - Male 3/4"	FGP-T500-750	1/2-3/4" male	12/box	1
Tee - Female 1/2"	FGP-T500-500	1/2" Female	14/box	1
Tee - Female 1/2"	FGP-T750-500	3/4-1/2" Female	12/box	1.6
Tee - Female 3/4"	FGP-T750-750	3/4" Female	12/box	1.6
Tee - Female 1"	FGP-T1000-1000	1" Female	10/box	2.2
CounterStrike / All Outlets				
Tee - All Outlets 1/2"	FGP-TF500-T500	1/2 x 1/2"	14/box	1
Tee - All Outlets 3/4"	FGP-TF750-T750	3/4 x 3/4"	12/box	1.6
Tee - All Outlets 1"	FGP-TF1000T1000	1 x 1"	10/box	2.2
Tee-Reducer	FGP-RT-501	1/2" x 3/8" x 3/8"	14/box	0.9
Tee-Reducer	FGP-RT-751	3/4" x 1/2" x 3/8"	12/box	1.1
Tee-Reducer	FGP-RT-752	3/4" x 1/2" x 1/2"	12/box	1.1
Tee-Reducer	FGP-RT-1001	1" x 3/4" x 1/2"	10/box	1.8
Tee-Reducer	FGP-RT-1002	1" x 3/4" x 3/4"	10/box	1.8
Tee-Reducer	FGP-TF750-T500	3/4" x 3/4" x 1/2"	12/box	1.6
Tee-Reducer	FGP-TF1000-T750	1" x 1" x 3/4"	10/box	2.1
Tee-Reducer	FGP-TF1000-T500	1" x 1" x 1/2"	10/box	2.2
Tee-Reducer	FGP-TF1250-T1000	1¼" x 1¼" x 1"	1 each	2.7

Part Number

Size

Pkg. Qty

Lb.

AutoFlare® Tee Fitting continued

AutoFlare® Tee Fittings continued

Commercial Sized Reducer Tees Brass



Description	Part Number	Size	Pkg. Qty	Lb.
Tee-Reducer	FGP-TF1250-T750	11/4" x 11/4" x 3/4"	1 each	2.6
Tee-Reducer	FGP-TF1250-T500	11/4" x 11/4" x 1/2"	1 each	2.6
Tee-Reducer	FGP-RT-1251	11/4" x 1" x 1"	1 each	2.2
Tee-Reducer	FGP-RT-1252	1½" x 1" x 3/4"	1 each	2.2
Tee-Reducer	FGP-RT-1253	1½" x 1" x 1/2"	1 each	2.1
Tee-Reducer	FGP-TF1500-T1250	1½" x 1½" x 1¼"	1 each	4.4
Tee-Reducer	FGP-TF1500-T1000	1½" x 1½" x 1"	1 each	4.1
Tee-Reducer	FGP-TF1500-T750	1½" x 1½" x 3/4"	1 each	4.1
Tee-Reducer	FGP-TF1500-T500	1½" x 1½" x 1/2"	1 each	4.0
Tee-Reducer	FGP-RT-1501	1½" x 1¼" x 1¼"	1 each	3.7
Tee-Reducer	FGP-RT-1502	1½" x 1¼" x 1"	1 each	3.6
Tee-Reducer	FGP-RT-1503	1½" x 1¼" x 3/4"	1 each	3.6
Tee-Reducer	FGP-RT-1504	1½" x 1¼" x 1/2"	1 each	3.5
Tee-Reducer	FGP-TF2000-T1500	2" x 2" x 1½"	1 each	7.4
Tee-Reducer	FGP-TF2000-T1250	2" x 2" x 11/4"	1 each	7.2
Tee-Reducer	FGP-TF2000-T1000	2" x 2" x 1"	1 each	7.0
Tee-Reducer	FGP-TF2000-T750	2" x 2" x 3/4"	1 each	7.0
Tee-Reducer	FGP-TF2000-T500	2" x 2" x 1/2"	1 each	7.0
Tee-Reducer	FGP-RT-2001	2" x 1½" x 1½"	1 each	6.5
Tee-Reducer	FGP-RT-2002	2" x 1½" x 1¼"	1 each	6.3
Tee-Reducer	FGP-RT-2003	2" x 1½" x 1"	1 each	6.1
Tee-Reducer	FGP-RT-2004	2" x 1½" x 3/4"	1 each	6.1
Tee-Reducer	FGP-RT-2005	2" x 1½" x 1/2"	1 each	6.1

AutoFlare® Fittings and Accessories

Brackets and Stub-outs



Meter Termination

Meter Termination Bracket



Wallbox with Valve Note: Wallbox measures 7" x 7" x 3"

	1
Bracket	3
	6
-	6
	6
	ć
	1
	1
	1
	Ν
	1
	1
	1

Part Number	Size	Pkg. Qty	Lb.
FGP-KVB-375	3/8"	18/box	.50
FGP-KVB-500	1/2"	18/box	.54
FGP-KVB750-500	3/4" x 1/2"	18/box	.77
FGP-1X6 MT	1" x 6"	20/box	1.36
FGP-1X12 MT	1" x 12"	15/box	1.36
FGP-STUD-BRAC	all	8/box	2.1
FGP-ASP-500	1/2" x 2"	25/box	.72
FGP-FPT-500	1/2"	25/box	.72
FGP-ASP90S-500	1/2" x 5" x 5"	25/box	1
FGP-ASP90S-750	3/4" x 5" x 5"	15/pack	1.3
FGP-MT6-500	1/2" x 6"	1 each	1.8
FGP-MT6-750	3/4"	1 each	1.8
FGP-MT6-1000	1"	1 each	1.8
FGP-MT9-1000	1"	1 each	2.6
FGP-MT12-500	1/2"	1 each	2.6
FGP-MT12-750	3/4"	1 each	2.6
FGP-MT12-1000	1"	1 each	2.6
FGP-MT-BRAC	1"	1 each	.8
FGP-WBTM-375	3/8"	24/box	2.3
FGP-WBTM-500	1/2"	24/box	2.3
FGP-WBTM-750	3/4"	24/box	2.8
	FGP-KVB-375 FGP-KVB-500 FGP-KVB750-500 FGP-1X6 MT FGP-1X12 MT FGP-STUD-BRAC FGP-ASP-500 FGP-ASP90S-500 FGP-ASP90S-750 FGP-MT6-500 FGP-MT6-750 FGP-MT6-750 FGP-MT9-1000 FGP-MT12-500 FGP-MT12-500 FGP-MT12-750	FGP-KVB-375 3/8" FGP-KVB-500 1/2" FGP-KVB750-500 3/4" x 1/2" FGP-1X6 MT 1" x 6" FGP-1X12 MT 1" x 12" FGP-STUD-BRAC all FGP-ASP-500 1/2" x 2" FGP-ASP90S-500 1/2" x 5" x 5" FGP-ASP90S-750 3/4" x 5" x 5" FGP-MT6-500 1/2" x 6" FGP-MT6-750 3/4" FGP-MT6-1000 1" FGP-MT9-1000 1" FGP-MT12-500 1/2" FGP-MT12-500 1/2" FGP-MT12-750 3/4" FGP-MT12-750 3/4" FGP-MT12-750 1" FGP-MT12-750 1" FGP-MT12-750 3/8" FGP-WBTM-375 3/8" FGP-WBTM-375 3/8"	FGP-KVB-375 3/8" 18/box FGP-KVB-500 1/2" 18/box FGP-KVB750-500 3/4" x 1/2" 18/box FGP-1X6 MT 1" x 6" 20/box FGP-1X12 MT 1" x 12" 15/box FGP-STUD-BRAC all 8/box FGP-ASP-500 1/2" x 2" 25/box FGP-FPT-500 1/2" x 5" x 5" 25/box FGP-ASP90S-500 1/2" x 5" x 5" 15/pack FGP-MT6-500 1/2" x 6" 1 each FGP-MT6-750 3/4" 1 each FGP-MT6-1000 1" 1 each FGP-MT9-1000 1" 1 each FGP-MT12-500 1/2" 1 each FGP-MT12-500 1/2" 1 each FGP-MT12-500 1/2" 1 each FGP-MT12-500 1/2" 1 each FGP-MT12-750 3/4" 1 each FGP-MT12-750 3/4" 1 each FGP-MT12-750 1 1 each FGP-MT12-750 1 1 each FGP-MT12-750 1 1 each FGP-MT12-1000 1" 1 each FGP-MT12-1000 1" 1 each FGP-MT12-750 3/4" 1 each FGP-MT12-750 3/4" 1 each FGP-MT12-1000 1" 1 each

Accessories

Accessories Coated Manifold Manifold Bracket 4 ports 3/4" female Large Manifolds 4 ports 1/2" female For use with FGP-MI-PC only inlets 1/4" and 1" female 4 ports 1" female Stackable Manifold 2 ports 1/2" female 2 ports 1/2" female 3/4" female to 3/4" male **Bracket** 1/2" female to 1/2" male Description **Part Number** Pkg. Qty Lb. Size Multi-port Manifolds Coated Malleable Iron FGP-MI-PC Coated Manifold 3/4" x 1/2" x 1/2"(4) 1 each 1.9 FGP-MB2 Manifold Bracket 1 each 1.3 Stackable Manifolds Coated Malleable Iron Stackable Manifold FGP-MI-ST-500 1/2"F - M X 1/2"(2) 1 each 1.4 FGP-MI-ST-750 Stackable Manifold 3/4"F - M X 1/2"(2) Manifold Bracket 1 each 14 Galvanized Steel **FGP-MB-ST** Stackable Manifold Bracket fits MI-ST 1 each .4 **FGP-LC** Gas Load Center Gas Load Center w/Manifold Bracket Load Center w/Bracket 1 each 11.3 For use with FGP-MI-PC only Painted Steel Large Coated Manifold FGP-MI-PC-1X 11/4" x 1" x 3/4"(4) 1 each 5.5 Large Coated Manifold FGP-MI-PC-2X 2" x 1½" x 1"(4) 13.0 1 each **Bonding Clamp** FGP-GC-1 3/8", 1/2" (TP/CS) 1/2", 3/4", 1" (Iron pipe) 1 each **Bonding Clamp Bonding Clamp** FGP-GC-2 3/4", 1", 11/4" (TP/CS) 11/4", 11/2", 2" (Iron pipe) 1 each **Brass** Bonding Clamp FGP-GC-3 11/2", 2" (TP/CS) $2\frac{1}{2}$ " - 4" (Iron pipe)

Note: Omegaflex stocks regulators from various listed manufacturers. There will be a 15% charge added to regulator orders requesting shipment of a specific brand of regulator.

1 each



Note: All regulators include an approved vent limiter.

^{*}Regulators 3L48, 3L47, 5AL48, 5AL600, 5AL601 have MAX 5 PSI Inlet Pressure which includes an OPD for pressures above 2 PSI when used as a line Pressure Regulator. (Over-pressurization device included and attached to these units).

^{**}Capacity is total load as line pressure regulator. (Capacity decreases for single appliance load. Contact factory.)

Accessories and Tools


Accessories and	Tools					
	(P)	Description	Part Number	Size	Pkg. Qty	Lb.
Shut Off Valves Quick Disconnect	c us	Ball Valve 5psi 1/2"	FGP-WBV-500	1/2"	1 each	.5
Brass Housing with		Ball Valve 5psi 3/4"	FGP-WBV-750	3/4"	1 each	.8
Stainless Steel Ball		Sturgis Quick Disconnect	FGP-QDS	1/2"	1 each	.9
		Note: Special tools not required.				
		Cutter No. 15	FGP-TC-15	3/8"-1"	1 each	1.1
Tube Cutters		Cutter No. 151	FGP-TC-151	3/8" - 11/4"	1 each	.9
	Por	Cutter No. 152	FGP-TC-152	11/4" - 2"	1 each	1.9
	1000	Cutter wheel	FGP-E-5272	11/4" - 2"	1 each	.1
		Note: To cut 11/4" to 2" size CounterStrike	e∘ use a cutting wheel 5272 or e	qual.	1	
Striker Plate		Quarter Striker Plate	FGP-SP-025	3" x 2"	250/box	.08
Carbon Steel Hardened		Half Striker Plate	FGP-SP-050	3" x 7"	100/box	.4
Section 2	TT	Three Quarter Striker Plate	FGP-SP-075	3" x 9"	100/box	.4
		Full Striker	FGP-SP-100	3" x 12"	50/box	.42
		6½" X 17 Striker Plate	FGP-SP-617	6½" X 17"	1 each	1.8
						•
		Floppy-fits 3/8" Cut 1 ft.	FGP-FPY-375CT	3/4"	50 box	11
		Floppy-fits 1/2" Cut 1 ft.	FGP-FPY-500CT	1"	50 box	15
Floppy Strip Wound Con- Type RW Galvanized	duit	Floppy-fits 3/4" Cut 1 ft.	FGP-FPY-750CT	11/4"	25 box	17.5
Steel		Floppy-fits 1" Cut 1 ft.	FGP-FPY-1000CT	1½"	25 box	24
		Floppy-fits 3/8"	FGP-FPY-375-50	3/4"	50 ft/coil	9
		Floppy-fits 1/2"	FGP-FPY-500-50	1"	50 ft/coil	13
Silicone Tape		Floppy-fits 3/4"	FGP-FPY-750-25	11/4"	25 ft/coil	15.5
Silicone Rubber	1	Floppy-fits 1"	FGP-FPY-1000-25	1½"	25 ft/coil	22
		Floppy-fits 11/4"	FGP-FPY-1250-25	2"	25 ft/coil	28.5
	71	Floppy-fits 1½"	FGP-FPY-1500-25	2½"	25 ft/coil	46
		Floppy-fits 2"	FGP-FPY-2000-25	3"	25 ft/coil	51
Leak Check			T	Т	1	1
	Pacpipe	Tape-Black	FGP-915-10H-12BL	1" x 12yd	Roll 12 yd	.3
	aurio		T	T	ı	1
		Non-Corrosive leak check solution	FGP-LCS	1 Quart	12/case	2.3



TracPipe® PS-II Underground Gas Piping

TracPipe® PS-II Underground Gas Piping PATENTED - Improved

Now available! *TracPipe PS-II* is a pre-sleeved gas installation system for underground, rooftop, or exterior wall applications that is more cost-effective and easier to install vs. our original *TracPipe PS* system.





Description	Part Number	Size	Reel Length	Lb./ Reel
TracPipe PS-II 3/8"	FGP-UGP-375-250	3/8"	250 ft./reel	57.5
TracPipe PS-II 1/2"	FGP-UGP-500-250	1/2"	250 ft./reel	82.5
TracPipe PS-II 1/2"	FGP-UGP-500-100	1/2"	100 ft./reel	33
TracPipe PS-II 3/4"	FGP-UGP-750-250	3/4"	250 ft./reel	107.5
TracPipe PS-II 3/4"	FGP-UGP-750-100	3/4"	100 ft./reel	43
TracPipe PS-II 1"	FGP-UGP-100-250	1"	250 ft./reel	142.5
TracPipe PS-II 1"	FGP-UGP-100-100	1"	100 ft./reel	57
TracPipe PS-II 11/4"	FGP-UGP-125-150	11/4"	150 ft./reel	137
TracPipe PS-II 1½"	FGP-UGP-150-150	1½"	150 ft./reel	150.5
TracPipe PS-II 2"	FGP-UGP-200-150	2"	150 ft./reel	220



Male Adapters



•				
Description	Part Number	Size	Pkg.Qty.	Lb.
TracPipe PS-II Male Adapter	FGP-UGF-375	3/8" NPT Male	25/box	.45
TracPipe PS-II Male Adapter	FGP-UGF-500	1/2" NPT Male	20/box	.50
TracPipe PS-II Male Adapter	FGP-UGF-750	3/4" NPT Male	16/box	.65
TracPipe PS-II Male Adapter	FGP-UGF-1000	1" NPT Male	9/box	.90
TracPipe PS-II Male Adapter	FGP-UGF-1250	1¼" NPT Male	9/box	1.60
TracPipe PS-II Male Adapter	FGP-UGF-1500	1½" NPT Male	9/box	2.65
TracPipe PS-II Male Adapter	FGP-UGF-2000	2" NPT Male	5/box	4.30
Couplings				



Male Adapter

Couplings						
TracPipe PS-II Coupling	FGP-UGC-375	3/8" T/P Coupling	25/box	.65		
TracPipe PS-II Coupling	FGP-UGC-500	1/2" T/P Coupling	20/box	.70		
TracPipe PS-II Coupling	FGP-UGC-750	3/4" T/P Coupling	16/box	1.05		
TracPipe PS-II Coupling	FGP-UGC-1000	1" T/P Coupling	9/box	1.40		
TracPipe PS-II Coupling	FGP-UGC-1250	11/4" T/P Coupling	9/box	2.50		
TracPipe PS-II Coupling	FGP-UGC-1500	1½" T/P Coupling	8/box	4.25		
TracPipe PS-II Coupling	FGP-UGC-2000	2" T/P Coupling	5/box	6.90		







Flexible Gas Piping by OmegaFlex.

PATENTED

OMEGA FLEX, INC. LIMITED WARRANTY

Omega Flex. Inc. (The "Manufacturer") warrants to the original owner at the original installation site that the TracPipe®CounterStrike® flexible gas piping system (the "Product") will be free from defects in material or workmanship for one year from the date of installation. If upon examination by the Manufacturer the Product is shown to have a defect in material or workmanship during the warranty period, the Manufacturer will repair or replace, at its option, that part of the Product which is shown to be defective.

THIS LIMITED WARRANTY DOES NOT APPLY:

- (a) if the Product has been subjected to misuse or neglect, has been accidentally or intentionally damaged, has not been installed, maintained or operated in accordance with the TracPipe®CounterStrike® Design and Installation Guide, or has been altered or modified in any way.
- to any expenses, including labor or material, incurred during investigation, removal or reinstallation of the defective Product or parts thereof.
- to any damage or impairment of the Product caused by any casualty, including without limitation fire, wind, floods, or acts of God.
- (e) to any workmanship of the installer of the Product.

THIS LIMITED WARRANTY IS CONDITIONAL UPON:

- shipment, to the Manufacturer, of that part of the Product thought to be defective. Goods can only be returned with prior written approval from the Manufacturer. All returns must be freight prepaid.
- determination, in the reasonable opinion of the Manufacturer, that there exists a defect in material or workmanship.

Repair or replacement of any part under this Limited Warranty shall not extend the duration of the warranty with respect to such repaired or replaced part beyond the stated warranty

TRACPIPE®COUNTERSTRIKE® FLEXIBLE GAS PIPING SYSTEM

THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, AND ALL SUCH OTHER WARRANTIES, INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED AND EXCLUDED FROM THIS LIMITED WARRANTY.

IN NO EVENT SHALL THE MANUFACTURER BE LIABLE IN ANY WAY FOR ANY CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OF ANY NATURE WHATSOEVER, OR FOR ANY AMOUNTS IN EXCESS OF THE SELLING PRICE OF THE PRODUCT OR ANY PARTS THEREOF FOUND TO BE DEFECTIVE. THIS LIMITED WARRANTY GIVES THE ORIGINAL OWNER OF THE PRODUCT SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS WHICH MAY VARY BY EACH JURISDICTION.

OmegaFlex[®]

Omega Flex, Inc. 451 Creamery Way • Exton, PA 19341-2509 1-800-671-8622 • www.omegaflex.com ISO 9001 Registered Company

FGP 745CAN 01/17





