



RED-WHITE VALVE CORP.

RWV®

Product Catalog

INDEX

Lead Free Eco-Valve

Standard Valve

not suitable for potable water service

Commercial & Industrial

Hydronics

Ball Valve

5044AB / 5049AB -----	G1
5060AB / 5063AB -----	G2
5065AB -----	G2
5544AB / 5549AB -----	G1
5544DAB / 5549DAB -----	G2
5586AB -----	G2
5592AB / 5595AB -----	G1
5592ABW / ABWNS -----	G2
5595ABW -----	G2

EzPress / EzGRIP

5020AB/ABX -----	G3
5020ABS -----	G3
5520AB / 5520ABX -----	G3
5070AB -----	G3

Pump Flange Valve

2417AB / 2419AB -----	G3
-----------------------	----

Mini Ball Valve

5081/82/83/84AB -----	G3
-----------------------	----

Butterfly Valve

938BESLAB -----	G4
938BESGAB -----	G4

Balancing Valve

9517AB / 9519AB -----	G4
9527AB / 9529AB -----	G4

PP-R & PP-RCT Valve

1500AB / 1515AB -----	G5
1501AB / 1516AB -----	G5
1501PAB / 1516PAB -----	G5

PEX (F1807) Valve

5004AB/ABW -----	G6
5006AB/ABW -----	G6
5007AB/ABW -----	G6
5008AB/ABW -----	G6

PEX (F1960) Valve

5014AB/ABW -----	G7
5015AB/ABD/ABF -----	G7
5016AB/ABW -----	G7
5017AB/ABW/SMW -----	G7
5018AB/ABW -----	G7
5019AB -----	G8

PEX Everloc+™ Valve

5414AB/ABD/ABW -----	G9
5415AB/ABD/ABW -----	G9
5416AB/ABW -----	G9
5417AB/ABW/SMW -----	G9
5418AB/ABW -----	G9
206AB / 207AB -----	G10
267AB / 268AB -----	G10
267/268ABCH -----	G10

Actuated Ball Valve

5930 -----	R4
------------	----

Mini Ball Valve

5081/82/83/84 -----	R4
---------------------	----

Accessories

Acce. -----	R14
-------------	-----

Gate Valve

206AB / 207AB -----	G10
267AB / 268AB -----	G10
267/268ABCH -----	G10

Strainer

380AB / 387AB -----	G10
---------------------	-----

Check Valve

232AB / 233AB -----	G11
236AB / 237AB -----	G11
246AB / 247AB -----	G11

Dielectric Union

1900AB -----	G11
--------------	-----

Tankless WH Valve

3400RAB / TAB -----	G12
3420RAB / TAB -----	G12
3430RAB / TAB -----	G12

Plumbing Valve

RW-315AB -----	G14
RW-315ABBLUE -----	G14
RW-316AB -----	G14
RW-320AB -----	G14
RW-301AB -----	G14
RW-504AB / RW-505AB -----	G14
RW-514AB / RW-516AB -----	G14
RW-213AB / RW-223AB -----	G14
RW-252AB / RW-272AB -----	G14

Accessories

Acce. -----	G15-G16
-------------	---------

Ball Valve

5042 -----	R2
5045 -----	R2
5044F / 5049F -----	R1
5060 / 5063 -----	R2
5065 -----	R2
5080B / 5080BSS -----	R1
5090 -----	R2
5544S -----	R1
5581 -----	R3
5586 -----	R3
5592F / 5595F -----	R1

EzPress / EzGRIP

250 -----	R3
5020 / 5023 -----	R3
5024 -----	R3
5029 -----	R3
5070 -----	R3

Pump Flange Valve

2412 / 2415 / 2422F -----	R4
2417 / 2419 -----	R4
2420F -----	R4

Actuated Ball Valve

5930 -----	R4
------------	----

Mini Ball Valve

5081/82/83/84 -----	R4
---------------------	----

Accessories

Acce. -----	R14
-------------	-----

CSA Gas Ball Valve

5100 -----	R5
5200 / 5200T / 5200S -----	R5
5210/11/12/21 -----	R5
5231 -----	R5
5241 -----	R5

Gate Valve

204A -----	R8
207 -----	R8
208A -----	R7
208B -----	R7
206F / 207F -----	R6
267 / 268 -----	R6
267CH -----	R6
280 -----	R8
280B -----	R7
298 -----	R8
318A -----	R8

Globe Valve

210 -----	R9
211 / 220 -----	R9
211B / 211BT -----	R7
214 -----	R9
221 -----	R9
260A -----	R9
232 / 233 -----	R10
236B / 236BT -----	R7
236F -----	R10
238 -----	R10
246 / 247 -----	R10

Strainer

380F / 387F -----	R11
-------------------	-----

Polypropylene / PVC

5071PP -----	R11
RW-302PP -----	R11
RW-302PPBLUE -----	R11
RW-305PP -----	R11
RW-272 -----	R12
RW-255 / RW-275 -----	R12
RW-301 -----	R12
RW-312 -----	R12
RW-315 -----	R12
RW-504 / RW-505 -----	R12
RW-515 -----	R12

Radiator Valve

9101F -----	R13
9103F -----	R13
9105F -----	R13
9107 -----	R13
9150F / 9153F -----	R13

Accessories

Acce. -----	R14
-------------	-----

Bronze Valve

5080B -----	S1
5080BSS -----	S1
280B -----	S1
208B -----	S1
211B / 211BT -----	S1
236B / 236BT -----	S1

Bronze Strainer

380F -----	S2
------------	----

PP-R/PP-RCT/PEX

1500AB / 1515AB -----	S2
1515AB / 1516AB -----	S2
1515PAB / 1516PAB -----	S2
5019AB -----	S2

Stainless Steel Valve

880 -----	S3
882 -----	S3
884 -----	S3
889 -----	S3
4550 -----	S3
4880 -----	S3
4660 -----	S3

Carbon Steel

7550 -----	S4
7770 -----	S4

Flange Ball Valve

5800L/G -----	S4
---------------	----

Cast Iron Valve

400 -----	S4
415 -----	S4
421 -----	S4
435 -----	S4
442 / 445 -----	S5
452 -----	S5
462 / 465 -----	S5

Cast Iron Strainer

381 / 382 -----	S5
-----------------	----

Balancing Valve

9957W -----	S6
9574P -----	S6

Butterfly Valve

937 -----	S6- S8
938 -----	S8- S10

Actuator for Butterfly Valve

Cutter -----	S10
Hovercraft -----	S10

Balancing Valve

9407 -----	B3
9450A -----	B3
9517 / 9519 -----	B2
9517AB / 9519AB -----	B1
9517IBV -----	B2
9517T-PP -----	B2
9527AB / 9529AB -----	B1
9574P -----	B2
9707R -----	B1
9707T -----	B1
9707IBV -----	B1
9907T -----	B3
9907IBV -----	B3
9957W -----	B3

Combo Strainer

92ST / 92SS / 92SP -----	B4
92ST-BY / 92SS-BY -----	B4

Union Ball Valve

92STC -----	B4
92SSC -----	B4
92SEC -----	B4

Hose & Union

92H -----	B6
92UN -----	B5
92MU -----	B5

Ball / Drain Valves

99IBV -----	B6
241DV -----	B6
9800 2 & 3 way -----	B8
5930 -----	B8

Insulation

95INSL / 99INSL -----	B6
-----------------------	----

Coil Kit

CKA -----	B7
CKS -----	B7
CKM -----	B7
CKP -----	B7
CK -----	B7

Digital Manometer

T550RWV -----	B8
---------------	----

Actuator

Vaurien I / II -----	B8
Vaurien M -----	B8

Accessories

Acce. -----	B8
-------------	----

RED-WHITE VALVE CORP.



5044AB LF Brass Full Port Ball Valve



- * 150# WSP
- * 600# WOG
- * Lead Free Brass Body
- * Threaded Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110
- * 550 PSI (1-½", 2") for UL use
- * CSA ½, 5 & 125 PSI (½" - 2")
- * FM (½" - 2"), UL (¼" - 2")
- * AB1953, NSF/ANSI 61 & 372

5049AB LF Brass Full Port Ball Valve



- * 150# WSP
- * 600# WOG
- * Lead Free Brass Body
- * Solder Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110
- * AB1953, NSF/ANSI 61 & 372

5544AB LF Brass Full Port Ball Valve



- * 150# WSP
- * 600# WOG
- * Lead Free Brass Body
- * Threaded Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * CSA ½ & 5 PSI (¼" - 3")
- * MSS-SP-110
- * FM, UL (½" - 2")
- * 500 PSI for UL use (1-½" - 2")
- * AB1953, NSF/ANSI 61 & 372

5549AB LF Brass Full Port Ball Valve



- * 150# WSP
- * 600# WOG
- * Lead Free Brass Body
- * Solder Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110
- * AB1953, NSF/ANSI 61 & 372

5592AB LF Brass Full Port Ball Valve



- * 150# WSP / 600# WOG
- * Lead Free Brass Body
- * Threaded Ends
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * CSA ½, 5 & 125 PSI (¼" - 2")
- * CSA ΔC (¼" - 2")
- * CSA ½ PSI (2½" - 3")
- * UL (¼" - 2")
- * AB1953, NSF/ANSI 61 & 372

5595AB LF Brass Full Port Ball Valve



- * 150# WSP / 600# WOG
- * Lead Free Brass Body
- * Solder Ends
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * AB1953, NSF/ANSI 61 & 372

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
----------	------	------------	--------------	-------------------	-------------

6 70779 70327 5	1/4	-	80	0.34	30
6 70779 45403 0	3/8	-	80	0.32	27
6 70779 45404 7	1/2	-	80	0.58	49
6 70779 45405 4	3/4	-	60	0.86	54
6 70779 45406 1	1	-	35	1.34	50
6 70779 45407 8	1-1/4	-	20	2.14	47
6 70779 45408 5	1-1/2	-	15	3.12	51
6 70779 45420 7	2	-	10	4.82	52
6 70779 70328 2	2-1/2	-	6	9.78	62
6 70779 70329 9	3	-	4	13.92	59
6 60779 70330 5	4	-	2	20.40	42



RED-WHITE VALVE CORP.

5544DAB LF Brass Domestic Ball Valve



- * 150# WSP
- * 600# WOG
- * Lead Free Brass Body
- * Threaded Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * CSA 1/2 & 5 PSI (1/2" - 3")
- * MSS-SP-110
- * FM UL (1/2" - 2")
- * 500 PSI for UL use (1-1/2" - 2")
- * AB1953, NSF/ANSI 61 & 372

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 42702 7	1/4	-	80	0.30	27
6 70779 42703 4	3/8	-	80	0.28	24
6 70779 42704 1	1/2	-	80	0.50	42
6 70779 42705 8	3/4	-	60	0.72	45
6 70779 42706 5	1	-	45	1.16	55
6 70779 42707 2	1-1/4	-	30	1.74	56
6 70779 42708 9	1-1/2	-	24	2.64	67
6 70779 42720 1	2	-	15	3.94	62
6 70779 42725 6	2-1/2	-	6	8.16	52
6 70779 42730 0	3	-	4	10.94	47
6 70779 42740 9	4	-	4	16.32	70

5549DAB LF Brass Domestic Ball Valve



- * 150# WSP
- * 600# WOG
- * Lead Free Brass Body
- * Solder Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110
- * AB1953, NSF/ANSI 61 & 372

6 70779 42604 4	1/2	-	80	0.46	39
6 70779 42605 1	3/4	-	60	0.64	41
6 70779 42606 8	1	-	45	1.00	48
6 70779 42607 5	1-1/4	-	30	1.54	49
6 70779 42608 2	1-1/2	-	24	2.30	59
6 70779 42620 4	2	-	15	3.52	56
6 70779 42625 9	2-1/2	-	6	7.40	47
6 70779 42630 3	3	-	4	10.46	45
6 70779 42640 2	4	-	2	16.76	36

5592ABW / 5592ABWNS / 5595ABW



- * 150# WSP / 600# WOG
- * Lead Free Brass Body
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * CSA 1/2, 5 & 125 PSI
- * CSA ΔC
- * UL (5592ABW)
- * AB1953, NSF/ANSI 61 & 372

5592ABW = Threaded Ends
5592ABWNS = Threaded Ends
S.S. Wing handle & Nut
5595ABW = Solder Ends

CSA=5592ABW & 5592ABWNS only

5592ABW	6 70779 70530 9	1/2	-	80	0.38	33
	6 70779 70531 6	3/4	-	60	0.54	35
	6 70779 70532 3	1	-	45	0.96	45

5592ABWNS	6 70779 71632 9	1/2	-	80	0.38	33
	6 70779 71633 6	3/4	-	60	0.54	35
	6 70779 71634 3	1	-	45	0.96	45

5595ABW	6 70779 70533 0	1/2	-	80	0.34	30
	6 70779 70534 7	3/4	-	60	0.50	32
	6 70779 70535 4	1	-	45	0.88	43

5060AB / 5063AB Full Port Ball Valve w/ Drain



- * 600# WOG
- * Lead Free Brass Body
- * Drain Port
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110
- * AB1953, NSF/ANSI 61 & 372

5060AB = Threaded Ends
5063AB = Solder Ends

5060AB	6 70779 41804 9	1/2	-	80	0.60	50
	6 70779 41805 6	3/4	-	60	0.83	52
	6 70779 41806 3	1	-	45	1.27	59

5063AB	6 70779 41704 2	1/2	-	80	0.42	36
	6 70779 41705 9	3/4	-	60	0.60	38
	6 70779 41706 6	1	-	45	1.00	47

5065AB LF Brass Full Port Ball Valve



- * 600# WOG
- * Lead Free Brass Body
- * Compression Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * O-ring Packing
- * AB1953, NSF/ANSI 61 & 372

	6 70779 43204 5	1/2	-	80	0.60	48
	6 70779 43205 2	3/4	-	60	0.82	49
	6 70779 43206 9	1	-	45	1.28	58

5586AB LF Brass Hose End Ball Valve



- * 150# WSP / 600# WOG
- * Lead Free Brass Body
- * FNPT x Hose Ends
- * Full Port
- * Drain Cap with Chain
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110
- * AB1953, NSF/ANSI 61 & 372

	6 70779 71631 2	3/4	-	60	0.64	40
--	-----------------	-----	---	----	------	----

RED-WHITE VALVE CORP.



5070AB EzGRIP LF Brass Ball Valve



- * 200# WOG
- * Lead Free Brass Body
- * Full Port
- * EzGRIP Push-Fit Ends
- * Adjustable Packing
- * Blow-Out Proof Stem
- * Works with Copper, CPVC and PEX tubing
- * Field Adjustable/Removable
- * AB1953, NSF/ANSI 61 & 372

5020AB / ABX LF Brass Crimp Full Port Ball Valve



- * 600# WOG Body
- * DZR Lead Free Brass Body
- * Dual EzPress Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110
- * 250 PSI max. end connections
- * AB1953, NSF/ANSI 61 & 372

5020ABX = 200# WOG Body
200 PSI end connections

5020ABS LF Brass Crimp Full Port Ball Valve



- * 600# WOG Body
- * DZR Lead Free Brass Body
- * Dual EzPress Ends
- * SS316 Ball & Stem
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110
- * 250 PSI max. end connections
- * AB1953, NSF/ANSI 61 & 372

5520AB / ABX LF Brass Crimp Full Port Ball Valve



- * 250# WOG Body
- * DZR Lead Free Brass Body
- * Dual EzPress Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Double O-ring Packing
- * Blow-Out Proof Stem
- * MSS-SP-110
- * 250 PSI max. end connections
- * AB1953, NSF/ANSI 61 & 372

5520ABX = 200# WOG Body
200 PSI end connections

2417AB / 2419AB LF Brass Pump Flange Ball Valve



- * 600# WOG
- * 3-Piece Lead Free Brass Construction
- * Rotating Flange Design
- * FNPT X Flange
- * Full Port
- * 1/4 Turn Ball Valve Design
- * Includes Bolt kit
- * Includes Wing handle
- * AB1953, NSF/ANSI 61 & 372

2417AB = FNPT x Flange
2419AB = Solder x Flange

5081/82/83/84AB LF Brass Mini Ball Valve



- * 150# WSP
- * 600# WOG
- * FNPT x MNPT
- * FNPT x FNPT (5084AB)
- * Full Port Forged Brass
- * Virgin PTFE Seats
- * Chrome Plated Ball
- * FPM O-ring Packing
- * Blow-Out Proof Stem
- * ANSI Z21.15/CGA-9.1
- * AB1953, NSF/ANSI 61 & 372

5084AB

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 43104 8	1/2	-	80	0.48	41
6 70779 43105 5	3/4	-	60	0.68	44
6 70779 43106 2	1	-	45	1.12	54



See page G14 for Disassembly Tool

Disassembly Tool

5020AB

6 70779 43904 4	1/2	-	50	0.48	26
6 70779 43905 1	3/4	-	50	0.70	37
6 70779 43906 8	1	-	40	1.26	54
6 70779 43907 5	1-1/4	-	35	1.64	60
6 70779 43908 2	1-1/2	-	20	2.54	54
6 70779 43920 4	2	-	12	3.74	48

5020ABX (XLC configuration)

6 70779 70324 4	2-1/2	-	4	8.62	37
6 70779 70325 1	3	-	2	11.84	26
6 70779 70326 8	4	-	1	17.58	20

6 70779 70836 2	1/2	-	50	0.56	30
6 70779 70837 9	3/4	-	50	0.82	44
6 70779 70838 6	1	-	50	1.22	53

5520AB

6 70779 71468 4	1/2	-	50	0.40	22
67 0779 71469 1	3/4	-	50	0.51	28
6 70779 71470 7	1	-	40	0.91	38
6 70779 71471 4	1-1/4	-	35	1.28	47
6 70779 71472 1	1-1/2	-	20	1.95	41
6 70779 71473 8	2	-	12	2.93	38

5520ABX (XLC configuration)

6 70779 71474 5	2-1/2	-	4	6.80	29
6 70779 71475 2	3	-	2	10.38	23
6 70779 71476 9	4	-	1	16.78	19

2417AB

6 70779 70022 9	3/4	-	24	1.44	37
6 70779 70023 6	1	-	18	1.84	36
6 70779 70024 3	1-1/4	-	12	2.18	42
6 70779 70025 0	1-1/2	-	12	2.64	34
6 70779 70026 7	2	-	8	4.00	34

2419AB

6 70779 70032 8	3/4	-	24	1.42	37
6 70779 70033 5	1	-	18	1.80	35
6 70779 70034 2	1-1/4	-	18	2.10	40
6 70779 70035 9	1-1/2	-	12	2.60	34
6 70779 70036 6	2	-	8	3.84	33

5081AB (1/8F x 1/8M)

6 70779 43001 0	1/8 x 1/8	-	80	0.18	16
-----------------	-----------	---	----	------	----

5082AB (1/4F x 1/8M)

6 70779 42902 1	1/4 x 1/8	-	80	0.16	14
-----------------	-----------	---	----	------	----

5083AB (1/4F x 1/4M)

6 70779 43301 1	1/4 x 1/4	-	80	0.18	15
-----------------	-----------	---	----	------	----

5084AB (1/4F x 1/4F)

6 70779 42802 4	1/4 x 1/4	-	80	0.16	14
-----------------	-----------	---	----	------	----



RED-WHITE VALVE CORP.

938BESLAB Butterfly Valve Lug pattern





- * 200 PSI
- * Lug Type/Lever
- * Ductile Iron Body
- * Alum. Bronze Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat
- * AB1953, NSF/ANSI 61 & 372

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 71408 0	2	-	-	10	-
6 70779 71409 7	2-1/2	-	-	12	-
6 70779 71410 3	3	-	-	12	-
6 70779 71411 0	4	-	-	18	-
6 70779 71412 7	5	-	-	22	-
6 70779 71413 4	6	-	-	26	-
6 70779 71414 1	8	-	-	42	-
6 70779 71406 6	10	-	-	64	-
6 70779 71407 3	12	-	-	101	-

938BESGAB Butterfly Valve Lug pattern





- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Lug Type/Gear
- * Ductile Iron Body
- * Alum. Bronze Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat
- * AB1953, NSF/ANSI 61 & 372

6 70779 71417 2	8	-	-	59	-
6 70779 71415 8	10	-	-	75	-
6 70779 71416 5	12	-	-	120	-

9517AB / 9519AB LF Brass Balancing Valve





- * 300# WOG
- * DZR Lead Free Brass Body
- * Fixed Orifice Design
- * Venturi Insert
- * Precision Adjustable Handwheel
- * Integral Memory Stop
- * AB1953, NSF/ANSI 61 & 372

9517AB = Threaded Ends
9519AB = Solder Ends

9517ABU = Ultra Low Flow
9517ABL = Low Flow

9519ABU = Ultra Low Flow
9519ABL = Low Flow

9517AB					
6 70779 70215 5	1/2	-	20	1.24	27
6 70779 70216 2	3/4	-	15	1.42	23
6 70779 70217 9	1	-	10	1.68	19
6 70779 70218 6	1-1/4	-	10	2.74	30
6 70779 70219 3	1-1/2	-	10	3.44	37
6 70779 70220 9	2	-	5	4.74	26
9517ABU					
6 70779 70829 4	1/2	-	20	1.24	27
9517ABL					
6 70779 70828 7	1/2	-	20	1.24	27

9519AB					
6 70779 70221 6	1/2	-	20	1.16	26
6 70779 70222 3	3/4	-	15	1.28	22
6 70779 70223 0	1	-	10	1.52	17
6 70779 70224 7	1-1/4	-	10	2.46	27
6 70779 70225 4	1-1/2	-	10	3.12	33
6 70779 70226 1	2	-	5	4.54	24
9519ABU					
6 70779 70831 7	1/2	-	20	1.16	26
9519ABL					
6 70779 70830 0	1/2	-	20	1.16	26

9527AB / 9529AB LF Brass Balancing Valve





- * 300WOG
- * Lead Free Brass Body
- * On/Off Capability
- * Integral Memory Stop
- * Ready-to-mount On/Off Wax Actuator Available (See pg B8)
- * AB1953, NSF/ANSI 61 & 372

9527AB = Threaded Ends
9529AB = Solder Ends

9527ABL = Low Flow

9527AB					
6 70779 70319 0	1/2	-	20	0.78	17
6 70779 70320 6	3/4	-	20	0.98	21
6 70779 70304 6	1	-	20	1.40	30
6 70779 71162 1	1-1/4	-	18	2.06	40
6 70779 71163 8	1-1/2	-	15	2.60	42
6 70779 71164 5	2	-	15	3.68	59
9527ABL					
6 70779 70303 9	1/2	-	20	0.78	17
9529AB					
6 70779 70321 3	1/2	-	20	0.70	16
6 70779 70322 0	3/4	-	20	0.94	21

RED-WHITE VALVE CORP.



1500AB / 1515AB PP-R80 Ball Valve





- * 300# WOG
- * PP-R80 Body
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * O-ring Packing
- * AB1953 & NSF/ANSI 372
- * NSF/ANSI 14
- * 10-year Warranty
- * IAPMO/ANSI Z1157

1500AB = Polyfusion Ends
1515AB = Polyfusion x PEX (F1960)

Accessories: See pg. G16

1501AB / 1516AB PP-RCT Ball Valve





- * 300# WOG
- * PP-RCT Body
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * O-ring Packing
- * AB1953 & NSF/ANSI 372
- * NSF/ANSI 14
- * 10-year Warranty
- * IAPMO/ANSI Z1157

1501AB = Polyfusion Ends
1516AB = Polyfusion x PEX (F1960)

Accessories: See pg. G16

1501PAB / 1516PAB PP-RCT Ball Valve





- * 300# WOG
- * PP-RCT Body
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * O-ring Packing
- * AB1953 & NSF/ANSI 372
- * NSF/ANSI 14
- * 10-year Warranty
- * IAPMO/ANSI Z1157

1501PAB = Polyfusion Ends
1516PAB = Polyfusion x PEX (F1960)

Accessories: See pg. G16

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
1500AB					
6 70779 70951 2	1/2	-	40	0.30	14
6 70779 70952 9	3/4	-	35	0.32	13
6 70779 70953 6	1	-	25	0.46	13
6 70779 70954 3	1-1/4	-	15	0.80	13
6 70779 70955 0	1-1/2	-	5	1.14	7
6 70779 70956 7	2	-	5	2.06	12
1515AB					
6 70779 71034 1	1/2	-	30	0.40	13
6 70779 71035 8	3/4	-	25	0.48	13
6 70779 71036 5	1	-	20	0.70	15

1501AB					
6 70779 71292 5	1/2	-	40	0.25	14
6 70779 71293 2	3/4	-	35	0.33	13
6 70779 71294 9	1	-	25	0.42	13
6 70779 71295 6	1-1/4	-	15	0.77	13
6 70779 71296 3	1-1/2	-	5	1.12	7
6 70779 71297 0	2	-	5	2.06	12
6 70779 71639 8	2-1/2	-	4	3.10	14
6 70779 71655 8	3	-	2	4.80	11
1516AB					
6 70779 71299 4	1/2	-	30	0.40	13
6 70779 71300 7	3/4	-	25	0.48	13
6 70779 71301 4	1	-	20	0.70	15

1501PAB					
6 70779 71292 5	1/2	-	40	0.25	14
6 70779 71293 2	3/4	-	35	0.33	13
6 70779 71294 9	1	-	25	0.42	13
6 70779 71295 6	1-1/4	-	15	0.77	13
6 70779 71296 3	1-1/2	-	5	1.12	7
6 70779 71297 0	2	-	5	2.06	12
6 70779 71639 8	2-1/2	-	4	3.10	14
6 70779 71655 8	3	-	2	4.80	11
1516PAB					
6 70779 71299 4	1/2	-	30	0.40	13
6 70779 71300 7	3/4	-	25	0.48	13
6 70779 71301 4	1	-	20	0.70	15



RED-WHITE VALVE CORP.

5004AB / ABW PEX (F1807) Transition Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1807) x EzPress
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1807
- * AB1953, NSF/ANSI 61 & 372

5006AB / ABW PEX (F1807) Transition Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1807) x MNPT
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1807
- * AB1953, NSF/ANSI 61 & 372

5007AB / ABW PEX (F1807) Transition Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1807) x Solder
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1807
- * AB1953, NSF/ANSI 61 & 372

5008AB / ABW PEX (F1807) Transition Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1807) x FNPT
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1807
- * AB1953, NSF/ANSI 61 & 372

5009AB / ABD / ABF / ABW / ABDF PEX (F1807) Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1807) x Barb (F1807)
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1807
- * AB1953, NSF/ANSI 61 & 372

Accessories: See pg. G16

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
5004AB					
6 70779 72128 6	1/2	-	80		25
6 70779 72129 3	3/4	-	60		28
6 70779 72130 9	1	-	45		32
5004ABW					
6 70779 72131 6	1/2	-	80		23
6 70779 72132 3	3/4	-	60		26
6 70779 72133 0	1	-	45		30
5006AB					
6 70779 71167 6	1/2	-	80	0.28	25
6 70779 71168 3	3/4	-	60	0.42	28
6 70779 71169 0	1	-	45	0.64	32
5006ABW					
6 70779 71170 6	1/2	-	80	0.26	23
6 70779 71171 3	3/4	-	60	0.38	26
6 70779 71172 0	1	-	45	0.62	30
5007AB					
6 70779 71106 5	1/2	-	80	0.24	22
6 70779 71107 2	3/4	-	60	0.40	26
6 70779 71108 9	1	-	45	0.56	27
5007ABW					
6 70779 71450 9	1/2	-	80	0.22	20
6 70779 71451 6	3/4	-	60	0.36	24
6 70779 71452 3	1	-	45	0.50	25
5008AB					
6 70779 70967 3	1/2	-	80	0.28	24
6 70779 70968 0	3/4	-	60	0.42	27
6 70779 70969 7	1	-	45	0.58	28
5008ABW					
6 70779 70996 3	1/2	-	80	0.24	22
6 70779 70997 0	3/4	-	60	0.38	25
6 70779 70998 7	1	-	45	0.56	27
5009AB					
6 70779 70232 2	1/2	-	80	0.24	21
6 70779 70233 9	3/4	-	60	0.36	24
6 70779 70234 6	1	-	45	0.52	25
5009ABD					
6 70779 70985 7	1/2	-	80	0.28	26
6 70779 70986 4	3/4	-	60	0.42	28
6 70779 70987 1	1	-	45	0.60	29
5009ABF					
6 70779 70979 6	1/2	-	80	0.32	27
6 70779 70980 2	3/4	-	60	0.46	29
6 70779 70981 9	1	-	45	0.60	29
5009ABW					
6 70779 70839 3	1/2	-	80	0.22	19
6 70779 70840 9	3/4	-	60	0.34	22
6 70779 70841 6	1	-	40	0.48	23
5009ABDF					
6 70779 72193 4	1/2	-	80	0.37	31
6 70779 72194 1	3/4	-	60	0.50	32
6 70779 92195 8	1	-	40	0.71	30

RED-WHITE VALVE CORP.



5014AB / ABW PEX (F1960) Transition Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1960) x EzPress
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1960
- * AB1953, NSF/ANSI 61 & 372

5015AB / ABD / ABF / ABW / ABDF PEX (F1960) Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1960) x Barb (F1960)
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1960
- * AB1953, NSF/ANSI 61 & 372

Accessories: See pg. G16

5016AB / ABW PEX (F1960) Transition Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1960) x FNPT
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1960
- * AB1953, NSF/ANSI 61 & 372

5017AB / ABW / SMW PEX (F1960) Transition Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1960) x Solder
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14 (AB & ABW only)
- * ASTM-F1960
- * AB1953, NSF/ANSI 61 & 372

5018AB / ABW PEX (F1960) Transition Ball Valve





- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1960) x MNPT
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1960
- * AB1953, NSF/ANSI 61 & 372

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
5014AB					
6 70779 72122 4	1/2	-	80	0.26	
6 70779 72123 1	3/4	-	60	0.49	
6 70779 72124 8	1	-	45	0.75	
5014ABW					
6 70779 72125 5	1/2	-	80	0.23	
6 70779 72126 2	3/4	-	60	0.45	
6 70779 72127 9	1	-	45	0.72	
5015AB					
6 70779 70312 1	1/2	-	80	0.28	23
6 70779 70313 8	5/8	-	60	0.43	28
6 70779 70314 5	3/4	-	60	0.44	28
6 70779 70315 2	1	-	45	0.68	32
6 70779 70316 9	1-1/4	-	30	1.16	37
6 70779 70317 6	1-1/2	-	24	1.62	41
6 70779 70318 3	2	-	15	2.78	44
6 70779 71157 7	2-1/2	-	8	5.08	42
6 70779 71158 4	3	-	4	8.92	38
5015ABD					
6 70779 70982 6	1/2	-	80	0.32	27
6 70779 70983 3	3/4	-	60	0.50	32
6 70779 70984 0	1	-	45	0.72	34
5015ABF					
6 70779 71111 9	1/2	-	80	0.36	30
6 70779 71112 6	3/4	-	60	0.52	34
6 70779 71113 3	1	-	45	0.74	36
5015ABW					
6 70779 71002 0	1/2	-	80	0.24	21
6 70779 71003 7	3/4	-	60	0.42	26
6 70779 71004 4	1	-	45	0.62	29
5015ABDF					
6 70779 71102 7	1/2	-	80	0.40	34
6 70779 71103 4	3/4	-	60	0.60	37
67 0779 71104 1	1	-	45	0.82	38
5016AB					
6 70779 70973 4	1/2	-	80	0.28	26
6 70779 70974 1	3/4	-	60	0.46	29
6 70779 70975 8	1	-	45	0.64	32
5016ABW					
6 70779 71008 2	1/2	-	80	0.26	21
6 70779 71009 9	3/4	-	60	0.41	25
6 70779 71010 5	1	-	45	0.62	28
5017AB					
6 70779 70976 5	1/2	-	80	0.26	22
6 70779 70977 2	3/4	-	60	0.44	28
6 70779 70978 9	1	-	45	0.60	29
5017ABW					
6 70779 71011 2	1/2	-	80	0.22	20
6 70779 71012 9	3/4	-	60	0.40	26
6 70779 71013 6	1	-	45	0.58	29
5017SMW (Snow Melt)					
6 70779 71477 6	5/8	-	60	0.43	24
5018AB					
6 70779 70970 3	1/2	-	80	0.30	26
6 70779 70971 0	3/4	-	60	0.46	29
6 70779 70972 7	1	-	45	0.72	34
5018ABW					
6 70779 71014 3	1/2	-	80	0.28	24
6 70779 71015 0	3/4	-	60	0.42	28
6 70779 71016 7	1	-	45	0.62	28



RED-WHITE VALVE CORP.

5019AB PEX (F1960) x Flange Ball Valve



- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1960) x Flange
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1960
- * AB1953, NSF/ANSI 61 & 372

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 71159 1	2-1/2	-	3	11.84	36
6 70779 71160 7	3	-	3	16.08	50

RW-316AB PEX (F1807) Ball Valve Hose Bibb



- * 125# CWP
- * Lead Free Brass Body
- * Virgin PTFE Seats
- * Barb (F1807) x Hose
- * No Kink Spout
- * Double NBR O-Ring Packing
- * AB1953, NSF/ANSI 61 & 372

6 70779 71203 1	1/2	-	80	0.38	33
6 70779 71204 8	3/4	-	60	0.39	26

RW-516AB PEX (F1807) Ball Valve Hose Bibb



- * 125# CWP
- * Lead Free Brass Body
- * Virgin PTFE Seats
- * Barb (F1807) x Hose
- * No Kink Spout
- * Double NBR O-Ring Packing
- * AB1953, NSF/ANSI 61 & 372

6 70779 71205 5	1/2	12	48	0.23	13
6 70779 71206 2	3/4	12	48	0.26	15

RED-WHITE VALVE CORP.



5415AB / ABD / ABW PEX (EVERLOC+™) Ball Valve



- * 400# WOG
- * DZR Lead Free Brass Body
- * Full port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (Everloc+) x Barb (Everloc+)
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14
- * AB1953, NSF/ANSI 61 & 372

Accessories: See pg. G16

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 71810 1	1/2	-	80	0.2	23
6 70779 71811 8	3/4	-	60	0.54	28
6 70779 71812 5	1	-	45	0.83	32
6 70779 71813 2	1-1/4	-	30	1.27	37
6 70779 71814 9	1-1/2	-	20	1.84	38
6 70779 71815 6	2	-	15	3.30	51

5415ABD

6 70779 72116 3	1/2	-	80		
6 70779 72117 0	3/4	-	60		
6 70779 72118 7	1	-	45		

5415ABW

6 70779 71816 3	1/2	-	80	0.29	23
6 70779 71817 0	3/4	-	60	0.54	28
6 70779 71818 7	1	-	45	0.83	32
6 70779 71819 4	1-1/4	-	30	1.27	37
6 70779 71820 0	1-1/2	-	20	1.84	38
6 70779 71821 7	2	-	15	3.30	51

5415ABDW

6 70779 72119 4	1/2	-	80		
6 70779 72120 0	3/4	-	60		
6 70779 72121 7	1	-	45		

5414AB / 5414ABW PEX (EVERLOC+™) Transition Ball Valve



- * 400# WOG
- * DZR Lead Free Brass Body
- * Full port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (Everloc+) x EzPress
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14
- * AB1953, NSF/ANSI 61 & 372

5414AB

6 70779 72134 7	1/2	-	80	0.27	
6 70779 72135 4	3/4	-	60	0.51	
6 70779 72136 1	1	-	45	0.79	

5414ABW

6 70779 72137 8	1/2	-	80	0.24	
6 70779 72138 5	3/4	-	60	0.47	
6 70779 72139 2	1	-	45	0.75	

5416AB / 5416ABW PEX (EVERLOC+™) Transition Ball Valve



- * 400# WOG
- * DZR Lead Free Brass Body
- * Full port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (Everloc+) x FNPT
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14
- * AB1953, NSF/ANSI 61 & 372

5416AB

6 70779 72140 8	1/2	-	80	0.30	
6 70779 72141 5	3/4	-	60	0.52	
6 70779 72142 2	1	-	45	0.79	

5416ABW

6 70779 72143 9	1/2	-	80	0.27	
6 70779 72144 6	3/4	-	60	0.49	
6 70779 72145 3	1	-	45	0.75	

5417AB / 5417ABW PEX (EVERLOC+™) Transition Ball Valve



- * 400# WOG
- * DZR Lead Free Brass Body
- * Full port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (Everloc+) x Solder
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14
- * AB1953, NSF/ANSI 61 & 372

5417AB

6 70779 72146 0	1/2	-	80	0.27	
6 70779 72147 7	3/4	-	60	0.50	
6 70779 72148 4	1	-	45	0.74	

5417ABW

6 70779 72149 1	1/2	-	80	0.22	
6 70779 72150 7	3/4	-	60	0.46	
6 70779 72151 4	1	-	45	0.70	

5418AB / 5418ABW PEX (EVERLOC+™) Transition Ball Valve



- * 400# WOG
- * DZR Lead Free Brass Body
- * Full port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (Everloc+) x MNPT
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14
- * AB1953, NSF/ANSI 61 & 372

5418AB

6 70779 72152 1	1/2	-	80	0.31	
6 70779 72153 8	3/4	-	60	0.53	
6 70779 72154 5	1	-	45	0.86	

5418ABW

6 70779 72155 2	1/2	-	80	0.28	
6 70779 72156 9	3/4	-	60	0.50	
6 70779 72157 6	1	-	45	0.83	



RED-WHITE VALVE CORP.

206AB / 207AB LF Brass Gate Valve



- * 125# WSP
- * 200# WOG
- * Lead Free Brass Body
- * Screw In Bonnet
- * Non-Rising Stem
- * Solid Wedge Disc
- * AB1953, NSF/ANSI 61 & 372

206AB = Threaded Ends
207AB = Solder Ends

Cross Handle Option Available. See pg. G16
- 206ABCH
- 207ABCH

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
206AB					
6 70779 20604 2	1/2	-	50	0.54	29
6 70779 20605 9	3/4	-	50	0.80	42
6 70779 20606 6	1	-	20	1.18	26
6 70779 20607 3	1-1/4	-	20	1.80	38
6 70779 20608 0	1-1/2	-	15	2.40	38
6 70779 20620 2	2	-	10	3.96	42
6 70779 20625 7	2-1/2	-	6	6.80	44
6 70779 20630 1	3	-	4	8.66	37
6 70779 20640 0	4	-	1	15.52	17
207AB					
6 70779 20704 9	1/2	-	50	0.44	24
6 70779 20705 6	3/4	-	50	0.74	40
6 70779 20706 3	1	-	20	1.08	24
6 70779 20707 0	1-1/4	-	20	1.60	35
6 70779 20708 7	1-1/2	-	15	2.24	35
6 70779 20720 9	2	-	10	4.18	44

267AB / 268AB LF Brass Gate Valve



- * 200#WOG
- * Lead Free Brass Body
- * Screw in Bonnet
- * Non-rising stem
- * Solid Wedge Disc
- * AB1953, NSF/ANSI 61 & 372

267AB = Threaded Ends
268AB = Solder Ends

267AB					
6 70779 25904 8	1/2	-	50	0.46	24
6 70779 25905 5	3/4	-	50	0.62	32
6 70779 25906 2	1	-	20	0.84	18
6 70779 25907 9	1-1/4	-	20	1.44	30
6 70779 25908 6	1-1/2	-	15	1.74	28
6 70779 25920 8	2	-	10	2.70	28
268AB					
6 70779 25804 1	1/2	-	50	0.36	20
6 70779 25805 8	3/4	-	50	0.56	29
6 70779 25806 5	1	-	20	0.74	16
6 70779 25807 2	1-1/4	-	20	1.36	29
6 70779 25808 9	1-1/2	-	15	1.64	26
6 70779 25820 1	2	-	10	2.52	27

267ABCH / 268ABCH LF Brass Gate Valve



- * 200#WOG
- * Brass Body
- * Screw in Bonnet
- * Non-rising stem
- * Solid Wedge Disc
- * AB1953, NSF/ANSI 61 & 372
- * Cross Handle

267ABCH = Threaded Ends
268ABCH = Solder Ends

267ABCH					
	1/2	-	50	0.46	24
	3/4	-	50	0.62	32
	1	-	20	0.84	18
	1-1/4	-	20	1.44	30
	1-1/2	-	15	1.74	28
	2	-	10	2.70	28
268ABCH					
	1/2	-	50	0.36	20
	3/4	-	50	0.56	29
	1	-	20	0.74	16
	1-1/4	-	20	1.36	29
	1-1/2	-	15	1.64	26
	2	-	10	2.52	27

380AB / 387AB LF Brass Wye Strainer



- * 125# WSP / 200# WOG
- * Lead Free Brass Body
- * SS 20 Mesh Screen
- * With "clean out" tap & plug
- * AB1953, NSF/ANSI 61 & 372

380AB = Threaded Ends
387AB = Solder Ends

380AB					
6 70779 70914 7	1/2	-	80	0.42	37
6 70779 70915 4	3/4	-	48	0.62	32
6 70779 70916 1	1	-	36	0.90	34
6 70779 70917 8	1-1/4	-	24	1.26	32
6 70779 70918 5	1-1/2	-	8	1.86	16
6 70779 70919 2	2	-	8	2.54	22
387AB					
6 70779 70920 8	1/2	-	80	0.40	33
6 70779 70921 5	3/4	-	48	0.54	28
6 70779 70922 2	1	-	36	0.78	61
6 70779 70923 9	1-1/4	-	24	1.34	33
6 70779 70924 6	1-1/2	-	8	1.82	16
6 70779 70925 3	2	-	8	2.56	22

RED-WHITE VALVE CORP.



232AB / 233AB LF Brass In-line Check Valve



- * 200# WOG
- * Lead Free Forged Brass Body
- * Spring Loaded (SS304 spring)
- * Horizontal or Vertical
- * Low Noise Operation
- * AB1953, NSF/ANSI 61 & 372

232AB = Threaded Ends
NBR Seat
Plastic Disc (POM)
233AB = Solder Ends
FPM Seat
Brass Disc

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
232AB					
6 70779 21504 4	1/2	-	180	0.26	48
6 70779 21505 1	3/4	-	72	0.36	27
6 70779 21506 8	1	-	72	0.56	42
6 70779 21507 5	1-1/4	-	48	0.82	42
6 70779 21508 2	1-1/2	-	24	1.10	28
6 70779 21520 4	2	-	12	1.62	21
233AB					
6 70779 20504 5	1/2	-	180	0.28	54
6 70779 20505 2	3/4	-	72	0.42	32
6 70779 20506 9	1	-	72	0.66	50
6 70779 20507 6	1-1/4	-	48	1.04	53
6 70779 20508 3	1-1/2	-	24	1.28	32
6 70779 20520 5	2	-	12	1.98	25

236AB / 237AB LF Brass Swing Check Valve



- * 125# WSP
- * 200# WOG
- * Lead Free Brass Body
- * Swing Check
- * "Y" Pattern
- * Brass Disc
- * MSS-SP-80
- * AB1953, NSF/ANSI 61 & 372

236AB = Threaded Ends
237AB = Solder Ends

236AB					
6 70779 22404 6	1/2	-	80	0.56	47
6 70779 22405 3	3/4	-	60	0.86	55
6 70779 22406 0	1	-	30	1.28	41
6 70779 22407 7	1-1/4	-	24	2.06	52
6 70779 22408 4	1-1/2	-	18	2.84	542
6 70779 22420 6	2	-	10	4.46	48
237AB					
6 70779 22204 2	1/2	-	80	0.54	44
6 70779 22205 9	3/4	-	60	0.86	54
6 70779 22206 6	1	-	30	1.28	41
6 70779 22207 3	1-1/4	-	24	1.98	50
6 70779 22208 0	1-1/2	-	18	2.76	52
6 70779 22220 2	2	-	10	4.60	49

246AB / 247AB LF Brass Swing Check Valve



- * 200# WOG
- * Lead Free Brass Body
- * Threaded Ends
- * Horizontal "T" pattern
- * AB1953, NSF/ANSI 61 & 372

246AB = Threaded Ends
247AB = Solder Ends

246AB					
6 70779 70926 0	1/4	10	120	0.34	43
6 70779 70927 7	3/8	10	120	0.36	45
6 70779 24504 1	1/2	12	120	0.38	49
6 70779 24505 8	3/4	10	80	0.56	48
6 70779 24506 5	1	5	60	0.88	54
6 70779 24507 2	1-1/4	5	40	1.38	56
6 70779 24508 9	1-1/2	5	30	1.82	58
6 70779 24520 1	2	2	24	2.50	64
6 70779 70527 9	2-1/2	2	12	4.90	63
6 70779 70528 6	3	1	8	7.44	62
6 70779 70529 3	4	1	4	11.12	47

247AB					
6 70779 24404 4	1/2	12	120	0.34	43
6 70779 24405 1	3/4	10	80	0.58	49
6 70779 24406 8	1	5	60	0.78	50
6 70779 24407 5	1-1/4	5	40	1.22	53
6 70779 24408 2	1-1/2	5	30	1.82	58
6 70779 24420 4	2	2	24	2.62	67
6 70779 70832 4	2-1/2	2	15	4.72	74
6 70779 70833 1	3	1	6	7.00	44
6 70779 70834 8	4	1	4	11.72	51

1900AB LF Dielectric Union



- * Female NPT x Copper
- * Forged Steel
- * Lead Free Brass Tailpiece
- * ANSI B16.39
- * EPDM Seals
- * AB1953, NSF/ANSI 61 & 372

6 70779 70618 4	1/2	12	144	0.32	51
6 70779 70619 1	3/4	12	144	0.42	66
6 70779 70620 7	1	12	120	0.54	71
6 70779 70621 4	1-1/4	6	48	0.84	41
6 70779 70622 1	1-1/2	6	48	1.26	66
6 70779 706238	2	6	24	2.08	55



RED-WHITE VALVE CORP.

3400AB LF Tankless Water Heater Valve Kit



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * FNPT x Solder
- * Integral base drain
- * Purge Port w/Cap
- * Integral relief valve
- RAB: 200K BTU/HR relief
- TAB: 2.7M BTU/HR relief
- * AB1953, NSF/ANSI 61 & 372

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
3400RAB Install Kit					
6 70779 32605 4	3/4	-	9	4.04	39
6 70779 72235 1	1	-	5		
3400TAB Install Kit					
6 70779 32405 0	3/4	-	9	4.84	46
6 70779 32406 7	1	-	5	5.18	28

* Kit includes (1) Hot Valve, (1) Cold Valve and (1) Pressure Relief Valve

3420AB LF Tankless Water Heater Valve Kit



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * FNPT x FNPT
- * Integral base drain
- * Purge Port w/Cap
- * Integral relief valve
- RAB: 200K BTU/HR relief
- TAB: 2.7M BTU/HR relief
- * AB1953, NSF/ANSI 61 & 372

3420RAB Install Kit					
6 70779 32205 6	3/4	-	9	4.02	39
6 70779 72236 8	1	-	5		
3420TAB Install Kit					
6 70779 32105 9	3/4	-	9	4.82	46
6 70779 32106 6	1	-	5	5.24	29

* Kit includes (1) Hot Valve, (1) Cold Valve and (1) Pressure Relief Valve

3430AB LF EzPress Tankless Water Heater Valve Kit



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * FNPT x EzPress
- * Integral base drain
- * Purge Port w/Cap
- * Integral relief valve
- RAB: 200K BTU/HR relief
- TAB: 2.7M BTU/HR relief
- * AB1953, NSF/ANSI 61 & 372

3430RAB Install Kit					
6 70779 71639 8	3/4	-	9	4.04	39
6 70779 72237 5	1	-	5	4.70	
3430TAB Install Kit					
6 70779 72049 4	1	-	5	4.84	46

* Kit includes (1) Hot Valve, (1) Cold Valve and (1) Pressure Relief Valve

3450RAB LF EzGRIP Tankless Water Heater Valve Kit



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * FNPT x EzGrip
- * Integral base drain
- * Purge Port w/Cap
- * Integral relief valve
- 200K BTU/HR relief
- * AB1953, NSF/ANSI 61 & 372

6 70779 25405 0	3/4	-	9	4.18	40
-----------------	-----	---	---	------	----

* Kit includes (1) Hot Valve, (1) Cold Valve and (1) Pressure Relief Valve



See page G14 for Disassembly Tool

Tankless Contractor Kits w/ GAS Accessories



- Kit includes:
- (1) 3400RAB, 3420RAB or 3430RAB Kit
- (1) Gas Valve
- 600# WOG
 - Threaded Ends
 - CSA certified 1/2psig
- (1) Flexible Gas Connector
- 1" O.D. (3/4" I.D.) Tube size
 - Yellow polymer coated S.S.
 - 3/4" MIP x 3/4" FIP
 - CSA certified indoor/outdoor use
 - 12", 18" or 24"

350R2-12 (Solder)					
6 70779 71302 1	12"				
350R2-18 (Solder)					
6 70779 71272 7	18"				
350R2-24 (Solder)					
6 70779 71273 4	24"				
352R2-12 (FNPT)					
6 70779 71303 8	12"				
352R2-18 (FNPT)					
6 70779 71274 1	18"				
352R2-24 (FNPT)					
6 70779 71275 8	24"				
353R2-12 (EzPress)					
6 70779	12"				
353R2-18 (EzPress)					
6 70779	18"				
353R2-24 (EzPress)					
6 70779	24"				

RED-WHITE VALVE CORP.



3401AB LF Tankless Water Heater Valve (Hot)



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * Integral base drain
- * Purge Port w/Cap
- * AB1953, NSF/ANSI 61 & 372
- * FNPT x Solder

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 31005 3	3/4	-			
6 70779 31006 0	1	-			

3402AB LF Tankless Water Heater Valve (Cold)



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * Integral base drain
- * Purge Port w/Cap
- * AB1953, NSF/ANSI 61 & 372
- * FNPT x Solder

6 70779 30905 7	3/4	-			
6 70779 30906 4	1	-			

3421AB LF Tankless Water Heater Valve (Hot)



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * Integral base drain
- * Purge Port w/Cap
- * AB1953, NSF/ANSI 61 & 372
- * FNPT x FNPT

6 70779 30605 6	3/4	-			
6 70779 30606 3	1	-			

3422AB LF Tankless Water Heater Valve (Cold)



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * Integral base drain
- * Purge Port w/Cap
- * AB1953, NSF/ANSI 61 & 372
- * FNPT x FNPT

6 70779 30405 2	3/4	-			
6 70779 30406 9	1	-			

3431AB LF EzPress Tankless Water Heater Valve (Hot)



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * Integral base drain
- * Purge Port w/Cap
- * FNPT x EzPress
- * AB1953, NSF/ANSI 61 & 372

6 70779 71640 4	3/4	-			
-----------------	-----	---	--	--	--

3432AB LF EzPress Tankless Water Heater Valve (Cold)



- * 600# WOG
- * Full Port
- * Virgin PTFE Seats
- * Integral base drain
- * Purge Port w/Cap
- * FNPT x EzPress
- * AB1953, NSF/ANSI 61 & 372

6 70779 71641 1	3/4	-			
-----------------	-----	---	--	--	--



RW-315AB / RW-315ABBLUE LF Hose Bibb



- * 125# CWP
- * Lead Free Brass Body
- * Virgin PTFE Seats
- * Male Thread x Hose (1/2" size also accepts copper pipe for solder joint)
- * No Kink Spout
- * Double NBR O-Ring Packing
- * AB1953, NSF/ANSI 61 & 372

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
RW-315AB					
6 70779 31304 7	1/2	-	80	0.40	39
6 70779 31305 4	3/4	-	60	0.44	35

RW-315ABBLUE					
6 70779 71591 9	1/2	-	80	0.40	39
6 70779 71592 6	3/4	-	60	0.44	35

RW-316AB LF Brass PEX Hose Bibb



- * 125# CWP
- * Lead Free Brass Body
- * Virgin PTFE Seats
- * PEX (F1807) x Hose
- * No Kink Spout
- * Double NBR O-Ring Packing
- * AB1953, NSF/ANSI 61 & 372

6 70779 71203 1	1/2	-	80	0.38	33
6 70779 71204 8	3/4	-	60	0.39	26

RW-320AB LF Brass EzPress Hose Bibb



- * 125# CWP
- * Lead Free Brass Body
- * Virgin PTFE Seats
- * EzPress x Hose
- * No Kink Spout
- * Double NBR O-Ring Packing
- * AB1953, NSF/ANSI 61 & 372

6 70779 71466 0	1/2	-	80	0.40	
6 70779 71467 7	3/4	-	50	0.36	

RW-301AB LF Brass Hose Bibb



- * 125# CWP
- * Lead Free Brass Body
- * End Connection: Male Thd. x Hose
- * CxC = 1/2" size only
- * AB1953, NSF/ANSI 61 & 372

6 70779 70912 3	1/2	-	48	0.36	17
6 70779 70913 0	3/4	-	48	0.38	18

RW-514AB / RW-516AB LF Brass PEX Ball Valve Boiler Drain



- * 125# CWP
- * Lead Free Brass Body
- * Virgin PTFE Seats
- * No Kink Spout
- * Double NBR O-Ring Packing
- * AB1953, NSF/ANSI 61 & 372

RW-514AB = Male Thd. x Hose (1/2" size also accepts copper pipe for solder joint)

RW-516AB = PEX (F1807) x Hose

6 70779 72215 3	1/2	12	48		
6 70779 72216 0	3/4	12	48		

RW-516AB					
6 70779 71205 5	1/2	12	48	0.23	13
6 70779 71206 2	3/4	12	48	0.26	15

RW-504AB / RW-505AB LF Brass Boiler Drain



- * 125# CWP
- * Lead Free Brass Body
- * Male Thd. x Hose
- * AB1953, NSF/ANSI 61 & 372

RW-504AB = Male Thd. x Hose (1/2" size also accepts copper pipe for solder joint)

RW-505AB = Female x Hose

6 70779 70902 4	1/2	12	48	0.44	23
6 70779 70903 1	3/4	12	48	0.46	24

RW-505AB					
6 70779 70904 8	1/2	12	48	0.42	22
6 70779 70905 5	3/4	12	48	0.46	24

RW-213AB / RW-223AB LF Brass Stop Valve



- * 125# CWP
- * Lead Free Brass Body
- * Solder Ends
- * Adjustable Packing
- * Drain Plug (RW-223AB)
- * AB1953, NSF/ANSI 61 & 372

6 70779 70906 2	1/2	12	48	0.40	22
6 70779 70907 9	3/4	12	48	0.56	29

RW-223AB					
6 70779 70900 0	1/2	12	48	0.44	23
6 70779 70901 7	3/4	12	48	0.58	30

RW-252AB / RW-272AB LF Brass Sillcock



- * 125# CWP
- * Lead Free Brass Body
- * AB1953, NSF/ANSI 61 & 372

RW-252AB = Female (IPS) x Hose

RW-272AB = Solder x Hose

6 70779 70908 6	1/2	12	48	0.50	26
6 70779 70909 3	3/4	12	48	0.52	27

RW-272AB					
6 70779 70910 9	1/2	12	48	0.46	25
6 70779 70911 6	3/4	12	48	0.52	26



5044AB/5049AB	Extension Stem (ES)	Wing "T" Handle	Replacement Handle	Memory Stop	Locking Lever Handle	Memory Stop for ES
1/4"	5044/49F-ES 1/4	5044/49F-WH 1/4	5044AB-LHK or 5049AB-LHK 1/4	5044/49F-MS 1/4	5044AB-LL or 5049AB-LL 1/4	5044/49F-MSES 1/4
3/8"	5044/49F-ES 1/4	5044/49F-WH 1/4	5044AB-LHK or 5049AB-LHK 1/4	5044/49F-MS 1/4	5044AB-LL or 5049AB-LL 1/4	5044/49F-MSES 1/4
1/2"	5044/49F-ES 1/2	5044/49F-WH 1/2	5044AB-LHK or 5049AB-LHK 1/2	5044/49F-MS 1/2	5044AB-LL or 5049AB-LL 1/2	5044/49F-MSES 1/2
3/4"	5044/49F-ES 1/2	5044/49F-WH 1/2	5044AB-LHK or 5049AB-LHK 1/2	5044/49F-MS 1/2	5044AB-LL or 5049AB-LL 1/2	5044/49F-MSES 1/2
1"	5044/49F-ES 1	5044/49F-WH 1	5044AB-LHK or 5049AB-LHK 1	5044/49F-MS 1	5044AB-LL or 5049AB-LL 1	5044/49F-MSES 1
1-1/4"	5044/49F-ES 1	5044/49F-WH 1	5044AB-LHK or 5049AB-LHK 1	5044/49F-MS 1	5044AB-LL or 5049AB-LL 1	5044/49F-MSES 1
1-1/2"	5044/49F-ES 1-1/2	5044/49F-WH 1-1/2	5044AB-LHK or 5049AB-LHK 1-1/2	5044/49F-MS 1-1/2	5044AB-LL or 5049AB-LL 1-1/2	5044/49F-MSES 1-1/2
2"	5044/49F-ES 1-1/2	5044/49F-WH 1-1/2	5044AB-LHK or 5049AB-LHK 1-1/2	5044/49F-MS 1-1/2	5044AB-LL or 5049AB-LL 1-1/2	5044/49F-MSES 1-1/2
2-1/2" - 4"	5044/49F-ES 2-1/2		5044AB-LHK or 5049AB-LHK 3			

5544AB/5549AB	Extension Stem (ES)	Wing "T" Handle	Replacement Handle	Memory Stop	Locking Lever Handle	Memory Stop for ES
1/4"	5044/49F-ES 1/4	5044/49F-WH 1/4	5544AB-LHK or 5549AB-LHK 1/4	5044/49F-MS 1/4	5544AB-LL or 5549AB-LL 1/4	5044/49F-MSES 1/4
3/8"	5044/49F-ES 1/4	5044/49F-WH 1/4	5544AB-LHK or 5549AB-LHK 1/4	5044/49F-MS 1/4	5544AB-LL or 5549AB-LL 1/4	5044/49F-MSES 1/4
1/2"	5044/49F-ES 1/2	5044/49F-WH 1/2	5544AB-LHK or 5549AB-LHK 1/2	5044/49F-MS 1/2	5544AB-LL or 5549AB-LL 1/2	5044/49F-MSES 1/2
3/4"	5044/49F-ES 1/2	5044/49F-WH 1/2	5544AB-LHK or 5549AB-LHK 1/2	5044/49F-MS 1/2	5544AB-LL or 5549AB-LL 1/2	5044/49F-MSES 1/2
1"	5044/49F-ES 1	5044/49F-WH 1	5544AB-LHK or 5549AB-LHK 1	5044/49F-MS 1	5544AB-LL or 5549AB-LL 1	5044/49F-MSES 1
1-1/4"	5044/49F-ES 1	5044/49F-WH 1	5544AB-LHK or 5549AB-LHK 1	5044/49F-MS 1	5544AB-LL or 5549AB-LL 1	5044/49F-MSES 1
1-1/2"	5044/49F-ES 1-1/2	5044/49F-WH 1-1/2	5544AB-LHK or 5549AB-LHK 1-1/2	5044/49F-MS 1-1/2	5544AB-LL or 5549AB-LL 1-1/2	5044/49F-MSES 1-1/2
2"	5044/49F-ES 1-1/2	5044/49F-WH 1-1/2	5544AB-LHK or 5549AB-LHK 1-1/2	5044/49F-MS 1-1/2	5544AB-LL or 5549AB-LL 1-1/2	5044/49F-MSES 1-1/2
2-1/2" - 4"	5044/49F-ES 2-1/2	-	5544AB-LHK or 5549AB-LHK 2-1/2	-	-	-

5592AB/5595AB	Extension Stem (ES)	Wing "T" Handle	Replacement Handle
1/4"	5592/95F-ES 1/4	-	-
3/8"	5592/95F-ES 3/8	-	-
1/2"	5592/95F-ES 1/2	5592AB-WH or 5595AB-WH 1/2	5592AB-LH or 5595AB-LH 1/2
3/4"	5592/95F-ES 3/4	5592AB-WH or 5595AB-WH 1/2	5592AB-LH or 5595AB-LH 1/2
1"	5592/95F-ES 1	5592AB-WH or 5595AB-WH 1	5592AB-LH or 5595AB-LH 1
1-1/4"	5592/95F-ES 1-1/4	5592AB-WH or 5595AB-WH 1	5592AB-LH or 5595AB-LH 1
1-1/2"	5592/95F-ES 1-1/2	-	-
2"	5592/95F-ES 2	-	-
2-1/2" - 4"	5592/95F-ES 2-1/2	-	-



Extension Stem



Locking Lever



Wing Handle

5020AB	Extension Stem (ES)	Wing "T" Handle	Replacement Handle	Memory Stop	Locking Lever Handle	Memory Stop for ES
1/4"	-	5044/49F-WH 1/4	5044AB-LHK or 5049AB-LHK 1/4	-	-	-
3/8"	-	5044/49F-WH 1/4	5044AB-LHK or 5049AB-LHK 1/4	-	-	-
1/2"	5044/49F-ES 1/2	5044/49F-WH 1/2	5044AB-LHK or 5049AB-LHK 1/2	5044/49F-MS 1/2	5020AB-LL 1/2	5044/49F-MSES 1/2
3/4"	5044/49F-ES 1/2	5044/49F-WH 1/2	5044AB-LHK or 5049AB-LHK 1/2	5044/49F-MS 1/2	5020AB-LL 1/2	5044/49F-MSES 1/2
1"	5044/49F-ES 1	5044/49F-WH 1	5044AB-LHK or 5049AB-LHK 1	5044/49F-MS 1	5020AB-LL 1	5044/49F-MSES 1
1-1/4"	5044/49F-ES 1	5044/49F-WH 1	5044AB-LHK or 5049AB-LHK 1	5044/49F-MS 1	5020AB-LL 1	5044/49F-MSES 1
1-1/2"	5044/49F-ES 1-1/2	5044/49F-WH 1-1/2	5044AB-LHK or 5049AB-LHK 1-1/2	5044/49F-MS 1-1/2	5020AB-LL 1-1/2	5044/49F-MSES 1-1/2
2"	5044/49F-ES 1-1/2	5044/49F-WH 1-1/2	5044AB-LHK or 5049AB-LHK 1-1/2	5044/49F-MS 1-1/2	5020AB-LL 1-1/2	5044/49F-MSES 1-1/2
2-1/2" - 4"	5044/49F-ES 2-1/2	-	5044AB-LHK or 5049AB-LHK 3	-	-	-



5065AB	Compression Ferrule only	Compression Nut
1/2"	5065-FER 1/2	5065-CN 1/2
3/4"	5065-FER 3/4	5065-CN 3/4
1"	5065-FER 1	5065-CN 1

5070AB / 3450AB	Disassembly Tool
1/2" - 1"	5070-RT 1/2



50xxAB PEX Valves (F1807 & F1960)	Extension Stem (ES)	Wing "T" Handle
1/2"	5592/95F-ES 1/4	5006AB-WH, 5007AB-WH, 5008AB-WH, 5009AB-WH, 5015AB-WH, 5016AB-WH, 5017AB-WH or 5018AB-WH 1/2
3/4"	5592/95F-ES 1/2	5006AB-WH, 5007AB-WH, 5008AB-WH, 5009AB-WH, 5015AB-WH, 5016AB-WH, 5017AB-WH or 5018AB-WH 3/4
1"	5592/95F-ES 1/2	5006AB-WH, 5007AB-WH, 5008AB-WH, 5009AB-WH, 5015AB-WH, 5016AB-WH, 5017AB-WH or 5018AB-WH 3/4
1-1/4"	5592/95F-ES 1	5015AB-WH 1-1/4 (Available only for 5015AB)
1-1/2"	5592/95F-ES 1	5015AB-WH 1-1/2 (Available only for 5015AB)
2"	5592/95F-ES 2	5015AB-WH 2 (Available only for 5015AB)
2-1/2" - 3"	5592/95F-ES 2-1/2	-

541xAB PEX Valve (Everloc+™)	Extension Stem (ES)	Wing "T" Handle
1/2"	5592/95F-ES 1/4	5415AB-WH 1/2
3/4"	5592/95F-ES 1/2	5415AB-WH 3/4
1"	5592/95F-ES 1/2	5415AB-WH 3/4
1-1/4"	5592/95F-ES 1	5415AB-WH 1-1/4
1-1/2"	5592/95F-ES 1	5415AB-WH 1-1/4
2"	5592/95F-ES 2	5415AB-WH 2



1500AB / 1515AB 1501AB / 1516AB 1501PAB / 1516PAB	Extension Stem (ES)	Wing "T" Handle
1/2"	1500AB-ES 1/2	500AB-WH 1/2
3/4"	1500AB-ES 1/2	500AB-WH 1/2
1"	1500AB-ES 1/2	500AB-WH 1/2
1-1/4"	1500AB-ES 1-1/4	-
1-1/2"	1500AB-ES 1-1/4	-
2"	500AB-ES 2	-
2-1/2"	500AB-ES 2	-



3400AB / 3420AB	Relief Valve 200K BTU/HR	Relief Valve 2.7M BTU/HR	Union Assembly	O-Ring / gasket for union only
3/4"	3405 3/4	-	3400/3420-UK 3/4	3400/3420-OR 3/4
1"	-	3407 3/4	3400/3420-UK 1	3400/3420-OR 1

206AB / 207AB	Cross Handle	Regular Handwheel
1/2"	206/211-CH 1	206/207ABF-H 1/2
3/4"	206/211-CH 1	206/207ABF-H 1/2
1"	206/211-CH 2	206/207ABF-H 1
1-1/4"	206/211-CH 3	206/207ABF-H 1-1/4
1-1/2"	206/211-CH 3	206/207ABF-H 2
2"	206/211-CH 4	206/207ABF-H 2
2-1/2" - 3"	206/211-CH 5	206/207ABF-H 2-1/2

267AB / 268AB	Cross Handle	Regular Handwheel
1/2"	267-CH 1/2	267/268-HK 1/2
3/4"	267-CH 1/2	267/268-HK 1/2
1"	267-CH 1	267/268-HK 1
1-1/4"	267-CH 1-1/4	267/268-HK 1-1/4
1-1/2"	267-CH 1-1/4	267/268-HK 1-1/4
2"	267-CH 2	267/268-HK 2
2-1/2"	267-CH 2-1/2	267/268-HK 2-1/2
3"	267-CH 3	267/268-HK 3
4"	267-CH 4	267/268-HK 4



Hand Wheel



Hand Wheel



Cross Handle



5044F Brass Full Port Ball Valve



- * 150# WSP / 600# WOG
- * Brass Body
- * Threaded Ends
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110
- * 550 PSI (1-1/2", 2") for UL use
- * CSA ½, 5 & 125 PSI (½" - 2")
- * CSA ½ & 5 PSI (2-½" - 3")
- * UL (¼" - 2"), FM (½" - 2")

5049F Brass Full Port Ball Valve



- * 150# WSP
- * 600# WOG
- * Brass Body
- * Solder Ends
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110

5592F Brass Full Port Ball Valve



- * 150# WSP / 600# WOG
- * Brass Body
- * Threaded Ends
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * CSA ½, 5 & 125 PSI (¼" - 2")
- * CSA ΔC (½" - 2")
- * CSA ½ PSI (2-½" - 3")

5595F Brass Full Port Ball Valve



- * 150# WSP / 600# WOG
- * Brass Body
- * Solder Ends
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem

5544S Brass Full Port Ball Valve with S.S. Trim



- * 150# WSP/ 600# WOG
- * Brass Body, Threaded Ends
- * 316 S.S. Ball & Stem
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * MSS-SP-110
- * Adjustable Packing Nut

5080B Bronze Full Port Ball



- * 600WOG/150WSP up to 2"
- * 400WOG/125WSP above 2"
- * B62-C83600 Bronze Cast Body
- * Threaded Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Gland Packing
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MS-SSP-110

5080BSS Bronze Full Port BV with S.S. Trim



- * 600WOG/150WSP up to 2"
- * 400WOG/125WSP above 2"
- * B62-C83600 Bronze Cast Body
- * Threaded Ends
- * SS316 Ball & Stem / SS304 Handle
- * Virgin PTFE Graphite reinf. Seats
- * Gland Packing
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MS-SSP-110

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 54402 1	1/4	-	80	0.34	30
6 70779 54403 8	3/8	-	80	0.32	28
6 70779 54404 5	1/2	-	80	0.58	49
6 70779 54405 2	3/4	-	60	0.86	54
6 70779 54406 9	1	-	45	1.34	64
6 70779 54407 6	1-1/4	-	30	2.14	68
6 70779 54408 3	1-1/2	-	24	3.14	79
6 70779 54420 5	2	-	10	5.00	52
6 70779 54425 0	2-1/2	-	6	9.86	63
6 70779 54430 4	3	-	4	14.16	60
6 70779 54440 3	4	-	2	19.70	44

6 70779 54903 3	3/8	-	80	0.28	24
6 70779 54904 0	1/2	-	80	0.56	49
6 70779 54905 7	3/4	-	60	0.80	51
6 70779 54906 4	1	-	45	1.18	56
6 70779 54907 1	1-1/4	-	30	2.08	66
6 70779 54908 8	1-1/2	-	24	3.00	76
6 70779 54920 0	2	-	15	4.50	8
6 70779 54925 5	2-1/2	-	6	9.02	58
6 70779 54930 9	3	-	4	13.50	58
6 70779 70323 7	4	-	2	16.44	36

6 70779 70957 4	1/4	-	80	0.28	24
6 70779 70958 1	3/8	-	80	0.28	25
6 70779 55504 1	1/2	-	80	0.42	36
6 70779 55505 8	3/4	-	60	0.58	37
6 70779 55506 5	1	-	45	0.98	48
6 70779 55507 2	1-1/4	-	30	1.36	43
6 70779 55508 9	1-1/2	-	24	1.88	47
6 70779 55520 1	2	-	15	2.94	47
6 70779 70947 5	2-1/2	-	6	6.20	40
6 70779 70948 2	3	-	4	8.92	39

6 70779 55804 2	1/2	-	80	0.38	33
6 70779 55805 9	3/4	-	60	0.54	34
6 70779 55806 6	1	-	45	0.42	45
6 70779 55807 3	1-1/4	-	30	1.18	38
6 70779 55808 0	1-1/2	-	24	1.76	45
6 70779 55820 2	2	-	15	2.86	45

6 70779 46704 7	1/2	-	80	0.48	40
6 70779 46705 4	3/4	-	60	0.74	45
6 70779 46706 1	1	-	45	1.14	53
6 70779 46707 8	1-1/4	-	30	1.54	48
6 70779 46708 5	1-1/2	-	24	2.61	62
6 70779 46720 7	2	-	15	3.60	77

6 70779 71595 7	3/8	-	80	0.32	28
6 70779 70657 3	1/2	-	80	0.59	49
6 7077970658 0	3/4	-	60	0.86	53
6 70779 70659 7	1	-	45	1.41	65
6 70779 70660 3	1-1/4	-	30	2.20	67
6 70779 70661 0	1-1/2	-	24	3.16	77
6 70779 70662 7	2	-	15	4.94	76
6 70779 70883 6	2-1/2	-	6	10.24	63
6 70779 70884 3	3	-	4	14.57	60

6 70779 70663 4	1/2	-	80	0.59	49
6 70779 70664 1	3/4	-	60	0.86	53
6 70779 70665 8	1	-	45	1.41	65
6 70779 70666 5	1-1/4	-	30	2.20	67
6 70779 70667 2	1-1/2	-	24	3.16	77
6 70779 70668 9	2	-	15	4.94	76



RED-WHITE VALVE CORP.

5042 Brass Auto-Drain Ball Valve



- * 600# WOG, Brass Body
- * Threaded Ends
- * Full Port
- * Automatic Drain Hole
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Locking Handles
- * MSS-SP-110

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 54204 1	1/2	-	80	0.60	51
6 70779 54205 8	3/4	-	60	0.84	54
6 70779 54206 5	1	-	45	1.40	67
6 70779 54207 2	1-1/4	-	30	2.16	69
6 70779 54208 9	1-1/2	-	24	3.54	89
6 70779 54220 1	2	-	15	5.70	90

5045 Brass 3-Way Ball Valve



- * 125# WSP/ 400# WOG
- * Brass Body
- * Threaded Ends
- * Regular "L" Port Ball
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * O-ring packing
- * Mounting Pad

6 70779 54503 5	3/8	-	100	0.30	39
6 70779 54504 2	1/2	-	80	0.42	41
6 70779 54505 9	3/4	-	60	0.70	53
6 70779 54506 6	1	-	40	1.52	61
6 70779 54507 3	1-1/4	-	25	1.90	51
6 70779 54508 0	1-1/2	-	20	2.74	60
6 70779 54520 2	2	-	15	4.60	74

5060 / 5063 Brass Full Port Ball w/ Drain



- * 600# WOG
- * Brass Body
- * Threaded or Solder Ends
- * Drain Port
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MSS-SP-110

++ Some size have limited availability

5060 (Threaded)					
6 70779 56004 5	1/2	-	80	0.59	50
6 70779 56005 2	3/4	-	60	0.99	52
6 70779 56006 9	1	-	45	1.50	59
5063 (Solder)					
6 70779 56304 6	1/2	-	80	0.60	43
6 70779 56305 3	3/4	-	60	0.99	50
6 70779 56306 0	1	-	45	1.43	61

5065 Brass Full Port Ball Valve



- * 600# WOG
- * Brass Body
- * Compression Ends
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * O-ring packing

++ Some size have limited availability

5090 Brass Relief Ball Valve



- * 600# WOG
- * Full Port Forged Brass Body
- * Threaded Ends
- * Chrome-plated Ball
- * Blow-Out Proof Stem
- * Relief Valve Port w/ Relief Valve
- * Relief Valve Set at 100 psi
- * Barbed Outlet for Drain Routing

6 70779 48104 3	1/2	-	50	0.76	41
6 70779 48105 0	3/4	-	40	1.00	43
6 70779 48106 7	1	-	25	1.48	40

5581 Brass Male x Female Ball Valve



- * 150# WSP/ 600# WOG
- * Brass Body
- * Male x Female Threaded Ends
- * Chrome-Plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem

6 70779 53704 7	1/2	-	80	0.44	38
6 70779 53705 4	3/4	-	60	0.60	40
6 70779 53706 1	1	-	45	1.04	50
6 70779 53707 8	1-1/4	-	30	1.40	45
6 70779 53708 5	1-1/2	-	24	1.94	50
6 70779 53720 7	2	-	15	3.10	50

5586 Brass Hose End Ball Valve



- * 150# WSP/ 600# WOG
- * Brass Body
- * FNPT x Hose Ends
- * Full Port
- * Drain Cap w/ Chain
- * Chrome-Plated Ball
- * Virgin PTFE Seats

6 70779 53805 1	3/4	-	72	0.64	42
-----------------	-----	---	----	------	----

RED-WHITE VALVE CORP.



5070 EzGRIP Brass Ball Valve



- * 200# WOG
- * Full Port Forged Brass Body
- * EzGRIP Push-Fit Ends
- * Adjustable Packing
- * Blow-Out Proof Stem
- * Work w/ Copper, CPVC & PEX tubing
- * Field adjustable/Removable

6 70779 47604 9	1/2	-	80	0.45	66
6 70779 47605 6	3/4	-	60	0.65	53
6 70779 47606 3	1	-	45	1.10	54



See page R14 for Disassembly Tool

Disassembly Tool

5020 EzPress Bronze Full Port Ball Valve



- * 600# WOG Body
- * Bronze Body
- * Dual EzPress Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * Install in open position
- * MSS-SP-110
- * 250 PSI end connections

6 70779 48904 9	1/2	-	50	0.54	29
6 70779 48905 6	3/4	-	50	0.80	43
6 70779 48906 3	1	-	40	1.28	54
6 70779 48907 0	1-1/4	-	35	1.92	71
6 70779 48908 7	1-1/2	-	20	3.08	66
6 70779 48920 9	2	-	12	4.42	52

5024 EzPress x FNPT Bronze Ball Valve



- * 200# WOG Body
- * Bronze Body
- * EzPress x FNPT Ends
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * Install in open position
- * MSS-SP-110
- * 250 PSI EzPress connection

6 70779 70011 3	1/2	-	50	0.56	30
6 70779 70012 0	3/4	-	50	0.80	43
6 70779 70013 7	1	-	40	1.28	55
6 70779 70014 4	1-1/4	-	35	1.94	72
6 70779 70015 1	1-1/2	-	20	3.16	67
6 70779 70016 8	2	-	12	4.58	58

5023 EzPress Brass Full Port Ball Valve



- * 600# WOG Body
- * Brass Body
- * Virgin PTFE Seats
- * Chrome-plated Ball
- * Male Ends for Press Fittings
- * Blow-Out Proof Stem
- * Adjustable Packing Nut
- * EzPress System
- * MSS-SP-110

6 70779 48704 5	1/2	-	50	0.44	24
6 70779 48705 2	3/4	-	50	0.62	33
6 70779 48706 9	1	-	50	0.98	53
6 70779 48707 6	1-1/4	-	35	1.50	56
6 70779 48708 3	1-1/2	-	20	2.30	49
6 70779 48720 5	2	-	12	3.42	45

5029 EzPress Brass Hose Bibb



- * 125# CWP, Brass Body
- * Bronze End Piece
- * Virgin PTFE Seats
- * Chrome-plated Ball
- * Blow-Out Proof Stem
- * EzPress x No-Kink Hose

6 70779 48405 1	3/4	-	50	0.36	23
-----------------	-----	---	----	------	----

250 EzPress Bronze Check Valve



- * 200# WOG
- * Bronze Body
- * Y-Pattern Design
- * Bronze Disc
- * Dual EzPress Ends

6 70779 25004 5	1/2	-	30	0.62	20
6 70779 25005 2	3/4	-	25	1.02	29
6 70779 25006 9	1	-	20	0.16	35
6 70779 25007 6	1-1/4	-	15	2.38	38
6 70779 25008 3	1-1/2	-	10	3.16	35
6 70779 25020 5	2	-	4	5.54	24



RED-WHITE VALVE CORP.

2420F EzPress Pump Flange Ball



- * 600# WOG
- * 3-Piece Brass Construction
- * Full Port
- * Rotating Flange Design
- * 1/4 Turn Ball Valve Style
- * Includes Bolt kit
- * Includes Wing handle
- * EzPress x Flange
- * 250 PSI EzPress connection

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 71090 7	3/4	-	24	1.50	39
6 70779 70963 5	1	-	18	1.92	37
6 70779 70964 2	1-1/4	-	18	2.20	41
6 70779 70965 9	1-1/2	-	12	2.80	36
6 70779 0966 6	2	-	8	4.16	36

2417 / 2419 Pump Flange Ball Valve




- * 600# WOG
- * 3-Piece Brass Construction
- * Full Port
- * Rotating Flange Design
- * 1/4 Turn Ball Valve Style
- * Includes Bolt kit
- * Includes Wing handle

2417 = FNPT x Flange
2419 = Solder x Flange

2417 FNPT End					
6 70779 70017 5	3/4	-	24	1.44	37
6 70779 70018 2	1	-	18	1.86	36
6 70779 70019 9	1-1/4	-	18	2.18	42
6 70779 70020 5	1-1/2	-	12	2.64	35
6 70779 70021 2	2	-	8	3.86	34
2419 Solder End					
6 70779 70027 4	3/4	-	24	1.40	37
6 70779 70028 1	1	-	18	1.82	35
6 70779 70029 8	1-1/4	-	18	2.10	40
6 70779 70030 4	1-1/2	-	12	2.56	34
6 70779 70031 1	2	-	20	3.86	83

2412 / 2415 / 2422F Pump Flange Ball Valve w/ Drain



- * 600# WOG
- * 3-Piece Brass Construction
- * Rotating Flange Design
- * Design w/ Drain Valve
- * Full Port
- * 1/4 Turn Ball Valve Style
- * 1-1/2" - 2" are fixed flange
- * Includes Bolt kit
- * Includes Wing Handle

2412 = FNPT x Flange
2415 = Solder x Flange
2422F = EzPress End x Flange
250 PSI EzPress connection

2412 FNPT End					
6 70779 24105 0	3/4	-	24	1.80	46
6 70779 24106 7	1	-	18	2.26	43
6 70779 24107 4	1-1/4	-	18	2.62	50
6 70779 24108 1	1-1/2	-	12	3.16	40
6 70779 24120 3	2	-	8	4.74	40
2415 Solder End					
6 70779 22705 4	3/4	-	24	1.76	45
6 70779 22706 1	1	-	18	2.18	42
6 70779 22707 8	1-1/4	-	18	2.52	48
6 70779 22708 5	1-1/2	-	12	3.48	44
6 70779 22720 7	2	-	8	4.90	42
2422F EzPress End					
6 70779 71826 2	3/4	-	24	1.62	41
6 70779 71827 9	1	-	18	2.01	38
6 70779 71828 6	1-1/4	-	18	2.34	44
6 70779 71829 3	1-1/2	-	12	3.04	39
6 70779 71830 9	2	-	8	4.44	38

5930 24V Actuated Ball Valve



- * 600# WOG
- * Brass Full Port Body
- * Virgin PTFE Seats
- * EPDM Perox O-ring Packing
- * Blow-Out Proof Stem
- * 24VAC Electric Actuator

6 70779 72229 0	1/2	-	4	2.64	13
6 70779 72230 6	3/4	-	4	2.86	14
6 70779 72231 3	1	-	4	3.34	16
6 70779 72232 0	1-1/4	-	4	4.04	18
6 70779 72233 7	1-1/2	-	4	4.98	22
6 70779 72234 4	2	-	4	6.74	29

5081 / 5082 / 5083 / 5084 Mini Ball Valve



- * 150# WSP/ 600# WOG
- * Full Port Forged Brass Body
- * Virgin PTFE Seats
- * Chrome-plated Ball
- * FPM O-ring packing
- * CSA 1/2 PSIG
- * Blow-Out Proof Stem

5081 = FNPT x MNPT
5082 = FNPT x MNPT
5083 = FNPT x MNPT
5084 = FNPT x FNPT

5081 (1/8F x 1/8M)					
6 70779 58101 9	1/8 x 1/8	-	80	0.18	16
5082 (1/4F x 1/8M)					
6 70779 58202 3	1/4 x 1/8	-	80	0.14	15
5083 (1/4F x 1/4M)					
6 70779 58302 0	1/4 x 1/4	-	80	0.18	15
5084 (1/4F x 1/4F)					
6 70779 58402 7	1/4 x 1/4	-	80	0.16	14

RED-WHITE VALVE CORP.



5100 1-piece Brass Gas Ball Valve



- * 175# PSI
- * 1-Piece Brass Body
- * Threaded Ends
- * CSA 1/2 PSIG, 5G
- * CSA ΔC
- * UL

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 49504 0	1/2	120	120	0.32	39
6 70779 49505 7	3/4	120	120	0.40	49

5200 / 5200T / 5200S Brass CSA Gas Ball Valve



- * 175# PSI
 - * 2-Piece Brass Body
 - * Threaded Ends
 - * CSA 1/2 PSIG, 5G
 - * CSA ΔC
 - * UL
- 5200 = Lever Handle
5200T = T Block Style Handle
5200S = Square Handle

5200					
6 70779 51303 4	3/8	24	144	0.22	38
6 70779 52004 9	1/2	20	120	0.30	38
6 70779 52005 6	3/4	10	120	0.46	57
6 70779 52006 3	1	6	36	0.76	29
5200T					
6 70779 52603 4	3/8	24	144	0.28	46
6 70779 52604 1	1/2	20	120	0.30	38
6 70779 52605 8	3/4	10	120	0.46	57
6 70779 52606 5	1	6	36	0.74	29
5200S					
6 70779 52303 3	3/8	24	144	0.26	40
6 70779 52304 0	1/2	20	120	0.36	46
6 70779 52305 7	3/4	10	120	0.50	62
6 70779 52306 4	1	6	48	1.12	57

5210 / 5211 / 5212 / 5221 CSA Gas Ball Valve



- * 175# PSI
- * Brass Body
- * CSA 1/2 PSIG, 5G
- * CSA ΔC
- * Lever Handle

5210 = 1/2" IPS x 3/8" Flared
5211 = 1/2" IPS x 1/2" Flared
5212 = 1/2" IPS x 15/16" Flared
(*) 5221 = 3/4" IPS x 15/16" Flared

(*)CSA 5G only

5210					
6 70779 52104 6	1/2	12	144	0.30	46
5211					
6 70779 52404 7	1/2	12	120	0.32	40
5212					
6 70779 40404 2	1/2	12	96	0.38	38
5221					
6 70779 52505 1	3/4	12	96	0.52	50

5231 Brass CSA Gas Ball Valve



- * 175# PSI
- * Brass Body
- * Flare x Flare Ends
- * CSA 1/2 PSIG, 5G
- * CSA ΔC

5/8" = CSA 1/2 PSIG only

6 70779 51503 8	3/8	12	144	0.28	46
6 70779 51504 5	1/2	12	120	0.28	35
6 70779 51599 1	5/8	12	96	0.56	56

5241 Brass CSA Gas Ball Valve



- * 175# PSI , Brass Body
- * CSA 1/2 PSIG, 5G
- * CSA ΔC (3/8" & 1/2" only)
- * Lever Handle, Angle Body

3/8" = 1/2" NPT x 3/8" Flare
1/2" = 1/2" NPT x 1/2" Flare
(*) 3/4" = 3/4" NPT x 5/8" Flare

(*)CSA 5G only

6 70779 51403 1	3/8	12	144	0.44	64
6 70779 51404 8	1/2	12	120	0.44	55
6 70779 51405 5	3/4	12	96	0.54	51



RED-WHITE VALVE CORP.

206F Brass Gate Valve



- * 125# WSP
- * 200# WOG
- * Brass Body
- * Screw in Bonnet
- * Non-Rising Stem
- * Solid Wedge Disc
- * Threaded End Connections

Cross Handle Option Available. See pg. R14

207F Brass Gate Valve



- * 125# WSP
- * 200# WOG
- * Brass Body
- * Screw in Bonnet
- * Non-Rising Stem
- * Solid Wedge Disc
- * Solder End Connections

Cross Handle Option Available. See pg. R14

267 Brass Gate Valve



- * 200# WOG
- * Cast Brass Body
- * Non-Rising Stem
- * Solid Wedge Disc
- * Threaded End Connections
- * Inserted Bonnet

267CH Brass Gate Valve



- * 200# WOG
- * Cast Brass Body
- * Non-Rising Stem
- * Solid Wedge Disc
- * Threaded End Connections
- * Inserted Bonnet
- * Cross Handle

268 Brass Gate Valve



- * 200# WOG
- * Cast Brass Body
- * Solder Ends
- * Non-Rising Stem
- * Solid Wedge Disc
- * Inserted Bonnet

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 18202 5	1/4	-	80	0.46	38
6 70779 18203 2	3/8	-	60	0.42	27
6 70779 18204 9	1/2	-	50	0.58	30
6 70779 18205 6	3/4	-	50	0.82	42
6 70779 18206 3	1	-	20	1.22	26
6 70779 18207 0	1-1/4	-	20	1.86	38
6 70779 18208 7	1-1/2	-	15	2.50	39
6 70779 18220 9	2	-	10	4.21	42
6 70779 18225 4	2-1/2	-	6	7.03	44
6 70779 18230 8	3	-	4	8.82	37
6 70779 18240 7	4	-	1	16.40	18

6 70779 17904 9	1/2	-	50	0.46	25
6 70779 17905 6	3/4	-	50	0.78	39
6 70779 17906 3	1	-	20	1.14	24
6 70779 17907 0	1-1/4	-	20	1.66	35
6 70779 17908 7	1-1/2	-	15	2.23	36
6 70779 17920 9	2	-	10	4.20	42

6 70779 26704 3	1/2	10	100	0.58	59
6 70779 26705 0	3/4	10	100	0.60	65
6 70779 26706 7	1	5	50	0.78	42
6 70779 26707 4	1-1/4	5	50	1.44	76
6 70779 26708 1	1-1/2	2	30	1.74	57
6 70779 26720 3	2	1	20	2.42	51
6 70779 26725 8	2-1/2	1	10	4.82	51
6 70779 26730 2	3	1	10	7.14	76
6 70779 26740 1	4	1	4	10.58	45

6 70779 26404 2	1/2	10	100	0.50	51
6 70779 26405 9	3/4	10	100	0.68	68
6 70779 26406 6	1	5	50	0.90	46
6 70779 26407 3	1-1/4	5	50	1.48	75
6 70779 26408 0	1-1/2	2	30	1.83	59
6 70779 26420 2	2	1	20	2.63	52

6 70779 26804 0	1/2	10	100	0.36	39
6 70779 26805 7	3/4	10	100	0.52	54
6 70779 26806 4	1	5	50	0.68	36
6 70779 26807 1	1-1/4	5	50	1.50	71
6 70779 26808 8	1-1/2	2	30	1.68	51
6 70779 26820 0	2	1	20	2.56	56

RED-WHITE VALVE CORP.



280B Bronze Non-Rising Gate Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Non-Rising Stem
- * Solid Disc
- * MSS-SP-80

208B Bronze Rising Gate Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Rising Stem
- * Solid Disc
- * MSS-SP-80

211B Bronze Globe Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Swivel Type Disc
- * MSS-SP-80

211BT Bronze Globe Valve (PTFE Seat)



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Swivel Type Disc
- * Virgin PTFE Seat
- * MSS-SP-80

236B Bronze Y Pattern Swing Check Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Swing Check
- * "Y" Pattern
- * Brass Disc
- * MSS-SP-80
- * Threaded Ends

236BT Bronze Y Pattern Swing Check Valve (PTFE Seat)



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Swing Check
- * "Y" Pattern
- * Virgin PTFE Seat
- * MSS-SP-80

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 71191 1	1/2	-	60	0.60	37
6 70779 71192 8	3/4	-	50	0.92	48
6 70779 71193 5	1	-	45	1.41	72
6 70779 71194 2	1-1/4	-	25	2.23	57
6 70779 71195 9	1-1/2	-	25	3.24	79
6 70779 71196 6	2	-	12	4.63	56

6 70779 71174 4	1/2	-	72	0.33	25
6 70779 71175 1	3/4	-	36	0.40	18
6 70779 71176 8	1	-	40	0.81	34
6 70779 71177 5	1-1/4	-	20	1.14	24
6 70779 71178 2	1-1/2	-	18	1.56	29
6 70779 71179 9	2	-	6	2.18	14

6 70779 71182 9	1/2	-	84	0.73	63
6 70779 71183 6	3/4	-	60	1.05	65
6 70779 71184 3	1	-	30	1.74	54
6 70779 71185 0	1-1/4	-	20	2.50	52
6 70779 71186 7	1-1/2	-	12	3.62	43
6 70779 71187 4	2	-	10	5.34	55

6 70779 71313 7	1/2	-	84	0.73	63
6 70779 71314 4	3/4	-	60	1.05	65
6 70779 71315 1	1	-	30	1.72	54
6 70779 71316 8	1-1/4	-	20	2.50	52
6 70779 71317 5	1-1/2	-	12	3.62	43
6 70779 71318 2	2	-	10	5.61	56

6 70779 71642 8	1/4	-	100	0.46	48
6 70779 71643 5	3/8	-	100	0.44	48
6 70779 71319 9	1/2	-	100	0.58	60
6 70779 71320 5	3/4	-	60	0.96	59
6 70779 71321 2	1	-	50	1.34	69
6 70779 71322 9	1-1/4	-	25	2.28	59
6 70779 71323 6	1-1/2	-	15	3.23	49
6 70779 71324 3	2	-	9	5.21	47
6 70779 71646 6	2-1/2	-	6	8.27	55
6 70779 71647 3	3	-	4	11.73	50

6 70779 71644 2	1/4	-	100	0.47	49
6 70779 71645 9	3/8	-	100	0.45	47
6 70779 71325 0	1/2	-	100	0.58	60
6 70779 71326 7	3/4	-	60	1.04	58
6 70779 71327 4	1	-	50	1.36	69
6 70779 71328 1	1-1/4	-	25	2.24	59
6 70779 71329 8	1-1/2	-	15	3.23	49
6 70779 71330 4	2	-	9	5.21	48
6 70779 71648 0	2-1/2	-	6	8.47	55
6 70779 71649 7	3	-	4	12.06	50



280 Bronze Gate Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Non-Rising Stem
- * Solid Disc
- * MSS-SP-80

++ Some size have limited availability

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 28402 6	1/4	-	120	0.71	91
6 70779 28403 3	3/8	-	120	0.66	85
6 70779 28404 0	1/2	-	120	0.77	98
6 70779 28405 7	3/4	-	80	1.17	100
6 70779 28406 4	1	-	50	1.76	94
6 70779 28407 1	1-1/4	-	35	2.45	92
6 70779 28408 8	1-1/2	-	25	3.53	94
6 70779 28420 0	2	-	18	5.36	102
6 70779 28425 5	2-1/2	-	8	12.15	103

207 Bronze Gate Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Solder Ends
- * Screw over Bonnet (1/2" - 2")
- * Inserted Bonnet (2-1/2" - 4")
- * Non-Rising Stem
- * Solid Wedge Disc

++ Some size have limited availability

6 70779 28704 1	1/2	-	100	0.55	58
6 70779 28705 8	3/4	-	70	0.82	60
6 70779 28706 5	1	-	50	1.12	59
6 70779 28707 2	1-1/4	-	35	1.63	60
6 70779 28708 9	1-1/2	-	25	2.31	60
6 70779 28720 1	2	-	15	3.75	59
6 70779 28725 6	2-1/2	-	8	6.48	55
6 70779 28730 0	3	-	1	9.68	11
6 70779 28740 9	4	-	1	23.04	25

208A Bronze Gate Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Rising Stem
- * Solid Disc
- * MSS-SP-80

6 70779 20803 9	3/8	-	80	0.88	76
6 70779 20804 6	1/2	-	80	0.97	84
6 70779 20805 3	3/4	-	60	1.26	82
6 70779 20806 0	1	-	40	1.94	84
6 70779 20807 7	1-1/4	-	25	2.73	74
6 70779 20808 4	1-1/2	-	18	3.95	77
6 70779 20820 6	2	-	12	5.90	76

204A Bronze Gate Valve



- * 150# WSP
- * 300# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Non-Rising Stem
- * Solid Disc
- * MSS-SP-80

6 70779 20403 1	3/8	-	120	0.68	87
6 70779 20404 8	1/2	-	72	0.84	63
6 70779 20405 5	3/4	-	60	1.21	79
6 70779 20406 2	1	-	36	1.44	54
6 70779 20407 9	1-1/4	-	24	2.42	72
6 70779 20408 6	1-1/2	-	18	3.83	63
6 70779 20420 8	2	-	12	5.69	74
6 70779 20425 3	2-1/2	-	8	11.73	100
6 70779 20430 7	3	-	4	17.40	77

298 Bronze Gate Valve



- * 150# WSP
- * 300# WOG
- * Bronze Body
- * Threaded Ends
- * Union Bonnet
- * Rising Stem
- * Solid Disc
- * MSS-SP-80

6 70779 29802 3	1/4	-	100	0.86	92
6 70779 29804 7	1/2	-	80	1.10	94
6 70779 29805 4	3/4	-	60	1.57	100
6 70779 29806 1	1	-	40	2.40	102
6 70779 29807 8	1-1/4	-	25	3.28	88
6 70779 29808 5	1-1/2	-	12	4.34	52
6 70779 29820 7	2	-	8	6.72	54

318A Bronze Gate Valve



- * 300# WSP
- * 1000# WOG
- * Bronze Body
- * Threaded Ends
- * Union Bonnet
- * Rising Stem
- * Solid Disc
- * MSS-SP-80

6 70779 31804 2	1/2	-	60	1.26	80
6 70779 31805 9	3/4	-	24	1.78	45
6 70779 31806 6	1	-	25	3.03	80
6 70779 31807 3	1-1/4	-	18	3.42	67
6 70779 31808 0	1-1/2	-	8	6.04	51
6 70779 31820 2	2	-	8	7.50	60



210 Bronze Globe Valve



- * 100# WSP
- * 150# WOG
- * Bronze Body
- * Threaded Ends
- * Swivel Type Disc

++ Some size have limited availability

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 21003 2	3/8	6	120	0.42	59
6 70779 21004 9	1/2	6	120	0.57	74
6 70779 21005 6	3/4	6	84	0.68	67
6 70779 21006 3	1	5	36	1.23	46
6 70779 21007 0	1-1/4	4	40	1.64	70
6 70779 21008 7	1-1/2	4	20	2.20	47
6 70779 21020 9	2	3	12	3.23	40
6 70779 21025 4	2-1/2	-	15	6.05	82

211 Bronze Globe Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Swivel Type Disc
- * MSS-SP-80

++ Some size have limited availability

6 70779 21103 9	3/8	6	80	0.40	36
6 70779 21104 6	1/2	6	60	0.56	36
6 70779 21105 3	3/4	5	28	1.00	32
6 70779 21106 0	1	4	24	1.60	42
6 70779 21107 7	1-1/4	4	28	2.71	82
6 70779 21108 4	1-1/2	3	16	3.62	60
6 70779 21120 6	2	2	8	6.02	50

220 Bronze Globe Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Union Bonnet
- * PTFE Disc
- * MSS-SP-80

6 70779 22003 1	3/8	6	48	0.74	37
6 70779 22004 8	1/2	6	40	0.82	37
6 70779 22005 5	3/4	5	60	1.37	82
6 70779 22006 2	1	4	20	1.76	38
6 70779 22007 9	1-1/4	4	16	2.62	45
6 70779 22008 6	1-1/2	3	8	3.61	31
6 70779 22020 8	2	2	6	6.02	39
6 70779 22025 3	2-1/2	-	1	10.00	10

221 Bronze Globe Valve



- * 150# WSP
- * 300# WOG
- * Bronze Body
- * Threaded Ends
- * Union Bonnet
- * PTFE Disc
- * MSS-SP-80

6 70779 22104 5	1/2	-	36	1.16	44
6 70779 22105 2	3/4	-	24	1.70	44
6 70779 22106 9	1	-	16	2.62	44
6 70779 22107 6	1-1/4	-	12	4.20	53
6 70779 22108 3	1-1/2	-	8	5.43	46
6 70779 22120 5	2	-	4	9.02	39

260A Bronze Angle Globe Valve



- * 150# WSP
- * 300# WOG
- * Bronze Body
- * Threaded Ends
- * Angle Type
- * Inserted Bonnet
- * Swivel Type Disc
- * MSS-SP-80

6 70779 26003 7	3/8	-	100	0.46	51
6 70779 26004 4	1/2	-	80	0.56	50
6 70779 26005 1	3/4	-	28	0.92	28
6 70779 26006 8	1	-	24	1.48	37
6 70779 26007 5	1-1/4	-	20	2.48	57
6 70779 26008 2	1-1/2	-	15	3.21	53
6 70779 26020 4	2	-	8	7.12	63
6 70779 26025 9	2-1/2	-	6	8.20	55
6 70779 26030 3	3	-	4	18.20	77

214 Bronze Globe Valve



- * 200# WSP
- * 400# WOG
- * Bronze Body
- * Threaded Ends
- * Union Bonnet
- * Stainless Steel 403 Disc
- * MSS-SP-80

++ Some size have limited availability

6 70779 21404 7	1/2	-	50	1.70	89
6 70779 21405 4	3/4	-	30	2.56	79
6 70779 21406 1	1	-	20	3.50	78
6 70779 21407 8	1-1/4	-	15	5.40	85
6 70779 21408 5	1-1/2	-	10	7.74	86
6 70779 21420 7	2	-	6	12.00	74



232 / 233 Brass In-line Check Valve



- * 200# WOG
- * Forged Brass Body
- * Threaded Ends
- * Spring Loaded
- * Horizontal or Vertical
- * NBR Seat
- * Low Noise Operation

232 = Threaded Ends
NBR Seat
233 = Solder Ends
FPM Seat

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
232					
6 70779 23204 1	1/2	-	180	0.24	45
6 70779 23205 8	3/4	-	72	0.34	25
6 70779 23206 5	1	-	72	0.52	40
6 70779 23207 2	1-1/4	-	48	0.76	38
6 70779 23208 9	1-1/2	-	24	1.04	28
6 70779 23220 1	2	-	12	1.60	21
233					
6 70779 23304 8	1/2	-	180	0.28	53
6 70779 23305 5	3/4	-	72	0.36	29
6 70779 23306 2	1	-	72	0.68	45
6 70779 23307 9	1-1/4	-	60	0.96	60
6 70779 23308 6	1-1/2	-	24	1.18	30
6 70779 23320 8	2	-	12	2.01	23

236F Brass Y Pattern Swing Check Valve



- * 125# WSP
- * 200# WOG
- * Brass Body
- * Swing Check
- * "Y" Pattern
- * Brass Disc
- * MSS-SP-80
- * Threaded Ends

6 70779 21704 8	1/2	-	80	0.58	48
6 70779 21705 5	3/4	-	60	0.92	56
6 70779 21706 2	1	-	30	13.30	41
6 70779 21707 9	1-1/4	-	24	2.23	52
6 70779 21708 6	1-1/2	-	18	3.24	57
6 70779 21720 8	2	-	10	4.60	48

238 Bronze Swing Check Valve



- * 150# WSP
- * 300# WOG
- * Bronze Body
- * Threaded Ends
- * "Y" Pattern
- * Bronze Disc
- * MSS-SP-80

6 70779 23803 6	3/8	-	120	0.48	61
6 70779 23804 3	1/2	-	80	0.60	52
6 70779 23805 0	3/4	-	48	1.00	50
6 70779 23806 7	1	-	36	1.63	61
6 70779 23807 4	1-1/4	-	24	2.42	60
6 70779 23808 1	1-1/2	-	16	3.43	54
6 70779 23820 3	2	-	8	5.21	45
6 70779 23825 8	2-1/2	-	4	9.86	41
6 70779 23830 2	3	-	3	14.74	46

360 Bronze Y Pattern Swing Check Valve



- * 300# WSP
- * 500# WOG
- * Bronze Body
- * Threaded Ends
- * "Y" Pattern
- * Bronze Disc
- * MSS-SP-80

6 70779 36004 1	1/2	-	100	0.92	95
6 70779 36005 8	3/4	-	48	1.20	56
6 70779 36006 5	1	-	40	2.20	90
6 70779 36007 2	1-1/4	-	24	3.02	70
6 70779 36008 9	1-1/2	-	16	3.80	63
6 70779 36020 1	2	-	8	6.00	50

246 / 247 Brass Swing Check Valve



- * 200# WOG
- * Brass Body
- * Horizontal "T" Pattern

246 = Threaded Ends
247 = Solder Ends

246					
6 70779 24604 8	1/2	12	120	0.38	49
6 70779 24605 5	3/4	10	80	0.52	45
6 70779 24606 2	1	5	60	0.84	53
6 70779 24607 9	1-1/4	5	40	1.28	54
6 70779 24608 6	1-1/2	5	30	1.76	55
6 70779 24620 8	2	2	24	2.54	65
6 70779 24625 3	2-1/2	2	12	4.78	75
6 70779 24630 7	3	1	6	7.36	42
6 70779 24640 6	4	1	4	12.75	55
247					
6 70779 24705 2	3/4	10	80	0.52	46
6 70779 24706 9	1	5	60	0.78	57
6 70779 24707 6	1-1/4	5	40	1.22	52
6 70779 24708 3	1-1/2	5	30	1.64	59
6 70779 24720 5	2	2	24	2.58	67



380F / 387F Bronze Wye Strainer



- * 125# WSP / 200# WOG
- * Bronze Body
- * SS 20 Mesh Screen
- * With "clean out" tap & plug

380F = Threaded Ends
387F = Solder Ends

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
380F					
6 70779 70044 1	1/2	-	80	0.40	34
6 70779 70045 8	3/4	-	48	0.60	29
6 70779 70046 5	1	-	36	1.00	37
6 70779 70047 2	1-1/4	-	24	1.30	34
6 70779 70048 9	1-1/2	-	8	2.20	18
6 70779 70049 6	2	-	8	3.50	29
387F					
6 70779 70050 2	1/2	-	80	0.57	33
6 70779 70051 9	3/4	-	48	0.68	35
6 70779 70052 6	1	-	36	1.00	38
6 70779 70053 3	1-1/4	-	24	1.23	35
6 70779 70054 0	1-1/2	-	8	2.44	20
6 70779 70055 7	2	-	8	3.42	29

5071PP Poly Ball Valve



- * 200# WOG
- * Polypropylene Ball Valve
- * Threaded Ends
- * One Piece Body
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * Wing Handle 1/2" to 1"
- * Lever Handle 1-1/4" to 2"

6 70779 57104 1	1/2	-	60	0.24	15
6 70779 57105 8	3/4	-	50	0.34	18
6 70779 57106 5	1	-	40	0.58	25
6 70779 57107 2	1-1/4	-	30	0.94	30
6 70779 57108 9	1-1/2	-	20	1.63	31
6 70779 57120 1	2	-	10	2.42	24

RW-302PP / RW-302PPBLUE Poly Hose Bibb



- * 125# CWP
- * Polypropylene Hose Bibb
- * Double "O" Ring Seals
- * Virgin PTFE Seats
- * Washerless Construction

RW-302PP					
6 70779 30204 1	1/2	20	60	0.18	11
6 70779 30205 8	3/4	20	50	0.16	10
RW-302PPBLUE					
6 70779 71593 3	1/2	20	60	0.18	11
6 70779 71594 0	3/4	20	50	0.16	10

RW-305PP PP Arctic Ball Hose Bibb



- * 125# CWP
- * Polypropylene Hose Bibb
- * MNPT x Hose
- * Double "O" Ring Seals
- * Virgin PTFE Seats
- * Blow-out proof stem
- * Washerless Construction

6 70779 30504 2	1/2	80	0.25	21
6 70779 30505 9	3/4	60	0.30	19



RED-WHITE VALVE CORP.

RW-301 Brass Hose Bibb



- * 125# CWP
- * Brass Body
- * End Connection: Male Thd. x Hose

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 30105 1	3/4	-	48	0.38	19

RW-312 Brass No-Kink Hose



- * 125# CWP
- * Brass Body
- * No-Kink Spout
- * End Connection: Male Thd. x Hose

6 70779 31204 0	1/2	-	48	0.33	16
6 70779 31205 7	3/4	-	48	0.34	17

RW-315 Brass Ball Valve Hose Bibb



- * 125# CWP
- * Brass Body
- * Virgin PTFE Seats
- * End connection: Male Thd. x Hose (1/2" size also accepts copper pipe for solder joint)
- * No-Kink Spout

6 70779 31304 1	1/2	-	80	0.40	34
6 70779 31305 8	3/4	-	60	0.48	30


RW-515 Qtr. Turn Brass Boiler Drain



- * 125# CWP
- * Brass Body
- * Female Thd x Hose

6 70779 70003 8	1/2	12	48	0.28	14
6 70779 70004 5	3/4	12	48	0.32	16

RW-255 / RW-275 Qtr. Turn Brass Sillcock




- * 125# CWP
 - * Brass Body
- RW-255 = Female (IPS) x Hose
RW-275 = Solder x Hose

RW-255					
6 70779 70005 2	1/2	12	48	0.34	18
6 60779 70006 9	3/4	12	48	0.34	18

RW-275					
6 70779 70007 6	1/2	12	48	0.34	18
6 70779 70008 3	3/4	12	48	0.36	18

RW-504 / RW-505 Brass Boiler Drain



- * 125# CWP
 - * Brass Body
 - * No-Kink Spout
- RW-504 = Male Thd x Hose
RW-505 = Female Thd x Hose

RW-504					
6 70779 49304 6	1/2	12	48	0.46	24
6 70779 49305 3	3/4	12	48	0.46	24

RW-505					
6 70779 49204 9	1/2	12	48	0.44	22
6 70779 49205 6	3/4	12	48	0.46	23

RW-272 Brass Sillcock



- * 125# CWP
- * Brass Body
- * Female (IPS) x Hose

6 70779 27204 7	1/2	12	48	0.48	25
-----------------	-----	----	----	------	----

See page G11 for Other Sizes



RED-WHITE VALVE CORP.

9101F Brass Steam Radiator Valve



- * 15# WSP
- * 60# WOG
- * Brass Body & Bonnet
- * EPDM Gasket
- * FNPT x Male Union

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 90904 2	1/2	10	60	0.82	52
6 70779 90905 9	3/4	6	48	1.12	57
6 70779 90906 6	1	4	36	1.36	53
6 70779 90907 3	1-1/4	2	24	2.08	53
6 70779 90908 0	1-1/2	2	16	3.08	52

9103F Brass Hot Water Vented Angle



- * 60# WOG
- * Brass Body & Bonnet
- * EPDM Gasket
- * Vented Disc
- * FNPT x Male Union

6 70779 90604 1	1/2	10	60	0.74	52
6 70779 90605 8	3/4	6	48	1.14	57
6 70779 90606 5	1	4	36	1.46	54
6 70779 90607 2	1-1/4	2	24	2.06	53

9105F Brass Hot Water Vented Angle



- * 60# WOG
- * Brass Body & Bonnet
- * EPDM Gasket
- * Vented Disc
- * Solder x Male Union

6 70779 90504 4	1/2	10	60	0.62	41
6 70779 90505 1	3/4	6	48	0.76	41

9150F / 9153F Brass Radiator Union Elbow



- * 60# WOG
- * Brass Body
- * FNPT x Male Union

9150F					
6 70779 71135 5	1/2	10	100	0.34	36
6 70779 71136 2	3/4	10	100	0.50	53
6 70779 71137 9	1	7	60	0.76	48
6 70779 71138 6	1-1/4	5	20	1.46	26

9153F					
6 70779 71420 2	1/2	10	150	0.34	42
6 70779 71421 9	3/4	10	100	0.54	58

9107 Bronze Radiator Gate Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body, Wedge & Bonnet
- * Screw Over Bonnet
- * FNPT x Male Union

6 70779 90704 8	1/2	10	60	0.81	49
6 70779 90705 5	3/4	6	48	1.12	60
6 70779 90706 2	1	4	36	1.72	69
6 70779 90707 9	1-1/4	2	24	2.48	64
6 70779 90708 6	1-1/2	2	16	3.44	57



5044F / 5049F 5020 / 5023	Extension Stem (ES)	Wing "T" Handle	Replacement Handle	Memory Stop	Locking Lever Handle	Memory Stop for ES	S.S. Lever & Nut
1/4"	5044/49F-ES 1/4	5044/49F-WH 1/4	5044AB-LHK or 5049AB-LHK 1/4	5044/49F-MS 1/4	5044AB-LL or 5049AB-LL 1/4	5044/49F-MSES 1/4	-
3/8"	5044/49F-ES 1/4	5044/49F-WH 1/4	5044AB-LHK or 5049AB-LHK 1/4	5044/49F-MS 1/4	5044AB-LL or 5049AB-LL 1/4	5044/49F-MSES 1/4	-
1/2"	5044/49F-ES 1/2	5044/49F-WH 1/2	5044AB-LHK or 5049AB-LHK 1/2	5044/49F-MS 1/2	5044AB-LL or 5049AB-LL 1/2	5044/49F-MSES 1/2	5044/49F-SHK 1/2
3/4"	5044/49F-ES 1/2	5044/49F-WH 1/2	5044AB-LHK or 5049AB-LHK 1/2	5044/49F-MS 1/2	5044AB-LL or 5049AB-LL 1/2	5044/49F-MSES 1/2	5044/49F-SHK 1/2
1"	5044/49F-ES 1	5044/49F-WH 1	5044AB-LHK or 5049AB-LHK 1	5044/49F-MS 1	5044AB-LL or 5049AB-LL 1	5044/49F-MSES 1	5044/49F-SHK 1
1-1/4"	5044/49F-ES 1	5044/49F-WH 1	5044AB-LHK or 5049AB-LHK 1	5044/49F-MS 1	5044AB-LL or 5049AB-LL 1	5044/49F-MSES 1	5044/49F-SHK 1
1-1/2"	5044/49F-ES 1-1/2	5044/49F-WH 1-1/2	5044AB-LHK or 5049AB-LHK 1-1/2	5044/49F-MS 1-1/2	5044AB-LL or 5049AB-LL 1-1/2	5044/49F-MSES 1-1/2	5044/49F-SHK 1-1/2
2"	5044/49F-ES 1-1/2	5044/49F-WH 1-1/2	5044AB-LHK or 5049AB-LHK 1-1/2	5044/49F-MS 1-1/2	5044AB-LL or 5049AB-LL 1-1/2	5044/49F-MSES 1-1/2	5044/49F-SHK 1-1/2
2-1/2" - 4"	5044/49F-ES 2-1/2		5044AB-LHK or 5049AB-LHK 3	-	-	-	-

5592F / 5595F	Extension Stem (ES)	Wing "T" Handle	Replacement Handle
1/4"	5592/95F-ES 1/4	-	-
3/8"	5592/95F-ES 3/8	-	-
1/2"	5592/95F-ES 1/2	5592AB-WH or 5595AB-WH 1/2	5592AB-LH or 5595AB-LH 1/2
3/4"	5592/95F-ES 3/4	5592AB-WH or 5595AB-WH 1/2	5592AB-LH or 5595AB-LH 1/2
1"	5592/95F-ES 1	5592AB-WH or 5595AB-WH 1	5592AB-LH or 5595AB-LH 1
1-1/4"	5592/95F-ES 1-1/4	5592AB-WH or 5595AB-WH 1	5592AB-LH or 5595AB-LH 1
1-1/2"	5592/95F-ES 1-1/2	-	-
2"	5592/95F-ES 2	-	-
2-1/2" - 4"	5592/95F-ES 2-1/2	-	-

5065	Compression Ferrule only	Compression Nut
1/2"	5065-FER 1/2	5065-CN 1/2
3/4"	5065-FER 3/4	5065-CN 3/4
1"	5065-FER 1	5065-CN 1

5070	Disassembly Tool
1/2" - 1"	5070-RT 1/2



Disassembly Tool



Extension Stem



Wing Handle



Locking Lever



Hand Wheel



Hand Wheel

206F / 207F	Regular Handwheel
1/2"	206/207ABF-H 1/2
3/4"	206/207ABF-H 1/2
1"	206/207ABF-H 1
1-1/4"	206/207ABF-H 1-1/4
1-1/2"	206/207ABF-H 2
2"	206/207ABF-H 2
2-1/2" - 3"	206/207ABF-H 2-1/2

267 / 268	Regular Handwheel
1/2"	267/268-HK 1/2
3/4"	267/268-HK 1/2
1"	267/268-HK 1
1-1/4"	267/268-HK 1-1/4
1-1/2"	267/268-HK 1-1/4
2"	267/268-HK 2
2-1/2"	267/268-HK 2-1/2
3"	267/268-HK 3
4"	267/268-HK 4

204A / 208A / 210 / 211 / 220 / 221	Regular Handwheel
1/2"	CALL FOR PRICING
3/4"	CALL FOR PRICING
1"	CALL FOR PRICING
1-1/4"	CALL FOR PRICING
1-1/2"	CALL FOR PRICING
2"	CALL FOR PRICING
2-1/2"	CALL FOR PRICING
3"	CALL FOR PRICING
4"	CALL FOR PRICING



5080B / 5080BSS Bronze Full Port Ball Valve



- * 600WOG/150WSP up to 2"
- * 400WOG/125WSP above 2"
- * B62-C83600 Bronze Cast Body
- * Threaded Ends
- * Virgin PTFE Seats
- * Gland Packing
- * Adjustable Packing Nut
- * Blow-Out Proof Stem
- * MS-SSP-110

5080B = Chrome-plated Ball

5080BSS = SS316 Ball & Stem
SS304 Handle

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
5080B					
6 70779 71595 7	3/8	-	80	0.32	28
6 70779 70657 3	1/2	-	80	0.59	49
6 70779 70658 0	3/4	-	60	0.86	53
6 70779 70659 7	1	-	45	1.41	65
6 70779 70660 3	1-1/4	-	30	2.20	67
6 70779 70661 0	1-1/2	-	24	3.16	77
6 70779 70662 7	2	-	15	4.94	76
6 70779 70883 6	2-1/2	-	6	10.24	63
6 70779 70884 3	3	-	4	14.57	60
5080BSS					
6 70779 70663 4	1/2	-	80	0.59	49
6 70779 70664 1	3/4	-	60	0.86	53
6 70779 70665 8	1	-	45	1.41	65
6 70779 70666 5	1-1/4	-	30	2.20	67
6 70779 70667 2	1-1/2	-	24	3.16	77
6 70779 70668 9	2	-	15	4.94	76

280B Bronze Gate Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Non-Rising Stem
- * Solid Disc
- * MSS-SP-80

6 70779 71191 1	1/2	-	60	0.60	37
6 70779 71192 8	3/4	-	50	0.92	48
6 70779 71193 5	1	-	45	1.41	72
6 70779 71194 2	1-1/4	-	25	2.23	57
6 70779 71195 9	1-1/2	-	25	3.24	79
6 70779 71196 6	2	-	12	4.63	56

208B Bronze Gate Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Rising Stem
- * Solid Disc
- * MSS-SP-80

6 70779 71174 4	1/2	-	72	0.33	25
6 70779 71175 1	3/4	-	36	0.40	18
6 70779 71176 8	1	-	40	0.81	34
6 70779 71177 5	1-1/4	-	20	1.14	24
6 70779 71178 2	1-1/2	-	18	1.56	29
6 70779 71179 9	2	-	6	2.18	14

211B / 211BT Bronze Globe Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Inserted Bonnet
- * Swivel Type Disc
- * MSS-SP-80

211BT = Virgin PTFE Seat

211B					
6 70779 71182 9	1/2	-	84	0.73	63
6 70779 71183 6	3/4	-	60	1.05	65
6 70779 71184 3	1	-	30	1.74	54
6 70779 71185 0	1-1/4	-	20	2.50	52
6 70779 71186 7	1-1/2	-	12	3.62	43
6 70779 71187 4	2	-	10	5.34	55
211BT					
6 70779 71313 7	1/2	-	84	0.73	63
6 70779 71314 4	3/4	-	60	1.05	65
6 70779 71315 1	1	-	30	1.72	54
6 70779 71316 8	1-1/4	-	20	2.50	52
6 70779 71317 5	1-1/2	-	12	3.62	43
6 70779 71318 2	2	-	10	5.61	56

236B / 236BT Bronze Check Valve



- * 125# WSP
- * 200# WOG
- * Bronze Body
- * Threaded Ends
- * Swing Check
- * "Y" Pattern
- * MSS-SP-80

236BT = Virgin PTFE Seat

236B					
6 70779 71642 8	1/4	-	100	0.46	48
6 70779 71643 5	3/8	-	100	0.44	48
6 70779 71319 9	1/2	-	100	0.58	60
6 70779 71320 5	3/4	-	60	0.96	59
6 70779 71321 2	1	-	50	1.34	69
6 70779 71322 9	1-1/4	-	25	2.28	59
6 70779 71323 6	1-1/2	-	15	3.23	49
6 70779 71324 3	2	-	9	5.21	47
6 70779 71646 6	2-1/2	-	6	8.27	55
6 70779 71647 3	3	-	4	11.73	50
236BT					
6 70779 71644 2	1/4	-	100	0.47	49
6 70779 71645 9	3/8	-	100	0.45	47
6 70779 71325 0	1/2	-	100	0.58	60
6 70779 71326 7	3/4	-	60	1.04	58
6 70779 71327 4	1	-	50	1.36	69
6 70779 71328 1	1-1/4	-	25	2.24	59
6 70779 71329 8	1-1/2	-	15	3.23	49
6 70779 71330 4	2	-	9	5.21	48
6 70779 71648 0	2-1/2	-	6	8.47	55
6 70779 71649 7	3	-	4	12.06	50



RED-WHITE VALVE CORP.

380F Bronze Wye Strainer



- * 125# WSP / 200# WOG
- * Bronze Body
- * Threaded Ends
- * SS 20 Mesh Screen
- * With "clean out" tap & plug

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 70044 1	1/2	-	80	0.40	34
6 70779 70045 8	3/4	-	48	0.68	34
6 70779 70046 5	1	-	36	0.98	37
6 70779 70047 2	1-1/4	-	24	1.32	33
6 70779 70048 9	1-1/2	-	8	2.24	18
6 70779 70049 6	2	-	8	3.40	29

1500AB / 1515AB PP-R80 Ball Valve



- * 300# WOG
- * PP-R80 Body
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * O-ring Packing
- * AB1953 & NSF/ANSI 372
- * NSF/ANSI 14
- * 10-year Warranty
- * IAPMO/ANSI Z1157

1500AB = Polyfusion Ends
1515AB = Polyfusion x PEX (F1960)

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 70951 2	1/2	-	40	0.30	14
6 70779 70952 9	3/4	-	35	0.32	13
6 70779 70953 6	1	-	25	0.46	13
6 70779 70954 3	1-1/4	-	15	0.80	13
6 70779 70955 0	1-1/2	-	5	1.14	7
6 70779 70956 7	2	-	5	2.06	12



1501AB / 1516AB PP-RCT Ball Valve



- * 300# WOG
- * PP-RCT Body
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * O-ring Packing
- * AB1953 & NSF/ANSI 372
- * NSF/ANSI 14
- * 10-year Warranty
- * IAPMO/ANSI Z1157

1501AB = Polyfusion Ends
1516AB = Polyfusion x PEX (F1960)

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 71292 5	1/2	-	40	0.25	14
6 70779 71293 2	3/4	-	35	0.33	13
6 70779 71294 9	1	-	25	0.42	13
6 70779 71295 6	1-1/4	-	15	0.77	13
6 70779 71296 3	1-1/2	-	5	1.12	7
6 70779 71297 0	2	-	5	2.06	12
6 70779 71639 8	2-1/2	-	4	3.10	14
6 70779 71655 8	3	-	2	4.80	11



1501PAB / 1516PAB PP-RCT Ball Valve



- * 300# WOG
- * PP-RCT Body
- * Chrome-plated Ball
- * Virgin PTFE Seats
- * Blow-Out Proof Stem
- * O-ring Packing
- * AB1953 & NSF/ANSI 372
- * NSF/ANSI 14
- * 10-year Warranty
- * IAPMO/ANSI Z1157

1501PAB = Polyfusion Ends
1516PAB = Polyfusion x PEX (F1960)

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 71292 5	1/2	-	40	0.25	14
6 70779 71293 2	3/4	-	35	0.33	13
6 70779 71294 9	1	-	25	0.42	13
6 70779 71295 6	1-1/4	-	15	0.77	13
6 70779 71296 3	1-1/2	-	5	1.12	7
6 70779 71297 0	2	-	5	2.06	12
6 70779 71639 8	2-1/2	-	4	3.10	14
6 70779 71655 8	3	-	2	4.80	11




5019AB PEX x Flange Ball Valve



- * 400# WOG
- * DZR Lead Free Brass Body
- * Regular port
- * Virgin PTFE Seats
- * For use with PEX Tubing
- * Barb (F1960) x Flange
- * Blow-Out Proof Stem
- * Double NBR O-Ring Packing
- * CSA B125.14, ASTM-F1960
- * AB1953, NSF/ANSI 61 & 372

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 71159 1	2-1/2	-	3	11.84	36
6 70779 71160 7	3	-	3	16.08	50



RWV Hydronic Controls®



4550 S.S. Ball Valve



- * 1000# WOG/ 100# WSP
- * 316 Stainless Steel 1-Piece Body
- * Threaded Ends
- * Reduced Port
- * Blow-Out Proof Stem
- * Reinforced PTFE Seats
- * Locking Handle
- * MSS-SP-110
- * ANSI B16.34

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 45502 0	1/4	2	100	0.14	16
6 70779 49503 7	3/8	2	100	0.28	31
6 70779 45504 4	1/2	2	100	0.38	42
6 70779 45505 1	3/4	2	100	0.64	65
6 70779 45506 8	1	2	50	0.98	12
6 70779 45507 5	1-1/4	2	50	1.56	80
6 70779 45508 2	1-1/2	2	25	2.02	52
6 70779 45520 4	2	2	20	3.00	61

4880 S.S. Ball Valve



- * 2000# WOG/ 100# WSP
- * 316 Stainless Steel 2-Piece Body
- * Threaded Ends
- * Full Port
- * Blow-Out Proof Stem
- * Reinforced PTFE Seats
- * Mounting Pad, Locking Handle
- * MSS-SP-110
- * ANSI B16.34

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 48802 8	1/4	2	50	0.74	38
6 70779 48803 5	3/8	2	50	0.70	36
6 70779 48804 2	1/2	2	50	1.10	56
6 70779 48805 9	3/4	2	30	1.62	50
6 70779 48806 6	1	2	20	2.62	53
6 70779 48807 3	1-1/4	2	10	4.24	85
6 70779 48808 0	1-1/2	2	10	6.50	66
6 70779 48820 2	2	2	8	9.84	80

4660 S.S. Ball Valve



- * 1000# WOG/ 100# WSP
- * 316 Stainless Steel 3-Piece Body
- * Threaded Ends
- * Full Port
- * Blow-Out Proof Stem
- * Reinforced PTFE Seats
- * MSS-SP-110

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 46602 6	1/4	-	50	0.92	47
6 70779 46603 3	3/8	-	50	0.82	45
6 70779 46604 0	1/2	-	50	1.32	70
6 70779 46605 7	3/4	-	40	2.00	84
6 70779 46606 4	1	-	20	2.40	53
6 70779 46607 1	1-1/4	-	10	4.24	44
6 70779 46608 8	1-1/2	-	8	5.40	47
6 70779 46620 0	2	-	6	8.64	55

880 Stainless Globe Valve



- * 200# WOG / WSP
- * 316 Stainless Steel Body & Trim
- * Inserted Bonnet
- * Swivel Type Disc

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 88004 4	1/2	-	50	0.84	44
6 70779 88005 1	3/4	-	48	1.28	64
6 70779 88006 8	1	-	24	1.83	46
6 70779 88007 5	1-1/4	-	15	2.84	45
6 70779 88008 2	1-1/2	-	10	4.21	44
6 70779 88020 4	2	-	8	5.60	47

882 Stainless Gate Valve



- * 200# WOG / WSP
- * 316 Stainless Steel Body & Trim
- * Non-Rising Stem
- * Inserted Bonnet
- * Swivel Type Disc

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 88204 8	1/2	-	50	0.90	47
6 70779 88205 5	3/4	-	48	1.16	58
6 70779 88206 2	1	-	24	1.68	43
6 70779 88207 9	1-1/4	-	16	2.42	40
6 70779 88208 6	1-1/2	-	10	3.99	42
6 70779 88220 8	2	-	10	4.64	48

884 Stainless Check Valve



- * 200# WOG / WSP
- * 316 Stainless Steel Body & Trim
- * Solid Disc

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 88404 2	1/2	-	48	0.72	37
6 70779 88405 9	3/4	-	48	0.98	49
6 70779 88406 6	1	-	24	1.49	38
6 70779 88407 3	1-1/4	-	26	2.41	63
6 70779 88408 0	1-1/2	-	15	3.20	50
6 70779 88420 2	2	-	12	5.07	63

889 Stainless Strainer



- * 200# WOG / WSP
- * 316 Stainless Steel Body & Trim
- * Perforation Screen

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 88904 7	1/2	-	60	0.52	33
6 70779 88905 4	3/4	-	48	1.32	64
6 70779 88906 1	1	-	27	1.96	54
6 70779 88907 8	1-1/4	-	18	2.04	38
6 70779 88908 5	1-1/2	-	12	2.54	32
6 70779 88920 7	2	-	6	4.12	26



RED-WHITE VALVE CORP.

7550 Carbon Steel Ball Valve



- * 2000# WOG
- * Carbon Steel 1-Piece Body
- * Threaded Ends, S.S. Trim
- * Reduced Port
- * Blow-Out Proof Stem
- * Reinforced PTFE Seats
- * MSS-SP-110

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 75504 5	1/2	-	50	0.82	42
6 70779 75505 2	3/4	-	50	1.16	60
6 70779 75506 9	1	-	30	2.18	68
6 70779 75507 6	1-1/4	-	20	3.30	67
6 70779 75508 3	1-1/2	-	12	4.02	50
6 70779 75520 5	2	-	10	6.62	68

7770 Carbon Steel Ball Valve



- * 2000# WOG, 100# WSP
- * Carbon Steel 2-Piece Body
- * Threaded Ends, S.S. Trim
- * Regular Port
- * Blow-Out Proof Stem
- * Reinforced PTFE Seats
- * Adjustable Packing Gland
- * Mounting Pad, Locking Handle
- * MSS-SP-110, ANSI B16.34

6 70779 77702 3	1/4	-	50	0.74	38
6 70779 77703 0	3/8	-	50	0.82	43
6 70779 77704 7	1/2	-	50	1.14	55
6 70779 77705 4	3/4	-	30	1.58	50
6 70779 77706 1	1	-	20	2.64	55
6 70779 77707 8	1-1/4	-	20	4.21	86
6 70779 77708 5	1-1/2	-	10	6.42	66
6 70779 77700 7	2	-	8	9.83	81

5800L / 5800G Cast Iron Flange Ball Valve



- * 125 WSP
- * 200WOG
- * Full Port (up to 6")
- * Cast Iron Body
- * PTFE Coated Ball
- * MSS-SP-72
- * ANSI B16.10
- * Fed Spec. WW-V-35
- * ISO 5211 Mounting

5800L = Lever Handle
5800G = Gear Handle

5800L	6 70779 70061 8	2	-	-	25	-
	6 70779 70062 5	2-1/2	-	-	36	-
	6 70779 70063 2	3	-	-	48	-
	6 70779 70064 9	4	-	-	77	-
	6 70779 70065 6	6	-	-	138	-
	6 70779 71453 0	8	-	-	-	-

5800G	6 70779 70069 4	2	-	-	48	-
	6 70779 70070 0	2-1/2	-	-	59	-
	6 70779 70071 7	3	-	-	71	-
	6 70779 70072 4	4	-	-	100	-
	6 70779 70073 1	6	-	-	173	-

415 Iron NRS Gate Valve



- * 125# WSP
- * 200# WOG
- * Cast Iron Body
- * Flanged Ends (ANSI B16.5)
- * IBBM
- * Solid Disc
- * Non-Rising Stem (NRS)
- * MSS-SP-70

6 70779 41520 8	2	-	-	32	-
6 70779 41525 3	2-1/2	-	-	40	-
6 70779 41530 7	3	-	-	48	-
6 70779 41540 6	4	-	-	69	-
6 70779 41550 5	5	-	-	94	-
6 70779 41560 4	6	-	-	140	-
6 70779 41580 2	8	-	-	229	-
6 70779 41510 9	10	-	-	331	-
6 70779 41512 3	12	-	-	425	-

421 Iron OS&Y Gate Valve



- * 125# WSP
- * 200# WOG
- * Iron Body
- * Flanged Ends
- * IBBM, OS&Y
- * Rising Stem
- * Solid Disc
- * MSS-SP-70

6 70779 42020 9	2	-	-	33	-
6 70779 42025 4	2-1/2	-	-	45	-
6 70779 42030 8	3	-	-	53	-
6 70779 42040 7	4	-	-	82	-
6 70779 42050 6	5	-	-	97	-
6 70779 42060 5	6	-	-	140	-
6 70779 42080 3	8	-	-	232	-
6 70779 42010 0	10	-	-	362	-
6 70779 42012 4	12	-	-	475	-

400 Iron Globe Valve



- * 125# WSP
- * 200# WOG
- * Iron Body
- * Flanged Ends
- * IBBM, OS&Y
- * MSS-SP-85

6 70779 40020 4	2	-	-	34	-
6 70779 40025 9	2-1/2	-	-	44	-
6 70779 40030 3	3	-	-	50	-
6 70779 40040 2	4	-	-	85	-
6 70779 40050 1	5	-	-	141	-
6 70779 40060 0	6	-	-	165	-
6 70779 40080 8	8	-	-	270	-
6 70779 40010 5	10	-	-	444	-
6 70779 40012 9	12	-	-	649	-

435 Iron Swing Check Valve



- * 125# WSP
- * 200# WOG
- * Iron Body
- * Flanged Ends
- * IBBM, Bolted Cover
- * MSS-SP-71

6 70779 43520 6	2	-	-	25	-
6 70779 43525 1	2-1/2	-	-	39	-
6 70779 43530 5	3	-	-	47	-
6 70779 43540 4	4	-	-	79	-
6 70779 43550 3	5	-	-	124	-
6 70779 43560 2	6	-	-	158	-
6 70779 43580 0	8	-	-	267	-
6 70779 43510 7	10	-	-	425	-
6 70779 43512 1	12	-	-	491	-

RWV Hydronic Controls®



442 Dual Plate Iron Check Valve



- * 150# WOG
- * Iron Body
- * Dual Plate
- * Wafer Style Body
- * Bronze Discs
- * NBR Seat

6 70779 44220 4	2	-	-	3	-
6 70779 44225 9	2-1/2	-	-	4	-
6 70779 44230 3	3	-	-	7	-
6 70779 44240 2	4	-	-	11	-
6 70779 44250 1	5	-	-	15	-
6 70779 44260 0	6	-	-	20	-
6 70779 44280 8	8	-	-	33	-
6 70779 44210 5	10	-	-	54	-
6 70779 44212 9	12	-	-	116	-


445 Dual Plate Iron Check Valve



- * 150# WOG
- * Iron Body
- * Dual Plate
- * Wafer Style Body
- * Bronze Discs
- * EPDM Seat

6 70779 4422	2	-	-	3	-
6 70779 4422	2-1/2	-	-	4	-
6 70779 4423	3	-	-	7	-
6 70779 4424	4	-	-	11	-
6 70779 4425	5	-	-	15	-
6 70779 4426	6	-	-	20	-
6 70779 4428	8	-	-	33	-

452 Dual Plate Iron Check Valve



- * 150# WOG
- * Iron Body
- * Dual Plate
- * Wafer Style Body
- * Nickel Plated Ductile Iron Discs
- * NBR Seat

6 70779 45220 3	2	-	-	3	-
6 70779 45225 8	2-1/2	-	-	5	-
6 70779 45230 2	3	-	-	7	-
6 70779 45240 1	4	-	-	11	-
6 70779 45250 0	5	-	-	14	-
6 70779 45260 9	6	-	-	21	-
6 70779 45280 7	8	-	-	34	-
6 70779 45210 4	10	-	-	59	-
6 70779 45212 8	12	-	-	92	-

462 Dual Plate Iron Check Valve



- * 150# WOG
- * Iron Body
- * Dual Plate
- * Wafer Style Body
- * Stainless Steel Discs
- * NBR Seat

6 70779 46220 2	2	-	-	3	-
6 70779 46225 7	2-1/2	-	-	5	-
6 70779 46230 1	3	-	-	7	-
6 70779 46240 0	4	-	-	11	-
6 70779 46250 9	5	-	-	16	-
6 70779 46260 8	6	-	-	21	-
6 70779 46280 6	8	-	-	35	-
6 70779 46210 3	10	-	-	59	-
6 70779 46212 7	12	-	-	116	-

465 Dual Plate Iron Check Valve



- * 150# WOG
- * Iron Body
- * Dual Plate
- * Wafer Style Body
- * Stainless Steel Discs
- * EPDM Seat

6 70779 70768 6	2	-	-	4	-
6 70779 70769 3	2-1/2	-	-	5	-
6 70779 70770 9	3	-	-	7	-
6 70779 70771 6	4	-	-	11	-
6 70779 70772 3	5	-	-	14	-
6 70779 70773 0	6	-	-	20	-
6 70779 70774 7	8	-	-	38	-
6 70779 70775 4	10	-	-	61	-
6 70779 70776 1	12	-	-	116	-

381 Cast Iron Flanged Wye Strainer



- * 125# WSP
- * 200# WOG
- * Iron Body
- * Bolted Cover
- * SS Screen

6 70779 38120 6	2	-	-	20	-
6 70779 38125 1	2-1/2	-	-	23	-
6 70779 38130 5	3	-	-	32	-
6 70779 38140 4	4	-	-	46	-
6 70779 38150 3	5	-	-	65	-
6 70779 38160 2	6	-	-	92	-
6 70779 38180 0	8	-	-	131	-
6 70779 38110 7	10	-	-	205	-
6 70779 38112 1	12	-	-	269	-

382 Cast Iron Flanged Wye Strainer w/ 3 TP ports



- * 125# WSP
- * 200# WOG
- * Iron Body
- * Bolted Cover
- * SS Screen
- * Plugged Ports

6 70779 71431 8	2-1/2	-	-	27	-
6 70779 71432 5	3	-	-	34	-
6 70779 71433 2	4	-	-	49	-
6 70779 71434 9	5	-	-	64	-
6 70779 71435 6	6	-	-	95	-
6 70779 71436 3	8	-	-	163	-



RED-WHITE VALVE CORP.

9957W Ductile Iron Automatic Balancing Valve



- * Class 150
- * Ductile Iron Body
- * Test Points included
- * Flow range 25.4GPM-1778GPM

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 71276 5	2-1/2	-	-	12.0	
6 70779 71277 2	3	-	-	15.3	
6 70779 71278 9	4	-	-	24.5	
6 70779 71279 6	5	-	-	32.4	
6 70779 71280 2	6	-	-	39.6	
6 70779 71281 9	8	-	-	55.8	
6 70779 71282 6	10	-	-	79.2	
6 70779 71283 3	12	-	-	103.1	

9574P Iron Balancing Valve



- * 200# WOG
- * Cast Iron Body
- * Flanged Ends
- * Flat Face Flange
- * Variable Orifice Design
- * Includes 2 Brass Metering Points

6 70779 71638 1	2	-	-	18.3	
6 70779 95425 7	2-1/2	-	-	32.0	-
6 70779 95430 1	3	-	-	42.8	-
6 70779 95440 0	4	-	-	63.8	-
6 70779 95450 9	5	-	-	85.4	-
6 70779 95460 8	6	-	-	118.4	-
6 70779 95480 6	8	-	-	268.0	-
6 70779 95410 3	10	-	-	400.0	-
6 70779 95412 7	12	-	-	569.0	-

HOW TO ORDER BUTTERFLY VALVES

Example	937	B	N	S	G
	↓	↓	↓	↓	↓
	(1)	(2)	(3)	(4)	(5)

(1) Type	(2) Disc Material	(3) Seat Material	(4) Stem Material	(5) Operator
937: Wafer	D: Ductile Iron	E: EPDM	S: 416 Stainless Steel	L: 10 Position Lever
938: Lug	B: Aluminum Bronze	N: NBR		G: Worm Gear
	M: 316 Stainless Steel			X: Bare Stem

937BESL Wafer style Butterfly Valve



- * 200 PSI
- * Wafer Type/Lever
- * Ductile Iron Body
- * Alum. Bronze Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 93020 6	2	-	-	8	-
6 70779 93025 1	2-1/2	-	-	9	-
6 70779 93030 5	3	-	-	10	-
6 70779 93040 4	4	-	-	12	-
6 70779 93050 3	5	-	-	19	-
6 70779 93060 2	6	-	-	19	-
6 70779 93080 0	8	-	-	32	-
6 70779 93010 7	10	-	-	46	-
6 70779 93012 1	12	-	-	69	-

937BESG Wafer style Butterfly Valve



- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Wafer Type/Gear
- * Ductile Iron Body
- * Alum. Bronze Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 93120 3	2	-	-	17	-
6 70779 93125 8	2-1/2	-	-	17	-
6 70779 93130 2	3	-	-	19	-
6 70779 93140 1	4	-	-	23	-
6 70779 93150 0	5	-	-	26	-
6 70779 93160 9	6	-	-	27	-
6 70779 93180 7	8	-	-	47	-
6 70779 93110 4	10	-	-	62	-
6 70779 93112 8	12	-	-	89	-
6 70779 93114 2	14	-	-	118	-
6 70779 93116 6	16	-	-	228	-
6 70779 93118 0	18	-	-	270	-
6 70779 93122 7	20	-	-	359	-
6 70779 93124 1	24	-	-	606	-
	30 - 48	-	-		-

RWV Hydronic Controls®



937BNSL Wafer style Butterfly Valve



- * 200 PSI Size
- * Wafer Type/Lever
- * Ductile Iron Body
- * Alum. Bronze Disc
- * NBR Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 93220 0	2	-	-	8	-
6 70779 93225 5	2-1/2	-	-	9	-
6 70779 93230 9	3	-	-	10	-
6 70779 93240 8	4	-	-	12	-
6 70779 93250 7	5	-	-	19	-
6 70779 93260 6	6	-	-	19	-
6 70779 93280 4	8	-	-	32	-
6 70779 93210 1	10	-	-	46	-
6 70779 93212 5	12	-	-	69	-

937BNSG Wafer style Butterfly Valve



- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Wafer Type/Gear
- * Ductile Iron Body
- * Alum. Bronze Disc
- * NBR Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 93320 7	2	-	-	17	-
6 70779 93325 2	2-1/2	-	-	17	-
6 70779 93330 6	3	-	-	19	-
6 70779 93340 5	4	-	-	23	-
6 70779 93350 4	5	-	-	26	-
6 70779 93360 3	6	-	-	27	-
6 70779 93380 1	8	-	-	47	-
6 70779 93310 8	10	-	-	62	-
6 70779 93312 2	12	-	-	89	-
6 70779 93314 6	14	-	-	118	-
6 70779 93316 0	16	-	-	228	-
6 70779 93318 4	18	-	-	270	-
6 70779 93322 1	20	-	-	359	-
6 70779 93324 5	24	-	-	606	-
	30 - 48	-	-		-

937DNSL Wafer style Butterfly Valve



- * 200 PSI
- * Wafer Type/Lever
- * Ductile Iron Body
- * Ductile Iron Disc
- * NBR Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 93620 8	2	-	-	8	-
6 70779 93625 3	2-1/2	-	-	9	-
6 70779 93630 7	3	-	-	10	-
6 70779 93640 6	4	-	-	12	-
6 70779 93650 5	5	-	-	19	-
6 70779 93660 4	6	-	-	19	-
6 70779 93680 2	8	-	-	32	-
6 70779 93610 9	10	-	-	46	-
6 70779 93612 3	12	-	-	69	-

937DNSG Wafer style Butterfly Valve



- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Wafer Type/Gear
- * Ductile Iron Body
- * Ductile Iron Disc
- * NBR Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 93720 5	2	-	-	17	-
6 70779 93725 0	2-1/2	-	-	17	-
6 70779 93730 4	3	-	-	19	-
6 70779 93740 3	4	-	-	23	-
6 70779 93750 2	5	-	-	26	-
6 70779 93760 1	6	-	-	27	-
6 70779 93780 9	8	-	-	47	-
6 70779 93710 6	10	-	-	62	-
6 70779 93712 0	12	-	-	89	-
6 70779 93714 4	14	-	-	118	-
6 70779 93716 8	16	-	-	228	-
6 70779 93718 2	18	-	-	270	-
6 70779 93722 9	20	-	-	359	-
6 70779 93724 3	24	-	-	606	-
	30 - 48	-	-		-

937DESL Wafer style Butterfly Valve



- * 200 PSI
- * Wafer Type/Lever
- * Ductile Iron Body
- * Ductile Iron Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 89020 3	2	-	-	8	-
6 70779 89025 8	2-1/2	-	-	9	-
6 70779 89030 2	3	-	-	10	-
6 70779 89040 1	4	-	-	12	-
6 70779 89050 0	5	-	-	19	-
6 70779 89060 9	6	-	-	19	-
6 70779 89080 7	8	-	-	32	-
6 70779 89010 4	10	-	-	46	-
6 70779 89012 8	12	-	-	69	-

937DESG Wafer style Butterfly Valve



- * 200 PSI Size 12"
- * 150 PSI Sizes 14" - Up
- * Wafer Type/Gear
- * Ductile Iron Body
- * Ductile Iron Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 92910 1	10	-	-	62	-
6 70779 93912 5	12	-	-	89	-
6 70779 93914 9	14	-	-	118	-
6 70779 93916 3	16	-	-	228	-
6 70779 93918 7	18	-	-	270	-
6 70779 93922 4	20	-	-	359	-
6 70779 93924 8	24	-	-	606	-



937MESL Wafer style Butterfly Valve



- * 200 PSI Size
- * Wafer Type/Lever
- * Ductile Iron Body
- * 316 Stainless Steel Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 93820 2	2	-	-	8	-
6 70779 93825 7	2-1/2	-	-	9	-
6 70779 93830 1	3	-	-	10	-
6 70779 93840 0	4	-	-	12	-
6 70779 93850 9	5	-	-	19	-
6 70779 93860 8	6	-	-	19	-
6 70779 93880 6	8	-	-	32	-
6 70779 93810 3	10	-	-	46	-
6 70779 93812 7	12	-	-	69	-

938BNSL Lug pattern Butterfly Valve



- * 200 PSI
- * Lug Type/Lever
- * Ductile Iron Body
- * Alum. Bronze Disc
- * NBR Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 94220 9	2	-	-	10	-
6 70779 94225 4	2-1/2	-	-	12	-
6 70779 94230 8	3	-	-	12	-
6 70779 94240 7	4	-	-	18	-
6 70779 94250 6	5	-	-	22	-
6 70779 94260 5	6	-	-	26	-
6 70779 94280 3	8	-	-	42	-
6 70779 94210 0	10	-	-	64	-
6 70779 94212 4	12	-	-	101	-

938BNSG Lug pattern Butterfly Valve



- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Lug Type/Gear
- * Ductile Iron Body
- * Alum. Bronze Disc
- * NBR Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 94320 6	2	-	-	18	-
6 70779 94325 1	2-1/2	-	-	19	-
6 70779 94330 5	3	-	-	20	-
6 70779 94340 4	4	-	-	26	-
6 70779 94350 3	5	-	-	30	-
6 70779 94360 2	6	-	-	33	-
6 70779 94380 0	8	-	-	59	-
6 70779 94310 7	10	-	-	75	-
6 70779 94312 1	12	-	-	120	-
6 70779 94314 5	14	-	-	172	-
6 70779 94316 9	16	-	-	284	-
6 70779 94318 3	18	-	-	351	-
6 70779 94322 0	20	-	-	425	-
6 70779 94324 4	24	-	-	640	-
30 - 48		-	-	-	-

938DESL Lug pattern Butterfly Valve



- * 200 PSI
- * Lug Type/Lever
- * Ductile Iron Body
- * Ductile Iron Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 88720 3	2	-	-	10	-
6 70779 88725 8	2-1/2	-	-	12	-
6 70779 88730 2	3	-	-	12	-
6 70779 88740 1	4	-	-	18	-
6 70779 88750 0	5	-	-	22	-
6 70779 88760 9	6	-	-	26	-
6 70779 88780 7	8	-	-	42	-
6 70779 88710 4	10	-	-	64	-
6 70779 88712 8	12	-	-	101	-

938DESG Lug pattern Butterfly Valve



- * 200 PSI Size up to 12"
- * 150 PSI Sizes 14" - Up
- * Lug Type/Gear
- * Ductile Iron Bod
- * Ductile Iron Disc
- * EPDM Seats
- * MSS-SP-67
- * 416 Stainless Steel Stem
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 92710 7	10	-	-	75	-
6 70779 92712 1	12	-	-	120	-
6 70779 92714 5	14	-	-	172	-
6 70779 92716 9	16	-	-	284	-
6 70779 92718 3	18	-	-	351	-
6 70779 92722 0	20	-	-	425	-
6 70779 92724 4	24	-	-	640	-

938DNSL Lug pattern Butterfly Valve



- * 200 PSI
- * Lug Type/Lever
- * Ductile Iron Body
- * Ductile Iron Disc
- * NBR Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 94620 7	2	-	-	10	-
6 70779 94625 2	2-1/2	-	-	12	-
6 70779 94630 6	3	-	-	12	-
6 70779 94640 5	4	-	-	18	-
6 70779 94650 4	5	-	-	22	-
6 70779 94660 3	6	-	-	26	-
6 70779 94680 1	8	-	-	42	-
6 70779 94610 8	10	-	-	64	-
6 70779 94612 4	12	-	-	101	-



937MESG Wafer style Butterfly Valve



- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Wafer Type/Gear
- * Ductile Iron Body
- * 316 Stainless Steel Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 93920 9	2	-	-	17	-
6 70779 93925 4	2-1/2	-	-	17	-
6 70779 93930 8	3	-	-	19	-
6 70779 93940 7	4	-	-	23	-
6 70779 93950 6	5	-	-	26	-
6 70779 93960 5	6	-	-	27	-
6 70779 93980 3	8	-	-	47	-
6 70779 93910 0	10	-	-	62	-
6 70779 93912 4	12	-	-	89	-
6 70779 93914 8	14	-	-	118	-
6 70779 93916 2	16	-	-	228	-
6 70779 93918 6	18	-	-	270	-
6 70779 93922 3	20	-	-	359	-
6 70779 93924 7	24	-	-	606	-
30 - 48		-	-	-	-

938BESL Lug pattern Butterfly Valve



- * 200 PSI
- * Lug Type/Lever
- * Ductile Iron Body
- * Alum. Bronze Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 94020 5	2	-	-	10	-
6 70779 94025 0	2-1/2	-	-	12	-
6 70779 94030 4	3	-	-	12	-
6 70779 94040 3	4	-	-	18	-
6 70779 94050 2	5	-	-	22	-
6 70779 94060 1	6	-	-	26	-
6 70779 94080 9	8	-	-	42	-
6 70779 94010 6	10	-	-	64	-
6 70779 94012 0	12	-	-	101	-

938BESLAB Lug pattern Lead Free Butterfly Valve



- * 200 PSI
- * Lug Type/Lever
- * Ductile Iron Body
- * Alum. Bronze Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat
- * AB1953, NSF/ANSI 61 & 372

6 70779 71408 0	2	-	-	10	-
6 70779 71409 7	2-1/2	-	-	12	-
6 70779 71410 3	3	-	-	12	-
6 70779 71411 0	4	-	-	18	-
6 70779 71412 7	5	-	-	22	-
6 70779 71413 4	6	-	-	26	-
6 70779 71414 1	8	-	-	42	-
6 70779 71406 6	10	-	-	64	-
6 70779 71407 3	12	-	-	101	-

938BESG Lug pattern Butterfly Valve



- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Lug Type/Gear
- * Ductile Iron Body
- * Alum. Bronze Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 94120 2	2	-	-	18	-
6 70779 94125 7	2-1/2	-	-	19	-
6 70779 94130 1	3	-	-	20	-
6 70779 94140 0	4	-	-	26	-
6 70779 94150 9	5	-	-	30	-
6 70779 94160 8	6	-	-	33	-
6 70779 94180 6	8	-	-	59	-
6 70779 94110 3	10	-	-	75	-
6 70779 94112 7	12	-	-	120	-
6 70779 94114 1	14	-	-	172	-
6 70779 94116 5	16	-	-	284	-
6 70779 94118 9	18	-	-	351	-
6 70779 94122 6	20	-	-	425	-
6 70779 94124 0	24	-	-	640	-
30 - 48		-	-	-	-

938BESGAB Lug pattern Lead Free Butterfly Valve



- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Lug Type/Gear
- * Ductile Iron Body
- * Alum. Bronze Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat
- * AB1953, NSF/ANSI 61 & 372

6 70779 71417 2	8	-	-	59	-
6 70779 71415 8	10	-	-	75	-
6 70779 71416 5	12	-	-	120	-



938DNSG Lug pattern Butterfly Valve



- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Wafer Type/Gear
- * Ductile Iron Body
- * Ductile Iron Disc
- * NBR Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
6 70779 94720 4	2	-	-	18	-
6 70779 94725 9	2-1/2	-	-	19	-
6 70779 94730 3	3	-	-	20	-
6 70779 94740 2	4	-	-	26	-
6 70779 94750 1	5	-	-	30	-
6 70779 94760 0	6	-	-	33	-
6 70779 94780 8	8	-	-	59	-
6 70779 94710 5	10	-	-	75	-
6 70779 94712 9	12	-	-	120	-
6 70779 94714 3	14	-	-	172	-
6 70779 94716 7	16	-	-	284	-
6 70779 94718 1	18	-	-	351	-
6 70779 94722 8	20	-	-	425	-
6 70779 94724 2	24	-	-	640	-
	30 - 48	-	-	-	-

938MESL Lug pattern Butterfly Valve



- * 200 PSI Size
- * Lug Type/Lever
- * Ductile Iron Body
- * 316 Stainless Steel Disc
- * EPDM Seats
- * 416 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 94820 1	2	-	-	10	-
6 70779 94825 6	2-1/2	-	-	12	-
6 70779 94830 0	3	-	-	12	-
6 70779 94840 9	4	-	-	18	-
6 70779 94850 8	5	-	-	22	-
6 70779 94860 7	6	-	-	26	-
6 70779 94880 5	8	-	-	42	-
6 70779 94810 2	10	-	-	64	-
6 70779 94812 6	12	-	-	101	-

938MESG Lug pattern Butterfly Valve



- * 200 PSI Size 2" - 12"
- * 150 PSI Sizes 14" - Up
- * Lug Type/Gear
- * Ductile Iron Body
- * 316 Stainless Steel Disc
- * EPDM Seats
- * 346 Stainless Steel Stem
- * MSS-SP-67
- * ISO 5211 Mounting
- * Cartridge Seat

6 70779 94920 8	2	-	-	18	-
6 70779 94925 3	2-1/2	-	-	19	-
6 70779 94930 7	3	-	-	20	-
6 70779 94940 6	4	-	-	26	-
6 70779 94950 5	5	-	-	30	-
6 70779 94960 4	6	-	-	33	-
6 70779 94980 2	8	-	-	59	-
6 70779 94910 9	10	-	-	75	-
6 70779 94912 3	12	-	-	120	-
6 70779 94914 7	14	-	-	172	-
6 70779 94916 1	16	-	-	284	-
6 70779 94918 5	18	-	-	351	-
6 70779 94922 2	20	-	-	425	-
6 70779 94924 6	24	-	-	640	-
	30 - 48	-	-	-	-

* Butterfly valves except for 938BESLAB and 938BESGAB not certified to NSF/ANSI 61 for potable water service

Cutter Electric Actuator for Butterfly Valve



- * ISO 5211 connection
- * Torque range: 15Nm to 4300Nm
- * 3 points control
- * 120V Supply
- * 2 adjustable limit switches
- * Electric connections 2 x 1/2" NPT
- * Enclosure protection: IP68
- * CSA certified
- * 115/120 VAC, 50/60 Hz or 24 VDC

6 70779 72248 1	2 - 3	-	-	22	-
6 70779 72249 8	4	-	-	22	-
6 70779 72250 4	5	-	-	22	-
6 70779 72251 1	6	-	-	22	-
6 70779 72252 8	8	-	-	33	-
6 70779 72253 5	10	-	-	33	-
6 70779 72254 2	12	-	-	35	-

Hovercraft Pneumatic Actuator for Butterfly Valve



- * ISO 5211 connection
- * Torque range:
 - Double acting = Up to 3800Nm
 - Spring return = Up to 1400Nm
- * Anodized aluminum body
- * Nickel plated steel pinion
- * Flange, end caps & pistons in die cast aluminum
- * Opening/closing ±10° travel regulation

Double Acting					
	2 - 3	-	-	4.0	-
	4	-	-	6.3	-
	5 - 6	-	-	10.7	-
	8	-	-	19.9	-
	10	-	-	39.2	-
	12 - 14	-	-	48.9	-
	16	-	-	80.0	-
	18	-	-	94.3	-
Spring Return					
	2 - 2.5	-	-	7.2	-
	3	-	-	10.0	-
	4	-	-	12.3	-
	5 - 6	-	-	33.1	-
	8	-	-	49.8	-
	10	-	-	101.1	-
	12	-	-	115.4	-
	14	-	-	182.7	-
	16	-	-	215.9	-



9707R Pressure Independent Control Valve (PICV)



- * 300WOG
- * DZR Brass Body
- * Full-stroke Modulation Capability
- * Head-loss Measurement
- * Ready-to-mount On/Off & Modulating (0-10V)
- Actuator Available (See pg B8)
- * Multiple Connection Available
- * NPSM Male Ends

9707RL = Low Flow

9707T PICV + Tailpieces



- * 300WOG
- * DZR Brass Body
- * Full-stroke Modulation Capability
- * Head-loss Measurement
- * Ready-to-mount On/Off & Modulating (0-10V)
- Actuator Available (See pg B8)

Also available:
Tailpieces - FNPT, MNPT, Solder & PEX (F1960)

9707TL = Low Flow

9707IBV PICV + Isolation Ball Valve (99IBV)



- * 300WOG
- * DZR Brass Body
- * Full-stroke Modulation Capability
- * Head-loss Measurement
- * Ready-to-mount On/Off & Modulating (0-10V)
- Actuator Available (See pg B8)

Also available:
Tailpieces - FNPT, MNPT, Solder & PEX (F1960)
IBV End - FNPT & Solder

9707IBVL = Low Flow

9517AB / 9519AB LF Brass Balancing Valve



- * 300# WOG
- * DZR Lead Free Brass Body
- * Fixed Orifice Design
- * Precision Adjustable Handwheel
- * Integral Memory Stop
- * AB1953, NSF/ANSI 61 & 372

9517AB = Threaded Ends
9519AB = Solder Ends

9517ABU = Ultra Low Flow
9517ABL = Low Flow

9519ABU = Ultra Low Flow
9519ABL = Low Flow

9527AB / 9529AB LF Brass Balancing Valve



- * 300WOG
- * Lead Free Brass Body
- * On/Off Capability
- * Integral Memory Stop
- * Ready-to-mount On/Off Wax Actuator Available (See pg B8)
- * AB1953, NSF/ANSI 61 & 372

9527AB = Threaded Ends
9529AB = Solder Ends

9527ABL = Low Flow

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
----------	------	------------	--------------	-------------------	-------------

6 70779 71310 6	1/2	-	24	0.93	24
6 70779 71312 0	3/4	-	12	1.32	18
6 70779 71354 0	1	-	10	2.49	25
6 70779 72062 3	1-1/4	-	5	4.45	25

6 70779 71311 3	1/2	-	24	0.93	24
-----------------	-----	---	----	------	----

UPC based on Configuration	1/2	-	-	1.28	-
	1/2-H	-	-	1.78	-
	3/4	-	-	1.78	-
	3/4-H	-	-	3.00	-
	1	-	-	3.06	-
	1-H	-	-	-	-
	1-1/4	-	-	-	-

UPC based on Configuration	1/2	-	-	1.28	-
----------------------------	-----	---	---	------	---

UPC based on Configuration	1/2	-	-	1.56	-
	1/2-H	-	-	2.04	-
	3/4	-	-	2.10	-
	3/4-H	-	-	3.64	-
	1	-	-	3.70	-
	1-H	-	-	-	-
	1-1/4	-	-	-	-

UPC based on Configuration	1/2	-	-	1.56	-
----------------------------	-----	---	---	------	---

6 70779 70215 5	1/2	-	20	1.24	27
6 70779 70216 2	3/4	-	15	1.42	23
6 70779 70217 9	1	-	10	1.68	19
6 70779 70218 6	1-1/4	-	10	2.74	30
6 70779 70219 3	1-1/2	-	10	3.44	37
6 70779 70220 9	2	-	5	4.74	26

6 70779 70829 4	1/2	-	20	1.24	27
-----------------	-----	---	----	------	----

6 70779 70828 7	1/2	-	20	1.24	27
-----------------	-----	---	----	------	----

6 70779 70221 6	1/2	-	20	1.16	26
6 70779 70222 3	3/4	-	15	1.28	22
6 70779 70223 0	1	-	10	1.52	17
6 70779 70224 7	1-1/4	-	10	2.46	27
6 70779 70225 4	1-1/2	-	10	3.12	33
6 70779 70226 1	2	-	5	4.54	24

6 70779 70831 7	1/2	-	20	1.16	26
-----------------	-----	---	----	------	----

6 70779 70830 0	1/2	-	20	1.16	26
-----------------	-----	---	----	------	----

6 70779 70319 0	1/2	-	20	0.78	17
6 70779 70320 6	3/4	-	20	0.98	21
6 70779 70304 6	1	-	20	1.40	30
6 70779 71162 1	1-1/4	-	18	2.06	40
6 70779 71163 8	1-1/2	-	15	2.60	42
6 70779 71164 5	2	-	15	3.68	59

6 70779 70303 9	1/2	-	20	0.78	17
-----------------	-----	---	----	------	----

6 70779 70321 3	1/2	-	20	0.70	16
6 70779 70322 0	3/4	-	20	0.94	21



9517 / 9519 Fixed Orifice Static Balancing Valve



- * 300# WOG
- * DZR Brass Body
- * Fixed Orifice Design
- * Venturi Insert
- * Precision Adjustable Handwheel
- * Integral Memory Stop

9517 = Threaded Ends
9519 = Solder Ends

9517X = Ultra Ultra Low Flow
9517U = Ultra Low Flow
9517L = Low Flow

9517X = Ultra Ultra Low Flow
9519U = Ultra Low Flow
9519L = Low Flow

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
9517					
6 70779 95104 1	1/2	-	20	1.23	27
6 70779 95105 8	3/4	-	15	1.43	24
6 70779 95106 5	1	-	10	1.73	19
6 70779 95107 2	1-1/4	-	10	2.78	30
6 70779 95108 9	1-1/2	-	10	3.50	37
6 70779 95120 1	2	-	5	4.80	26
9517X					
6 70779 71460 8	1/2	-	20	1.23	27
9517U					
6 70779 71461 5	1/2	-	20	1.23	27
9517L					
6 70779 71462 2	1/2	-	20	1.23	27
9519					
6 70779 94504 0	1/2	-	20	1.16	25
6 70779 94505 1	3/4	-	15	1.34	22
6 70779 94506 4	1	-	10	1.55	18
6 70779 94507 1	1-1/4	-	10	2.53	27
6 70779 94508 8	1-1/2	-	10	3.16	34
6 70779 94520 0	2	-	5	4.46	24
9519X					
6 70779 71463 9	1/2	-	20	1.16	25
9519U					
6 70779 71464 6	1/2	-	20	1.16	25
9519L					
6 70779 71465 3	1/2	-	20	1.16	25

9517T-PP Fixed Orifice Static Balancing Valve



- * 300# WOG
- * DZR Brass Body
- * Fixed Orifice Design
- * Venturi Insert
- * Precision Adjustable Handwheel
- * Integral Memory Stop
- * Union Ends with EzPress Tailpieces

Also available:
Tailpieces - FNPT, MNPT, Solder & PEX (F1960)

9517TU-PP = Ultra Low Flow
9517TL-PP = Low Flow

9517T-PP					
6 70779 71553 7	1/2	-	20	1.23	27
6 70779 71554 4	3/4	-	15	1.43	24
6 70779 71555 1	1	-	10	1.73	19
9517TU-PP					
6 70779 71556 8	1/2	-	20	1.23	27
9517TL-PP					
6 70779 71557 5	1/2	-	20	1.23	27

9517IBV Fixed Orifice Static Balancing Valve



- * 300# WOG
- * DZR Brass Body
- * Fixed Orifice Design
- * Venturi Insert
- * Precision Adjustable Handwheel
- * Integral Memory Stop
- * Complete with Isolation Ball Valve (FNPT) & 1 Tailpiece (MNPT)

Also available:
Tailpieces - FNPT, Solder & EzPress PEX (F1960)
IBV End - FNPT, Solder, EzPress & PEX (F1960)

9517IBVU = Ultra Low Flow
9517IBVL = Low Flow

9517IBV					
UPC based on Configuration	1/2	-	-	2.08	-
	3/4	-	-	2.81	-
	1	-	-	3.39	-
9517IBVU					
UPC based on Configuration	1/2	-	-	2.08	-
9517IBVL					
UPC based on Configuration	1/2	-	-	2.08	-

9574P Iron Balancing Valve



- * 200# WOG
- * Cast Iron Body
- * Flanged Ends
- * Flat Face Flange
- * Variable Orifice Design
- * Includes 2 Brass Metering Points

6 70779 71638 1	2	-	-	18.3	
6 70779 95425 7	2-1/2	-	-	32.0	-
6 70779 95430 1	3	-	-	42.8	-
6 70779 95440 0	4	-	-	63.8	-
6 70779 95450 9	5	-	-	85.4	-
6 70779 95460 8	6	-	-	118.4	-
6 70779 95480 6	8	-	-	268.0	-
6 70779 95410 3	10	-	-	400.0	-
6 70779 95412 7	12	-	-	569.0	-



9907T Automatic Balancing Valve (ABV)



- * 300 #WOG
- * DZR Brass Body
- * Union Ends with FNPT Tailpieces
- * Flow range 0.32GPM-127GPM

Also available:
Tailpieces - MNPT, Solder, EzPress & PEX (F1960)

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
UPC based on Configuration	1/2	-	-	-	-
	1/2-H	-	-	-	-
	3/4-L	-	-	-	-
	3/4	-	-	-	-
	1	-	-	-	-
	1-1/4-L	-	-	-	-
	1-1/4	-	-	-	-
	1-1/2	-	-	-	-
	2	-	-	-	-
	2-H	-	-	-	-

9907IBV ABV (9907T) + Isolation Ball Valve (99IBV)



- * 300# WOG
- * DZR Brass Body
- * Flow range 0.32GPM-127GPM
- * Union ends
- * Complete with Isolation Ball Valve (FNPT) and 1 Tailpiece (FNPT)

Also available:
Tailpieces - MNPT, Solder, EzPress & PEX (F1960)
IBV End - Solder, EzPress & PEX (F1960)

	1/2	-	-	-	-
	3/4-L	-	-	-	-
	3/4	-	-	-	-
UPC based on Configuration	1	-	-	-	-
	1-1/4-L	-	-	-	-
	1-1/4	-	-	-	-
	1-1/2	-	-	-	-
	2	-	-	-	-
	2-H	-	-	-	-

9957W Ductile Iron Automatic Balancing Valve



- * Class 150
- * Ductile Iron Body
- * Test Points included
- * Flow range 25.4GPM-1778GPM

6 70779 71276 5	2-1/2	-	-	12.0	
6 70779 71277 2	3	-	-	15.3	
6 70779 71278 9	4	-	-	24.5	
6 70779 71279 6	5	-	-	32.4	
6 70779 71280 2	6	-	-	39.6	
6 70779 71281 9	8	-	-	55.8	
6 70779 71282 6	10	-	-	79.2	
6 70779 71283 3	12	-	-	103.1	

9407 Brass Metering Station



- * 300# WOG
- * DZR Brass Body
- * Threaded Ends
- * Fixed Orifice Design
- * High & Low Pressure Sampling Points

9407X = Ultra Ultra Low Flow
9407U = Ultra Low Flow
9407L = Low Flow

9407					
6 70779 92504 2	1/2	-	50	0.54	29
6 70779 92505 9	3/4	-	50	0.64	34
6 70779 92506 6	1	-	30	0.82	27
6 70779 92507 3	1-1/4	-	30	1.10	35
6 70779 92508 0	1-1/2	-	20	1.28	28
6 70779 92520 2	2	-	15	1.74	28
9407X					
6 70779 71479 0	1/2	-	50	0.54	29
9407U					
6 70779 71480 6	1/2	-	50	0.54	29
9407L					
6 70779 71481 3	1/2	-	50	0.54	29

9450A SS Orifice Plate




- * 600# WOG
- * 316 Stainless Steel
- * Dual Measuring Points
- * Wafer Style Flange

6 70779 70558 3	2-1/2	-	-	3.30	-
6 70779 70559 0	3	-	-	4.00	-
6 70779 70560 6	4	-	-	4.90	-
6 70779 70561 3	5	-	-	5.80	-
6 70779 70562 0	6	-	-	6.70	-
6 70779 70563 7	8	-	-	9.80	-
6 70779 70564 4	10	-	-	12.70	-
6 70779 70565 1	12	-	-	15.80	-



92ST / 92SS / 92SP DZR Brass Full Port Combo Strainer



DZR
Dezincification
Resistant

- * 600# WOG (400WOG for 1/2" & 3/4")
- * DZR Brass Body
- * Full Port
- * Stainless Steel Strainer (20 mesh)

92ST = FNPT x FNPT union end
92SS = Solder x Solder union end
92SP = EzPress x EzPress union end

Also available:
Tailpieces - FNPT, MNPT, Solder & EzPress

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
92ST					
6 70779 71541 4	1/2	-	-	1.46	-
6 70779 71542 1	3/4	-	-	1.75	-
6 70779 71543 8	1	-	-	2.50	-
6 70779 71544 5	1-1/4	-	-	3.73	-
6 70779 71545 2	1-1/2	-	-	6.03	-
6 70779 71546 9	2	-	-	7.37	-
92SS					
6 70779 72043 2	1/2	-	-	1.46	-
6 70779 72044 9	3/4	-	-	1.75	-
6 70779 72045 6	1	-	-	2.50	-
6 70779 72046 3	1-1/4	-	-	3.73	-
6 70779 72047 0	1-1/2	-	-	6.03	-
6 70779 72048 7	2	-	-	7.37	-
92SP					
6 70779 71547 6	1/2	-	-	1.40	-
6 70779 71548 3	3/4	-	-	1.70	-
6 70779 71549 0	1	-	-	2.39	-
6 70779 71550 6	1-1/4	-	-	3.56	-
6 70779 71808 8	1-1/2	-	-	6.03	-
6 70779 71809 5	2	-	-	7.37	-

92ST-BY / 92SS-BY / 92SP-BY Combo Strainer



DZR
Dezincification
Resistant

- * 600# WOG (400WOG for 1/2" & 3/4")
- * DZR Brass Body
- * Full Port
- * Stainless Steel Strainer (20 mesh)
- * 1/2" Bypass Port

92ST-BY = FNPT x FNPT union end
92SS-BY = Solder x Solder union end
92SP-BY = EzPress x EzPress union end

Also available:
Tailpieces - FNPT, MNPT, Solder & EzPress

92ST-BY					
6 70779 71551 3	1/2	-	-	1.52	-
6 70779 71552 0	3/4	-	-	1.88	-
92SS-BY					
6 70779 71861 3	1/2	-	-	1.41	-
6 70779 71862 0	3/4	-	-	1.73	-
92SP-BY					
6 70779 71863 7	1/2	-	-	1.45	-
6 70779 71864 4	3/4	-	-	1.80	-

92STC Combo Strainer



DZR
Dezincification
Resistant

- * 600# WOG (400WOG for 1/2" & 3/4")
- * DZR Brass Body
- * Stainless Steel Strainer (20 mesh)
- * FNPT x FNPT union end

6 70779 70546 0	1/2	-	-	1.28	-
6 70779 70547 7	3/4	-	-	1.58	-
6 70779 70548 4	1	-	-	1.87	-
6 70779 70549 1	1-1/4	-	-	2.36	-
6 70779 70550 7	1-1/2	-	-	3.03	-
6 70779 70551 4	2	-	-	4.50	-

92SSC Combo Strainer



DZR
Dezincification
Resistant

- * 400# WOG
- * DZR Brass Body
- * Stainless Steel Strainer (20 mesh)
- * Solder x Solder union end

6 70779 71114 0	1/2	-	-	1.17	-
6 70779 71115 7	3/4	-	-	1.50	-

92SEC Combo Strainer



DZR
Dezincification
Resistant

- * 400# WOG
- * DZR Brass Body
- * Stainless Steel Strainer (20 mesh)
- * PEX (F1960) x PEX (F1960) union end

Also available:
Tailpieces - FNPT, MNPT, Solder & EzPress

6 70779 72108 8	1/2	-	-	1.24	-
6 70779 72109 5	3/4	-	-	1.54	-
6 70779 72110 1	1	-	-	2.09	-



92UBT / UBS / UBP DZR Brass Union Ball Valve



DZR
Dezincification
Resistant

- * 600# WOG
- * DZR Brass Body
- * With 3 Plugged Ports

92UBT = FNPT x FNPT union end
92UBS = Solder x Solder union end
92UBP = EzPress x EzPress union end

Also available:
Tailpieces - FNPT, MNPT, Solder, EzPress & PEX (F1960)

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
92UBT					
6 70779 71529 2	1/2	-	-	0.85	-
6 70779 71530 8	3/4	-	-	1.12	-
6 70779 71531 5	1	-	-	1.69	-
6 70779 71532 2	1-1/4	-	-	2.47	-
6 70779 71533 9	1-1/2	-	-	3.70	-
6 70779 71534 6	2	-	-	5.43	-
92UBS					
6 70779 71855 2	1/2	-	-	0.76	-
6 70779 71856 9	3/4	-	-	1.00	-
6 70779 71857 6	1	-	-	1.55	-
6 70779 71858 3	1-1/4	-	-	2.31	-
6 70779 71859 0	1-1/2	-	-	3.45	-
6 70779 71860 6	2	-	-	4.55	-
92UBP					
670779 71849 1	1/2	-	-	0.82	-
670779 71850 7	3/4	-	-	1.07	-
670779 71851 4	1	-	-	1.55	-
670779 71852 1	1-1/4	-	-	2.33	-
670779 71853 8	1-1/2	-	-	3.45	-
670779 71854 5	2	-	-	4.55	-

92UDT / UDS / UDP DZR Brass Union Ball Valve



DZR
Dezincification
Resistant

- * 600# WOG
- * DZR Brass Body
- * With Drain Valve & Test Point

92UDT = FNPT x FNPT union end
92UDS = Solder x Solder union end
92UDP = EzPress x EzPress union end

Also available:
Tailpieces - FNPT, MNPT, Solder, EzPress & PEX (F1960)

92UDT					
6 70779 71535 3	1/2	-	-	1.16	-
6 70779 71536 0	3/4	-	-	1.44	-
6 70779 71537 7	1	-	-	2.00	-
6 70779 71538 4	1-1/4	-	-	2.78	-
6 70779 71539 1	1-1/2	-	-	4.02	-
6 70779 71540 7	2	-	-	5.74	-
92UDS					
6 70779 71855 2	1/2	-	-	0.76	-
6 70779 71856 9	3/4	-	-	1.00	-
6 70779 71857 6	1	-	-	1.55	-
6 70779 71858 3	1-1/4	-	-	2.31	-
6 70779 71859 0	1-1/2	-	-	3.45	-
6 70779 71860 6	2	-	-	4.55	-
92UDP					
6 70779 71849 1	1/2	-	-	0.82	-
6 70779 71850 7	3/4	-	-	1.07	-
6 70779 71851 4	1	-	-	1.55	-
6 70779 71852 1	1-1/4	-	-	2.33	-
6 70779 71853 8	1-1/2	-	-	3.45	-
6 70779 71854 5	2	-	-	4.55	-

92UN DZR Brass Union w/ Air Vent & Test Point




DZR
Dezincification
Resistant

- * 400# WOG
- * DZR Brass Body
- * Tailpiece Reduction Available
- * FNPT x MNPT union end

Also available:
Body - Solder
Tailpiece - FNPT, Solder & PEX (F1960)

6 70779 70427 2	1/2	-	-	0.50	-
6 70779 71428 9	3/4	-	-	0.57	-
6 70779 71429 6	1	-	-	0.64	-
6 70779 71430 2	1-1/4	-	-	1.01	-
6 70779 71431 9	1-1/2	-	-	1.59	-
6 70779 71432 6	2	-	-	1.90	-

92MU DZR Brass Union



DZR
Dezincification
Resistant

- * 400# WOG
- * DZR Brass Body
- * Tailpiece Reduction Available
- * MNPT Body x MNPT Union

Also available:
Tailpiece - FNPT, Solder & PEX (F1960)

6 70779 71207 9	1/2	-	-	0.31	-
6 70779 71208 6	3/4	-	-	0.34	-
6 70779 71209 3	1	-	-	0.56	-
6 70779 71210 9	1-1/4	-	-	0.78	-
6 70779 71211 6	1-1/2	-	-	1.36	-
6 70779 71212 3	2	-	-	1.80	-



92HS Stainless Steel Hose



- * Fire Retardant Stainless Steel
- * MNPT End x Swivel MNPT End

Also available:
Swivel End - FNPT & Solder

UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
12"					
6 70779 71573 5	1/2	-	-	0.54	-
6 70779 71574 2	3/4	-	-	0.89	-
6 70779 71575 9	1	-	-	1.53	-
6 70779 71576 6	1-1/4	-	-	2.57	-
6 70779 71577 3	1-1/2	-	-	3.48	-
6 70779 71578 0	2	-	-	5.14	-
18"					
6 70779 71579 7	1/2	-	-	0.67	-
6 70779 71580 3	3/4	-	-	1.09	-
6 70779 71581 0	1	-	-	1.75	-
6 70779 71582 7	1-1/4	-	-	3.07	-
6 70779 71583 4	1-1/2	-	-	4.04	-
6 70779 71584 1	2	-	-	5.89	-
24"					
6 70779 71585 8	1/2	-	-	0.74	-
6 70779 71586 5	3/4	-	-	1.29	-
6 70779 71587 2	1	-	-	2.02	-
6 70779 71588 9	1-1/4	-	-	3.53	-
6 70779 71589 6	1-1/2	-	-	4.54	-
6 70779 71590 2	2	-	-	6.55	-
36"					
6 70779 71597 1	1/2	-	-	0.96	-
6 70779 71598 8	3/4	-	-	1.68	-
6 70779 71599 5	1	-	-	2.71	-
6 70779 71600 8	1-1/4	-	-	4.59	-
6 70779 71601 5	1-1/2	-	-	5.65	-
6 70779 71602 2	2	-	-	7.87	-

99IBV DZR Brass Isolating Ball Valve



- * 400# WOG
- * DZR Brass Body
- * Adjustable packing
- * Blow-out proof stem
- * Suitable for 9500, 9700 and 9900 Series Valves
- * FNPT x Swivel nut NPSM

Also available:
Body - Solder, EzPress & PEX (F1960)

6 70779 72051 7	1/2 x 3/4	-	-	0.51	-
6 70779 72052 4	1/2 x 1	-	-	0.55	-
6 70779 72053 1	3/4 x 1	-	-	0.71	-
6 70779 72054 8	3/4 x 1-1/4	-	-	0.77	-
6 70779 72055 5	1 x 1-1/4	-	-	1.21	-
6 70779 72056 2	1 x 1-1/2	-	-	1.26	-
6 70779 72057 9	1-1/4 x 1-1/2	-	-	1.62	-
6 70779 72058 6	1-1/4 x 2	-	-	1.86	-
6 70779 72059 3	1-1/2 x 2	-	-	2.53	-
6 70779 72060 9	1-1/2 x 2-1/2	-	-	3.02	-
6 70779 72061 6	2 x 2-1/2	-	-	4.04	-

241DV Brass Drain Valve



- * 600# WOG
- * Brass Body
- * Threaded Ends
- * Hose End with Cap

6 70779 70241 4	1/4	-	80	0.27	24
6 70779 70242 1	3/8	-	80	0.28	25
6 70779 70243 8	1/2	-	80	0.30	26

95INSL / 99INSL Insulation for Balancing Valve



95INSL					
6 70779 70928 4	1/2	-	-	0.16	-
6 70779 70929 1	3/4	-	-	0.17	-
6 70779 70930 7	1	-	-	0.18	-
6 70779 70931 4	1-1/4	-	-	0.20	-
6 70779 70932 1	1-1/2	-	-	0.21	-
6 70779 70933 8	2	-	-	0.24	-
99INSL					
6 70779 71269 7	3/4	-	-	0.10	-
6 70779 71270 3	1	-	-	0.12	-
6 70779 71271 0	1-1/4	-	-	0.18	-




CKA Automatic Balancing Valve Kit



CKS Static Balancing Valve Kit



CKM Static Balancing Valve Kit



CKP Pressure Independent Control Valve Kit



CK Valve Kit




WSHP Water Source Heat Pump Connection Kit



UPC Code	Size	Inner pcs.	Pcs./ carton	Indiv. Wt. (lbs.)	Wt./ Carton
CKA Automatic Balancing Valve Kit					
	1/2				
	3/4-L				
	3/4				
	1				
	1-1/4				
	1-1/2				
	2				
	2-H				
CKS Static Balancing Valve Kit					
	1/2-U				
	1/2-L				
	1/2				
	3/4				
	1				
	1-1/4				
	1-1/2				
	2				
CKM Static Balancing Valve Kit					
	1/2-L				
	1/2				
	3/4				
	1				
CKP Pressure Independent Control Valve Kit					
	1/2-L				
	1/2				
	1/2-H				
	3/4				
	3/4-H				
	1				
	1-H				
	1-1/4				
CK Valve Kit					
	1/2				
	3/4				
	1				
	1-1/4				
	1-1/2				
	2				
WSHP Water Source Heat Pump Connection Kit					
	1/2				
	3/4-L				
	3/4				
	1				
	1-1/4				
	1-1/2				
	2				
	2-H				

Leaders In Valve Technology



US Locations

Headquarters

Lake Forest, California ----- 949.859.1010

Warehouse Locations

Menlo Park, California ----- 650.566.9260

Arvada, Colorado ----- 303.375.1515

Lakeville, Minnesota ----- 952.469.2191

Hermitage, Pennsylvania ----- 724.981.5500

Nashville, Tennessee ----- 615.350.8334

Houston, Texas ----- 281.448.1782

Sales representatives

Visit www.redwhitevalvecorp.com to find the authorized sales representative nearest you.

The marks of excellence



Visit us at



RWV **RED-WHITE VALVE CORP.**

20600 Regency Lane, Lake Forest, CA 92630
TEL 800.222.RWVC(7982) | FAX 949.859.7200
www.redwhitevalvecorp.com