



MODEL DFS Building Heating Appliance Chimney



Sizes 4" through 8" with stainless steel inner for use with Selkirk Model DF neutral or negative draft venting system for venting gas fired appliances approved with B-Vent or on oil fired appliances with L-Vent.

Features and Benefits:

- Wide range of sizes to handle most applications
- Sturdy fit of collars for easy assembly
- Twist lock collars are easy to take apart
- Stainless steel inner



LENGTHS

For installed length, subtract 1" per joint.


Fixed Lengths



- Available in lengths of 12, 24, 36 and 60 inches.

Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length
4"	LV412	904012	5"	12"	5"	LV512	905012	6"	12"	6"	LV612	906012	7"	12"
	LV424	904024	5"	24"		LV524	905024	6"	24"		LV624	906024	7"	24"
	LV436	904036	5"	36"		LV536	905036	6"	36"		LV636	906036	7"	36"
	LV460	904060	5"	60"		LV560	905060	6"	60"		LV660	906060	7"	60"
7"	LV712	907012	8"	12"	8"	LV812	908012	10"	12"	8"	LV812	908012	10"	12"
	LV724	907024	8"	24"		LV824	908024	10"	24"		LV824	908024	10"	24"
	LV736	907036	8"	36"		LV836	908036	10"	36"		LV836	908036	10"	36"
	LV760	907060	8"	60"		LV860	908060	10"	60"		LV860	908060	10"	60"

Adjustable Lengths




- Used to adjust pipe to desired length.
- Simply slides over another pipe length (Note: Do not use over an Elbow or Tee).
- Adjustable from 6 - 12 inches.
- Includes Pipe Clamp.

Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length	Size	Part No.	Prod. Code	A	Length
4"	LV4ADJ	904082	5"	6-12"	5"	LV5ADJ	905082	6"	6-12"	6"	LV6ADJ	906082	7"	6-12"
				6-12"					6-12"					6-12"
7"	LV7ADJ	907082	8"	6-12"	8"	LV8ADJ	908082	10"	6-12"	8"	LV8ADJ	908082	10"	6-12"
				6-12"					6-12"					6-12"

ELBOWS & TEES

For installed length, subtract 1" per joint.


45 Degree Elbow



- Used to offset pipe around construction obstacles.
- Three piece adjustable elbow twists for easy offsets.

Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A
4"	LV445	904222	5"	5"	LV545	905222	6"	6"	LV645	906222	7"
			5"				6"				7"
7"	LV745	907222	8"	8"	LV845	908222	10"	8"	LV845	908222	10"
			8"				10"				10"

90 Degree Elbow




- Used to orient pipe between vertical and horizontal orientation.
- Four piece adjustable elbow twists for easy offsets.

Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A	Size	Part No.	Prod. Code	A
4"	LV490	904230	5"	5"	LV590	905230	6"	6"	LV690	906230	7"
			5"				6"				7"
7"	LV790	907230	8"	8"	LV890	908230	10"	8"	LV890	908230	10"
			8"				10"				10"

ELBOWS & TEES (Cont'd.)

For installed length, subtract 1" per joint.

Standard Tee



- Used to transition system from horizontal to vertical orientation.
- Provides easy access for inspection and maintenance.
- Removable Tee Cap is included.

Size	Part No.	Prod. Code	A	B	C
4"	LV4T	904100	5"	12"	3"

Size	Part No.	Prod. Code	A	B	C
5"	LV5T	905100	6"	12"	3"


Size	Part No.	Prod. Code	A	B	C
6"	LV6T	906100	7"	12"	3"

Size	Part No.	Prod. Code	A	B	C
7"	LV7T	907100	8"	12"	3"

Size	Part No.	Prod. Code	A	B	C
8"	LV8T	908100	10"	18"	3"

SUPPORTS

Support Assembly



- Used to support pipe from the ceiling joist.
- Supports up to 60 feet of pipe.
- Centers pipe between floors and maintains 3 inch airspace clearance.

Size	Part No.	Prod. Code	A	B
4"	LV4SA	904400	5-1/8"	13"


Size	Part No.	Prod. Code	A	B
5"	LV5SA	905400	6-1/8"	14"

Size	Part No.	Prod. Code	A	B
6"	LV6SA	906400	7-1/8"	12"

Size	Part No.	Prod. Code	A	B
7"	LV7SA	907400	8-1/8"	16"

Size	Part No.	Prod. Code	A	B
8"	LV8SA	908400	10-1/8"	20"

Wall Band



- Used to stabilize the pipe against an outside wall.
- Must be installed on the first Length above the Tee and every 6 feet thereafter.
- Maintains 3 inch airspace clearance.

Size	Part No.	Prod. Code	A	B
4"	LV4WB	904431	5-1/8"	12"

Size	Part No.	Prod. Code	A	B
5"	LV5WB	905431	6-1/8"	12"


Size	Part No.	Prod. Code	A	B
6"	LV6WB	906431	7-1/8"	13"

Size	Part No.	Prod. Code	A	B
7"	LV7WB	907431	8-1/8"	16"

Size	Part No.	Prod. Code	A	B
8"	LV8WB	908431	10-1/8"	20"

FLASHINGS & STORM COLLAR

Adjustable Roof Flashing



- Used to waterproof installations that penetrate the roof line.
- Adjustable for 0/12 - 6/12 roof pitches.

Size	Part No.	Prod. Code	A	B
4"	LV4ARF	904825	5"	18"


Size	Part No.	Prod. Code	A	B
5"	LV5ARF	905825	6"	20"

Size	Part No.	Prod. Code	A	B
6"	LV6ARF	906825	7"	20"

Size	Part No.	Prod. Code	A	B
7"	LV7ARF	907825	8"	20"

Size	Part No.	Prod. Code	A	B
8"	LV8ARF	908825	10"	22"

Storm Collar



- Used to provide a weather proof seal to pipe above Roof Flashing.
- Seal inner edge with hi-temp silicone sealant.

Size	Part No.	Prod. Code	A	B
4"	LV4SC	904810	5"	9"

Size	Part No.	Prod. Code	A	B
5"	LV5SC	905810	6"	10"

Size	Part No.	Prod. Code	A	B
6"	LV6SC	906810	9"	11"

Size	Part No.	Prod. Code	A	B
7"	LV7SC	907810	8"	12"

Size	Part No.	Prod. Code	A	B
8"	LV8SC	908810	10"	14"

MISCELLANEOUS COMPONENTS

Rain Cap



- Designed to prevent rain and snow from entering the pipe.
- Twist lock coupler design.

Size	Part No.	Prod. Code	A	B
4"	LV4RC	904800	5"	9"


Size	Part No.	Prod. Code	A	B
5"	LV5RC	905800	6"	10"

Size	Part No.	Prod. Code	A	B
6"	LV6RC	906800	7"	11"

Size	Part No.	Prod. Code	A	B
7"	LV7RC	907800	8"	12"

Size	Part No.	Prod. Code	A	B
8"	LV8RC	908800	10"	14"

Firestop Spacer



- Used to protect combustible materials where the pipe passes through a ceiling or wall.
- Can be installed above or below joist.

Size	Part No.	Prod. Code	A	B
4"	LV4FS	904461	5-1/8"	13"

Size	Part No.	Prod. Code	A	B
5"	LV5FS	905461	6-1/8"	14"

Size	Part No.	Prod. Code	A	B
6"	LV6FS	906461	7-1/8"	15"

Size	Part No.	Prod. Code	A	B
7"	LV7FS	907461	8-1/8"	16"

Size	Part No.	Prod. Code	A	B
8"	LV8FS	908461	10-1/8"	18"

Draft Hood Connector/Pipe Adapter



- Used to connect pipe to appliance.

Size	Part No.	Prod. Code	A	B
4"	LV4PA	904110	5"	5-1/2"

Size	Part No.	Prod. Code	A	B
5"	LV5PA	905411	6"	5-1/2"

Size	Part No.	Prod. Code	A	B
6"	LV6PA	906411	7"	5-1/2"

Size	Part No.	Prod. Code	A	B
7"	LV7PA	907411	8"	5-1/2"

Size	Part No.	Prod. Code	A	B
8"	LV8PA	908411	10"	5-1/2"

Selkirk - Engineering Tomorrow's Solution

Selkirk representatives throughout North America are qualified to provide complimentary field service to assist contractors, builders, engineers and architects in designing Boiler Stacks and Breeching, Grease Ducts, Diesel and Turbine Exhausts, Marine Exhausts and Ducts, Freestanding Stack Systems, and Residential Chimney and Gas Vent Systems. Contact the Selkirk Sales Office for assistance.

Commercial/Industrial Venting Sales Office

P.O. Box 831950
Richardson, Texas 75083-1950
(800) 992-8368 (VENT)
Toll Free Fax: (877) 393-4145
www.selkirkusa.com

Manufacturing Plants

Nampa, Idaho 83653-0372
1820 East Fargo
Phone: (208) 467-7411
Fax: (208) 467-1006
Brockville, Ontario, Canada K6V 5V3
1400 California Ave.
Phone: (613) 342-6655
Fax: (613) 342-2735

Model DFS Product Overview

Diameters:

4" - 8"

Clearance to Combustibles:

1" as B-Vent 3" as L-Vent

Materials:

Outer - Galvalume
Inner - Type 304 Stainless Steel

Listing:

Listed by U.L.I. to Standard ULI641 (U.S.A.)
and to U.L.C. Standard S609 (Canada)

Standard Pieces:

Lengths	Tee w/ Cap
Adjustable Lengths	Rain Cap
Elbows, 45° & 90°	Pipe Adaptor
Support Assembly	Firestop Spacer
Wall Bands	Storm Collar
Roof Flashing	Roof Support

Special Order Pieces:

Increases (4" to 8" DFS inlets with any 10" to 24" DF outlets)

For additional information, contact Selkirk Commercial Sales at 800.992.8368 or log on to www.selkirkusa.com

