

**SLOAN**<sup>®</sup>  
Water Connects Us<sup>®</sup>

**Faucet and Soap Dispenser Full Line**  
Functional elegance by design



# A full line of faucets and soap dispensers to meet your needs

Selecting a faucet and soap dispenser for commercial applications is no simple task. The faucet and soap dispenser represent a critical point of interaction — the culmination of a positive, hygienic experience that begins with a designer or architect's vision. For maintenance teams, facility managers, engineers, and contractors, it's all about reliability, ease of installation, and time savings.

As the inventor of sensor-operated faucet technology, Sloan has created the most comprehensive line of electronic sensor faucets and soap dispensers for the widest array of applications. With more styles, designs, and options than any other manufacturer in the business, it's easy to find the perfect solution to meet all your needs while staying within budget.



## Premier

Our premier product line features fully-customizable, durable hardware and includes hidden sensors for a clean aesthetic. Each premiere faucet is available in our full range of special finishes and has matching soap dispensers and hand dryers to complete your restroom vision.

Matching hand dryers available for use with AER-DEC® Integrated Sink System.



## Deluxe

Discover our range of deluxe touch-free faucets and soap dispensers that bring elegant, fluid forms to any restroom design. Select deluxe faucets are available with matching soap dispensers and come in a full range of special finishes.



## Standard

Our tried and true standard faucets and soap dispensers offer affordability — without sacrificing performance.



## Legacy

Our original line of sensor-operated faucets. These products are hard-working and vandal-resistant to keep facilities in working order.

## The Complete Commercial Restroom

Our sensor faucets and soap dispensers perfectly complement all of our sinks, hand dryers, flushometers, water closets, urinals, and more to complete your commercial restroom.



Optima® ETF-410 Faucet and Sloan® ESD-410 Soap Dispenser in Polished Brass on SloanStone® ELGR-84000 Gradient Sink in SloanStone Matrix White with angled stainless steel enclosure.

SPECIAL FINISHES



Special Finishes

**Add the finishing  
touch to your project**

# Special Finishes

Elevate your next commercial restroom design with our exciting range of special finishes to help create a unified restroom experience. With our special finishes available for faucets, soap dispensers, hand dryers, and flushometers, you can ensure a consistent color match between products.

## BENEFITS

- Ensures matching finishes across restroom fixtures
- Creative flexibility for architects and designers
- Durable and stain resistant
- No additional lead time for products that are part of Sloan's special finish program



### Make a bold statement with Polished Brass.

Create the aura of high-end luxury and transform your space with Polished Brass. This warm finish will catch the eye of everyone who walks in the room.



### Revitalize your environment with Brushed Nickel.

With fewer fingerprints and water marks left behind, the Brushed Nickel finish remains sharp and clean even after high-traffic use in any environment.



### Keep it clean and efficient with Brushed Stainless.

The Brushed Stainless finish hides most fingerprints and water marks, keeping your restroom clean no matter the environment.



### Blend into the design with Graphite.

The Graphite finish blends in with any contemporary setting where a sleek and sophisticated look is desired.




## Get more durability and consistency with Sloan's proprietary Physical Vapor Deposition (PVD) special finishes.

Sloan's proprietary Physical Vapor Deposition (PVD) special finish process enhances our products' resistance to chemicals and abrasion by bonding the finish at the molecular level. This innovative technology is an essential solution for curved and angled products that are difficult to coat. When compared to powder coating or immersion processes that are typically used, the durability of PVD ensures a long-lasting finish that will stand up to commercial use.

Shown opposite left: BASYS® EFX-250 Faucet and ESD-500 Soap Dispenser in Polished Brass on Designer Series™ DSOF-82000 Open Front Sink in Corian® Sliver Birch with cabinet style enclosure in Wilsonart® Wheat Berry laminate.

Shown opposite right: Optima® ETF-420 Faucet and Sloan® ESD-420 Soap Dispenser in Brushed Nickel on Designer Series DSCT-82000 Counter Top Sink in Corian Designer White.

Shown opposite bottom: Optima EAF-250-ISM Faucet and Sloan ESD-2000 Soap Dispenser in Graphite on Designer Series DSWD-82000 Weir Deck Sink in Corian Glacier White with optional stainless basin grate and cabinet style enclosure in Wilsonart® Black laminate.



## Simply connect to monitor and adjust with the Sloan Connect® App.

Adjust and configure your Sloan Bluetooth-connected faucets from your smartphone, and see how your fixtures are performing. Quickly adjust settings wirelessly to reduce maintenance time and cost. Access technical data, and share diagnostic reports for swift and easy maintenance and troubleshooting.

Download the free Sloan Connect App for iOS and Android.



### FEATURES AND BENEFITS

- Adjust settings wirelessly (no deck disassembly or below-deck work required)
- Select on-demand or metered activation
- Set faucet timeouts
- Activate line flush to clear supply lines or drains
- Measure and report water usage
- Check battery strength
- Identify your faucet and access technical data
- Generate and share diagnostic reports with Sloan
- Save notes about site or faucet



## Optima® Control Box

Meet the revamped Optima Faucets from Sloan. The most innovative water management system on the market has fewer parts and more standardized components, helping to reduce installation and maintenance by 50% or more.

At first glance, you'll see that new technology means fewer cords and fewer hoses. The same control unit can be powered by batteries, hardwire with battery backup, or optional hybrid energy turbine.

### FEATURES AND BENEFITS

- Accepts 6 VAC or 24 VAC power supply
- Removable battery cartridge for easy replacement
- Plug and play connection with shielded cables
- Dual inlet filter fitting contains a built-in water filter and allows for hot and cold water mixing
- Easy inlet and outlet installation
- Up to 6 faucets can be connected to a single power source
- Provides Bluetooth connectivity to faucets

## Add Bluetooth connectivity to your new or existing BASYS® EFX and hardwired Optima EAF Faucets.

Give your BASYS EFX and hardwired Optima EAF Faucets a smart upgrade with our easily installed EAF-1025 Bluetooth Adapter. It installs under the deck with plug-and-play convenience. Simply connect the adapter into the faucet cable, and the firmware will automatically update.

Note: Optima ETF/EBF Faucets have Bluetooth capability integrated. No adapter needed.



## Power options

With four power options, you have total flexibility with your application needs. Narrow faucets down by the ideal power type on our faucet filter page at [sloan.com/faucets](https://sloan.com/faucets).



### Battery

A good option for retrofit environments or installations where hardwiring is not available.



### Solar

An excellent choice to passively harvest power and extend battery life from artificial or natural light sources.



### Hardwired

Ideal for new construction because it eliminates regular use of disposable batteries. Many hardwired models include a battery back-up to eliminate loss of function if power loss occurs.



### Turbine

Miniaturized hydroelectric turbines extract power from moving water and use it to extend battery life.



## Above- or below-deck

Sloan offers a broad range of faucet options to meet your maintenance needs. Our faucets with above-deck access allow maintenance personnel to replace key components such as batteries and solenoids. You can even shut off the water without having to go under the deck. This helps alleviate labor, cost, and facility down-time should issues arise.

We also offer an extensive line of below-deck faucet and soap dispenser options that help improve your existing facility.

- Above-deck Options: 7 faucet lines
- Below-deck Options: 18 faucet lines

Optima® ETF-420 Faucet and Sloan® ESD-420 Soap Dispenser in Graphite on Designer Series™ DSG-84000 Gradient Sink in Corian® Silver Birch with cabinet style enclosure in Wilsonart® Shadow Zephyr laminate.



## New Optimix™ Faucets

Our Optimix technology prevents scalding and is available on one of Sloan's most popular faucet designs. When cold water is running low, normal faucets may dispense uncomfortable or unsafe hot water. Sloan's new Optimix-enabled faucets offer the industry's fastest, most effective in-spout ASSE 1070 compliant anti-scald technology—even with a cold water failure. The Optimix technology is incorporated directly into the faucet spout. The simplified installation can reduce labor, time, and cost by up to 30%.

### FEATURES AND BENEFITS

- Meets anti-scald requirements of ASSE 1070
- Maintains water temperature stability if cold water fails
- Integrated Thermostatic Mixing Valve makes installation quick and hassle-free
- Mixer lever can be set to the desired temperature and removed for tamper resistance
- Meets all US (UPC and IPC) plumbing code requirements
- Available in hardwired, battery, and the only solar-powered anti-scald faucet in the industry

# Premier

Elegant forms. Enhanced customizations. Our premier faucets, soap dispensers, and hand dryers feel right at home with classic and contemporary restroom designs. Use all three fixtures with the AER-DEC® Integrated Sink System, or pair just the faucet and soap dispenser on our Designer Series™ or SloanStone® Sinks.

Available as part of the Clark Street Collection  
Learn more at [sloan.com/collections](https://sloan.com/collections)

# New Optima® ETF-410/ EBF-415 Faucets and Sloan® ESD-410 Soap Dispenser

Bring finely crafted geometric forms into your next project with our new touch-free faucets and soap dispensers. The smooth curves and defined angles make this pairing ideal for catching light and turning heads. See them as a complete restroom offering in our Clark Street Collection.

All premier faucet and soap dispenser variations shown on page 18.

## FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm or 0.5 gpm/1.9 Lpm flow rates
- Multi-laminar spray type
- Battery or hardwired with battery back-up
- For use with the Optima Control Box
- Manage settings with the Sloan Connect® App

## SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- Gojo refills available at 1500 or 2300ml
- Comes with two bottles of 1500ml soap



**Special finishes:** In addition to our standard finish, Polished Chrome, our Optima ETF-410/EBF-415 and ESD-410 can be ordered with special finishes found on page 5.

**Matching hand dryer:** Available for use with AER-DEC® Integrated Sink System in 2021. Contact Sloan for additional information.

Shown opposite: Optima ETF-410 Faucet and Sloan ESD-410 Soap Dispenser in Graphite on Designer Series™ DSOF-84000 Open Front Sink in Corian® Deep Cloud with cabinet style enclosure in Wilsonart® Blackbird laminate.

Shown left: Optima ETF-410 Faucet and Sloan ESD-410 Soap Dispenser in Polished Chrome on Designer Series DSG-82000 Gradient Sink in Corian Calacatta Natura.

## New Optima® ETF-420/EBF-425 Faucets and Sloan® ESD-420 Soap Dispenser

Find inspiration for your next design in the organic, modern aesthetic of our latest touch-free faucet and soap dispenser pairing. See them as a complete restroom offering in our Rush Street Collection. Express your vision and expand your portfolio through a unified restroom design.

All premier faucet and soap dispenser variations shown on page 18.



**Special finishes:** In addition to our standard finish, Polished Chrome, our Optima ETF-420/EBF-425 and ESD-420 can be ordered with special finishes found on page 5.

**Matching hand dryer:** Available for use with AER-DEC® Integrated Sink System in 2021. Contact Sloan for additional information.

Shown left: Optima ETF-420 Faucet and Sloan ESD-420 Soap Dispenser in Graphite on SloanStone® ELGR-82000 Gradient Sink in SloanStone White.

Shown opposite: Optima ETF-420 Faucet and Sloan ESD-420 Soap Dispenser in Polished Brass on Designer Series™ DSG-82000 Gradient Sink in Corian® Modern White with cabinet style enclosure in Wilsonart® Sumner Oak laminate.



Available as part of the Rush Street Collection.  
Learn more at [sloan.com/collections](https://sloan.com/collections)

#### **FAUCET FEATURES**

- Available with 0.35 gpm/1.3 Lpm or 0.5 gpm/1.9 Lpm flow rates
- Multi-laminar spray type
- Battery or hardwired with battery back-up
- For use with the Optima® Control Box
- Manage settings with the Sloan Connect® App

#### **SOAP DISPENSER FEATURES**

- Battery or hardwired (with purchase of AC adapter sold separately)
- Gojo refills available at 1500 or 2300ml
- Comes with two bottles of 1500ml soap

PREMIER



Available as part of the Hubbard Street Collection.  
Learn more at [sloan.com/collections](https://sloan.com/collections)

# BASYS® EFX Faucets with matching Sloan® ESD-400/ESD-500 Soap Dispensers

Sleek and modern interchangeable BASYS Faucet components and elegant automatic soap dispensers pair the latest in handwashing technology with clean design. The versatile design can meet the needs of any application or environment—from aesthetics to sensor type and flow rate. The BASYS Hand Dryer perfectly complements the faucet and soap dispenser for a total handwashing solution.

All premier faucet and soap dispenser variations shown on page 18.



**Special finishes:** In addition to our standard finish, Polished Chrome, our BASYS line including deck-mounted hand dryer can be ordered with special finishes on page 5.

Shown above and opposite: BASYS EFX-250 Faucet, ESD-400 Soap Dispenser, and EHD-510 Deck-mounted Hand Dryer on AER-DEC® AD-82000 Sink in Corian® Blue Pebble with cabinet style enclosure in Wilsonart® Neo Walnut laminate.

## FAUCET FEATURES

- Available with 0.5 gpm/1.9 Lpm or 1.5 gpm/5.7 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery, hardwired with battery back-up, solar, or turbine powered
- Manage settings with the Sloan Connect® App with optional BT adapter (sold separately)
- All serviceable components above-deck
- Optional LCD display for a guided handwashing experience

## SOAP DISPENSER FEATURES

- Hardwired for ESD-400. Battery or hardwired (with purchase of AC adapter sold separately) for ESD-500
- Foam soap dispensers
- Delivers pre-measured foam soap “on demand”
- Ships with 2 – GOJO 1500ml refills (ESD-500 only)




## Customize your product with an engraved crown

Sloan’s laser-etched engraved crowns offer the final touch to the complete brand story and make your commercial restroom truly unique. Add corporate logos, team names, venue names, or even design patterns to the faucet crowns—the possibilities are limitless.

Engravings are available on Polished Chrome BASYS EFX Faucets with bowed (plain) crowns.

*Cubs logo not available for retail sale unless approved by Major League Baseball.*



**1. Battery caddy**

Easily accessible and watertight.

**2. Valve caddy/water shut-off**

Shuts off water supply with one twist, without having to go below the sink.

**3. Solenoid + filter**

Bi-stable solenoid with integrated filter.

**4. Removable crown**

Upgrade product features in seconds.

**5. External indicators**

Individual external diagnostic LEDs help quickly identify faucet status.

**6. Exchange tool + spray insert**

Allows operators to remove, clean, and replace the spray.

## A world of options

BASYS® is centered on a robust system of shared features and components. This fundamentally different approach revolutionized the commercial plumbing industry by streamlining service and advancing the user experience.

### Above-deck controls

Easy, above-deck access to key components is the standard for all BASYS models. The on-board electronics are completely sealed within each faucet's modular crown, which can be removed with a single Allen wrench.

### Interchangeable crowns

Interchangeable crowns help tailor a product to fit the unique needs of a particular installation.



**Bowed**

A clean, bowed crown is the standard for all models. It provides a smooth, sleek appearance.



**Solar**

Solar panels embedded in the crown draw power from artificial and natural light sources.



**Solar + Guided Handwashing**

The LCD display instructs users how to perform a CDC-compliant hand wash.

### Flow rates and spray types

Three spray types provide options to adjust the flow rate, look, and feel of the water.



**Multi-laminar**

0.5 gpm



**Aerated**

1.5 gpm



**Laminar**

1.5 gpm



## BASYS® Guided Handwashing Faucet

The BASYS LCD display guides users through the CDC-compliant handwashing steps to improve hygiene:

1. Wet your hands with clean, running water
2. Lather your hands together with soap
3. Scrub your hands for at least 20 seconds
4. Rinse your hands well under clean, running water
5. Dry your hands completely



### **Retrofit any BASYS to include timed, guided handwashing.**

Interchangeable crowns help tailor a product to fit the unique needs of a particular installation. Crowns are interchangeable with models that utilize the same method of sensing. Any BASYS Faucet can be retrofitted with the timed display crown.

## Optima® ETF-410/EBF-415 Faucets and Sloan® ESD-410 Soap Dispenser



### Low-height Faucet

**ETF-410** Hardwired  
**EBF-415** Battery

*Available in 5 finishes*

 *Bluetooth enabled*



### Soap Dispenser

**ESD-410** Battery

*Available in 5 finishes*



### ESD-411 Combination

Includes **EBF-415** Faucet and  
**ESD-410** Soap Dispenser

*Available in Polished Chrome*

## Optima ETF-420/EBF-425 Faucet and Sloan® ESD-420 Soap Dispenser



### Mid-height Faucet

**ETF-420** Hardwired  
**EBF-425** Battery

*Available in 5 finishes*

 *Bluetooth enabled*



### Soap Dispenser

**ESD-420** Battery

*Available in 5 finishes*



### ESD-421 Combination

Includes **EBF-425** Faucet and  
**ESD-420** Soap Dispenser

*Available in Polished Chrome*



**Bluetooth enabled** refers to the technology built directly into the hardware of the faucet.

**Bluetooth with adapter** refers to the faucet being Bluetooth capable with the addition of the Bluetooth Adapter found on page 7.

# BASYS® EFX Faucets with matching Sloan® ESD-400/ ESD-500 Soap Dispenser



## Low-height Faucet

- EFX-300** Hardwired
- EFX-350** Battery
- EFX-375** Battery + solar
- EFX-377** Battery + solar + guided handwashing
- EFX-380** Battery + turbine

*Available in Polished Chrome*

✧ *Bluetooth with adapter*



## Low-height with Integrated Base Faucet

- EFX-600** Hardwired
- EFX-650** Battery
- EFX-675** Battery + solar
- EFX-677** Battery + solar + guided handwashing
- EFX-680** Battery + turbine

*Available in Polished Chrome*

✧ *Bluetooth with adapter*



## Mid-height Faucet

- EFX-200** Hardwired
- EFX-250** Battery
- EFX-275** Battery + solar
- EFX-277** Battery + solar + guided handwashing
- EFX-280** Battery + turbine

*Select items available in 5 finishes*

✧ *Bluetooth with adapter*



## High Faucet

- EFX-100** Hardwired
- EFX-150** Battery
- EFX-175** Battery + solar
- EFX-177** Battery + solar + guided handwashing
- EFX-180** Battery + turbine

*Available in Polished Chrome*

✧ *Bluetooth with adapter*



## Wall-mounted Faucet

- EFX-800** Hardwired
- EFX-850** Battery

*Available in Polished Chrome*

✧ *Bluetooth with adapter*



## Soap Dispenser

- ESD-400** Hardwired

*Available in 5 finishes*



## Soap Dispenser

- ESD-500** Hardwired

*Available in 5 finishes*



## ESD-501 Combination

- Includes **EFX-250** Faucet and **ESD-500** Soap Dispenser

*Available in Polished Chrome*

# Deluxe

Our deluxe faucets and soap dispensers bring a wide range of design concepts into aesthetic harmony and feature reliable and efficient technology built for any application. Pair these faucets with a soap dispenser and add to any of our Designer Series™ or SloanStone® Sinks.





## Optima® EAF-100/EAF-150 Series Faucets and Sloan® ESD-1500 Soap Dispenser

This faucet and soap dispenser pairing captures the dynamic nature of water using simple forms. Behind the scenes, these precisely-engineered faucets and soap dispensers offer sensor operation that helps you maintain a better facility.

All deluxe faucet and soap dispenser variations shown on page 26.

Shown above: Optima EAF-100 Faucet and Sloan ESD-1500 Soap Dispenser on Designer Series™ DSCT-86000 Counter Top Sink in Corian® Blue Pebble with SS-3021 Undermount Lavatory with angled enclosure in stainless steel.

Shown opposite: EAF-250 with EAF-35-A Extension Kit on Designer Series DSVR-82000 Vessel Sink in Corian® Designer White with SS-3036 Vessel Lavatory.

### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery or hardwired
- Hardwired units can use optional BT adapter for Sloan Connect® access
- EAF44 power splitter included with select models

### SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- Compatible with 1500 or 2300ml refill sizes
- Ships with 2 soap refills



Featured in the State Street Collection.  
Learn more at [sloan.com/collections](https://sloan.com/collections)

## Optima® EAF-200/EAF-250/EAF-275/EAF-225 Series Faucets and Sloan® ESD-2000 Soap Dispenser

Sturdy and cylindrical, our faucets and soap dispensers combine sleek curves with a defined profile. This pairing can bring a welcome touch of elegance to mass-market concepts or fit comfortably into the most exclusive facilities.

All deluxe faucet and soap dispenser variations shown on page 26.

Shown above: Optima EAF-250-ISM Faucet and Sloan ESD-2000 Soap Dispenser in Graphite on Designer Series™ DSWD-82000 Weir Deck Sink in Corian® Glacier White with cabinet style enclosure in Wilsonart® Black laminate.

Shown opposite: Optima EAF-350 in Graphite on SloanStone® ELA-81000 Arrowhead Sink in SloanStone White.

### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery, hardwired, or solar powered
- Hardwired units can use optional BT adapter for Sloan Connect® access

### SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- Compatible with 1500 or 2300ml refill sizes
- Ships with 2 soap refills

## Optima® EAF-300/EAF-350 Series Faucets

Timeless faucet design meets wireless technology with our Optima EAF-300/EAF-350 Series Faucets. This hardware is the perfect fit for any facility. Best of all, this series takes high-tech touches anywhere with long-lasting battery-powered components.

All deluxe faucet and soap dispenser variations shown on page 26.

### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated or multi-laminar spray types
- Battery or hardwired
- Hardwired units can use optional BT adapter for Sloan Connect® access





Featured in the Halsted Street Collection.  
Learn more at [sloan.com/collections](https://sloan.com/collections)

## Optima® ETF-80/EBF-85 Faucets and Sloan® ESD-800 Soap Dispenser

Durable construction. Smooth, curvaceous design. Our Optima ETF-80/EBF-85 Faucets and Sloan EAF-800 Soap Dispensers give you the freedom to define flow rate while complementing design concepts from classic to contemporary.

All deluxe faucet and soap dispenser variations shown on page 26.

Shown above: Optima EBF-85 Faucet and Sloan ESD-800 Soap Dispenser in Polished Chrome on Designer Series™ DSG-86000 Gradient Sink in Corian® Glacier White with cabinet style enclosure in Wilsonart® Neo Walnut laminate.

Shown opposite: Optima EAF-700 Faucet and Sloan ESD-700 Soap Dispenser in Polished Chrome on SS-3306 Wall-mounted Ledgeback Lavatory.

### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery or hardwired with battery back-up
- For use with the Optima Control Box
- Manage settings with the Sloan Connect® App

### SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- Compatible with 1500 or 2300ml refill sizes
- Ships with 2 soap refills

# Optima® EAF-700/EAF-750 Series Faucets and Sloan® ESD-700 Soap Dispenser

Complete your restroom's aesthetic with classic faucet forms paired with our reliable IR sensor technology. Optima EAF-700/EAF-750 Series Faucets and Sloan ESD-700 Soap Dispensers feature timeless gooseneck curves and sturdy cylindrical bases.

All deluxe faucet and soap dispenser variations shown on page 26.

## FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery or hardwired
- Hardwired units can use optional BT adapter for Sloan Connect® access (sold separately)

## SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- Compatible with 1500 or 2300ml refill sizes
- Ships with 2 soap refills



# Optima® EAF/ETF/EBF Faucets and Matching Sloan® ESD Soap Dispenser



**Mid-height Faucet**  
**EAF-200** Hardwired  
**EAF-250** Battery  
**EAF-275** Battery + solar  
*Select items available in 5 finishes*  
*Optimix®-enabled anti-scald*  
 ✧ Bluetooth with adapter



**Executive Mid-height Faucet**  
**EAF-225** Hardwired  
*With illuminated temperature indicator*  
*Available in Polished Chrome*



**Soap Dispenser**  
**ESD-2000** Battery  
*Available in 5 finishes*



**ESD-2001 Combination**  
 Includes **EAF-275-ISM** Faucet and **ESD-2000** Soap Dispenser  
*Available in Polished Chrome*



**Mid-height Faucet**  
**EAF-100** Hardwired  
**EAF-150** Battery  
*Available in Polished Chrome*  
 ✧ Bluetooth with adapter



**Soap Dispenser**  
**ESD-1500** Battery  
*Available in Polished Chrome*



**ESD-1501 Combination**  
 Includes **EAF-150-ISM** Faucet and **ESD-1500** Soap Dispenser  
*Available in Polished Chrome*



**Mid-height Faucet**  
**EAF-300** Hardwired  
**EAF-350** Battery  
*Select variations available in Graphite*



**Mid-height Faucet**  
**ETF-880** Hardwired  
**EBF-187** Battery or battery + turbine  
*Available in Polished Chrome*  
 ✧ Bluetooth enabled



**Wall-mount Faucet**  
**ETF-800** Hardwired  
**EBF-850** Battery or battery + turbine  
*Available in Polished Chrome*  
 ✧ Bluetooth enabled

✧

**Bluetooth enabled** refers to the technology built directly into the hardware of the faucet.

**Bluetooth with adapter** refers to the faucet being Bluetooth capable with the addition of the Bluetooth Adapter found on page 7.



### Mid-height Faucet

**ETF-80** Hardwired  
**EBF-85** Battery or battery + turbine

Available in Polished Chrome

✧ Bluetooth enabled



### Soap Dispenser

**ESD-800** Battery

Available in Polished Chrome



### Combination ESD-801

Includes **EBF-85** Faucet and **ESD-800** Soap Dispenser

Available in Polished Chrome



### Executive Gooseneck Faucet

**EAF-700** Hardwired  
**EAF-750** Battery

Available in Polished Chrome

✧ Bluetooth with adapter



### Soap Dispenser

**ESD-700** Battery

Available in Polished Chrome



### Combination ESD-701

Includes **EAF-750-ISM** Faucet and **ESD-700** Soap Dispenser

Available in Polished Chrome



### Gooseneck Wall-mount Faucet

**ETF-500** Hardwired  
**EBF-550** Battery or battery + turbine

Available in Polished Chrome

✧ Bluetooth enabled



### High Gooseneck Faucet

**ETF-700** Hardwired  
**EBF-750** Battery or battery + turbine

Available in Polished Chrome

✧ Bluetooth enabled



### Surgical Bend Faucet

**ETF-700-H** Hardwired  
**EBF-750-H** Battery or battery + turbine

Available in Polished Chrome

✧ Bluetooth enabled

STANDARD

# Standard

Our standard faucets include sensor operation and precise engineering at a budget-friendly price.

Featured in the Lake Steet Collection.  
Learn more at [sloan.com/collections](https://sloan.com/collections)



## Sloan® SF Faucets

Bring the convenience of touch-free sensor activation to any project with Sloan SF Series Faucets and Sloan ESD-2100 Soap Dispensers. These touch-free products offer reliable IR sensors, efficient water savings, and great value.

All standard faucet and soap dispenser variations shown on page 30.

### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery or hardwired

Shown above: Sloan SF-2300 Faucet on SS-3065 Wall-mounted Ledgeback Lavatory with SS-27 Shroud.

Shown opposite: Sloan SF-2150 Faucet and Sloan ESD-2100 Soap Dispenser in Polished Chrome on SloanStone® ELRF-83000 Round Front Sink in SloanStone White with cabinet style enclosure in Wilsonart® Natural Rift laminate.

## Sloan® SF Faucets



### Low-height Faucet

**SF-2100** Hardwired  
**SF-2150** Battery

*Available in Polished Chrome*



### Soap Dispenser

**ESD-2100** Battery

*Available in Polished Chrome*



### Combination ESD-2101

Includes **SF-2150** Faucet and  
**ESD-2100** Soap Dispenser

*Available in Polished Chrome*



### Mid-height Faucet with integrated base

**SF-2300** Hardwired  
**SF-2350** Battery

*Available in Polished Chrome*



### Mid-height Faucet

**SF-2400** Hardwired  
**SF-2450** Battery

*Available in Polished Chrome*



### Gooseneck Faucet

**SF-2200** Hardwired  
**SF-2250** Battery

*Available in Polished Chrome*

Shown opposite: Sloan® SF-2150 Faucet on Designer Series™ DSCT-81000 Wall-mounted Counter Top Sink in Corian® Deep Anthracite with SS-3021 Undermounted Lavatory.



LEGACY

# Legacy

Our original line of sensor-operated faucets.



# Optima® ETF/EBF Faucets

Ideal for applications that require a reliable sensor-activated faucet and efficient water savings. These products are field-tested, hard-working, and vandal-resistant to keep facilities in working order — as they have with decades of service.

## FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types based on model selected
- Battery or hardwired with battery back-up
- For use with the Optima® Control Box
- Manage settings with the Sloan Connect® App



### Low-height Faucet

**ETF-610** Hardwired  
**EBF-615** Battery or Battery + Turbine

*Available in Polished Chrome*

✧ *Bluetooth enabled*



### Low-height Faucet with integrated base

**ETF-600** Hardwired  
**EBF-650** Battery or Battery + Turbine

*Available in Polished Chrome*

✧ *Bluetooth enabled*



### Low-height Faucet with side sensor

**ETF-660** hardwired, with side sensor

*Available in Polished Chrome*

✧ *Bluetooth enabled*



### Gooseneck Faucet with side sensor

**ETF-770** Hardwired  
**EBF-775** Battery or battery + turbine

*Available in Polished Chrome*

✧ *Bluetooth enabled*

Shown opposite: Optima® ETF-660 Faucet in Polished Chrome on SS-3003 Wall-mounted Lavatory.

# The Sloan full line faucet collection

Line	Product Series	FEATURES										OPTIONS						
		Spout Type						Sensor Type	Service Access		Functions		Matching Products		Power			
		Low	Mid	High	Integrated Base	Gooseneck	Wall	Infrared	Capacitance/Proximity	Above Deck	Below Deck	Auto Water Shut-off	Line Flush	Matching Soap Dispenser	Matching Hand Dryer	Hardwired	Battery	Battery with Solar
Premier	EFX-100, EFX-150, EFX-175, EFX-177, EFX-180			•			•		•		•	•	•	•	•	•	•	•
	EFX-200, EFX-250, EFX-275, EFX-277, EFX-280		•				•		•		•	•	•	•	•	•	•	•
	EFX-375, EFX-377	•					•	•	•		•	•	•	•		•	•	•
	EFX-300, EFX-350, EFX-380	•					•	•		•	•	•	•	•	•	•	•	•
	EFX-675, EFX-677				•		•	•	•		•	•	•	•		•	•	•
	EFX-600, EFX-650, EFX-680				•		•	•		•	•	•	•	•	•	•	•	•
	EFX-800, EFX-850, EFX-875, EFX-877						•	•			•	•	•	•	•	•	•	•
	ETF-410, EBF-415	•					•	•		•	•	•	•	•	•	•	•	•
	ETF-420, EBF-425		•				•	•		•	•	•	•	•	•	•	•	•
Deluxe	EAF-100, EAF-150		•				•		•		•	•		•	•			
	EAF-200, EAF-250, EAF-275		•				•		•		•	•		•	•	•		
	EAF-225		•				•		•		•	•		•				
	EAF-300, EAF-350		•				•		•		•			•	•			
	EAF-700, EAF-750					•	•		•		•	•		•	•			
	ETF-80, EBF-85, ETF-880, ETF-187		•				•			•	•	•	•		•	•		•
	ETF-500, EBF-550					•	•	•		•	•	•		•	•			•
	ETF-700, EBF-750, EBF-755, ETF-700-H, EBF-750-H					•	•			•	•	•		•	•			•
	ETF-800, EBF-850						•	•		•	•	•		•	•			•
Standard	SF-2100, SF-2150		•				•		•				•		•	•		
	SF-2200, SF-2250					•	•		•					•	•			
	SF-2300, SF-2350		•		•		•		•					•	•			
	SF-2400, SF-2450			•			•		•					•	•			
Legacy	ETF-610, EBF-615	•					•		•	•	•	•	•	•	•			•
	ETF-600, EBF-650	•			•		•		•	•	•	•	•	•	•			•
	ETF-660	•					•		•	•	•	•	•	•	•			•
	ETF-770, EBF-775					•	•		•	•	•	•	•	•	•			•

No matter your application requirements, you'll find a Sloan sensor faucet that meets your facilities needs. Create a positive, hygienic experience for your commercial facility today. Call 800.982.5839 or visit [sloan.com](http://sloan.com) to learn more.

OPTIONS																			CODES								
Finishes & Engraving						Flow Rates*					Spray Types**			Trim Plate	Temperature Mixing				Technology			Compliance					
Graphite	Polished Chrome	Brushed Stainless	Brushed Nickel	Polished Brass	Engraving	0.35 gpm/1.3 Lpm	0.5 gpm/1.9 Lpm	1.0 gpm/3.8 Lpm	1.5 gpm/5.7 Lpm	2.2 gpm/8.3 Lpm	Multi-Laminar	Laminar	Aerated	4" or 8"	Bak-Chek Tee	Integrated Side Mixer	Above-Deck Handle	Optimix® Integrated Thermostatic Mixer	Below-deck Manual or Thermostatic Mixer	Guided Handwashing	Sloan Connect® Capable - Integrated	Sloan Connect Capable - Adapter***	ADA, CalGreen, and CEC	BAA	LEED v4	ASSE 1070	
	•				•		•		•		•	•	•	•	•	•				•	•		•				
•	•	•	•	•	•		•		•		•	•	•	•	•	•				•	•		•				
	•				•		•		•		•	•	•	•	•	•				•	•		•				
	•						•		•		•	•	•	•	•	•				•	•		•		•		
	•						•		•		•	•	•	•	•	•				•	•		•		•		
	•						•		•		•	•	•	•	•	•				•	•		•		•		
•	•	•	•	•		•	•				•			•	•	•					•			•			
•	•	•	•	•		•	•				•			•	•	•					•			•			
	•					•	•	•			•			•	•	•							•			•	
	•					•	•				•			•	•	•							•			•	
	•					•	•				•			•	•	•							•			•	
	•					•	•				•			•	•	•							•			•	
	•					•	•				•			•	•	•							•			•	
	•					•	•				•			•	•	•							•			•	
•	•	•	•	•		•	•	•	•	•	•	•	•		•		•				•		•		•		
	•					•	•	•	•	•	•	•	•	•	•		•				•		•		•		
	•					•	•	•	•	•	•	•	•	•	•		•				•		•		•		

\*May require purchase of separate sprayhead \*\*Some not available in all flow rates \*\*\*Optional adapter sold separately



Front cover: Optima® ETF-410 Faucet and Sloan® ESD-410 Soap Dispenser in Graphite on Designer Series™ DSOF-84000 Open Front Sink in Corian® Deep Cloud with cabinet style enclosure in Wilsonart® Blackbird laminate.

Back cover: Optima ETF-420 Faucet and Sloan ESD-420 Soap Dispenser in Polished Brass on SloanStone® ELGR-82000 Gradient Sink in SloanStone White with custom cabinet style enclosure in Wilsonart Sumner Oak laminate.

# SLOAN®

Water Connects Us®

## World Headquarters

10500 Seymour Avenue  
Franklin Park, IL 60131  
U.S.A.

800.982.5839  
sloan.com

## Follow Sloan

[f /sloanvalvecompany](#)

[@sloan\\_valve](#)

[@sloan\\_valve](#)

[/sloan\\_valve](#)

[in /sloan-valve-company](#)