

# TracPipe® CounterStrike®

Flexible Gas Piping by OmegaFlex®

## PRODUCT CATALOG Flexible Gas Piping Systems for Commercial, Industrial and Residential



Table of Contents

Introduction ..... 3

Flexible Gas Tubing ..... 4

AutoSnap® ..... 5

AutoFlare® Fittings and Accessories ..... 6

AutoFlare® Tee Fittings..... 7

Accessories..... 9

TracPipe® PS II Underground Gas Piping ..... 11

Warranty..... 12



Improve your bottom line by taking advantage of TracPipe® CounterStrike® industry-leading flow capacities.

CONTACT INFORMATION

1.800.671.8622

[sales@tracpipe.com](mailto:sales@tracpipe.com)

[www.tracpipe.ca](http://www.tracpipe.ca)



### Four Decades of Performance

Since 1975, OmegaFlex® has led the piping industry with its high-quality construction and commitment to exceed the industry's product and safety standards.

- With over 200 patents and counting, the Company's philosophy is not to wait for mandates, but to lead the industry by introducing the best products.
- In 1999, OmegaFlex was the first CSST manufacturer to mandate the bonding of its yellow-jacketed TracPipe® in its installation guide.
- In 2004, the Company developed CounterStrike®, which contains all of the innovative features of TracPipe® plus a built-in solution to lightning damage that eliminates the need for additional bonding.
- In 2011, OmegaFlex became the only CSST manufacturer to transition from its highly successful yellow CSST product "TracPipe®" and now only sells its innovative black-jacket product "CounterStrike®" throughout the US market.
- In 2012, OmegaFlex is a sponsor of NSF-UC San Diego's earthquake testing program. The flexibility of CounterStrike® withstood the worst seismic activity simulated without any failures, leaks or damage. Meanwhile black iron pipe, which was installed next to CounterStrike®, fractured in the same test.

- In 2014, OmegaFlex introduced the AutoSnap® fitting for CounterStrike® that is so easy to use you can even keep your gloves on, just twist, snap, tighten and you're done!

#### *TracPipe® and CounterStrike® are also:*

- Listed by CSA to the national consensus standard ANSI LC-1/CSA 6.26-2016 for CSST. CounterStrike® also meets the performance requirements in the Standard for arc resistant conductive jackets.
- Compliant with CSA B149.1-2015 or the National Gas and Propane Installation Code including Canadian Electrical Code requirements for bonding and grounding of gas piping systems.
- Compliant with the fuel gas codes in all 10 provinces.
- Listed by Underwriters Laboratories (UL) for 1, 2 and 4 hour through penetration fire stop systems without removal of the protective jacket.
- CounterStrike® has also been evaluated for lightning resistance (ER-0227) by the International Association of Plumbing and Mechanical Officials (IAPMO) Uniform Evaluation Service which is accredited by Standards Council of Canada.



## Flexible Gas Piping CSST

- Unlike competitive brands, TracPipe® CounterStrike® is non-annealed making it more crush resistant, safer to install and easier to cut.



Our 1/2"

Their 1/2"

- TracPipe® CounterStrike® has larger pipe diameters compared to competitive brands, so save money by using a smaller size CounterStrike! (ie 3/8" CounterStrike versus 1/2" other brand).
- Highest overall EHD Flow Capacity Rating.

### TracPipe® Flexible Gas Tubing



Corrugated Stainless Steel 300 Series  
with Polyethylene Jacket  
Plywood Reels for Packaging

Description	Part Number	Size	Reel Length	Lb/Reel
TracPipe 3/8"	FGP-SS4-375-250	3/8"	250 ft/reel	29
TracPipe 3/8"	FGP-SS4-375-100	3/8"	100 ft/reel	13
TracPipe 1/2"	FGP-SS4-500-500	1/2"	500 ft/reel	78
TracPipe 1/2"	FGP-SS4-500-250	1/2"	250 ft/reel	40
TracPipe 1/2"	FGP-SS4-500-100	1/2"	100 ft/reel	18
TracPipe 1/2"	FGP-SS4-500-50	1/2"	50 ft/reel	11
TracPipe 3/4"	FGP-SS4-750-250	3/4"	250 ft/reel	59
TracPipe 3/4"	FGP-SS4-750-100	3/4"	100 ft/reel	24
TracPipe 3/4"	FGP-SS4-750-50	3/4"	50 ft/reel	14
TracPipe 1"	FGP-SS4-100-180	1"	180 ft/reel	56
TracPipe 1"	FGP-SS4-100-100	1"	100 ft/reel	32
TracPipe 1"	FGP-SS4-100-50	1"	50 ft/reel	17
TracPipe 1 1/4"	FGP-SS4-125-250	1 1/4"	250 ft/reel	117
TracPipe 1 1/4"	FGP-SS4-125-150	1 1/4"	150 ft/reel	71
TracPipe 1 1/2"	FGP-SS4-150-250	1 1/2"	250 ft/reel	141
TracPipe 1 1/2"	FGP-SS4-150-150	1 1/2"	150 ft/reel	80
TracPipe 2"	FGP-SS4-200-150	2"	150 ft/reel	128

### CounterStrike® Flexible Gas Tubing Reels



Corrugated Stainless Steel 300 Series  
with Black Conductive Jacket  
Plywood Reels for Packaging

Description	Part Number	Size	Reel Length	Lb/Reel
CounterStrike 3/8"	FGP-CS-375-250	3/8"	250 ft/reel	37
CounterStrike 3/8"	FGP-CS-375-100	3/8"	100 ft/reel	17
CounterStrike 1/2"	FGP-CS-500-500	1/2"	500 ft/reel	98
CounterStrike 1/2"	FGP-CS-500-250	1/2"	250 ft/reel	52
CounterStrike 1/2"	FGP-CS-500-100	1/2"	100 ft/reel	24
CounterStrike 3/4"	FGP-CS-750-250	3/4"	250 ft/reel	70
CounterStrike 3/4"	FGP-CS-750-100	3/4"	100 ft/reel	31
CounterStrike 1"	FGP-CS-100-180	1"	180 ft/reel	70
CounterStrike 1"	FGP-CS-100-100	1"	100 ft/reel	40
CounterStrike 1"	FGP-CS-100-50	1"	50 ft/reel	22
CounterStrike 1 1/4"	FGP-CS-125-250	1 1/4"	250 ft/reel	129
CounterStrike 1 1/4"	FGP-CS-125-150	1 1/4"	150 ft/reel	78
CounterStrike 1 1/2"	FGP-CS-150-250	1 1/2"	250 ft/reel	182
CounterStrike 1 1/2"	FGP-CS-150-150	1 1/2"	150 ft/reel	103
CounterStrike 2"	FGP-CS-200-150	2"	150 ft/reel	137

### CounterStrike® Flexible Gas Tubing Coil



Description	Part Number	Size	Coil Length	Lb/Reel
CounterStrike 1/2"	FGP-CS-500-50	1/2"	50 ft	14
CounterStrike 1/2"	FGP-CS-500-25	1/2"	25 ft	4.6
CounterStrike 3/4"	FGP-CS-750-50	3/4"	50 ft	18
CounterStrike 3/4"	FGP-CS-750-25	3/4"	25 ft	5.2
CounterStrike 1"	FGP-CS-100-25	1"	25 ft	8.6

## Lightning Fast Connections from OmegaFlex®



The new patent pending **AutoSnap®** fittings are the only CSST fittings that do not require any disassembly or reassembly of the fitting to the TracPipe®CounterStrike® CSST.

This greatly reduces installation difficulty and time as there are no small loose gaskets, O-rings, or retainer rings to contend with in a dark and/or cold work place environment!

AutoSnap is CSA listed and features a metal to metal cup seal without any exposed stainless steel pipe behind the new fitting.

Reduced torque value and reusability all make for an optimum installer friendly fitting!

### AutoSnap® Fittings

		Description	Part Number	Size	Pkg. Qty	Lb.
Straight Fitting Brass		<b>AutoSnap</b> Straight 3/8"	<b>FGP-SFST-375N</b>	3/8"-3/8" NPT	24/box	.2
		<b>AutoSnap</b> 3/8" (1/2" NPT)	<b>FGP-SFST-375</b>	3/8"	24/box	.3
		<b>AutoSnap</b> 1/2"	<b>FGP-SFST-500</b>	1/2"	24/box	.4
		<b>AutoSnap</b> 3/4"	<b>FGP-SFST-750</b>	3/4"	16/box	.5
		<b>AutoSnap</b> 1"	<b>FGP-SFST-1000</b>	1"	16/box	.7
		<b>AutoSnap</b> 1 1/4"	<b>FGP-SFST-1250</b>	1 1/4"	6/box	.9
		<b>AutoSnap</b> 1 1/2"	<b>FGP-SFST-1500</b>	1 1/2"	4/box	1.3
Split Rings Brass		<b>AutoSnap</b> 2"	<b>FGP-SFST-2000</b>	2"	4/box	2.2
		Spare Snap Rings	<b>FGP-SRING-375</b>	3/8"	5/pack	.04
		Spare Snap Rings	<b>FGP-SRING-500</b>	1/2"	5/pack	.06
		Spare Snap Rings	<b>FGP-SRING-750</b>	3/4"	5/pack	.08
		Spare Snap Rings	<b>FGP-SRING-1000</b>	1"	5/pack	.17
		Spare Snap Rings	<b>FGP-SRING-1250</b>	1 1/4"	2/pack	.8
		Spare Snap Rings	<b>FGP-SRING-1500</b>	1 1/2"	2/pack	1.4
Reducing Fitting Brass		Spare Snap Rings	<b>FGP-SRING-2000</b>	2"	2/pack	1.8
		<b>AutoSnap</b> Reducing 1/2"	<b>FGP-SRST500-750</b>	1/2"-3/4" NPT	24/box	0.4
		<b>AutoSnap</b> Reducing 3/4"	<b>FGP-SRST750-500</b>	3/4"-1/2" NPT	16/box	0.5
		<b>AutoSnap</b> Reducing 1"	<b>FGP-SRST1000-750</b>	1"-3/4" NPT	16/box	0.8
Female Straight Fitting Brass		<b>AutoSnap</b> Female Straight 3/8"	<b>FGP-SFSTF-375</b>	3/8"-1/2" NPT	24/box	0.25
		<b>AutoSnap</b> Female Straight 1/2"	<b>FGP-SFSTF-500</b>	1/2"	24/box	0.29
		<b>AutoSnap</b> Female Straight 3/4"	<b>FGP-SFSTF-750</b>	3/4"	16/box	0.43
		<b>AutoSnap</b> Female Straight 1"	<b>FGP-SFSTF-1000</b>	1"	16/box	0.78
Coupling Brass		<b>AutoSnap</b> Coupling 3/8"	<b>FGP-SCPLG-375</b>	3/8"	24/box	0.3
		<b>AutoSnap</b> Coupling 1/2"	<b>FGP-SCPLG-500</b>	1/2"	24/box	0.5
		<b>AutoSnap</b> Coupling 3/4"	<b>FGP-SCPLG-750</b>	3/4"	16/box	0.7
		<b>AutoSnap</b> Coupling 1"	<b>FGP-SCPLG-1000</b>	1"	16/box	0.9
		<b>AutoSnap</b> Coupling 1 1/4"	<b>FGP-SCPLG-1250</b>	1 1/4"	6/box	2.0
		<b>AutoSnap</b> Coupling 1 1/2"	<b>FGP-SCPLG-1500</b>	1 1/2"	4/box	3.3
		<b>AutoSnap</b> Coupling 2"	<b>FGP-SCPLG-2000</b>	2"	4/box	5.5
Wallbox with Valve		<b>AutoSnap</b> Metal Wallbox w/valve 1/2"	<b>FGP-SWBTM-500</b>	1/2"	24/box	2.3
		<b>AutoSnap</b> Metal Wallbox w/valve 3/4"	<b>FGP-SWBTM-750</b>	3/4"	24/box	2.8
		<b>AutoSnap</b> Flange Fitting 3/8"	<b>FGP-SRFG-375</b>	3/8"	12/box	0.3
Flange Fitting Brass and Stainless Steel Plate		<b>AutoSnap</b> Flange Fitting 1/2"	<b>FGP-SRFG-500</b>	1/2"	12/box	0.5
		<b>AutoSnap</b> Flange Fitting 3/4"	<b>FGP-SRFG-750</b>	3/4"	8/box	0.7
		<b>AutoSnap</b> Flange Fitting 1"	<b>FGP-SRFG-1000</b>	1"	8/box	0.9
		<b>AutoSnap</b> Flange Fitting 1 1/4"	<b>FGP-SRFG-1250</b>	1 1/4"	4/box	2.0










## AutoFlare® Fittings and Accessories





### Self-Flaring Fitting

**AutoFlare® is the self-piloting fitting that attaches TracPipe® CounterStrike® to traditional gas fittings and appliances. No special tools or additional parts required.**

### AutoFlare® Fittings and Accessories

		Description	Part Number	Size	Pkg. Qty	Lb.
Straight Mechanical Fitting Brass		<i>AutoFlare</i> Straight 3/8"	FGP-FST-375N	3/8"(3/8"NPT)	24/box	.3
		<i>AutoFlare</i> Straight 3/8"	FGP-FST-375	3/8"(1/2"NPT)	24/box	.4
		<i>AutoFlare</i> Straight 1/2"	FGP-FST-500	1/2"	24/box	.4
		<i>AutoFlare</i> Reducing 1/2"	FGP-RST500-750	1/2"-3/4"NPT	24/box	.4
		<i>AutoFlare</i> Straight 3/4"	FGP-FST-750	3/4"	16/box	.5
Reducing Fitting Brass		<i>AutoFlare</i> Reducing 3/4"	FGP-RST750-500	3/4"-1/2"NPT	16/box	.5
		<i>AutoFlare</i> Straight 1"	FGP-FST-1000	1"	16/box	.7
		<i>AutoFlare</i> Reducing 1"	FGP-RST1000-750	1"-3/4"NPT	16/box	.7
Fitting Sizes 1/4", 1/2" and 2" are sold individually	{	<i>AutoFlare</i> Straight 1 1/4"	FGP-FST-1250	1 1/4"	6/box	1.5
		<i>AutoFlare</i> Straight 1 1/2"	FGP-FST-1500	1 1/2"	4/box	2.1
		<i>AutoFlare</i> Straight 2"	FGP-FST-2000	2"	4/box	3.5
Split Rings Brass		Spare Split Rings	FGP-RING-375	3/8"	10/pack	.06
		Spare Split Rings	FGP-RING-500	1/2"	10/pack	.06
		Spare Split Rings	FGP-RING-750	3/4"	10/pack	.06
		Spare Split Rings	FGP-RING-1000	1"	10/pack	.06
		Spare Split Rings	FGP-RING-1250	1 1/4"	4/pack	.06
		Spare Split Rings	FGP-RING-1500	1 1/2"	4/pack	.2
		Spare Split Rings	FGP-RING-2000	2"	4/pack	.3
		<i>AutoFlare</i> Female Straight 3/8"	FGP-FSTF-375	3/8"-1/2"NPT	24/box	.25
		<i>AutoFlare</i> Female Straight 1/2"	FGP-FSTF-500	1/2"	24/box	.33
		<i>AutoFlare</i> Female Straight 3/4"	FGP-FSTF-750	3/4"	16/box	.49
Female Straight Fitting Brass		<i>AutoFlare</i> Female Straight 1"	FGP-FSTF-1000	1"	16/box	.61
		Coupling 3/8"	FGP-CPLG-375	3/8"	24/box	.3
		Coupling 1/2"	FGP-CPLG-500	1/2"	24/box	.5
		Coupling 3/4"	FGP-CPLG-750	3/4"	16/box	.7
Coupling Insert Brass		Coupling 1"	FGP-CPLG-1000	1"	16/box	.9
		Coupling 1 1/4"	FGP-CPLG-1250	1 1/4"	6/box	2.0
		Coupling 1 1/2"	FGP-CPLG-1500	1 1/2"	4/box	3.3
		Coupling 2"	FGP-CPLG-2000	2"	4/box	5.5
Flange Mount Fittings Brass		<i>AutoFlare</i> Steel Flange Fitting 3/8"	FGP-RFG-375	3/8"	12/box	.61
		<i>AutoFlare</i> Steel Flange Fitting 1/2"	FGP-RFG-500	1/2"	12/box	.6
		<i>AutoFlare</i> Steel Flange Fitting 3/4"	FGP-RFG-750	3/4"	8/box	.74
		<i>AutoFlare</i> Steel Flange Fitting 1"	FGP-RFG-1000	1"	8/box	.92
Flange Mount Fittings		<i>AutoFlare</i> Steel Flange Fitting 1 1/4"	FGP-RFG-1250	1 1/4"	4/box	1.53
		<i>AutoFlare</i> Flange L Bracket	FGP-TERM-BRAC	All	1 each	.3
		90° Flange Fitting 1/2"	FGP-ELS-500	1/2"	8/box	.7
		90° Flange Valve 3/8"	FGP-RF90V-375	3/8"	6/box	1.02
		90° Flange Valve 1/2"	FGP-RF90V-500	1/2"	6/box	.90
		90° Flange Valve 3/4"	FGP-RF90V-750	3/4"	6/box	1.4

## AutoFlare® Tee Fittings










AutoFlare® Tee Fittings					
	Description	Part Number	Size	Pkg. Qty	Lb.
Tee Fitting Brass 	<b>CounterStrike by NPT</b>				
	Tee - Male 3/4"	FGP-T500-750	1/2-3/4" male	12/box	1
	Tee - Female 1/2"	FGP-T500-500	1/2" Female	14/box	1
	Tee - Female 1/2"	FGP-T750-500	3/4-1/2" Female	12/box	1.6
	Tee - Female 3/4"	FGP-T750-750	3/4" Female	12/box	1.6
	Tee - Female 1"	FGP-T1000-1000	1" Female	10/box	2.2
Tee Fitting Brass 	<b>CounterStrike / All Outlets</b>				
	Tee - <b>All Outlets 1/2"</b>	FGP-TF500-T500	1/2 x 1/2"	14/box	1
	Tee - <b>All Outlets 3/4"</b>	FGP-TF750-T750	3/4 x 3/4"	12/box	1.6
	Tee - <b>All Outlets 1"</b>	FGP-TF1000T1000	1 x 1"	10/box	2.2
	Tee-Reducer	FGP-RT-501	1/2" x 3/8" x 3/8"	14/box	0.9
	Tee-Reducer	FGP-RT-751	3/4" x 1/2" x 3/8"	12/box	1.1
Reducer Tee Fitting Brass 	Tee-Reducer	FGP-RT-752	3/4" x 1/2" x 1/2"	12/box	1.1
	Tee-Reducer	FGP-RT-1001	1" x 3/4" x 1/2"	10/box	1.8
	Tee-Reducer	FGP-RT-1002	1" x 3/4" x 3/4"	10/box	1.8
	Tee-Reducer	FGP-TF750-T500	3/4" x 3/4" x 1/2"	12/box	1.6
	Tee-Reducer	FGP-TF1000-T750	1" x 1" x 3/4"	10/box	2.1
	Tee-Reducer	FGP-TF1000-T500	1" x 1" x 1/2"	10/box	2.2
	Tee-Reducer	FGP-TF1250-T1000	1 1/4" x 1 1/4" x 1"	1 each	2.7
	Tee-Reducer	FGP-TF1250-T750	1 1/4" x 1 1/4" x 3/4"	1 each	2.6
	Tee-Reducer	FGP-TF1250-T500	1 1/4" x 1 1/4" x 1/2"	1 each	2.6
	Tee-Reducer	FGP-RT-1251	1 1/4" x 1" x 1"	1 each	2.2
	Tee-Reducer	FGP-RT-1252	1 1/4" x 1" x 3/4"	1 each	2.2
	Tee-Reducer	FGP-RT-1253	1 1/4" x 1" x 1/2"	1 each	2.1
	Tee-Reducer	FGP-TF1500-T1250	1 1/2" x 1 1/2" x 1 1/4"	1 each	4.4
	Tee-Reducer	FGP-TF1500-T1000	1 1/2" x 1 1/2" x 1"	1 each	4.1
	Tee-Reducer	FGP-TF1500-T750	1 1/2" x 1 1/2" x 3/4"	1 each	4.1
	Tee-Reducer	FGP-TF1500-T500	1 1/2" x 1 1/2" x 1/2"	1 each	4.0
	Tee-Reducer	FGP-RT-1501	1 1/2" x 1 1/4" x 1 1/4"	1 each	3.7
	Tee-Reducer	FGP-RT-1502	1 1/2" x 1 1/4" x 1"	1 each	3.6
	Tee-Reducer	FGP-RT-1503	1 1/2" x 1 1/4" x 3/4"	1 each	3.6
	Tee-Reducer	FGP-RT-1504	1 1/2" x 1 1/4" x 1/2"	1 each	3.5
	Tee-Reducer	FGP-TF2000-T1500	2" x 2" x 1 1/2"	1 each	7.4
	Tee-Reducer	FGP-TF2000-T1250	2" x 2" x 1 1/4"	1 each	7.2
	Tee-Reducer	FGP-TF2000-T1000	2" x 2" x 1"	1 each	7.0
	Tee-Reducer	FGP-TF2000-T750	2" x 2" x 3/4"	1 each	7.0
	Tee-Reducer	FGP-TF2000-T500	2" x 2" x 1/2"	1 each	7.0
	Tee-Reducer	FGP-RT-2001	2" x 1 1/2" x 1 1/2"	1 each	6.5
	Tee-Reducer	FGP-RT-2002	2" x 1 1/2" x 1 1/4"	1 each	6.3
	Tee-Reducer	FGP-RT-2003	2" x 1 1/2" x 1"	1 each	6.1
	Tee-Reducer	FGP-RT-2004	2" x 1 1/2" x 3/4"	1 each	6.1
	Tee-Reducer	FGP-RT-2005	2" x 1 1/2" x 1/2"	1 each	6.1
Commercial Sized Reducer Tees Brass 					

## AutoFlare® Fittings and Accessories

### AutoFlare® Fittings and Accessories

    <p>Wallbox with Valve Note: Wallbox measures 7" x 7" x 3"</p>	Description	Part Number	Size	Pkg. Qty	Lb.
	Key Valve Bracket	FGP-KVB-375	3/8"	18/box	.50
	Key Valve Bracket	FGP-KVB-500	1/2"	18/box	.54
	Key Valve Bracket - Reducing	FGP-KVB750-500	3/4" x 1/2"	18/box	.77
	1/2" X 6" Meter Term Stub-Out	FGP-1/2X6MT	1/2" X 6"	20/box	1.1
	3/4" X 6" Meter Term Stub-Out	FGP-3/4X6MT	3/4" X 6"	20/box	1.2
	1" x 6" Meter Term Stub-out	FGP-1X6MT	1" x 6"	20/box	1.36
	1-1/4" X 6" Meter Term Stub-Out	FGP-1-1/4X6MT	1-1/4" X 6"	20/box	1.62
	1/2" X 12" Meter Term Stub-Out	FGP-1/2X12MT	1/2" X 12"	15/box	1.58
	3/4" X 12" Meter Term Stub-Out	FGP-3/4X12MT	3/4" X 12"	15/box	1.8
	1" x 12" Meter Term Stub-out	FGP-1X12MT	1" x 12"	15/box	1.36
	1-1/4" X 12" Meter Term Stub-Out	FGP-1-1/4X12MT	1-1/4" X 12"	15/box	2.78
	Meter Stud Bracket	FGP-STUD-BRAC	all	8/box	2.1
	Appliance Stub-out	FGP-ASP-500	1/2" x 2"	25/box	.72
	Fireplace Stub-out	FGP-FPT-500	1/2"	25/box	.72
	1/2" x 90° Stub Out	FGP-ASP90S-500	1/2" x 5" x 5"	25/box	1
	3/4" x 90° Stub Out	FGP-ASP90S-750	3/4" x 5" x 5"	15/pack	1.3
	AutoFlare Metal Wallbox w/Valve	FGP-WBTM-375	3/8"	24/box	2.3
	AutoFlare Metal Wallbox w/Valve	FGP-WBTM-500	1/2"	24/box	2.3
	AutoFlare Metal Wallbox w/Valve	FGP-WBTM-750	3/4"	24/box	2.8






### Accessories

        					
	Description	Part Number	Size	Pkg. Qty	Lb.
	Coated Manifold	FGP-MI-PC	3/4" x 1/2" x 1/2"(4)	1 each	1.9
	Manifold Bracket	FGP-MB2	----	1 each	1.3
	Stackable Manifold	FGP-MI-ST-500	1/2"F - M X 1/2"(2)	1 each	1.4
	Stackable Manifold	FGP-MI-ST-750	3/4"F - M X 1/2"(2)	1 each	1.4
	Stackable Manifold Bracket	FGP-MB-ST	fits MI-ST	1 each	.4
	Load Center w/Bracket	FGP-LC	----	1 each	11.3
	Large Coated Manifold	FGP-MI-PC-1X	1 1/4" x 1" x 3/4"(4)	1 each	5.5
	Large Coated Manifold	FGP-MI-PC-2X	2" x 1 1/2" x 1"(4)	1 each	13.0
	Bonding Clamp	FGP-GC-1	3/8", 1/2" (TP/CS)	1/2", 3/4", 1" (Iron pipe)	1 each
	Bonding Clamp	FGP-GC-2	3/4", 1", 1 1/4" (TP/CS)	1 1/4", 1 1/2", 2" (Iron pipe)	1 each
	Bonding Clamp	FGP-GC-3	1 1/2", 2" (TP/CS)	2 1/2" - 4" (Iron pipe)	1 each



## Accessories

**Note:** Omegaflex stocks regulators from various listed manufacturers. There will be a 15% charge added to regulator orders requesting shipment of a specific brand of regulator.

<div>  <div> Pressure Regulators Cast Cast Housing Suitable for Outdoor Use </div> <div>  </div> <div>  </div> <div>  </div> <div>  </div> </div>	Description	Part Number	Capacity MBTU/h**	Size	Pkg. Qty	Lb.
	Regulator 2 PSI (8" w.c.)	<b>FGP-REG-3</b>	250	1/2"	1 each	.8
	Regulator 2 PSI (11" w.c.)	<b>FGP-REG-3P</b>	368 LP	1/2"	1 each	.8
	Regulator 2 PSI (8" w.c.)	<b>FGP-REG-5A</b>	550	3/4"	1 each	1.9
	Regulator 2 PSI (11" w.c.)	<b>FGP-REG-5P</b>	836 LP	3/4"	1 each	1.9
	Regulator 2 PSI (8" w.c.)	<b>FGP-REG-7L</b>	1059	1"	1 each	1.6
	Regulator 5 PSI* w/OPD	<b>FGP-REG-3L47</b>	125	1/2"	1 each	1.1
	Regulator 5 PSI* w/OPD	<b>FGP-REG-3L48</b>	200	1/2"	1 each	1.2
	Regulator 5 PSI* w/OPD	<b>FGP-REG-5AL48</b>	320	3/4"	1 each	2.3
	Regulator 5 PSI* w/OPD	<b>FGP-REG-5AL600</b>	425	3/4"	1 each	3.4
	Regulator 5 PSI* w/OPD	<b>FGP-REG-5AL601</b>	465	1"	1 each	3.4
	Over Pressure Protection Device	<b>FGP-OPD-274</b>	---	1/2"	1 each	.6
	Rain Cap for REG-3	<b>FGP-CAP-3</b>	---	1/2"	1 each	.1
	High Pressure Tags	<b>FGP-TAG-20</b>	---	All	20/pkg	.3
	Installation Tags	<b>FGP-ITAG-50</b>	---	All	50/pkg	.35
	Gas Label	<b>FGP-GAS LABEL</b>	---	All	500/Roll	.25


**Note:** All regulators include an approved vent limiter.

\*Regulators 3L48, 3L47, 5AL48, 5AL600, 5AL601 have MAX 5 PSI Inlet Pressure which includes an OPD for pressures above 2 PSI when used as a line Pressure Regulator. (Over-pressurization device included and attached to these units).

\*\*Capacity is total load as line pressure regulator. (Capacity decreases for single appliance load. Contact factory.)

## Accessories and Tools


Accessories and Tools					
Description	Part Number	Size	Pkg. Qty	Lb.	
Shut Off Valves Quick Disconnect Brass Housing with Stainless Steel Ball 	Ball Valve 5psi 1/2"	1/2"	1 each	.5	
	Ball Valve 5psi 3/4"	3/4"	1 each	.8	
	Sturgis Quick Disconnect	1/2"	1 each	.9	
<b>Note: Special tools not required.</b>					
Tube Cutters 	Cutter No. 15	3/8"-1"	1 each	1.1	
	Cutter No. 151	3/8" – 1 1/4"	1 each	.9	
	Cutter No. 152	1 1/4" – 2"	1 each	1.9	
	Cutter wheel	1 1/4" – 2"	1 each	.1	
<b>Note: To cut 1 1/4" to 2" size CounterStrike® use a cutting wheel 5272 or equal.</b>					
Striker Plate Carbon Steel Hardened 	Quarter Striker Plate	3" x 2"	250/box	.08	
	Half Striker Plate	3" x 7"	100/box	.4	
	Three Quarter Striker Plate	3" x 9"	100/box	.4	
	Full Striker	3" x 12"	50/box	.42	
	6 1/2" X 17 Striker Plate	6 1/2" X 17"	1 each	1.8	
Floppy Strip Wound Conduit Type RW Galvanized Steel 	Floppy-fits 3/8" Cut 1 ft.	3/4"	50 box	11	
	Floppy-fits 1/2" Cut 1 ft.	1"	50 box	15	
	Floppy-fits 3/4" Cut 1 ft.	1 1/4"	25 box	17.5	
	Floppy-fits 1" Cut 1 ft.	1 1/2"	25 box	24	
	Floppy-fits 3/8"	3/4"	50 ft/coil	9	
Silicone Tape Silicone Rubber 	Floppy-fits 1/2"	1"	50 ft/coil	13	
	Floppy-fits 3/4"	1 1/4"	25 ft/coil	15.5	
	Floppy-fits 1"	1 1/2"	25 ft/coil	22	
	Floppy-fits 1 1/4"	2"	25 ft/coil	28.5	
	Floppy-fits 1 1/2"	2 1/2"	25 ft/coil	46	
Leak Check 	Floppy-fits 2"	3"	25 ft/coil	51	
	Tape-Black	1" x 12yd	Roll 12 yd	.3	
	Non-Corrosive leak check solution	1 Quart	12/case	2.3	



## TracPipe® PS-II Underground Gas Piping

### TracPipe® PS-II Underground Gas Piping PATENTED - Improved

Now available! **TracPipe PS-II** is a pre-sleeved gas installation system for underground, rooftop, or exterior wall applications that is more cost-effective and easier to install vs. our original **TracPipe PS** system.



Description	Part Number	Size	Reel Length	Lb./ Reel
<b>TracPipe PS-II 3/8"</b>	<b>FGP-UGP-375-250</b>	3/8"	250 ft./reel	57.5
<b>TracPipe PS-II 1/2"</b>	<b>FGP-UGP-500-250</b>	1/2"	250 ft./reel	82.5
<b>TracPipe PS-II 1/2"</b>	<b>FGP-UGP-500-100</b>	1/2"	100 ft./reel	33
<b>TracPipe PS-II 3/4"</b>	<b>FGP-UGP-750-250</b>	3/4"	250 ft./reel	107.5
<b>TracPipe PS-II 3/4"</b>	<b>FGP-UGP-750-100</b>	3/4"	100 ft./reel	43
<b>TracPipe PS-II 1"</b>	<b>FGP-UGP-100-250</b>	1"	250 ft./reel	142.5
<b>TracPipe PS-II 1"</b>	<b>FGP-UGP-100-100</b>	1"	100 ft./reel	57
<b>TracPipe PS-II 1 1/4"</b>	<b>FGP-UGP-125-150</b>	1 1/4"	150 ft./reel	137
<b>TracPipe PS-II 1 1/2"</b>	<b>FGP-UGP-150-150</b>	1 1/2"	150 ft./reel	150.5
<b>TracPipe PS-II 2"</b>	<b>FGP-UGP-200-150</b>	2"	150 ft./reel	220

#### Male Adapters

Description	Part Number	Size	Pkg. Qty.	Lb.
<b>TracPipe PS-II Male Adapter</b>	<b>FGP-UGF-375</b>	3/8" NPT Male	25/box	.45
<b>TracPipe PS-II Male Adapter</b>	<b>FGP-UGF-500</b>	1/2" NPT Male	20/box	.50
<b>TracPipe PS-II Male Adapter</b>	<b>FGP-UGF-750</b>	3/4" NPT Male	16/box	.65
<b>TracPipe PS-II Male Adapter</b>	<b>FGP-UGF-1000</b>	1" NPT Male	9/box	.90
<b>TracPipe PS-II Male Adapter</b>	<b>FGP-UGF-1250</b>	1 1/4" NPT Male	9/box	1.60
<b>TracPipe PS-II Male Adapter</b>	<b>FGP-UGF-1500</b>	1 1/2" NPT Male	9/box	2.65
<b>TracPipe PS-II Male Adapter</b>	<b>FGP-UGF-2000</b>	2" NPT Male	5/box	4.30

#### Couplings

<b>TracPipe PS-II Coupling</b>	<b>FGP-UGC-375</b>	3/8" T/P Coupling	25/box	.65
<b>TracPipe PS-II Coupling</b>	<b>FGP-UGC-500</b>	1/2" T/P Coupling	20/box	.70
<b>TracPipe PS-II Coupling</b>	<b>FGP-UGC-750</b>	3/4" T/P Coupling	16/box	1.05
<b>TracPipe PS-II Coupling</b>	<b>FGP-UGC-1000</b>	1" T/P Coupling	9/box	1.40
<b>TracPipe PS-II Coupling</b>	<b>FGP-UGC-1250</b>	1 1/4" T/P Coupling	9/box	2.50
<b>TracPipe PS-II Coupling</b>	<b>FGP-UGC-1500</b>	1 1/2" T/P Coupling	8/box	4.25
<b>TracPipe PS-II Coupling</b>	<b>FGP-UGC-2000</b>	2" T/P Coupling	5/box	6.90

Male Adapter



Coupling





**AutoSnap®**  
Snap-on Fitting for TracPipe®CounterStrike®

**TracPipe®PS-II**  
Underground Gas Piping by OmegaFlex®

PATENTED

**TracPipe® CounterStrike®**  
Flexible Gas Piping by OmegaFlex®

PATENTED

## OMEGA FLEX, INC. LIMITED WARRANTY

Omega Flex, Inc. (The "Manufacturer") warrants to the original owner at the original installation site that the TracPipe®CounterStrike® flexible gas piping system (the "Product") will be free from defects in material or workmanship for one year from the date of installation. If upon examination by the Manufacturer the Product is shown to have a defect in material or workmanship during the warranty period, the Manufacturer will repair or replace, at its option, that part of the Product which is shown to be defective.

### THIS LIMITED WARRANTY DOES NOT APPLY:

- (a) if the Product has been subjected to misuse or neglect, has been accidentally or intentionally damaged, has not been installed, maintained or operated in accordance with the TracPipe®CounterStrike® Design and Installation Guide, or has been altered or modified in any way.
- (b) to any expenses, including labor or material, incurred during investigation, removal or reinstallation of the defective Product or parts thereof.
- (c) to any damage or impairment of the Product caused by any casualty, including without limitation fire, wind, floods, or acts of God.
- (e) to any workmanship of the installer of the Product.

### THIS LIMITED WARRANTY IS CONDITIONAL UPON:

- (a) shipment, to the Manufacturer, of that part of the Product thought to be defective. Goods can only be returned with prior written approval from the Manufacturer. All returns must be freight prepaid.
- (b) determination, in the reasonable opinion of the Manufacturer, that there exists a defect in material or workmanship.

Repair or replacement of any part under this Limited Warranty shall not extend the duration of the warranty with respect to such repaired or replaced part beyond the stated warranty period.

## TRACPIPE®COUNTERSTRIKE® FLEXIBLE GAS PIPING SYSTEM

THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, AND ALL SUCH OTHER WARRANTIES, INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED AND EXCLUDED FROM THIS LIMITED WARRANTY.

IN NO EVENT SHALL THE MANUFACTURER BE LIABLE IN ANY WAY FOR ANY CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OF ANY NATURE WHATSOEVER, OR FOR ANY AMOUNTS IN EXCESS OF THE SELLING PRICE OF THE PRODUCT OR ANY PARTS THEREOF FOUND TO BE DEFECTIVE. THIS LIMITED WARRANTY GIVES THE ORIGINAL OWNER OF THE PRODUCT SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS WHICH MAY VARY BY EACH JURISDICTION.

**OmegaFlex®**

Omega Flex, Inc.

451 Creamery Way • Exton, PA 19341-2509

1-800-671-8622 • [www.omegaflex.com](http://www.omegaflex.com)

ISO 9001 Registered Company

FGP 745CAN 07/20



FOR PRODUCT LISTING



FOR FIRE RESISTANCE

