

INSTALLATION GUIDE






Before assembly, flush the water supply pipes thoroughly to drain debris inside (allow the water to run with the main stopcock open for 3min), otherwise dirty particles might affect the function of the faucet.

CAUTION: FOR BEST RESULTS, WE STRONGLY RECOMMEND THE INSTALLATION OF THIS FAUCET BE DONE BY A LICENSED PLUMBER.

INSTALLATION GUIDE

01




Remove the unit from its packaging. Before disposing, packaging and taking unit from your sales person, inspect the unit to make sure it is in good conditions.

Should inspection reveal any damage or defect in the finish, Contact Us. The warranty does not cover damages or defects in the finish once the unit has been installed.

It is recommended that you place the unit in the kitchen before you start. Sectional units should be disassembled if necessary. Conserve all nuts and bolts.


02



SHUT OFF WATER SUPPLIES

Install gasket into groove under base ring. Insert faucet tubes and shank through mounting hole in sink; and, place faucet over mounting hole.

03




Insert the faucet assembly with the hoses into the sink hole adding the gasket between the sink and the faucet base.

Secure faucet to sink with washer and mounting nut. Tighten securely by hand.

INSTALLATION GUIDE


04



Water Line Connections.

Ensure all fittings and end connections are free of debris. Faucet fittings are colored red for hot and blue for cold.

05




Attach Supply Line Hot and Supply Line Cold to shut off stops. Tighten with a wrench.

Turn the water supply line valves on and check for leaks.

WARNING: DO NOT OVERTIGHTEN. Do not use pipe dope or other sealants on water line connections.

06



Valley recommends cleaning the kitchen faucet with a mild soap, rinsing thoroughly with warm water and drying with a clean, soft cloth.

Never use cleaners containing abrasives (including abrasive sponges or steel wool), ammonia, bleach or sodium hypochlorite, organic solvents (e.g. alcohols) or other harsh chemicals (e.g. lime scale removers) as they may damage the finish. Failure to comply with these cleaning instructions may void Valley's warranty.