

Stocking guide 2021

dals



Recessed Collection




	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	2004-WH	4 in. Round LED Recessed Panel Light	120V	11W	770LM	3000K	○ WH
	2006-WH	6 in. Round LED Recessed Panel Light	120V	14W	980LM	3000K	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
    	5003-CC-WH	3 in. Round LED Recessed Panel Light in 5CCT	120V	8W	560LM	5CCT*	○ WH
	5004-CC-XX	4 in. Round LED Recessed Panel Light in 5CCT	120V	11W	770LM	5CCT*	● BK ● SN ○ WH
	5004SQ-CC-XX	4 in. Square LED Recessed Panel Light in 5CCT	120V	11W	770LM	5CCT*	● BK ○ WH
	5005-CC-XX	5 in. Round LED Recessed Panel Light in 5CCT	120V	12W	800LM	5CCT*	● BK ○ WH
	5006-CC-XX	6 in. Round LED Recessed Panel Light in 5CCT	120V	14W	980LM	5CCT*	● BK ○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	F6M4-3K-XX	4 in. Flat Recessed LED Gimbal Light	120V	9W	700LM	3000K	● BK ● SN ○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
 	F6M4-CC-XX	4 in. Flat Recessed LED Gimbal in 5CCT	120V	11W	770LM	5CCT*	● BK ● SN ○ WH
	F6M6-CC-XX	6 in. Flat Recessed LED Gimbal in 5CCT	120V	14W	1050LM	5CCT*	● BK ● SN ○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	IND4-DW-WH	4 in. Round Indirect LED Recessed Light	120V	9W	500LM	2.2-3K	○ WH
	IND6-DW-WH	6 in. Round Indirect LED Recessed Light	120V	12W	750LM	2.2-3K	○ WH

COLOR SELECT WET OUTDOOR RATED

IC

JA8

CERTIFIED

AIR TIGHT

COLOR SELECT WET OUTDOOR RATED

IC

JA8

CERTIFIED

AIR TIGHT

COLOR SELECT WET OUTDOOR RATED

IC

RETROFIT

AIR TIGHT

COLOR SELECT WET OUTDOOR RATED

IC

RETROFIT

AIR TIGHT

COLOR SELECT WET OUTDOOR RATED

IC

JA8


CERTIFIED

AIR TIGHT


*5CCT: 2700K, 3000K, 3500K, 4000K, 5000K

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
     	MSL1-3K-XX	1 Light Single Microspot LED Recessed Down Light	120V	4W	170LM	3000K	☐ AWH ☒ BK
	MSL2-3K-XX	2 Light Microspot LED Recessed Down Light	120V	6W	320LM	3000K	☐ AWH ☒ BK
	MSL4-3K-XX	4 Light Microspot LED Recessed Down Light	120V	11W	600LM	3000K	☐ AWH ☒ BK
	MSL5-3K-XX	5 Light Microspot LED Recessed Down Light	120V	13W	800LM	3000K	☐ AWH ☒ BK
	MSL5G-3K-XX	5 Light Microspot Pivoting LED Recessed Down Light	120V	13W	800LM	3000K	☐ AWH ☒ BK
	MSL10-3K-XX	10 Light Microspot Recessed Down Light	120V	26W	1700LM	3000K	☐ AWH ☒ BK
	MSL10G-3K-XX	10 Light Microspot Pivoting Recessed Down Light	120V	26W	1700LM	3000K	☐ AWH ☒ BK

 	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	MFD03-3K-XX	3 in. Multi Functional Recessed Light with Adjustable Head	120V	8W	600LM	3000K	☒ BK ☐ WH

    	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
     	RGR2-CC-XX	2 in. Round Regressed LED Down Light in 5CCT	120V	8W	600LM	5CCT*	☒ BK ☐ SN ☐ WH
	RGR2SQ-CC-XX	2 in. Square Regressed LED Down Light in 5CCT	120V	8W	600LM	5CCT*	☒ BK ☐ SN ☐ WH
	RGR4-CC-XX	4 in. Round Regressed LED Down Light in 5CCT	120V	14W	990LM	5CCT*	☒ BK ☐ SN ☐ WH
	RGR4SQ-CC-XX	4 in. Square Regressed LED Down Light in 5CCT	120V	14W	990LM	5CCT*	☒ BK ☐ SN ☐ WH
	RGR6-CC-XX	6 in. Round Regressed LED Down Light in 5CCT	120V	20W	1600LM	5CCT*	☒ BK ☐ SN ☐ WH
	RGR6SQ-CC-XX	6 in. Square Regressed LED Down Light in 5CCT	120V	20W	1600LM	5CCT*	☒ BK ☐ SN ☐ WH

COLOR SELECTWETOUTDOORRATEDIC JA8CERTIFIEDAIR TIGHT									
	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish		
	SPN4-CC-3T	4 in. Round LED Recessed Panel Light with Multi Trim in 3CCT	120V	11W	800LM	3CCT*	BK SN WH		
	SPN4SQ-CC-3T	4 in. Square LED Recessed Panel Light with Multi Trim in 3CCT	120V	11W	800LM	3CCT*	BK SN WH		
	SPN6-CC-3T	6 in. Round LED Recessed Panel Light with Multi Trim in 3CCT	120V	14W	1060LM	3CCT*	BK SN WH		
	SPN6SQ-CC-3T	6 in. Square LED Recessed Panel Light with Multi Trim in 3CCT	120V	14W	1060LM	3CCT*	BK SN WH		

Accessories	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	LEDDOWNACC-G00F3	Goof Ring for 3 in. Recessed light	-	-	-	-	WH
	LEDDOWNACC-G00F4	Goof Ring for 4 in. Recessed light	-	-	-	-	WH
	LEDDOWNACC-G00F6	Goof Ring for 6 in. Recessed light	-	-	-	-	WH
	LEDDOWNACC-G00FSQ6	Goof Ring for 6 in. SQUARE Recessed light	-	-	-	-	WH
	REC-EXT108	108 in. FT6 Extension Cord for Recessed line	120V	-	-	-	WH
	REC-EXT230	230 in. FT6 Extension Cord for Recessed line	120V	-	-	-	WH
	REC-PT4-BB	4 in. Recessed add-on Trim in Brushed Brass	-	-	-	-	BB
	REC-PT4-BK	4 in. Recessed add-on Trim in Black	-	-	-	-	BK
	REC-PT4-SN	4 in. Recessed add-on Trim in Satin Nickel	-	-	-	-	SN
	RFP-23	Rough-in Plate for 2 in. & 3 in. Recessed line	-	-	-	-	-
	RFP-46	Rough-in Plate for 4 in. & 6 in. Recessed line	-	-	-	-	-
	RFP-58	Rough-in Plate for 5 in. & 8 in. Recessed line	-	-	-	-	-
	RFP-MSL1	Rough-in Plate for the 1 in. MSL1 series	-	-	-	-	-
	RFP-MSL2	Rough-in Plate for the 2 in. MSL2 series	-	-	-	-	-
	RFP-MSL4	Rough-in Plate for the 4 in. MSL4 series	-	-	-	-	-
	RFP-MSL5	Rough-in Plate for the 5 in. MSL5 series	-	-	-	-	-
	RFP-MSL5G	Rough-in Plate for the 5 in. MSL5G series	-	-	-	-	-
	RFP-MSL10	Rough-in Plate for the 10 in. MSL10 series	-	-	-	-	-
	RFP-MSL10G	Rough-in Plate for the 10G in. MSL10G series	-	-	-	-	-
	RFP-UNI	Universal Rough-in Plate for 2, 3, 4, & 6 in. Recessed line	-	-	-	-	-
	RTF4-TRIM-BK	Black Trim for RTF4-CC-WH	-	-	-	-	BK
	RTF4-TRIM-SN	Satin Nickel Trim for RTF4-CC-WH	-	-	-	-	SN

Under Cabinet Collection 12V



 DRY	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
      	4001-XX	12V LED Recessed Superpuck	12V	1.6W	135LM	3000K	 BB  BK  SN  WH
	4001-4K-XX	12V LED Recessed Superpuck	12V	1.6W	135LM	4000K	 BK  SN  WH
	4001HP-XX	12V High Power LED Recessed Superpuck	12V	2.9W	250LM	3000K	 BK  SN  WH
	K4001-XX	Kit of 3 12V LED Recessed Superpucks	12V	1.6W*	135LM*	3000K	 BK  SN  WH
				*Per puck			
	K4001HP-XX	Kit of 3 12V High Power LED Recessed Superpucks	12V	2.9W*	250LM*	3000K	 BK  SN  WH
				* Per puck			

 DRY	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
     	4002-XX	12V LED Surface Mounting Superpuck	12V	1.6W	135LM	3000K	 BK  SN  WH
	4002-4K-XX	12V LED Surface Mounting Superpuck	12V	1.6W	135LM	4000K	 BK  SN  WH
	4002HP-XX	12V High Power LED Surface Mounting Superpuck	12V	2.9W	250LM	3000K	 BK  SN  WH
	K4002-XX	Kit of 3 12V LED Surface Mounting Superpucks	12V	1.6W*	135LM*	3000K	 BK  SN  WH
				*Per puck			
	K4002HP-XX	Kit of 3 12V High Power Surface Mounting Superpucks	12V	2.9W*	250LM*	3000K	 BK  SN  WH
				* Per puck			

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
   	4005FR-XX	12V 2-in-1 LED Puck	12V	1.6W	90LM	3000K	
	4005HP-XX	12V 2-in-1 High Power LED Puck	12V	2.6W	235LM	3000K	
	4005HP-SURF-XX	Surface Adaptor for 4005 HP Series	-	-	-	-	
	K4005FR-XX	Kit of 3 12V 2-in-1 LED Pucks	12V	1.6W*	90LM*	3000K	
			* Per puck				

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
     	4006-XX	12V Round Ultra Slim Puck	12V	3.6W	220LM	3000K	
	4006-4K-XX	12V Round Ultra Slim Puck	12V	3.6W	220LM	4000K	
	4006SQ-XX	12V Square Ultra Slim Puck	12V	3.6W	220LM	3000K	
	4006SQ-4K-XX	12V Square Ultra Slim Puck	12V	3.6W	220LM	4000K	
	K4006-XX	Kit of 3 12V Round Ultra Slim Pucks	12V	3.6W*	220LM*	3000K	
	K4006SQ-XX	Kit of 3 12V Square Ultra Slim Pucks	12V	3.6W*	220LM*	3000K	
			* Per puck				

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	LED RDM1-SBA	12V LED Mini Gimbal Puck	12V	1W	80LM	3000K	

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
 	LED RDP18-WH	12V 2-in-1 Plastic Puck	12V	1.4W	100LM	3000K	
	K3 LED RDP18-WH	Kit of 3 12V 2-in-1 Plastic Pucks	12V	1.4W	100LM	3000K	
			* Per puck				

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	COBTP1M	1-Meter COB LED Tape Light Kit	12V	12W	550LM	3000K	○ WH
	COBTP3M	3-Meter COB LED Tape Light Kit	12V	24W	1500LM	3000K	○ WH
	COBTP5M	5-Meter COB LED Tape Light Kit	12V	48W	2250LM	3000K	○ WH
	COBTP-20M-REEL	20-Meter COB LED Tape Light Reel	12V	-	-	3000K	○ WH
	COBTP-ALXT-XX	1-Meter Aluminum Extrusion for COB Tape	-	-	-	-	● BK ○ WH
	COBTP-CC06	Connection Cord from COB Tape to Driver	12V	-	-	-	○ WH
	COBTP-EXT02	2 in. Extension for COB Tape	12V	-	-	-	○ WH
	COBTP-EXT24	24 in. Extension for COB Tape	12V	-	-	-	○ WH
	COBTP-EXT60	60 in. Extension for COB Tape	12V	-	-	-	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	LINU12-3K	12V LED Ultra Slim Linear	12V	4.3W	400LM	3000K	● SBA
	LINU04-3K	12V LED Ultra Slim Linear 4 in. Extension	12V	1.4W	100LM	3000K	● SBA
	LINU12-ACC-CROSS	LED Ultra Slim Linear Connector	12V	-	-	3000K	○ WH
	LINU12-ACC-L-LEFT	LED Ultra Slim Linear Connector	12V	-	-	3000K	○ WH
	LINU12-ACC-L-RIGHT	LED Ultra Slim Linear Connector	12V	-	-	3000K	○ WH
	LINU12-ACC-T-LEFT	LED Ultra Slim Linear Connector	12V	-	-	3000K	○ WH
	LINU12-ACC-T-MIDDLE	LED Ultra Slim Linear Connector	12V	-	-	3000K	○ WH
	LINU12-ACC-T-RIGHT	LED Ultra Slim Linear Connector	12V	-	-	3000K	○ WH
	LINU-EXT24	24 in. Extension for Ultra Slim Linear	12V	-	-	-	○ WH
	LINU-EXT108	108 in. Extension for Ultra Slim Linear	12V	-	-	-	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SWIVLED12	12V Swivel LED Linear	12V	3.2W	270LM	3000K	● SBA
	SWIVLED12-4K	12V Swivel LED Linear	12V	3.1W	275LM	4000K	● SBA
	SWIVLEDHP	12V High Power Swivel LED Linear	12V	4.3W	420LM	3000K	● SBA
	SWIVLEDHP-4K	12V High Power Swivel LED Linear	12V	4.3W	420LM	4000K	● SBA
	SWIVLED-EXT10	10 in. Interconnection Cord for SWIVLED Series	12V	-	-	-	○ WH
	SWIVLED-EXT36	36 in. Interconnection Cord for SWIVLED Series	12V	-	-	-	○ WH
	SWIVLED-EXT60	60 in. Interconnection Cord for SWIVLED Series	12V	-	-	-	○ WH
	SWIVLEDACC-45VCLIP	45 Degree Brackets for SWIVLED Series	-	-	-	-	-
	SWIVLED-CC10-OUTPUT	SWIVLED Connection Accessory	12V	-	-	-	○ WH

12V Accessories	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	4000E-24	24 in. 12V Extension Cord	12V	-	-	-	● BK
	4000E-60	60 in. 12V Extension Cord	12V	-	-	-	● BK
	4000HRNS-24	24 in. 12V "Y" Splitter	12V	-	-	-	● BK
	BT06DIM-IC	6W 12V DC Dimmable LED Hardwire Driver	12V	6W	-	-	○ WH
	BT12DIM-IC	12W 12V DC Dimmable LED Hardwire Driver	12V	12W	-	-	○ WH
	BT24DIM-IC	24W 12V DC Dimmable LED Hardwire Driver	12V	24W	-	-	○ WH
	BT36DIM	36W 12V DC Dimmable LED Hardwire Driver	12V	36W	-	-	○ WH
	BT48DIM	48W 12V DC Dimmable LED Hardwire Driver	12V	48W	-	-	○ WH
	ETR-LED10WPI	12W 12V DC Plug-in Driver	12V	12W	-	-	○ WH
	ETR-LED24WPI	24W 12V DC Plug-in Driver	12V	24W	-	-	○ WH
	LEDACC-SCTE-PLUG	Connection Cord with Plug for 12V Products	12V	-	-	-	● BK
	LEDACC-SCTE-REC	Connection Cord with Receptacle for 12V Products	12V	-	-	-	● BK
	LEDHRNS-6	6 Directions Connection Harness for 12V Products	12V	-	-	-	● BK



	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	6001-XX	PowerLED Under Cabinet Puck Light	120V	4.5W	250LM	3000K	● SN ○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	6009CC	9 in. PowerLED Linear Under Cabinet Light in 5CCT	120V	3W	250LM	5CCT*	● SBA
	6012CC	12 in. PowerLED Linear Under Cabinet Light in 5CCT	120V	4W	330LM	5CCT*	● SBA
	6024CC	24 in. PowerLED Linear Under Cabinet Light in 5CCT	120V	8W	675LM	5CCT*	● SBA
	6036CC	36 in. PowerLED Linear Under Cabinet Light in 5CCT	120V	12W	1080LM	5CCT*	● SBA
	6048CC	48 in. PowerLED Linear Under Cabinet Light in 5CCT	120V	16W	1300LM	5CCT*	● SBA

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	9009CC-WH	9 in. Hardwired Pivoting Linear Under Cabinet Light in 5CCT	120V	3.5W	200LM	5CCT*	○ WH
	9012CC-WH	12 in. Hardwired Pivoting Linear Under Cabinet Light in 5CCT	120V	5W	335LM	5CCT*	○ WH
	9018CC-WH	18 in. Hardwired Pivoting Linear Under Cabinet Light in 5CCT	120V	8W	560LM	5CCT*	○ WH
	9024CC-WH	24 in. Hardwired Pivoting Linear Under Cabinet Light in 5CCT	120V	12W	850LM	5CCT*	○ WH
	9030CC-WH	30 in. Hardwired Pivoting Linear Under Cabinet Light in 5CCT	120V	16W	1115LM	5CCT*	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	HLF09-3K-WH	9 in. Hardwired LED Under Cabinet Linear Light	120V	3W	200LM	3000K	○ WH
	HLF12-3K-WH	12 in. Hardwired LED Under Cabinet Linear Light	120V	4W	380LM	3000K	○ WH
	HLF18-3K-WH	18 in. Hardwired LED Under Cabinet Linear Light	120V	8W	675LM	3000K	○ WH
	HLF24-3K-WH	24 in. Hardwired LED Under Cabinet Linear Light	120V	12W	900LM	3000K	○ WH
	HLF30-3K-WH	30 in. Hardwired LED Under Cabinet Linear Light	120V	16W	1100LM	3000K	○ WH

120V Accessories	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	6000-JB	Junction box for 120V Series	120V	-	-	-	○ WH
	6001-E24	24 in. Extension Cord for PowerLED Series	120V	-	-	-	○ WH
	6001-E60	60 in. Extension Cord for PowerLED Series	120V	-	-	-	○ WH
	6001-PC	72 in. Power Cord for PowerLED Series	120V	-	-	-	○ WH
	6000-ACCE06	6 in. Extension Cord for PowerLED Linears	120V	-	-	-	○ WH
	6000-ACCE24	24 in. Extension Cord for PowerLED Linears	120V	-	-	-	○ WH
	6000-ACCE60	60 in. Extension Cord for PowerLED Linears	120V	-	-	-	○ WH
	6000-ACCLR	Kit of Left and Right "L" Connectors for PowerLED Linears	120V	-	-	-	○ WH
	6000-ACCPC	72 in. Power Cord for PowerLED Linears	120V	-	-	-	○ WH



	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	CF613-CC	13 in. Round LED Glass Flush Mount in 5CCT	120V	32W	1800LM	5CCT*	● SN

 DAMP	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	7205-WH	5 in. Slim Round Plastic LED Flush Mount	120V	6W	350LM	3000K	○ WH
	7205SQ-WH	5 in. Slim Square Plastic LED Flush Mount	120V	6W	350LM	3000K	○ WH
	7207-WH	7 in. Slim Round Plastic LED Flush Mount	120V	12W	770LM	3000K	○ WH
	7209-WH	9 in. Slim Round Plastic LED Flush Mount	120V	18W	1080LM	3000K	○ WH
	7209SQ-WH	9 in. Slim Square Plastic LED Flush Mount	120V	18W	1260LM	3000K	○ WH

 JA8 DRY CERTIFIED	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	CFH12-3K-XX	Aurora 12 in. Dual-Light Dimmable LED Flush Mount	120V	26W	1850LM	3000K	● SN ○ WH
	CFR12-3K-XX	Bloom 12 in. Dual-Light Dimmable LED Flush Mount	120V	26W	1570LM	3000K	● SN ○ WH

 DRY	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	STRFM-3K-XX	32 in. Star LED Flush Mount	120V	40W	2000LM	3000K	● BK ○ WH

 JA8 COLOR SELECT WET OUTDOOR CERTIFIED	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	CFLEDR06-CC-XX	6 in. Slim Round LED Flush Mount in 5CCT	120V	11W	700LM	5CCT*	● BB ● BK ● SN ○ WH
	CFLEDR10-CC-XX	10 in. Slim Round LED Flush Mount in 5CCT	120V	17W	880LM	5CCT*	● BB ● BK ● SN ○ WH
	CFLEDR14-CC-XX	14 in. Slim Round LED Flush Mount in 5CCT	120V	26W	1600LM	5CCT*	● BB ● BK ● SN ○ WH
	CFLEDR18-CC-XX	18 in. Slim Round LED Flush Mount in 5CCT	120V	35W	2100LM	5CCT*	● BK ● SN ○ WH
	CFLEDSQ06-CC-XX	6 in. Slim Square LED Flush Mount in 5CCT	120V	11W	700LM	5CCT*	● BK ● SN ○ WH
	CFLEDSQ10-CC-XX	10 in. Slim Square LED Flush Mount in 5CCT	120V	17W	880LM	5CCT*	● BK ● SN ○ WH
	CFLEDSQ14-CC-XX	14 in. Slim Square LED Flush Mount in 5CCT	120V	26W	1600LM	5CCT*	● BK ● SN ○ WH

*5CCT: 2700K, 3000K, 3500K, 4000K, 5000K

Vanity Light Collection



 DAMP	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SWS12-3K-XX	12 in. Rectangular LED Wall Sconce	120V	12W	1080LM	3000K	● BK ○ WH
	SWS24-3K-XX	24 in. Rectangular LED Wall Sconce	120V	24W	2160LM	3000K	● BK ○ WH
	SWS36-3K-XX	36 in. Rectangular LED Wall Sconce	120V	36W	2575LM	3000K	● BK ○ WH


 COLOR SELECT  DAMP	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	LEDVAN001-CC-12XX	12 in. Glass LED Vanity Light in 5CCT	120V	8W	540LM	5CCT*	● CH ● SN
	LEDVAN001-CC-18XX	18 in. CCT Glass LED Vanity Light in 5CCT	120V	16W	1000LM	5CCT*	● CH ● SN
	LEDVAN001-CC-24XX	24 in. CCT Glass LED Vanity Light in 5CCT	120V	24W	1300LM	5CCT*	● CH ● SN

 COLOR SELECT  DAMP	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	LEDVAN002-CC-12XX	12 in. Glass LED Vanity Light in 5CCT	120V	8W	700LM	5CCT*	● CH ● SN
	LEDVAN002-CC-24XX	24 in. Glass LED Vanity Light in 5CCT	120V	24W	1300LM	5CCT*	● CH ● SN
	LEDVAN002-CC-36XX	36 in. Glass LED Vanity Light in 5CCT	120V	32W	1900LM	5CCT*	● CH ● SN

 COLOR SELECT  DAMP	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	LEDVAN003-CC-24XX	24 in. LED Linear Vanity Light in 5CCT	120V	15W	1300LM	5CCT*	● BK ● CH ● SN
	LEDVAN003-CC-32XX	32 in. LED Linear Vanity Light in 5CCT	120V	22W	1900LM	5CCT*	● BK ● CH ● SN

Pendant Collection



	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	PDC18-CC-XX	18 in. LED Cylinder Pendant Light in 3CCT	120V	9W	510LM	3CCT*	● BK ● SBA ○ WH
	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	PDL44-3K-XX	44 in. Geometric Linear LED Pendant Light	120V	40W	2200LM	3000K	● BK ○ WH
	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	MSLPD48-3K-BK	48 in. Microspot LED Linear Pendant Light	120V	30W	4200LM	3000K	● BK
	MSLPD-ACC-I	"I" straight connector for the MSLPD48 pendant	-	-	-	-	● BK
	MSLPD-ACC-L	"L" 90° connector for the MSLPD48 pendant	-	-	-	-	● BK
	MSLPD-ACC-T	"T" connector for the MSLPD48 pendant	-	-	-	-	● BK
	MSLPD-ACC-X	"X" cross connector for the MSLPD48 pendant	-	-	-	-	● BK
	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	PDLED120-24-XX	24 in. LED Duo-Light Cylinder Pendant in 3CCT	120-277V	30W	300LM	3CCT*	● BK ○ WH
	PDLED120-36-XX	36 in. LED Duo-Light Cylinder Pendant in 3CCT	120-277V	30W	300LM	3CCT*	● BK ○ WH
	PDLED120-48-XX	48 in. LED Duo-Light Cylinder Pendant in 3CCT	120-277V	30W	300LM	3CCT*	● BK ○ WH
	PDLED120-60-XX	60 in. LED Duo-Light Cylinder Pendant in 3CCT	120-277V	30W	300LM	3CCT*	● BK ○ WH
	PDLED120-5-XX †	5 Light Round LED Duo-Light Cylinder Pendant Cluster in 3CCT	120-277V	150W	1500LM	3CCT*	● BK ○ WH
	PDLED120-5SQ-XX †	5 Light Square LED Duo-Light Cylinder Pendant Cluster in 3CCT	120-277V	150W	1500LM	3CCT*	● BK ○ WH
	PDLED120-8-XX †	8 Light Round LED Duo-Light Cylinder Pendant Cluster in 3CCT	120-277V	240W	2400LM	3CCT*	● BK ○ WH
	PDLED120-8SQ-XX †	8 Light Square LED Duo-Light Cylinder Pendant Cluster in 3CCT	120-277V	240W	2400LM	3CCT*	● BK ○ WH

†Custom product, final sale, no returns

*3CCT: 3000K, 4000K, 5000K

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	PDR5-3K-XX	25 in. 5 Ring LED Pendant Light	120V	44W	2400LM	3000K	● BK ○ WH
	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SPD48-3K-XX	48 in. Slim Linear LED Pendant Light	120-277V	32W	1810LM	3000K	● BK ○ WH
	SPD72-3K-XX	72 in. Slim Linear LED Pendant Light	120-277V	55W	4500LM	3000K	● BK ○ WH
	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	STRPD-3K-XX	29 in. Star LED Pendant Light	120V	33W	1880LM	3000K	● BK ○ WH
	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	TWPD-3K-XX	28 in. Twirl LED Pendant Light	120V	84W	3960LM	3000K	● BK ○ WH



	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	STRFL-3K-XX	64 in. Star LED Floor Lamp	120V	14W	1200LM	3000K	● BK ○ WH

Wall Light Collection



 	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
      	LEDWALL-A-XX	12 in. Round Adjustable LED Cylinder Sconce	120-277V	28W	2100LM	3000K	 BK  SG  WH
	LEDWALL-B-XX	12 in. Square Adjustable LED Cylinder Sconce	120-277V	29W	2100LM	3000K	 BK  SG  WH
	LEDWALL-D-BK	11 in. Indirect Linear LED Wall Sconce	120V	14W	250LM	3000K	 BK
	LEDWALL-F-XX	13 in. Indirect Rectangular LED Wall Sconce	120V	15W	800LM	3000K	 BK  SG  WH
	LEDWALL-G-XX	4 in. Square Directional Up/Down LED Wall Sconce with Adjustable Light Angle	120V	7W	450LM	3000K	 BG  BK  BR  SG  WH
	LEDWALL-H-XX	6 in. Oval Up/Down LED Wall Sconce	120V	15W	900LM	3000K	 BK  SG
	LEDWALL-I-XX	14 in. Ultra Slim LED Wall Sconce	120V	7W	490LM	3000K	 BK  SG  WH

 	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
   	LEDWALL001D-XX	Square Directional LED Wall Sconce with Adjustable Light Angle	120V	7W	540LM	3000K	 BK  BR  SG  WH
	LEDWALL002D-BK	Round Directional LED Wall Sconce with Adjustable Light Angle	120V	7W	540LM	3000K	 BK
	LEDWALL004D-BK	Trapezoidal LED Wall Sconce	120V	7W	700LM	3000K	 BK
	LEDWALL005D-BK	Slim UP/Down Wall Sconce	120V	7W	545LM	3000K	 BK

  	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	LWJ16-CC-XX	16 in. Rectangular Dual Light Wall Sconce in 5CCT	120V	20W	815LM	5CCT*	 BK  WH

*5CCT: 2700K, 3000K, 3500K, 4000K, 5000K

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	MSLWALL-3K-BK	6 Light Microspot LED Linear Wall Sconce	120V	15W	810LM	3000K	● BK

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	1180T-BK	LED Adjustable Wall Pack	120-277V	20W	2100LM	4000K	● BK

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SQS06-3K-XX	6 in. Square Ultra Slim Wall Sconce	120V	8W	750LM	3000K	● BK ○ WH
	SQS10-3K-XX	10 in. Square Ultra Slim Wall Sconce	120V	13W	940LM	3000K	● BK ○ WH
	SQS15-3K-XX	15 in. Square Ultra Slim Wall Sconce	120V	22W	1590LM	3000K	● BK ○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	STK21-3K-XX	21 in. Linear LED Wall Sconce	120V	7W	400LM	3000K	● BK ○ WH
	STK37-3K-XX	37 in. Linear LED Wall Sconce	120V	13W	840LM	3000K	● BK ○ WH



	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	LEDPATH003D-BK	4 in. X-Shaped LED Bollard Path Light	120V	7W	180LM	3000K	● BK
	LEDPATH004D-XX	4 in. Square Shaped LED Bollard Path Light	120V	7W	350LM	3000K	● BK ● SG

Step Light Collection



	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
		LEDSTEP001D-XX Horizontal LED Step Light	120V	3W	90LM	3000K	● BK ● SG ○ WH
		LEDSTEP002D-XX Recessed Vertical LED Step Light	120V	3W	70LM	3000K	● BK ● BR ● SG ○ WH
		LEDSTEP004D-XX Recessed Round LED Step Light Includes junction box approved for concrete applications	120V	3W	40LM	3000K	● BK ● SG ○ WH
		LEDSTEP005D-XX Recessed Horizontal LED Step Light	120V	3W	100LM	3000K	● BK ● BR ● SG ○ WH
		LEDSTEP006D-XX Recessed Horizontal LED Step Light	120V	3W	120LM	3000K	● BK ● SG ○ WH


Smart Home Collection



	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-BLBA19	Smart A19 RGB+CCT Light Bulb	120V	9W	800LM	RGB + 2700K - 6500K	○ WH
	SM-BLBRR30	Smart BR30 RGB+CCT Light Bulb	120V	9W	900LM		○ WH
	SM-BLBGU10	Smart GU10 RGB+CCT Light Bulb	120V	5.5W	400LM		○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-DIMSW	Smart Dimmer Switch	120V	250/430W	-	-	○ WH
	SM-PLUG	DALS Connect Smart plug	120V	-	-	-	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-FM08WH	8 in. Smart RGB+CCT Flush Mount	120V	10W	800LM	RGB + 2700K - 6500K	○ WH
	SM-FM14WH	14 in. Smart RGB+CCT Flush Mount	120V	18W	1400LM		○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-LPD39	39 in. Smart RGB+CCT LED Linear Pendant Light	120V	30W	1665LM	RGB + 2700 K - 6500K	● BK

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-LWS19	19 in. Smart RGB+CCT LED Linear Wall Sconce	120V	15W	1130LM	RGB + 2700K - 6500K	● BK

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-OTP24FT	24 ft. Smart RGB+CCT Outdoor LED Tape Light Kit	12V	15W	1500LM	RGB + 2700K - 6500K	○ WH
	SM-OTPA8FT	8 ft. RGB+CCT Outdoor LED Tape Light Extension	12V	5W	1500LM		○ WH
	SM-OTPA8CWM	DALS Connect Wifi Module Controller & Remote for Smart Outdoor Tape	-	-	-	-	● BK
	SM-OTPA8CY24	DALS Connect 24 in. "Y" Splitter for Smart Outdoor Tape	-	-	-	-	● BK
	SM-OTPEXT60	DALS Connect 60 in. Extension for Smart Outdoor Tape	-	-	-	-	● BK

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-TAP1M	1-Meter Smart RGB+CCT LED Indoor Tape Light Kit	12V	5.5W	400LM	RGB + 2700K - 6500K	○ WH
	SM-TAP3M	3-Meter Smart RGB+CCT LED Indoor Tape Light Kit	12V	14W	950LM		○ WH
	SM-TAP5M	5-Meter Smart RGB+CCT LED Indoor Tape Light Kit	12V	17W	1200LM		○ WH
	SM-TAPACCWM	Wifi Module Controller & Remote for Smart Indoor Tape	12V	-	-	-	○ WH
	SM-TAPACCY	6 in. Y-Splitter for Smart Indoor Tape	12V	-	-	-	○ WH
	SM-TAPEXT24	24 in. Extension for Smart Indoor Tape	12V	-	-	-	○ WH
	SM-TAPEXT60	60 in. Extension for Smart Indoor Tape	12V	-	-	-	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-PNL4WH	4 in. Smart RGB+CCT LED Recessed Panel light	120V	10W	600LM	RGB + 2700K - 6500K	○ WH
	SM-PNL6WH	6 in. Smart RGB+CCT LED Recessed Panel light	120V	15W	1000LM		○ WH
	SM-PNLEXT108	108 in. Extension for Smart Recessed Panel Lights	120V	-	-	-	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-RGR4WH	4 in. Smart RGB+CCT LED Regressed Recessed light	120V	14W	700LM	RGB + 2700K - 6500K	○ WH
	SM-RGREXT108	108 in. Extension for Smart Regressed Lights	120V	-	-		○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-UCL12	12 in. Smart RGB+CCT LED Under Cabinet Linear Kit	12V	6W	400LM	RGB + 2700K - 6500K	● SBA
	SM-UCL24	24 in. Smart RGB+CCT LED Under Cabinet Linear Kit	12V	12W	800LM		● SBA
	SM-UCL36	36 in. Smart RGB+CCT LED Under Cabinet Linear Kit	12V	18W	1200LM		● SBA
	SM-UCLWM	Wifi Module Controller and Remote for Smart Linears	12V	-	-	-	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-UP1	Smart RGB+CCT LED Under Cabinet Single Puck Light	12V	2.3W	110LM	RGB + 2700K - 6500K	○ WH
	SM-UPK3	Smart RGB+CCT LED Under Cabinet 3-Pack Puck Light Set	12V	11W	330LM		○ WH
	SM-UPK5	Smart RGB+CCT LED Under Cabinet 5-Pack Puck Light Set	12V	18W	550LM		○ WH
	SM-UPKWM	Wifi Module Controller and Remote for Smart Pucks	12V	-	-	-	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-UACCY24	24 in. Y-splitter for Smart Linears and Pucks	12V	-	-	-	○ WH
	SM-UEXT24	24 in. Extension for Smart Linears and Pucks	12V	-	-	-	○ WH
	SM-UEXT60	60 in. Extension for Smart Linears and Pucks	12V	-	-	-	○ WH

	Product code	Description	Voltage	Wattage	Delivered lumens	Color °T	Finish
	SM-SSP	Smart Starter Pack - 2x A19 Smart Bulbs (SM-BLBA19) + 2x Smart Plugs (SM-PLUG) + 1x Smart Dimmer (SM-DIMSW) + 1x Smart 3-Meter Tape Kit (SM-TAP3M)	120V, 12V	-	-	-	○ WH

Canada

80, de la Seigneurie blvd., East
Blainville, Quebec J7C 4N1

U.S.A.

4383, NW 124th Ave.,
Coral Springs, Florida 33065

877.430.1818
info@dals.com
dals.com

dals