

# BL4RE-S

## 4" Miniature Low Voltage "Noise-Free" Shallow Non-IC Remodel Housing

LAMP WATTAGE: (1) MAXIMUM 12V 35W MR16

Catalog Number:



Project Name:

Type:

Note:



DESIGNED FOR 2" X 4" JOIST CONSTRUCTION



### DESCRIPTION

Small aperture, low voltage, thermally protected, remodel shallow housing. For fast and easy installation in existing plaster or mechanical ceilings from 1/2" to 1-3/8" thick. Four remodel clips are easily retractable for fixture removal if necessary. Accommodates up to 35W MR16 lamps. Junction box is provided with eight 1/2" KO's and four Romex knockouts with strain relief.

### SPECIFICATION

**A. HOUSING** - High temperature painted 22 gauge deep drawn single piece housing. Accommodates lamps up to 35W depending on trim used.

**B. TRANSFORMER** - Class II dimming electronic transformer enhanced in heat dissipating cover attached to junction box.

**C. INSTALLATION** - Four preinstalled spring clips which secure the housing firmly into ceiling to accommodate different ceiling thickness from 1/2" to 1-3/8".

**D. JUNCTION BOX** - listed for damp location and has eight 1/2" KO's and four Romex knockouts with strain relief.

### FEATURES

- Integral low voltage electronic transformer to eliminate noise and vibration, increasing lamp life and lighting quality.
- Thermally Protected Non-IC remodel housing.
- Can be installed from below the ceiling.
- Four preinstalled spring clips which secure the housing firmly into ceiling to accommodate different ceiling thicknesses from 1/2" to 1-3/8".
- Designed for accent and task lighting applications.
- Dependable, favorable design and effortless installation.
- 3-5/8" height allows use in 2" x 4" joist construction.
- Unit slips through 4-1/4" ceiling opening.

4" 36° - EXN - 50W MR16		
BL4RE-S • B1402CL		
3.28'	185.8	2.3'
6.56'	46.45	4.26'
9.84'	20.62	6.4'
13.12'	11.61	8.53'
Distance to Plane F(ft)	Initial Nadir Footcandles E(c)	Beam Spread ø(ft)

BEAM DIA. MEASURED AT 50% OF NADIR F.C.

### OPTIONS

#### 1. AIR-SHUT

- Gasket to prevent air flow from heated or air conditioned spaces.
- Meets all national air flow requirements.



BL4RE-S - ITEM SELECTOR: (Please check the boxes below for the option desired)

WATTAGE	TRIM TYPE	BAFFLE	TRIM RING	MR 16 LENS FILTER
<input type="checkbox"/> 20W	<input type="checkbox"/> B1451 <sup>1</sup> <input type="checkbox"/> B1476 <sup>2</sup> <input type="checkbox"/> B1494 <input type="checkbox"/> B1425 <input type="checkbox"/> B1439 <input type="checkbox"/> B1411	<input type="checkbox"/> W	<input type="checkbox"/> WH	<input type="checkbox"/> BP8MR16-BL (Blue) <input type="checkbox"/> BP8MR16-FR (Frosted)
<input type="checkbox"/> 35W	<input type="checkbox"/> B1453 <sup>1</sup> <input type="checkbox"/> B1478 <input type="checkbox"/> B1496 <input type="checkbox"/> B1469 <input type="checkbox"/> B1463 <input type="checkbox"/> B1416	<input type="checkbox"/> P	<input type="checkbox"/> BK	<input type="checkbox"/> BP8MR16-GR (Green) <input type="checkbox"/> BP8MR16-SP (Spread)
	<input type="checkbox"/> B1454 <sup>1</sup> <input type="checkbox"/> B1488 <input type="checkbox"/> B1483 <input type="checkbox"/> B1442 <input type="checkbox"/> B1464 <input type="checkbox"/> B1407	<input type="checkbox"/> SN	<input type="checkbox"/> SN	<input type="checkbox"/> BP8MR16-PI (Pink) <input type="checkbox"/> BP8MR16-SF (Soft Focus)
	<input type="checkbox"/> B1455 <sup>1</sup> <input type="checkbox"/> B1486 <input type="checkbox"/> B1432 <input type="checkbox"/> B1420 <input type="checkbox"/> B1465 <input type="checkbox"/> B1414	<input type="checkbox"/> CP	<input type="checkbox"/> CP	<input type="checkbox"/> BP8MR16-PU (Purple) <input type="checkbox"/> BP8MR16-HC (Honey Comb)
<b>BALLAST</b>	<input type="checkbox"/> B1456 <sup>1</sup> <input type="checkbox"/> B1489 <input type="checkbox"/> B1434 <input type="checkbox"/> B1422 <input type="checkbox"/> B1466 <input type="checkbox"/> B1415	<input type="checkbox"/> BZ	<input type="checkbox"/> CH	<input type="checkbox"/> BP8MR16-DL (Day Light) <input type="checkbox"/> BP8MR16-LI (Linear)
<input type="checkbox"/> (E) Electronic	<input type="checkbox"/> B1457 <sup>1</sup> <input type="checkbox"/> B1479 <input type="checkbox"/> B1435 <input type="checkbox"/> B1413 <input type="checkbox"/> B1467 <input type="checkbox"/> B1404	<b>REFLECTOR</b>	<input type="checkbox"/> PB	<input type="checkbox"/> BP8MR16-YE (Yellow) <input type="checkbox"/> BP8MR16-SOL (Solite)
	<input type="checkbox"/> B1458 <sup>1</sup> <input type="checkbox"/> B1487 <input type="checkbox"/> B1484 <input type="checkbox"/> B1426 <input type="checkbox"/> B1408 <input type="checkbox"/> B1418	<input type="checkbox"/> CL	<input type="checkbox"/> BZ	<input type="checkbox"/> BP8MR16-YE (Yellow) <input type="checkbox"/> BP8MR16-SOL (Solite)
	<input type="checkbox"/> B1459 <sup>1</sup> <input type="checkbox"/> B1485 <input type="checkbox"/> B1436 <input type="checkbox"/> B1427 <input type="checkbox"/> B1406 <input type="checkbox"/> B1419	<input type="checkbox"/> RG	<input type="checkbox"/> CH <sup>1</sup>	<input type="checkbox"/> BP8MR16-AM (Amber) <input type="checkbox"/> BP8MR16-CL (Clear)
<b>VOLTAGE</b>	<input type="checkbox"/> B1460 <sup>1</sup> <input type="checkbox"/> B1491 <input type="checkbox"/> B1440 <input type="checkbox"/> B1430 <input type="checkbox"/> B1401 <input type="checkbox"/> B1433	<input type="checkbox"/> W	<input type="checkbox"/> SS <sup>2</sup>	<input type="checkbox"/> BP8MR16-OR (Orange) <input type="checkbox"/> BP8MR16-UV (Ultraviolet)
<input type="checkbox"/> 120	<input type="checkbox"/> B1470 <sup>2</sup> <input type="checkbox"/> B1480 <input type="checkbox"/> B1441 <input type="checkbox"/> B1431 <input type="checkbox"/> B1402 <input type="checkbox"/> B1417	<input type="checkbox"/> MB		<input type="checkbox"/> BP8MR16-RE (Red)
<input type="checkbox"/> 277	<input type="checkbox"/> B1471 <sup>2</sup> <input type="checkbox"/> B1495 <input type="checkbox"/> B1421 <input type="checkbox"/> B1462 <input type="checkbox"/> B1412 <input type="checkbox"/> B1477	<input type="checkbox"/> BZ		
<b>OPTION</b>	<input type="checkbox"/> B1472 <sup>2</sup> <input type="checkbox"/> B1490 <input type="checkbox"/> B1424 <input type="checkbox"/> B1452 <input type="checkbox"/> B1468	<input type="checkbox"/> CP		
<input type="checkbox"/> AT (Air-Shut)	<input type="checkbox"/> B1474 <sup>2</sup> <input type="checkbox"/> B1492 <input type="checkbox"/> B1423 <input type="checkbox"/> B1437 <input type="checkbox"/> B1461	<input type="checkbox"/> SN		
	<input type="checkbox"/> B1475 <sup>2</sup> <input type="checkbox"/> B1481 <input type="checkbox"/> B1409 <input type="checkbox"/> B1438 <input type="checkbox"/> B1403	<input type="checkbox"/> SHZ		

1 = CH - Chrome finished • 2 = SS - Stainless Steel finished

BAFFLE	REFLECTOR	TRIM/RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	BZ Bronze	CH Chrome
	CP Copper	PB Polish Brass
	SN Satin Nickel	BZ Bronze
	SHZ Satin Haze	

### Specifications:

#### BL4RE-S

WATT BALLAST VOLTAGE OPTION TRIM TYPE BAFFLE REFLECTOR TRIM/RING FILTER (1) FILTER (2)

Sample of Catalog Number: BL4RE-S-20W-E-B1401-W-WH-BP8MR16-BL

\*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.



Submittal form is available @ [www.iuseelite.com](http://www.iuseelite.com)  
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions subject to change without notice.

REV: ELITE LIGHTING-SPEC-05-24-2011

# 4" Low Voltage Trims

( LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10 )

Catalog Number:

Project Name:

Type:

Note:



<p><b>B1451CH</b> <b>RUBY I</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> CH (CHROME)</p>	<p><b>B1453CH</b> <b>RUBY II</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> CH (CHROME)</p>	<p><b>B1454CH</b> <b>SAPPHIRE I</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> CH (CHROME)</p>	<p><b>B1455CH</b> <b>SAPPHIRE II</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> CH (CHROME)</p>
<p><b>B1456CH</b> <b>EMERALD I</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> CH (CHROME)</p>	<p><b>B1457CH</b> <b>EMERALD II</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> CH (CHROME)</p>	<p><b>B1458CH</b> <b>TOPAZ I</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> CH (CHROME)</p>	<p><b>B1459CH</b> <b>TOPAZ II</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> CH (CHROME)</p>
<p><b>B1460CH</b> <b>ONYX</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> CH (CHROME)</p>	<p><b>B1470SS</b> <b>ADJ. STAINLESS STEEL GIMBAL TRIM</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> SS (STAINLESS STEEL)</p>	<p><b>B1471SS</b> <b>STAINLESS STEEL LENSED TRIM</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> SS (STAINLESS STEEL)</p> <p><small>FOR WET LOCATION</small></p>	<p><b>B1472SS</b> <b>STAINLESS STEEL EYEBALL TRIM</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> SS (STAINLESS STEEL)</p>
<p><b>B1474SS</b> <b>ADJ. STAINLESS STEEL SQUARE GIMBAL TRIM</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> SS (STAINLESS STEEL)</p>	<p><b>B1475SS</b> <b>STAINLESS STEEL SQUARE EYEBALL TRIM</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> SS (STAINLESS STEEL)</p> <p><small>FOR WET LOCATION</small></p>	<p><b>B1476SS</b> <b>ADJ. STAINLESS STEEL SQUARE EYEBALL TRIM</b></p>  <p><b>O.D.:</b> 4-7/8" <b>FINISH TRIM:</b> SS (STAINLESS STEEL)</p>	<p><b>B1496SN</b> <b>SQUARE BAFFLE W/ SQUARE TRIM RING</b></p>  <p><b>TRIM FINISH:</b> WH, BK, SN, CP, CH, PB, BZ</p>

# 4"

# Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:


Project Name:

Type:

Note:




**B1478SN-SN**  
STEPPED BAFFLE (35° TILT)



**BAFFLE FINISH:**  
W, P, SN, CP, BZ

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ


**B1479CL-WH**  
REFLECTOR (35° TILT)



**REFLECTOR FINISH:**  
CL, RG, MB, W, CP, SN

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ


**B1494WH-BLUE**  
DESIGNER SQUARE STEP LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB


**GLASS FINISH:**  
BLUE, PEACH, GREEN, FROSTED

**B1485W-WH**  
EYEBALL (47° TILT)




**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK

**B1488CP**  
SURFACE ADJUSTABLE (90° TILT, 359° ROT)




**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1486WH**  
FULLY ADJUSTABLE (75° TILT, 359° ROT)




**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1489W-WH**  
ADJ. PINHOLE W/ BAFFLE (35° TILT)




**AVAILABLE COLOR COMBINATIONS:**  
W-WH, P-WH

**B1487WH**  
ADJUSTABLE SPOT (40° TILT)




**RING FINISH:**  
WH, BK

**B1483WH**  
SLOT APERTURE (35° TILT)




**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1480WH**  
FULLY ADJUSTABLE (35° TILT, 359° ROT.)




**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1484P-WH**  
FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)




**AVAILABLE COLOR COMBINATIONS:**  
W-WH, P-WH, P-BK, CP-CP, SN-SN, BZ-BZ

**B1481WH**  
ADJUSTABLE GIMBAL (40° TILT)



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ


**B1495CL-SN**  
SEMI-FROSTED SHOWER TRIM



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN


**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1491P-WH**  
PINHOLE WITH BAFFLE



**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK


**B1492WH-BLUE**  
METROPOLITAN ICE LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB

**GLASS FINISH:**  
BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

**B1490WH-PEACH**  
METROPOLITAN ICE LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB

**GLASS FINISH:**  
BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED



Submittal form is available @ [www.iuseelite.com](http://www.iuseelite.com)  
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions subject to change without notice.

REV: MAXLUME-SPEC-05-26-2011

# 4"

# Low Voltage Trims

( LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10 )

Catalog Number:


Project Name:

Type:

Note:




**B1401CP-CP**  
STEPPED BAFFLE



**BAFFLE FINISH:**  
W, P, SN, CP, BZ

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ


**B1402CP-WH**  
REFLECTOR (35° TILT)



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN, BZ

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ


**B1463RG-WH**  
ADJUSTABLE ANGLE-CUT REFLECTOR



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN

**RING FINISH:**  
WH, BK, SN, CP, CH, PB

**B1464CP-CP**  
ADJUSTABLE ANGLE-CUT BAFFLE



**BAFFLE FINISH:**  
W, P, SN, CP

**RING FINISH:**  
WH, BK, SN, CP, CH, PB

**B1465CL-WH**  
ADJUSTABLE ANGLE-CUT PINHOLE



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN

**RING FINISH:**  
WH, SN, CP

**B1466CL-WH**  
ADJUSTABLE ANGLE-CUT SLOT APERTURE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB

**B1467CL-WH**  
ADJUSTABLE LENSED WALL WASH



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN


**TRIM COVER:**  
WH, BK

**B1411WH**  
SLOT APERTURE (35° TILT, 179° ROT)



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1403CP**  
ONE PIECE SLOT APERTURE (35° TILT)



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1416P-WH**  
BAFFLE WALL WASH



**BAFFLE FINISH:**  
W, P, SN, CP, BZ

**WALL WASH COVER:**  
WH, BK

**B1407CL-WH**  
REFLECTOR WALL WASH



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN

**WALL WASH COVER:**  
WH, BK

**B1414W-WH**  
PINHOLE WITH BAFFLE



**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK, BZ-BZ

**B1415CL-WH**  
PINHOLE WITH REFLECTOR




**AVAILABLE COLOR COMBINATIONS:**  
CL-WH, CL-SN, RG-WH, MB-WH, W-WH

**B1404P-WH**  
EYEBALL (47° TILT)



**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK, BZ-BZ

**B1418P-WH**  
ADJ.PINHOLE W/ EYEBALL (35° TILT)



**AVAILABLE COLOR COMBINATIONS:**  
W-WH, P-WH, P-BK, P-PB, W-CH

**B1412CH**  
FULLY ADJUSTABLE (35° TILT, 359° ROT.)



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

# 4"

# Low Voltage Trims

(LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10)

Catalog Number:

Project Name:

Type:

Note:




**B1468W-WH**  
FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)



**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK, BZ-BZ

**B1461SN**  
ADJUSTABLE GIMBAL (40° TILT)



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1408WH**  
FULLY ADJUSTABLE (75° TILT, 359° ROT.)



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1406CP**  
SURFACE ADJUSTABLE (90° TILT, 359° ROT.)



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1413P-SN**  
PULL DOWN ADJUSTABLE



**BAFFLE FINISH:**  
W, P, SN, CP, BZ

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1419BK**  
ADJUSTABLE SPOT (40° TILT)




**TRIM/RING FINISH:**  
WH, BK, SN

**B1433P-WH**  
ADJUSTABLE PINHOLE BAFFLE (15° TILT)



**AVAILABLE COLOR COMBINATIONS:**  
W-WH, P-WH

**B1417W-WH**  
METAL STEPPED BAFFLE



**BAFFLE FINISH:**  
W, P, SN, CP, BZ

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1426CL-WH**  
THE ILLUMINATOR II



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN

**RING FINISH:**  
WH, BK, SN

**B1427CL-WH**  
THE ILLUMINATOR



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN

**RING FINISH:**  
WH, BK, SN

**B1477CL-WH**  
CROSSBLADE REFLECTOR



**REFLECTOR FINISH:**  
CL

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1462CL-WH**  
SEMI-FROSTED SHOWER TRIM



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ


**B1452CL-WH**  
CLEAR LENS SHOWER TRIM



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ


**B1437WH**  
SMOOTH FROST SHOWER LITE



**REFLECTOR FINISH:**  
CL

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1438WH**  
DESIGNER POINT SHOWER LITE



**REFLECTOR FINISH:**  
CL, RG, W, MB, CP, SN

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1439WH**  
SMOOTH FROST DOME SHOWER LITE



**REFLECTOR FINISH:**  
CL

**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ



Submittal form is available @ [www.iuseelite.com](http://www.iuseelite.com)  
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions subject to change without notice.

REV: MAXILUME-SPEC-05-26-2011

# 4"

# Low Voltage Trims

( LAMP WATTAGE: 75W 12V MR16 / 50W 120V GU10 )

Catalog Number:


Project Name:

Type:

Note:




**B1436WH**  
CYLINDER LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
WHITE, PINK, BLUE, GREEN

**B1434WH / B1435WH**  
STRIPE WALL WASH LITE



**B1434WH**

**B1435WH**

**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
CRYSTAL/FROST


**B1440WH-PINK**  
TULIP LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
TEAL, PINK, LIME, BLUE


**B1441WH-LIME**  
DESIGNER WALL WASH LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
TEAL, PINK, LIME, BLUE

**B1424WH-RED**  
METROPOLITAN HONEY LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
BLUE, RED, WHITE, GREEN


**B1420WH-GREEN**  
METROPOLITAN MOON LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
BLUE, PEACH, GREEN, CLEAR,  
AMBER, FROSTED

**B1425WH-AMBER**  
METROPOLITAN STEP LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
BLUE, PEACH, GREEN, CLEAR,  
AMBER, FROSTED

**B1442WH-PEACH**  
DESIGNER MOON LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
BLUE, PEACH, GREEN,  
FROSTED

**B1431WH**  
CRYSTAL STRIPE LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
CRYSTAL/FROST

**B1432WH**  
WALL WASH FROST LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
WHITE, PINK, BLUE, GREEN

**B1421WH-FROSTED**  
MINI-STEP LENS LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
FROSTED

**B1423WH-WHITE**  
METROPOLITAN OPAL LENS LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
CRYSTAL, WHITE, FROSTED


**B1409WH-BLUE**  
PYRAMID GLASS LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
TEAL, PINK, LIME, BLUE

**B1469WH-BLUE**  
DESIGNER STEP LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
BLUE, PEACH, GREEN, FROSTED

**B1422WH-FROSTED**  
METROPOLITAN ICE LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**GLASS FINISH:**  
BLUE, PEACH, GREEN, CLEAR,  
AMBER, FROSTED

**B1430WH**  
CRYSTAL ROSE LITE



**TRIM FINISH:**  
WH, BK, SN, CP, CH,  
PB, BZ

**GLASS FINISH:**  
CRYSTAL