



SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified			C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESS202008 mc\5412ESS202008 mc.idw			Tolérance ±1/32" sauf spécification contraire																																										
NOTE <table><tr><th>ITEM</th><th>DESCRIPTION</th></tr><tr><td>1</td><td>NEMA 4X Enclosure</td></tr><tr><td>2</td><td>C/W Standard ground studs on box and cover</td></tr><tr><td>3</td><td>W/O Standard door stiffener</td></tr><tr><td>4</td><td>C/W Standard inner panel (Sold separately)</td></tr><tr><td>5</td><td>C/W Standard inner panel mounting studs</td></tr></table>						ITEM	DESCRIPTION	1	NEMA 4X Enclosure	2	C/W Standard ground studs on box and cover	3	W/O Standard door stiffener	4	C/W Standard inner panel (Sold separately)	5	C/W Standard inner panel mounting studs	<table><tr><th>No.</th><th>Revisions</th><th>Date</th><th>By/Par</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>			No.	Revisions	Date	By/Par																								
ITEM	DESCRIPTION																																															
1	NEMA 4X Enclosure																																															
2	C/W Standard ground studs on box and cover																																															
3	W/O Standard door stiffener																																															
4	C/W Standard inner panel (Sold separately)																																															
5	C/W Standard inner panel mounting studs																																															
No.	Revisions	Date	By/Par																																													
Isometric View 						Flatness Aplatissement Max 3.0mm Projection  Customer Client Date Drawn By Dessiné Par Date 04-Mar-20 Material Matière 18 Ga Stainless Steel 304 (1.2mm) Color Couleur Unpainted Finish Fin Brushed Description 5412ESS 20" x 20" x 8" Assembly Detail Rev. Part Number Numéro Pièce 5412ESS202008 Rev. 0 2 2																																										
<table><tr><td>1</td><td>STK-K-01800</td><td>5</td><td>5412 ES Accessory Kit</td></tr><tr><td>1</td><td>880 PP</td><td>6</td><td>Self Adhesive Print Pocket</td></tr><tr><td>1</td><td>881 SP2020G</td><td>0</td><td>881 SP - Inner Panel</td></tr><tr><td>1</td><td>5412ESS202008_mcC</td><td>0</td><td>5412ESS 20" x 20" Cover</td></tr><tr><td>4</td><td>STK-Q-07310</td><td>2</td><td>Flange Lock Nut M8</td></tr><tr><td>4</td><td>STK-Q-07610</td><td>8</td><td>M8 Plastic Spacer 22.2mm</td></tr><tr><td>1</td><td>5412ESS202008_mcB</td><td>0</td><td>5412ESS 20" x 20" x 8" Body</td></tr><tr><td>2</td><td>STK-Q-04051-07</td><td>8</td><td>M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal</td></tr></table>						1	STK-K-01800	5	5412 ES Accessory Kit	1	880 PP	6	Self Adhesive Print Pocket	1	881 SP2020G	0	881 SP - Inner Panel	1	5412ESS202008_mcC	0	5412ESS 20" x 20" Cover	4	STK-Q-07310	2	Flange Lock Nut M8	4	STK-Q-07610	8	M8 Plastic Spacer 22.2mm	1	5412ESS202008_mcB	0	5412ESS 20" x 20" x 8" Body	2	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal											
1	STK-K-01800	5	5412 ES Accessory Kit																																													
1	880 PP	6	Self Adhesive Print Pocket																																													
1	881 SP2020G	0	881 SP - Inner Panel																																													
1	5412ESS202008_mcC	0	5412ESS 20" x 20" Cover																																													
4	STK-Q-07310	2	Flange Lock Nut M8																																													
4	STK-Q-07610	8	M8 Plastic Spacer 22.2mm																																													
1	5412ESS202008_mcB	0	5412ESS 20" x 20" x 8" Body																																													
2	STK-Q-04051-07	8	M6 x 7mm Stainless Steel Hexagon Socket Head Machine Screw with Nyseal																																													
<table><tr><td>Qty</td><td>Part Number</td><td>Rev</td><td>Description</td></tr><tr><td colspan="4">Parts List</td></tr></table>						Qty	Part Number	Rev	Description	Parts List																																						
Qty	Part Number	Rev	Description																																													
Parts List																																																

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESS202008 mc\5412ESS202008 mcB.idw


Tolérance ±1/32" sauf spécification contraire




TOP




BACK



LEFT




FRONT



RIGHT



BOTTOM



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client Date

Drawn By Dessiné Par BoxCad: BoxCad Date 04-Mar-20

Material Matière 18 Ga Stainless Steel 304 (1.2mm)

Color Couleur Unpainted Finish Fini Brushed

Description 5412ESS 20" x 20" x 8" Body Detail Rev.

Part Number Numéro Pièce 5412ESS202008B Rev. 0 1 7

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412ESS202008 mc\5412ESS202008 mcB5.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	6.500	2.000	GND STUD M6 x 16mm (Inside)

--	--	--	--



	Description		Status	
	5412ESS 20" x 20" x 8" Body			
	Part Number Numéro Pièce		Rev.	5
	5412ESS202008B		0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor_Dwg\BoxCad\Result\5412ESS202008 mc\5412ESS202008 mcB6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.875	1.875	IP STUD M8 x 35mm (Inside)
2	1.875	18.125	IP STUD M8 x 35mm (Inside)
3	18.125	18.125	IP STUD M8 x 35mm (Inside)
4	18.125	1.875	IP STUD M8 x 35mm (Inside)
-----	-----	-----	-----
5	19.250	0.750	RND Ø0.390
6	19.250	19.250	RND Ø0.390
7	0.750	19.250	RND Ø0.390
8	0.750	0.750	RND Ø0.390




	Description	Status	
	5412ESS 20" x 20" x 8" Body		
	Part Number	Rev.	6
	Numéro Pièce	0	7


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement  Max 3.0mm Projection 
Customer Client		Date
Drawn By Dessiné Par BoxCad: BoxCad		Date 04-Mar-20
Material Matière 18 Ga Stainless Steel 304 (1.2mm)		
Color Couleur Unpainted	Finish Fini Brushed	
Description 5412ESS 20" x 20" x 8" Body		Detail Rev.
Part Number Numéro Pièce 5412ESS202008B		Rev. 7 0 7

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESS202008 mc\5412ESS202008 mcC.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date	
BoxCad: BoxCad		04-Mar-20	
Material Matière		18 Ga Stainless Steel 304 (1.2mm)	
Color Couleur		Unpainted	Finish Fin Brushed
Description			Detail Rev.
5412ESS 20" x 20" Cover			
Part Number Numéro Pièce		Rev.	
5412ESS202008C		0	1 3

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESS202008 mc\5412ESS202008 mcC.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.486	1.535	GND STUD M6 x 16mm (Inside)
2	3.750	16.803	LABEL_EXM (Inside)
3	18.494	15.553	LOCK 880 SCQ4-SLSS6 @ 0.0°
4	18.494	4.250	LOCK 880 SCQ4-SLSS6 @ 0.0°



	Description	Status	
	5412ESS 20" x 20" Cover	(NULL)	
	Part Number Numéro Pièce 5412ESS202008C	Rev. 0	2 3


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\5412ESS202008 mc\5412ESS202008 mcC.idw


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

2	880 SCQ4-SLSS6	7	5412 ESS 1/4 Turn Lock
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	STK-Q-16085	0	Ground Stud M6 x 16mm Stainless Steel
1	5412ESS202008_mcG	0	5412ESS 20" x 20" Cover Gasket Part
1	5412ESS202008_mcC-P	0	5412ESS 20" x 20" Cover Part
2	STK-K-09850	6	5412 ESS Hinge with 2 Captive Hinge Pins
Qty	Part Name	Rev	Description
Parts List			


This drawing is confidential and must not be reproduced or used without the consent of EXM





No.	Revisions	Date	By/Par



Isometric View



 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement
		
Customer Client		Projection
Drawn By Dessiné Par BoxCad		
Material Matière		Date
See Part List		Date 1/23/2007
Color Couleur See Part List		Finish Fin See Part List
Description		Detail Rev.
881 SP - Inner Panel		
Part Number Numéro Pièce		Rev. 0 1 2
881 SP2020G		

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified



C:\Vault Workspace\Inventor Dwg\Inv-8\881SP\881SP2020G.idw

Tolérance ±1/32" sauf spécification contraire

Table 1			FRONT VIEW
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	0.875	1.875	GROUND HOLE (RND Ø0.290)
2	17.125	1.875	GROUND HOLE (RND Ø0.290)
3	0.875	16.125	GROUND HOLE (RND Ø0.290)
4	17.125	16.125	GROUND HOLE (RND Ø0.290)

All knockouts are actual size / Les disques défonçables sont grandeur réel



No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com			Flatness Aplatissement Max 3.0mm Projection 
Customer Client			Date
Drawn By Dessiné Par BoxCad			Date 1/23/2007
Material Matière See Part List			
Color Couleur See Part List		Finish Fini See Part List	
Description 881 SP - Inner Panel			Detail Rev.
Part Number Numéro Pièce 881 SP2020G			Rev. 0
			2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM