



## Components included

- 104848-XXX\*: Round decorative trim for  $\frac{1}{2}$ " pressure balance valve with volume control
  - cartridge included
- BF1759-XXX\*: 100 mm (4") showerhead and 186 mm (7 5/16") 45° wall arm with round flange

\* XXX means that the finish color must be specified.

## Colors (Finishes)

- Chrome: BF2084-110
- Matte Black: BF2084-160

## Certifications

The specified model meets or exceeds the following standards;



CSA B125.1  
ASME A112.18.1

ADA



See the following sheets for the technical features of each component.

## Installation Notes

This product must be installed following the installation instructions provided.

## WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

**SPECIFICATIONS**
**Features**

- Solid brass construction
- Total adjustment of 25 mm (1")
- Pressure balance with volume control ceramic cartridge

**Colors (Finishes)**

- Chrome: 104848-110
- Matte black: 104848-160

**Maximum flow rate**

- 22.5 L/min (5.9 gpm) at 60 psi

**Certifications**

*The specified model meets or exceeds the following standards:*

ADA



**Installation Notes**

This product must be installed following the installation instructions provided.

**WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

Product dimensions:



**Important:** Dimensions are approximated and are subject to changes. Please refer to the installation instructions.

**Features****45° Wall arm (105228-XXX):**

- Male water inlet 1/2NPT
- Male water outlet G1/2

**Arm flange (102898-XXX)****Showerhead (105009-XXX):**

- Female water inlet G1/2
- Diameter of 100 mm (4")
- Soft tips for easy cleaning of limescale
- Adjustable orientation swivel

**Colors (Finishes)**

- Chrome: BF1759-110
- Matte black: BF1759-160

**Maximum flow rate**

- 7.6 L/min (2 gpm) at 60 psi

**Certifications**

*The specified model meets or exceeds the following standards:*



 CSA B125.1  
 ASME A112.18.1
**Installation Notes**

This product must be installed following the installation instructions provided.

**WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**

*Product dimensions:*



**Important :** Dimensions are approximated and are subject to changes. Please refer to the installation instructions.