SQUAREONETM



BF1648-XXX-100

PLUS: TCD1 Thermostatic Coaxial Shower System

SPECIFICATIONS



Components included

- BF1586-XXX*: 2-way AQUATONIK™ type T/P 1/2"
 coaxial valve with diverter (operates 1 or 2
 components at a time) and decorative trim
- BF2155-XXX*: Rainhead with 90° wall arm
- 107377-XXX*: 3-jet handshower (mist spray, rain spray and mixed spray)
- 103576-XXX*: Wallbar
- 106193-XXX*: Wall outlet
- 101620-XXX*: 60" flexible and soft PVC hose
- * XXX means that the finish color must be specified.

Colors (Finishes)

Chrome: BF1648-110-100
Matte Black: BF1648-160-100
Pure nickel PVD: BF1648-125-100

See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



SQUARE*ONE*TM



BF1586

2-way AQUATONIKTM type T/P 1/2" coaxial valve with diverter and decorative trim

SPÉCIFICATIONS

Features

- 2 male water inlets 1/2NPT threaded or welded
- 2 male water outlets 1/2NPT threaded or welded
- · Solid brass construction
- Total adjustment of 32 mm (1 1/4")
- · Can be installed back to back
- Support included for better stability during installation
- Operates 1 or 2 components at a time

Colors (Finishes)

• Chrome: BF1586-**110**

Pure Nickel PVD: BF1586-125Matte Black: BF1690-160

Maximum flow rate


1 outlet: 25 L/min (6.6 gpm) at 60 psi2 outlets: 29 L/min (7.7 gpm) at 60 psi

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1 ICC A117.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089





BF2155

PLUS: Rainhead with 90° Wallarm

SPECIFICATIONS

Features

- · Solid brass arm and plastic rainhead construction
- Male water inlet 1/2NPT
- LSR (liquid silicone rubber) soft tips for easy cleaning of limescale
- · Adjustable orientation swivel

Colors (Finishes)

Chrome: BF2155-110
Matte Black: BF2155-160
Pure nickel PVD: BF2155-125


Maximum flow rate

• 7.6 L/min (2 gpm) to 80 psi

Certifications

The specified model meets or exceeds the following standards;






Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.







107377

PLUS: 3-jet handshower

SPECIFICATIONS

Features

- Male water inlet G½
- 3-jet handshower: mist spray, rain spray and mixed spray
- LSR (liquid silicone rubber) soft tips for easy cleaning of limescale

Colors (Finishes)

Chrome: 107377-110
Matte Black: 107377-160
Pure nickel PVD: 107377-125

Maximum flow rate

• 7.6 L/min (2 gpm) to 80 psi

Certifications

The specified model meets or exceeds the following standards;






Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

103576 Wallbar for handshower

SPÉCIFICATIONS


Features

- Total height of 775 mm (30 1/2")
- Easy-to-use gliding system
- · Locking system

Colors (Finishes)

• Chrome: 103576-**110**

Pure Nickel PVD: 103576-125
Matte Black: 103576-160




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87- 465-2542) F 418 387-9089





106193 Wall Outlet

SPECIFICATIONS

Features

- Solid brass construction
- Connector adjustable in depth for increased durability
- Female water inlet 1/2NPT
- Male water oulet G1/2

Colors (Finishes)

• Chrome: 106193-110


Pure Nickel PVD: 106193-125Matte Black: 106193-160

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



101620

60" (1524 mm) Flexible and Soft PVC Hose

SPECIFICATIONS

Features

G1/2 female connection

· Integrated check valve

Colors (Finishes)

• Chrome: 101620-**110**

Pure Nickel PVD: 101620-125
Black and chrome: 101620-150
Matte Black: 101620-160



Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.

